



BOREHOLE RECORD										
Contract No. 14356/96		Client Severfield Reeve								
Ground Level		Location Huthwaite, Sutton in Ashfield								
BOREHOLE No. 4		Date December 1996								
Depth	Thick-ness	Legend	Description of Strata	Type of Sample	C kN/m <sup>2</sup>	M %	Ø	Density kg/m <sup>3</sup>	N	
0.700	0.700		Made up ground, topsoil and clay fill							
1.300	1.300		Made up ground, firm to compact grey brown mottled silty clay fill	1.000 P					15	
2.000	2.000			2.000 P	No impression				25	
2.500	0.500		Very compact limestone boulder							
3.400	0.900		Stiff to very stiff grey brown mottled silty clay	3.200 P					30	
3.700	0.300		Siltstone							
Water Struck at Dry Standing Water Level										
Undisturbed Sample			U	<b>J. T. HYMAS (Site Investigation) LTD.</b> 12 Yarm Road, Stockton-on-Tees, Cleveland TS18 3NE Tel. 01642 607083 Fax. 01642 612355 						
Disturbed Sample			O							
Penetration Test			P							
Cohesion			C							
Angle of Internal Friction			Ø							
Moisture Content %			M							
Standard Penetration Value			N							

