



 British Geological Survey NATURAL ENVIRONMENT RESEARCH COUNCIL					Site Nottinghamshire/ Derbyshire COA NMCS2 Upgrade		Number SLIP1A		
Excavation Method Drive-in Window Sampler		Dimensions		Ground Level (mOD) 154.96		Client Highways Agency		Job Number F11451	
		Location 444907 E 359039.06 N		Dates 18/09/1999		Engineer WSP Environmental Ltd		Sheet 1/1	
Depth (m)	Sample / Tests	Water Depth (m)	Field Records	Level (mOD)	Depth (m) (Thickness)	Description		Legend	Water
				154.86	0.10	TOPSOIL.			
			18/09/1999:0.00m		(1.50)	MADE GROUND: Brown mottled grey black and orange clay with a little fine to medium gravel of mudstone.			
				153.36	1.60	MADE GROUND: Greyish brown mottled black and orange clay with a little fine to coarse gravel of mudstone.			
				152.46	2.50	Complete at 2.50m			
Remarks 1. Hand excavated inspection pit to 0.80m (0.50m x 0.50m). 2. Hole complete at 2.50m. 3. Position drilled in centre of possible slip circle/failure. 4. Hole dry. 5. Hole backfilled with grout. 6. Marker Post Ref 220/6 +75.						Scale (approx) 1:50		Logged By NBR	
						Figure No.			