SOLACE CARE

Admin guide

Every staff workflow in the Solace Care admin portal: signing in, the crisis queue, specialists, bookings, money, content, tracking modules, the health check and AI.

For	Solace staff who use the admin portal, by role: Super admins, Operations, Support, Finance, Clinical reviewers, Crisis responders and Content editors.
Covers	19 flows, step by step, with the screens, the rules behind each step, the messages people receive and what to do when something goes wrong.
Built from	The screen designs in design/screens, the decision log (docs/decisions.md, D1 to D60) and the specs in docs/specs, as built on 21 October 2026.

Contents

How to read this guide . . . 3
1. Getting a staff account and signing in . . . 5
2. Overview . . . 8
3. Responding to a crisis alert . . . 10
4. Reviewing a specialist application . . . 12
5. Managing an approved specialist . . . 15
6. Bookings, sessions and disputes . . . 17
7. People and data requests . . . 19
8. Payments and refunds . . . 22
9. Payout runs . . . 24
10. Moderating reviews . . . 26
11. Catalogue and policies . . . 27
12. Content . . . 28
13. Analytics and the admin copilot . . . 30
14. Audit log . . . 32
15. Team, roles and the on-call rota . . . 33
16. Settings and feature flags . . . 34
17. Building and publishing tracking modules . . . 36
18. The health check . . . 40
19. AI controls . . . 43

How to read this guide

This guide covers each workflow in the admin portal: who may do it, the steps, the rules the portal enforces, the messages people receive and what to do when something goes wrong. The seeker's and the specialist's side of the same moments are in their own guides.

Screens. The pictures are the design renders, with fallback fonts and a dashed box where the logo goes. The portal is in English and French; each staff member picks their language.

Numbers in brackets, such as [15] minutes, are settings that a Super admin changes in Settings and flags; numbers without brackets are fixed decisions.

Rules on every screen:

- Every change, and every view of a person's record or a crisis alert, writes an audit entry with who, what, when and the reason given. The audit log cannot be edited by anyone.
- Changing money, a specialist's status, a policy, a setting or a module needs a written reason.
- Two people for money: every refund at any amount, and every payout run, need a second person who did not prepare it.
- No clinical content: no screen shows tracking entries, notes, health check answers or transcripts. Crisis responders see only the flagged text.
- Contacts show masked (+237 6•• •• •• 34). Revealing one needs a reason and is logged.
- People appear as pseudonymous references (Seeker #4821, Guest #G-2244); bookings as BK- references.
- Nothing seekers see publishes without both English and French.

Who can do what. F = view and change, V = view only, — = hidden. One person can hold several roles.

Area	Super admin	Ops	Support	Finance	Clinical	Crisis	Content
Overview	F	F	V	V	V	V	V
Crisis queue	F	V	V	—	V	F	—
Specialists	F	F	V	V	V	—	—
Bookings and sessions	F	F	F	V	—	V	—
People and data requests	F	F	V	—	—	V	—
Payments and payouts	F	V	V	F	—	—	—
Reviews	F	F	F	—	—	—	—
Tracking modules	F	F	—	—	F	—	V
Health check	F	V	—	—	F	—	V
AI controls	F	V	—	—	V	—	—
Catalogue and policies	F	F	V	V	—	—	V
Content	F	V	V	—	V	V	F
Analytics and copilot	F	F	V	F	V	—	—
Audit log	F	V	—	—	—	—	—


Area	Super admin	Ops	Support	Finance	Clinical	Crisis	Content
Team and roles	F	—	—	—	—	—	—
Settings and flags	F	V	—	—	—	—	—

FLOW 1


Getting a staff account and signing in

Only a Super admin can create a staff account. The new person gets a temporary password in person, which works once and expires after 72 hours; at first sign-in they choose their own password and set up an authenticator app.

Who	Every staff member; accounts are created by a Super admin
Screens	1 · Sign in, 1b · First sign-in
Phase	1



1 · Staff sign-in



1b · First sign-in: new password and authenticator

Step by step

1. **A Super admin adds the person**
   In Team and roles: name, work email and roles. The portal shows a 16-character temporary password once; it is never stored.
2. **Hand the password over in person**
   The "Staff account created" email never contains a password. It says to sign in within 72 hours.
3. **First sign-in**
   Work email and the temporary password. Then choose a new password (at least 12 characters, not used before, checked against leaked passwords) and scan the QR code with an authenticator app; enter its 6-digit code.
4. **Every sign-in after that**
   Work email, password, then the authenticator code.

Rules behind this flow

- No one can sign themselves up as staff (D7).
- Staff are signed out after [15] idle minutes. A role change, a new password or deactivation ends the person's sessions at once (D42).
- A Super admin cannot remove their own Super admin role or deactivate themselves.

Messages people receive

When	Channel	Message (English)
Account created	Email (EN and FR)	Your Solace Admin account is ready. Sign in within 72 hours with the temporary password your Super admin gives you in person…

If something goes wrong


- **Temporary password expired or lost:** a Super admin issues a new password from Team and roles; it also resets the authenticator.
- **Lost the authenticator:** a Super admin issues a new password, which sets up the authenticator again.

FLOW 2

Overview

Overview shows what is happening now: unacknowledged crisis alerts first, sessions in progress or starting soon, today's numbers, what needs attention, and the health of each service.

Who	Every role (view)
Screens	2 · Overview
Phase	1



2 · Overview

Step by step

1 **Crisis banner**
When alerts are not acknowledged: how many, the oldest, who is on call, and Open crisis queue.

2 **Today in Douala time**
In session now, sessions today (completed, no-shows), new bookings (by language), payments captured (and failures).

3 **Sessions now**
Sessions in progress or starting within 30 minutes, with the seeker as a reference.

4 **Needs attention**
Applications, refunds to approve, reviews, disputes and flags, data requests due within 7 days.

5 **Service health**
Core, AI, calls, mobile money (slow when a payment has waited over [5] minutes) and SMS.

Rules behind this flow


- Overview shows counts only, never a person's details (D46).

FLOW 3

Responding to a crisis alert

An alert reaches the queue when the safety monitor flags a review or a companion answer, when the health check's safety question is answered, or when a specialist raises a safety concern from a session. The on-call responder is called at once; unacknowledged alerts escalate after 5 and 10 minutes.

Who	Crisis responders and Super admins act; Operations, Support and Clinical reviewers can look
Screens	3 · Crisis queue (also on a phone)
Phase	1



3 · Crisis queue

Step by step

1 **Get the call**
The on-call responder gets an SMS and a push straight away with the category and the time.

2 **Acknowledge**
Opening the alert and pressing Acknowledge takes it; it moves to In progress with the responder's name. The view is logged.

3 **Read only what the alert needs**
The category; where it came from (a session review, the health check, the homework companion, or the specialist in a session); the flagged text as written, or the specialist's note; the contact on file; any upcoming session.

4 **Act**
Reveal and call (logged), involve the person's specialist, or direct them to emergency services.

5 **Record the outcome and close**
Reached, safe for now; Reached, referred to emergency services; Not reached, follow-up scheduled; or Not a crisis on review. Add a responder note.

Rules behind this flow

- **Escalation (fixed):** not acknowledged within 5 minutes goes to the backup responder; 5 minutes later (10 in total) to the Super admins on the rota (D11).
- A flagged review is held and never published. A flagged companion answer is not stored; the seeker's app has already opened urgent help.
- A health check safety answer from a signed-in seeker raises the alert at once; a guest's alert comes with the number they left.
- The rota (who is primary and backup, their work phones, from when to when) is kept by Super admins in Team and roles.
- A crisis alert pauses tracking reminders for that person for [14] days.

Messages people receive

When	Channel	Message (English)
Alert raised	SMS and push, on-call	Solace crisis alert: {category}, raised {time}. Open the crisis queue now.
5 min, not acknowledged	SMS and push, backup	Solace: a crisis alert has waited 5 min. You are the backup. Open the crisis queue now.
10 min	SMS and push, Super admins	Solace: a crisis alert is still not acknowledged after 5 min. Open the crisis queue now.

If something goes wrong

- **Nobody is on call:** the queue says so. A Super admin sets the rota in Team and roles; until then alerts escalate to Super admins.
- **Immediate danger:** emergency services first (ambulance 119, police 117, fire 118), then record the outcome.

Not live yet / waiting on a decision


- Crisis on-call staffing and hours are still open; the rota is the interim tool (Still open).
- There is no separate Assign in v1: acknowledging takes the alert (D41).

FLOW 4


Reviewing a specialist application

Reviewers check six items for each applicant (identity, licence, languages, profile, sessions and prices, payout), book the onboarding interview, and then two people approve. Rejections and change requests carry a reason the applicant reads.

Who	Operations and Super admins change; Support, Finance and Clinical reviewers look
Screens	4 · Specialist applications, 5 · Application review
Phase	1; the AI bio draft needs the TRANSLATION feature live



4 · Specialist applications



5 · Application review

Step by step

1 **Pick an application**
Submitted, Under review, Changes requested, Decided; filter by specialty and language. Oldest first.

2 **Start the review**
Moves it to Under review.

3 **Verify identity and licence**
Open the documents (each opening is logged); check the licence with the issuing body; set the licence's valid-until date.

4 **Book the interview**
Set the time; the applicant gets a push. In the interview, confirm each language and set its verified level.

5 **Write the missing bio**
Write the second-language bio, or press the AI draft button and check its text; it is marked as a Solace draft for the specialist to confirm.

6 **Check sessions, prices and payout**
Within the price range; the payout name matches the ID.

7 **Propose approval**
Unlocks only when all six items are verified.

8 **A second person approves**
A different staff member with change access confirms. The profile goes live once the specialist has confirmed the bio.

9 **Or request changes / reject**
With a reason the applicant sees.

Rules behind this flow

- Approval takes two people; either can withdraw the proposal; changing a verified item withdraws it (D29).
- Only languages verified at Professional level or above can be booked.

Messages people receive


When	Channel	Message (English)
Change requested	Push	Your application needs a change. Open Solace to see what.
Interview booked	Push	Onboarding interview booked: {date} at {time}.
Approved	Push and email	You're approved. Seekers can now find and book you.

FLOW 5

Managing an approved specialist

The specialist record shows an approved specialist's profile, status, sessions, earnings, reviews, documents and history, with suspend, reinstate and re-verification.

Who	Operations and Super admins
Screens	6 · Specialist record
Phase	1



6 · Specialist record

Step by step

1. **Find the specialist**
   From Applications (Decided) or a booking.
2. **Read the record**
   Sessions completed, rating, specialist no-shows in the last 90 days, licence valid until.
3. **Suspend**
   With a reason; the profile leaves search. Booked sessions need handling with Support.
4. **Reinstate**
   A Super admin can reinstate a suspended specialist.

Rules behind this flow


- The specialist gets a push and an email 60 days before the licence date recorded at review, once per date.

FLOW 6


Bookings, sessions and disputes

Support finds any booking, reads its timeline (payments, reminders, who joined when) and resolves no-show disputes. The booking's own cancellation policy proposes the amount.

Who	Operations, Support and Super admins change; Finance looks
Screens	7 · Bookings, 8 · Booking detail
Phase	1



7 · Bookings



8 · Booking detail

Step by step

1 Search

By BK- reference, full id, specialist or person; filter by status (including Disputed), dates and language. Export CSV is made by Core and audited.

2 Open the booking

Timeline: booked and paid, reminders, waiting room, joins and leaves, room closed. Money: captured, state, policy version.

3 Open a dispute

With a short note of what the person said.

4 Resolve

Pick who missed it: specialist late, seeker left early, or connection problem. The policy refund follows; a settled booking gets a refund proposed by you, at the policy amount unless you change it with a reason.

Rules behind this flow


- If neither person joined, Core flags the booking for Support and keeps the money held (D36).
- "Connection problem" is nobody's fault: the full price is proposed back so the seeker can book again (D41).
- Every refund then waits for a Finance member who did not propose it.
- Staff do not book or move a session for someone in v1; the seeker reschedules in the app.

FLOW 7


People and data requests

Support and Operations find a seeker or guest by phone, email or booking reference, see their bookings, consents and data requests, and Operations carries out exports and erasures.

Who	Operations and Super admins change; Support and Finance look
Screens	9 · People, 10 · Person record
Phase	1



9 · People



10 · Person record

Step by step

1 Search
Phone (with or without +237), email or BK- reference. With no search, the newest 50 accounts and unclaimed guests.

2 Open the record
Bookings, current consents with versions, data requests, and how many crisis alerts are open. Each view is audited.

3 Reveal a contact
Needs a reason; logged.

4 Prepare an export
The file goes to the person through the app, never to staff.

5 Erase
For a seeker or a guest's contact, under the same rules as the person's own request.

Rules behind this flow

- Erasure is refused while a paid session is upcoming or in progress, or a refund is open (D40).
- A specialist's erasure is a data request that Operations works through within [30] days.
- Nothing clinical is shown.

Messages people receive


When	Channel	Message (English)
Data requests due	Daily email to Operations, 08:00	{n} data requests are due this week.

FLOW 8

Payments and refunds

Finance sees transactions, refunds waiting for approval, failures and reconciliation. Every refund at any amount needs a Finance member who did not propose it.

Who	Finance and Super admins change; Operations looks
Screens	11 · Payments
Phase	1



11 · Payments

Step by step

1. **Refunds to approve**
   Each with booking, amount, wallet (masked), reason and who proposed it.
2. **Approve or decline**
   The ledger posts, then the transfer to the wallet that paid runs.
3. **Failures and reconciliation**
   Retry failed transfers; review mismatches with the aggregator.

Rules behind this flow

- Refunds proposed by the policy (cancellations, no-shows) come from the system; one Finance member approves. A refund a staff member proposed needs a different Finance member (D14, D35).
- Money is held from payment until the session completes. Notch Pay webhooks are signature-checked and never counted twice.

Messages people receive


When	Channel	Message (English)
Refunds waiting	Push to Finance	{n} refunds are waiting for your approval.
Refund sent	Push / SMS to the seeker	Solace: a refund of {amount} FCFA has been sent to your {method} account.

FLOW 9

Payout runs

Twice a month Core drafts a payout run of each specialist's released balance, net of Solace's fee. A Finance member submits it and a different Finance member or a Super admin approves and sends it.

Who	Finance and Super admins
Screens	12 · Payout run
Phase	1



12 · Payout run

Step by step

1. **Open the run**
   Periods: the 1st to the 15th, the 16th to the month's end.
2. **Hold items**
   With an open dispute or failed payout details.
3. **Submit**
   The run waits for a second approver.
4. **Approve and send**
   A different Finance member or a Super admin. Payouts go through the aggregator.

5 **Failures**
Return to the specialist's record with a reason; export the report.

Rules behind this flow

- The fee is [20]%, snapshotted when each payment was taken (D28, D35).
- Pay out now is locked off.

Messages people receive


When	Channel	Message (English)
Run needs approval	Push	A payout run is ready for a second approver.
Payout sent	Push to the specialist	Payout sent: {amount} FCFA to {method}.

FLOW 10

Moderating reviews

Written reviews wait here after the safety monitor has checked them. Staff publish them, publish them with contact details masked, or hide them with a reason. With AI on, a suggestion with reasons helps, but a person decides.

Who	Operations, Support and Super admins
Screens	13 · Reviews
Phase	1; AI suggestions need REVIEW_MODERATION live



13 · Reviews to moderate

Step by step

1. **Read each review**
   Stars, the specialist, the reviewer as a reference, the session date and language.
2. **Check the flags**
   Contains a phone number, email or link; the AI suggestion (Publish or Hold, with reasons) when on.
3. **Decide**
   Publish; Publish without the number; or Hide, with reason.

Rules behind this flow


- A review the safety monitor flags never reaches this queue; it goes to the crisis queue (D37, D39).

FLOW 11

Catalogue and policies

Operations keeps the specialties, session languages and help topics, and publishes the cancellation policy as new versions. Each booking keeps the version in force when it was made.

Who	Operations and Super admins change; Support, Finance and Content editors look
Screens	14 · Catalogue and policies
Phase	1



14 · Catalogue and policies

Step by step

1. **Edit entries**
   Add, rename, reorder or hide, in English and French, with a reason. Nothing is deleted.
2. **Edit the policy draft**
   Full refund hours, late refund %, seeker and specialist no-show refunds, free reschedules, late joiner minutes, and what seekers read in EN and FR.
3. **Publish**
   With a reason, as the next version; in force for new bookings at once.

Rules behind this flow


- Price limits are platform settings in Settings and flags (D43).

FLOW 12


Content

Content editors write articles, FAQs, crisis resources and legal text side by side in English and French. Nothing publishes until both are done; crisis resources also need a clinical check after every edit.

Who	Content editors and Super admins; Operations, Support and Clinical reviewers look
Screens	15 · Content, 16 · Content editor
Phase	1; AI translation drafts need TRANSLATION live



15 · Content



16 · Content editor

Step by step

1 **Create or open an item**
Type: crisis resource, article, FAQ, legal.

2 **Write both languages**
Side by side. Mark each language done; editing it clears its mark. The AI draft button can fill the missing language for you to check.

3 **Clinical check (crisis resources)**
A clinical reviewer who did not make the edit approves.

4 **Publish**
Creates the next version; the apps read only published versions.

Rules behind this flow


- Crisis numbers published here replace the ones in the app, which still work offline (D44).
- A new terms or privacy notice is accepted by seekers at their next visit.

FLOW 13


Analytics and the admin copilot

Analytics shows the booking funnel, ratings, rebooking and sessions by language. The copilot answers questions with aggregated, de-identified tables, and shows anomaly alerts. Neither can look up a person or change anything.

Who	Super admins, Operations and Finance; Support and Clinical reviewers look
Screens	17 · Analytics, 27 · Admin copilot
Phase	1 and 4; questions in words need ADMIN_COPILOT live



17 · Analytics



27 · Admin copilot

Step by step

1. **Analytics**
   Last 7 days, 30 days or this quarter; export is audited.

2. **Copilot: suggested questions**
   Answered from Core's metric catalogue with no model.

3. **Copilot: ask in words**
   A model maps the question to one metric and words the answer from the table only.

4. **Read the table**
   Source line and period; counts under [5] show as "<5". Open in Analytics.

5. **Alerts**
   A booking drop of [50]% or a failed-payment share [2] times usual, checked hourly, one alert a day.

Rules behind this flow


- Metrics are grouped counts only, never a person (D46, D58).
- An AI answer with a number not in the table is replaced by a plain sentence.
- Each question is audited by metric and period.

FLOW 14

Audit log

Every admin action and every read of clinical data is in the audit log, which nobody can edit or delete. Filters find contact reveals, crisis views, refunds, status and setting changes, and break-glass access.

Who	Super admins; Operations looks
Screens	18 · Audit log
Phase	1



18 · Audit log

Step by step

1. **Search and filter**
   By action, staff, person or booking reference.


2. **Export**
   Up to 10,000 entries; the export is itself audited.

FLOW 15

Team, roles and the on-call rota

Only Super admins see this page. They add staff, change roles, issue new passwords, deactivate accounts and keep the crisis rota.

Who	Super admins only
Screens	19 · Team and roles
Phase	1



19 · Team and roles

Step by step


1. **Add staff member**
   Name, email, roles; hand over the temporary password in person.
2. **Edit roles**
   Ends the person's current session.
3. **New password / deactivate**
   Logs the person out at once.
4. **Rota**
   Primary and backup responders, their work phones and SMS language, from when to when.

FLOW 16

Settings and feature flags

Every bracketed business number and every feature flag is here. A change needs a reason, creates a new version and reaches all services within a minute. Fixed decisions are shown and cannot be changed.

Who	Super admins; Operations looks
Screens	20 · Settings and flags
Phase	1



20 · Settings and flags

Step by step

1 **Change a setting**
Commission, price range, no-show and completion windows, rating window and minimum, quiet hours, privacy periods, guest code lifetime and tries, health check bands.

2 **Switch a flag**
With a reason. The apps pick up flags within a minute.

Rules behind this flow


- Fixed and shown: two people for every refund, crisis escalation at 5 and 10 minutes, the 10-minute slot hold.
- The safety monitor is locked on and Pay out now is locked off.
- Flags for Phase 2 to 4 (trackTab, healthCheck, aiAssist, sessionScribe, companion, adminCopilot, phoneDialIn) are off by default.

FLOW 17


Building and publishing tracking modules

Operations drafts a module (details, elements, rules, card image) in the builder; a clinical reviewer who did not draft it approves or returns it; Operations publishes. Rules are tested on made-up histories, never real data.


Who	Operations and Super admins draft and publish; Clinical reviewers approve
Screens	21 to 25
Phase	2



21 · Tracking modules



24 · Builder: rules



25 · Clinical review

Step by step

1. **Create or open a version**
   A new draft copies the published one as the next minor version; changing required elements makes it the next major one.
2. **Details**
   EN and FR name, description, who it is for, alt text, card image (3:2, at least 1200×800, at most 1 MB), accent colour, enrolment question.
3. **Elements**
   Pick from the library, order, mark required. More than 6 is a warning.
4. **Rules**
   Signal, operator, threshold, count, window, minimum data; messages in EN and FR. A word list refuses diagnostic wording. Run tests on twelve made-up histories.
5. **Submit**
   Clinical reviewers get a push.
6. **Clinical review**
   Side by side with the published version: approve, or return with comments.
7. **Publish**
   Retires the old version and moves enrolled people to the new one.

Rules behind this flow

- The approver cannot be the person who drafted (D51).
- Launch modules arrive as drafts and still need this path (D54).

Messages people receive


When	Channel	Message (English)
Module submitted	Push to clinical reviewers	{module} {version} is waiting for clinical review.

FLOW 18


The health check

Clinical reviewers write health check versions (questions, show-if logic, scoring rules and the specialty order), test them on made-up answer sets, and a different clinical reviewer approves. The safety question and the screeners are locked.

Who	Clinical reviewers and Super admins write; a different Clinical reviewer approves
Screens	28 to 31
Phase	2



28 · Health check



30 · Scoring

Step by step

1 Overview
Versions, what each recommends, completions and safety stops (counts only).

2 Questions
Add, reorder, set show-if; screener items and the safety question are locked.

3 Scoring
Rules that add points to specialties, with the reason seekers read; the specialty order for ties.

4 Test and review
Made-up answer sets against the draft, beside the published version. Submit; approve or return.

Rules behind this flow


- Every version carries the locked safety rule (D9).
- No AI reads answers (D8).

FLOW 19

AI controls

Each AI feature has versioned prompts. A version goes live only after a passing bilingual evaluation and a clinical reviewer's sign-off; a Super admin promotes it and switches the feature on.

Who	Super admins change; Operations and Clinical reviewers look; Clinical reviewers sign off
Screens	26 · AI controls
Phase	3 and 4



26 · AI controls

Step by step

1. **Read the overview**
   Each feature: its route, live and candidate versions, last evaluation, status. The safety monitor's gate.
2. **Run the evaluation**
   The bilingual test set; it passes at [95]% in English and in French. Failures name the case and the guardrail.
3. **Sign off**
   A clinical reviewer, after reading the graded sample.
4. **Promote**
   A Super admin makes the version live.

5 **Switch on**
Only while the live version passed. With a reason.

Rules behind this flow

- Health data goes only to models hosted by Solace until the transfer authorisation is recorded (D56).
- Every model call is logged; texts are deleted after [30] days.
- Features: tracking insights, pre-session brief, review moderation, translation, session scribe, companion, admin copilot.

Not live yet / waiting on a decision

- No model is configured yet: acceptable AI vendors are still open. The safety monitor shows as not evaluated until clinicians supply its test set.