



What is Uptime Kuma?

- Uptime Kuma is an open-source uptime monitoring tool designed to help developers and system administrators keep track of their applications and servers' availability. It provides a simple and intuitive web interface to create and manage monitors for HTTP, TCP, DNS, and other services.
- Uptime Kuma regularly sends requests to the monitored services and checks their response time and status codes. If a service goes down or becomes unresponsive, it sends notifications via email, Telegram, Slack, or other integrations, so that the team can quickly take action to resolve the issue.



Installing Uptime Kuma in Kubernetes Cluster

```
$ helm repo add uptime-kuma https://dirsigler.github.io/uptime-kuma-helm  
$ helm repo update  
$ helm upgrade my-uptime-kuma uptime-kuma/uptime-kuma --install --namespace monitoring  
--create-namespace  
$ kubectl edit deployment.apps/my-uptime-kuma -n monitoring
```

```
volumes:  
- emptyDir: {}  
  name: storage
```

Configure Domain with TLS

```
# Clusterissuer
apiVersion: cert-manager.io/v1
kind: ClusterIssuer
metadata:
  name: kuma-clusterissuer
  namespace: monitoring
spec:
  acme:
    server:
      https://acme-v02.api.letsencrypt.org/directory
    email: leangsengk90@gmail.com
    privateKeySecretRef:
      name: kuma-key
    solvers:
      - http01:
          ingress:
            class: nginx
```

```
# Certificate
apiVersion: cert-manager.io/v1
kind: Certificate
metadata:
  name: kuma-certificate
  namespace: monitoring
spec:
  dnsNames:
    - kuma.e-crops.co
  secretName: kuma-tls
  issuerRef:
    name: kuma-clusterissuer
    kind: ClusterIssuer
```

Configure Domain with TLS

```
# Ingress
apiVersion: networking.k8s.io/v1
kind: Ingress
metadata:
  name: kuma-ingress
  namespace: monitoring
spec:
  tls:
    - hosts:
        - kuma.e-crops.co
      secretName: kuma-tls
  rules:
    - host: kuma.e-crops.co
      http:
        paths:
          - pathType: Prefix
            path: "/"
            backend:
              service:
                name: my-uptime-kuma
                port:
                  number: 3001
```

Configure Domain with TLS

Go to: <https://kuma.e-crops.co>

The screenshot displays the Uptime Kuma dashboard interface. At the top, the browser address bar shows the URL `kuma.e-crops.co/dashboard`. The dashboard header includes the 'Uptime Kuma' logo and navigation links for 'Status Pages' and 'Dashboard'. A '+ Add New Monitor' button is prominently displayed on the left. The 'Quick Stats' section provides a summary of system health with five categories: 'Up' (0), 'Down' (0), 'Maintenance' (0), 'Unknown' (0), and 'Pause' (0). Below this, a table with columns 'Name', 'Status', 'DateTime', and 'Message' is shown, currently indicating 'No important events'.

Monitor Uptime Kuma

Uptime Kuma

Status PagesDashboard

+ Add New Monitor

Search...

No Monitors, please [add one](#)

General

Monitor Type

TCP Port

Friendly Name

Jenkins Server

Hostname

34.124.225.71

Port

8080

Heartbeat Interval (Check every 60 seconds)

60

Retries

0

Maximum retries before the service is marked as down and a notification is sent

Save

Notifications

☒ Uptime Kuma Notify [Edit](#)

Setup Notification

Monitor Uptime Kuma

Uptime Kuma

Status PagesDashboard

+ Add New Monitor

Search...

100% Frontend

100% Jenkins Server

Edit

General

Monitor Type

HTTP(s)

Friendly Name

Frontend

URL

https://frontend.e-crops.co/

Heartbeat Interval (Check every 60 seconds)

60

Retries

0

Maximum retries before the service is marked as down and a notification is sent

Heartbeat Retry Interval (Retry every 60 seconds)

60

Save

Notifications

Uptime Kuma Notify

Setup Notification

Proxy

Not available, please setup.

Setup Proxy

HTTP Options

Method

GET

Body Encoding

JSON

Body

Example:

ISTAD

8

Uptime Kuma Notification

Uptime Kuma

kuma.e-crops.co/add

OutlookTeamOpenShift UATOpenShift Pro DC1OpenShift Pro DC2JiraConfluenceGitlabITSMJenkins MobilesJenkins UATJenkins ProVault UATReading List

Uptime Kuma

No Members, please add one

Setup Notification

Notification Type

Telegram

Friendly Name

Uptime Kuma Notify

Bot Token

.....

You can get a token from <https://t.me/BotFather>.

Chat ID

456400937

Auto Get

Support Direct Chat / Group / Channel's Chat ID

You can get your chat ID by sending a message to the bot and going to this URL to view the chat_id:

[https://api.telegram.org/bot*****
/getUpdates](https://api.telegram.org/bot***
**/getUpdates)

(Optional) Message Thread ID

Optional Unique identifier for the target message thread (topic) of the forum; for forum supergroups only



☐ Send Silently

Notifications

Uptime Kuma Notify

Setup Notification

Uptime Kuma Notification



Uptime Kuma Status Pages

Slug

/status/ services

Title

My Services

Description

Footer Text

Switch to Dark Theme

Show Tags

Show Powered By

Domain Names

Google Analytics ID

Custom CSS

```
1 body {  
2  
3 }  
4
```

Delete

Save Discard

My Services

Create Incident

Title: Jenkins Server Patching

Content: Jenkins Server will be patch at 9:00 PM. Any services will be available.

Post Cancel Style: warning

Partially Degraded Service

Description:

Add Group


No monitors available. Add one

Services

Jenkins Server100%

Frontend18.68%

Uptime Kuma Status Pages



A large, faint watermark of the ISTAD logo is centered in the background. It is a circular emblem with a blue outer ring containing the text 'INSTITUTE OF SCIENCE AND TECHNOLOGY ADVANCED DEVELOPMENT' and Khmer text. Inside the ring is a blue circle with a white atomic symbol. The acronym 'ISTAD' is written in red at the bottom of the inner circle.

Thank you

Begin with the theory, Start with the practical