Python String Methods

In [2]:
```
a = "Any simple string"

print("ORIGINAL STRING:", a)
print("-" * 40)
```

```
ORIGINAL STRING: Any simple string
----------------------------------------
```

1️⃣ CHECKING / TESTING METHODS

In [4]:
```
print("1. CHECKING METHODS")
print(a.isalpha())      # True if only alphabets (no spaces)
print(a.isdigit())      # True if only digits
print(a.isalnum())      # True if alphabets + digits only
print(a.isupper())      # True if all characters are uppercase
print(a.islower())      # True if all characters are lowercase
print(a.istitle())      # True if string is in Title Case
print(a.isspace())      # True if string contains only spaces
print("-" * 40)
```

```
1. CHECKING METHODS
False
False
False
False
False
False
False
----------------------------------------
```

2️⃣ CASE CONVERSION METHODS

In [5]:
```
print("2. CASE CONVERSION METHODS")
b = a.lower()           # Converts to lowercase
c = a.upper()           # Converts to uppercase
d = a.title()           # Converts to title case

print(b)
print(c)
print(d)
print(b.islower())      # Check if b is lowercase


# capitalize() and swapcase()
print(a.capitalize())   # Capitalizes first character
print(a.swapcase())     # Swaps uppercase to lowercase and vice versa
print("-" * 40)
```

```
2. CASE CONVERSION METHODS
any simple string
ANY SIMPLE STRING
Any Simple String
True
Any simple string
aNY SIMPLE STRING
----------------------------------------
```

3️⃣ SEARCHING & COUNTING METHODS

In [6]:
```
print("3. SEARCHING & COUNTING")
print(a.count('s'))     # Count occurrences of 's'
print(a.find('s'))      # First index of 's' (returns -1 if not found)
print(a.index('s'))     # First index of 's' (error if not found)
print("-" * 40)
```

```
3. SEARCHING & COUNTING
2
4
4
----------------------------------------
```

4️⃣ STARTS WITH / ENDS WITH

In [7]:
```
print("4. STARTS / ENDS CHECK")
print(a.startswith('A')) # Check starting character
print(a.endswith('g'))   # Check ending character
print("-" * 40)
```

```
4. STARTS / ENDS CHECK
True
True
----------------------------------------
```

5️⃣ STRIP METHODS (REMOVE FROM EDGES)

In [8]:
```
print("5. STRIP METHODS")
print(a.strip("A"))     # Remove 'A' from both sides
print(a.lstrip("A"))    # Remove 'A' from left side
print(a.rstrip("A"))    # Remove 'A' from right side
print("-" * 40)
```

```
5. STRIP METHODS
ny simple string
ny simple string
Any simple string
----------------------------------------
```

6️⃣ REPLACEMENT METHOD

In [9]:
```
print("6. REPLACE METHOD")
print(a.replace('s', 'A'))  # Replace 's' with 'A'
print("-" * 40)
```

```
6. REPLACE METHOD
Any Aimple Atring
----------------------------------------
```

7️⃣ SPLIT & JOIN METHODS

In [10]:
```
print("7. SPLIT & JOIN")

# split()
f = a.split(" ")         # Split string into list
print(type(f))
print(len(f))
print(f)

# partition()
e = a.partition(" ")     # Split into tuple of 3 parts
print(type(e))
print(e)

# join()
print(a.join(a))   # Join each character using 'a' as separator

print("-" * 40)
```

```
7. SPLIT & JOIN
<class 'list'>
3
['Any', 'simple', 'string']
<class 'tuple'>
('Any', ' ', 'simple string')
AAny simple stringnAny simple stringyAny simple string Any simple stringsAny simple
stringiAny simple stringmAny simple stringpAny simple stringlAny simple stringeAny s
imple string Any simple stringsAny simple stringtAny simple stringrAny simple string
iAny simple stringnAny simple stringg
----------------------------------------
```

8️⃣ LENGTH & COMPARISON

In [11]:
```
print("8. LENGTH & COMPARISON")
print(len(a))            # Length of string
print(b == c)            # Compare two strings
print("-" * 40)
```

```
8. LENGTH & COMPARISON
17
False
----------------------------------------
```

9️⃣ ASCII / UNICODE CONVERSION

In [12]:
```
print("9. ASCII / UNICODE")
print(ord('a'))          # Character to ASCII value
print(chr(98))           # ASCII value to character
print("-" * 40)
```

```
9. ASCII / UNICODE
97
b
----------------------------------------
```

Write a program to return sum of the digits present in string

In [18]:
```
mystring = input("enter a string :")
sum=0
for num in mystring:
    if num.isdigit() :
        sum=sum+int(num)
print(f"Sum of the digits is {sum}")
```

```
Sum of the digits is 9
```

Write a program to Count digits, alphabets, words, Special_Symbol in a string

In [16]:
```
mystring = input("Enter a string : ")

digits = alphabets = spaces = special = 0

words = mystring.split()
print(f"No of words in the string : {len(words)}")

for ch in mystring:
    if ch.isdigit():
        digits += 1
    elif ch.isalpha():
        alphabets += 1
    elif ch.isspace():
        spaces += 1
    else:
        special += 1

print(f"Number of digits in the string : {digits}")
print(f"Number of alphabets in the string : {alphabets}")
print(f"Number of spaces in the string : {spaces}")
print(f"Number of special symbols in the string : {special}")
```

```
No of words in the string : 6
Number of digits in the string : 3
Number of alphabets in the string : 14
Number of spaces in the string : 5
Number of special symbols in the string : 4
```

Program to check if the String is Pallindrome or not

In [19]:
```
mystring=input("Enter a string: ")

mystring = mystring.lower().replace(" ", "")

if mystring==mystring[::-1] :
    print("Entered string is a pallindrom")

else:
    print("Entered string is not a pallindrom")
```

```
Entered string is a pallindrom
```

In [ ]: