

User Manual

Sons Of SWE - Project Marvin

sonsofswe.swe@gmail.com

Informations about the manual

Version	2.0.0
Redaction	Cavallin Giovanni Panozzo Stefano
Verification	Favero Andrea
Approval	Thiella Eleonora
$\mathbf{U}\mathbf{se}$	External
Distribution	Vardanega Tullio Cardin Riccardo Red Babel Sons Of SWE group

Description

This document is the user manual of the Marvin Project



Diary of changes

Version	Date	Description	Author	Role	
2.0.0	2018-07-13	Approval	Dalla Riva Giovanni	Project responsible	
1.2.0	2018-07-13	Verification	Lorenzo Menegon	Verifier	
1.1.2	2018-07-12	Updated the "Problems with the software "section	Andrea Favero	Programmer	
1.1.1	2018-07-12	Renamed two section in Teacher and Students, update of their content	Thiella Eleonora	Programmer	
1.1.0	2018-07-11	Verification	Lorenzo Menegon	Verifier	
1.0.5	2018-07-11	Written the Exam subsection of the University section. Updated the "Problems with the software "section	Andrea Favero	Programmer	
1.0.4	2018-07-10	Moved and updated under the University section all the material relative to the user insertion.	Thiella Eleonora	Programmer	
1.0.3	2018-07-10	Updated the Degree and Classes subsections of the University section	Andrea Favero	Programmer	
1.0.2	2018-07-09	Updated the Accademic Years subsection of the University section	Andrea Favero	Programmer	
1.0.1	2018-07-08	Changed the introduction. Modified the name of the second section and added to it the "operation prices" subsubsection	Thiella Eleonora	Programmer	
1.0.0	2018-06-07	Approval	Thiella Eleonora	Project responsible	
0.2.0	2018-06-06	Verification	Favero Andrea	Verifier	
0.1.1	2018-06-05	Written the professor, student and problems sections	Panozzo Stefano	Programmer	
0.1.0	2018-06-04	Verification	Favero Andrea	Verifier	
0.0.4	2018-06-03	Incremented the university section and written the user insertion section	Cavallin Giovanni	Programmer	
0.0.3	2018-06-02	Written the university section	Cavallin Giovanni	Programmer	
0.0.2	2018-06-01	Written the introduction and installation sections	Panozzo Stefano	Programmer	
0.0.1	2018-05-31	Written the document skeleton	Panozzo Stefano	Programmer	



Contents

1	Introduction						
2	Requirements Metamask installation and configuration Creation of a digital wallet Restore the digital wallet Connection to the application Operations prices						
3	University 3.1 Academic years 3.1.1 Creation of a new Academic Year 3.1.2 Insertion of a degree 3.1.3 Deletion of an academic year 3.2 Degrees 3.2.1 Insertion of a class 3.2.2 Deletion of a degree 3.3 Classes 3.3.1 Insertion of an exam 3.3.2 Deletion of a class 3.4 Administrators, Teachers and Students management 3.4.1 User Insertion						
4	Administrators						
5	Teachers 1 5.1 Exams List 1						
6	Students 1 6.1 Exam Session 1 6.2 Booking board 1 6.3 Booklet 1						
7	Problems with the software						



List of Figures

1	Setting the password	5
2	The seed phrase	5
3	The Marvin main page	6
4	The cost of the Marvin's operation	6
5	Login with University	7
6	Register of the the academic years in the system	7
7	Insertion of a new academic year in the system	8
8	Insertion of a degree	8
9	Deletion of an academic year	9
10	Academic Years choice	9
11	Register of the degrees related to a certain academic year in the system	9
12	Insertion of a class	10
13	Deletion of a degree	10
14	Choice of an academic year and one of its degree programs	10
15	Register of the classes of the Computer Science degree	11
16	Insertion of an exam in the system	12
17	Deletion of a class	12
18		13
19	Student insertion by an admin or university account	13
20		14
21		16
22	List of the exams of a class	16
23		17
24	Student profile page	18
25		18
26		19
27	List of the classes passed by the student	19



1 Introduction

This is the user manual of Marvin, a $Dapp_G$ ran on the EVM, that shapes a subset of Uniweb functionalities. Uniweb is the University of Padua's informative system. It allows students to keep track of their academic carrier. Professors use Uniweb to see the lists of students that are registered to their exams and, see the exams to which they have been assigned.

More precisely:

A student will be able to:

- Subscribe to an exam;
- Confirm a mark;
- Visualize his/her booklet.

A professor will be able to:

- Visualize the exams to which he/her has been assigned;
- See the students registered to his/her exams;
- Assign marks to the students.

The university and the administrators will be able to:

- Create and delete academic years;
- Create and delete degree courses;
- Create and delete classes;
- Create exams;
- Create users.

To use Marvin you need to install *MetaMask*_G to directly execute the Đapp on your browser.

All the users have to be logged through Metamask.

2 Use of the program

2.1 Requirements

- Mozilla Firefox version 50 or more
- Google Chrome version 60 or more

2.2 Metamask installation and configuration

Go to the site https://metamask.io.

If you're using Firefox, you will see a link named **GET FIREFOX ADDON**, click on it. Then click **Add to Firefox** and then click **Add** on the pop-up.

If you're using Chrome, you will see a link named **GET CHROME EXTENSION**, click on it. Then click **Add** and then click **Add extension** on the pop-up.

Now in the browser: click on the MetaMask icon on the top right and accept the Privacy Notice and the Terms of use by clicking on **Accept**.



2.3 Creation of a digital wallet

Insert a new password (it is needed to unlock the account) and click **CREATE** (as in Figure 1).




Figure 1: Setting the password

Now store somewhere on your drive the 12 words seed phrase (an example of seed phrase is showed in Figure 2).




Figure 2: The seed phrase

2.4 Restore the digital wallet

You have the possibility to restore your account if you loose the password or change the browser or even the computer. The only thing you need to do is to click on the Metamask icon and then click on **Restore**



from seed phrase. Now paste inside the box the seed phrase that you have saved previously, insert a new password and click **OK**.

2.5 Connection to the application

FINIRE LA SOTTOSEZIONE!!!

To use the application visit the page

Now you're able to use Marvin! You should see the Marvin main page (like the one showed in Figure 3).





Figure 3: The Marvin main page

2.6 Operations prices

If you are interested in seeing the costs of the operations that the site allows you to complete, then you can click on the voice **Price**, listed in the blue bar located at the top of the screen. You will be redirect to a page like the one in Figure 4, that contains an always up to date estimation of the cost of the operations.

Low Cost Gas Price (1 Gwei) Safe-low Gas Price (1 Gwei) Average Gas Price (2 Gwei) Gas cost Cost (ETH) Cost (EUR) Cost (ETH) Cost (EUR) Cost (ETH) Cost (EUR) Operation 100000 0.0001 E 0.04 € 0.00011 E 0.05 € 0.0002 E 0.09 € Adding a new admin Adding a new teacher 100000 0.0001 E 0.04 € 0.00011 E 0.05 € 0.0002 E 0.09 € 0.000125 E 0.05 € 0.00014 E 0.00025 E 0.11 € 125000 0.06 € Adding a new student Adding a new academic year 45000 $0.000045 \equiv$ 0.02 € $0.00005 \equiv$ 0.02 € $0.00009 \equiv$ 0.04 € Adding a new degree 110000 0.00011 E 0.05 € 0.00012 Ξ 0.05 € 0.00022 Ξ 0.09 € 150000 0.00015 E 0.06 € 0.00017 Ξ 0.07 € 0.0003 Ξ 0.13 € Adding a new class Adding a new exam 110000 0.00011 E 0.05 € 0.00012 E 0.05 € 0.00022 E 0.09 € Deleting an academic year 45000 0.000045 Ξ 0.02 € 0.00005 Ξ 0.02 € 0.00009 Ξ 0.04 € 0.000065 E Deleting a degree 65000 0.03 € $0.00007 \equiv$ 0.03 € $0.00013 \equiv$ 0.06 € Deleting a class 60000 0.00006 Ξ 0.03 € 0.00007 Ξ 0.03 € 0.00012 E 0.05 € Deleting an exam 60000 0.00006 Ξ 0.03 € 0.00007 Ξ 0.03 € 0.00012 E 0.05 € Deleting an user 35000 0.000035 Ξ 0.01 € 0.00004 Ξ 0.02 € 0.00007 Ξ 0.03 € User signUp 100000 0.0001 E 0.04 € 0.00011 E 0.05 € 0.0002 E 0.09 € 0.06 € Setting a valuation 65000 0.000065 = 0.03 € 0.00007 Ξ 0.03 € 0.00013 E Enrolling to an exam 100000 0.0001 E 0.04 € 0.00011 E 0.05 € 0.0002 =0.09 € Accepting a valuation 100000 0.0001 E 0.04 € 0.00011 E 0.05 € 0.0002 E 0.09 €

Operations prices

Figure 4: The cost of the Marvin's operation



3 University

After the login you will be redirected to the page represented in Figure 5. As you can see, a black bar has appeared near the top of the screen. The black bar contains on its left the voices **Academic Years**, **Degrees**, **Classes** and **Exams**. On the right it contains the voices **Administrators**, **Teachers** and **Students**. The voices on the right allows the university to manage (create, visualize and delete) administrators, teachers and students.



Figure 5: Login with University

3.1 Academic years

By clicking on the **Academic years** voice in the menu, you will see (as in Figure 6) a register of all the academic years inserted in the system. For each academic year you can *insert degrees* and *delete the academic year*.




Figure 6: Register of the the academic years in the system.

3.1.1 Creation of a new Academic Year

Click on the button **Insert academic year**, you will be redirected to a page (like the one in Figure 7). Insert the name of the accademic year and click the **save** button. The name of the accademic year has to follow this simple rule: it must start with four digits followed by a "-" character, which has to be followed by other four digits. The first digit of every block has to be "2". You cannot insert an accademic year that is older than the current year, for example, if we are in the year 2018, you cannot insert the accademic year 2017-2018.

3.1.2 Insertion of a degree

Click on **Insert degree**, you will be redirected to a page (like the one in Figure 8), insert a *Degree description* (for example "Computer Science") and, insert an unique code for that degree (for example "CSLT17"), the



Insert academic year

Now you can insert a new academic year.




Figure 7: Insertion of a new academic year in the system.

code must be 6 characters long and it has to start with four capital letters and end with two digits. Click the save button.

Insert degree

Now you can insert a new degree.




Figure 8: Insertion of a degree.

3.1.3 Deletion of an academic year

Click on the button **Delete**, you will be redirected to a page (like the one in Figure 9), then click the **Delete** button to confirm the deletion.

3.2 Degrees

By clicking on the **Degrees** voice in the menu, you will see (as in Figure 10) a page that asks you to choose an academic year.

After choosing the academic year you want, the page will be updated with a list of all the degrees associated with that academic year (as in Figure 11). For each degree you can *insert a class* or *delete the entire degree* and all the classes associated with it. If you want to insert a new degree, then click on the **Insert degree** button; the procedure is the same as the one described in 3.1.2




Delete academic year

Are you sure you want to delete this academic year? Once you delete it, you can't go back.



Figure 9: Deletion of an academic year.





2017-2018

Figure 11: Register of the degrees related to a certain academic year in the system.

3.2.1 Insertion of a class

To insert a class related to a degree, click on the link **Insert class** related to the choosen degree. You will be redirected to a page like the one in Figure 12. Insert a class code (it must be formed by six characters, four capital letters followed by two digits, for example "ALGO18") and insert a brief description (for example "Algorithms"). After that you will have to assign a teacher to the course. To do that, choose a teacher badge among those available in the list. A teacher badge can be available only if at least one teacher had been added to the system previously, to do that read 3.3.1. After the badge number has been chosen, click the **Save** button and confirm the transaction by clicking on the MetaMask's **submit** button.

3.2.2 Deletion of a degree

To delete a degree click on its **Delete** button. You will be redirected to a page (like the one in Figure 13). Click the **Delete** button and confirm the transaction by clicking on the MetaMask's **submit** button.



Insert Class




Figure 12: Insertion of a class.

Delete degree

Are you sure you want to delete this degree? Once you delete it, you can't go back.




Figure 13: Deletion of a degree.

3.3 Classes

By clicking on the **Classes** voice in the menu, you will see (as in Figure 14) a page that asks you to choose an academic year and then one of its degree programs.

Classes





Figure 14: Choice of an academic year and one of its degree programs .

After choosing the academic year and the degree program you want, the page will be updated with a list of all the classes the degree (as in Figure 15). For each class you can *insert an exam* or *delete the class*. If you want to insert a new class, then click on the **Insert Class** button; the procedure is the same as the one described in 3.2.1



Classes

List of the Classes.



Insert Class

Class	Description	Teacher	Exam	
LIAL18	Linear Algebra	4	Insert an exam	X Delete
CALC18	Analysis 1	4	Insert an exam	X Delete
DISC18	Discrete Mathematics	2	Insert an exam	X Delete
ALGO18	Algorithms	1	Insert an exam	X Delete
CALK18	Analysis 2	1	Insert an exam	X Delete
PROG18	Programming 1	3	Insert an exam	X Delete
OBJP18	Programming 2	2	Insert an exam	X Delete
SWET18	Software Engineering	3	Insert an exam	X Delete

Figure 15: Register of the classes of the Computer Science degree.

3.3.1 Insertion of an exam

To insert an exam related to a class, click on the link **Insert exam** corrisponding to the choosen class. You will be redirected to a page like the one in Figure 16. Choose the type of the exam (*writtem*, *oral*, *practice*), write the name of the place in which the exam will be helded, insert the date and the time and a Unicode. A valid Unicode consists of the class code followed by "-" followed by two digits between "00" and "99". The date of the exam must be later than the current day and the time must be inserted in a range between "8:30" and "17:30"



Insert an exam




Figure 16: Insertion of an exam in the system.

3.3.2 Deletion of a class

To delete a class click on its **Delete** button. You will be redirected to a page (like the one in Figure 17). Click the **Delete** button and confirm the transaction by clicking on the MetaMask's **submit** button.

Delete Class

Are you sure you want to delete this Class? Once you delete it, you can't go back.




Figure 17: Deletion of a class.

3.4 Administrators, Teachers and Students management

When you choose a voice on the right side of the black bar located near the top of the screen, you're selecting a category between *Administrators*, *Teachers* and *Students*. Depending on your choice, you will see a list of administrators, or teachers or students, for example a list like the one in Figure 18. As you may notice looking at the table in the figure, the cell of the column named "*Is signed up*" has a green dot if the inserted user has logged in, otherwise it has a red dot. The inserted user that never signed up can be eliminated by clicking on the relative deleted button.



TeachersList of the teachers.



Name	Surname	Badge number	Fiscal code	ls signed up	
Massimo	Marchiori	1	FHOGDF57P08L778P	•	
Francesco	Ranzato	2	WGCFBM60L27L117N	•	
Tullio	Vardanega	3	CVMYPS35E10I800K	•	
		4	QLDVNR54E21G207I	•	X Delete

Figure 18: List of the teachers in the system.

3.4.1 User Insertion

Inserting an user in the system is an operation that has two phases:

• The first one requires that the university (or an admin) clicks on the correct voice in the black bar depending on the user he/she want to insert (administrators, teachers, students) and then, clicks on the button Insert an admin (respectively Insert a teacher, Insert a student) to creates a new account in the system.

You will be redirected to a page similar to the one in Figure 19. Then you'll have to inserting the fiscal code of the user and an unique code of ten digits. If the user is a Student, then you have to select also an academic year and a degree.

You can also insert an user by clicking on the **Insert user** botton on the top of every page;

Insert user

Universita degli studi di Padova, now you can add a user. **Fiscal Code** FTHTFY31E13B720V This is a required field. Unique code 1234567890 This is a required field User type Administrator Student Select academic year 2018-2019 Select degree CSLT18 This is a required field Insert new user

Figure 19: Student insertion by an admin or university account



• The second one is necessary to authenticate and identify the new user: in fact, the new user during the Sign Up will have to insert its own Fiscal Code and the Identification Code issued by the university (or an admin), and other data as in Figure 20. If this two data (Fiscal Code and Identification Code) are the same as those inserted by the University (or an admin), then all the user's personal data will be saved and its Metamask address connected to the account, so that the next logins can be made automatically. If the form has been filled correctly, than a Metamask window will be opened in front of you. Confirm clicking the SUBMIT button.




Figure 20: User Sign Up



4 Administrators

An administrator has the same privileges of the university user but he/she can't create new administrator users.



5 Teachers

First of all, you have to sign up inserting your name, surname, mail address, fiscal code, the unique code that had been given to you by the university personell and (optionally)a profile image. After the login you will notice that a black bar has appeared near the top of the screen.

5.1 Exams List

The black bar contains on its left the voice **Exams list**, if you click on that voice, you will be redirected to a page (similar to the one in Figure 21) that asks you to choose a class to which you had been assigned.

Exams

This is the list of the exams associated to the selected class.




Figure 21: Choiche of a class

After that, the page will be updated with a list of all the exams of your classes (similar to the one in Figure 22). If you click on the link **Go to the list of subscribed students**, you will be redirected to a page that contains all the exams related to the selected course (as in Figure 23).




Figure 22: List of the exams of a class

You can give a mark to every student that is registered to the exam. The mark must be a number in the range θ - 32. To save the marks click on the button **Save**



Students registered to the exam with code: RETI17-3

Here there is the list of the students that are registered to the exam RETI17-3.

Total registered students: 2

Badge number Vote

11 32

10 18

Figure 23: Marks given by the professor to his/her students

Save



6 Students

First of all if you have never done it, you have to sign up inserting your name, surname, mail address, fiscal code, the unique code that had been given to you by the university personell and a profile image, otherwise you only need to click on the login button. After the login you will notice that a black bar has appeared near the top of the screen. it contains the voices **Exam session**, **Booking board** and **Booklet**.



Profile

Congratulations Margot Peterson!
If you are seeing this page, you've logged in as student.
Your fiscal code is: CCCDDD22C22D224E
Your email is: margot@peterson.com
Your badge number is: 12.

Figure 24: Student profile page

6.1 Exam Session

To visualize the list of the exams to which you can subscribe, click on the voice **Exam session** you will be redirected to a page (similar to the one in Figure 25). If you want to subscribe to an exam, then click on the button **subscribe** corresponding to that exam.

Class unicode	Exam unicode	Type	Place	Date	Time	Teacher	Subscribe
RICE17	RICE17-3	Written	1C150	2017-09-13	09:00	5	subscribe
CALC17	CALC17-3	Written	LUF1	2017-09-07	09:00	3	subscribe
RICE17	RICE17-2	Written	1C150	2017-07-15	14:30	5	subscribe
RETI17	RETI17-2	Written	LUM250	2017-07-07	14:30	2	subscribe
CALC17	CALC17-2	Written	LUF1	2017-06-28	14:30	3	subscribe
RETI17	RETI17-1	Written	LUM250	2017-06-11	10:30	2	subscribe
RICE17	RICE17-1	Written	1C150	2017-06-10	10:30	5	subscribe
CALC17	CALC17-1	Written	LUF1	2017-06-06	10:30	3	subscribe

Figure 25: List of exams to which the student can register and to which is already registered.

After that you will be redirected to your *booking board*, where you can see all the exams to which you subscribed and also accept the marks of the ones that you passed.



6.2 Booking board

If you want to visualize the classes to which you subscribeb, then click on the voice **Booking board**, you will be redirected to a page (similar to the one in Figure 26). If a certain exam has a mark, than you can accept it by clicking on the **confirm** button (if an exam hasn't a mark yet, then the button is unclickable) and you will be redirected to your *booklet* page where you can visualize all the classes thet you passed. When you accept a vote, this one disappears from the booking board and it is saved in the booklet.

Class unicode	Exam unicode	Туре	Place	Date	Time	Mark	Confirm
PROG17	PROG17-1	Written	LUF1	2017-06-05	10:30	25	confirm
BASI17	BASI17-3	Written	LUM250	2017-09-09	09:00		confirm
RETI17	RETI17-3	Written	LUM250	2017-09-08	09:00		confirm

Figure 26: List of the exams to which the student is subscribed

6.3 Booklet

To visualize the list of all the classes that you have passed, click on the voice **Booklet**, you will be redirected to a page (similar to the one in Figure 27).

Your Booklet

This page shows the list of the exams you've passed and their marks

Class unicode	Description	Mark
PROG17	Programmazione 1	21
RETI17	Reti e sicurezza	32
CALC17	Calcolo numerico	30
RICE17	Ricerca operativa	29

Figure 27: List of the classes passed by the student.



7 Problems with the software

The member of the Sons Of SWE group did their best to create Marvin, including an extensive testing and debugging phase. Unfortunately, as E.W. Dijkstra used to say, "Program testing can be used to show the presence of bugs, but never to show their absence". For this reason it is possible, even if we hope not, that the program contains some bugs.

7.1 Error reporting

You can report malfunctions to the mail address sonsofswe.swe@gmail.com or at the Marvin repository on github (https://github.com/SOS-SonsOfSwe/Marvin-SoS/issues).

If you want to write an email to report an error, then you must insert in the *Subject* of the mail the tag [ERROR].

7.1.1 Error reporting informations

To make your report effective, you should insert the following informations in the massage (regardless of the platform, whether it is the mail or github):

- The type of involved user (university, admin, teacher, student);
- A detailed sequence of steps that must be done to reproduce the error (for example: "click on the **Exam List** voice in the bar, then click on the **Subscribe** button, ...");
- The behavior of Metamask when the error occours (for example if it signals a failed transaction);
- Your browser's console log output. To get this information, take the following steps:
 - if you're using Firefox press the sequence of keys Ctrl + Shift + K (for MacOS: Cmd + Opt + K) to view the console, then click with the right button on it, choose the option **Select All**. Redo a right click and choose the option **Copy**;
 - if you're using Chrome press the sequence of keys Ctrl + Shift + J (for MacOS: Cmd + Opt + J) to view the console, then click with the right button on it, choose the option **save as...**, then choose the destination folder and click on the **save** button.
- a description of the error.



Glossary

\mathbf{D}

• Dapp: a Dapp, also called decentralized application, is an application that has its backend code running on a decentralized peer-to-peer network. Contrast this with an app where the backend code is running on centralized servers. A Dapp can have frontend code and user interfaces written in any language (just like an app) that can make calls to its backend. Furthermore, its frontend can be hosted on decentralized storage such as IPFS.

\mathbf{M}

• Metamask: it is an Ethereum Wallet that lets you run Ethereum's Dapp directly from your browser.