

```
[{"Topic":"json","Repository":"httpie","IssueLink":"https://github.com/httpie/httpie/issues/1132","IssueName":"Reader View for HTML websites"},
{"Topic":"json","Repository":"httpie","IssueLink":"https://github.com/httpie/httpie/issues/1107","IssueName":"[Snap] Fix bash completion"},
{"Topic":"json","Repository":"httpie","IssueLink":"https://github.com/httpie/httpie/issues/1105","IssueName":"[Snap] Remove unused Pygments lexers"},
{"Topic":"json","Repository":"httpie","IssueLink":"https://github.com/httpie/httpie/issues/1100","IssueName":"Quieter output on check-status"},
{"Topic":"json","Repository":"httpie","IssueLink":"https://github.com/httpie/httpie/issues/1098","IssueName":"Prompted passwords are not properly persisted into sessions"},
{"Topic":"json","Repository":"httpie","IssueLink":"https://github.com/httpie/httpie/issues/1095","IssueName":"Use $JQ_COLORS to color JSON output"},
{"Topic":"json","Repository":"httpie","IssueLink":"https://github.com/httpie/httpie/issues/1092","IssueName":"httpie in alpine:3.14 missing dependencies"},
{"Topic":"json","Repository":"httpie","IssueLink":"https://github.com/httpie/httpie/issues/1082","IssueName":"Intermediate requests are being printed if --print=H flag is used"},
{"Topic":"json","Repository":"httpie","IssueLink":"https://github.com/httpie/httpie/issues/1050","IssueName":"Support for Content-Type on each part of a multi-part form"},
{"Topic":"json","Repository":"httpie","IssueLink":"https://github.com/httpie/httpie/issues/1036","IssueName":"Following Link-Header / MultiPage-Requests (RFC5988)"},
{"Topic":"json","Repository":"httpie","IssueLink":"https://github.com/httpie/httpie/issues/1034","IssueName":"Host header output incorrect when explicitly specifying the default port"},
{"Topic":"json","Repository":"httpie","IssueLink":"https://github.com/httpie/httpie/issues/1033","IssueName":"Ideas to improve header visualization"},
{"Topic":"json","Repository":"httpie","IssueLink":"https://github.com/httpie/httpie/issues/1030","IssueName":"Displaying error for incomplete responses"},
{"Topic":"json","Repository":"httpie","IssueLink":"https://github.com/httpie/httpie/issues/1023","IssueName":"System for meta information output options (timing, SSL info, ...)"},
{"Topic":"json","Repository":"httpie","IssueLink":"https://github.com/httpie/httpie/issues/1022","IssueName":"Better handling of responses without correct content-type charset"},
{"Topic":"json","Repository":"httpie","IssueLink":"https://github.com/httpie/httpie/issues/1015","IssueName":"Create an option that allows --download to output progress somewhere that isn't stderr"},
{"Topic":"json","Repository":"httpie","IssueLink":"https://github.com/httpie/httpie/issues/1011","IssueName":"verbose output should show SSL/TLS details"},
{"Topic":"json","Repository":"httpie","IssueLink":"https://github.com/httpie/httpie/issues/1007","IssueName":"Feature request: output full HTTP request and response in a JSON structure"},
{"Topic":"json","Repository":"httpie","IssueLink":"https://github.com/httpie/httpie/issues/1004","IssueName":"Doesn't correctly handle storing cookies in session after redirect to different domain"},
{"Topic":"json","Repository":"httpie","IssueLink":"https://github.com/httpie/httpie/issues/1003","IssueName":"on ubuntu apt install httpie install v1.0.3"},
{"Topic":"json","Repository":"httpie","IssueLink":"https://github.com/httpie/httpie/issues/1001","IssueName":"https command not found after fresh installation"},
{"Topic":"json","Repository":"httpie","IssueLink":"https://github.com/httpie/httpie/issues/999","IssueName":"send request which is saved in a text file"},
```

```
{"Topic":"json","Repository":"httpie","IssueLink":"https://github.com/httpie/httpie/issues/995","IssueName":"ValueError: Elements in iterable body must be bytestrings"},  
{"Topic":"json","Repository":"httpie","IssueLink":"https://github.com/httpie/httpie/issues/990","IssueName":"is PySocks a dependancy ?"},  
{"Topic":"json","Repository":"httpie","IssueLink":"https://github.com/httpie/httpie/issues/989","IssueName":"Feature request: support \"http(s) request\" from raw requests file"}]
```