

SQL QUERY

The screenshot shows the SQL Server Enterprise Manager interface. The Object Explorer on the left displays the 'SOURAV' server with various system objects. The main query window, titled 'SQLQuery(as...SINGH (67))', contains the following SQL script:

```
1  -- Create Database
2  CREATE DATABASE CompanyDB;
3
4  -- Use Database
5  USE CompanyDB;
6
7  -- Create Table
8  CREATE TABLE Employees (
9      emp_id INT PRIMARY KEY IDENTITY(1,1), -- AUTO_INCREMENT → IDENTITY
10     username VARCHAR(50),
11     password VARCHAR(50),
12     full_name VARCHAR(100),
13     department VARCHAR(50),
14     salary DECIMAL(10,2),
15     created_at DATE
16 );
17
18 -- Insert Sample Data
19 INSERT INTO Employees (username, password, full_name, department, salary, created_at)
20 VALUES
21 ('john123', 'pass123', 'John Smith', 'HR', 35000, '2026-05-02'),
22 ('alice01', 'alice123', 'Alice Johnson', 'IT', 50000, '2026-05-05'),
23 ('mike22', 'mike456', 'Mike Brown', 'Finance', 45000, '2026-04-28'),
24 ('emma99', 'emma789', 'Emma Davis', 'IT', 60000, '2026-05-07'),
25 ('robert7', 'rob111', 'Robert Wilson', 'HR', 40000, '2026-05-01');
26
27 -- 1. Validate Login Using Username and Password
28 SELECT *
29 FROM Employees
30 WHERE username = 'alice01'
31 AND password = 'alice123';
32
33 -- 2. Fetch Records Created in Last 7 Days
34 SELECT *
```

The status bar at the bottom indicates 'Query executed successfully.' and 'SOURAV (17.0 RTM) | SOURAV\SOURAV SINGH (67) | CompanyDB | 00:00:00 | Row: 1, Col: 1 | 5 rows'.

The screenshot shows the SQL Server Enterprise Manager interface. The main query window, titled 'SQLQuery(as...SINGH (68))', contains the following SQL script:

```
26
27 -- 1. Validate Login Using Username and Password
28 SELECT *
29 FROM Employees
30 WHERE username = 'alice01'
31 AND password = 'alice123';
32
33 -- 2. Fetch Records Created in Last 7 Days
34 SELECT *
35 FROM Employees
36 WHERE created_at >= DATEADD(DAY, -7, CAST(GETDATE() AS DATE));
37
38 -- 3. Find Total Number of Records Grouped by Department
39 SELECT department, COUNT(*) AS total_records
40 FROM Employees
41 GROUP BY department;
42
43 -- 4. Update Salary Based on Condition
44 UPDATE Employees
45 SET salary = salary + 6000
46 WHERE department = 'IT';
47
48 -- View Updated Records
49 SELECT * FROM Employees;
```

The status bar at the bottom indicates 'Query executed successfully.' and 'SOURAV (17.0 RTM) | SOURAV\SOURAV SINGH (67) | CompanyDB | 00:00:00 | Row: 1, Col: 1 | 5 rows'.

1. Write a query to validate login using username and password.

The screenshot shows the SQL Server Enterprise Manager interface. The Object Explorer on the left displays the 'SOURAV' database. The main window shows a query titled 'SQLQuery(a...SINGH (67))' with the following SQL code:

```
15      created_at DATE
16  );
17
18  -- Insert Sample Data
19  INSERT INTO Employees (username, password, full_name, department, salary, created_at)
20  VALUES
21  ('john123', 'pass123', 'John Smith', 'HR', 35000, '2026-05-02'),
22  ('alice01', 'alice@123', 'Alice Johnson', 'IT', 55000, '2026-05-05'),
23  ('mike22', 'mike@456', 'Mike Brown', 'Finance', 45000, '2026-04-28'),
24  ('emma99', 'emma@789', 'Emma Davis', 'IT', 60000, '2026-05-07'),
25  ('robert7', 'rob@111', 'Robert Wilson', 'HR', 40000, '2026-05-01');
26
27  -- 1. Validate Login Using Username and Password
28  SELECT *
29  FROM Employees
30  WHERE username = 'alice01'
31  AND password = 'alice@123';
32
33  -- 2. Fetch Records Created in Last 7 Days
34  SELECT *
35  FROM Employees
36  WHERE created_at >= DATEADD(DAY, -7, CAST(GETDATE() AS DATE));
```

The query was executed successfully, and the results are displayed in the 'Results' pane. The table has 5 columns: emp_id, username, password, full_name, department, salary, and created_at. The data is as follows:

emp_id	username	password	full_name	department	salary	created_at
1	john123	pass123	John Smith	HR	35000.00	2026-05-02
2	alice01	alice@123	Alice Johnson	IT	55000.00	2026-05-05
3	mike22	mike@456	Mike Brown	Finance	45000.00	2026-04-28
4	emma99	emma@789	Emma Davis	IT	60000.00	2026-05-07
5	robert7	rob@111	Robert Wilson	HR	40000.00	2026-05-01

The status bar at the bottom indicates 'Query executed successfully.' and 'SOURAV (17.0 RTM) SOURAV\SOURAV SINGH (67) CompanyDB 00:00:00 Row: 1, Col: 1 4 rows'.

2. Fetch records created in last 7 days.

The screenshot shows the SQL Server Enterprise Manager interface. The Object Explorer on the left displays the 'SOURAV' database. The main window shows a query titled 'SQLQuery(as...SINGH (67))' with the following SQL code:


```
10      username VARCHAR(50),
11      password VARCHAR(100),
12      full_name VARCHAR(50),
13      department VARCHAR(50),
14      salary DECIMAL(10,2),
15      created_at DATE
16  );
17
18  -- Insert Sample Data
19  INSERT INTO Employees (username, password, full_name, department, salary, created_at)
20  VALUES
21  ('john123', 'pass123', 'John Smith', 'HR', 35000, '2026-05-02'),
22  ('alice01', 'alice@123', 'Alice Johnson', 'IT', 55000, '2026-05-05'),
23  ('mike22', 'mike@456', 'Mike Brown', 'Finance', 45000, '2026-04-28'),
24  ('emma99', 'emma@789', 'Emma Davis', 'IT', 60000, '2026-05-07'),
25  ('robert7', 'rob@111', 'Robert Wilson', 'HR', 40000, '2026-05-01');
26
27  -- 1. Validate Login Using Username and Password
28  SELECT *
29  FROM Employees
30  WHERE username = 'alice01'
31  AND password = 'alice@123';
32
```

The query was executed successfully, and the results are displayed in the 'Results' pane. The table has 7 columns: emp_id, username, password, full_name, department, salary, and created_at. The data is as follows:

emp_id	username	password	full_name	department	salary	created_at
1	alice01	alice@123	Alice Johnson	IT	55000.00	2026-05-05

The status bar at the bottom indicates 'Query executed successfully.' and 'SOURAV (17.0 RTM) SOURAV\SOURAV SINGH (67) CompanyDB 00:00:00 Row: 1, Col: 1 1 rows'.

3. Find total number of records grouped by a column.



The screenshot shows the SQL Server Enterprise Manager interface. The Object Explorer on the left displays the database structure for 'SOURAV (SQL Server 17.0.1000.7 - SOURAV\SOURAV)'. The central pane shows a SQL query window with the following code:


```
20 VALUES
21 ('john123', 'pass123', 'John Smith', 'HR', 35000, '2026-05-02'),
22 ('alice01', 'alice123', 'Alice Johnson', 'IT', 50000, '2026-05-05'),
23 ('mike22', 'mike456', 'Mike Brown', 'Finance', 45000, '2026-04-28'),
24 ('emma99', 'emma789', 'Emma Davis', 'IT', 60000, '2026-05-07'),
25 ('robert7', 'rob111', 'Robert Wilson', 'HR', 40000, '2026-05-01');
26
27 -- 1. Validate Login Using Username and Password
28 SELECT *
29 FROM Employees
30 WHERE username = 'alice01'
31 AND password = 'alice123';
32
33 -- 2. Fetch Records Created in Last 7 Days
34 SELECT *
35 FROM Employees
36 WHERE created_at >= DATEADD(DAY, -7, CAST(GETDATE() AS DATE));
37
38 -- 3. Find Total Number of Records Grouped by Department
39 SELECT department, COUNT(*) AS total_records
40 FROM Employees
41 GROUP BY department;
```

The query results are displayed in a table below the code:

department	total_records
Finance	1
HR	2
IT	2

The status bar at the bottom indicates 'Query executed successfully.' and 'SOURAV (17.0 RTM) | SOURAV\SOURAV SINGH (67) | CompanyDB | 00:00:00 | Row: 1, Col: 1 | 3 rows'.

4. Update salary based on condition.



The screenshot shows the SQL Server Enterprise Manager interface. The Object Explorer on the left displays the database structure for 'SOURAV (SQL Server 17.0.1000.7 - SOURAV\SOURAV)'. The central pane shows a SQL query window with the following code:

```
29 FROM Employees
30 WHERE username = 'alice01'
31 AND password = 'alice123';
32
33 -- 2. Fetch Records Created in Last 7 Days
34 SELECT *
35 FROM Employees
36 WHERE created_at >= DATEADD(DAY, -7, CAST(GETDATE() AS DATE));
37
38 -- 3. Find Total Number of Records Grouped by Department
39 SELECT department, COUNT(*) AS total_records
40 FROM Employees
41 GROUP BY department;
42
43 -- 4. Update Salary Based on Condition
44 UPDATE Employees
45 SET salary = salary + 6000
46 WHERE department = 'IT';
47
48 -- View Updated Records
49 SELECT * FROM Employees;
```

The query results are displayed in a table below the code:

department	total_records
Finance	1
HR	2
IT	2

The status bar at the bottom indicates 'Query executed successfully.' and 'SOURAV (17.0 RTM) | SOURAV\SOURAV SINGH (67) | CompanyDB | 00:00:00 | Row: 1, Col: 1 | 0 rows'.

FileEditViewQueryGitProjectToolsExtensionsWindowHelpSearch

CompanyDBExecute

Object Explorer

ConnectSOURAV (SQL Server 17.0.1000.7 - SOURAV\SOURAV)DatabasesSecurityServer ObjectsReplicationAlways On High AvailabilityManagementSQL Server Agent (Agent XPs disabled)XEvent Profiler

SQLQuery(a...SINGH (67))

29FROM Employees
30WHERE username = 'alice01'
31AND password = 'alice@123';
32
33-- 2. Fetch Records Created in Last 7 Days
34SELECT *
35FROM Employees
36WHERE created_at >= DATEADD(DAY, -7, CAST(GETDATE() AS DATE));
37
38-- 3. Find Total Number of Records Grouped by Department
39SELECT department, COUNT(*) AS total_records
40FROM Employees
41GROUP BY department;
42
43-- 4. Update Salary Based on Condition
44UPDATE Employees
45SET salary = salary + 6000
46WHERE department = 'IT';
47
48-- View Updated Records
49SELECT * FROM Employees

100 %No issues foundLn: 49, Ch: 1 (24 chars, 1 lines)SPCCRLFUTF-8

ResultsMessages

	emp_id	username	password	full_name	department	salary	created_at
1	1	john123	pass123	John Smith	HR	30000.00	2026-05-02
2	2	alice01	alice@123	Alice Johnson	IT	61000.00	2026-05-05
3	3	mike22	mike@456	Mike Brown	Finance	45000.00	2026-04-28
4	4	emma99	emma@789	Emma Davis	IT	71000.00	2026-05-07
5	5	robert7	rob@111	Robert Wilson	HR	40000.00	2026-05-01

Query executed successfully.SOURAV (17.0 RTM)SOURAV\SOURAV SINGH (67)CompanyDB00:00:00Row: 1, Col: 15 rows

ReadySelect Repository