

The W3C CSS Validation Service

W3C CSS Validator results for style.css (CSS level 3 + SVG)

Jump to: Warnings (1) Validated CSS

W3C CSS Validator results for style.css (CSS level 3 + SVG)

Congratulations! No Error Found.

This document validates as CSS level 3 + SVG!

To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page:





(close the img tag with > instead of /> if using HTML <= 4.01)



Interested in "developing" your developer skills? In W3Cx's handson Professional Certificate Program, learn how to code the right way by creating Web sites and apps that use the latest Web standards. Find out more!

Donate and help us build better tools for a better web.

If you like, you can download a copy of this image to keep in your local web directory, and change the XHTML fragment above to reference your local image rather than the one on this server.

If you would like to create a link to this page (i.e., this validation result) to make it easier to re-validate this page in the future or to allow others to validate your page, the URI is:

```
http://jigsaw.w3.org/css-validator/validator$link
or
http://jigsaw.w3.org/css-validator/check/referer (for HTML/XML document only)
```

(Or, you can just add the current page to your bookmarks or hotlist.)

↑ TOP

Warnings (1)

URI: style.css

3

Imported style sheets are not checked in direct input and file upload modes

↑ TOP

Valid CSS information

```
@import url('https://fonts.googleapis.com/css2?
family=Open+Sans&family=Oswald&display=swap');
  body, html {
    height: 100vh;
  aside {
    grid-area : sidebar;
     background-color : rgb(255, 255, 255);
  #img-logo {
   display : block;
    margin-left : auto;
margin-right : auto;
    width : 250px;
    height: 250px;
  header {
    grid-area : header;
background-color : #ffd700;
  #menu li {
    list-style-type : none;
    display : block;
    margin-left : auto;
margin-right : auto;
    width : 50%;
    text-align : center;
     letter-spacing : 0.1em;
  }
  #menu a {
    text-decoration : none;
    font-size : 30px;
    color: rgb(62, 13, 5, 0.8);
    font-weight : 600;
font-family : 'Oswald', sans-serif;
  #menu a:hover {
    color: rgb(255, 255, 255);
```

```
}
.navbar-toggler {
  display : block;
margin-left : auto;
  margin-right : auto;
  padding : 10px;
  font-weight: 500;
.active {
  text-decoration : underline;
.img-index {
  width : 100%;
  height : 100%;
  object-fit : cover;
  object-position: 50% 50%;
.img-banner-index {
  opacity : 0.9;
  width : 100%;
  height : 100%;
  object-fit : cover;
object-position : 50% 50%;
  margin-top : 20px;
  margin-bottom : 20px;
main {
  grid-area : main;
  background-color : white;
font-family : 'Open Sans', sans-serif;
.home-headline h1 {
  text-align : center;
  padding : 25px;
margin-top : 30px;
  margin-bottom : 10px;
  padding : 30px;
  color: rgb(62, 13, 5, 0.5);
  font-weight : 500;
font-family : 'Oswald', sans-serif;
  letter-spacing : 0.05em;
  font-size : 60px;
.home-headline h3 {
  text-align : center;
  padding : 25px;
  margin-top : 30px;
  margin-bottom : 10px;
  padding: 10px;
color: rgb(62, 13, 5, 0.9);
  font-weight : 600;
   letter-spacing : 0.05em;
}
.col-sm {
  width : 24%;
  height : auto;
  text-align : center;
color : rgb(62, 13, 5, 0.85);
padding : 30px;
.col-sm i {
```

```
font-size : 4.4rem;
  padding-top : 10px;
  padding-bottom : 10px;
.col-sm .homeicon {
 color: rgb(255, 215, 0);
.col-sm h2 {
  margin-top : 50px;
  font-weight : 600;
.col-sm h3 {
 font-weight : 500;
.col-sm h4 {
  font-weight: 600;
.col-sm p {
 padding: 5px;
margin: 15px;
  text-align : left;
  font-weight : 500;
.home-footer-style {
  background-color : rgb(255, 215, 0);
.homeicon:hover {
  color: rgb(255, 165, 0, 0.6);
.img-about {
  width : 100%;
height : 100%;
  object-fit : cover;
  object-position : 50% 50%;
.about-header-style {
  background-color: rgb(253, 139, 196, 0.7);
.about-footer-style {
  background-color: rgb(253, 139, 196, 0.7);
.about-container {
  box-sizing : border-box;
.about {
  padding: 30px;
  background-image: linear-gradient(to right, rgb(250, 175, 225), rgb(250, 175, 225,
  0.3));
 margin-bottom : 20px;
margin-right : 20px;
margin-left : 20px;
}
```

```
padding : 5px;
  font-weight: 600;
  color: rgb(62, 13, 5, 0.85);
.about p {
  font-weight: 500;
  color: rgb(62, 13, 5, 0.85);
.about i {
 font-size : 40px;
.founder img {
  border-radius : 50%;
  display : block;
  margin-left : auto;
  margin-right : auto;
  padding : 25px;
.img-recipes {
 width : 100%;
height : 100%;
  object-fit : cover;
object-position : 50% 50%;
.recipes-header-style {
  background-color: rgb(151, 231, 29, 0.5);
.recipes-footer-style {
  background-color: rgb(151, 231, 29, 0.5);
.recipe-header {
  text-align : center;
  padding : 10px;
.recipe-header h1 {
  padding: 25px 50px;
  color : rgb(151, 231, 29, 0.3);
font-family : 'Oswald', sans-serif;
  letter-spacing : 0.05em;
  font-size : 60px;
.recipe-header p {
  padding-bottom : 25px;
  color : rgb(62, 13, 5, 0.85);
  font-weight : 500;
.recipe-header a {
  text-align : center;
  padding : 10px;
color : rgb(62, 13, 5, 0.85);
  text-decoration : none;
.recipe-boxes {
  content :
  display : table;
clear : both;
  padding: 20px 20px;
```

```
border : none;
  border-radius : 5px;
  margin : 50px;
  color: rgb(62, 13, 5, 0.85);
section .recipe-boxes {
  padding : 10px 10px;
.recipe-boxes div {
  float : left;
height : auto;
  width : 100%;
.center-recipe {
  display : block;
margin-left : auto;
margin-right : auto;
  width : 50%;
#box1 {
  width : 100%;
  padding : 30px;
margin-Left : auto;
  margin-right : auto;
  border-radius : 1%;
font-weight : 500;
background-color : rgb(151, 231, 29, 0.5);
}
#box1 h2 {
  padding`: 5px 5px;
  font-weight: 600;
#box1 h3 {
    padding : 5px 5px;
  font-weight: 600;
#box1 i {
  padding : 5px 5px;
  font-size : 20px;
#box1 span {
  padding-right : 10px;
  font-weight : 600;
font-size : 18px;
#box1 p {
  padding : 5px 5px;
  font-weight: 600;
  font-size : 18px;
#box1 li {
  display : list-item;
#box2 {
  width : 100%;
  padding : 30px;
  margin-left : auto;
```

```
margin-right : auto;
border-radius : 1%;
  font-weight : 500;
  background-color: rgb(151, 231, 29, 0.5);
#box2 h2 {
  padding : 5px 5px;
  font-weight : 600;
#box2 h3 { padding : 5px 5px;
  font-weight: 600;
#box2 i {
  padding : 5px 5px;
  font-size : 20px;
#box2 span {
  padding-right : 10px;
  font-weight : 600;
  font-size : 18px;
#box2 li {
  display : list-item;
#box3 {
  width : 100%;
  padding: 30px;
  margin-left : auto;
  margin-right : auto;
  border-radius : 1%;
  font-weight : 500;
  background-color: rgb(151, 231, 29, 0.5);
#box3 h2 {
  padding : 5px 5px;
  font-weight : 600;
#box3 h3 { padding : 5px 5px;
  font-weight: 600;
#box3 i {
  padding : 5px 5px;
  font-size : 20px;
#box3 span {
  padding-right : 10px;
  font-weight : 600;
  font-size : 18px;
#box3 p {
  padding : 5px 5px;
  font-weight: 600;
  font-size : 18px;
```

```
#box3 li {
  display : list-item;
#footer {
 text-decoration : none;
.img-playlists {
  width : 100%;
  height : 100%;
object-fit : cover;
  object-position: 50% 50%;
\  \  \, \text{div iframe } \{
  display : inline-block;
  vertical-align : middle;
  width : 100%;
  padding: 20px 20px;
  margin-top : 25px;
  margin-bottom : 25px;
  border-width : 0;
}
.playlists-header-style {
  background-color: rgb(63, 25, 202, 0.5);
  font-weight : 600;
.playlists-footer-style {
  background-color : rgb(63, 25, 202, 0.5);
#playlist-header {
  text-align : center;
  padding : 25px;
  margin-top : 30px;
  margin-bottom : 10px;
  padding : 10px;
  color: rgb(62, 13, 5, 0.9);
#playlist-header h1 {
  color: rgb(63, 25, 202, 0.5);
  font-weight : 500;
font-family : 'Oswald', sans-serif;
letter-spacing : 0.05em;
  font-size : 60px;
.playlisticon i {
  font-size : 70px;
  padding : 5px 5px;
color : rgb(63, 25, 202, 0.8);
.playlisticon i:hover {
  color : rgb(63, 25, 202, 0.2);
.img-connect {
  width : 100%;
  height : 100%;
  object-fit : cover;
}
```

.connect-header-style {

```
background-color : rgb(255, 165, 0);
  font-weight : 600;
  font-family : 'Oswald', sans-serif;
#connect-background {
  background-color: rgb(99, 172, 229, 0.15);
  width : 98%;
  height : auto;
  padding: 40px;
  border: rgb(255, 165, 0) solid 2px;
  border-radius : 2%;
  margin-left : auto;
  margin-right : auto;
  margin-top : 10px;
  color: rgb(255, 165, 0);
.cwu-form p {
  padding : 5px 5px;
  margin : 15px;
  font-size : 16px;
  font-weight: 500;
.cwu-form h2 \{
  padding-top : 15px;
  padding-bottom : 5px;
  font-weight : 600;
.cwu-form h4 \{
  margin-top : 30px;
  margin-bottom : 15px;
  font-weight : 500;
.cwu-form i {
  font-size : 30px;
  margin-left : 5px;
margin-right : 5px;
  margin-top : 5px;
  margin-bottom : 5px;
.handle i {
  font-size : 40px;
  display : inline-block;
color : rgb(255, 165, 0);
text-align : left;
  padding : 15px;
.handle input {
  padding : 5px;
.cwu-form label {
  padding : 5px;
  font-weight : 600;
.cwu-form input {
  padding : 5px;
border : rgb(255, 165, 0) solid 2px;
  border-radius : 3%;
  background-color : rgb(255, 255, 255);
}
```

```
.button-style {
  padding : 30px;
.button-style input {
  border : rgb(255, 165, 0) solid 2px;
background-color : transparent;
  height: 50px;
font-weight: 600;
  display : inline-block;
display : block;
  margin-left : auto;
  margin-right : auto;
  width : 50%;
  color: rgb(255, 165, 0);
.cwu-form i:hover {
  color : rgb(99, 172, 229);
input:hover {
  color: rgb(99, 172, 229);
.button-style input:hover {
  color: rgb(99, 172, 229);
.our-details {
  margin-left : auto;
  margin-right : auto;
font-weight : 500;
text-align : left;
  padding : 20px;
.our-details h5 {
  font-weight : 700;
  color : rgb(255, 165, 0);
  text-decoration : underline;
.our-details i {
  font-size : 30px;
padding : 5px;
  margin-bottom : 5px;
.our-details a {
  text-decoration : none;
  color: rgb(255, 165, 0);
.our-details span {
  color: rgb(255, 165, 0);
.our-details a:hover {
  color: rgb(99, 172, 229);
.our-details i:hover {
  color: rgb(99, 172, 229);
```

```
.connect-footer-style {
  background-color : rgb(255, 165, 0);
#backtoheader {
  display : none;
  position : fixed;
bottom : 5px;
  right : 5px;
  z-index: 99;
border: rgb(62, 13, 5) solid 3px;
  font-size: 18px;
  outline : none;
  background-color : rgb(255, 255, 255);
  color : rgb(62, 13, 5);
cursor : pointer;
  padding : 10px;
  border-radius : 4px;
#backtoheader:hover {
  background-color: white;
  border : none;
footer {
  grid-area : footer;
  padding : 10px 0 20px 0;
  text-align : center;
margin-top : 20px;
#copyright-style {
  font-size : 15px;
  color : rgb(62, 13, 5, 0.5);
font-weight : 500;
.sm-links {
  display : flex;
  justify-content : center;
  margin : 0 auto;
  width : 100%;
  overflow : auto;
.sm-links a {
  padding : 10px;
  text-align : center;
  text-decoration : none;
  border-radius : 0;
  font-size : 30px;
  color: rgb(62, 13, 5, 0.5);
.sm-links a:hover {
  color : rgb(255, 255, 255);
@media only screen and (max-width: 320px) {
 body {
    margin : 0;
    display : grid;
    grid-template-columns : 100%;
    grid-template-rows : auto;
grid-template-areas : "header" "sidebar" "sect1" "sect2" "sect3" "main" "footer";
```

```
@media only screen and (max-width: 640px) and (min-width: 320px) {
 body {
    margin: 0;
    display : grid;
    grid-template-columns : 100%;
    grid-template-rows : auto;
    grid-template-areas : "header" "sidebar" "sect1" "sect2" "sect3" "main" "footer";
  .handle i {
    font-size : 30px;
    display : inline-block;
color : rgb(255, 165, 0);
text-align : left;
}
@media only screen and (min-width: 640px) {
 body {
    margin: 0;
    display : grid;
    grid-template-columns : 100%;
    grid-template-rows : auto;
    grid-template-areas : "header" "sidebar" "sect1" "sect2" "sect3" "main" "footer";
@media only screen and (min-width: 700px) {
 body {
    margin : 0;
    display : grid;
    grid-template-columns : 100%;
    grid-template-rows : auto;
    grid-template-areas : "header" "sidebar" "sect1" "sect2" "sect3" "main" "footer";
  .handle i {
    font-size : 30px;
    display: block;
color: rgb(255, 165, 0);
    text-align : left;
@media only screen and (min-width: 768px) {
 body {
    margin: 0;
    display : grid;
    grid-template-columns : 100%;
    grid-template-rows : auto;
    grid-template-areas : "header" "sidebar" "sect1" "sect2" "sect3" "main" "footer";
  .handle i {
    font-size: 30px;
    display : inline-block;
color : rgb(255, 165, 0);
    text-align : left;
@media only screen and (min-width: 900px) {
 body {
    margin : 0;
```

```
display : grid;
  grid-template-columns : 20% auto auto;
  grid-template-rows : auto;
  grid-template-areas : "sidebar header header" "sidebar sect1 sect2 sect3"
  "sidebar main main main" "sidebar footer footer";
}
```

```
@media only screen and (min-width: 1200px) {

body {
    margin : 0;
    display : grid;
    grid-template-columns : 20% auto auto auto;
    grid-template-rows : auto;
    grid-template-areas : "sidebar header header" "sidebar sect1 sect2 sect3"
    "sidebar main main main" "sidebar footer footer footer";
}

.handle i {
    font-size : 30px;
    display : block;
    color : rgb(255, 165, 0);
    text-align : left;
}
```

↑ TOP

Home About Documentation Download Feedback Credits





COPYRIGHT © 1994-2014 W3C® (MIT, ERCIM, KEIO, BEIHANG), ALL
RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE
AND SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH THIS SITE ARE
IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.