

Programming Refresher



Python Functions



Learning Objectives

By the end of this lesson, you will be able to:

- 👁 Illustrate the concept of functions
- 👁 Summarize the advantages of functions
- 👁 Design a function with arguments
- 👁 Explicate the scope of a variable in a function
- 👁 Summarize generators



Business Scenario

ABC is a Fintech company that deals with onboarding merchants for its payment gateway. For every new merchant added, there is a new class created in the backend, and the code is customized based on the merchant's requirement. However, when the code is analyzed, they notice that it has a separate code every time for each merchant module, which is not efficient and is time-consuming.

This can be solved by combining repetitive tasks and writing them inside a function so that the same part of the code can be called anywhere in the code stack for any merchant.

To do so, the organization will explore functions, variables, and their scope, which will help complete the task.





Functions and Its Advantages



Discussion

Python: Functions


Duration: 15 minutes

Are functions and loops the same?

- What are functions in Python?
- Why are they useful?




Python: Functions



- A function is a collection of connected statements that achieves a certain goal.
- It may be defined as an organized block of reusable code.
- It is a code block that only executes when it is invoked.
- Parameters are data that are passed into a function.

Functions: Advantages

The advantages of functions are:



Functions: Syntax

The basic syntax of a function in Python consists of two parts:

01

Function definition

- A function is defined using the keyword *def* followed by a function name and parenthesis.
- The argument names passed to the function are mentioned inside this parenthesis.
- The body of the function is an indented block of code.

Syntax

```
def myFunction(arg1, arg2):  
    body
```

Functions: Syntax

The basic syntax of a function in Python consists of two parts:

Function call

02

- A function can be called from anywhere in the program in order to be used.
- When a function is called, the program control is transferred to the called function to perform the defined task.
- All the necessary parameters and arguments should be passed during the function call.

Syntax

```
myFunction(arg1, arg2)
```

Python: Functions

Duration: 15 minutes

Are functions and loops the same?

- What are functions in Python?

Answer: A function is a collection of connected statements that achieves a certain goal.

- Why are functions required?

Answer: Functions enhance the comprehensibility, quality scalability, modularity, and reusability of the program.






Function Arguments

Functions: Arguments


The features of the arguments are mentioned below:



Functions: Argument Matching

Arguments in Python can be matched by position or name.

Positional arguments are required to be mentioned in the same order as in the function definition.



Keyword arguments are referenced by name and may be in any order.

Positional and keyword arguments can be mixed in a function call.

Note

Arguments in a function may also be defined with a default value.

Assisted Practice: Function and Argument Matching



Duration: 5 mins

Objective: In this demonstration, you will learn to create a function with arguments.

Steps to perform:

Step 1: Create a function


Step 2: Pass arguments to the function

Step 3: Perform argument matching

Step 4: Call the function and display the results

Functions: Arbitrary Arguments

Python allows the passing of variables with multiple arguments by using special symbols.



Note

These notations are used when the number of arguments to be passed to the function is uncertain.

Functions: Arbitrary Arguments

The types of arbitrary arguments are explained below:

| Non-keyword arguments | Keyword arguments |
|--|---|
| The symbol * is used to take in a variable number of arguments. | Keyword arguments are defined using **. Conventionally, "kwargs" is used to define the keyword arguments. |
| Conventionally, "args" is used to define the non-keyword argument. | A keyword argument allows giving the variable a name before passing it to the function. |
| These arguments are unpacked as a list inside the function. | Keyword arguments are like a dictionary where each value is mapped to the keyword passed along with it. |

Assisted Practice: Arbitrary Arguments



Duration: 5 mins

Objective: In this demonstration, you will learn to use arbitrary arguments.

Steps to perform:

Step 1: Define a function that takes arbitrary arguments

Step 2: Pass arguments to the function

Step 3: Call the function and display the results



***return* Statement**

Functions: *return* Statement

The *return* keyword is used to pass values back to the function call.

If the *return* statement is not used, Python returns *None* by default.

After the *return* statement is executed, no further statements of the function are executed.

A function can return none to multiple values or data objects.

Assisted Practice: *return* Statement



Duration: 5 mins

Objective: In this demonstration, you will learn to use the *return* statement.

Steps to perform:

Step 1: Define a function with arguments

Step 2: Use the *return* statement to return values when the function is called


Step 3: Call the function and display the results



Scope of a Variable

Function: Scope

Scope in programming defines the environment where the variables can be accessed and referenced.



Function: Scope

There are two types of scope:

| Global scope | Local scope |
|--|--|
| Variables and functions defined outside of all classes and functions have global scope. | Variables or functions that are defined inside a function block including argument names, are local variables. |
| It allows the variable values to be used or functions to be called from anywhere in the file in the program. | It can be accessed only inside the function block. |



Generators Function



Discussion

Python: Scope

Duration: 15 minutes

Scenario: Let us take an example where a variable `x` is defined, and its value is printed, as below:


```
x = 50  
def examplefunc():  
    print(x)  
examplefunc()  
print(x)
```

Here, is the scope of `x` defined as a global variable or a local variable?



Function: Generators

Generators are a special type of function supported in Python that returns an iterator object with a sequence of values.



A generator uses a *yield* statement instead of a return statement.

A generator object can be iterated only once.

A function with a *yield* statement is termed a generator.

return vs. yield Statement

The difference between the *return* and *yield* statements are given below:

return statement

- The *return* statement implies that the function is returning control of execution to the point from where the function is called.
- The process destroys the local variable and values generated.

yield statement

- The *yield* statement implies that the transfer of control is temporary.
- Hence, it does not destroy the states of the function's local variables.

Generator: Example

Here a generator function is defined that yields three values:

```
def myGenerator():  
    print('First iteration')  
    yield 'Number 1'  
  
    print('Second iteration')  
    yield 'Number 2'  
  
    print('Third iteration')  
    yield 'Number 3'
```

Note

In place of multiple *yield* statements, a *loop* can also be used inside the function to generate the values.

Ways to Use a Generator

The generator function can be used in two ways :

It can be used with the built-in *next* function.

```
gen = myGenerator()  
print(next(gen))  
print('\nNext :')  
print(next(gen))  
print('\nNext :')  
print(next(gen))  
# repeat until all values are yielded
```

First iteration
Number 1

Next :
Second iteration
Number 2

Next :
Third iteration
Number 3

It can be used with a *for* loop as an iteration object.

```
gen = myGenerator() # generator object  
for i in gen:  
    print(i)  
    print('Next iteration\n')
```

First iteration
Number 1
Next iteration

Second iteration
Number 2
Next iteration


Third iteration
Number 3
Next iteration



Lambda Functions

Lambda Functions

Python lambda functions are anonymous functions and can be defined by using the keyword *lambda*.





Function Types

Types of Functions

Functions can be of two types:

| Built-in functions | User-defined functions |
|---|---|
| Built-in functions are predefined functions in the programming framework. | Python also supports the creation of customized user-defined functions to perform specific tasks. |
| Python has basic built-in functions, such as len(), sum(), type(), slice(), next(), help(), format(). | A user can give any function name with any number of arguments. |



Functional Programming Implementation



Discussion

Functional Programming Methods

Duration: 20 minutes


You've been asked to write a code to generate an iterator that can be converted to a list.

Which functional implementation can be used here? Also, define the difference between each type.



Functional Programming Methods

These built-in functions facilitate functional programming in Python, which uses methods to define computation.



The *map* and *filter* functions are basic built-in functions, whereas the *reduce* function is a part of a module named “`_functools`.”

map()

A *map* function can be used to apply a function to each element of an iteration object.

Example

```
def fahrenheit(T):  
    return (( 9/5 * T )+32)
```

```
temperatures = [22, 45, 25, 30]  
res = list(map(fahrenheit, temperatures))  
res
```

```
[71.6, 113.0, 77.0, 86.0]
```

```
temperatures = [22, 45, 25, 30]  
res = list(map(lambda T: ((9/5 * T)+32), temperatures))  
res
```

```
[71.6, 113.0, 77.0, 86.0]
```

- The *map* function takes in two arguments a function and an iterable object.
- It applies the given function to all elements of the given iteration object.
- It generates an iterator which can be converted to a list.
- It can also use the *lambda* function for implementation.

filter()

A *filter* function is used to filter data based on a condition defined in a function.

Example

```
numbers = [37, 90, 81, 24, 75, 31, 53, 12]
odd_numbers = list(filter(lambda x: x % 2, numbers))
print(odd_numbers)
```

```
[37, 81, 75, 31, 53]
```

- The *filter* function also takes a function and an iterable object and applies the function to each element of the iteration object.
- The given function should return a Boolean value.

reduce()

A *reduce* function is used to implement the mathematical technique of folding on an iteration object.

Example

```
from functools import reduce
numbers = [2,4,6,8,10]
res = reduce(lambda x,y : x + y, numbers)
print(res)
30
```

- The *reduce* function takes in a function and an iterable object.
- The *reduce* function applies the function continually to each element of the iterable object and produces a single cumulative value.

Functional Programming Methods

Duration: 20 minutes

You've been asked to write a code to generate an iterator that can be converted to a list.


Which functional implementation can be used here? Also, define the difference between each type.


Answer: The `map()` function can be used here. The `map` function takes in two arguments: a function and an iterable object. It generates an iterator that can be converted to a list. It applies the given function to all elements of the given iteration object.



Key Takeaways

- Functions are an important structure of any programming language to create a modular and reusable application.
- Python functions use the *def* keyword to define functions, can take 0 or more arguments, and can return a value or None.
- Variables declared in the function have local scope and variables declared outside a function have global scope.
- Iterators are a way to traverse over a string, list, or tuple and they exhibit the concept of generators.
- The Lambda keyword is used to define an anonymous function in Python.





Knowledge Check

Knowledge Check

1

The advantages of functions are:

- A. Reusability
- B. Ease of use
- C. Scalability
- D. All of the above



Knowledge Check

1

The advantages of functions are:

- A. Reusability
- B. Ease of use
- C. Scalability
- D. All of the above

The correct answer is **D**

Functions can be reused, easy to access, and scalable.



Knowledge Check

2

Information can be passed to a function in the form of ____.

- A. Arguments
- B. Names
- C. Tasks
- D. All of the above



Knowledge Check

2

Information can be passed to a function in the form of ____.

- A. Arguments
- B. Names
- C. Tasks
- D. All of the above

The correct answer is **A**

Information can be passed to a function in the form of arguments or parameters.



Knowledge Check

3

A function is defined using the keyword ____.

- A. func
- B. function
- C. def
- D. All of the above



Knowledge Check

3

A function is defined using the keyword ____.

- A. func
- B. function
- C. def
- D. All of the above

The correct answer is **C**

A function is defined using the keyword def followed by a function name and parenthesis.





Thank You