Core Flight Executive Users Guide

Generated by Doxygen 1.8.17

1 Core Flight Executive Documentation	1
1.1 Background	2
1.1.1 Core Flight Executive (cFE) Goals	3
1.2 Applicable Documents	3
1.3 Version Numbers	4
1.3.1 Version Number Semantics	4
1.3.2 How and Where Defined	4
1.3.3 Identifying Development Builds	5
1.3.4 Templates for the short and long version string	5
1.4 Dependencies	5
1.5 Acronyms	5
1.6 cFE Executive Services Overview	7
1.6.1 Terminology	8
1.6.2 Software Reset	10
1.6.3 Reset Types and Subtypes	10
1.6.4 Exception and Reset (ER) Log	10
1.6.5 Application and Child Task Management	11
1.6.6 Starting an Application	11
1.6.7 Stopping an Application	11
1.6.8 Restarting an Application	12
1.6.9 Reloading an Application	12
1.6.10 Listing Current Applications	12
1.6.11 Listing Current Tasks	13
1.6.12 Loading Common Libraries	13
1.6.13 Basic File System	13
1.6.14 Performance Data Collection	14
1.6.15 Critical Data Store	15
1.6.16 Memory Pool	15
1.6.17 System Log	18
1.6.18 Version Identification	18
1.6.19 Frequently Asked Questions about Executive Services	18
1.7 cFE Executive Services Commands	18
1.8 cFE Executive Services Telemetry	20
1.9 cFE Executive Services Configuration Parameters	20
1.10 cFE Event Services Overview	25
1.10.1 Event Message Format	26
1.10.2 Local Event Log	27
1.10.3 Event Message Control	27
1.10.4 Event Message Filtering	28

1.10.5 EVS Registry	. 29
1.10.6 EVS Counters	. 29
1.10.7 Resetting EVS Counters	. 30
1.10.8 Effects of a Processor Reset on EVS	. 30
1.10.9 EVS squelching of misbehaving apps	. 31
1.10.10 Frequently Asked Questions about Event Services	. 31
1.11 cFE Event Services Commands	. 32
1.12 cFE Event Services Telemetry	. 34
1.13 cFE Event Services Configuration Parameters	. 34
1.14 cFE Software Bus Overview	. 35
1.14.1 Software Bus Terminology	. 36
1.14.2 Autonomous Actions	. 37
1.14.3 Operation of the SB Software	. 38
1.14.4 Frequently Asked Questions about Software Bus	. 41
1.15 cFE Software Bus Commands	. 42
1.16 cFE Software Bus Telemetry	. 43
1.17 cFE Software Bus Configuration Parameters	. 44
1.18 cFE Table Services Overview	. 45
1.18.1 Managing Tables	. 45
1.18.2 cFE Table Types and Table Options	. 46
1.18.3 Table Registry	. 48
1.18.4 Table Services Telemetry	. 49
1.18.5 Effects of Processor Reset on Tables	. 49
1.18.6 Frequently Asked Questions about Table Services	. 49
1.19 cFE Table Services Commands	. 51
1.20 cFE Table Services Telemetry	. 51
1.21 cFE Table Services Configuration Parameters	. 52
1.22 cFE Time Services Overview	. 53
1.22.1 Time Components	. 55
1.22.2 Time Structure	. 55
1.22.3 Time Formats	. 56
1.22.4 Time Configuration	. 56
1.22.5 Time Format Selection	. 61
1.22.6 Enabling Fake Tone Signal	. 61
1.22.7 Selecting Tone and Data Ordering	. 61
1.22.8 Specifying Tone and Data Window	. 62
1.22.9 Specifying Time Server/Client	
1.22.10 Specifying Time Tone Byte Order	. 62
1.22.11 Virtual MET	. 63

1.22.12 Specifying Time Source	 	63
1.22.13 Specifying Time Signal	 	64
1.22.14 Time Services Paradigm(s)	 	64
1.22.15 Flywheeling	 	65
1.22.16 Time State	 	65
1.22.17 Initialization	 	65
1.22.18 Power-On Reset	 	66
1.22.19 Processor Reset	 	66
1.22.20 Initialization	 	67
1.22.21 Power-On Reset	 	67
1.22.22 Processor Reset	 	68
1.22.23 Normal Operation	 	68
1.22.24 Client	 	70
1.22.25 Server	 	70
1.22.26 Setting Time	 	71
1.22.27 Adjusting Time	 	72
1.22.28 Setting MET	 	72
1.22.29 Frequently Asked Questions about Time Services	 	72
1.23 cFE Time Services Commands	 	72
1.24 cFE Time Services Telemetry	 	73
1.25 cFE Time Services Configuration Parameters	 	74
1.26 cFE Event Message Cross Reference	 	75
1.27 cFE Command Mnemonic Cross Reference	 	75
1.28 cFE Telemetry Mnemonic Cross Reference	 	79
2 Glossary of Terms		90
3 cFE Application Programmer's Interface (API) Reference		91
3.1 Executive Services API	 	91
3.2 Events Services API	 	93
3.3 File Services API	 	94
3.4 Message API	 	94
3.5 Resource ID API	 	95
3.6 Software Bus Services API	 	95
3.7 Table Services API	 	96
3.8 Time Services API	 	97
4 Osal API Documentation		98
4.1 OSAL Introduction		-
4.2 File System Overview		
,	 	

4.3 File Descriptors In Osal	100
4.4 Timer Overview	101
5 cFE Mission Configuration Parameters	101
6 Module Index	102
6.1 Modules	102
7 Data Structure Index	104
7.1 Data Structures	104
8 File Index	114
8.1 File List	
9 Module Documentation	118
9.1 cFE Return Code Defines	
9.1.1 Detailed Description	
9.1.2 Macro Definition Documentation	
9.2 cFE Resource ID APIs	
9.2.1 Detailed Description	
9.2.2 Function Documentation	
9.3 cFE Entry/Exit APIs	
9.3.1 Detailed Description	
9.3.2 Function Documentation	
9.4 cFE Application Control APIs	
9.4.1 Detailed Description	
9.4.2 Function Documentation	
9.5 cFE Application Behavior APIs	
9.5.1 Detailed Description	
9.5.2 Function Documentation	
9.6 cFE Information APIs	
9.6.1 Detailed Description	
9.6.2 Function Documentation	
9.7 cFE Child Task APIs	162
9.7.1 Detailed Description	
9.7.2 Function Documentation	
9.8 cFE Miscellaneous APIs	166
9.8.1 Detailed Description	
9.8.2 Function Documentation	
9.9 cFE Critical Data Store APIs	
9.9.1 Detailed Description	169

	9.9.2 Function Documentation	. 169
9.10	FE Memory Manager APIs	. 174
	9.10.1 Detailed Description	. 174
	9.10.2 Function Documentation	. 174
9.11	FE Performance Monitor APIs	. 181
	9.11.1 Detailed Description	. 181
	9.11.2 Macro Definition Documentation	. 181
	9.11.3 Function Documentation	. 182
9.12	FE Generic Counter APIs	. 183
	9.12.1 Detailed Description	. 183
	9.12.2 Function Documentation	. 183
9.13	FE Registration APIs	. 189
	9.13.1 Detailed Description	. 189
	9.13.2 Function Documentation	. 189
9.14	FE Send Event APIs	. 191
	9.14.1 Detailed Description	. 191
	9.14.2 Function Documentation	. 191
9.15	FE Reset Event Filter APIs	. 195
	9.15.1 Detailed Description	. 195
	9.15.2 Function Documentation	. 195
9.16	FE File Header Management APIs	. 197
	9.16.1 Detailed Description	. 197
	9.16.2 Function Documentation	. 197
9.17	CFE File Utility APIs	. 201
	9.17.1 Detailed Description	. 201
	9.17.2 Function Documentation	. 201
9.18	FE Generic Message APIs	. 206
	9.18.1 Detailed Description	. 206
	9.18.2 Function Documentation	. 206
9.19	FE Message Primary Header APIs	. 207
	9.19.1 Detailed Description	. 207
	9.19.2 Function Documentation	. 207
9.20	FE Message Extended Header APIs	. 216
	9.20.1 Detailed Description	. 216
	9.20.2 Function Documentation	. 216
9.21	FE Message Secondary Header APIs	. 222
	9.21.1 Detailed Description	. 222
	9.21.2 Function Documentation	. 222
9.22	FE Message Id APIs	. 227

	9.22.1 Detailed Description	. 227
	9.22.2 Function Documentation	. 227
9.23	cFE Message Integrity APIs	. 229
	9.23.1 Detailed Description	. 229
	9.23.2 Function Documentation	. 229
9.24	cFE Pipe Management APIs	. 231
	9.24.1 Detailed Description	. 231
	9.24.2 Function Documentation	. 231
9.25	cFE Message Subscription Control APIs	. 236
	9.25.1 Detailed Description	. 236
	9.25.2 Function Documentation	. 236
9.26	cFE Send/Receive Message APIs	. 241
	9.26.1 Detailed Description	. 241
	9.26.2 Function Documentation	. 241
9.27	cFE Zero Copy APIs	. 244
	9.27.1 Detailed Description	. 244
	9.27.2 Function Documentation	. 244
9.28	cFE Message Characteristics APIs	. 247
	9.28.1 Detailed Description	. 247
	9.28.2 Function Documentation	. 247
9.29	cFE Message ID APIs	. 251
	9.29.1 Detailed Description	. 251
	9.29.2 Function Documentation	. 251
9.30	cFE SB Pipe options	. 253
	9.30.1 Detailed Description	. 253
	9.30.2 Macro Definition Documentation	. 253
9.31	cFE Registration APIs	. 254
	9.31.1 Detailed Description	. 254
	9.31.2 Function Documentation	. 254
9.32	cFE Manage Table Content APIs	. 259
	9.32.1 Detailed Description	. 259
	9.32.2 Function Documentation	. 259
9.33	cFE Access Table Content APIs	. 265
	9.33.1 Detailed Description	. 265
	9.33.2 Function Documentation	. 265
9.34	cFE Get Table Information APIs	. 270
	9.34.1 Detailed Description	. 270
	9.34.2 Function Documentation	. 270
9.35	CFF Table Type Defines	. 273

9.35.1 Detailed Description	273
9.35.2 Macro Definition Documentation	273
9.36 cFE Get Current Time APIs	275
9.36.1 Detailed Description	275
9.36.2 Function Documentation	275
9.37 cFE Get Time Information APIs	278
9.37.1 Detailed Description	278
9.37.2 Function Documentation	278
9.38 cFE Time Arithmetic APIs	281
9.38.1 Detailed Description	281
9.38.2 Function Documentation	281
9.39 cFE Time Conversion APIs	284
9.39.1 Detailed Description	284
9.39.2 Function Documentation	284
9.40 cFE External Time Source APIs	286
9.40.1 Detailed Description	286
9.40.2 Function Documentation	286
9.41 cFE Miscellaneous Time APIs	291
9.41.1 Detailed Description	291
9.41.2 Function Documentation	291
9.42 cFE Resource ID base values	294
9.42.1 Detailed Description	294
9.42.2 Enumeration Type Documentation	294
9.43 cFE Clock State Flag Defines	296
9.43.1 Detailed Description	296
9.43.2 Macro Definition Documentation	296
9.44 OSAL Semaphore State Defines	298
9.44.1 Detailed Description	298
9.44.2 Macro Definition Documentation	298
9.45 OSAL Binary Semaphore APIs	299
9.45.1 Detailed Description	299
9.45.2 Function Documentation	299
9.46 OSAL BSP low level access APIs	304
9.46.1 Detailed Description	304
9.46.2 Function Documentation	304
9.47 OSAL Real Time Clock APIs	305
9.47.1 Detailed Description	306
9.47.2 Function Documentation	306
9.48 OSAL Core Operation APIs	316

	9.48.1 Detailed Description	316
	9.48.2 Function Documentation	316
9.49 (OSAL Condition Variable APIs	319
	9.49.1 Detailed Description	319
	9.49.2 Function Documentation	319
9.50	OSAL Counting Semaphore APIs	325
	9.50.1 Detailed Description	325
	9.50.2 Function Documentation	325
9.51 (OSAL Directory APIs	330
	9.51.1 Detailed Description	330
	9.51.2 Function Documentation	330
9.52 (OSAL Return Code Defines	334
	9.52.1 Detailed Description	336
	9.52.2 Macro Definition Documentation	336
9.53 (OSAL Error Info APIs	341
	9.53.1 Detailed Description	341
	9.53.2 Function Documentation	341
9.54 (OSAL File Access Option Defines	343
	9.54.1 Detailed Description	343
	9.54.2 Macro Definition Documentation	343
9.55 (OSAL Reference Point For Seek Offset Defines	344
	9.55.1 Detailed Description	344
	9.55.2 Macro Definition Documentation	344
9.56	OSAL Standard File APIs	345
	9.56.1 Detailed Description	345
	9.56.2 Function Documentation	345
9.57 (OSAL File System Level APIs	356
	9.57.1 Detailed Description	356
	9.57.2 Function Documentation	356
9.58 (OSAL Heap APIs	364
	9.58.1 Detailed Description	364
	9.58.2 Function Documentation	364
9.59 (OSAL Object Type Defines	365
	9.59.1 Detailed Description	365
	9.59.2 Macro Definition Documentation	365
9.60 (OSAL Object ID Utility APIs	368
	9.60.1 Detailed Description	368
	9.60.2 Function Documentation	368
9.61 (OSAL Dynamic Loader and Symbol APIs	373

	9.61.1 Detailed Description	373
	9.61.2 Function Documentation	373
	9.62 OSAL Mutex APIs	377
	9.62.1 Detailed Description	377
	9.62.2 Function Documentation	377
	9.63 OSAL Network ID APIs	381
	9.63.1 Detailed Description	381
	9.63.2 Function Documentation	381
	9.64 OSAL Printf APIs	383
	9.64.1 Detailed Description	383
	9.64.2 Function Documentation	383
	9.65 OSAL Message Queue APIs	384
	9.65.1 Detailed Description	384
	9.65.2 Function Documentation	384
	9.66 OSAL Select APIs	388
	9.66.1 Detailed Description	388
	9.66.2 Function Documentation	
	9.67 OSAL Shell APIs	392
	9.67.1 Detailed Description	392
	9.67.2 Function Documentation	392
	9.68 OSAL Socket Address APIs	393
	9.68.1 Detailed Description	393
	9.68.2 Function Documentation	393
	9.69 OSAL Socket Management APIs	
	9.69.1 Detailed Description	397
	9.69.2 Function Documentation	397
		405
	9.70.1 Detailed Description	
	9.70.2 Function Documentation	
	9.71 OSAL Time Base APIs	
	9.71.1 Detailed Description	411
	9.71.2 Function Documentation	411
	9.72 OSAL Timer APIs	
	9.72.1 Detailed Description	116
	9.72.2 Function Documentation	116
10	Data Structure Documentation	422
	10.1 CCSDS ExtendedHeader Struct Reference	
	-	422

10.1.2 Field Documentation
10.2 CCSDS_PrimaryHeader Struct Reference
10.2.1 Detailed Description
10.2.2 Field Documentation
10.3 CFE_ES_AppInfo Struct Reference
10.3.1 Detailed Description
10.3.2 Field Documentation
10.4 CFE_ES_AppNameCmd_Payload Struct Reference
10.4.1 Detailed Description
10.4.2 Field Documentation
10.5 CFE_ES_AppReloadCmd_Payload Struct Reference
10.5.1 Detailed Description
10.5.2 Field Documentation
10.6 CFE_ES_BlockStats Struct Reference
10.6.1 Detailed Description
10.6.2 Field Documentation
10.7 CFE_ES_CDSRegDumpRec Struct Reference
10.7.1 Detailed Description
10.7.2 Field Documentation
10.8 CFE_ES_ClearERLogCmd Struct Reference
10.8.1 Detailed Description
10.8.2 Field Documentation
10.9 CFE_ES_ClearSysLogCmd Struct Reference
10.9.1 Detailed Description
10.9.2 Field Documentation
10.10 CFE_ES_DeleteCDSCmd Struct Reference
10.10.1 Detailed Description
10.10.2 Field Documentation
10.11 CFE_ES_DeleteCDSCmd_Payload Struct Reference
10.11.1 Detailed Description
10.11.2 Field Documentation
10.12 CFE_ES_DumpCDSRegistryCmd Struct Reference
10.12.1 Detailed Description
10.12.2 Field Documentation
10.13 CFE_ES_DumpCDSRegistryCmd_Payload Struct Reference
10.13.1 Detailed Description
10.13.2 Field Documentation
10.14 CFE_ES_FileNameCmd Struct Reference
10.14.1 Detailed Description

10.14.2 Field Documentation
10.15 CFE_ES_FileNameCmd_Payload Struct Reference
10.15.1 Detailed Description
10.15.2 Field Documentation
10.16 CFE_ES_HousekeepingTlm Struct Reference
10.16.1 Detailed Description
10.16.2 Field Documentation
10.17 CFE_ES_HousekeepingTlm_Payload Struct Reference
10.17.1 Detailed Description
10.17.2 Field Documentation
10.18 CFE_ES_MemPoolStats Struct Reference
10.18.1 Detailed Description
10.18.2 Field Documentation
10.19 CFE_ES_MemStatsTlm Struct Reference
10.19.1 Detailed Description
10.19.2 Field Documentation
10.20 CFE_ES_NoopCmd Struct Reference
10.20.1 Detailed Description
10.20.2 Field Documentation
10.21 CFE_ES_OneAppTIm Struct Reference
10.21.1 Detailed Description
10.21.2 Field Documentation
10.22 CFE_ES_OneAppTIm_Payload Struct Reference
10.22.1 Detailed Description
10.22.2 Field Documentation
10.23 CFE_ES_OverWriteSysLogCmd Struct Reference
10.23.1 Detailed Description
10.23.2 Field Documentation
10.24 CFE_ES_OverWriteSysLogCmd_Payload Struct Reference
10.24.1 Detailed Description
10.24.2 Field Documentation
10.25 CFE_ES_PoolAlign Union Reference
10.25.1 Detailed Description
10.25.2 Field Documentation
10.26 CFE_ES_PoolStatsTIm_Payload Struct Reference
10.26.1 Detailed Description
10.26.2 Field Documentation
10.27 CFE_ES_QueryAllCmd Struct Reference
10.27.1 Detailed Description

10.27.2 Field Documentation
10.28 CFE_ES_QueryAllTasksCmd Struct Reference
10.28.1 Detailed Description
10.28.2 Field Documentation
10.29 CFE_ES_QueryOneCmd Struct Reference
10.29.1 Detailed Description
10.29.2 Field Documentation
10.30 CFE_ES_ReloadAppCmd Struct Reference
10.30.1 Detailed Description
10.30.2 Field Documentation
10.31 CFE_ES_ResetCountersCmd Struct Reference
10.31.1 Detailed Description
10.31.2 Field Documentation
10.32 CFE_ES_ResetPRCountCmd Struct Reference
10.32.1 Detailed Description
10.32.2 Field Documentation
10.33 CFE_ES_RestartAppCmd Struct Reference
10.33.1 Detailed Description
10.33.2 Field Documentation
10.34 CFE_ES_RestartCmd Struct Reference
10.34.1 Detailed Description
10.34.2 Field Documentation
10.35 CFE_ES_RestartCmd_Payload Struct Reference
10.35.1 Detailed Description
10.35.2 Field Documentation
10.36 CFE_ES_SendHkCmd Struct Reference
10.36.1 Detailed Description
10.36.2 Field Documentation
10.37 CFE_ES_SendMemPoolStatsCmd Struct Reference
10.37.1 Detailed Description
10.37.2 Field Documentation
10.38 CFE_ES_SendMemPoolStatsCmd_Payload Struct Reference
10.38.1 Detailed Description
10.38.2 Field Documentation
10.39 CFE_ES_SetMaxPRCountCmd Struct Reference
10.39.1 Detailed Description
10.39.2 Field Documentation
10.40 CFE_ES_SetMaxPRCountCmd_Payload Struct Reference
10.40.1 Detailed Description

10.40.2 Field Documentation
10.41 CFE_ES_SetPerfFilterMaskCmd Struct Reference
10.41.1 Detailed Description
10.41.2 Field Documentation
10.42 CFE_ES_SetPerfFilterMaskCmd_Payload Struct Reference
10.42.1 Detailed Description
10.42.2 Field Documentation
10.43 CFE_ES_SetPerfTriggerMaskCmd Struct Reference
10.43.1 Detailed Description
10.43.2 Field Documentation
10.44 CFE_ES_SetPerfTrigMaskCmd_Payload Struct Reference
10.44.1 Detailed Description
10.44.2 Field Documentation
10.45 CFE_ES_StartApp Struct Reference
10.45.1 Detailed Description
10.45.2 Field Documentation
10.46 CFE_ES_StartAppCmd_Payload Struct Reference
10.46.1 Detailed Description
10.46.2 Field Documentation
10.47 CFE_ES_StartPerfCmd_Payload Struct Reference
10.47.1 Detailed Description
10.47.2 Field Documentation
10.48 CFE_ES_StartPerfDataCmd Struct Reference
10.48.1 Detailed Description
10.48.2 Field Documentation
10.49 CFE_ES_StopAppCmd Struct Reference
10.49.1 Detailed Description
10.49.2 Field Documentation
10.50 CFE_ES_StopPerfCmd_Payload Struct Reference
10.50.1 Detailed Description
10.50.2 Field Documentation
10.51 CFE_ES_StopPerfDataCmd Struct Reference
10.51.1 Detailed Description
10.51.2 Field Documentation
10.52 CFE_ES_TaskInfo Struct Reference
10.52.1 Detailed Description
10.52.2 Field Documentation
10.53 CFE_ES_WriteERLogCmd Struct Reference
10.53.1 Detailed Description

10.53.2 Field Documentation
10.54 CFE_ES_WriteSysLogCmd Struct Reference
10.54.1 Detailed Description
10.54.2 Field Documentation
10.55 CFE_EVS_AddEventFilterCmd Struct Reference
10.55.1 Detailed Description
10.55.2 Field Documentation
10.56 CFE_EVS_AppDataCmd_Payload Struct Reference
10.56.1 Detailed Description
10.56.2 Field Documentation
10.57 CFE_EVS_AppNameBitMaskCmd_Payload Struct Reference
10.57.1 Detailed Description
10.57.2 Field Documentation
10.58 CFE_EVS_AppNameCmd_Payload Struct Reference
10.58.1 Detailed Description
10.58.2 Field Documentation
10.59 CFE_EVS_AppNameEventIDCmd_Payload Struct Reference
10.59.1 Detailed Description
10.59.2 Field Documentation
10.60 CFE_EVS_AppNameEventIDMaskCmd_Payload Struct Reference
10.60.1 Detailed Description
10.60.2 Field Documentation
10.61 CFE_EVS_AppTImData Struct Reference
10.61.1 Detailed Description
10.61.2 Field Documentation
10.62 CFE_EVS_BinFilter Struct Reference
10.62.1 Detailed Description
10.62.2 Field Documentation
10.63 CFE_EVS_BitMaskCmd_Payload Struct Reference
10.63.1 Detailed Description
10.63.2 Field Documentation
10.64 CFE_EVS_ClearLogCmd Struct Reference
10.64.1 Detailed Description
10.64.2 Field Documentation
10.65 CFE_EVS_DeleteEventFilterCmd Struct Reference
10.65.1 Detailed Description
10.65.2 Field Documentation
10.66 CFE_EVS_DisableAppEventsCmd Struct Reference
10.66.1 Detailed Description

10.66.2 Field Documentation
10.67 CFE_EVS_DisableAppEventTypeCmd Struct Reference
10.67.1 Detailed Description
10.67.2 Field Documentation
10.68 CFE_EVS_DisableEventTypeCmd Struct Reference
10.68.1 Detailed Description
10.68.2 Field Documentation
10.69 CFE_EVS_DisablePortsCmd Struct Reference
10.69.1 Detailed Description
10.69.2 Field Documentation
10.70 CFE_EVS_EnableAppEventsCmd Struct Reference
10.70.1 Detailed Description
10.70.2 Field Documentation
10.71 CFE_EVS_EnableAppEventTypeCmd Struct Reference
10.71.1 Detailed Description
10.71.2 Field Documentation
10.72 CFE_EVS_EnableEventTypeCmd Struct Reference
10.72.1 Detailed Description
10.72.2 Field Documentation
10.73 CFE_EVS_EnablePortsCmd Struct Reference
10.73.1 Detailed Description
10.73.2 Field Documentation
10.74 CFE_EVS_HousekeepingTlm Struct Reference
10.74.1 Detailed Description
10.74.2 Field Documentation
10.75 CFE_EVS_HousekeepingTlm_Payload Struct Reference
10.75.1 Detailed Description
10.75.2 Field Documentation
10.76 CFE_EVS_LogFileCmd_Payload Struct Reference
10.76.1 Detailed Description
10.76.2 Field Documentation
10.77 CFE_EVS_LongEventTlm Struct Reference
10.77.1 Detailed Description
10.77.2 Field Documentation
10.78 CFE_EVS_LongEventTIm_Payload Struct Reference
10.78.1 Detailed Description
10.78.2 Field Documentation
10.79 CFE_EVS_NoopCmd Struct Reference
10.79.1 Detailed Description 484

10.79.2 Field Documentation
10.80 CFE_EVS_PacketID Struct Reference
10.80.1 Detailed Description
10.80.2 Field Documentation
10.81 CFE_EVS_ResetAllFiltersCmd Struct Reference
10.81.1 Detailed Description
10.81.2 Field Documentation
10.82 CFE_EVS_ResetAppCounterCmd Struct Reference
10.82.1 Detailed Description
10.82.2 Field Documentation
10.83 CFE_EVS_ResetCountersCmd Struct Reference
10.83.1 Detailed Description
10.83.2 Field Documentation
10.84 CFE_EVS_ResetFilterCmd Struct Reference
10.84.1 Detailed Description
10.84.2 Field Documentation
10.85 CFE_EVS_SendHkCmd Struct Reference
10.85.1 Detailed Description
10.85.2 Field Documentation
10.86 CFE_EVS_SetEventFormatCode_Payload Struct Reference
10.86.1 Detailed Description
10.86.2 Field Documentation
10.87 CFE_EVS_SetEventFormatModeCmd Struct Reference
10.87.1 Detailed Description
10.87.2 Field Documentation
10.88 CFE_EVS_SetFilterCmd Struct Reference
10.88.1 Detailed Description
10.88.2 Field Documentation
10.89 CFE_EVS_SetLogMode_Payload Struct Reference
10.89.1 Detailed Description
10.89.2 Field Documentation
10.90 CFE_EVS_SetLogModeCmd Struct Reference
10.90.1 Detailed Description
10.90.2 Field Documentation
10.91 CFE_EVS_ShortEventTlm Struct Reference
10.91.1 Detailed Description
10.91.2 Field Documentation
10.92 CFE_EVS_ShortEventTIm_Payload Struct Reference
10.92.1 Detailed Description

10.92.2 Field Documentation
10.93 CFE_EVS_WriteAppDataFileCmd Struct Reference
10.93.1 Detailed Description
10.93.2 Field Documentation
10.94 CFE_EVS_WriteLogDataFileCmd Struct Reference
10.94.1 Detailed Description
10.94.2 Field Documentation
10.95 CFE_FS_FileWriteMetaData Struct Reference
10.95.1 Detailed Description
10.95.2 Field Documentation
10.96 CFE_FS_Header Struct Reference
10.96.1 Detailed Description
10.96.2 Field Documentation
10.97 CFE_SB_AllSubscriptionsTlm Struct Reference
10.97.1 Detailed Description
10.97.2 Field Documentation
10.98 CFE_SB_AllSubscriptionsTIm_Payload Struct Reference
10.98.1 Detailed Description
10.98.2 Field Documentation
10.99 CFE_SB_DisableRouteCmd Struct Reference
10.99.1 Detailed Description
10.99.2 Field Documentation
10.100 CFE_SB_DisableSubReportingCmd Struct Reference
10.100.1 Detailed Description
10.100.2 Field Documentation
10.101 CFE_SB_EnableRouteCmd Struct Reference
10.101.1 Detailed Description
10.101.2 Field Documentation
10.102 CFE_SB_EnableSubReportingCmd Struct Reference
10.102.1 Detailed Description
10.102.2 Field Documentation
10.103 CFE_SB_HousekeepingTlm Struct Reference
10.103.1 Detailed Description
10.103.2 Field Documentation
10.104 CFE_SB_HousekeepingTlm_Payload Struct Reference
10.104.1 Detailed Description
10.104.2 Field Documentation
10.105 CFE_SB_Msg Union Reference
10.105.1 Detailed Description

10.105.2 Field Documentation
10.106 CFE_SB_Msgld_t Struct Reference
10.106.1 Detailed Description
10.106.2 Field Documentation
10.107 CFE_SB_MsgMapFileEntry Struct Reference
10.107.1 Detailed Description
10.107.2 Field Documentation
10.108 CFE_SB_NoopCmd Struct Reference
10.108.1 Detailed Description
10.108.2 Field Documentation
10.109 CFE_SB_PipeDepthStats Struct Reference
10.109.1 Detailed Description
10.109.2 Field Documentation
10.110 CFE_SB_PipeInfoEntry Struct Reference
10.110.1 Detailed Description
10.110.2 Field Documentation
10.111 CFE_SB_Qos_t Struct Reference
10.111.1 Detailed Description
10.111.2 Field Documentation
10.112 CFE_SB_ResetCountersCmd Struct Reference
10.112.1 Detailed Description
10.112.2 Field Documentation
10.113 CFE_SB_RouteCmd_Payload Struct Reference
10.113.1 Detailed Description
10.113.2 Field Documentation
10.114 CFE_SB_RoutingFileEntry Struct Reference
10.114.1 Detailed Description
10.114.2 Field Documentation
10.115 CFE_SB_SendHkCmd Struct Reference
10.115.1 Detailed Description
10.115.2 Field Documentation
10.116 CFE_SB_SendPrevSubsCmd Struct Reference
10.116.1 Detailed Description
10.116.2 Field Documentation
10.117 CFE_SB_SendSbStatsCmd Struct Reference
10.117.1 Detailed Description
10.117.2 Field Documentation
10.118 CFE_SB_SingleSubscriptionTlm Struct Reference
10.118.1 Detailed Description

10.118.2 Field Documentation
10.119 CFE_SB_SingleSubscriptionTIm_Payload Struct Reference
10.119.1 Detailed Description
10.119.2 Field Documentation
10.120 CFE_SB_StatsTlm Struct Reference
10.120.1 Detailed Description
10.120.2 Field Documentation
10.121 CFE_SB_StatsTlm_Payload Struct Reference
10.121.1 Detailed Description
10.121.2 Field Documentation
10.122 CFE_SB_SubEntries Struct Reference
10.122.1 Detailed Description
10.122.2 Field Documentation
10.123 CFE_SB_WriteFileInfoCmd_Payload Struct Reference
10.123.1 Detailed Description
10.123.2 Field Documentation
10.124 CFE_SB_WriteMapInfoCmd Struct Reference
10.124.1 Detailed Description
10.124.2 Field Documentation
10.125 CFE_SB_WritePipeInfoCmd Struct Reference
10.125.1 Detailed Description
10.125.2 Field Documentation
10.126 CFE_SB_WriteRoutingInfoCmd Struct Reference
10.126.1 Detailed Description
10.126.2 Field Documentation
10.127 CFE_TBL_AbortLoadCmd Struct Reference
10.127.1 Detailed Description
10.127.2 Field Documentation
10.128 CFE_TBL_AbortLoadCmd_Payload Struct Reference
10.128.1 Detailed Description
10.128.2 Field Documentation
10.129 CFE_TBL_ActivateCmd Struct Reference
10.129.1 Detailed Description
10.129.2 Field Documentation
10.130 CFE_TBL_ActivateCmd_Payload Struct Reference
10.130.1 Detailed Description
10.130.2 Field Documentation
10.131 CFE_TBL_DelCDSCmd_Payload Struct Reference
10.131.1 Detailed Description

10.131.2 Field Documentation
10.132 CFE_TBL_DeleteCDSCmd Struct Reference
10.132.1 Detailed Description
10.132.2 Field Documentation
10.133 CFE_TBL_DumpCmd Struct Reference
10.133.1 Detailed Description
10.133.2 Field Documentation
10.134 CFE_TBL_DumpCmd_Payload Struct Reference
10.134.1 Detailed Description
10.134.2 Field Documentation
10.135 CFE_TBL_DumpRegistryCmd Struct Reference
10.135.1 Detailed Description
10.135.2 Field Documentation
10.136 CFE_TBL_DumpRegistryCmd_Payload Struct Reference
10.136.1 Detailed Description
10.136.2 Field Documentation
10.137 CFE_TBL_File_Hdr Struct Reference
10.137.1 Detailed Description
10.137.2 Field Documentation
10.138 CFE_TBL_FileDef Struct Reference
10.138.1 Detailed Description
10.138.2 Field Documentation
10.139 CFE_TBL_HousekeepingTlm Struct Reference
10.139.1 Detailed Description
10.139.2 Field Documentation
10.140 CFE_TBL_HousekeepingTIm_Payload Struct Reference
10.140.1 Detailed Description
10.140.2 Field Documentation
10.141 CFE_TBL_Info Struct Reference
10.141.1 Detailed Description
10.141.2 Field Documentation
10.142 CFE_TBL_LoadCmd Struct Reference
10.142.1 Detailed Description
10.142.2 Field Documentation
10.143 CFE_TBL_LoadCmd_Payload Struct Reference
10.143.1 Detailed Description
10.143.2 Field Documentation
10.144 CFE_TBL_NoopCmd Struct Reference
10.144.1 Detailed Description

10.144.2 Field Documentation
10.145 CFE_TBL_NotifyCmd Struct Reference
10.145.1 Detailed Description
10.145.2 Field Documentation
10.146 CFE_TBL_NotifyCmd_Payload Struct Reference
10.146.1 Detailed Description
10.146.2 Field Documentation
10.147 CFE_TBL_ResetCountersCmd Struct Reference
10.147.1 Detailed Description
10.147.2 Field Documentation
10.148 CFE_TBL_SendHkCmd Struct Reference
10.148.1 Detailed Description
10.148.2 Field Documentation
10.149 CFE_TBL_SendRegistryCmd Struct Reference
10.149.1 Detailed Description
10.149.2 Field Documentation
10.150 CFE_TBL_SendRegistryCmd_Payload Struct Reference
10.150.1 Detailed Description
10.150.2 Field Documentation
10.151 CFE_TBL_TableRegistryTlm Struct Reference
10.151.1 Detailed Description
10.151.2 Field Documentation
10.152 CFE_TBL_TblRegPacket_Payload Struct Reference
10.152.1 Detailed Description
10.152.2 Field Documentation
10.153 CFE_TBL_ValidateCmd Struct Reference
10.153.1 Detailed Description
10.153.2 Field Documentation
10.154 CFE_TBL_ValidateCmd_Payload Struct Reference
10.154.1 Detailed Description
10.154.2 Field Documentation
10.155 CFE_TIME_1HzCmd Struct Reference
10.155.1 Detailed Description
10.155.2 Field Documentation
10.156 CFE_TIME_Add1HZAdjustmentCmd Struct Reference
10.156.1 Detailed Description
10.156.2 Field Documentation
10.157 CFE_TIME_AddAdjustCmd Struct Reference
10.157.1 Detailed Description

10.157.2 Field Documentation
10.158 CFE_TIME_AddDelayCmd Struct Reference
10.158.1 Detailed Description
10.158.2 Field Documentation
10.159 CFE_TIME_DiagnosticTIm Struct Reference
10.159.1 Detailed Description
10.159.2 Field Documentation
10.160 CFE_TIME_DiagnosticTIm_Payload Struct Reference
10.160.1 Detailed Description
10.160.2 Field Documentation
10.161 CFE_TIME_FakeToneCmd Struct Reference
10.161.1 Detailed Description
10.161.2 Field Documentation
10.162 CFE_TIME_HousekeepingTlm Struct Reference
10.162.1 Detailed Description
10.162.2 Field Documentation
10.163 CFE_TIME_HousekeepingTlm_Payload Struct Reference
10.163.1 Detailed Description
10.163.2 Field Documentation
10.164 CFE_TIME_LeapsCmd_Payload Struct Reference
10.164.1 Detailed Description
10.164.2 Field Documentation
10.165 CFE_TIME_NoopCmd Struct Reference
10.165.1 Detailed Description
10.165.2 Field Documentation
10.166 CFE_TIME_OneHzAdjustmentCmd_Payload Struct Reference
10.166.1 Detailed Description
10.166.2 Field Documentation
10.167 CFE_TIME_ResetCountersCmd Struct Reference
10.167.1 Detailed Description
10.167.2 Field Documentation
10.168 CFE_TIME_SendDiagnosticCmd Struct Reference
10.168.1 Detailed Description
10.168.2 Field Documentation
10.169 CFE_TIME_SendHkCmd Struct Reference
10.169.1 Detailed Description
10.169.2 Field Documentation
10.170 CFE_TIME_SetLeapSecondsCmd Struct Reference
10.170.1 Detailed Description

10.170.2 Field Documentation
10.171 CFE_TIME_SetMETCmd Struct Reference
10.171.1 Detailed Description
10.171.2 Field Documentation
10.172 CFE_TIME_SetSignalCmd Struct Reference
10.172.1 Detailed Description
10.172.2 Field Documentation
10.173 CFE_TIME_SetSourceCmd Struct Reference
10.173.1 Detailed Description
10.173.2 Field Documentation
10.174 CFE_TIME_SetStateCmd Struct Reference
10.174.1 Detailed Description
10.174.2 Field Documentation
10.175 CFE_TIME_SetSTCFCmd Struct Reference
10.175.1 Detailed Description
10.175.2 Field Documentation
10.176 CFE_TIME_SetTimeCmd Struct Reference
10.176.1 Detailed Description
10.176.2 Field Documentation
10.177 CFE_TIME_SignalCmd_Payload Struct Reference
10.177.1 Detailed Description
10.177.2 Field Documentation
10.178 CFE_TIME_SourceCmd_Payload Struct Reference
10.178.1 Detailed Description
10.178.2 Field Documentation
10.179 CFE_TIME_StateCmd_Payload Struct Reference
10.179.1 Detailed Description
10.179.2 Field Documentation
10.180 CFE_TIME_Sub1HZAdjustmentCmd Struct Reference
10.180.1 Detailed Description
10.180.2 Field Documentation
10.181 CFE_TIME_SubAdjustCmd Struct Reference
10.181.1 Detailed Description
10.181.2 Field Documentation
10.182 CFE_TIME_SubDelayCmd Struct Reference
10.182.1 Detailed Description
10.182.2 Field Documentation
10.183 CFE_TIME_SysTime Struct Reference
10.183.1 Detailed Description

10.183.2 Field Documentation
10.184 CFE_TIME_TimeCmd_Payload Struct Reference
10.184.1 Detailed Description
10.184.2 Field Documentation
10.185 CFE_TIME_ToneDataCmd Struct Reference
10.185.1 Detailed Description
10.185.2 Field Documentation
10.186 CFE_TIME_ToneDataCmd_Payload Struct Reference
10.186.1 Detailed Description
10.186.2 Field Documentation
10.187 CFE_TIME_ToneSignalCmd Struct Reference
10.187.1 Detailed Description
10.187.2 Field Documentation
10.188 OS_bin_sem_prop_t Struct Reference
10.188.1 Detailed Description
10.188.2 Field Documentation
10.189 OS_condvar_prop_t Struct Reference
10.189.1 Detailed Description
10.189.2 Field Documentation
10.190 OS_count_sem_prop_t Struct Reference
10.190.1 Detailed Description
10.190.2 Field Documentation
10.191 os_dirent_t Struct Reference
10.191.1 Detailed Description
10.191.2 Field Documentation
10.192 OS_FdSet Struct Reference
10.192.1 Detailed Description
10.192.2 Field Documentation
10.193 OS_file_prop_t Struct Reference
10.193.1 Detailed Description
10.193.2 Field Documentation
10.194 os_fsinfo_t Struct Reference
10.194.1 Detailed Description
10.194.2 Field Documentation
10.195 os_fstat_t Struct Reference
10.195.1 Detailed Description
10.195.2 Field Documentation
10.196 OS_heap_prop_t Struct Reference
10.196.1 Detailed Description

10.196.2 Field Documentation
10.197 OS_module_address_t Struct Reference
10.197.1 Detailed Description
10.197.2 Field Documentation
10.198 OS_module_prop_t Struct Reference
10.198.1 Detailed Description
10.198.2 Field Documentation
10.199 OS_mut_sem_prop_t Struct Reference
10.199.1 Detailed Description
10.199.2 Field Documentation
10.200 OS_queue_prop_t Struct Reference
10.200.1 Detailed Description
10.200.2 Field Documentation
10.201 OS_SockAddr_t Struct Reference
10.201.1 Detailed Description
10.201.2 Field Documentation
10.202 OS_SockAddrData_t Union Reference
10.202.1 Detailed Description
10.202.2 Field Documentation
10.203 OS_socket_prop_t Struct Reference
10.203.1 Detailed Description
10.203.2 Field Documentation
10.204 OS_static_symbol_record_t Struct Reference
10.204.1 Detailed Description
10.204.2 Field Documentation
10.205 OS_statvfs_t Struct Reference
10.205.1 Detailed Description
10.205.2 Field Documentation
10.206 OS_task_prop_t Struct Reference
10.206.1 Detailed Description
10.206.2 Field Documentation
10.207 OS_time_t Struct Reference
10.207.1 Detailed Description
10.207.2 Field Documentation
10.208 OS_timebase_prop_t Struct Reference
10.208.1 Detailed Description
10.208.2 Field Documentation
10.209 OS_timer_prop_t Struct Reference
10.209.1 Detailed Description

	10.209.2 Field Documentation	. 590
11	1 File Documentation	590
	11.1 build/osal_public_api/inc/osconfig.h File Reference	. 590
	11.1.1 Macro Definition Documentation	. 592
	11.2 example_mission_cfg.h File Reference	. 596
	11.2.1 Detailed Description	. 597
	11.2.2 Macro Definition Documentation	. 598
	11.3 example_platform_cfg.h File Reference	. 607
	11.3.1 Detailed Description	. 611
	11.3.2 Macro Definition Documentation	. 611
	11.4 sample_perfids.h File Reference	. 650
	11.4.1 Detailed Description	. 651
	11.4.2 Macro Definition Documentation	. 651
	11.5 cfe/docs/src/cfe_api.dox File Reference	. 653
	11.6 cfe/docs/src/cfe_es.dox File Reference	. 653
	11.7 cfe/docs/src/cfe_evs.dox File Reference	. 653
	11.8 cfe/docs/src/cfe_frontpage.dox File Reference	. 653
	11.9 cfe/docs/src/cfe_glossary.dox File Reference	. 653
	11.10 cfe/docs/src/cfe_sb.dox File Reference	. 653
	11.11 cfe/docs/src/cfe_tbl.dox File Reference	. 653
	11.12 cfe/docs/src/cfe_time.dox File Reference	. 653
	11.13 cfe/docs/src/cfe_xref.dox File Reference	. 653
	11.14 cfe/docs/src/cfs_versions.dox File Reference	. 653
	11.15 cfe/modules/core_api/config/default_cfe_core_api_base_msgids.h File Reference	. 653
	11.15.1 Detailed Description	. 653
	11.15.2 Macro Definition Documentation	. 653
	11.16 cfe/modules/core_api/config/default_cfe_core_api_interface_cfg.h File Reference	. 655
	11.16.1 Detailed Description	. 655
	11.16.2 Macro Definition Documentation	. 655
	11.17 cfe/modules/core_api/config/default_cfe_mission_cfg.h File Reference	. 657
	11.17.1 Detailed Description	. 657
	11.18 cfe/modules/core_api/config/default_cfe_msgids.h File Reference	. 657
	11.18.1 Detailed Description	. 657
	11.19 cfe/modules/core_api/fsw/inc/cfe.h File Reference	. 658
	11.19.1 Detailed Description	. 658
	11.20 cfe/modules/core_api/fsw/inc/cfe_config.h File Reference	. 658
	11.20.1 Detailed Description	. 659
	11.20.2 Function Documentation	. 659

11.21 cfe/modules/core_api/fsw/inc/cfe_config_api_typedefs.h File Reference	 . 661
11.21.1 Detailed Description	 . 662
11.21.2 Macro Definition Documentation	 . 662
11.21.3 Typedef Documentation	 . 662
11.22 cfe/modules/core_api/fsw/inc/cfe_endian.h File Reference	 . 662
11.22.1 Detailed Description	 . 663
11.22.2 Macro Definition Documentation	 . 663
11.23 cfe/modules/core_api/fsw/inc/cfe_error.h File Reference	 . 663
11.23.1 Detailed Description	 . 669
11.23.2 Macro Definition Documentation	 . 669
11.23.3 Typedef Documentation	 . 671
11.23.4 Function Documentation	 . 671
11.24 cfe/modules/core_api/fsw/inc/cfe_es.h File Reference	 . 671
11.24.1 Detailed Description	 . 674
11.24.2 Macro Definition Documentation	 . 674
11.25 cfe/modules/core_api/fsw/inc/cfe_es_api_typedefs.h File Reference	 . 675
11.25.1 Detailed Description	 . 676
11.25.2 Macro Definition Documentation	 . 676
11.25.3 Typedef Documentation	 . 678
11.25.4 Enumeration Type Documentation	 . 679
11.26 cfe/modules/core_api/fsw/inc/cfe_evs.h File Reference	 . 680
11.26.1 Detailed Description	 . 681
11.26.2 Macro Definition Documentation	 . 681
11.27 cfe/modules/core_api/fsw/inc/cfe_evs_api_typedefs.h File Reference	 . 681
11.27.1 Detailed Description	 . 682
11.27.2 Macro Definition Documentation	 . 682
11.27.3 Typedef Documentation	 . 683
11.28 cfe/modules/core_api/fsw/inc/cfe_fs.h File Reference	 . 684
11.28.1 Detailed Description	 . 684
11.29 cfe/modules/core_api/fsw/inc/cfe_fs_api_typedefs.h File Reference	 . 684
11.29.1 Detailed Description	 . 685
11.29.2 Typedef Documentation	 . 685
11.29.3 Enumeration Type Documentation	 . 686
11.30 cfe/modules/core_api/fsw/inc/cfe_msg.h File Reference	 . 687
11.30.1 Detailed Description	 . 689
11.31 cfe/modules/core_api/fsw/inc/cfe_msg_api_typedefs.h File Reference	 . 689
11.31.1 Detailed Description	
11.31.2 Macro Definition Documentation	 . 690
11.31.3 Typedef Documentation	 . 691

11.31.4 Enumeration Type Documentation
11.32 cfe/modules/core_api/fsw/inc/cfe_resourceid.h File Reference
11.32.1 Detailed Description
11.32.2 Macro Definition Documentation
11.32.3 Function Documentation
11.33 cfe/modules/core_api/fsw/inc/cfe_resourceid_api_typedefs.h File Reference
11.33.1 Detailed Description
11.33.2 Macro Definition Documentation
11.34 cfe/modules/core_api/fsw/inc/cfe_sb.h File Reference
11.34.1 Detailed Description
11.34.2 Macro Definition Documentation
11.35 cfe/modules/core_api/fsw/inc/cfe_sb_api_typedefs.h File Reference
11.35.1 Detailed Description
11.35.2 Macro Definition Documentation
11.35.3 Typedef Documentation
11.36 cfe/modules/core_api/fsw/inc/cfe_tbl.h File Reference
11.36.1 Detailed Description
11.37 cfe/modules/core_api/fsw/inc/cfe_tbl_api_typedefs.h File Reference
11.37.1 Detailed Description
11.37.2 Macro Definition Documentation
11.37.3 Typedef Documentation
11.37.4 Enumeration Type Documentation
11.38 cfe/modules/core_api/fsw/inc/cfe_tbl_filedef.h File Reference
11.38.1 Detailed Description
11.38.2 Macro Definition Documentation
11.38.3 Typedef Documentation
11.39 cfe/modules/core_api/fsw/inc/cfe_time.h File Reference
11.39.1 Detailed Description
11.39.2 Macro Definition Documentation
11.40 cfe/modules/core_api/fsw/inc/cfe_time_api_typedefs.h File Reference
11.40.1 Detailed Description
11.40.2 Macro Definition Documentation
11.40.3 Typedef Documentation
11.40.4 Enumeration Type Documentation
11.41 cfe/modules/core_api/fsw/inc/cfe_version.h File Reference
11.41.1 Detailed Description
11.41.2 Macro Definition Documentation
11.42 cfe/modules/es/config/default_cfe_es_extern_typedefs.h File Reference
11.42.1 Detailed Description

11.42.2 Macro Definition Documentation
11.42.3 Typedef Documentation
11.42.4 Enumeration Type Documentation
11.43 cfe/modules/es/config/default_cfe_es_fcncodes.h File Reference
11.43.1 Detailed Description
11.43.2 Macro Definition Documentation
11.44 cfe/modules/es/config/default_cfe_es_interface_cfg.h File Reference
11.44.1 Detailed Description
11.44.2 Macro Definition Documentation
11.45 cfe/modules/es/config/default_cfe_es_internal_cfg.h File Reference
11.45.1 Detailed Description
11.45.2 Macro Definition Documentation
11.46 cfe/modules/es/config/default_cfe_es_mission_cfg.h File Reference
11.46.1 Detailed Description
11.47 cfe/modules/es/config/default_cfe_es_msg.h File Reference
11.47.1 Detailed Description
11.48 cfe/modules/es/config/default_cfe_es_msgdefs.h File Reference
11.48.1 Detailed Description
11.48.2 Typedef Documentation
11.48.3 Enumeration Type Documentation
11.49 cfe/modules/es/config/default_cfe_es_msgids.h File Reference
11.49.1 Detailed Description
11.49.2 Macro Definition Documentation
11.50 cfe/modules/es/config/default_cfe_es_msgstruct.h File Reference
11.50.1 Detailed Description
11.50.2 Typedef Documentation
11.51 cfe/modules/es/config/default_cfe_es_platform_cfg.h File Reference
11.51.1 Detailed Description
11.52 cfe/modules/es/config/default_cfe_es_topicids.h File Reference
11.52.1 Detailed Description
11.52.2 Macro Definition Documentation
11.53 cfe/modules/es/fsw/inc/cfe_es_eventids.h File Reference
11.53.1 Detailed Description
11.53.2 Macro Definition Documentation
11.54 cfe/modules/evs/config/default_cfe_evs_extern_typedefs.h File Reference
11.54.1 Detailed Description
11.54.2 Typedef Documentation
11.54.3 Enumeration Type Documentation
11.55 cfe/modules/eys/config/default_cfe_eys_fcncodes.h File Reference

11.55.1 Detailed Description
11.55.2 Macro Definition Documentation
11.56 cfe/modules/evs/config/default_cfe_evs_interface_cfg.h File Reference
11.56.1 Detailed Description
11.56.2 Macro Definition Documentation
11.57 cfe/modules/evs/config/default_cfe_evs_internal_cfg.h File Reference
11.57.1 Detailed Description
11.57.2 Macro Definition Documentation
11.58 cfe/modules/evs/config/default_cfe_evs_mission_cfg.h File Reference
11.58.1 Detailed Description
11.59 cfe/modules/evs/config/default_cfe_evs_msg.h File Reference
11.59.1 Detailed Description
11.60 cfe/modules/evs/config/default_cfe_evs_msgdefs.h File Reference
11.60.1 Detailed Description
11.60.2 Macro Definition Documentation
11.60.3 Typedef Documentation
11.61 cfe/modules/evs/config/default_cfe_evs_msgids.h File Reference
11.61.1 Detailed Description
11.61.2 Macro Definition Documentation
11.62 cfe/modules/evs/config/default_cfe_evs_msgstruct.h File Reference
11.62.1 Detailed Description
11.62.2 Typedef Documentation
11.63 cfe/modules/evs/config/default_cfe_evs_platform_cfg.h File Reference
11.63.1 Detailed Description
11.64 cfe/modules/evs/config/default_cfe_evs_topicids.h File Reference
11.64.1 Detailed Description
11.64.2 Macro Definition Documentation
11.65 cfe/modules/evs/fsw/inc/cfe_evs_eventids.h File Reference
11.65.1 Detailed Description
11.65.2 Macro Definition Documentation
11.66 cfe/modules/fs/config/default_cfe_fs_extern_typedefs.h File Reference
11.66.1 Detailed Description
11.67 cfe/modules/fs/config/default_cfe_fs_filedef.h File Reference
11.67.1 Detailed Description
11.67.2 Typedef Documentation
11.67.3 Enumeration Type Documentation
11.68 cfe/modules/fs/config/default_cfe_fs_interface_cfg.h File Reference
11.68.1 Detailed Description
11.68.2 Macro Definition Documentation 854

11.69 cfe/modules/fs/config/default_cfe_fs_mission_cfg.h File Reference
11.69.1 Detailed Description
11.70 cfe/modules/msg/fsw/inc/ccsds_hdr.h File Reference
11.70.1 Detailed Description
11.70.2 Typedef Documentation
11.71 cfe/modules/resourceid/fsw/inc/cfe_core_resourceid_basevalues.h File Reference
11.71.1 Detailed Description
11.72 cfe/modules/resourceid/fsw/inc/cfe_resourceid_basevalue.h File Reference
11.72.1 Detailed Description
11.72.2 Macro Definition Documentation
11.73 cfe/modules/sb/config/default_cfe_sb_extern_typedefs.h File Reference
11.73.1 Detailed Description
11.73.2 Macro Definition Documentation
11.73.3 Typedef Documentation
11.73.4 Enumeration Type Documentation
11.74 cfe/modules/sb/config/default_cfe_sb_fcncodes.h File Reference
11.74.1 Detailed Description
11.74.2 Macro Definition Documentation
11.75 cfe/modules/sb/config/default_cfe_sb_interface_cfg.h File Reference
11.75.1 Detailed Description
11.75.2 Macro Definition Documentation
11.76 cfe/modules/sb/config/default_cfe_sb_internal_cfg.h File Reference
11.76.1 Detailed Description
11.76.2 Macro Definition Documentation
11.77 cfe/modules/sb/config/default_cfe_sb_mission_cfg.h File Reference
11.77.1 Detailed Description
11.78 cfe/modules/sb/config/default_cfe_sb_msg.h File Reference
11.78.1 Detailed Description
11.79 cfe/modules/sb/config/default_cfe_sb_msgdefs.h File Reference
11.79.1 Detailed Description
11.79.2 Typedef Documentation
11.80 cfe/modules/sb/config/default_cfe_sb_msgids.h File Reference
11.80.1 Detailed Description
11.80.2 Macro Definition Documentation
11.81 cfe/modules/sb/config/default_cfe_sb_msgstruct.h File Reference
11.81.1 Detailed Description
11.81.2 Typedef Documentation
11.82 cfe/modules/sb/config/default_cfe_sb_platform_cfg.h File Reference
11.82.1 Detailed Description 884

11.83 cfe/modules/sb/config/default_cfe_sb_topicids.h File Reference
11.83.1 Detailed Description
11.83.2 Macro Definition Documentation
11.84 cfe/modules/sb/fsw/inc/cfe_sb_eventids.h File Reference
11.84.1 Detailed Description
11.84.2 Macro Definition Documentation
11.85 cfe/modules/tbl/config/default_cfe_tbl_extern_typedefs.h File Reference
11.85.1 Detailed Description
11.85.2 Typedef Documentation
11.85.3 Enumeration Type Documentation
11.86 cfe/modules/tbl/config/default_cfe_tbl_fcncodes.h File Reference
11.86.1 Detailed Description
11.86.2 Macro Definition Documentation
11.87 cfe/modules/tbl/config/default_cfe_tbl_interface_cfg.h File Reference
11.87.1 Detailed Description
11.87.2 Macro Definition Documentation
11.88 cfe/modules/tbl/config/default_cfe_tbl_internal_cfg.h File Reference
11.88.1 Detailed Description
11.88.2 Macro Definition Documentation
11.89 cfe/modules/tbl/config/default_cfe_tbl_mission_cfg.h File Reference
11.89.1 Detailed Description
11.90 cfe/modules/tbl/config/default_cfe_tbl_msg.h File Reference
11.90.1 Detailed Description
11.91 cfe/modules/tbl/config/default_cfe_tbl_msgdefs.h File Reference
11.91.1 Detailed Description
11.91.2 Typedef Documentation
11.92 cfe/modules/tbl/config/default_cfe_tbl_msgids.h File Reference
11.92.1 Detailed Description
11.92.2 Macro Definition Documentation
11.93 cfe/modules/tbl/config/default_cfe_tbl_msgstruct.h File Reference
11.93.1 Detailed Description
11.93.2 Typedef Documentation
11.94 cfe/modules/tbl/config/default_cfe_tbl_platform_cfg.h File Reference
11.94.1 Detailed Description
11.95 cfe/modules/tbl/config/default_cfe_tbl_topicids.h File Reference
11.95.1 Detailed Description
11.95.2 Macro Definition Documentation
11.96 cfe/modules/tbl/fsw/inc/cfe_tbl_eventids.h File Reference
11.96.1 Detailed Description

11.96.2 Macro Definition Documentation	. 932
11.97 cfe/modules/time/config/default_cfe_time_extern_typedefs.h File Reference	. 949
11.97.1 Detailed Description	. 950
11.97.2 Typedef Documentation	. 950
11.97.3 Enumeration Type Documentation	. 952
11.98 cfe/modules/time/config/default_cfe_time_fcncodes.h File Reference	. 954
11.98.1 Detailed Description	. 954
11.98.2 Macro Definition Documentation	. 954
11.99 cfe/modules/time/config/default_cfe_time_interface_cfg.h File Reference	. 970
11.99.1 Detailed Description	. 970
11.99.2 Macro Definition Documentation	. 970
11.100 cfe/modules/time/config/default_cfe_time_internal_cfg.h File Reference	. 974
11.100.1 Detailed Description	. 974
11.100.2 Macro Definition Documentation	. 975
11.101 cfe/modules/time/config/default_cfe_time_mission_cfg.h File Reference	. 979
11.101.1 Detailed Description	. 980
11.102 cfe/modules/time/config/default_cfe_time_msg.h File Reference	. 980
11.102.1 Detailed Description	. 980
11.103 cfe/modules/time/config/default_cfe_time_msgdefs.h File Reference	. 980
11.103.1 Detailed Description	. 982
11.103.2 Typedef Documentation	. 982
11.104 cfe/modules/time/config/default_cfe_time_msgids.h File Reference	. 982
11.104.1 Detailed Description	. 983
11.104.2 Macro Definition Documentation	. 983
11.105 cfe/modules/time/config/default_cfe_time_msgstruct.h File Reference	. 984
11.105.1 Detailed Description	. 985
11.105.2 Typedef Documentation	. 985
11.106 cfe/modules/time/config/default_cfe_time_platform_cfg.h File Reference	. 987
11.106.1 Detailed Description	. 987
11.107 cfe/modules/time/config/default_cfe_time_topicids.h File Reference	. 987
11.107.1 Detailed Description	. 987
11.107.2 Macro Definition Documentation	. 987
11.108 cfe/modules/time/fsw/inc/cfe_time_eventids.h File Reference	. 989
11.108.1 Detailed Description	. 990
11.108.2 Macro Definition Documentation	. 990
11.109 osal/docs/src/osal_frontpage.dox File Reference	. 999
11.110 osal/docs/src/osal_fs.dox File Reference	. 999
11.111 osal/docs/src/osal_timer.dox File Reference	. 999
11.112 osal/src/os/inc/common_types.h File Reference	. 999

11.112.1 Detailed Description	00
11.112.2 Macro Definition Documentation	01
11.112.3 Typedef Documentation	01
11.112.4 Function Documentation	03
11.113 osal/src/os/inc/osapi-binsem.h File Reference	04
11.113.1 Detailed Description	05
11.114 osal/src/os/inc/osapi-bsp.h File Reference	05
11.114.1 Detailed Description	05
11.115 osal/src/os/inc/osapi-clock.h File Reference	05
11.115.1 Detailed Description	06
11.115.2 Enumeration Type Documentation	07
11.116 osal/src/os/inc/osapi-common.h File Reference	07
11.116.1 Detailed Description	80
11.116.2 Typedef Documentation	80
11.116.3 Enumeration Type Documentation	80
11.117 osal/src/os/inc/osapi-condvar.h File Reference	09
11.117.1 Detailed Description	10
11.118 osal/src/os/inc/osapi-constants.h File Reference	10
11.118.1 Detailed Description	10
11.118.2 Macro Definition Documentation	10
11.119 osal/src/os/inc/osapi-countsem.h File Reference	11
11.119.1 Detailed Description	11
11.120 osal/src/os/inc/osapi-dir.h File Reference	11
11.120.1 Detailed Description	12
11.120.2 Macro Definition Documentation	12
11.121 osal/src/os/inc/osapi-error.h File Reference	12
11.121.1 Detailed Description	14
11.121.2 Macro Definition Documentation	15
11.121.3 Typedef Documentation	15
11.122 osal/src/os/inc/osapi-file.h File Reference	15
11.122.1 Detailed Description	17
11.122.2 Macro Definition Documentation	17
11.122.3 Enumeration Type Documentation	18
11.123 osal/src/os/inc/osapi-filesys.h File Reference	18
11.123.1 Detailed Description	19
11.123.2 Macro Definition Documentation	19
11.124 osal/src/os/inc/osapi-heap.h File Reference	20
11.124.1 Detailed Description	20
11.125 osal/src/os/inc/osapi-idmap.h File Reference	20

11.125.1 Detailed Description
11.125.2 Macro Definition Documentation
11.126 osal/src/os/inc/osapi-macros.h File Reference
11.126.1 Detailed Description
11.126.2 Macro Definition Documentation
11.127 osal/src/os/inc/osapi-module.h File Reference
11.127.1 Detailed Description
11.127.2 Macro Definition Documentation
11.128 osal/src/os/inc/osapi-mutex.h File Reference
11.128.1 Detailed Description
11.129 osal/src/os/inc/osapi-network.h File Reference
11.129.1 Detailed Description
11.130 osal/src/os/inc/osapi-printf.h File Reference
11.130.1 Detailed Description
11.131 osal/src/os/inc/osapi-queue.h File Reference
11.131.1 Detailed Description
11.132 osal/src/os/inc/osapi-select.h File Reference
11.132.1 Detailed Description
11.132.2 Enumeration Type Documentation
11.133 osal/src/os/inc/osapi-shell.h File Reference
11.133.1 Detailed Description
11.134 osal/src/os/inc/osapi-sockets.h File Reference
11.134.1 Detailed Description
11.134.2 Macro Definition Documentation
11.134.3 Enumeration Type Documentation
11.135 osal/src/os/inc/osapi-task.h File Reference
11.135.1 Detailed Description
11.135.2 Macro Definition Documentation
11.135.3 Typedef Documentation
11.135.4 Function Documentation
11.136 osal/src/os/inc/osapi-timebase.h File Reference
11.136.1 Detailed Description
11.136.2 Typedef Documentation
11.137 osal/src/os/inc/osapi-timer.h File Reference
11.137.1 Detailed Description
11.137.2 Typedef Documentation
11.138 osal/src/os/inc/osapi-version.h File Reference
11.138.1 Detailed Description
11.138.2 Macro Definition Documentation

11.138.3 Function Documentation	037
11.139 osal/src/os/inc/osapi.h File Reference	038
11.139.1 Detailed Description	039
11.140 psp/fsw/inc/cfe_psp.h File Reference	039
11.140.1 Macro Definition Documentation	043
11.140.2 Function Documentation	046
11.141 psp/fsw/inc/cfe_psp_error.h File Reference	066
11.141.1 Detailed Description	067
11.141.2 Macro Definition Documentation	067
11.141.3 Typedef Documentation	069
11.141.4 Function Documentation	069
Index 1	071

1 Core Flight Executive Documentation

- · General Information and Concepts
 - Background
 - Applicable Documents
 - Version Numbers
 - Dependencies
 - Acronyms
 - Glossary of Terms
- Executive Services (ES)
 - cFE Executive Services Overview
 - cFE Executive Services Commands
 - cFE Executive Services Telemetry
 - ES Event Message Reference
 - cFE Executive Services Configuration Parameters
- Events Services (EVS)
 - cFE Event Services Overview
 - cFE Event Services Commands
 - cFE Event Services Telemetry
 - EVS Event Message Reference
 - cFE Event Services Configuration Parameters
- Software Bus Services (SB)
 - cFE Software Bus Overview
 - cFE Software Bus Commands

- cFE Software Bus Telemetry
- SB Event Message Reference
- cFE Software Bus Configuration Parameters
- Table Services (TBL)
 - cFE Table Services Overview
 - cFE Table Services Commands
 - cFE Table Services Telemetry
 - TBL Event Message Reference
 - cFE Table Services Configuration Parameters
- Time Services (TIME)
 - cFE Time Services Overview
 - cFE Time Services Commands
 - cFE Time Services Telemetry
 - TIME Event Message Reference
 - cFE Time Services Configuration Parameters
- cFE Event Message Cross Reference
- cFE Command Mnemonic Cross Reference
- cFE Telemetry Mnemonic Cross Reference
- cFE Application Programmer's Interface (API) Reference

1.1 Background

The Core Flight Executive (cFE) is an application development and run-time environment. The cFE provides a set of core services including Software Bus (messaging), Time, Event (Alerts), Executive (startup and runtime), and Table services. The cFE defines an application programming interface (API) for each service which serves as the basis for application development.

The cFE Software Bus service provides a publish and subscribe messaging system that allows applications to easily plug and play into the system. Applications subscribe to cFE services at runtime, making system modifications easy. Facilitating rapid prototyping, new applications can be compiled, linked, loaded, and started without requiring the entire system to be rebuilt.

Each service comes complete with a built in application that allows users to interface with each service. To support reuse and project independence, the cFE contains a configurable set of requirements and code. The configurable parameters allow the cFE to be tailored for each environment including desk-top and closed loop simulation environments. This provides the ability to run and test software applications on a developer's desktop and then deploy that same software without changes to the embedded system. In addition the cFE includes the following software development tools:

- Unit Test Framework (UTF) for unit testing applications developed via the cFE
- · Software Timing Analyzer that provides visibility into the real-time performance of embedded systems software
- · Table Builder

· Command and Telemetry utilities

The cFE is one of the components of the Core Flight System (cFS), a platform and project independent reusable software framework and set of reusable software applications. There are three key aspects to the cFS architecture: a dynamic run-time environment, layered software, and a component based design. The combination of these key aspects along with an implementation targeted to the embedded software domain makes it suitable for reuse on any number of NASA flight projects and/or embedded software systems.

The pivotal design feature, abstracting the software architecture from the hardware and forming the basis of reuse, is component layering. Each layer of the architecture "hides" its implementation and technology details from the other layers by defining and using standard Application Programming Interfaces (APIs). The internals of a layer can be changed without affecting other layers' internals and components.

The layers include an OS Abstraction Layer (OSAL), Platform Support Package (PSP) layer, core Flight Executive (cFE) layer, and an Application layer. The cFE layer runs on top of the PSP and OSAL layers. The cFE comes complete with a build environment, deployment guide, API reference guide, and provides a sample PSP. The OSAL is available open source and once integrated into the cFE build environment, developers will be ready to build and run the system and start developing their mission/project specific applications that easily plug and play into the system.

1.1.1 Core Flight Executive (cFE) Goals

The main long term goal of the cFE is to form the basis for a platform and project independent reusable software framework. The cFE with the OSAL allow the development of portable embedded system software that is independent of a particular Real Time Operating System and hardware platform. A secondary long term goal is to create a standardized, product-line approach for development of embedded aerospace flight software.

1.1.1.1 Functional and Community Goals The cFE allows embedded system software to be developed and tested on desktop workstations and ported to the target platform without changing a single line of code, providing a shorter development and debug time. The cFE is an enabler of software collaboration amongst all users promoting the growth of the application and library layers where new applications, libraries, tools, and lessons learned can be contributed and shared.

It is important for application developers to realize the long term and functional goals of the cFE. With a standard set of services providing a standard API, all applications developed with the cFE have an opportunity to become useful on future missions through code reuse. In order to achieve this goal, applications must be written with care to ensure that their code does not have dependencies on specific hardware, software or compilers. The cFE and the underlying generic operating system API (OS API) have been designed to insulate the cFE Application developer from hardware and software dependencies. The developer, however, must make the effort to identify the proper methods through the cFE and OS API to satisfy their software requirements and not be tempted to take a "short-cut" and accomplish their goal with a direct hardware or operating system software interface.

1.2 Applicable Documents

Document Title	Link
cFE System (L4) Requirements Document	cfe/docs/'cfe requirements.docx'
cFE Functional (L5) Requirements Document	cfe/docs/cFE_FunctionalRequirements.csv
cFE Application Developers Guide	cfe/docs/'cFE Application Developers Guide.md'
cFE User's Guide (includes API)	Autogenerated from code, provided with releases in cFE repository
OS Abstraction Layer (OSAL) API	Autogenerated from code, provided with releases in OSAL repository

1.3 Version Numbers

1.3.1 Version Number Semantics

The version number is a sequence of four numbers, generally separated by dots when written. These are, in order, the Major number, the Minor number, the Revision number, and the Mission Revision number.

It is important to note that version numbers are only updated upon official releases of tagged versions, **NOT** on development builds. We aim to follow the Semantic Versioning v2.0 specification with our versioning.

The MAJOR number is incremented on release to indicate when there is a change to an API that may cause existing, correctly-written cFS components to stop working. It may also be incremented for a release that contains changes deemed to be of similar impact, even if there are no actual changes to the API.

The MINOR number is incremented on release to indicate the addition of features to the API which do not break the existing code. It may also be incremented for a release that contains changes deemed to be of similar impact, even if there are no actual updates to the API.

The REVISION number shall be incremented on changes that benefit from unique identification such as bug fixes or major documentation updates. The Revision number may also be updated if there are other changes contained within a release that make it desirable for applications to distinguish one release from another. WARNING: The revision number is set to the number 99 in development builds. To distinguish between development builds refer to the BUILD_NUMBER and BUILD_BASELINE detailed in the section "Identifying Development Builds".

The Mission Rev Version number is set to zero in all official releases, and is reserved for the mission use.

1.3.2 How and Where Defined

The version numbers are provided as simple macros defined in the cfe_version.h header file as part of the API definition; these macros must expand to simple integer values, so that they can be used in simple if directives by the macro preprocessor.

Note the Mission Rev number is provided for missions to be able to identify unique changes they have made to the released software (via clone and own). Specicifally, the values 1-254 are reserved for mission use to denote patches/customizations while 0 and 0xFF are reserved for cFS open-source development use (pending resolution of nasa/cFS#440).

1.4 Dependencies 5

1.3.3 Identifying Development Builds

In order to distinguish between development versions, we also provide a BUILD NUMBER.

The BUILD_NUMBER reflects the number of commits since the BUILD_BASELINE, a baseline git tag, for each particular component. The BUILD_NUMBER integer monotonically increases for a given baseline. The BUILD_BASELINE identifies the current development cycle and is a git tag with format vMAJOR.MINOR.REVISION. The Codename used in the version string also refers to the current development cycle. When a new baseline tag and codename are created, the BUILD_NUMBER resets to zero and begins increasing from a new baseline.

1.3.4 Templates for the short and long version string

See cfe_version.h for the standard layout and definition of version information. The apps and repositories follow the same pattern by replacing the CFE_ prefix with the appropriate name; for example, osal uses OS_, psp uses CFE_P← SP IMPL, and so on.

Suggested pattern for development:

- CFSCOMPONENT SRC VERSION: REFERENCE GIT TAG"+dev"BUILD NUMBER
 - Example: "v6.8.0-rc1+dev123"
- CFSCOMPONENT_VERSION_STRING: "CFSCOMPONENT DEVELOPMENT BUILD "CFSCOMPONENT_S

 RC VERSION" (Codename: CFSCONSTELLATION), Last Official Release: MAJOR.MINOR.REVISION"
 - Example: "cFE DEVELOPMENT BUILD v6.8.0-rc1+dev123 (Codename: Bootes), Last Official Release: cfe v6.7.0"

Suggested pattern for official releases:

- CFSCOMPONENT_SRC_VERSION: OFFICIAL_GIT_TAG
 - Example: "v7.0.0"
- COMPONENT_VERSION_STRING: "CFSCOMPONENT OFFICIAL RELEASE "CFSCOMPONENT_SRC_VE ← RSION" (Codename: CFSCONSTELLATION)"
 - Example: "cFE OFFICIAL RELEASE v7.0.0 (Codename: Caelum)"

1.4 Dependencies

The Core Flight Executive (cFE) is required to be built with the Operating System Abstraction Layer (OSAL) and Platform Support Package (PSP) components of the Core Flight System (cFS). It is always recommended to build with the latest versions of each of the components as backward compatibility may not be supported.

Several internal data structures within the cFE use the "char" data type. This data type is typically 1 byte in storage size with a value range -128 to 127 or 0 to 255. The size of the "char" data type and whether or not the type is signed or unsigned can change across platforms. The cFE assumes use of the "char" data type as an **8-bit type**.

1.5 Acronyms

Acronym	Description
AC	Attitude Control
ACE	Attitude Control Electronics
ACS	Attitude Control System
API	Application Programming Interface
APID	CCSDS Application ID
Арр	Application
CCSDS	Consultative Committee for Space Data Systems
CDH, C&DH	Command and Data Handling
cFE	core Flight Executive
cFS	core Flight System
CM	Configuration Management
CMD	Command
CPU	Central Processing Unit
EDAC	Error Detection and Correction
EEPROM	Electrically Erasable Programmable Read-Only Memory
ES	Executive Services
EVS	Event Services
FC	Function Code
FDC	Failure Detection and Correction
FSW	Flight Software
HW, H/W	Hardware
ICD	Interface Control Document
MET	Mission Elapsed Time
MID	Message ID
OS	Operating System
OSAL	Operating System Abstraction Layer
PID	Pipeline ID
PKT	Packet
PSP	Platform Support Package
RAM	Random-Access Memory
SB	Software Bus
SDO	Solar Dynamics Observatory
ST5	Space Technology Five
STCF	Spacecraft Time Correlation Factor
SW, S/W	Software
TAI	International Atomic Time
TBD	To Be Determined
TBL	Table Services
TID	Task ID
TIME	Time Services
TLM	Telemetry
UTC	Coordinated Universal Time

1.6 cFE Executive Services Overview

Executive Services (ES) is one of the five core Flight Executive components. ES is the primary interface to the underlying Operating System, providing a high level interface to system control facilities. The ES component is responsible for starting up and restarting the cFE, starting up, shutting down, and restarting cFE Applications, logging errors and performance data, and providing a persistent memory store for cFE Applications.

The interfaces to the ES task include the Ground Interface (commands and telemetry) and the Application Programmer Interfaces (APIs). The ES task interfaces to the OS through the OS Abstraction Layer (OSAL) and platform through the Platform Support Package (PSP).

The functionality provided by the ES task include Software Reset, Application and Child Task Management, Basic File System, Performance Data Collection, Critical Data Store, Memory Pool, System Log, Shell Command.

For additional detail on Executive Services, see the following sections:

- Terminology
- · Software Reset
 - Reset Types and Subtypes
 - Exception and Reset (ER) Log
- Application and Child Task Management
 - Starting an Application
 - Stopping an Application
 - Restarting an Application
 - Reloading an Application
 - Listing Current Applications
 - Listing Current Tasks
 - Loading Common Libraries
- · Basic File System
- Performance Data Collection
- · Critical Data Store

- Memory Pool
- · System Log
- Version Identification
- Frequently Asked Questions about Executive Services

1.6.1 Terminology

The following sections describe terminology that is very relevant to understanding the Executive Services:

- · "Application" and "cFE Application"
- · "Task"
- "Startup Script"

1.6.1.1 "Application" and "cFE Application"

Application

The term 'Application' as defined in the Glossary of Terms is a set of data and functions that is treated as a single entity by the cFE. cFE resources are allocated on a per-Application basis. Applications are made up of a Main Task and zero or more Child Tasks.

cFE Application

A 'cFE Application' is an application that is external to the cFE and designed to interface to the cFE through the APIs. It is created through an entry in the "Startup Script" (with the 'Object Type' field set to CFE_APP) or by way of the CFE_ES_START_APP_CC ground command.

When referring to one of the five applications internal to the cFE (ES, EVS, SB, TIME or TBL), the term 'Service' or 'Core Application' is typically used.

A listing of cFE applications can be acquired by using the CFE_ES_QUERY_ALL_CC ground command. This listing will include the cFE internal applications as well as cFE applications that are loaded and running.

1.6.1.2 "Task" A Task is a thread of execution in the operating system, often associated with a cFE Application. Each cFE Application has a Main task providing its CPU context, stack and other OS resources. In addition, each cFE Application can create multiple Child Tasks which are closely associated with the Parent Task and cFE Application.

In a traditional Real Time Operating System such as vxWorks, the cFE Application Main task and child tasks end up being mapped to these OS tasks in the same shared memory space. For example, a Stored Command cFE Application that consists of a cFE Main Task and 10 Relative Time Sequence Child Tasks would have 11 tasks on a vxWorks system. The only association between these tasks exists in the cFE.

In a memory protected process oriented Operating System, the intention is to have a cFE Application implemented as a memory protected process with its own virtual address space. In this Process Model, each cFE Child Task would be a thread in the parent Process, much like a Unix process with multiple threads. In this model, the Stored Command example with a cFE Main Task and 10 Relative Time Sequence Child Tasks would consist of a Unix Process and 10 pthreads, all under the same virtual address space.

1.6.1.3 "Startup Script" The startup script is a text file, written by the user that contains a list of entries (one entry for each application) and is used by the ES application for automating the startup of applications. For a processor reset, ES checks for the CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE first, and if it doesn't exist or for a power on reset ES uses the file passed in to CFE_ES_Main (typically CFE_PLATFORM_ES_NONVOL_STARTUP_FILE but dependent on the PSP).

The fields in a single entry include:

Object Type	CFE_APP for an Application, or CFE_LIB for a library.
Path/Filename	This is a cFE Virtual filename, not a vxWorks device/pathname
Entry Point	This is the name of the "main" function for App.
CFE Name	The cFE name for the APP or Library
Priority	This is the Priority of the App, not used for a Library
Stack Size	This is the Stack size for the App, not used for a Library
Load Address	This is the Optional Load Address for the App or Library. It is currently not implemented so it should always be 0x0.
Exception Action	This is the Action the cFE should take if the Application has an exception.
	• 0 = Do a cFE Processor Reset
	Non-Zero = Just restart the Application

Immediately after the cFE completes its initialization, the ES Application first looks for the volatile startup script. The location in the file system is defined by the cFE platform configuration parameter named CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE. This configuration parameter contains a path as well as a filename. If the file is found, ES begins to startup the applications that are listed in the file. If ES does not find the file, it attempts to open the CFE_PLATFORM_ES_NONVOL_STARTUP_FILE.

If ES finds the volatile startup script, the attempt to open the nonvolatile startup script is bypassed.

Any errors encountered in the startup script processing are written to the System Log. The System Log may also contain positive acknowledge messages regarding the startup script processing.

The startup script delivered with the cFE (cfe_es_startup.scr) also has some detailed information about the fields and the settings.

1.6.2 Software Reset

The ES Software Reset provides a command to reset the cFE as well as resetting individual applications. Because applications are dependent on the cFE services, it is not possible to reset the cFE without affecting the applications. Therefore, a command to reset the cFE will also reset every application that is running at the time the command is received.

Also include is the Exception and Reset (ER) Log, which has a command for dumping or clearing the log and telemetry to show the number of entries in the log. In addition to the ER log, the user may find information about the most recent reset in the ES task housekeeping telemetry.

The ES Software Reset also provides a command to set the maximum number of processor resets before ES issues a power-on reset. There is a corresponding 'processor resets' counter in ES housekeeping telemetry that may be reset through another ES command.

1.6.3 Reset Types and Subtypes

The Reset Type is sent to the ground in the ES housekeeping packet and tells how the current running version of the cFE was invoked. The possible Reset Types expected in the telemetry field are CFE_PSP_RST_TYPE_POWERON and CFE_PSP_RST_TYPE_PROCESSOR. There is a third Reset Type defined in the ES code as CFE_ES_APP_RESTART which applies only to restarting an individual application and is covered in more detail in the section titled Application and Child Task.

The Reset Subtype is also sent in the ES housekeeping packet and gives more detail about the type of reset that started the execution of the current running version of the cFE. The possible Reset Subtypes are CFE_PSP_RST_SUBTYPE_POWER_CYCLE, CFE_PSP_RST_SUBTYPE_PUSH_BUTTON, CFE_PSP_RST_SUBTYPE_HW_SPECIAL CFE_PSP_RST_SUBTYPE_HW_WATCHDOG, CFE_PSP_RST_SUBTYPE_RESET_COMMAND, CFE_PSP_RST_SUBTYPE_EXCEP CFE_PSP_RST_SUBTYPE_UNDEFINED_RESET, CFE_PSP_RST_SUBTYPE_HWDEBUG_RESET, CFE_PSP_RST_SUBTYPE_BANGERSET, CFE_PSP_RST_SUBTYPE_BANG

1.6.4 Exception and Reset (ER) Log

The Exception and Reset Log contains detailed information about past resets and exceptions. To view the information the CFE_ES_WRITE_ER_LOG_CC command must be sent. This command will write the log to a binary file. The path and filename may be specified in the command. If the filename command field contains an empty string, the configuration parameter CFE_PLATFORM_ES_DEFAULT_ER_LOG_FILE is used to specify the path and filename. Use the ground system to get the file and display the contents. There is also a command to clear the ER log, CFE_ES_CLEAR_ER_LOG_CC.

The size of the ER log is defined by the platform configuration parameter CFE_PLATFORM_ES_ER_LOG_ENTRIES This log is preserved after a processor reset and held in the ES reset area.

A count of the number of entries in the log is present in the ES housekeeping telemetry. This count can be used with the configuration parameter CFE_PLATFORM_ES_ER_LOG_ENTRIES to calculate the fullness of the log.

The information contained in a single log entry is defined by the structure CFE ES ERLog t.

1.6.5 Application and Child Task Management

The ES Application and Child Task Management provides the user with full control over starting and stopping applications as well as querying information regarding applications, tasks and library routines.

There is no command to start or stop a child task. Child tasks can be controlled (started, stopped or deleted) only by the parent application through an API call.

This provides a way for the user to load a set of library routines, (via the startup script) without starting a corresponding task. See the section related to library routines for more detail.

The ES task maintains a counter for the number of registered applications, number of registered child tasks and the number of registered libraries in the ES housekeeping data.

1.6.6 Starting an Application

There are two ways to start an application, through the ground command CFE_ES_START_APP_CC or through the startup script. In either case, the object file must be loaded on board before the command is sent or before the startup script is executed. The startup script contains a list of applications and library routines to load and start immediately after the cFE finishes its startup sequence. The parameters in the command, match the elements of an entry in the startup script.

The format of the Start Application command, is defined in the structure CFE_ES_StartAppCmd_t. The members of the structure include, application name, entry point, filename, stack size, load address, exception action and priority.

If the command fails for any reason, an error event will be sent stating the reason for the failure. There may be additional information in the system log that can be viewed by sending the ES command to dump the system log.

After starting an application, the ES task sends an informational event message displaying the application name, filename of the object and the application ID. The new application will then show up in the query list downloaded in response to the CFE_ES_QUERY_ALL_CC command.

1.6.7 Stopping an Application

Stopping an application can be done through the ground command CFE_ES_STOP_APP_CC. This command will terminate the application execution and all child tasks created by the application, free the system resources that it allocated and delete the corresponding object file.

The process of stopping an application is done in a controlled manner when the application is properly using the return code from the call to the CFE_ES_RunLoop. When the application properly uses this function, the ES task starts a timer and (via the return code) tells the application to exit at its own convenience. This gives the application time to free its own resources and do any cleanup that may be required before terminating itself by calling CFE_ES_ExitApp. If the timer expires and the application still exists, then ES must 'kill' the application. When the application is killed, ES attempts to cleanup the applications resources as best it could. In this case there is no guarantee that all the system resources are properly released.

The format of the Stop Application command, is defined in the structure CFE_ES_StopAppCmd_t. The only parameter in the command is an application name.

If the command fails for any reason, an error event will be sent stating the reason for the failure. There may be additional information in the system log that can be viewed by sending the ES command to dump the system log.

After stopping an application, the ES task sends a debug message stating the name of the application. After executing the command, the application (or any resources it allocated) should no longer be listed in any cFE tables or files.

1.6.8 Restarting an Application

The CFE_ES_RESTART_APP_CC command is used to restart an application using the same file name as the last start.

This command checks for file existence, the application is running, and the application is not a core app. If valid, the application restart is requested.

When requested, ES stops the application, unloads the object file, loads the object file using the previous file name, and restarts an application using the parameters defined when the application was previously started, either through the startup script or by way of the CFE ES START APP CC command.

1.6.9 Reloading an Application

The CFE_ES_RELOAD_APP_CC command is used to reload an application using a new file name.

This command performs the same actions as CFE_ES_RESTART_APP_CC only using the new file.

1.6.10 Listing Current Applications

There are two options for receiving information about applications, the CFE_ES_QUERY_ONE_CC command can be used to get details about a single application. This command takes an application name as its only parameter and the application information is sent as a software bus packet that can be telemetered to the ground.

Or the CFE_ES_QUERY_ALL_CC command can be used to get information about all the applications that are currently registered with ES. This command writes the application data to a file and has a one parameter which specifies the path and filename of the output file.

For either command, the following Application information is made available:

- · Application ID The Application ID assigned by the cFE to the Application
- Type Identifier Identifies whether the Application is a CORE App or an EXTERNAL App
- · Name The Application Name
- Entry Point The symbolic name for the entry point into the Application
- Filename The name of the file the Application was loaded from
- Stack Size The number of bytes allocated for the Application's stack
- · Load Address The starting address of memory where the Application was loaded

- · Load Size The size, in bytes, of the Application when loaded into memory
- · Start Address The physical address that maps to the Entry Point
- Exception Action A flag that identifies whether the Processor should undergo a Restart or whether just the Application should restart upon an exception condition within the Application
- · Priority The assigned priority for the Application
- . Main Task ID The Task ID assigned to the main task associated with the Application
- Main Task Name The name of the main task associated with the Application
- · Number of Child Tasks The number of child tasks spawned by the main task

For a description of the format in which this data is dumped, see CFE_ES_AppInfo_t.

1.6.11 Listing Current Tasks

The CFE_ES_QUERY_ALL_TASKS_CC command is used to get a list of child tasks that are currently registered with ES. The following information is provided for each registered task:

- · Task ID The Task ID associated with the specified task
- · Task Name The name of the Task
- · Application ID The ID for the Application the Task is associated with
- Application Name The name of the Application the Task is associated with

1.6.12 Loading Common Libraries

Library routines may be loaded only through the startup script. There is an option that allows a library routine initialization function to be executed after the library is loaded. Refer to the cFE Application Developers Guide for more information regarding Library Routines and startup scripts. The startup script delivered with the cFE (cfe_es_startup.scr) also has some detailed information about library routines.

1.6.13 Basic File System

ES provides minimal functionality to initialize, read, and write cfe File headers.

1.6.14 Performance Data Collection

The Performance Data Collection provides precise timing information for each software application similar to how a logic analyzer can trigger and filter data.

API calls are inserted by the development team at key points in the code. The basic operation is to start the data collection, wait some amount of time, then send the command to stop the data collection. When the stop command is received, the ES task writes all the data from the buffer to a file. The file can then be imported to analysis tools for viewing. The size of the buffer is configurable through the CFE_PLATFORM_ES_PERF_DATA_BUFFER_SIZE platform configuration parameter.

Additional information follows:

- Performance Data Collection Trigger Masks
- Starting to Collect Performance Data
- Stopping the Collection of Performance Data
- Viewing the Collection of Performance Data
- **1.6.14.1 Performance Data Collection Trigger Masks** The trigger mask is used to control precisely when to start collecting the data. There is a bit in the trigger mask for every marker used in the code. After a start command is received, the trigger mask is read and dictates when to begin storing data in the buffer.

If the trigger mask is set to all zeros, then the collection will begin immediately after the start command and continue until a stop command is received. In this case the buffer behaves in a 'circular' manner.

- **1.6.14.2 Starting to Collect Performance Data** The CFE_ES_START_PERF_DATA_CC command is used to start the data collection process. The ES task sends a debug event when the command is received. It is not possible to start a collection if the buffer-to-file write is in process from an earlier collection. There is an ES telemetry point that can be used to ensure there is not a buffer-to-file write in progress. This ES telemetry point is called 'Perf Data to Write' and begins counting down from 'Data Count' to zero. If this counter is zero, it is ok to send the start command. If any errors are encountered when the start command is received, the details will be displayed in an error event message.
- 1.6.14.3 Stopping the Collection of Performance Data The CFE_ES_STOP_PERF_DATA_CC command is used to stop the data collection process and write the buffer data to a file. The path and filename may be specified in the command. If the filename command field contains an empty string, the configuration parameter CFE_PLATFORM_ES_DEFAULT_PERF_DUMP_FILENAME is used to specify the path and filename. The number of entries written to the file is determined by the 'data count' variable, which is sent in the ES housekeeping telemetry packet. To ensure cpu hogging does not occur during the write process, ES creates a low priority child task to perform the file write operation. This child task will write a number of entries, then sleep for a short time to give tasks of lower priority a chance to run. The number of entries between delays, and the delay time is displayed in the debug event at the time the stop command is received.

1.6.14.4 Viewing the Collection of Performance Data To view the performance data, the file created as a result of the stop command must be transferred to the ground and imported into a viewing tool. See https://github.ecom/nasa/perfutils-java as an example.

1.6.15 Critical Data Store

Some missions are required, for health, safety and mission success criteria, to survive Processor Resets. These mission requirements frequently flow down to Attitude Control and/or Command and Data Handling requirements that force an Application developer to design a mechanism for retaining software state information through a Processor Reset. The cFE provides the Critical Data Store to assist the developer in meeting these requirements.

The Critical Data Store is an area of memory that is not cleared during a Processor Reset. In addition, the contents of memory are validated when accessed with a Data Integrity Value that helps to ensure the contents have not been corrupted. Each processor platform, through the design of its Board Support Package, can implement this area of memory in a number of ways to ensure the contents survive a Processor Reset. Applications can allocate a section of this memory for their use in a way similar to the cFE Table Services Overview.

When an Application registers a Critical Data Store (CDS), the Executive Services allocates a section of the Critical Data Store memory for the application's use and assigns the Application specified name to the memory area. The operator can find and learn the characteristics of these Critical Data Stores by using the Dump CDS Registry Command. This command will dump the contents of the CDS Registry maintained by the Executive Services into a file that can be downlinked and examined by the operator.

The CDS Registry dump will identify the following information for each registered CDS:

- · Handle the numeric identifier used by an Application to access the contents of the CDS
- Size the number of bytes allocated to the specified CDS
- **Table Flag** a flag that indicates whether the CDS is associated with a Critical Tables (when non-zero) or not (when equal to zero).
- Name a processor specific name that uniquely identifies the CDS. The name comes in two parts, "AppName . ← CDSName". AppName identifies which Application registered the CDS. CDSName is the name the Application assigned to the CDS.

The format of the CDS Registry Dump File is a cFE Standard File header (see CFE_FS_Header_t) followed by one or more CDS Registry Dump File Records (see CFE_ES_CDSRegDumpRec_t).

1.6.16 Memory Pool

Refer to the cFE Application Developers Guide for additional information.

Applications that are designed for generic missions, frequently have to wait until run-time before allocating memory for buffers, data records, etc.

The cFE provides a memory allocation algorithm that may be used by an application to manage its block of memory. The user provides a pointer to its memory block and a list of block sizes and the cFE provides 'get' and 'put' API's to the user for managing its memory pool.

Run-time memory allocation in an embedded system can be risky because of the potential problem of memory fragmentation. Memory fragmentation is also referred to as External Fragmentation and is defined in the wikipedia as:

External fragmentation is the phenomenon in which free storage becomes divided into many small pieces over time. It is a weakness of certain storage allocation algorithms, occurring when an application allocates and deallocates ("frees") regions of storage of varying sizes, and the allocation algorithm responds by leaving the allocated and deallocated regions interspersed. The result is that, although free storage is available, it is effectively unusable because it is divided into pieces that are too small to satisfy the demands of the application. The term "external" refers to the fact that the unusable storage is outside the allocated regions.

To help prevent this from happening, the cFE has integrated a memory allocation algorithm that is designed to create blocks at run-time, based on the size of the blocks requested. After a reset, there are no blocks created, the memory pool is said to be unconfigured. As requests for memory blocks are made, the memory pool first tries to use blocks that have been created but are no longer in use. If it cannot find an available block, it will create a new one. The created blocks remain until a reset occurs.

This algorithm is recommended when the size of the requests and the peak rate of requests can be pre-determined. It is highly recommended that adequate margin is designed into the pool size. The memory pool should never get close to being fully configured (i.e. not enough memory to create a new block). If the memory does become fully configured, requests for new size blocks will fail, regardless of whether the created blocks are in-use or not. The margin on the memory pool can be monitored by viewing the 'free bytes' member of the memory pool statistics. The memory pool statistics are dumped only when commanded by way of the ES command CFE_ES_SEND_MEM_POOL_STATS_CC.

A user of the ES memory pool begins by tailoring the memory pool for the particular use, by defining a list of block sizes and allocating a block of memory. These block size definitions simply give the memory pool a set of sizes to choose from. They do not configure the memory pool in any way and they do not affect the size of the pool. The cFE defines a default set of block sizes in the cfe_platform_cfg.h file.

If the default block sizes are used, the application will create the pool using the simpler CFE_ES_PoolCreate API. This API takes a pointer to the first byte of the memory pool (allocated by the application) and a size parameter. The API returns a handle to be used for the get and put requests.

If the defaults are not sufficient, the user must define the block sizes and use the CFE_ES_PoolCreateEx API.

After receiving a positive response from the PoolCreate API, the memory pool is ready to accept requests, but at this point it is completely unconfigured (meaning there are no blocks created). The first valid request (via CFE_ES_GetPoolBuf API) after creating the pool will always cause the memory pool to create a block and return a pointer to the new block. The size of the block depends on the size definitions mentioned earlier. If there is not an exact match between the requested and defined sizes, then the memory pool will create and return the smallest block that meets the following criteria: is a defined size and large enough to hold the request.

If another request for that size comes in before the first block was released through the CFE_ES_PutPoolBuf A← PI, then the memory pool will create a second block of that size and return a pointer to the second block. If both blocks were then released through the CFE_ES_PutPoolBuf API and the memory pool statistics were dumped via the CFE_ES_SEND_MEM_POOL_STATS_CC command, the number of blocks created would be two. The number of 'free bytes' in the pool would be the size of the pool minus the sum of the following items:

- the size of the two blocks created (even though they are not 'in-use').
- a buffer descriptor for each of the two blocks created (2 * 12 bytes)
- a 168 byte pool descriptor Refer to the cFE Applications Developers Guide for more details.

This allocation algorithm does have its limits. There are certain conditions that can place the memory pool in an undesired state. For instance, if a burst of get requests were received for the same block size, the memory pool may create a large number of blocks of that size. If this is a one-time burst, the memory pool would be configured with this large number of blocks that may no longer be needed. This scenario would use up the 'free bytes' margin in an undesired way. It should be noted that once the blocks are created, they cannot be deleted by any means other than a processor or power-on reset. It is highly recommended that the memory pool statistics be carefully monitored to ensure that the 'free-bytes' margin is sufficient (which is typically dictated by mission requirements).

An operator can obtain information about an Application's Memory Pool by using the Telemeter Memory Pool Statistics Command.

This command will cause Executive Services to extract pertinent statistics from the data used to manage the Memory Pool and telemeter them to the ground in the Memory Pool Statistics Telemetry Packet.

In order to obtain the statistics associated with a memory pool, the operator **MUST** have the correct Memory Handle as reported by the Application who owns the Memory Pool. **It should be noted that an inappropriate Memory Pool Handle can** *(and likely will)* **cause the system software to crash!** Within the cFE itself, there are three cFE Core Applications that make use of the Executive Services Memory Pool API. These are Software Bus (SB), Event Services (EVS) and Table Services (TBL). Each of these cFE Core Applications report their memory pool handles in telemetry.

The Memory Pool Statistics Telemetry Packet contains the following information:

- Memory Pool Handle the handle, as provided by the operator in the Telemeter Memory Pool Statistics Command.
 This repeating of the handle in telemetry ensures the operator knows which Memory Pool Statistics are being viewed
- Pool Size The total size of the memory pool (in bytes)
- Number Blocks Requested The total number of memory blocks requested for allocation
- · Number of Errors The total number of errors encountered when a block was released
- Number of Free Bytes The total number of bytes in the Memory Pool that have never been allocated to a Memory Block
- Block Statistics For each specified size of memory block (of which there are CFE_MISSION_ES_POOL_MAX_BUCKETS), the following statistics are kept
 - Block Size The size, in bytes, of all blocks of this type
 - Number of Blocks Allocated The number of this sized block which are currently allocated and in use
 - Number of Blocks Free The number of this size block which have been in use previously but are no longer being used

1.6.17 System Log

The System Log is an array of bytes that contains back-to-back printf type messages from applications. The cFE internal applications use this log when errors are encountered during initialization before the Event Manager is fully initialized. To view the information the CFE_ES_WRITE_SYSLOG_CC command must be sent. This command will write the log to a binary file. The path and filename may be specified in the command. If the filename command field contains an empty string, the configuration parameter CFE_PLATFORM_ES_DEFAULT_SYSLOG_FILE is used to specify the path and filename. Use the ground system to get the file and display the contents. The CFE_ES_CLEAR_SYSLOG_CC is used to clear the System log.

The size of the System log is defined by the platform configuration parameter CFE_PLATFORM_ES_SYSTEM_LOG_SIZE. This log is preserved after a processor reset and held in the ES reset area.

A count of the number of entries in the log is present in the ES housekeeping telemetry.

1.6.18 Version Identification

Version information is reported at startup, and upon receipt of a No-op command

1.6.19 Frequently Asked Questions about Executive Services

None submitted

1.7 cFE Executive Services Commands

Upon receipt of any command, the Executive Services application will confirm that the message length embedded within the header (from CFE_MSG_GetSize()) matches the expected length of that message, based on the size of the C structure defining that command. If there is any discrepancy between the expected and actual message size, ES will generate the CFE_ES_LEN_ERR_EID event, increment the command error counter (\$sc_\$cpu_ES_CMDEC), and the command will *not* be accepted for processing.

The following is a list of commands that are processed by the cFE Executive Services Task.

Global CFE ES CLEAR ER LOG CC

Clears the contents of the Exception and Reset Log

Global CFE ES CLEAR SYSLOG CC

Clear Executive Services System Log

Global CFE_ES_DELETE_CDS_CC

Delete Critical Data Store

Global CFE_ES_DUMP_CDS_REGISTRY_CC

Dump Critical Data Store Registry to a File

Global CFE_ES_NOOP_CC

Executive Services No-Op

Global CFE_ES_OVER_WRITE_SYSLOG_CC

Set Executive Services System Log Mode to Discard/Overwrite

Global CFE ES QUERY ALL CC

Writes all Executive Services Information on all loaded modules to a File

Global CFE ES QUERY ALL TASKS CC

Writes a list of All Executive Services Tasks to a File

Global CFE ES QUERY ONE CC

Request Executive Services Information on a specified module

Global CFE_ES_RELOAD_APP_CC

Stops, Unloads, Loads from the command specified File and Restarts an Application

Global CFE_ES_RESET_COUNTERS_CC

Executive Services Reset Counters

Global CFE ES RESET PR COUNT CC

Resets the Processor Reset Counter to Zero

Global CFE_ES_RESTART_APP_CC

Stops, Unloads, Loads using the previous File name, and Restarts an Application

Global CFE ES RESTART CC

Executive Services Processor / Power-On Reset

Global CFE_ES_SEND_MEM_POOL_STATS_CC

Telemeter Memory Pool Statistics

Global CFE ES SET MAX PR COUNT CC

Configure the Maximum Number of Processor Resets before a Power-On Reset

Global CFE ES SET PERF FILTER MASK CC

Set Performance Analyzer's Filter Masks

Global CFE_ES_SET_PERF_TRIGGER_MASK_CC

Set Performance Analyzer's Trigger Masks

Global CFE ES START APP CC

Load and Start an Application

Global CFE ES START PERF DATA CC

Start Performance Analyzer

Global CFE_ES_STOP_APP_CC

Stop and Unload Application

Global CFE ES STOP PERF DATA CC

Stop Performance Analyzer and write data file

Global CFE_ES_WRITE_ER_LOG_CC

Writes Exception and Reset Log to a File

Global CFE ES WRITE SYSLOG CC

Writes contents of Executive Services System Log to a File

1.8 cFE Executive Services Telemetry

The following are telemetry packets generated by the cFE Executive Services Task.

```
Global CFE ES HousekeepingTlm Payload t
   Executive Services Housekeeping Packet
Global CFE_ES_HousekeepingTlm_Payload_t
   Executive Services Housekeeping Packet
Global CFE_ES_HousekeepingTlm_t
   Executive Services Housekeeping Packet
Global CFE_ES_HousekeepingTlm_t
   Executive Services Housekeeping Packet
Global CFE ES MemStatsTIm t
   Memory Pool Statistics Packet
Global CFE_ES_MemStatsTIm_t
   Memory Pool Statistics Packet
Global CFE ES OneAppTIm Payload t
   Single Application Information Packet
Global CFE ES OneAppTIm Payload t
   Single Application Information Packet
Global CFE ES OneAppTIm t
   Single Application Information Packet
Global CFE_ES_OneAppTIm_t
   Single Application Information Packet
Global CFE ES PoolStatsTlm Payload t
   Memory Pool Statistics Packet
Global CFE ES PoolStatsTlm Payload t
   Memory Pool Statistics Packet
```

1.9 cFE Executive Services Configuration Parameters

The following are configuration parameters used to configure the cFE Executive Services either for each platform or for a mission as a whole.

```
Global CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN
Maximum Length of Full CDS Name in messages
Maximum Length of Full CDS Name in messages
Global CFE_MISSION_ES_CDS_MAX_NAME_LENGTH
Maximum Length of CDS Name
Maximum Length of CDS Name
```

Global CFE MISSION ES DEFAULT CRC

Mission Default CRC algorithm

Mission Default CRC algorithm

Global CFE MISSION ES MAX APPLICATIONS

Mission Max Apps in a message

Mission Max Apps in a message

Global CFE MISSION ES PERF MAX IDS

Define Max Number of Performance IDs for messages

Define Max Number of Performance IDs for messages

Global CFE_MISSION_ES_POOL_MAX_BUCKETS

Maximum number of block sizes in pool structures

Maximum number of block sizes in pool structures

Global CFE_PLATFORM_CORE_MAX_STARTUP_MSEC

CFE core application startup timeout

Global CFE PLATFORM ES APP KILL TIMEOUT

Define ES Application Kill Timeout

Define ES Application Kill Timeout

Global CFE PLATFORM ES APP SCAN RATE

Define ES Application Control Scan Rate

Define ES Application Control Scan Rate

Global CFE PLATFORM ES CDS MAX NUM ENTRIES

Define Maximum Number of Registered CDS Blocks

Define Maximum Number of Registered CDS Blocks

Global CFE PLATFORM ES CDS MEM BLOCK SIZE 01

Define ES Critical Data Store Memory Pool Block Sizes

Define ES Critical Data Store Memory Pool Block Sizes

Global CFE_PLATFORM_ES_CDS_SIZE

Define Critical Data Store Size

Define Critical Data Store Size

Global CFE PLATFORM ES DEFAULT APP LOG FILE

Default Application Information Filename

Default Application Information Filename

Global CFE PLATFORM ES DEFAULT CDS REG DUMP FILE

Default Critical Data Store Registry Filename

Default Critical Data Store Registry Filename

Global CFE_PLATFORM_ES_DEFAULT_ER_LOG_FILE

Default Exception and Reset (ER) Log Filename

Default Exception and Reset (ER) Log Filename

Global CFE_PLATFORM_ES_DEFAULT_PERF_DUMP_FILENAME

Default Performance Data Filename

Default Performance Data Filename

Global CFE PLATFORM ES DEFAULT POR SYSLOG MODE

Define Default System Log Mode following Power On Reset

Define Default System Log Mode following Power On Reset

Global CFE_PLATFORM_ES_DEFAULT_PR_SYSLOG_MODE

Define Default System Log Mode following Processor Reset

Define Default System Log Mode following Processor Reset

Global CFE PLATFORM ES DEFAULT STACK SIZE

Define Default Stack Size for an Application

Define Default Stack Size for an Application

Global CFE PLATFORM ES DEFAULT SYSLOG FILE

Default System Log Filename

Default System Log Filename

Global CFE PLATFORM ES DEFAULT TASK LOG FILE

Default Application Information Filename

Default Application Information Filename

Global CFE PLATFORM ES ER LOG ENTRIES

Define Max Number of ER (Exception and Reset) log entries

Define Max Number of ER (Exception and Reset) log entries

Global CFE_PLATFORM_ES_ER_LOG_MAX_CONTEXT_SIZE

Maximum size of CPU Context in ES Error Log

Maximum size of CPU Context in ES Error Log

Global CFE PLATFORM ES MAX APPLICATIONS

Define Max Number of Applications

Define Max Number of Applications

Global CFE PLATFORM ES MAX GEN COUNTERS

Define Max Number of Generic Counters

Define Max Number of Generic Counters

Global CFE PLATFORM ES MAX LIBRARIES

Define Max Number of Shared libraries

Define Max Number of Shared libraries

Global CFE_PLATFORM_ES_MAX_MEMORY_POOLS

Maximum number of memory pools

Maximum number of memory pools

Global CFE PLATFORM ES MAX PROCESSOR RESETS

Define Number of Processor Resets Before a Power On Reset

Define Number of Processor Resets Before a Power On Reset

Global CFE PLATFORM ES MEM BLOCK SIZE 01

Define Default ES Memory Pool Block Sizes

Define Default ES Memory Pool Block Sizes

Global CFE_PLATFORM_ES_MEMPOOL_ALIGN_SIZE_MIN

Define Memory Pool Alignment Size

Define Memory Pool Alignment Size

Global CFE PLATFORM ES NONVOL DISK MOUNT STRING

Default virtual path for persistent storage

Default virtual path for persistent storage

Global CFE_PLATFORM_ES_NONVOL_STARTUP_FILE

ES Nonvolatile Startup Filename

ES Nonvolatile Startup Filename

Global CFE PLATFORM ES OBJECT TABLE SIZE

Define Number of entries in the ES Object table

Define Number of entries in the ES Object table

Global CFE PLATFORM ES PERF CHILD MS DELAY

Define Performance Analyzer Child Task Delay

Define Performance Analyzer Child Task Delay

Global CFE PLATFORM ES PERF CHILD PRIORITY

Define Performance Analyzer Child Task Priority

Define Performance Analyzer Child Task Priority

Global CFE PLATFORM ES PERF CHILD STACK SIZE

Define Performance Analyzer Child Task Stack Size

Define Performance Analyzer Child Task Stack Size

Global CFE PLATFORM ES PERF DATA BUFFER SIZE

Define Max Size of Performance Data Buffer

Define Max Size of Performance Data Buffer

Global CFE PLATFORM ES PERF ENTRIES BTWN DLYS

Define Performance Analyzer Child Task Number of Entries Between Delay

Define Performance Analyzer Child Task Number of Entries Between Delay

Global CFE PLATFORM ES PERF FILTMASK ALL

Define Filter Mask Setting for Enabling All Performance Entries

Define Filter Mask Setting for Enabling All Performance Entries

Global CFE_PLATFORM_ES_PERF_FILTMASK_INIT

Define Default Filter Mask Setting for Performance Data Buffer

Define Default Filter Mask Setting for Performance Data Buffer

Global CFE_PLATFORM_ES_PERF_FILTMASK_NONE

Define Filter Mask Setting for Disabling All Performance Entries

Define Filter Mask Setting for Disabling All Performance Entries

Global CFE PLATFORM ES PERF TRIGMASK ALL

Define Filter Trigger Setting for Enabling All Performance Entries

Define Filter Trigger Setting for Enabling All Performance Entries

Global CFE PLATFORM ES PERF TRIGMASK INIT

Define Default Filter Trigger Setting for Performance Data Buffer

Define Default Filter Trigger Setting for Performance Data Buffer

Global CFE_PLATFORM_ES_PERF_TRIGMASK_NONE

Define Default Filter Trigger Setting for Disabling All Performance Entries

Define Default Filter Trigger Setting for Disabling All Performance Entries

Global CFE_PLATFORM_ES_POOL_MAX_BUCKETS

Maximum number of block sizes in pool structures

Maximum number of block sizes in pool structures

Global CFE_PLATFORM_ES_RAM_DISK_MOUNT_STRING

Default virtual path for volatile storage

Default virtual path for volatile storage

Global CFE PLATFORM ES RAM DISK NUM SECTORS

ES Ram Disk Number of Sectors

ES Ram Disk Number of Sectors

Global CFE PLATFORM ES RAM DISK PERCENT RESERVED

Percentage of Ram Disk Reserved for Decompressing Apps

Percentage of Ram Disk Reserved for Decompressing Apps

Global CFE PLATFORM ES RAM DISK SECTOR SIZE

FS Ram Disk Sector Size

ES Ram Disk Sector Size

Global CFE PLATFORM ES START TASK PRIORITY

Define ES Task Priority

Define ES Task Priority

Global CFE_PLATFORM_ES_START_TASK_STACK_SIZE

Define ES Task Stack Size

Define ES Task Stack Size

Global CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_MSEC

Startup script timeout

Startup script timeout

Global CFE PLATFORM ES STARTUP SYNC POLL MSEC

Poll timer for startup sync delay

Poll timer for startup sync delay

Global CFE PLATFORM ES SYSTEM LOG SIZE

Define Size of the cFE System Log.

Define Size of the cFE System Log.

Global CFE_PLATFORM_ES_USER_RESERVED_SIZE

Define User Reserved Memory Size

Define User Reserved Memory Size

Global CFE PLATFORM ES VOLATILE STARTUP FILE

ES Volatile Startup Filename

ES Volatile Startup Filename

Global CFE PLATFORM EVS START TASK PRIORITY

Define EVS Task Priority

Define EVS Task Priority

Global CFE_PLATFORM_EVS_START_TASK_STACK_SIZE

Define EVS Task Stack Size

Define EVS Task Stack Size

Global CFE_PLATFORM_SB_MEM_BLOCK_SIZE_01

Define SB Memory Pool Block Sizes

Define SB Memory Pool Block Sizes

Global CFE PLATFORM SB START TASK PRIORITY

Define SB Task Priority

Define SB Task Priority

Global CFE_PLATFORM_SB_START_TASK_STACK_SIZE

Define SB Task Stack Size

Define SB Task Stack Size

Global CFE_PLATFORM_TBL_START_TASK_PRIORITY

Define TBL Task Priority

Define TBL Task Priority

Global CFE_PLATFORM_TBL_START_TASK_STACK_SIZE

Define TBL Task Stack Size

Define TBL Task Stack Size

1.10 cFE Event Services Overview

Event Services (EVS) provides centralized control for the processing of event messages originating from the EVS task itself, other cFE core applications (ES, SB, TIME, and TBL), and from cFE applications. Event messages are asynchronous messages that are used to inform the operator of a significant event from within the context of a registered application or core service. EVS provides various ways to filter event messages in order to manage event message generation.

Note for messages outside the context of a registered application (for example early in app initialization or if registration fails) CFE_ES_WriteToSysLog can be used for reporting.

For more information on cFE Event Services, see the following sections:

- Event Message Format
- · Local Event Log
- · Event Message Control
- Event Message Filtering
- EVS Registry
- EVS Counters
- Resetting EVS Counters

- · Effects of a Processor Reset on EVS
- · EVS squelching of misbehaving apps
- Frequently Asked Questions about Event Services

1.10.1 Event Message Format

Event messages are software bus messages that contain the following fields:

- Timestamp
- · Event Type
- Spacecraft ID
- Processor ID
- · Application Name
- Event ID
- Message

The *Timestamp* corresponds to when the event was generated, in spacecraft time. The *Event Type* is one of the following: DEBUG, INFO, ERROR or CRITICAL. The *Spacecraft ID* and *Processor ID* identify the spacecraft and processor from which the event was generated. Note that the *Spacecraft ID* is defined in the cfe_mission_cfg.h file; The *Processor ID* is defined in the appropriate cfe_platform_cfg.h file. The *Application Name* refers to the Application that issued the event message as specified on application startup (either startup script or app start command). The *Event ID* is an Application unique number that identifies the event. The *Message* is an ASCII text string describing the event. Event messages may have parameters associated with the event message. EVS formats the parameters such that they are part of the ASCII text string that make up the event message.

In order to accommodate missions that have limited telemetry bandwidth, EVS can be configured such that the ASCII text string part of the event message is omitted, thus reducing the size of each event message. This is referred to as *Short Format*; Event messages including the ASCII text string are referred to as *Long Format*. The default setting is specified in the cfe platform cfg.h file. EVS also provides commands in order to set the mode (short or long).

Since the design of the cFE's Software Bus is based on run-time registration, no predetermined message routing is defined, hence it is not truly correct to say that events are generated as telemetry. Technically, EVS generates events in the form of software bus messages. Applications such as Telemetry Output and Data Storage can then subscribe to these messages making them telemetry. For the purposes of this document, any references to telemetry assumes that a telemetry application subscribes to the EVS event software bus message and routes it to the ground as telemetry.

Note that short format event messages on the Software Bus have different message lengths than long form messages and do not include any part of the long format message string.

The EVS can be configured via ground command to send event messages out one or more message ports. These message ports may include ports such as debug, console, and UART. Messages sent out of the message ports will be in ASCII text format. This is generally used for lab purposes. Note that the event mode (short or long) does affect the event message content sent out these message ports.

1.10.2 Local Event Log

In addition to generating a software bus message, EVS logs the event message to a Local Event Log. Note that this is an optional feature that must be enabled via the cfe_platform_cfg.h file. The Local Event Log resides on the same processor as the EVS which is used to store events without relying on an external bus. In multi-processor cFE configurations the Local Event Buffer preserves event messages during non-deterministic processor initialization sequences and during failure scenarios. In order to obtain the contents of the Local Event Log, a command must be sent to write the contents of the buffer to a file which can then be sent to the ground via a file transfer mechanism. Note that event messages stored in the EVS Local Event Log are always long format messages and are not affected by the event mode (short or long).

EVS provides a command in order to clear the Local Event Log.

1.10.2.1 Local Event Log Mode EVS can be configured to control the Local Event Log to either discard or overwrite the contents of the log when it becomes full. If the mode is set to overwrite, the log is treated like a circular buffer, overwriting the oldest event message contained in the log first. This control is configured by default in the cfe_← platform_cfg.h file but can be modified by a command.

1.10.3 Event Message Control

In order for an application to be serviced by EVS, it must be registered with EVS. EVS provides various commands in order to control the event messages that are generated as software bus messages.

- **1.10.3.1 Event Message Control By Type** The highest level of event message control that EVS provides is the ability to enable and disable event message types. As mentioned above, there are four event types. They are:
 - 1. DEBUG
 - 2. INFORMATION
 - 3. ERROR
 - 4. CRITICAL

When commands are sent to enable or disable a particular type of event message, ALL event messages of the specified type are affected. Typically, event messages of type DEBUG are disabled on-orbit. Note that EVS provides the capability to affect multiple types within one command using a bit mask. Note also that the configuration parameter CFE_PLATFORM_EVS_DEFAULT_TYPE_FLAG in the cfe_platform_cfg.h file specifies which event message types are enabled/disabled by default.

- **1.10.3.2 Event Message Control By Application** Commands are available to enable and disable the generation of event messages for a particular application. The result is that ALL event messages for the specified Application are affected (i.e. enabled or disabled).
- **1.10.3.3 Event Message Control By Event Type for an Application** EVS also provides the capability to enable / disable an event type for a particular application. Note that EVS provides the capability to affect multiple event types within one command using a bit mask.
- **1.10.3.4 Event Message Control Individual Events** There are two ways to control the generation of individual events depending on whether the application's event message has been registered with EVS or not.
- **1.10.3.4.1** Modifying a registered event message filter When an application registers with EVS, the application has the option of specifying the events that it wants to register for filtering along with the Event Message Filtering (only the Binary Filtering Scheme exists currently). Note that applications are limited in the number of events that they can register for filtering (see CFE_PLATFORM_EVS_MAX_EVENT_FILTERS in cfe_platform_cfg.h for the mission defined limit). The filtering method uses a mask to determine if the message is forwarded to the software bus, making it available in telemetry (see Event Message Filtering for a description on filtering). Commands are available to modify the filter mask for any registered event.

An on-orbit mission, for example, might be experiencing a problem resulting in an application's event message being repeatedly issued, flooding the downlink. If the event message for the application is registered with EVS, then a command can be issued to set the event message filter to the specified value in order to prevent flooding of the downlink.

1.10.3.4.2 Adding/Removing an event message for filtering Commands are also available to add filtering for those events that are not registered for filtering. Once an event is registered for filtering, the filter can be modified (see above) or removed.

An on-orbit mission, for example, might be experiencing a problem resulting in an event message being repeatedly issued, flooding the downlink. If the event message was not registered with EVS for filtering then the ground can add (i.e. register) the offending application's event for filtering (much like an application registers the event during initialization).

EVS also supports the ability to remove (i.e. unregister) an application's event message. Once it is removed, the event will no longer be filtered. Note that commands issued to disable events by event type, by application or by event type for an application are still valid and could affect this particular event.

1.10.4 Event Message Filtering

EVS uses a hexadecimal bit mask that controls how often a message is filtered. An event's filter mask is bit-wise ANDed with the event's event counter. There is one event counter for each event ID. If the result of the ANDing is zero then the message is sent.

Filter masks can be set so that one out of 1, 2, 4, 8 events are sent. Some examples of masks that use this pattern are: (0x0000, Every one), (0x0001, One of every 2), (0x0003, One of every 4), and (0x0007, One of every 8.

Filter masks can also be set so that only the first n events are sent. For example, the mask 0xFFFF generates one event message and then stops. Note that when the filter counter is reset to zero by command, this will restart the counting and enable n more events to be sent.

Event messages will be filtered until CFE_EVS_MAX_FILTER_COUNT events of the filtered event ID from the application have been received. After this, the filtering will become locked (no more of that event will be received by the ground) until the filter is either reset or deleted by ground command. This is to prevent the counter from rolling over, which would cause some filters to behave improperly. An event message will be sent when this maximum count is reached.

The following shows an example of how filtering works using a filter mask of x'0001', resulting in sending every other event:

	packet x	packet X+1	packet X+2	packet X+3	packet X+4	
Event ID counter	x'0000'	x'0001'	x'0002'	x'0003'	x'0004'	
Event Filter mask	x'0001'	x'0001'	x'0001'	x'0001'	x'0001'	
Bitwise AND results	x'0000'	x'0001'	x'0000'	x'0001'	x'0000'	
Send event?	Yes	No	Yes	No	Yes	

In this example, the ground uses a filter mask of x'FFFE' resulting in the first two events being sent and then no more.

	packet x	packet X+1	packet X+2	packet X+3	packet X+4	
Event ID counter	x'0000'	x'0001'	x'0002'	x'0003'	x'0004'	
Event Filter mask	x'FFFE'	x'FFFE'	x'FFFE'	x'FFFE'	x'FFFE'	
Bitwise AND results	x'0000'	x'0000'	x'0002'	x'0002'	x'0004'	
Send event?	Yes	Yes	No	No	No	

See cfe evs.h for predefined macro values which can be used for masks.

1.10.5 EVS Registry

EVS maintains information on each registered application and all events registered for an application.

The registry contains the following information for each Registered Application:

- · Active Flag If equal to FALSE (0), all events from this Application are Filtered
- Event Count Total number of events issued by this Application. Note that this value stop incrementing at 65535.

The following information for each Filtered Event (up to CFE_PLATFORM_EVS_MAX_EVENT_FILTERS) \leftarrow :

- · Event ID Event ID for event whose filter has been defined
- Mask Binary Filter mask value (see Event Message Filtering for an explanation)
- · Count Current number of times this Event ID has been issued by this Application

1.10.6 EVS Counters

There are 2 types of counters in EVS housekeeping telemetry:

· Total events sent counter

· Number of events sent for each Application

The difference is that the first one is the sum of all of the event messages sent. Both of these represent events that are actually sent (by EVS to the software bus). If an event message is filtered or disabled, neither counter is incremented.

There are other counters available that show how many event messages were generated by an App, however, these are only available for those events that are registered for filtering hence if you have a message that is not registered for filtering and the message type (e.g. DEBUG) is disabled then you won't know if the event was ever issued by an application. These counters are available by sending a command to write the EVS Application Data and transferring the file to the ground.

1.10.7 Resetting EVS Counters

As far as reset commands, there are 4 commands available:

- 1. Reset the total events sent counter
- 2. Reset the events sent counter for a particular Application e.g. reset the LC application events counter
- 3. Reset all of the event counters for a particular registered event for a particular Application e.g. Reset event counter for Event ID 5 for the LC Application.
- 4. Reset all of the event counters for ALL registered events for a particular App e.g. Reset all registered event counters for LC.

Note that there is currently no way to reset ALL of the events sent counters for all of the Apps with one command.

1.10.8 Effects of a Processor Reset on EVS

On a processor reset, the EVS Registry is cleared such that applications must re-register with EVS in order to use EVS services. All counters are also cleared with the exceptions of those listed below.

On a processor reset, the following EVS data is preserved (if the cFE is configured to include an Local Event Log):

- Local Event Log if the Local Event Log Mode is configured to Discard (1). If the Local Event Log Mode is configured to Overwrite (0), the contents of the log may be overwritten depending on the size and contents of the log prior to the reset.
- · Local Event Log Full Flag
- · Local Event Log overflow counter

The Local Event Log Mode (overwrite/discard) is set to the configured value specified in the cfe_platform_cfg.h file. The default value is Discard (1). Discard mode will guarantee the contents of the event log are preserved over a processor restart

This provides the ground with the capability to write the Local Event Log to a file and transfer it to the ground in order to help debug a reset.

1.10.9 EVS squelching of misbehaving apps

Event squelching is an optional feature for suppressing excessive events from misbehaving apps. It is enabled by setting CFE_PLATFORM_EVS_MAX_APP_EVENT_BURST to a nonzero positive value, and CFE_PLATFORM_EVS_APP_EVENTS_PER_SEC equal to or less than that value.

CFE_PLATFORM_EVS_MAX_APP_EVENT_BURST controls the maximum events that can be sent at a given moment, and CFE_PLATFORM_EVS_APP_EVENTS_PER_SEC is the sustained event throughput per second.

The suppression mechanism initializes with CFE_PLATFORM_EVS_MAX_APP_EVENT_BURST * 1000 credits. Each event costs 1000 credits. Credits are restored at a rate of CFE_PLATFORM_EVS_APP_EVENTS_PER_SEC * 1000 up to a maximum balance of CFE_PLATFORM_EVS_MAX_APP_EVENT_BURST*1000, and the maximum "debt" is -CFE_PLATFORM_EVS_MAX_APP_EVENT_BURST * 1000. When the credit count crosses from positive to negative, a squelched event message is emitted and events are supppressed, until the credit count becomes positive again.

Figure EVS-1 is a notional state diagram of the event squelching mechanism.



Figure 1 Figure EVS-1: EVS Squelching State Diagram

1.10.10 Frequently Asked Questions about Event Services

(Q) My telemetry stream is being flooded with the same event message. How do I make it stop?

The most direct way to stop an event message from flooding your downlink stream is to send a command to EVS to filter the offending event (see Event Message Control or \$sc \$cpu EVS SetBinFltrMask). In order to stop the event

message from being sent, a bit mask of '0xFFFFF' should be used. If the event is not currently registered for filtering, the event message must be added using the command $sc_puEVS_AddEvtFltr$.

(Q) I filtered an event message and would now like to see it again. What do I do in order to see those events again?

If the event message that you are interested is registered with EVS for filtering, then you have 2 options:

- 1. You can use the \$sc_\$cpu_EVS_SetBinFltrMask command using a bit mask of '0x0000' which will result in getting all of the events for that Event Id
- 2. You can remove the registration of that event with EVS (see \$sc_\$cpu_EVS_DelEvtFltr).

 Note that option (1) is the preferred method.

(Q) What is the purpose of DEBUG event messages?

Event message of type "DEBUG" are primarily used during flight software development in order to provide information that is most likely not needed on orbit. Some commands send debug event messages as verification that a command request was received. When writing the EVS local event log to a file, for example, an event message of type DEBUG is issued. On orbit, this event message is probably not needed. Instead, the command counter is used for command verification.

(Q) How do I find out which events are registered for filtering?

EVS provides a command (\$sc_\$cpu_EVS_WriteAppData2File) which generates a file containing all of the applications that have registered with EVS and all of the filters that are registered for each application. Note that EVS merely generates the file. The file must be transferred to the ground in order to view it.

(Q) Why do I see event messages in my console window?

By default, the events are configured to transmit out a "port" that shows event messages in the console

(Q) What is the difference between event services and the ES System Log

Events are within the context of an App or cFE Service (requires registration with ES). The system log can be written to outside of the Application or cFE Service context, for example during application startup to report errors before registration.

1.11 cFE Event Services Commands

Upon receipt of any command, the Event Services application will confirm that the message length embedded within the header (from CFE_MSG_GetSize()) matches the expected length of that message, based on the size of the C structure defining that command. If there is any discrepancy between the expected and actual message size, EVS will generate the CFE_EVS_LEN_ERR_EID event, increment the command error counter (\$sc_\$cpu_EVS_CMDEC), and the command will *not* be accepted for processing.

The following is a list of commands that are processed by the cFE Event Services Task.

Global CFE EVS ADD EVENT FILTER CC

Add Application Event Filter

Global CFE_EVS_CLEAR_LOG_CC Clear Event Log Global CFE_EVS_DELETE_EVENT_FILTER_CC **Delete Application Event Filter** Global CFE_EVS_DISABLE_APP_EVENT_TYPE_CC Disable Application Event Type Global CFE EVS DISABLE APP EVENTS CC Disable Event Services for an Application Global CFE EVS DISABLE EVENT TYPE CC Disable Event Type Global CFE_EVS_DISABLE_PORTS_CC Disable Event Services Output Ports Global CFE EVS ENABLE APP EVENT TYPE CC **Enable Application Event Type** Global CFE_EVS_ENABLE_APP_EVENTS_CC Enable Event Services for an Application Global CFE EVS ENABLE EVENT TYPE CC **Enable Event Type** Global CFE_EVS_ENABLE_PORTS_CC **Enable Event Services Output Ports** Global CFE EVS NOOP CC Event Services No-Op Global CFE_EVS_RESET_ALL_FILTERS_CC Reset All Event Filters for an Application Global CFE EVS RESET APP COUNTER CC Reset Application Event Counters Global CFE_EVS_RESET_COUNTERS_CC **Event Services Reset Counters** Global CFE EVS RESET FILTER CC Reset an Event Filter for an Application Global CFE_EVS_SET_EVENT_FORMAT_MODE_CC Set Event Format Mode Global CFE_EVS_SET_FILTER_CC Set Application Event Filter

Global CFE_EVS_SET_LOG_MODE_CC Set Logging Mode Global CFE_EVS_WRITE_APP_DATA_FILE_CC Write Event Services Application Information to File Global CFE_EVS_WRITE_LOG_DATA_FILE_CC Write Event Log to File

1.12 cFE Event Services Telemetry

The following are telemetry packets generated by the cFE Event Services Task.

Global CFE_EVS_HousekeepingTlm_Payload_t

Event Services Housekeeping Telemetry Packet

Global CFE_EVS_HousekeepingTlm_Payload_t

Event Services Housekeeping Telemetry Packet

Global CFE_EVS_LongEventTIm_Payload_t

Event Message Telemetry Packet (Long format)

Global CFE_EVS_LongEventTlm_Payload_t

Event Message Telemetry Packet (Long format)

Global CFE EVS ShortEventTlm Payload t

Event Message Telemetry Packet (Short format)

Global CFE_EVS_ShortEventTIm_Payload_t

Event Message Telemetry Packet (Short format)

1.13 cFE Event Services Configuration Parameters

The following are configuration parameters used to configure the cFE Event Services either for each platform or for a mission as a whole.

Global CFE_MISSION_EVS_MAX_MESSAGE_LENGTH

Maximum Event Message Length

Maximum Event Message Length

Global CFE PLATFORM EVS APP EVENTS PER SEC

Sustained number of event messages per second per app before squelching

Sustained number of event messages per second per app before squelching

Global CFE PLATFORM EVS DEFAULT APP DATA FILE

Default EVS Application Data Filename

Default EVS Application Data Filename

Global CFE_PLATFORM_EVS_DEFAULT_LOG_FILE

Default Event Log Filename

Default Event Log Filename

Global CFE_PLATFORM_EVS_DEFAULT_LOG_MODE

Default EVS Local Event Log Mode

Default EVS Local Event Log Mode

Global CFE_PLATFORM_EVS_DEFAULT_MSG_FORMAT_MODE

Default EVS Message Format Mode

Default EVS Message Format Mode

Global CFE PLATFORM EVS DEFAULT TYPE FLAG

Default EVS Event Type Filter Mask

Default EVS Event Type Filter Mask

Global CFE PLATFORM EVS LOG MAX

Maximum Number of Events in EVS Local Event Log

Maximum Number of Events in EVS Local Event Log

Global CFE PLATFORM EVS MAX APP EVENT BURST

Maximum number of event before squelching

Maximum number of event before squelching

Global CFE PLATFORM EVS MAX EVENT FILTERS

Define Maximum Number of Event Filters per Application

Define Maximum Number of Event Filters per Application

Global CFE_PLATFORM_EVS_PORT_DEFAULT

Default EVS Output Port State

Default EVS Output Port State

1.14 cFE Software Bus Overview

The Software Bus (SB) handles communication between software tasks on a processor. All tasks communicate with each other, with hardware devices, and with the ground by sending command and telemetry messages. The software bus provides an application programming interface (API) to other tasks for sending and receiving messages. This API is independent of the underlying operating system so that tasks can use the same interface regardless of which processor they reside on. Refer to the cFE Application Programmer's Interface (API) Reference for detailed information about the API functions.

The software bus is used internally by the flight software, and normally does not require attention from the ground. However, because of the scalability and the dynamic nature of the software bus, it is strongly recommended that each project carefully review the SB statistics and SB memory pool to be sure adequate margin is met on the configurable items.

The cFE software bus uses a dynamic protocol and builds its routing table at run-time through the SB subscribe API's. Also the cFE software bus pipes are created at run-time through the CFE_SB_CreatePipe API. Because the routing is established, and pipes are created at run-time, it is necessary to have a clear view of the routing details on command. The cFE software bus allows the user to dump the routing table, the pipe table, the message map and the statistics packet. Each of these items are described in detail in the corresponding section of this document.

- · Software Bus Terminology
- · Autonomous Actions
- · Operation of the SB Software
- · Frequently Asked Questions about Software Bus

1.14.1 Software Bus Terminology

In order to fully understand the Software Bus, it is imperative that the basic terms used to describe its features are also understood. Below are the critical terms that help identify what the Software Bus accomplishes for each Application:

- Messages
- Pipes
- Subscriptions
- Memory

1.14.1.1 Messages The sole purpose of the software bus is to provide applications a way to send messages to each other. The term message and the term packet are used interchangeably throughout this document. A message is a combined set of bytes with a predefined format that is used as the basis of communication on a spacecraft. All commands, telemetry, and other data that are passed between the ground and the spacecraft, and between subsystems of the spacecraft, are considered to be messages. The most common message format is CCSDS (Consultative Committee for Space Data Systems) in CCSDS Space Packet Protocol, but can be customized by replacing the message module.

There are two general types of messages - commands (or command packets) and telemetry (or telemetry packets). Command packets are sent to a particular software task from the ground (or another task). Telemetry packets are sent from a particular software task to the ground (or other tasks).

The concept of a message identifier is utilized to provide abstraction from header implementation, often abbreviated as message ID, Msgld, or MID. Header and message identifier values should not be accessed directly to avoid implementation specific dependencies.

Telemetry packets typically contain a timestamp that indicates when the packet was produced. Command packets typically contain a command code that identifies the particular type of command.

The message module provides APIs for 'setting' and 'getting' the fields in the header of the message. The message module was separated from software bus to enable users to customize message headers without requiring clone and own of the entire cfe repository. To customize, remove the built in msg module from the build and replace with custom implementation. See sample target definitions folder for examples.

Following the header is the user defined message data.

1.14.1.2 Pipes The destinations to which messages are sent are called pipes. These are queues that can hold messages until they are read out and processed by a task. Each pipe is created at run-time through the CFE_SB_CreatePipe API. The pipe name and the pipe depth are given as arguments in the API. The pipe identifier (or Pipeld) is given back to the caller after the API is executed. Each pipe can be read by only one task, but a task may read more than one pipe. Only the pipe owner is allowed to subscribe to messages on the pipe.

The Pipe IDs are specific to a particular processor (that is, the same ID number may refer to a different pipe on each processor). The pipe information for all pipes that have been created, may be requested at anytime by sending the 'Write Pipe Info' SB command . The software bus also provides a set of figures regarding capacity, current utilization and high water marks relevant to pipes. This information may be requested by sending the command to dump the SB statistics packet .

1.14.1.3 Subscriptions A subscription is a run-time request for a particular message to be sent to a particular pipe. If the caller of the subscribe API is not the owner of the pipe, the request is rejected and an error event is sent. The application that creates the pipe is considered the owner of the pipe. The pipe specified in the subscription is sometimes referred to as the destination of the message. There are a maximum number of destinations for a particular message. This value is specified by the platform configuration parameter CFE_PLATFORM_SB_MAX_DEST_PER_PKT.

As subscriptions are received, the destinations are added to the head of a linked list. During the sending of a message, the list is traversed beginning at the head of the list. Therefore the message will first be sent to the last subscriber. If an application has timing constraints and needs to receive a message in the shortest possible time, the developer may consider holding off its subscription until other applications have subscribed to the message.

The message limit specifies the maximum number of messages (with the specified Message ID) that are allowed on the specified pipe at any time. This limit is specified by the application at the time of the subscription. If the application uses the CFE_SB_Subscribe API, a message limit default value of four is used. If this default value is not sufficient, the caller would use the CFE_SB_SubscribeEx API that allows the message limit to be specified.

The software bus also provides the user with an option to unsubscribe to a message. The unsubscribe API takes two parameters, Message ID and Pipe ID. Only the owner of a pipe may unsubscribe to messages on that pipe.

1.14.1.4 Memory The software bus statically allocates a block of memory for message buffers and subscription blocks. The size of this memory block is defined by the platform configuration parameter CFE_PLATFORM_SB_BUF_MEMORY_BYTES. The memory is managed by the cFE ES memory pool and is used only by the software bus. The ES memory pool allows an application to define the block sizes for the pool at compile time. These sizes are defined by the platform configuration parameters prefixed with CFE_SB_MEM_BLOCK_SIZE (for example, CFE_PLATFORM_SB_MEM_BLOCK_SIZE_01). It is recommended that a project tailor these values for the mission, based on the software bus packet sizes.

At the time a message is sent, two buffers are allocated from the pool. One for a buffer descriptor (CFE_SB_BufferD_t) and one for the size of the packet. Both buffers are returned to the pool when the message has been received by all recipients. More precisely, if there is one recipient for a message, the message buffers will be released on the following call to CFE_SB_ReceiveBuffer for the pipe that received the buffer.

Also when subscriptions are received through the subscribe API's, the software bus allocates a subscription block ($C \leftarrow FE_SB_DestinationD_t$) from the pool. The subscription blocks are returned to the pool if and when the subscription is nullified through a CFE_SB_Unsubscribe call.

The software bus provides a set of figures regarding memory capacity, current memory utilization and high water marks relevant to the SB memory pool. This information may be requested by sending the command to dump the SB statistics packet. In addition, the current memory utilization value and the 'unmarked memory' value (CFE_PLATFORM_SB_BUF_MEMORY_BYTES minus peak memory in use) are sent in software bus housekeeping telemetry. The unmarked memory value should be monitored regularly to ensure that the value (in bytes) does not continue to decline or approach zero. If this value were to approach zero, there is a possibility that memory requests would fail which may inhibit the sending of a message. The current memory utilization value should also be monitored to ensure the system contains no memory leaks. The value (in bytes) should remain stable under nominal conditions. Refer to the ES users guide for more information regarding the ES Memory Pool.

1.14.2 Autonomous Actions

The software bus is primarily a set of library routines that are called by other software tasks to send and receive packets. The software bus does not perform any operations autonomously, except for sending event messages if errors are detected during the transfer of packets.

As do other tasks, the SB task sends out housekeeping telemetry when requested through the 'Send Housekeeping Data' command.

1.14.3 Operation of the SB Software

- Initialization
- All Resets
- Message Routing
- Packet Sequence Values
- · Message Limit Error
- · Pipe Overflow Error
- SB Event Filtering
- · Diagnostic Data
- · Control of Packet Routing
- · Quality of Service
- Known Problem
- **1.14.3.1 Initialization** No action is required by the ground to initialize the software bus. The software bus initializes internal data structures and tables the same way regardless of the type of reset.
- **1.14.3.2** All Resets The software bus does not preserve any information across a reset of any kind. The software bus initializes internal data structures and tables the same way regardless of the type of reset. The routing is reestablished as the system initializes. It is normal procedure for each task of the system to create the pipe or pipes it needs and do all of its subscriptions during task initialization.

After any reset the following statements are true:

- The routing table is cleared and does not contain any routes.
- All subscriptions are lost and must be regenerated.
- The pipe table contains no data, all pipes must be recreated.
- · Any packets in transit at the time of the reset are lost.
- The sequence counters for telemetry packets will begin again with a value of one.

1.14.3.3 Message Routing In the software bus, all messages are processed in a similar way. The software bus uses the Message ID and the packet length fields (contained in the header) for routing the message to the destination pipe. If either of these two fields do not pass validation, the software bus generates an error event and aborts the delivery process. The software bus performs some validation checks by simply checking message header values against mission or platform configuration parameters. Messages originating from various tasks or instruments are routed to one or more pipes, where they wait until read by a task. The routing configuration for each message is established when applications call one of the SB subscribe APIs. The subscribe APIs take a Message ID and a Pipe ID as parameters. The routing for each packet is stored in SB memory and may be requested at any time by sending the 'Send Routing Info' command. The software bus also provides a set of figures regarding capacity, current utilization and high water marks relevant to the routing. This information may be requested by sending the command to dump the SB statistics packet.

1.14.3.4 Packet Sequence Values The sequence count behavior depends on if the message is a command type or telemetry type.

The sequence counter for command messages is not altered by the software bus.

For a telemetry message, the behavior is controlled via API input parameters when sending. When enabled, the software bus will populate the packet sequence counter using an internal counter that gets initialized upon the first subscription to the message (first message will have a packet sequence counter value of 1). From that point on each send request will increment the counter by one, regardless of the number of destinations or if there is an active subscription.

After a rollover condition the sequence counter will be a value of zero for one instance. The sequence counter is incremented after all the checks have passed prior to the actual sending of the message. This includes the parameter checks and the memory allocation check.

When disabled, the original message will not be altered. This method of message delivery is recommended for situations where the sender did not generate the packet, such as a network interface application passing a packet from a remote system to the local software bus.

1.14.3.5 Message Limit Error Before placing a message on a pipe, the software bus checks the message limit to ensure the maximum number of packets in transit to the destination is not exceeded. If placing the message on the pipe would exceed the message limit, then the action of sending to that pipe is aborted and the 'Message Limit Error' event is sent. This condition will typically occur when an application that receives the packets does not respond quickly enough, or if the sender of the packets produces them too quickly.

This condition occurs often during development and during integration, for example when a remote processor gets reset or a 1553 cable becomes disconnected. Because of the common occurrences, the event may have filtering associated with it. Any filtering for this event would be performed by the cFE Event Services (EVS). Filtering for SB events may be specified in the cFE platform configuration file or may be commanded after the system initializes.

If this error occurs during nominal conditions, it could be an indication that the 'message limit' is not set correctly. The message limit is given at the time of the subscription and given as a parameter in the subscribe API. With the CFE_SB_Subscribe API, the SB uses a default message limit value specified by CFE_PLATFORM_SB_DEFAULT_MSG_LIMIT. This constant is currently set to a value of four. If the default value is insufficient, the message limit value can be specified in the CFE_SB_SubscribeEx_API.

A related failure is the pipe overflow condition, which can occur if the total number of packets (of all kinds) sent to a particular pipe is too large.

1.14.3.6 Pipe Overflow Error Another common error that occurs during the send process is the pipe overflow error. This condition occurs if the total number of packets (of all kinds) sent to a particular pipe is too large. If this error occurs too frequently, it may be an indication that the pipe depth is not set correctly. The pipe depth is given at the time the pipe is created as a parameter in the CFE SB CreatePipe API.

1.14.3.7 SB Event Filtering Most filtering for SB events is performed by the cFE Event Services (EVS). Filtering for SB events may be specified in the cFE platform configuration file or may be commanded after the system initializes. There is no SB event log that limits the number of events based on the capacity of the log, as in the heritage software bus.

There is one case in which events are filtered by the software bus instead of event services. This occurs when the software bus needs to suppress events so that a fatal recursive event condition does not transpire. Because error cases encountered when sending a message generate an event, and events cause a message to be sent a calling sequence could cause a stack overflow if the recursion is not properly terminated. The cFE software bus detects this condition and properly terminates the recursion. This is done by using a set of flags (one flag per event in the Send API) which determine whether an API has relinquished its stack. If the software bus needs to send an event that may cause recursion, the flag is set and the event is sent. If sending the event would cause the same event again, the event call will be bypassed, terminating the recursion. The result is that the user will see only one event instead of the many events that would normally occur without the protection. The heritage software bus did not have this condition because it stored events in the software bus event log and another thread would read them out at a later time.

1.14.3.8 Diagnostic Data The cFE software bus provides a set of commands to dump SB diagnostic data to help troubleshoot problems or check configuration settings. These commands allow the user to view the routing table, the pipe table or the message map. The message map is a lookup table used during a send operation to give fast access to the routing table index that corresponds to the message being sent.

The software bus also provides a statistics packet that can be used to tune the configuration parameters. This information is sent to the ground in the form of an SB packet when the corresponding command is received. The cFE limits the number of system pipes, unique Message IDs, buffer memory, messages on a pipe and subscriptions per Message ID. These limits are configurable through cFE platform and mission configuration parameters. The statistics packet was designed to let the project verify that these user settings provide the necessary margin to meet requirements.

The SB statistics information shows 'Currently In Use' figures, 'High Water Mark' figures and 'Max Allowed' figures for the following: buffer memory, messages on each pipe (pipe depth stats), System Pipes, Unique Message IDs and total subscriptions.

Depending on the task-scheduling implementation details of the operating system, it is possible to see the peak messages on a pipe occasionally exceed the depth of the pipe. The "Peak Messages In Use" parameter is included in the SB statistics packet under the pipe depth stats.

- **1.14.3.9 Control of Packet Routing** The software bus allows the ground to disable and enable the sending of packets of a specified Message ID to a specified pipe. All destinations that are needed for normal operation are enabled by default. Modifying the routing of packets may be required for the following reasons:
 - In flight, one can enable diagnostic packets to see them on the ground.
 - During testing, one can disable a destination to simulate an anomaly.
- **1.14.3.10 Quality of Service** The software bus has a parameter in the CFE_SB_SubscribeEx API named Quality, which means Quality of Service (QOS) for off-board routing and is of the type CFE_SB_Qos_t. This structure has two members named priority and reliability. The Quality parameter is currently unused by the software bus. It is a placeholder to be used with the future software bus capability of inter-processor communication. Although currently the software bus does not implement quality of service.

A default quality of services is provided via the CFE SB DEFAULT QOS macro.

1.14.3.11 Known Problem The software bus may perform unexpectedly under an unlikely corner-case scenario. This scenario was revealed in a stress test. The stress test was designed to deplete the Software Bus memory pool by having a high priority application continuously send 1000 byte packets to a lower priority application until the memory pool code returned an error code and sent the following event. "CFE_ES:getPoolBuf err:Request won't fit in remaining memory" At this point the higher priority sending application would stop executing. This would allow the lower priority receiving application to begin receiving the 1000 byte packets. After the receiving app processed all of the packets, the memory was restored to the memory pool as expected. The SB memory-in-use telemetry was zero because there were no software bus packets in transit. At this point any attempt to send a new-sized packet on the software bus was be rejected. The ES memory pool stated that the "... Request won't fit in remaining memory" even though there was currently no memory in use.

The simplest way to prevent this behavior is to ensure that there is margin when sizing the SB memory pool. To check the margin, monitor the "Peak Memory in Use" vs. the configuration parameter CFE_PLATFORM_SB_BUF_MEMORY_BYTES which indicates the amount allocated.

1.14.4 Frequently Asked Questions about Software Bus

(Q) How is the memory pool handle (sent in SB housekeeping telemetry) intended to be used?

The memory pool handle is used to analyze the SB memory pool statistics. The cFE ES command (CFE_ES_SEND_MEM_POOL_STATS_CC) to dump the memory pool statistics takes the pool handle as a parameter. These statistics tell how the SB memory pool is configured and gives details on margin. An improperly configured SB memory pool may inhibit communication. This may occur if there is not enough margin to create a block of the size needed for a transfer. Refer to the ES memory pool users guide for more details. Memory Pool

(Q) When sending a message, what message header fields are critical for routing the message?

To route the message properly, the software bus uses only the Message ID and packet length fields from the header of the message. If the packet length field is incorrect, then the buffer allocation for the message will also be incorrect. This may appear to the receiver as a truncated message or a message with unknown data added to the end of the message.

(Q) How many copies of the message are performed in a typical message delivery?

There is a single copy of the message performed when sending a message (from the callers memory space) using CFE_SB_TransmitMsg. When transmitting the message, the software bus copies the message from the callers memory space into a buffer in the software bus memory space. There is also the option to request a buffer from SB, write directly to the buffer and send via CFE_SB_TransmitBuffer. This is equivalent to the previous zero copy implementation. The CFE_SB_ReceiveBuffer API gives the user back a pointer to the buffer. When working with the buffers, the additional complexity to be aware of is the buffer is only available to the app from the request to send (on the sending side), or from the receive until the next receive on the same pipe on the receiving side. If the data is required outside that scope, the app needs a local copy.

(Q) When does the software bus free the buffer during a typical message delivery process? Or how long is the message, and the pointer to the buffer in the CFE_SB_ReceiveBuffer valid?

After receiving a buffer by calling CFE_SB_ReceiveBuffer, the buffer received is valid until the next call to CFE_SB_ReceiveBuffer with the same Pipe Id. If the caller needs the message longer than the next call to CFE_SB_ReceiveBuffer, the caller must copy the message to its memory space.

(Q) The first parameter in the CFE_SB_ReceiveBuffer API is a pointer to a pointer which can get confusing. How can I be sure that the correct address is given for this parameter.

Typically a caller declares a ptr of type CFE_SB_Buffer_t (i.e. CFE_SB_Buffer_t *Ptr) then gives the address of that pointer (&Ptr) as this parameter. After a successful call to CFE_SB_ReceiveBuffer, Ptr will point to the first byte of the software bus buffer. This should be used as a read-only pointer. In systems with an MMU, writes to this pointer may cause a memory protection fault.

(Q) Why am I not seeing expected Message Limit error events or Pipe Overflow events?

It is possible the events are being filtered by cFE Event Services. The filtering for this event may be specified in the platform configuration file or it may have been commanded after the system initializes.

There is a corresponding counter for each of these conditions. First verify that the condition is happening by viewing the counter in SB HK telemetry. If the condition is happening, you can view the SB filter information through the EVS App Data Main page by clicking the 'go to' button for SB. The event Id for these events can be learned through a previous event or from the cfe_sb_eventids.h file.

(Q) Why does the SB provide event filtering through the platform configuration file?

To give the user the ability to filter events before an EVS command can be sent. During system initialization, there are many conditions occurring that can cause a flood of SB events such as No Subscribers, Pipe Overflow and Msgld to Pipe errors. This gives the user a way to limit these events.

(Q) Why does SB have so many debug event messages?

The SB debug messages are positive acknowledgments that an action (like receiving a cmd, creating a pipe or subscribing to a message) has occurred. They are intended to help isolate system problems. For instance, if an expected response to a command is not happening, it may be possible to repeat the scenario with the debug event turned on to verify that the command was successfully received.

(Q) How is the QOS parameter in the CFE_SB_SubscribeEx used by the software bus?

The QOS parameter is currently unused by the software bus. It is a placeholder to be used with the future software bus capability of inter-processor communication. Setting the QOS as CFE_SB_DEFAULT_QOS will ensure seamless integration when the software bus is expanded to support inter-processor communication.

(Q) Can I confirm my software bus buffer was delivered?

There is no built in mechanism for confirming delivery (it could span systems). This could be accomplished by generating a response message from the receiver.

1.15 cFE Software Bus Commands

Upon receipt of any command, the Software Bus application will confirm that the message length embedded within the header (from CFE_MSG_GetSize()) matches the expected length of that message, based on the size of the C structure defining that command. If there is any discrepancy between the expected and actual message size, SB will generate the CFE_SB_LEN_ERR_EID event, increment the command error counter (\$sc_\$cpu_SB_CMDEC), and the command will *not* be accepted for processing.

The following is a list of commands that are processed by the cFE Software Bus Task.

Global CFE SB DISABLE ROUTE CC

Disable Software Bus Route

```
Global CFE_SB_DISABLE_SUB_REPORTING_CC
   Disable Subscription Reporting Command
Global CFE SB ENABLE ROUTE CC
   Enable Software Bus Route
Global CFE SB ENABLE SUB REPORTING CC
   Enable Subscription Reporting Command
Global CFE_SB_NOOP_CC
   Software Bus No-Op
Global CFE SB RESET COUNTERS CC
   Software Bus Reset Counters
Global CFE SB SEND PREV SUBS CC
   Send Previous Subscriptions Command
Global CFE SB SEND SB STATS CC
   Send Software Bus Statistics
Global CFE SB WRITE MAP INFO CC
   Write Map Info to a File
Global CFE_SB_WRITE_PIPE_INFO_CC
   Write Pipe Info to a File
Global CFE SB WRITE ROUTING INFO CC
   Write Software Bus Routing Info to a File
```

1.16 cFE Software Bus Telemetry

The following are telemetry packets generated by the cFE Software Bus Task.

```
Global CFE SB AllSubscriptionsTlm Payload t
   SB Previous Subscriptions Packet
Global CFE SB AllSubscriptionsTlm Payload t
   SB Previous Subscriptions Packet
Global CFE_SB_HousekeepingTlm_Payload_t
   Software Bus task housekeeping Packet
Global CFE SB HousekeepingTlm Payload t
   Software Bus task housekeeping Packet
Global CFE_SB_SingleSubscriptionTIm_Payload_t
   SB Subscription Report Packet
Global CFE SB SingleSubscriptionTlm Payload t
   SB Subscription Report Packet
Global CFE_SB_StatsTIm_Payload_t
   SB Statistics Telemetry Packet
Global CFE_SB_StatsTIm_Payload_t
   SB Statistics Telemetry Packet
```

1.17 cFE Software Bus Configuration Parameters

The following are configuration parameters used to configure the cFE Software Bus either for each platform or for a mission as a whole.

Global CFE_MISSION_SB_MAX_PIPES

Maximum Number of pipes that SB command/telemetry messages may hold

Maximum Number of pipes that SB command/telemetry messages may hold

Global CFE MISSION SB MAX SB MSG SIZE

Maximum SB Message Size

Maximum SB Message Size

Global CFE PLATFORM ENDIAN

Platform Endian Indicator

Global CFE PLATFORM SB BUF MEMORY BYTES

Size of the SB buffer memory pool

Size of the SB buffer memory pool

Global CFE PLATFORM SB DEFAULT MAP FILENAME

Default Message Map Filename

Default Message Map Filename

Global CFE_PLATFORM_SB_DEFAULT_MSG_LIMIT

Default Subscription Message Limit

Default Subscription Message Limit

Global CFE PLATFORM SB DEFAULT PIPE FILENAME

Default Pipe Information Filename

Default Pipe Information Filename

Global CFE PLATFORM SB DEFAULT ROUTING FILENAME

Default Routing Information Filename

Default Routing Information Filename

Global CFE PLATFORM SB FILTERED EVENT1

SB Event Filtering

SB Event Filtering

Global CFE PLATFORM SB HIGHEST VALID MSGID

Highest Valid Message Id

Highest Valid Message Id

Global CFE PLATFORM SB MAX DEST PER PKT

Maximum Number of unique local destinations a single Msgld can have

Maximum Number of unique local destinations a single Msgld can have

Global CFE PLATFORM SB MAX MSG IDS

Maximum Number of Unique Message IDs SB Routing Table can hold

Maximum Number of Unique Message IDs SB Routing Table can hold

Global CFE_PLATFORM_SB_MAX_PIPES

Maximum Number of Unique Pipes SB Routing Table can hold

Maximum Number of Unique Pipes SB Routing Table can hold

1.18 cFE Table Services Overview

Applications often organize sets of their parameters into logical units called tables. These are typically constant parameters that can change the behavior of a flight software algorithm and are only intended to be modified by operations personnel. Examples of this would be attitude control gains, sensor scalefactors, telemetry filter settings, etc.

Table Services (TBL) provides a centralized control of flight software tables. Operations personnel would interact with TBL in order to dump the contents of current tables, load new table images, verify the contents of a table image and manage Critical tables.

None of the cFE core applications (EVS, SB, ES, TIME, or TBL) use tables, and it is possible to build cFE without Table Services if not needed or an alternative parameter management mechanism is to be utilized.

For additional detail on Tables and how to manage them, see the following sections:

- · Managing Tables
- · cFE Table Types and Table Options
- · Table Registry
- Table Services Telemetry
- · Effects of Processor Reset on Tables
- Frequently Asked Questions about Table Services

1.18.1 Managing Tables

In order to effectively manage tables, an operator needs to understand how cFE Applications manage tables from their end. There are a number of methods that cFE Applications typically use to manage their tables. Each method is appropriate based upon the nature of the contents of the table.

cFE Applications are required to periodically check to see if their table is to be validated, updated (or in the case of dump-only tables, dumped). Most Applications perform this periodic management at the same time as housekeeping requests are processed. This table management is performed by the cFE Application that "owns" a table (ie - the cFE Application that registered the table with cFE Table Services). It is possible for cFE Applications to "share" a table with other cFE Applications. An Application that shares a table does not typically perform any of the management duties associated with that table.

A table can have one of two different types and a number of different options. These are discussed further in later sections. An operator should understand the chosen type and selected options for a particular table before attempting to modify a table's contents.

To understand the methods of maintaining a table, it is important that the terminology be clear. A table has two images: "Active" and "Inactive". The Active table is the one that a cFE Application is currently accessing when it executes. The

Inactive table is a copy of the Active table that an operator (or on-board process such as a stored command processor) can manipulate and change to have a newly desired set of data.

To create an Inactive table image on board, the operator would be required to perform a "Load" to the table. Loads are table images stored in on-board files. The Load can contain either a complete table image or just a part of a table image. If the Load contains just a portion, the Inactive image is first initialized with the contents of the Active image and then the portion identified in the Load file is written on top of the Active image. After the initial Load, an operator can continue to manipulate the Inactive table image with additional partial table load images. This allows the operator to reconfigure the contents of multiple portions of the table before deciding to "Validate" and/or "Activate" it.

Some cFE Applications provide special functions that will examine a table image to determine if the contents are logically sound. This function is referred to as the "Validation Function." When a cFE Application assigns a Validation Function to a table during the table registration process, it is then requiring that a Validation be performed before the table can be Activated. When an operator requests a Validation of a table image, they are sending a request to the owning Application to execute the associated Validation Function on that image. The results of this function are then reported in telemetry. If the Validation is successful, the operator is free to perform a table Activation. If the Validation fails, the operator would be required to make additional changes to the Inactive table image and attempt another Validation before commanding an Activation.

To change an Inactive table image into the Active table image, an operator must Activate a table. When an operator sends the table Activation command, they are notifying the table's owning Application that a new table image is available. It is then up to the Application to determine when is the best time to perform the "Update" of the table. When an Application performs an Update, the contents of the Inactive table image become the Active table image.

1.18.2 cFE Table Types and Table Options

A cFE Application Developer has several choices when creating a cFE Application. There are two basic types of tables: single buffered and double buffered. In addition to these two basic types there are a small variety of options possible with each table. These options control special characteristics of the table such as whether it is dump-only, critical or whether it has an application defined location in memory.

Each choice has its advantages and disadvantages. The developer chooses the appropriate type based upon the requirements of the application. Anyone operating a particular cFE Application must understand the nature of the type and options selected for a particular table before they can successfully understand how to perform updates, validations, etc.

For more information on the different types of tables available, see the following sections:

- · Table Types
 - Single Buffered Tables
 - Double Buffered Tables
- · Table Options
 - Tables with Validation Functions
 - Critical Tables
 - User Defined Address Tables
 - Dump Only Tables

1.18.2.1 Single Buffered Tables The default table type for a cFE Application to use is a single buffered table. The principle advantage of a single buffered table is that it can share one of several shared table buffers for uploaded and pending table images. Since many cFE Applications have relatively small tables that are not changed at time critical moments or are not changed very often during a mission, single buffered tables represent the most memory resource efficient method of being managed.

The number of single buffered tables that can have inactive table images being manipulated at one time is specified by a TBL Services configuration parameter (CFE_PLATFORM_TBL_MAX_SIMULTANEOUS_LOADS) found in the cfe—platform_cfg.h file associated with the processor in question. This parameter identifies the number of shared table buffers that are available.

Since inactive single buffered table images share a common resource, it may not be prudent for an operator to load an image and then delay on the image's activation for an extended period of time.

Single buffered tables are allowed to be critical (see Critical Tables), dump-only (see Dump Only Tables) and/or have a user-defined address (see User Defined Address Tables).

1.18.2.2 Double Buffered Tables Under certain conditions, a cFE Application Developer may choose to use a double buffered table type within their application. Double buffered tables retain a dedicated inactive image of the table data. With a dedicated inactive table image available, double buffered tables are then capable of efficiently swapping table contents and/or delaying the activation of a table's contents for an indeterminate amount of time.

Some cFE Applications prefer to delay the Activation of a table until a specified time (e.g. - a Spacecraft Ephemeris). These tables are typically defined as double buffered tables so that the Inactive image can be left sitting untouched for an extended period of time without interfering with shared resources for other tables. Then the Application can perform the Update when the time is right.

Applications which have unusually large tables may decide to conserve memory resources by making them double buffered. This is because the shared buffers used by single buffered tables must be sized to match the largest table. If there is one table that is unusually large, there is little reason to allocate up to CFE_PLATFORM_TBL_MAX_SIMULTANEOUS_LOADS number of buffers that size. A double buffered table will only allocate ONE extra buffer of that size.

Performance minded Applications that are required to perform processing with tight timing deadlines may choose to use double buffered tables because the Update for a double buffered table is deterministic and quick.

1.18.2.3 Tables with Validation Functions Applications that associate Validation Functions with their tables when the tables are registered are effectively requiring that the contents of a table be logically Validated before it is Activated. The cFE will refuse to let a table with an associated Validation Function be Activated until a successful Validation on the Inactive table image has occurred.

Tables that are NOT assigned a Validation Function are assumed to be valid regardless of the contents of the table image. These tables do not require a Validation Command prior to Activation.

1.18.2.4 Critical Tables Applications that must be able to recover quickly from a Processor Reset may select the "Critical" table option when registering their table. Table Services automatically creates a Critical Data Store for the table and ensures that the contents of the Critical Data Store are updated whenever a Table Activation occurs.

If a Processor Reset happens, when the Application attempts to Register the table again, Table Services automatically locates the associated Critical Data Store and initializes the Table with the saved contents.

1.18.2.5 User Defined Address Tables In order to provide a mechanism for Flight Software Maintenance teams to quickly create a table image for dumping contents of memory that isn't normally loaded by the ground, there is an option to create User-Defined Address tables. These tables, when they are first registered, provide a memory address where the Active image of the table is to be maintained. Normally, the address is specified by Table Services from its memory pool.

By specifying the address, the Flight Software Maintenance team can create a Dump-Only table that contains the contents of a data structure that is not normally accessible via telemetry or table dumps. Then, on command, the Flight Software Maintenance team can periodically dump the data structure's contents to an on-board file(s) that can then be transferred to the ground for later analysis.

1.18.2.6 Dump Only Tables On occasion, cFE Applications require a segment of memory in which the Application writes data. The typical cFE Table is not normally modified directly by an Application but only via Load and Activate commands from either the Ground or Stored Command Processor. However, for those situations where an Application wishes to modify the contents of a data structure and the Application is limited in its telemetry bandwidth so that the modified data cannot be telemetered, the Application can create a Dump-Only table.

Dump-Only tables are not allowed to be modified via the Load/Validate/Activate process most other tables are. They are only supposed to be modified by onboard Applications. The Operator can still command a Dump which will be processed by the table's owning Application when it manages its tables. By letting the Application perform the dump, the Operator can feel confident that the table contents are a complete snapshot in time and not corrupted by taking a snapshot while the Application was in the process of modifying its contents.

1.18.3 Table Registry

When Applications register tables, Table Services retains pertinent information on the table in the Table Registry. The following information (along with other information that is less important for an operator) is kept for each table:

- · The Application ID of the Application that Registered the table
- · The full name of the table
- · The size, in bytes, of the table
- Pointers to the start addresses of the Table's image buffers, Active and Inactive (if appropriate)
- A pointer to the start address of a Validation Function
- · A flag indicating whether a table image has been loaded into an Inactive buffer
- A flag indicating whether the table is Critical and its associated CDS Handle if it is
- A flag indicating whether the table has ever been loaded (initialized)
- A flag indicating whether the table is Dump Only
- · A flag indicating whether the table has an Update Pending
- · A flag indicating whether the table is double buffered or not
- · The System Time when the Table was last Updated
- · The filename of the last file loaded into the table
- The File Creation Time for the last file used to load the contents of the table

This information can be obtained by either sending the Dump Registry command which will put all of the information from the Table Registry into an onboard file for later downlink or the operator can send a command to Telemeter the Registry Entry for a single table. This will cause the pertinent registry entry for a single table to be sent via a telemetry packet.

The API function CFE_TBL_Register() returns either CFE_SUCCESS or CFE_TBL_INFO_RECOVERED_TBL to indicate that the table was successfully registered. The difference is whether the table data was recovered from CDS as part of the registration. There are several error return values that describe why the function failed to register the table but nothing related to why the restoration from CDS might have failed. There is, however, a message written to the System Error Log by Table Services that can be dumped by the ground to get this information. Note that failure to restore a table from CDS is not an expected error and requires some sort of data corruption to occur.

1.18.4 Table Services Telemetry

Table Services produces two different telemetry packets. The first packet, referred to as the Table Services Housekeeping Packet, is routinely produced by Table Services upon receipt of the Housekeeping Request message that is typically sent to all Applications by an on board scheduler. The contents and format of this packet are described in detail at CFE_TBL_HousekeepingTlm_t.

1.18.5 Effects of Processor Reset on Tables

When a processor resets, the Table Registry is re-initialized. All Applications must, therefore, re-register and re-initialize their tables. The one exception, however, is if the Application has previously tagged a table as "Critical" during Table Registration, then Table Services will attempt to locate a table image for that table stored in the Critical Data Store. Table Services also attempts to locate the Critical Table Registry which is also maintained in the Critical Data Store.

If Table Services is able to find a valid table image for a Critical table in the Critical Data Store, the contents of the table are automatically loaded into the table and the Application is notified that the table does not require additional initialization.

1.18.6 Frequently Asked Questions about Table Services

(Q) Is it an error to load a table image that is smaller than the registered size?

Table images that are smaller than the declared size of a table fall into one of two categories.

If the starting offset of the table image (as specified in the Table Image secondary file header) is not equal to zero, then the table image is considered to be a "partial" table load. Partial loads are valid as long as a table has been previously loaded with a non-"partial" table image.

If the starting offset of the table image is zero and the size is less than the declared size of the table, the image is considered "short" but valid. This feature allows application developers to use variable length tables.

(Q) I tried to validate a table and received the following event message that said the event failed:

MyApp validation failed for Inactive 'MyApp.MyTable', Status=0x#### What happened?

The event message indicates the application who owns the table has discovered a problem with the contents of the image. The code number following the 'Status' keyword is defined by the Application. The documentation for the specified Application should be referred to in order to identify the exact nature of the problem.

(Q) What commands do I use to load a table with a new image?

There are a number of steps required to load a table.

- 1. The operator needs to create a cFE Table Services compatible table image file with the desired data contained in it. This can be accomplished by creating a 'C' source file, compiling it with the appropriate cross compiler for the onboard platform and then running the elf2cfetbl utility on the resultant object file.
- The file needs to be loaded into the onboard processor's filesystem using whichever file transfer protocol is used for that mission.
- The Load Command is sent next to tell Table Services to load the table image file into the Inactive Table Image Buffer for the table identified in the file.
- 4. The Validate Command is then sent to validate the contents of the inactive table image. This will ensure the file was not corrupted or improperly defined. The results of the validation are reported in Table Services Housekeeping Telemetry. If a table does not have a validation function associated with it, the operator may wish to compare the computed CRC to verify the table contents match what was intended.
- 5. Upon successful validation, the operator then sends the Activate Command. The application owning the table should, within a reasonable amount of time, perform a table update and send an event message.

(Q) What causes cFE Table Services to generate the following sys log message:

CFE_TBL:GetAddressInternal-App(%d) attempt to access unowned Tbl Handle=%d

When an application sharing its table(s) with one or more applications is reloaded, the reloaded application's table handle(s) are released. cFE Table Services sees that the table(s) are shared and keeps a 'shadow' version of the table in the Table Services registry. The registry will show the released, shared tables with no name. When the applications sharing the table attempt to access the table via the 'old', released handle, Table Services will return an error code to the applications and generate the sys log message. The applications may then unregister the 'old' handle(s) in order to remove the released, shared table(s) from the Table Services registry and share the newly loaded application table(s).

(Q) When does the Table Services Abort Table Load command need to be issued?

The Abort command should be used whenever a table image has been loaded but the application has not yet activated it and the operator no longer wants the table to be loaded.

The purpose of the Abort command is to free a previously allocated table buffer. It should be noted, however, that multiple table loads to the SAME table without an intervening activation or abort, will simply OVERWRITE the previous table load using the SAME buffer.

Therefore, the most likely scenarios that would lead to a needed abort are as follows:

- 1. Operator loads a table and realizes immediately that the load is not wanted.
- 2. Operator loads a table and performs a validation on it. Regardless of whether the table passes or fails the validation, if the operator no longer wants to activate the table, the abort command should be issued.
 - It should be noted that a table image that fails activation is retained in the inactive buffer for diagnosis, if necessary. It is NOT released until it is aborted or overwritten and successfully validated and activated.
- 3. A table image was loaded; the image was successfully validated; the command for activation was sent; but the application fails to perform the activation.
 - The Abort command will free the table buffer and clear the activation request.
 - This situation can occur when either the application is improperly designed and fails to adequately manage its tables (sometimes seen in the lab during development) or the application is "hung" and not performing as it should.

1.19 cFE Table Services Commands

Upon receipt of any command, the Table Services application will confirm that the message length embedded within the header (from CFE_MSG_GetSize()) matches the expected length of that message, based on the size of the C structure defining that command. If there is any discrepancy between the expected and actual message size, TBL will generate the CFE_TBL_LEN_ERR_EID event, increment the command error counter (\$sc_\$cpu_TBL_CMDEC), and the command will *not* be accepted for processing.

The following is a list of commands that are processed by the cFE Table Services Task.

```
Global CFE TBL ABORT LOAD CC
   Abort Table Load
Global CFE_TBL_ACTIVATE_CC
   Activate Table
Global CFE_TBL_DELETE_CDS_CC
   Delete Critical Table from Critical Data Store
Global CFE_TBL_DUMP_CC
   Dump Table
Global CFE_TBL_DUMP_REGISTRY_CC
   Dump Table Registry
Global CFE_TBL_LOAD_CC
   Load Table
Global CFE_TBL_NOOP_CC
   Table No-Op
Global CFE TBL RESET COUNTERS CC
   Table Reset Counters
Global CFE_TBL_SEND_REGISTRY_CC
   Telemeter One Table Registry Entry
Global CFE TBL VALIDATE CC
   Validate Table
```

1.20 cFE Table Services Telemetry

The following are telemetry packets generated by the cFE Table Services Task.

```
Global CFE_TBL_HousekeepingTIm_Payload_t
Table Services Housekeeping Packet

Global CFE_TBL_HousekeepingTIm_Payload_t
Table Services Housekeeping Packet

Global CFE_TBL_TblRegPacket_Payload_t
Table Registry Info Packet

Global CFE_TBL_TblRegPacket_Payload_t
Table Registry Info Packet
```

1.21 cFE Table Services Configuration Parameters

The following are configuration parameters used to configure the cFE Table Services either for each platform or for a mission as a whole.

Global CFE MISSION TBL MAX FULL NAME LEN

Maximum Length of Full Table Name in messages

Maximum Length of Full Table Name in messages

Global CFE MISSION TBL MAX NAME LENGTH

Maximum Table Name Length

Maximum Table Name Length

Global CFE PLATFORM TBL BUF MEMORY BYTES

Size of Table Services Table Memory Pool

Size of Table Services Table Memory Pool

Global CFE PLATFORM TBL DEFAULT REG DUMP FILE

Default Filename for a Table Registry Dump

Default Filename for a Table Registry Dump

Global CFE PLATFORM TBL MAX CRITICAL TABLES

Maximum Number of Critical Tables that can be Registered

Maximum Number of Critical Tables that can be Registered

Global CFE_PLATFORM_TBL_MAX_DBL_TABLE_SIZE

Maximum Size Allowed for a Double Buffered Table

Maximum Size Allowed for a Double Buffered Table

Global CFE_PLATFORM_TBL_MAX_NUM_HANDLES

Maximum Number of Table Handles

Maximum Number of Table Handles

Global CFE_PLATFORM_TBL_MAX_NUM_TABLES

Maximum Number of Tables Allowed to be Registered

Maximum Number of Tables Allowed to be Registered

Global CFE_PLATFORM_TBL_MAX_NUM_VALIDATIONS

Maximum Number of Simultaneous Table Validations

Maximum Number of Simultaneous Table Validations

Global CFE PLATFORM TBL MAX SIMULTANEOUS LOADS

Maximum Number of Simultaneous Loads to Support

Maximum Number of Simultaneous Loads to Support

Global CFE_PLATFORM_TBL_MAX_SNGL_TABLE_SIZE

Maximum Size Allowed for a Single Buffered Table

Maximum Size Allowed for a Single Buffered Table

Global CFE_PLATFORM_TBL_VALID_PRID_1

Processor ID values used for table load validation

Processor ID values used for table load validation

Global CFE_PLATFORM_TBL_VALID_PRID_COUNT

Number of Processor ID's specified for validation

Number of Processor ID's specified for validation

Global CFE PLATFORM TBL VALID SCID 1

Spacecraft ID values used for table load validation

Spacecraft ID values used for table load validation

Global CFE_PLATFORM_TBL_VALID_SCID_COUNT

Number of Spacecraft ID's specified for validation

Number of Spacecraft ID's specified for validation

1.22 cFE Time Services Overview

The cFE Time Service (TIME) is one of the cFE core services. TIME provides time correlation, distribution and synchronization services. TIME exists in two varieties: a Time Server responsible for maintaining the master time reference for all remote systems, and a Time Client responsible for synchronizing to that master time reference.

Since TIME is a generic implementation aimed to meet the needs of a variety of mission configurations, there are numerous configuration parameters, which dictate the behavior of TIME (see cfe_mission_cfg.h and cfe_platform_cfg.h for the specific mission configuration).

With the exception of those sections specific to Time Clients and Servers, this document assumes the most common physical environment - one instantiation of cFE installed on a single processor. Therefore, TIME represents cFE Time Services configured as a Time Server.

For additional detail on Time Services and how to manage it, see the following sections:

- Time Components
- · Time Structure
- Time Formats
- · Time Configuration
 - Time Format Selection
 - Enabling Fake Tone Signal
 - Selecting Tone and Data Ordering
 - Specifying Tone and Data Window
 - Specifying Time Server/Client

- Specifying Time Tone Byte Order
- Virtual MET
- Specifying Time Source
- Specifying Time Signal
Time Services Paradigm(s)
• Flywheeling
• Time State
• Initialization
- Power-On Reset
- Processor Reset
• Initialization
 Power-On Reset
- Processor Reset
Normal Operation
- Client
- Server
* Setting Time
* Adjusting Time
* Setting MET
Frequently Asked Questions about Time Services

1.22.1 Time Components

Time knowledge is stored in several pieces, so that the time information can more easily be manipulated and utilized. These components include:

The **Ground Epoch** is an arbitrary date and time that establishes the zero point for spacecraft time calculations. The selection of the epoch is mission specific, although in the past, it was common to select the same epoch as defined for the Operating System used by the computers hosting the ground system software. Recent mission epoch selections have also included using zero seconds after midnight, Jan 1, 2001.

Spacecraft Time is the number of seconds (and fraction of a second) since the ground epoch. Spacecraft time is the sum of **Mission Elapsed Time** (MET) and the **Spacecraft Time Correlation Factor** (STCF). By definition, MET is a measure of time since launch or separation. However, for most missions the MET actually represents the amount of time since powering on the hardware containing the MET timer. The STCF correlates the MET to the ground epoch.

The **Tone** is the signal that MET seconds have incremented. In most hardware configurations, the tone is synonymous with the **1 PPS** signal. The tone signal may be generated by a local hardware timer, or by an external event (G ← PS receiver, spacewire time tick, 1553 bus signal, etc). TIME may also be configured to simulate the tone for lab environments that do not have the necessary hardware to provide a tone signal. Note that MET sub-seconds will be zero at the instant of the tone.

Time at the Tone is the spacecraft time at the most recent "valid" tone.

Time since the Tone is the amount of time since the tone (usually less than one second). This value is often measured using the local processor clock. Upon detecting the tone signal, TIME stores the contents of the local processor clock to facilitate this measurement.

Thus, Current Spacecraft Time is the sum of "time at the tone" and "time since the tone".

Leap Seconds occur to keep clocks correlated to astronomical observations. The modern definition of a second (9,192,631,770 oscillations of a cesium-133 atom) is constant while the earth's rotation has been slow by a small fraction of a second per day. The **International Earth Rotation and Reference System Service** (IERS) maintains the count of leap seconds as a signed whole number that is subject to update twice a year. Although it is possible to have a negative leap second count if the earth rotates too fast, it is highly unlikely. The initial count of leap seconds (10) was established in January of 1972 and the first leap second was added to the initial count in June of 1972. The most recent leap seconds are announced by the International Earth Rotation Service (IERS): https://www.iers.org in IERS Bulletin C (leap second announcements). Search the IERS site for "Bulletin C" to obtain the latest issue/announcement.

1.22.2 Time Structure

The cFE implementation of the **System Time Structure** is a modified version of the CCSDS Unsegmented Time Code (CUC) which includes 4 bytes of seconds, and 4 bytes of subseconds, where a subsecond is equivalent to $1/(2^32)$ seconds. The system time structure is used by TIME to store current time, time at the tone, time since the tone, the MET, the STCF and command arguments for time adjustments. Note that typically the 32 bits of seconds and the upper 16 bits of subseconds are used for time stamping Software bus messages, but this is dependent on the underlying definition.

The system time structure is defined as follows:

1.22.3 Time Formats

International Atomic Time (TAI) is one of two time formats supported by cFE TIME. TAI is the number of seconds and sub-seconds elapsed since the ground epoch as measured with the atomic clock previously described. TAI has no reference to leap seconds and is calculated using the following equation:

```
TAI = MET + STCF
```

It should be noted that TAI is only "true" TAI when the selected ground epoch is the same as the TAI epoch (zero seconds after midnight, January 1, 1958). However, nothing precludes configuring cFE TIME to calculate time in the TAI format and setting the STCF to correlate to any other epoch definition.

Coordinated Universal Time (UTC) is the other time format supported by cFE TIME. UTC differs from TAI in the fact that UTC includes a leap seconds adjustment. TIME computes UTC using the following equation:

```
UTC = TAI - Leap Seconds.
```

The preceding UTC equation might seem to imply that TAI includes leap seconds and UTC does not - which is not the case. In fact, the UTC calculation includes a leap seconds adjustment that subtracts leap seconds from the same time components used to create TAI. Alternatively, it might be less confusing to express the UTC equation as follows:

```
UTC = MET + STCF - Leap Seconds
```

1.22.4 Time Configuration

All configurations of TIME require a local processor source for a 1Hz interrupt and access to a local clock with a resolution fine enough that it can be used to measure short periods of elapsed time. The local interrupt is used to wake-up TIME at a regular interval for the purpose of verifying that the tone is being received. The local clock is used to measure time since the tone and to provide coarse verification that the tone is occurring at approximately one second intervals. The presumption is that the tone is the most accurate timer in the system and, within reason, is to be trusted. Note that nothing precludes the use of the MET as the local clock, assuming the MET is both local and provides sub-second data. However, the tone must not be used as the source for the local 1Hz interrupt.

Consider the following brief description of three hypothetical hardware configurations. These sample systems may be used as reference examples to help clarify the descriptions of the various TIME configuration selections.

In the first system, there is no MET timer and therefore no tone signal. The MET is a count of the number of "fake" tones generated by TIME software. There is no validation performed regarding the quality of time data. This hardware configuration is a common lab environment using COTS equipment.

In the second system, the MET timer is a hardware register that is directly accessible by TIME. When MET seconds increment, a processor interrupt signals the tone. Upon detecting the tone, TIME can read the MET to establish the time at the tone. To verify that the tone is valid, TIME need only validate that this tone signal occurred approximately one second after the previous tone signal (as measured with the local clock).

In the third system, the MET is located on hardware connected via spacewire. When MET seconds increment, a spacewire time tick triggers a local processor interrupt to signal the tone. Shortly after announcing the tone, the hardware containing the MET also generates a spacewire data packet containing the MET value corresponding to the tone. The IME must wait until both the tone and data packet have been received before validating the tone. The tone must have occurred approximately one second after the previous tone signal and the data packet must have been received within a specified window in time following the tone.

The hardware design choice for how the tone signal is distributed is not material to TIME configuration. The software detecting the tone need only call the cFE API function announcing the arrival of the tone. This function is designed to be called from interrupt handlers.

For detail on each of the individual configuration settings for cFE Time Services, see the following sections:

- · Time Format Selection
- · Enabling Fake Tone Signal
- Selecting Tone and Data Ordering
- · Specifying Tone and Data Window
- · Specifying Time Server/Client
- · Specifying Time Tone Byte Order
- Virtual MET
- · Specifying Time Source
- · Specifying Time Signal

1.22.4.1 Time Format Selection Time format is defined in the mission configuration header file.

This selection defines the default time format as TAI or UTC. The API functions to get time in either specific format are still enabled, but the API function to get time in the default format will follow this selection. Enable one, and **only one**, of the following time format definitions:

```
#define CFE_MISSION_TIME_CFG_DEFAULT_TAI TRUE
#define CFE_MISSION_TIME_CFG_DEFAULT_UTC FALSE
```

or

```
#define CFE_MISSION_TIME_CFG_DEFAULT_TAI FALSE
#define CFE_MISSION_TIME_CFG_DEFAULT_UTC TRUE
```

The choice of time format is a mission specific decision and is not directly affected by the hardware configuration.

See also

CFE_MISSION_TIME_CFG_DEFAULT_TAI, CFE_MISSION_TIME_CFG_DEFAULT_UTC

1.22.4.2 Enabling Fake Tone Signal The fake tone is defined in the mission configuration header file.

If this selection is set to TRUE, TIME will generate a "fake" tone signal by calling the same API function as would be called upon detection of the "real" tone signal. Enable the fake tone only for hardware configurations that do not provide a tone signal.

```
#define CFE_MISSION_TIME_CFG_FAKE_TONE TRUE
```

Hypothetical hardware configuration number one (described above) would enable the fake tone signal.

See also

```
CFE MISSION TIME CFG FAKE TONE
```

1.22.4.3 Selecting Tone and Data Ordering Tone and data order is defined in the mission configuration header file.

This selection defines which comes first - the tone or the time at the tone data. Does the time data describe the tone that already occurred, or the tone that has not yet occurred? This decision may be driven by the hardware design but can also be arbitrary. Enable one, and only one, of the following:

```
#define CFE_MISSION_TIME_AT_TONE_WAS
#define CFE_MISSION_TIME_AT_TONE_WILL_BE
```

Hypothetical hardware configuration number three (described Time Configuration above) would enable "time at the tone was".

See also

```
CFE MISSION TIME AT TONE WAS, CFE MISSION TIME AT TONE WILL BE
```

1.22.4.4 Specifying Tone and Data Window The tone and data window is defined in the mission configuration header file.

In concert with the definition of tone and data order, this selection defines the valid window in time for the second of the pair to follow the first. Both must be defined, units are micro-seconds.

```
#define CFE_MISSION_TIME_MIN_ELAPSED 0
#define CFE_MISSION_TIME_MAX_ELAPSED 100000
```

Hypothetical hardware configuration number three (described above) might use these values which describe a window that begins immediately after the tone and lasts for one tenth of a second.

See also

CFE MISSION TIME MIN ELAPSED, CFE MISSION TIME MAX ELAPSED

1.22.4.5 Specifying Time Server/Client Configure TIME as a client only when the target system has multiple processors running separate instantiations of the cFE. One instantiation must be configured as the server and the remainder configured as clients. If the target system has only one processor running the cFE, then TIME must be configured as a server.

Enable one, and only one, of the following definitions in the platform configuration header file:

```
#define CFE_PLATFORM_TIME_CFG_SERVER TRUE
#define CFE_PLATFORM_TIME_CFG_CLIENT FALSE

Or

#define CFE_PLATFORM_TIME_CFG_SERVER FALSE
#define CFE_PLATFORM_TIME_CFG_CLIENT TRUE
```

See also

CFE_PLATFORM_TIME_CFG_SERVER, CFE_PLATFORM_TIME_CFG_CLIENT

1.22.4.6 Specifying Time Tone Byte Order By default, the CFE time tone message is a payload of integers in platform-endian order (containing the tone's timestamp, the leap seconds, and state information.) In some configurations, it may be better to have the payload produced in big-endian order—particularly in mixed-endian environments.

In order to force the tone message to be in big-endian order, you must define the following:

```
#define CFE_PLATFORM_TIME_CFG_BIGENDIAN
```

1.22.4.7 Virtual MET This configuration option refers to whether the MET is local to this instantiation of TIME. If the MET is not local then TIME must be configured as using a virtual MET.

Therefore, all TIME clients must be configured as using a virtual MET. If the MET was local to any TIME client, then that instantiation of TIME would have to be the server.

TIME servers must be configured as using a virtual MET

1.22.4.8 Specifying Time Source TIME configuration provides the ability to specify where the source for time data is originating - either internal or external. In hypothetical system one, the MET is internal. In system two, TIME cannot directly read the MET, therefore time data must be received from an external source.

This selection also enables a command interface to switch between internal and external input. When commanded to use internal time data, TIME will ignore the external data. However, TIME will continue to use the API function as the trigger to generate a "time at the tone" command packet regardless of the internal/external command selection.

Set the following definition to TRUE only for TIME servers using an external time data source.

```
#define CFE_PLATFORM_TIME_CFG_SOURCE TRUE
```

The remainder of this section pertains only to TIME servers configured to accept external time data.

When configured to accept external time data, TIME requires an additional definition for the type of external data (GPS, MET, spacecraft time, etc.). This selection will enable an API function specific to the selected data type. Regardless of how the time data is received, the receiver need only pass the data to the appropriate API function.

TIME servers using an external time data source must set one, and only one, of the following to TRUE, for example:

```
#define CFE_PLATFORM_TIME_CFG_SRC_MET TRUE
#define CFE_PLATFORM_TIME_CFG_SRC_GPS FALSE
#define CFE_PLATFORM_TIME_CFG_SRC_TIME FALSE
```

configuration definitions for the particular source.

If the cfe_platform_cfg.h file contains "#define CFE_PLATFORM_TIME_CFG_SOURCE TRUE" then time is configured to allow switching between internal and external time sources (see CFE_TIME_SET_SOURCE_CC). If this configuration parameter is set to FALSE then the command to set the source will be rejected.

If this configuration parameter is set to TRUE then ONE and ONLY ONE of the following configuration parameters must also be set TRUE in order to specify the external time source, for example:

```
#define CFE_PLATFORM_TIME_CFG_SRC_MET TRUE
#define CFE_PLATFORM_TIME_CFG_SRC_GPS FALSE
#define CFE_PLATFORM_TIME_CFG_SRC_TIME FALSE
```

Note that Internal MET source depends on available hardware. It may be the local count of tone signals, the contents of a hardware register or an OS specific time function.

Note also that when configured to use an external time source, commands to set the time will be overwritten.

See also

```
CFE_PLATFORM_TIME_CFG_SRC_MET, CFE_PLATFORM_TIME_CFG_SRC_GPS, CFE_PLATFORM_TIME_CFG_SRC_TIME
```

1.22.4.9 Specifying Time Signal Some hardware configurations support a primary and redundant tone signal selection. Setting the following configuration definition to TRUE will result in enabling a TIME command to select the active tone signal.

```
#define CFE_PLATFORM_TIME_CFG_SIGNAL TRUE
```

Note: this feature requires additional custom software to make the physical signal switch.

See also

CFE PLATFORM TIME CFG SIGNAL

1.22.5 Time Format Selection

Time format is defined in the mission configuration header file.

This selection defines the default time format as TAI or UTC. The API functions to get time in either specific format are still enabled, but the API function to get time in the default format will follow this selection. Enable one, and **only one**, of the following time format definitions:

```
#define CFE_MISSION_TIME_CFG_DEFAULT_TAI TRUE
#define CFE_MISSION_TIME_CFG_DEFAULT_UTC FALSE

Or

#define CFE_MISSION_TIME_CFG_DEFAULT_TAI FALSE
#define CFE_MISSION_TIME_CFG_DEFAULT_UTC TRUE
```

The choice of time format is a mission specific decision and is not directly affected by the hardware configuration.

See also

```
CFE MISSION TIME CFG DEFAULT TAI, CFE MISSION TIME CFG DEFAULT UTC
```

1.22.6 Enabling Fake Tone Signal

The fake tone is defined in the mission configuration header file.

If this selection is set to TRUE, TIME will generate a "fake" tone signal by calling the same API function as would be called upon detection of the "real" tone signal. Enable the fake tone only for hardware configurations that do not provide a tone signal.

```
#define CFE_MISSION_TIME_CFG_FAKE_TONE TRUE
```

Hypothetical hardware configuration number one (described above) would enable the fake tone signal.

See also

```
CFE_MISSION_TIME_CFG_FAKE_TONE
```

1.22.7 Selecting Tone and Data Ordering

Tone and data order is defined in the mission configuration header file.

This selection defines which comes first - the tone or the time at the tone data. Does the time data describe the tone that already occurred, or the tone that has not yet occurred? This decision may be driven by the hardware design but can also be arbitrary. Enable one, and only one, of the following:

```
#define CFE_MISSION_TIME_AT_TONE_WAS #define CFE_MISSION_TIME_AT_TONE_WILL_BE
```

Hypothetical hardware configuration number three (described Time Configuration above) would enable "time at the tone was".

See also

```
CFE MISSION TIME AT TONE WAS, CFE MISSION TIME AT TONE WILL BE
```

1.22.8 Specifying Tone and Data Window

The tone and data window is defined in the mission configuration header file.

In concert with the definition of tone and data order, this selection defines the valid window in time for the second of the pair to follow the first. Both must be defined, units are micro-seconds.

```
#define CFE_MISSION_TIME_MIN_ELAPSED 0
#define CFE_MISSION_TIME_MAX_ELAPSED 100000
```

Hypothetical hardware configuration number three (described above) might use these values which describe a window that begins immediately after the tone and lasts for one tenth of a second.

See also

```
CFE MISSION TIME MIN ELAPSED, CFE MISSION TIME MAX ELAPSED
```

1.22.9 Specifying Time Server/Client

Configure TIME as a client only when the target system has multiple processors running separate instantiations of the cFE. One instantiation must be configured as the server and the remainder configured as clients. If the target system has only one processor running the cFE, then TIME must be configured as a server.

Enable one, and only one, of the following definitions in the platform configuration header file:

```
#define CFE_PLATFORM_TIME_CFG_SERVER TRUE
#define CFE_PLATFORM_TIME_CFG_CLIENT FALSE

Or

#define CFE_PLATFORM_TIME_CFG_SERVER FALSE
#define CFE_PLATFORM_TIME_CFG_CLIENT TRUE
```

See also

```
CFE_PLATFORM_TIME_CFG_SERVER, CFE_PLATFORM_TIME_CFG_CLIENT
```

1.22.10 Specifying Time Tone Byte Order

By default, the CFE time tone message is a payload of integers in platform-endian order (containing the tone's timestamp, the leap seconds, and state information.) In some configurations, it may be better to have the payload produced in big-endian order—particularly in mixed-endian environments.

In order to force the tone message to be in big-endian order, you must define the following:

```
#define CFE_PLATFORM_TIME_CFG_BIGENDIAN
```

1.22.11 Virtual MET

This configuration option refers to whether the MET is local to this instantiation of TIME. If the MET is not local then TIME must be configured as using a virtual MET.

Therefore, all TIME clients must be configured as using a virtual MET. If the MET was local to any TIME client, then that instantiation of TIME would have to be the server.

TIME servers must be configured as using a virtual MET

1.22.12 Specifying Time Source

TIME configuration provides the ability to specify where the source for time data is originating - either internal or external. In hypothetical system one, the MET is internal. In system two, TIME cannot directly read the MET, therefore time data must be received from an external source.

This selection also enables a command interface to switch between internal and external input. When commanded to use internal time data, TIME will ignore the external data. However, TIME will continue to use the API function as the trigger to generate a "time at the tone" command packet regardless of the internal/external command selection.

Set the following definition to TRUE only for TIME servers using an external time data source.

```
#define CFE_PLATFORM_TIME_CFG_SOURCE TRUE
```

The remainder of this section pertains only to TIME servers configured to accept external time data.

When configured to accept external time data, TIME requires an additional definition for the type of external data (GPS, MET, spacecraft time, etc.). This selection will enable an API function specific to the selected data type. Regardless of how the time data is received, the receiver need only pass the data to the appropriate API function.

TIME servers using an external time data source must set one, and only one, of the following to TRUE, for example:

```
#define CFE_PLATFORM_TIME_CFG_SRC_MET TRUE
#define CFE_PLATFORM_TIME_CFG_SRC_GPS FALSE
#define CFE_PLATFORM_TIME_CFG_SRC_TIME FALSE
```

configuration definitions for the particular source.

If the cfe_platform_cfg.h file contains "#define CFE_PLATFORM_TIME_CFG_SOURCE TRUE" then time is configured to allow switching between internal and external time sources (see CFE_TIME_SET_SOURCE_CC). If this configuration parameter is set to FALSE then the command to set the source will be rejected.

If this configuration parameter is set to TRUE then ONE and ONLY ONE of the following configuration parameters must also be set TRUE in order to specify the external time source, for example:

```
#define CFE_PLATFORM_TIME_CFG_SRC_MET TRUE
#define CFE_PLATFORM_TIME_CFG_SRC_GPS FALSE
#define CFE_PLATFORM_TIME_CFG_SRC_TIME FALSE
```

Note that Internal MET source depends on available hardware. It may be the local count of tone signals, the contents of a hardware register or an OS specific time function.

Note also that when configured to use an external time source, commands to set the time will be overwritten.

See also

CFE PLATFORM TIME CFG SRC MET, CFE PLATFORM TIME CFG SRC GPS, CFE PLATFORM TIME CFG SRC TIME

1.22.13 Specifying Time Signal

Some hardware configurations support a primary and redundant tone signal selection. Setting the following configuration definition to TRUE will result in enabling a TIME command to select the active tone signal.

```
#define CFE_PLATFORM_TIME_CFG_SIGNAL TRUE
```

Note: this feature requires additional custom software to make the physical signal switch.

See also

CFE PLATFORM TIME CFG SIGNAL

1.22.14 Time Services Paradigm(s)

In order for the cFE Time Services to work for a particular mission, the methods of obtaining time, distributing time and translating time must follow some standard paradigms used in previous missions. The following describes this expected context:

Mission dependent hardware provides the Tone. When this Tone message is received, TIME latches the local time based on the local clock. Note that in lab environments, a simulated Tone capability exists which uses an SB message. Mission dependent hardware also provides the "time at the tone" message based on the hardware latched time and the reference times stored by TIME Server. The TIME Client then updates its local reference time based on the local hardware latched time at the Tone and the provided Time-at-Tone message packet when certain checks (such as the Validity bit being set) pass.

When used in an environment that includes multiple processors, each running a separate instantiation of cFE software, the presumption is that TIME will be distributed in a client/server relationship. In this model, one processor will have TIME configured as the server and the other processors as clients. The TIME server will maintain the various time components and publish a "time at the tone" message to provide synchronized time to the TIME clients. Environments that have only a single instance of TIME must be configured as a TIME server.

In all configurations, the final step in calculating the time "right now" for any instantiation of TIME is to use a local processor clock to measure the "time since the tone".

The specific MET hardware properties will determine whether the MET value can be modified. However, the cFE design is such that there should never be a need to purposefully change or reset the MET.

Regardless of the physical hardware implementation for the MET (elapsed seconds, elapsed ticks, etc.), cFE TIME will convert the hardware MET value into a System Time Format structure for time calculations and will report the converted value in telemetry. cFE TIME will also maintain and report the STCF in a System Time Format structure.

cFE TIME has no knowledge of the current epoch; it is up to the user to keep time on the spacecraft correlated to an epoch. An exception might appear to be the epoch definition required in the cFE mission configuration definition file. However, this definition is for use only by the API functions that convert spacecraft time and file system time, and the API function that prints spacecraft time as a date and time text string. The cFE "get time" functions are independent of the ground epoch.

The mission configuration parameters, CFE_MISSION_TIME_CFG_DEFAULT_TAI and CFE_MISSION_TIME_CFG_DEFAULT_UTC specify the default time format. Applications are encouraged to use the CFE_TIME_GetTime API, which returns time in the format specified by this configuration parameter.

1.22.15 Flywheeling

Flywheeling occurs when TIME is not getting a valid tone signal or external "time at the tone" message. While this has minimal impact on internal operations, it can result in the drifting apart of times being stored by different spacecraft systems.

Flywheeling occurs when at least one of the following conditions is true:

- · loss of tone signal
- · loss of "time at the tone" data packet
- signal and packet not within valid window
- · commanded into fly-wheel mode

If the TIME server is in Flywheel mode then the TIME client is also in flywheel mode.

1.22.16 Time State

Clock state is a combination of factors, most significantly whether the spacecraft time has been accurately set and whether Time Service is operating in FLYWHEEL mode. A ground command is provided to set the state to reflect when the ground has determined the spacecraft time is now correct, or that time is no longer correct. This information will be distributed to Time Clients, and in turn, to any interested sub-systems. If time has not been set then TIME services reports the state of time as invalid, regardless of whether time is flywheeling or not. Also, this command may be used to force a Time Server or Time Client into FLYWHEEL mode. Use of FLYWHEEL mode is mainly for debug purposes although, in extreme circumstances, it may be of value to force Time Service not to rely on normal time updates. Note that when commanded into FLYWHEEL mode, the Time Service will remain so until receipt of another "set state" command setting the state into a mode other than FLYWHEEL. Note also that setting the clock state to VALID or INV ALID on a Time Client that is currently getting time updates from the Time Server will have very limited effect. As soon as the Time Client receives the next time update, the VALID/INVALID selection will be set to that of the Time Server. However, setting a Time Client to FLYWHEEL cannot be overridden by the Time Server since the Time Client will ignore time updates from the Time Server while in FLYWHEEL mode.

1.22.17 Initialization

No action is required by the ground to initialize the TIME software; however, time variables in the TIME Server must be set by command to allow correct time to propagate.

For a description of what happens during each type of reset, see below:

- · Power-On Reset
- Processor Reset

1.22.17.1 Power-On Reset TIME initializes all counters in housekeeping telemetry, sets the Validity state to Invalid, and initializes the STCF, Leap Seconds, and 1 Hz Adjustment to zero.

1.22.17.2 Processor Reset In the event of a processor reset, the following time values are preserved:

- MET
- STCF
- · Leap Seconds
- · Clock Signal Selection
- · Current Time Client Delay (if applicable)

Note that since it is virtually impossible for TIME services to validate the actual data that is saved across a processor reset, a signature pattern is written to the preserved area. On a processor reset, TIME queries that signature to make sure that it matches what is expected. If the signature does not match, then TIME is initialized as if a cFE power-on reset occurred.

1.22.18 Power-On Reset

TIME initializes all counters in housekeeping telemetry, sets the Validity state to Invalid, and initializes the STCF, Leap Seconds, and 1 Hz Adjustment to zero.

1.22.19 Processor Reset

In the event of a processor reset, the following time values are preserved:

- MET
- STCF
- · Leap Seconds
- Clock Signal Selection
- · Current Time Client Delay (if applicable)

Note that since it is virtually impossible for TIME services to validate the actual data that is saved across a processor reset, a signature pattern is written to the preserved area. On a processor reset, TIME queries that signature to make sure that it matches what is expected. If the signature does not match, then TIME is initialized as if a cFE power-on reset occurred.

1.22.20 Initialization

No action is required by the ground to initialize the TIME software; however, time variables in the TIME Server must be set by command to allow correct time to propagate.

For a description of what happens during each type of reset, see below:

- · Power-On Reset
- Processor Reset

1.22.20.1 Power-On Reset TIME initializes all counters in housekeeping telemetry, sets the Validity state to Invalid, and initializes the STCF, Leap Seconds, and 1 Hz Adjustment to zero.

1.22.20.2 Processor Reset In the event of a processor reset, the following time values are preserved:

- MET
- STCF
- · Leap Seconds
- · Clock Signal Selection
- · Current Time Client Delay (if applicable)

Note that since it is virtually impossible for TIME services to validate the actual data that is saved across a processor reset, a signature pattern is written to the preserved area. On a processor reset, TIME queries that signature to make sure that it matches what is expected. If the signature does not match, then TIME is initialized as if a cFE power-on reset occurred.

1.22.21 Power-On Reset

TIME initializes all counters in housekeeping telemetry, sets the Validity state to Invalid, and initializes the STCF, Leap Seconds, and 1 Hz Adjustment to zero.

1.22.22 Processor Reset

In the event of a processor reset, the following time values are preserved:

- MET
- STCF
- · Leap Seconds
- · Clock Signal Selection
- Current Time Client Delay (if applicable)

Note that since it is virtually impossible for TIME services to validate the actual data that is saved across a processor reset, a signature pattern is written to the preserved area. On a processor reset, TIME queries that signature to make sure that it matches what is expected. If the signature does not match, then TIME is initialized as if a cFE power-on reset occurred.

1.22.23 Normal Operation

The following sections describe the operator's responsibilities for maintaining time under nominal conditions:

- Client
- Server

1.22.23.1 Client Under normal operation, TIME Client systems do not require any attention from the ground, however TIME clients do provide commands to set the persistent latency between the server and client. Latency can be either added or subtracted to the current TIME client time calculation to account for the latency.

1.22.23.2 Server TIME Servers require maintenance by the operations team to ensure the spacecraft is maintaining a time that can be successfully correlated to other entities. The following sections describe the commands that the operations team can use to help maintain a proper time reference:

- · Setting Time
- · Adjusting Time
- Setting MET

1.22.23.2.1 Setting Time The Time Server provides commands to set time. The new time value represents the desired offset from mission-defined time epoch and takes effect immediately upon execution of this command. Time Service will calculate a new STCF value based on the current MET and the desired new time using one of the following:

If Time Service is configured to compute current time as TAI:

```
STCF = new time - current MET
current time = current MET + STCF
```

If Time Service is configured to compute current time as UTC:

See also

```
CFE TIME SET TIME CC
```

1.22.23.2.2 Adjusting Time The TIME Server includes commands to set the STCF, Leap Seconds, and Validity state. The STCF should be set implicitly using the CFE_TIME_SET_TIME_CC or explicitly using CFE_TIME_SET_STCF_CC. TIME provides the ability to command a one time adjustment (CFE_TIME_ADD_ADJUST_CC and CFE_TIME_SUB_ADJUST_CC) to the current STCF. In addition there is a 1Hz adjustment (CFE_TIME_ADD_ONEHZ_ADJUSTMENT and CFE_TIME_SUB_ONEHZ_ADJUSTMENT_CC) that can be made to the STCF to compensate for oscillator drift. Mission specific ground correlation should be used to assist in determining the proper values to use. The Leap Seconds should be set to the current TAI-UTC. Note that the International Earth Rotation and Reference Systems Service Bulletin C, which defines the current difference, reports it as UTC-TAI, and thus that value must be negated. The Leap Seconds value will always be a positive number. The Validity state does not have to be set to invalid to change the STCF or Leap Seconds, and should be set to valid at any time that the TIME Server time reference should be synchronized to by the other systems.

See also

```
CFE_TIME_ADD_ADJUST_CC, CFE_TIME_SUB_ADJUST_CC, CFE_TIME_SET_STCF_CC, CFE_TIME_ADD_ONEHZ_ADJUSTCFE_TIME_SUB_ONEHZ_ADJUSTMENT_CC, CFE_TIME_SET_LEAP_SECONDS_CC
```

1.22.23.2.3 Setting MET The TIME Server provides the capability to set the MET. Note that the MET (as implemented for cFE Time Service) is a logical representation and not a physical timer. Thus, setting the MET is not dependent on whether the hardware supports a MET register that can be written to. Note also that Time Service "assumes" that during normal operation, the MET is synchronized to the tone signal. Therefore, unless operating in FLYWHEEL mode, the sub-seconds portion of the MET will be set to zero at the next tone signal interrupt. The new MET takes effect immediately upon execution of this command.

See also

```
CFE TIME SET MET CC
```

1.22.24 Client

Under normal operation, TIME Client systems do not require any attention from the ground, however TIME clients do provide commands to set the persistent latency between the server and client. Latency can be either added or subtracted to the current TIME client time calculation to account for the latency.

1.22.25 Server

TIME Servers require maintenance by the operations team to ensure the spacecraft is maintaining a time that can be successfully correlated to other entities. The following sections describe the commands that the operations team can use to help maintain a proper time reference:

- · Setting Time
- · Adjusting Time
- Setting MET

1.22.25.0.1 Setting Time The Time Server provides commands to set time. The new time value represents the desired offset from mission-defined time epoch and takes effect immediately upon execution of this command. Time Service will calculate a new STCF value based on the current MET and the desired new time using one of the following:

If Time Service is configured to compute current time as TAI:

```
STCF = new time - current MET
current time = current MET + STCF
```

If Time Service is configured to compute current time as UTC:

```
{
m STCF} = (({
m new \ time}) - ({
m current \ MET})) + {
m Leap \ Seconds} current time = (({
m current \ MET}) + {
m STCF}) - {
m Leap \ Seconds}
```

See also

CFE_TIME_SET_TIME_CC

1.22.25.0.2 Adjusting Time The TIME Server includes commands to set the STCF, Leap Seconds, and Validity state. The STCF should be set implicitly using the CFE_TIME_SET_TIME_CC or explicitly using CFE_TIME_SET_STCF_CC. TIME provides the ability to command a one time adjustment (CFE_TIME_ADD_ADJUST_CC and CFE_TIME_SUB_ADJUST_CC) to the current STCF. In addition there is a 1Hz adjustment (CFE_TIME_ADD_ONEHZ_ADJUSTMENT and CFE_TIME_SUB_ONEHZ_ADJUSTMENT_CC) that can be made to the STCF to compensate for oscillator drift. Mission specific ground correlation should be used to assist in determining the proper values to use. The Leap Seconds should be set to the current TAI-UTC. Note that the International Earth Rotation and Reference Systems Service Bulletin C, which defines the current difference, reports it as UTC-TAI, and thus that value must be negated. The Leap Seconds value will always be a positive number. The Validity state does not have to be set to invalid to change the STCF or Leap Seconds, and should be set to valid at any time that the TIME Server time reference should be synchronized to by the other systems.

See also

CFE_TIME_ADD_ADJUST_CC, CFE_TIME_SUB_ADJUST_CC, CFE_TIME_SET_STCF_CC, CFE_TIME_ADD_ONEHZ_ADJUST
CFE_TIME_SUB_ONEHZ_ADJUSTMENT_CC, CFE_TIME_SET_LEAP_SECONDS_CC

1.22.25.0.3 Setting MET The TIME Server provides the capability to set the MET. Note that the MET (as implemented for cFE Time Service) is a logical representation and not a physical timer. Thus, setting the MET is not dependent on whether the hardware supports a MET register that can be written to. Note also that Time Service "assumes" that during normal operation, the MET is synchronized to the tone signal. Therefore, unless operating in FLYWHEEL mode, the sub-seconds portion of the MET will be set to zero at the next tone signal interrupt. The new MET takes effect immediately upon execution of this command.

See also

CFE_TIME_SET_MET_CC

1.22.26 Setting Time

The Time Server provides commands to set time. The new time value represents the desired offset from mission-defined time epoch and takes effect immediately upon execution of this command. Time Service will calculate a new STCF value based on the current MET and the desired new time using one of the following:

If Time Service is configured to compute current time as TAI:

```
STCF = new time - current MET
current time = current MET + STCF
```

If Time Service is configured to compute current time as UTC:

```
STCF = ((new time) - (current MET)) + Leap Seconds current time = ((current MET) + STCF) - Leap Seconds
```

See also

CFE TIME SET TIME CC

1.22.27 Adjusting Time

The TIME Server includes commands to set the STCF, Leap Seconds, and Validity state. The STCF should be set implicitly using the CFE_TIME_SET_TIME_CC or explicitly using CFE_TIME_SET_STCF_CC. TIME provides the ability to command a one time adjustment (CFE_TIME_ADD_ADJUST_CC and CFE_TIME_SUB_ADJUST_CC) to the current STCF. In addition there is a 1Hz adjustment (CFE_TIME_ADD_ONEHZ_ADJUSTMENT_CC and CFE_TIME_SUB_ONEHZ_ADJUSTMENT_CC) that can be made to the STCF to compensate for oscillator drift. Mission specific ground correlation should be used to assist in determining the proper values to use. The Leap Seconds should be set to the current TAI-UTC. Note that the International Earth Rotation and Reference Systems Service Bulletin C, which defines the current difference, reports it as UTC-TAI, and thus that value must be negated. The Leap Seconds value will always be a positive number. The Validity state does not have to be set to invalid to change the STCF or Leap Seconds, and should be set to valid at any time that the TIME Server time reference should be synchronized to by the other systems.

See also

CFE_TIME_ADD_ADJUST_CC, CFE_TIME_SUB_ADJUST_CC, CFE_TIME_SET_STCF_CC, CFE_TIME_ADD_ONEHZ_ADJUSCONEHZ_A

1.22.28 Setting MET

The TIME Server provides the capability to set the MET. Note that the MET (as implemented for cFE Time Service) is a logical representation and not a physical timer. Thus, setting the MET is not dependent on whether the hardware supports a MET register that can be written to. Note also that Time Service "assumes" that during normal operation, the MET is synchronized to the tone signal. Therefore, unless operating in FLYWHEEL mode, the sub-seconds portion of the MET will be set to zero at the next tone signal interrupt. The new MET takes effect immediately upon execution of this command.

See also

CFE_TIME_SET_MET_CC

1.22.29 Frequently Asked Questions about Time Services

None submitted

1.23 cFE Time Services Commands

Upon receipt of any command, the Time Services application will confirm that the message length embedded within the header (from CFE_MSG_GetSize()) matches the expected length of that message, based on the size of the C structure defining that command. If there is any discrepancy between the expected and actual message size, TIME will generate the CFE_TIME_LEN_ERR_EID event, increment the command error counter (\$sc_\$cpu_TIME_CMDEC), and the command will *not* be accepted for processing.

The following is a list of commands that are processed by the cFE Time Services Task.

Global CFE TIME ADD ADJUST CC

Add Delta to Spacecraft Time Correlation Factor

```
Global CFE_TIME_ADD_DELAY_CC
   Add Time to Tone Time Delay
Global CFE TIME ADD ONEHZ ADJUSTMENT CC
   Add Delta to Spacecraft Time Correlation Factor each 1Hz
Global CFE_TIME_NOOP_CC
   Time No-Op
Global CFE TIME RESET COUNTERS CC
   Time Reset Counters
Global CFE TIME SEND DIAGNOSTIC TLM CC
   Request TIME Diagnostic Telemetry
Global CFE_TIME_SET_LEAP_SECONDS_CC
   Set Leap Seconds
Global CFE TIME SET MET CC
   Set Mission Elapsed Time
Global CFE_TIME_SET_SIGNAL_CC
   Set Tone Signal Source
Global CFE_TIME_SET_SOURCE_CC
   Set Time Source
Global CFE TIME SET STATE CC
   Set Time State
Global CFE_TIME_SET_STCF_CC
   Set Spacecraft Time Correlation Factor
Global CFE TIME SET TIME CC
   Set Spacecraft Time
Global CFE TIME SUB ADJUST CC
   Subtract Delta from Spacecraft Time Correlation Factor
Global CFE TIME SUB DELAY CC
   Subtract Time from Tone Time Delay
Global CFE TIME SUB ONEHZ ADJUSTMENT CC
   Subtract Delta from Spacecraft Time Correlation Factor each 1Hz
1.24 cFE Time Services Telemetry
The following are telemetry packets generated by the cFE Time Services Task.
Global CFE_TIME_DiagnosticTIm_Payload_t
   Time Services Diagnostics Packet
Global CFE_TIME_DiagnosticTIm_Payload_t
   Time Services Diagnostics Packet
Global CFE TIME HousekeepingTlm Payload t
```

Time Services Housekeeping Packet

Time Services Housekeeping Packet

Global CFE_TIME_HousekeepingTIm_Payload_t

1.25 cFE Time Services Configuration Parameters

The following are configuration parameters used to configure the cFE Time Services either for each platform or for a mission as a whole.

Global CFE_MISSION_TIME_AT_TONE_WAS

Default Time and Tone Order

Default Time and Tone Order

Global CFE MISSION TIME CFG DEFAULT TAI

Default Time Format

Default Time Format

Global CFE_MISSION_TIME_CFG_FAKE_TONE

Default Time Format

Default Time Format

Global CFE MISSION TIME DEF MET SECS

Default Time Values

Default Time Values

Global CFE_MISSION_TIME_EPOCH_YEAR

Default EPOCH Values

Default EPOCH Values

Global CFE MISSION TIME FS FACTOR

Time File System Factor

Time File System Factor

Global CFE_MISSION_TIME_MIN_ELAPSED

Min and Max Time Elapsed

Min and Max Time Elapsed

Global CFE_PLATFORM_TIME_CFG_LATCH_FLY

Define Periodic Time to Update Local Clock Tone Latch

Define Periodic Time to Update Local Clock Tone Latch

Global CFE PLATFORM TIME CFG SERVER

Time Server or Time Client Selection

Time Server or Time Client Selection

Global CFE PLATFORM TIME CFG SIGNAL

Include or Exclude the Primary/Redundant Tone Selection Cmd

Include or Exclude the Primary/Redundant Tone Selection Cmd

Global CFE_PLATFORM_TIME_CFG_SOURCE

Include or Exclude the Internal/External Time Source Selection Cmd

Include or Exclude the Internal/External Time Source Selection Cmd

Global CFE_PLATFORM_TIME_CFG_SRC_MET

Choose the External Time Source for Server only

Choose the External Time Source for Server only

Global CFE PLATFORM TIME CFG START FLY

Define Time to Start Flywheel Since Last Tone

Define Time to Start Flywheel Since Last Tone

Global CFE PLATFORM TIME CFG TONE LIMIT

Define Timing Limits From One Tone To The Next

Define Timing Limits From One Tone To The Next

Global CFE PLATFORM TIME CFG VIRTUAL

Time Tone In Big-Endian Order

Local MET or Virtual MET Selection for Time Servers

Time Tone In Big-Endian Order

Local MET or Virtual MET Selection for Time Servers

Global CFE PLATFORM TIME MAX DELTA SECS

Define the Max Delta Limits for Time Servers using an Ext Time Source

Define the Max Delta Limits for Time Servers using an Ext Time Source

Global CFE_PLATFORM_TIME_MAX_LOCAL_SECS

Define the Local Clock Rollover Value in seconds and subseconds

Define the Local Clock Rollover Value in seconds and subseconds

Global CFE PLATFORM TIME START TASK PRIORITY

Define TIME Task Priorities

Define TIME Task Priorities

Global CFE_PLATFORM_TIME_START_TASK_STACK_SIZE

Define TIME Task Stack Sizes

Define TIME Task Stack Sizes

1.26 cFE Event Message Cross Reference

The following cross reference maps the text associated with each cFE Event Message to its Event Message Identifier. A user can search this page for the text of the message they wish to learn more about and then click on the associated Event Message Identifier to obtain more information.

1.27 cFE Command Mnemonic Cross Reference

The following cross reference maps the cFE command codes to Command Mnemonics. To learn about the details of a particular command, click on its associated command code.

Global CFE ES CLEAR ER LOG CC

\$sc_\$cpu_ES_ClearERLog

Global CFE_ES_CLEAR_SYSLOG_CC

\$sc_\$cpu_ES_ClearSysLog

Global CFE_ES_DELETE_CDS_CC

\$sc \$cpu ES DeleteCDS

Global CFE_ES_DUMP_CDS_REGISTRY_CC

\$sc \$cpu ES WriteCDS2File

```
Global CFE_ES_NOOP_CC
  $sc $cpu ES NOOP
Global CFE ES OVER WRITE SYSLOG CC
  $sc_$cpu_ES_OverwriteSysLogMode
Global CFE ES QUERY ALL CC
   $sc_$cpu_ES_WriteAppInfo2File
Global CFE_ES_QUERY_ALL_TASKS_CC
   $sc $cpu ES WriteTaskInfo2File
Global CFE ES QUERY ONE CC
  $sc $cpu ES QueryApp
Global CFE ES RELOAD APP CC
  $sc_$cpu_ES_ReloadApp
Global CFE_ES_RESET_COUNTERS_CC
  $sc_$cpu_ES_ResetCtrs
Global CFE ES RESET PR COUNT CC
  $sc_$cpu_ES_ResetPRCnt
Global CFE ES RESTART APP CC
  $sc_$cpu_ES_ResetApp
Global CFE_ES_RESTART_CC
  $sc_$cpu_ES_ProcessorReset, $sc_$cpu_ES_PowerOnReset
Global CFE_ES_SEND_MEM_POOL_STATS_CC
  $sc $cpu ES PoolStats
Global CFE ES SET MAX PR COUNT CC
  $sc $cpu ES SetMaxPRCnt
Global CFE ES SET PERF FILTER MASK CC
  $sc_$cpu_ES_LAFilterMask
Global CFE_ES_SET_PERF_TRIGGER_MASK_CC
  $sc $cpu ES LATriggerMask
Global CFE_ES_START_APP_CC
  $sc_$cpu_ES_StartApp
Global CFE ES START PERF DATA CC
  $sc_$cpu_ES_StartLAData
Global CFE_ES_STOP_APP_CC
  $sc_$cpu_ES_StopApp
Global CFE ES STOP PERF DATA CC
  $sc_$cpu_ES_StopLAData
Global CFE ES WRITE ER LOG CC
  $sc_$cpu_ES_WriteERLog2File
Global CFE ES WRITE SYSLOG CC
  $sc_$cpu_ES_WriteSysLog2File
Global CFE EVS ADD EVENT FILTER CC
```

\$sc_\$cpu_EVS_AddEvtFltr

```
Global CFE_EVS_CLEAR_LOG_CC
  $sc $cpu EVS ClrLog
Global CFE EVS DELETE EVENT FILTER CC
  $sc_$cpu_EVS_DelEvtFltr
Global CFE EVS DISABLE APP EVENT TYPE CC
   $sc $cpu EVS DisAppEvtType, $sc $cpu EVS DisAppEvtTypeMask
Global CFE EVS DISABLE APP EVENTS CC
   $sc $cpu EVS DisAppEvGen
Global CFE EVS DISABLE EVENT TYPE CC
   $sc $cpu EVS DisEventType, $sc $cpu EVS DisEventTypeMask
Global CFE EVS DISABLE PORTS CC
  $sc_$cpu_EVS_DisPort, $sc_$cpu_EVS_DisPortMask
Global CFE EVS ENABLE APP EVENT TYPE CC
  $sc_$cpu_EVS_EnaAppEvtType, $sc_$cpu_EVS_EnaAppEvtTypeMask
Global CFE EVS ENABLE APP EVENTS CC
  $sc_$cpu_EVS_EnaAppEvGen
Global CFE EVS ENABLE EVENT TYPE CC
  $sc_$cpu_EVS_EnaEventType, $sc_$cpu_EVS_EnaEventTypeMask
Global CFE_EVS_ENABLE_PORTS_CC
  $sc_$cpu_EVS_EnaPort, $sc_$cpu_EVS_EnaPortMask
Global CFE_EVS_NOOP_CC
  $sc $cpu EVS NOOP
Global CFE EVS RESET ALL FILTERS CC
  $sc $cpu EVS RstAllFltrs
Global CFE EVS RESET APP COUNTER CC
  $sc_$cpu_EVS_RstAppCtrs
Global CFE_EVS_RESET_COUNTERS_CC
  $sc $cpu EVS ResetCtrs
Global CFE_EVS_RESET_FILTER_CC
  $sc_$cpu_EVS_RstBinFltrCtr
Global CFE EVS SET EVENT FORMAT MODE CC
  $sc_$cpu_EVS_SetEvtFmt
Global CFE_EVS_SET_FILTER_CC
  $sc_$cpu_EVS_SetBinFltrMask
Global CFE EVS SET LOG MODE CC
  $sc_$cpu_EVS_SetLogMode
Global CFE EVS WRITE APP DATA FILE CC
  $sc_$cpu_EVS_WriteAppData2File
Global CFE EVS WRITE LOG DATA FILE CC
  $sc_$cpu_EVS_WriteLog2File
Global CFE SB DISABLE ROUTE CC
  $sc $cpu SB DisRoute
```

```
Global CFE_SB_DISABLE_SUB_REPORTING_CC
  $sc $cpu SB DisSubRptg
Global CFE SB ENABLE ROUTE CC
  $sc_$cpu_SB_EnaRoute
Global CFE SB ENABLE SUB REPORTING CC
   $sc_$cpu_SB_EnaSubRptg
Global CFE_SB_NOOP_CC
  $sc_$cpu_SB_NOOP
Global CFE_SB_RESET_COUNTERS_CC
   $sc $cpu SB ResetCtrs
Global CFE SB SEND PREV SUBS CC
  $sc_$cpu_SB_SendPrevSubs
Global CFE_SB_SEND_SB_STATS_CC
  $sc_$cpu_SB_DumpStats
Global CFE SB WRITE MAP INFO CC
  $sc_$cpu_SB_WriteMap2File
Global CFE SB WRITE PIPE INFO CC
  $sc_$cpu_SB_WritePipe2File
Global CFE_SB_WRITE_ROUTING_INFO_CC
  $sc_$cpu_SB_WriteRouting2File
Global CFE_TBL_ABORT_LOAD_CC
  $sc_$cpu_TBL_LOADABORT
Global CFE TBL ACTIVATE CC
  $sc_$cpu_TBL_ACTIVATE
Global CFE TBL DELETE CDS CC
  $sc_$cpu_TBL_DeleteCDS
Global CFE_TBL_DUMP_CC
  $sc_$cpu_TBL_DUMP
Global CFE_TBL_DUMP_REGISTRY_CC
  $sc_$cpu_TBL_WriteReg2File
Global CFE TBL LOAD CC
  $sc_$cpu_TBL_Load
Global CFE_TBL_NOOP_CC
  $sc_$cpu_TBL_NOOP
Global CFE_TBL_RESET_COUNTERS_CC
  $sc_$cpu_TBL_ResetCtrs
Global CFE TBL SEND REGISTRY CC
  $sc_$cpu_TBL_TLMReg
Global CFE TBL VALIDATE CC
  $sc_$cpu_TBL_VALIDATE
Global CFE_TIME_ADD_ADJUST_CC
  $sc_$cpu_TIME_AddSTCFAdj
```

```
Global CFE_TIME_ADD_DELAY_CC
  $sc $cpu TIME AddClockLat
Global CFE TIME ADD ONEHZ ADJUSTMENT CC
  $sc_$cpu_TIME_Add1HzSTCF
Global CFE TIME NOOP CC
  $sc_$cpu_TIME_NOOP
Global CFE TIME RESET COUNTERS CC
  $sc_$cpu_TIME_ResetCtrs
Global CFE TIME SEND DIAGNOSTIC TLM CC
  $sc $cpu TIME RequestDiag
Global CFE TIME SET LEAP SECONDS CC
  $sc_$cpu_TIME_SetClockLeap
Global CFE TIME SET MET CC
   $sc_$cpu_TIME_SetClockMET
Global CFE_TIME_SET_SIGNAL_CC
  $sc_$cpu_TIME_SetSignal
Global CFE_TIME_SET_SOURCE_CC
   $sc $cpu TIME SetSource
Global CFE TIME SET STATE CC
   $sc_$cpu_TIME_SetState
Global CFE TIME SET STCF CC
   $sc_$cpu_TIME_SetClockSTCF
Global CFE_TIME_SET_TIME_CC
   $sc_$cpu_TIME_SetClock
Global CFE_TIME_SUB_ADJUST_CC
   $sc $cpu TIME SubSTCFAdj
Global CFE TIME SUB DELAY CC
   $sc_$cpu_TIME_SubClockLat
Global CFE_TIME_SUB_ONEHZ_ADJUSTMENT_CC
   $sc_$cpu_TIME_Sub1HzSTCF
```

1.28 cFE Telemetry Mnemonic Cross Reference

The following cross reference maps the cFE telemetry packet members to their associated ground system telemetry mnemonics.

```
Global CFE_ES_AppInfo::AddressesAreValid
$sc_$cpu_ES_AddrsValid

Global CFE_ES_AppInfo::BSSAddress
$sc_$cpu_ES_BSSAddress

Global CFE_ES_AppInfo::BSSSize
$sc_$cpu_ES_BSSSize

Global CFE_ES_AppInfo::CodeAddress
$sc $cpu ES CodeAddress
```

```
Global CFE ES Applnfo::CodeSize
   $sc $cpu ES CodeSize
Global CFE ES AppInfo::DataAddress
   $sc_$cpu_ES_DataAddress
Global CFE_ES_AppInfo::DataSize
   $sc $cpu ES DataSize
Global CFE_ES_AppInfo::EntryPoint [CFE_MISSION_MAX_API_LEN]
   $sc $cpu ES AppEntryPt[OS MAX API NAME]
Global CFE ES Applnfo::ExceptionAction
   $sc $cpu ES ExceptnActn
Global CFE ES Applnfo::ExecutionCounter
   $sc_$cpu_ES_ExecutionCtr
Global CFE ES Applnfo::FileName [CFE MISSION MAX PATH LEN]
   $sc_$cpu_ES_AppFilename[OS_MAX_PATH_LEN]
Global CFE ES Applnfo::MainTaskld
   $sc_$cpu_ES_MainTaskId
Global CFE ES Applnfo::MainTaskName [CFE MISSION MAX API LEN]
   $sc_$cpu_ES_MainTaskName[OS_MAX_API_NAME]
Global CFE ES Appinfo::Name [CFE MISSION MAX API LEN]
   $sc_$cpu_ES_AppName[OS_MAX_API_NAME]
Global CFE ES Applnfo::NumOfChildTasks
   $sc $cpu ES ChildTasks
Global CFE_ES_AppInfo::Priority
   $sc $cpu ES Priority
Global CFE ES Appinfo::Resourceld
   $sc $cpu ES AppID
Global CFE_ES_AppInfo::StackSize
   $sc $cpu ES StackSize
Global CFE ES AppInfo::StartAddress
   $sc_$cpu_ES_StartAddr
Global CFE ES Applnfo::Type
   $sc_$cpu_ES_AppType
Global CFE ES HousekeepingTlm Payload::BootSource
   $sc_$cpu_ES_BootSource
Global CFE ES HousekeepingTlm Payload::CFECoreChecksum
   $sc $cpu ES CKSUM
Global CFE ES HousekeepingTlm Payload::CFEMajorVersion
   $sc_$cpu_ES_CFEMAJORVER
Global CFE_ES_HousekeepingTlm_Payload::CFEMinorVersion
   $sc $cpu ES CFEMINORVER
Global CFE_ES_HousekeepingTIm_Payload::CFEMissionRevision
   $sc $cpu ES CFEMISSIONREV
```

```
Global CFE ES HousekeepingTlm Payload::CFERevision
   $sc $cpu ES CFEREVISION
Global CFE ES HousekeepingTlm Payload::CommandCounter
   $sc $cpu ES CMDPC
Global CFE_ES_HousekeepingTIm_Payload::CommandErrorCounter
   $sc $cpu ES CMDEC
Global CFE_ES_HousekeepingTIm_Payload::ERLogEntries
   $sc $cpu ES ERLOGENTRIES
Global CFE_ES_HousekeepingTIm_Payload::ERLogIndex
   $sc $cpu ES ERLOGINDEX
Global CFE ES HousekeepingTlm Payload::HeapBlocksFree
   $sc_$cpu_ES_HeapBlocksFree
Global CFE ES HousekeepingTlm Payload::HeapBytesFree
   $sc_$cpu_ES_HeapBytesFree
Global CFE ES HousekeepingTlm Payload::HeapMaxBlockSize
   $sc_$cpu_ES_HeapMaxBlkSize
Global CFE ES HousekeepingTlm Payload::MaxProcessorResets
   $sc_$cpu_ES_MaxProcResets
Global CFE_ES_HousekeepingTIm_Payload::OSALMajorVersion
   $sc $cpu ES OSMAJORVER
Global CFE_ES_HousekeepingTIm_Payload::OSALMinorVersion
   $sc $cpu ES OSMINORVER
Global CFE_ES_HousekeepingTIm_Payload::OSALMissionRevision
   $sc $cpu ES OSMISSIONREV
Global CFE_ES_HousekeepingTlm_Payload::OSALRevision
   $sc $cpu ES OSREVISION
Global CFE_ES_HousekeepingTIm_Payload::PerfDataCount
   $sc $cpu ES PerfDataCnt
Global CFE_ES_HousekeepingTIm_Payload::PerfDataEnd
   $sc $cpu ES PerfDataEnd
Global CFE ES HousekeepingTlm Payload::PerfDataStart
   $sc_$cpu_ES_PerfDataStart
Global CFE ES HousekeepingTlm Payload::PerfDataToWrite
   $sc_$cpu_ES_PerfData2Write
Global CFE ES HousekeepingTlm Payload::PerfFilterMask [CFE MISSION ES PERF MAX IDS/32]
   $sc_$cpu_ES_PerfFltrMask[MaskCnt]
Global CFE ES HousekeepingTlm Payload::PerfMode
   $sc_$cpu_ES_PerfMode
Global CFE_ES_HousekeepingTlm_Payload::PerfState
   $sc $cpu ES PerfState
Global CFE_ES_HousekeepingTlm_Payload::PerfTriggerCount
   $sc $cpu ES PerfTrigCnt
```

```
Global CFE ES HousekeepingTlm Payload::PerfTriggerMask [CFE MISSION ES PERF MAX IDS/32]
   $sc $cpu ES PerfTrigMask[MaskCnt]
Global CFE ES HousekeepingTlm Payload::ProcessorResets
   $sc $cpu ES ProcResetCnt
Global CFE_ES_HousekeepingTlm_Payload::PSPMajorVersion
   $sc $cpu ES PSPMAJORVER
Global CFE_ES_HousekeepingTlm_Payload::PSPMinorVersion
   $sc $cpu ES PSPMINORVER
Global CFE_ES_HousekeepingTlm_Payload::PSPMissionRevision
   $sc $cpu ES PSPMISSIONREV
Global CFE ES HousekeepingTlm Payload::PSPRevision
   $sc_$cpu_ES_PSPREVISION
Global CFE ES HousekeepingTlm Payload::RegisteredCoreApps
   $sc_$cpu_ES_RegCoreApps
Global CFE ES HousekeepingTlm Payload::RegisteredExternalApps
   $sc_$cpu_ES_RegExtApps
Global CFE_ES_HousekeepingTlm_Payload::RegisteredLibs
   $sc_$cpu_ES_RegLibs
Global CFE_ES_HousekeepingTlm_Payload::RegisteredTasks
   $sc $cpu ES RegTasks
Global CFE_ES_HousekeepingTlm_Payload::ResetSubtype
   $sc $cpu ES ResetSubtype
Global CFE_ES_HousekeepingTlm_Payload::ResetType
   $sc $cpu ES ResetType
Global CFE ES HousekeepingTlm Payload::SysLogBytesUsed
   $sc $cpu ES SYSLOGBYTEUSED
Global CFE_ES_HousekeepingTlm_Payload::SysLogEntries
   $sc $cpu ES SYSLOGENTRIES
Global CFE_ES_HousekeepingTlm_Payload::SysLogMode
   $sc $cpu ES SYSLOGMODE
Global CFE ES HousekeepingTlm Payload::SysLogSize
   $sc_$cpu_ES_SYSLOGSIZE
Global CFE ES MemPoolStats::BlockStats [CFE MISSION ES POOL MAX BUCKETS]
   $sc_$cpu_ES_BlkStats[BLK_SIZES]
Global CFE ES MemPoolStats::CheckErrCtr
   $sc $cpu ES BlkErrCTR
Global CFE ES MemPoolStats::NumBlocksRequested
   $sc_$cpu_ES_BlksREQ
Global CFE ES MemPoolStats::NumFreeBytes
   $sc_$cpu_ES_FreeBytes
Global CFE ES MemPoolStats::PoolSize
   $sc $cpu ES PoolSize
```

```
Global CFE ES PoolStatsTlm Payload::PoolHandle
   $sc $cpu ES PoolHandle
Global CFE EVS AppTImData::AppEnableStatus
   $sc $cpu EVS APP[CFE PLATFORM ES MAX APPLICATIONS].APPENASTAT
Global CFE_EVS_AppTImData::AppID
   $sc $cpu EVS APP[CFE PLATFORM ES MAX APPLICATIONS].APPID
Global CFE EVS AppTImData::AppMessageSentCounter
   $sc $cpu EVS APP[CFE PLATFORM ES MAX APPLICATIONS].APPMSGSENTC
Global CFE EVS AppTImData::AppMessageSquelchedCounter
   $sc $cpu EVS APP[CFE PLATFORM ES MAX APPLICATIONS].SQUELCHEDC
Global CFE EVS HousekeepingTIm Payload::AppData [CFE MISSION ES MAX APPLICATIONS]
   $sc_$cpu_EVS_APP[CFE_PLATFORM_ES_MAX_APPLICATIONS]
Global CFE EVS HousekeepingTlm Payload::CommandCounter
  $sc_$cpu_EVS_CMDPC
Global CFE EVS HousekeepingTlm Payload::CommandErrorCounter
   $sc $cpu EVS CMDEC
Global CFE EVS HousekeepingTlm Payload::LogEnabled
  $sc_$cpu_EVS_LOGENABLED
Global CFE EVS HousekeepingTlm Payload::LogFullFlag
   $sc $cpu EVS LOGFULL
Global CFE_EVS_HousekeepingTlm_Payload::LogMode
  $sc $cpu EVS LOGMODE
Global CFE_EVS_HousekeepingTlm_Payload::LogOverflowCounter
  $sc $cpu EVS LOGOVERFLOWC
Global CFE EVS HousekeepingTlm Payload::MessageFormatMode
  $sc $cpu EVS MSGFMTMODE
Global CFE_EVS_HousekeepingTIm_Payload::MessageSendCounter
  $sc $cpu EVS MSGSENTC
Global CFE_EVS_HousekeepingTIm_Payload::MessageTruncCounter
  $sc $cpu EVS MSGTRUNC
Global CFE EVS HousekeepingTlm Payload::OutputPort
  $sc_$cpu_EVS_OUTPUTPORT
Global CFE EVS HousekeepingTlm Payload::Spare1
  $sc_$cpu_EVS_HK_SPARE1
Global CFE EVS HousekeepingTlm Payload::Spare2
  $sc $cpu EVS HK SPARE2
Global CFE EVS HousekeepingTlm Payload::Spare3
  $sc_$cpu_EVS_HK_SPARE3
Global CFE_EVS_HousekeepingTlm_Payload::UnregisteredAppCounter
   $sc $cpu EVS UNREGAPPC
Global CFE_EVS_LongEventTim_Payload::Message [CFE_MISSION_EVS_MAX_MESSAGE_LENGTH]
   $sc $cpu EVS EVENT[CFE MISSION EVS MAX MESSAGE LENGTH]
```

```
Global CFE EVS LongEventTlm Payload::Spare1
   $sc $cpu EVS SPARE1
Global CFE EVS LongEventTlm Payload::Spare2
   $sc $cpu EVS SPARE2
Global CFE_EVS_PacketID::AppName [CFE_MISSION_MAX_API_LEN]
   $sc $cpu EVS APPNAME[OS MAX API NAME]
Global CFE EVS PacketID::EventID
   $sc $cpu EVS EVENTID
Global CFE EVS PacketID::EventType
   $sc $cpu EVS EVENTTYPE
Global CFE EVS PacketID::ProcessorID
   $sc_$cpu_EVS_PROCESSORID
Global CFE EVS PacketID::SpacecraftID
   $sc_$cpu_EVS_SCID
Global CFE SB HousekeepingTlm Payload::CommandCounter
   $sc $cpu SB CMDPC
Global CFE SB HousekeepingTlm Payload::CommandErrorCounter
   $sc_$cpu_SB_CMDEC
Global CFE_SB_HousekeepingTlm_Payload::CreatePipeErrorCounter
   $sc $cpu SB NewPipeEC
Global CFE_SB_HousekeepingTlm_Payload::DuplicateSubscriptionsCounter
   $sc $cpu SB DupSubCnt
Global CFE_SB_HousekeepingTlm_Payload::GetPipeldByNameErrorCounter
   $sc $cpu SB GetPipeIDByNameEC
Global CFE SB HousekeepingTlm Payload::InternalErrorCounter
   $sc $cpu SB InternalEC
Global CFE_SB_HousekeepingTIm_Payload::MemInUse
   $sc $cpu SB MemInUse
Global CFE_SB_HousekeepingTlm_Payload::MemPoolHandle
   $sc $cpu SB MemPoolHdl
Global CFE SB HousekeepingTlm Payload::MsgLimitErrorCounter
   $sc_$cpu_SB_MsgLimEC
Global CFE SB HousekeepingTlm Payload::MsgReceiveErrorCounter
   $sc_$cpu_SB_MsgRecEC
Global CFE SB HousekeepingTlm Payload::MsgSendErrorCounter
   $sc $cpu SB MsgSndEC
Global CFE SB HousekeepingTlm Payload::NoSubscribersCounter
   $sc_$cpu_SB_NoSubEC
Global CFE_SB_HousekeepingTlm_Payload::PipeOptsErrorCounter
   $sc $cpu SB PipeOptsEC
Global CFE_SB_HousekeepingTlm_Payload::PipeOverflowErrorCounter
   $sc $cpu SB PipeOvrEC
```

```
Global CFE SB HousekeepingTlm Payload::Spare2Align [1]
   $sc $cpu SB Spare2Align[2]
Global CFE SB HousekeepingTlm Payload::SubscribeErrorCounter
   $sc $cpu SB SubscrEC
Global CFE_SB_HousekeepingTlm_Payload::UnmarkedMem
   $sc $cpu SB UnMarkedMem
Global CFE SB PipeDepthStats::CurrentQueueDepth
   $sc $cpu SB Stat.SB SMPDS[CFE PLATFORM SB MAX PIPES].SB PDINUSE
Global CFE SB PipeDepthStats::MaxQueueDepth
   $sc $cpu SB Stat.SB SMPDS[CFE PLATFORM SB MAX PIPES].SB PDDEPTH
Global CFE SB PipeDepthStats::PeakQueueDepth
   $sc_$cpu_SB_Stat.SB_SMPDS[CFE_PLATFORM_SB_MAX_PIPES].SB_PDPKINUSE
Global CFE SB PipeDepthStats::PipeId
   $sc_$cpu_SB_Stat.SB_SMPDS[CFE_PLATFORM_SB_MAX_PIPES].SB_PDPIPEID
Global CFE SB PipeDepthStats::Spare
   $sc_$cpu_SB_Stat.SB_SMPDS[CFE_PLATFORM_SB_MAX_PIPES].SB_PDSPARE
Global CFE SB StatsTlm Payload::MaxMemAllowed
   $sc_$cpu_SB_Stat.SB_SMMBMALW
Global CFE SB StatsTlm Payload::MaxMsgldsAllowed
   $sc_$cpu_SB_Stat.SB_SMMMIDALW
Global CFE SB StatsTlm Payload::MaxPipeDepthAllowed
   $sc $cpu SB Stat.SB SMMPDALW
Global CFE_SB_StatsTIm_Payload::MaxPipesAllowed
   $sc $cpu SB Stat.SB SMMPALW
Global CFE SB StatsTlm Payload::MaxSubscriptionsAllowed
   $sc $cpu SB Stat.SB SMMSALW
Global CFE_SB_StatsTIm_Payload::MemInUse
   $sc $cpu SB Stat.SB SMBMIU
Global CFE SB StatsTlm Payload::MsgldsInUse
   $sc_$cpu_SB_Stat.SB_SMMIDIU
Global CFE SB StatsTlm Payload::PeakMemInUse
   $sc_$cpu_SB_Stat.SB_SMPBMIU
Global CFE SB StatsTlm Payload::PeakMsgldsInUse
   $sc_$cpu_SB_Stat.SB_SMPMIDIU
Global CFE SB StatsTlm Payload::PeakPipesInUse
   $sc_$cpu_SB_Stat.SB_SMPPIU
Global CFE SB StatsTlm Payload::PeakSBBuffersInUse
   $sc_$cpu_SB_Stat.SB_SMPSBBIU
Global CFE SB StatsTlm Payload::PeakSubscriptionsInUse
   $sc_$cpu_SB_Stat.SB_SMPSIU
Global CFE_SB_StatsTIm_Payload::PipeDepthStats [CFE_MISSION_SB_MAX_PIPES]
   $sc $cpu SB Stat.SB SMPDS[CFE PLATFORM SB MAX PIPES]
```

```
Global CFE SB StatsTlm Payload::PipesInUse
   $sc $cpu SB Stat.SB SMPIU
Global CFE SB StatsTlm Payload::SBBuffersInUse
   $sc_$cpu_SB_Stat.SB_SMSBBIU
Global CFE SB StatsTlm Payload::SubscriptionsInUse
   $sc $cpu SB Stat.SB SMSIU
Global CFE_TBL_HousekeepingTlm_Payload::ActiveBuffer
   $sc_$cpu_TBL_LastValBuf
Global CFE_TBL_HousekeepingTlm_Payload::ByteAlignPad1
   $sc $cpu TBL ByteAlignPad1
Global CFE_TBL_HousekeepingTlm_Payload::CommandCounter
   $sc $cpu TBL CMDPC
Global CFE TBL HousekeepingTlm Payload::CommandErrorCounter
   $sc_$cpu_TBL_CMDEC
Global CFE TBL HousekeepingTlm Payload::FailedValCounter
   $sc_$cpu_TBL_ValFailedCtr
Global CFE TBL HousekeepingTlm Payload::LastFileDumped [CFE MISSION MAX PATH LEN]
   $sc_$cpu_TBL_LastFileDumped[OS_MAX_PATH_LEN]
Global CFE TBL HousekeepingTlm Payload::LastFileLoaded [CFE MISSION MAX PATH LEN]
   $sc $cpu TBL LastFileLoaded[OS MAX PATH LEN]
Global CFE TBL HousekeepingTlm Payload::LastTableLoaded [CFE MISSION TBL MAX FULL NAME LEN]
   $sc_$cpu_TBL_LastTableLoaded[CFE_TBL_MAX_FULL_NAME_LEN]
Global CFE TBL HousekeepingTlm Payload::LastUpdatedTable [CFE MISSION TBL MAX FULL NAME L↔
   $sc_$cpu_TBL_LastUpdTblName[CFE_TB_MAX_FULL_NAME_LEN]
Global CFE TBL HousekeepingTlm Payload::LastUpdateTime
   $sc_$cpu_TBL_LastUpdTime, $sc_$cpu_TBL_SECONDS, $sc_$cpu_TBL_SUBSECONDS
Global CFE TBL HousekeepingTlm Payload::LastValCrc
   $sc_$cpu_TBL_LastValCRC
Global CFE TBL HousekeepingTlm Payload::LastValStatus
   $sc_$cpu_TBI_LastValS
Global CFE TBL HousekeepingTlm Payload::LastValTableName [CFE MISSION TBL MAX FULL NAME L←
   EN1
   $sc $cpu TBL LastValTblName[CFE TB MAX FULL NAME LEN]
Global CFE TBL HousekeepingTlm Payload::MemPoolHandle
   $sc_$cpu_TBL_MemPoolHandle
Global CFE TBL HousekeepingTlm Payload::NumFreeSharedBufs
   $sc $cpu TBL NumFreeShrBuf
Global CFE_TBL_HousekeepingTlm_Payload::NumLoadPending
   $sc $cpu TBL NumUpdatesPend
Global CFE_TBL_HousekeepingTlm_Payload::NumTables
   $sc $cpu TBL NumTables
```

```
Global CFE_TBL HousekeepingTlm Payload::NumValRequests
   $sc $cpu TBL ValReqCtr
Global CFE TBL HousekeepingTlm Payload::SuccessValCounter
   $sc $cpu TBL ValSuccessCtr
Global CFE_TBL_HousekeepingTlm_Payload::ValidationCounter
   $sc $cpu TBL ValCompltdCtr
Global CFE TBL TblRegPacket Payload::ActiveBufferAddr
   $sc $cpu TBL ActBufAdd
Global CFE TBL TblRegPacket Payload::ByteAlign4
   $sc $cpu TBL Spare4
Global CFE TBL TblRegPacket Payload::Crc
   $sc_$cpu_TBL_CRC
Global CFE TBL TblRegPacket Payload::Critical
   $sc_$cpu_TBL_Spare3
Global CFE TBL TblRegPacket Payload::DoubleBuffered
   $sc_$cpu_TBL_DblBuffered
Global CFE TBL TblRegPacket Payload::DumpOnly
   $sc_$cpu_TBL_DumpOnly
Global CFE_TBL_TblRegPacket_Payload::FileCreateTimeSecs
   $sc $cpu TBL FILECSECONDS
Global CFE_TBL_TblRegPacket_Payload::FileCreateTimeSubSecs
   $sc $cpu TBL FILECSUBSECONDS
Global CFE TBL TblRegPacket Payload::InactiveBufferAddr
   $sc $cpu TBL IActBufAdd
Global CFE TBL TblRegPacket Payload::LastFileLoaded [CFE MISSION MAX PATH LEN]
   $sc $cpu TBL LastFileUpd[OS MAX PATH LEN]
Global CFE_TBL_TblRegPacket_Payload::LoadPending
   $sc $cpu TBL UpdatePndng
Global CFE TBL TblRegPacket Payload::Name [CFE MISSION TBL MAX FULL NAME LEN]
   $sc_$cpu_TBL_Name[CFE_TB_MAX_FULL_NAME_LEN]
Global CFE TBL TblReqPacket Payload::OwnerAppName [CFE MISSION MAX API LEN]
   $sc_$cpu_TBL_OwnerApp[OS_MAX_API_NAME]
Global CFE TBL TblRegPacket Payload::Size
   $sc_$cpu_TBL_SIZE
Global CFE TBL TblRegPacket Payload::TableLoadedOnce
   $sc_$cpu_TBL_LoadedOnce
Global CFE_TBL_TblRegPacket Payload::TimeOfLastUpdate
   $sc_$cpu_TBL_TimeLastUpd, $sc_$cpu_TBL_TLUSECONDS, $sc_$cpu_TBL_TLUSUBSECONDS
Global CFE_TBL_TblRegPacket_Payload::ValidationFuncPtr
   $sc_$cpu_TBL_ValFuncPtr
Global CFE_TIME_DiagnosticTIm_Payload::AtToneDelay
   $sc $cpu TIME DLatentS, $sc $cpu TIME DLatentSs
```

```
Global CFE_TIME_DiagnosticTIm_Payload::AtToneLatch
   $sc $cpu TIME DTValidS, $sc $cpu TIME DTValidSs
Global CFE TIME DiagnosticTlm Payload::AtToneLeapSeconds
   $sc $cpu TIME DLeapS
Global CFE_TIME_DiagnosticTIm_Payload::AtToneMET
   $sc $cpu TIME DTMETS, $sc $cpu TIME DTMETSs
Global CFE TIME DiagnosticTlm Payload::AtToneSTCF
   $sc $cpu TIME DSTCFS, $sc $cpu TIME DSTCFSS
Global CFE_TIME_DiagnosticTIm_Payload::ClockFlyState
   $sc $cpu TIME DFlywheel
Global CFE TIME DiagnosticTlm Payload::ClockSetState
   $sc_$cpu_TIME_DValid
Global CFE TIME DiagnosticTlm Payload::ClockSignal
   $sc $cpu TIME DSignal
Global CFE_TIME_DiagnosticTIm_Payload::ClockSource
   $sc $cpu TIME DSource
Global CFE TIME DiagnosticTlm Payload::ClockStateAPI
   $sc $cpu TIME DAPIState
Global CFE TIME DiagnosticTlm Payload::ClockStateFlags
   $sc $cpu TIME DStateFlags, $sc $cpu TIME DFlagSet, $sc $cpu TIME DFlagFly, $sc $cpu TIME DFlagSrc,
   $sc $cpu TIME DFlagPri, $sc $cpu TIME DFlagSfly, $sc $cpu TIME DFlagCfly, $sc $cpu TIME DFlagAdjd,
   $sc $cpu TIME DFlag1Hzd, $sc $cpu TIME DFlagClat, $sc $cpu TIME DFlagSorC, $sc $cpu TIME DFlag↔
   NIU
Global CFE_TIME_DiagnosticTIm_Payload::CurrentLatch
   $sc_$cpu_TIME_DLocalS, $sc_$cpu_TIME_DLocalSs
Global CFE_TIME_DiagnosticTIm_Payload::CurrentMET
   $sc $cpu TIME DMETS, $sc $cpu TIME DMETSs
Global CFE_TIME_DiagnosticTIm_Payload::CurrentTAI
   $sc_$cpu_TIME_DTAIS, $sc_$cpu_TIME_DTAISS
Global CFE TIME DiagnosticTIm Payload::CurrentUTC
   $sc_$cpu_TIME_DUTCS, $sc_$cpu_TIME_DUTCSS
Global CFE_TIME_DiagnosticTIm_Payload::DataStoreStatus
   $sc_$cpu_TIME_DataStStat
Global CFE_TIME_DiagnosticTIm_Payload::DelayDirection
   $sc_$cpu_TIME_DLatentDir
Global CFE TIME DiagnosticTlm Payload::Forced2Fly
   $sc_$cpu_TIME_DCMD2Fly
Global CFE TIME DiagnosticTlm Payload::LocalIntCounter
   $sc $cpu TIME D1HzISRCNT
Global CFE_TIME_DiagnosticTIm_Payload::LocalTaskCounter
   $sc $cpu TIME D1HzTaskCNT
```

```
Global CFE TIME DiagnosticTIm Payload::MaxElapsed
   $sc $cpu TIME DMaxWindow
Global CFE TIME DiagnosticTlm Payload::MaxLocalClock
   $sc $cpu TIME DWrapS, $sc $cpu TIME DWrapSs
Global CFE_TIME_DiagnosticTIm_Payload::MinElapsed
   $sc $cpu TIME DMinWindow
Global CFE TIME DiagnosticTlm Payload::OneHzAdjust
   $sc $cpu TIME D1HzAdjS, $sc $cpu TIME D1HzAdjSs
Global CFE TIME DiagnosticTIm Payload::OneHzDirection
   $sc $cpu TIME D1HzAdjDir
Global CFE TIME DiagnosticTlm Payload::OneTimeAdjust
   $sc_$cpu_TIME_DAdjustS, $sc_$cpu_TIME_DAdjustSs
Global CFE TIME DiagnosticTlm Payload::OneTimeDirection
   $sc_$cpu_TIME_DAdjustDir
Global CFE TIME DiagnosticTlm Payload::ServerFlyState
   $sc_$cpu_TIME_DSrvFly
Global CFE TIME DiagnosticTIm Payload::TimeSinceTone
   $sc_$cpu_TIME_DElapsedS, $sc_$cpu_TIME_DElapsedSs
Global CFE_TIME_DiagnosticTIm_Payload::ToneDataCounter
   $sc_$cpu_TIME_DTatTCNT
Global CFE_TIME_DiagnosticTIm_Payload::ToneDataLatch
   $sc $cpu TIME DTDS, $sc $cpu TIME DTDSs
Global CFE_TIME_DiagnosticTIm_Payload::ToneIntCounter
   $sc $cpu TIME DTsISRCNT
Global CFE_TIME_DiagnosticTIm_Payload::ToneIntErrorCounter
   $sc $cpu TIME DTsISRERR
Global CFE_TIME_DiagnosticTIm_Payload::ToneMatchCounter
   $sc $cpu TIME DVerifyCNT
Global CFE_TIME_DiagnosticTIm_Payload::ToneMatchErrorCounter
   $sc_$cpu_TIME_DVerifyER
Global CFE TIME DiagnosticTlm Payload::ToneOverLimit
   $sc_$cpu_TIME_DMaxSs
Global CFE TIME DiagnosticTIm Payload::ToneSignalCounter
   $sc_$cpu_TIME_DTSDetCNT
Global CFE TIME DiagnosticTIm Payload::ToneSignalLatch
   $sc_$cpu_TIME_DTTS, $sc_$cpu_TIME_DTTSs
Global CFE TIME DiagnosticTIm Payload::ToneTaskCounter
   $sc_$cpu_TIME_DTsTaskCNT
Global CFE_TIME_DiagnosticTIm_Payload::ToneUnderLimit
   $sc_$cpu_TIME_DMinSs
Global CFE_TIME_DiagnosticTIm_Payload::VersionCounter
   $sc $cpu TIME DVersionCNT
```

```
Global CFE_TIME_DiagnosticTIm_Payload::VirtualMET
   $sc $cpu TIME DLogicalMET
Global CFE_TIME_HousekeepingTIm_Payload::ClockStateAPI
   $sc_$cpu_TIME_DAPIState
Global CFE TIME HousekeepingTlm Payload::ClockStateFlags
   $sc_$cpu_TIME_StateFlg, $sc_$cpu_TIME_FlagSet, $sc_$cpu_TIME_FlagFly, $sc_$cpu_TIME_FlagSrc, $sc_
   $cpu_TIME_FlagPri, $sc_$cpu_TIME_FlagSfly, $sc_$cpu_TIME_FlagCfly, $sc_$cpu_TIME_FlagAdjd, $sc_$cpu
   _TIME_Flag1Hzd, $sc_$cpu_TIME_FlagClat, $sc_$cpu_TIME_FlagSorC, $sc_$cpu_TIME_FlagNIU
Global CFE TIME HousekeepingTlm Payload::CommandCounter
   $sc_$cpu_TIME_CMDPC
Global CFE_TIME_HousekeepingTIm_Payload::CommandErrorCounter
   $sc_$cpu_TIME_CMDEC
Global CFE TIME HousekeepingTlm Payload::LeapSeconds
   $sc_$cpu_TIME_LeapSecs
Global CFE TIME HousekeepingTlm Payload::Seconds1HzAdj
   $sc $cpu TIME 1HzAdjSecs
Global CFE TIME HousekeepingTlm Payload::SecondsDelay
   $sc_$cpu_TIME_1HzAdjSecs
Global CFE TIME HousekeepingTlm Payload::SecondsMET
   $sc_$cpu_TIME_METSecs
Global CFE TIME HousekeepingTlm Payload::SecondsSTCF
   $sc_$cpu_TIME_STCFSecs
Global CFE_TIME_HousekeepingTIm_Payload::Subsecs1HzAdj
   $sc $cpu TIME 1HzAdjSSecs
Global CFE_TIME_HousekeepingTIm_Payload::SubsecsDelay
   $sc $cpu TIME 1HzAdjSSecs
Global CFE TIME HousekeepingTlm Payload::SubsecsMET
   $sc $cpu TIME METSubsecs
Global CFE TIME HousekeepingTlm Payload::SubsecsSTCF
   $sc_$cpu_TIME_STCFSubsecs
```

2 Glossary of Terms

Term	Definition
Application (or App)	A set of data and functions that is treated as a single entity by the cFE. cFE resources are allocated on a per-Application basis. Applications are made up of a Main Task and zero or more Child Tasks.
Application ID	A processor unique reference to an Application. NOTE: This is different from a CCSDS Application ID which is referred to as an "APID."
Application Programmer's Interface (API)	A set of routines, protocols, and tools for building software applications
Platform Support Package (PSP)	A collection of user-provided facilities that interface an OS and the cFE with a specific hardware platform. The PSP is responsible for hardware initialization.

Term	Definition
Child Task	A separate thread of execution that is spawned by an Application's Main Task.
Command	A Software Bus Message defined by the receiving Application. Commands can originate from other onboard Applications or from the ground.
Core Flight Executive (cFE)	A runtime environment and a set of services for hosting FSW Applications
Critical Data Store (CDS)	A collection of data that is not modified by the OS or cFE following a Processor Reset.
Cyclic Redundancy Check	A polynomial based method for checking that a data set has remained unchanged from one time period to another.
Developer	Anyone who is coding a cFE Application.
Event Data	Data describing an Event that is supplied to the cFE Event Service. The cFE includes this data in an Event Message.
Event Filter	A numeric value (bit mask) used to determine how frequently to output an application Event Message defined by its Event ID.
Event Format Mode	Defines the Event Message Format downlink option: short or long. The short format is used when there is limited telemetry bandwidth and is binary. The long format is in ASCII and is used for logging to a Local Event Log and to an Event Message Port.
Event ID	A numeric literal used to uniquely name an Application event.
Event Type	A numeric literal used to identify the type of an Application event. An event type may be CFE_EVS_EventType_DEBUG, CFE_EVS_EventType_INFORMATION, CFE_EVS_EventType_ERROR, or CFE_EVS_EventType_CRITICAL.
Event Message	A data item used to notify the user and/or an external Application of a significant event. Event Messages include a time-stamp of when the message was generated, a processor unique identifier, an Application ID, the Event Type (DEBUG,INFO,ERROR or CRITICAL), and Event Data. An Event Message can either be real-time or playback from a Local Event Log.

3 cFE Application Programmer's Interface (API) Reference

3.1 Executive Services API

- cFE Entry/Exit APIs
 - CFE_ES_Main cFE Main Entry Point used by Board Support Package to start cFE
 - CFE_ES_ResetCFE Reset the cFE Core and all cFE Applications.
- cFE Application Control APIs
 - CFE_ES_RestartApp Restart a single cFE Application.
 - CFE_ES_ReloadApp Reload a single cFE Application.
 - CFE_ES_DeleteApp Delete a cFE Application.
- cFE Application Behavior APIs
 - CFE_ES_RunLoop Check for Exit, Restart, or Reload commands.
 - CFE_ES_WaitForStartupSync Allow an Application to Wait for the "OPERATIONAL" global system state.

- CFE_ES_WaitForSystemState Allow an Application to Wait for a minimum global system state.
- CFE_ES_IncrementTaskCounter Increments the execution counter for the calling task.
- CFE_ES_ExitApp Exit a cFE Application.

cFE Information APIs

- CFE_ES_GetResetType Return the most recent Reset Type.
- CFE_ES_GetAppID Get an Application ID for the calling Application.
- CFE_ES_GetTaskID Get the task ID of the calling context.
- CFE_ES_GetAppIDByName Get an Application ID associated with a specified Application name.
- CFE_ES_GetLibIDByName Get a Library ID associated with a specified Library name.
- CFE_ES_GetAppName Get an Application name for a specified Application ID.
- CFE ES GetLibName Get a Library name for a specified Library ID.
- CFE_ES_GetAppInfo Get Application Information given a specified App ID.
- CFE_ES_GetTaskInfo Get Task Information given a specified Task ID.
- CFE_ES_GetLibInfo Get Library Information given a specified Resource ID.
- CFE_ES_GetModuleInfo Get Information given a specified Resource ID.

· cFE Child Task APIs

- CFE_ES_CreateChildTask Creates a new task under an existing Application.
- CFE ES_GetTaskIDByName Get a Task ID associated with a specified Task name.
- CFE ES GetTaskName Get a Task name for a specified Task ID.
- CFE ES DeleteChildTask Deletes a task under an existing Application.
- CFE ES ExitChildTask Exits a child task.

· cFE Critical Data Store APIs

- CFE_ES_RegisterCDS Reserve space (or re-obtain previously reserved space) in the Critical Data Store (CDS)
- CFE ES GetCDSBlockIDByName Get a CDS Block ID associated with a specified CDS Block name.
- CFE ES GetCDSBlockName Get a Block name for a specified Block ID.
- CFE ES CopyToCDS Save a block of data in the Critical Data Store (CDS)
- CFE ES RestoreFromCDS Recover a block of data from the Critical Data Store (CDS)

cFE Memory Manager APIs

- CFE_ES_PoolCreate Initializes a memory pool created by an application while using a semaphore during processing.
- CFE_ES_PoolCreateEx Initializes a memory pool created by an application with application specified block sizes.
- CFE_ES_PoolCreateNoSem Initializes a memory pool created by an application without using a semaphore during processing.
- CFE ES PoolDelete Deletes a memory pool that was previously created.
- CFE_ES_GetPoolBuf Gets a buffer from the memory pool created by CFE_ES_PoolCreate or CFE ES PoolCreateNoSem.
- CFE_ES_PutPoolBuf Releases a buffer from the memory pool that was previously allocated via CFE_ES_GetPoolBuf.
- CFE ES GetMemPoolStats Extracts the statistics maintained by the memory pool software.

3.2 Events Services API 93

- CFE_ES_GetPoolBufInfo Gets info on a buffer previously allocated via CFE_ES_GetPoolBuf.
- · cFE Performance Monitor APIs
 - CFE_ES_PerfLogEntry Entry marker for use with Software Performance Analysis Tool.
 - CFE_ES_PerfLogExit Exit marker for use with Software Performance Analysis Tool.
 - CFE_ES_PerfLogAdd Adds a new entry to the data buffer.
- · cFE Generic Counter APIs
 - CFE_ES_RegisterGenCounter Register a generic counter.
 - CFE_ES_DeleteGenCounter Delete a generic counter.
 - CFE_ES_IncrementGenCounter Increments the specified generic counter.
 - CFE_ES_SetGenCount Set the specified generic counter.
 - CFE_ES_GetGenCount Get the specified generic counter count.
 - CFE_ES_GetGenCounterIDByName Get the Id associated with a generic counter name.
 - CFE_ES_GetGenCounterName Get a Counter name for a specified Counter ID.
- · cFE Miscellaneous APIs
 - CFE_ES_BackgroundWakeup Wakes up the CFE background task.
 - CFE ES CalculateCRC Calculate a CRC on a block of memory.
 - CFE_ES_WriteToSysLog Write a string to the cFE System Log.
 - CFE_ES_ProcessAsyncEvent Notification that an asynchronous event was detected by the underlying OS/PSP.
 - CFE_ES_StatusToString Convert status to a string.
- cFE Resource ID APIs
 - CFE ES AppID ToIndex Obtain an index value correlating to an ES Application ID.
 - CFE ES LibID Tolndex Obtain an index value correlating to an ES Library ID.
 - CFE_ES_TaskID_ToIndex Obtain an index value correlating to an ES Task ID.
 - CFE ES CounterID Tolndex Obtain an index value correlating to an ES Counter ID.

3.2 Events Services API

- · cFE Registration APIs
 - CFE_EVS_Register Register an application for receiving event services.
- cFE Send Event APIs
 - CFE EVS SendEvent Generate a software event.
 - CFE_EVS_SendEventWithAppID Generate a software event given the specified Application ID.
 - CFE_EVS_SendTimedEvent Generate a software event with a specific time tag.
- · cFE Reset Event Filter APIs
 - CFE_EVS_ResetFilter Resets the calling application's event filter for a single event ID.
 - CFE EVS ResetAllFilters Resets all of the calling application's event filters.

3.3 File Services API

- · cFE File Header Management APIs
 - CFE_FS_ReadHeader Read the contents of the Standard cFE File Header.
 - CFE FS InitHeader Initializes the contents of the Standard cFE File Header.
 - CFE_FS_WriteHeader Write the specified Standard cFE File Header to the specified file.
 - CFE_FS_SetTimestamp Modifies the Time Stamp field in the Standard cFE File Header for the specified file.
- · cFE File Utility APIs
 - CFE FS GetDefaultMountPoint Get the default virtual mount point for a file category.
 - CFE_FS_GetDefaultExtension Get the default filename extension for a file category.
 - CFE FS ParseInputFileNameEx Parse a filename input from an input buffer into a local buffer.
 - CFE FS ParseInputFileName Parse a filename string from the user into a local buffer.
 - CFE_FS_ExtractFilenameFromPath Extracts the filename from a unix style path and filename string.
 - CFE_FS_BackgroundFileDumpRequest Register a background file dump request.
 - CFE FS BackgroundFileDumplsPending Query if a background file write request is currently pending.

3.4 Message API

- cFE Generic Message APIs
 - CFE MSG Init Initialize a message.
- · cFE Message Primary Header APIs
 - CFE MSG GetSize Gets the total size of a message.
 - CFE MSG SetSize Sets the total size of a message.
 - CFE MSG GetType Gets the message type.
 - CFE_MSG_SetType Sets the message type.
 - CFE MSG GetHeaderVersion Gets the message header version.
 - CFE MSG SetHeaderVersion Sets the message header version.
 - CFE MSG GetHasSecondaryHeader Gets the message secondary header boolean.
 - CFE_MSG_SetHasSecondaryHeader Sets the message secondary header boolean.
 - CFE_MSG_GetApId Gets the message application ID.
 - CFE_MSG_SetApId Sets the message application ID.
 - CFE_MSG_GetSegmentationFlag Gets the message segmentation flag.
 - CFE_MSG_SetSegmentationFlag Sets the message segmentation flag.
 - CFE MSG GetSequenceCount Gets the message sequence count.
 - CFE_MSG_SetSequenceCount Sets the message sequence count.
 - CFE_MSG_GetNextSequenceCount Gets the next sequence count value (rolls over if appropriate)
- · cFE Message Extended Header APIs
 - CFE MSG GetEDSVersion Gets the message EDS version.
 - CFE_MSG_SetEDSVersion Sets the message EDS version.
 - CFE MSG GetEndian Gets the message endian.

3.5 Resource ID API 95

- CFE_MSG_SetEndian Sets the message endian.
- CFE_MSG_GetPlaybackFlag Gets the message playback flag.
- CFE_MSG_SetPlaybackFlag Sets the message playback flag.
- CFE MSG GetSubsystem Gets the message subsystem.
- CFE_MSG_SetSubsystem Sets the message subsystem.
- CFE MSG GetSystem Gets the message system.
- CFE MSG SetSystem Sets the message system.
- · cFE Message Secondary Header APIs
 - CFE MSG GenerateChecksum Calculates and sets the checksum of a message.
 - CFE_MSG_ValidateChecksum Validates the checksum of a message.
 - CFE_MSG_SetFcnCode Sets the function code field in a message.
 - CFE_MSG_GetFcnCode Gets the function code field from a message.
 - CFE MSG GetMsgTime Gets the time field from a message.
 - CFE MSG SetMsgTime Sets the time field in a message.
- cFE Message Id APIs
 - CFE_MSG_GetMsgld Gets the message id from a message.
 - CFE MSG SetMsgld Sets the message id bits in a message.
 - CFE MSG GetTypeFromMsgld Gets message type using message ID.

3.5 Resource ID API

- · cFE Resource Misc APIs
 - CFE Resourceld ToInteger Convert a resource ID to an integer.
 - CFE Resourceld FromInteger Convert an integer to a resource ID.
 - CFE Resourceld Equal Compare two Resource ID values for equality.
 - CFE Resourceld IsDefined Check if a resource ID value is defined.
 - CFE Resourceld GetBase Get the Base value (type/category) from a resource ID value.
 - CFE_ResourceId_GetSerial Get the Serial Number (sequential ID) from a resource ID value.
 - CFE_ResourceId_FindNext Locate the next resource ID which does not map to an in-use table entry.
 - CFE_ResourceId_ToIndex Internal routine to aid in converting an ES resource ID to an array index.

3.6 Software Bus Services API

- cFE Pipe Management APIs
 - CFE SB CreatePipe Creates a new software bus pipe.
 - CFE SB DeletePipe Delete a software bus pipe.
 - CFE SB Pipeld Tolndex Obtain an index value correlating to an SB Pipe ID.
 - CFE SB SetPipeOpts Set options on a pipe.
 - CFE_SB_GetPipeOpts Get options on a pipe.
 - CFE_SB_GetPipeName Get the pipe name for a given id.
 - CFE_SB_GetPipeIdByName Get pipe id by pipe name.
- cFE Message Subscription Control APIs

- CFE_SB_Subscribe Subscribe to a message on the software bus with default parameters.
- CFE_SB_SubscribeEx Subscribe to a message on the software bus.
- CFE_SB_SubscribeLocal Subscribe to a message while keeping the request local to a cpu.
- CFE_SB_Unsubscribe Remove a subscription to a message on the software bus.
- CFE_SB_UnsubscribeLocal Remove a subscription to a message on the software bus on the current CPU.

• cFE Send/Receive Message APIs

- CFE_SB_TransmitMsg Transmit a message.
- CFE SB ReceiveBuffer Receive a message from a software bus pipe.

cFE Zero Copy APIs

- CFE_SB_AllocateMessageBuffer Get a buffer pointer to use for "zero copy" SB sends.
- CFE SB ReleaseMessageBuffer Release an unused "zero copy" buffer pointer.
- CFE_SB_TransmitBuffer Transmit a buffer.

cFE Message Characteristics APIs

- CFE SB SetUserDataLength Sets the length of user data in a software bus message.
- CFE_SB_TimeStampMsg Sets the time field in a software bus message with the current spacecraft time.
- CFE_SB_MessageStringSet Copies a string into a software bus message.
- CFE_SB_GetUserData Get a pointer to the user data portion of a software bus message.
- CFE_SB_GetUserDataLength Gets the length of user data in a software bus message.
- CFE_SB_MessageStringGet Copies a string out of a software bus message.

· cFE Message ID APIs

- CFE_SB_IsValidMsgld Identifies whether a given CFE_SB_Msgld_t is valid.
- CFE SB Msgld Equal Identifies whether two CFE SB Msgld t values are equal.
- CFE_SB_MsgldToValue Converts a CFE_SB_Msgld_t to a normal integer.
- CFE_SB_ValueToMsgld Converts a normal integer into a CFE_SB_Msgld_t.

3.7 Table Services API

cFE Registration APIs

- CFE_TBL_Register Register a table with cFE to obtain Table Management Services.
- CFE_TBL_Share Obtain handle of table registered by another application.
- CFE_TBL_Unregister Unregister a table.

· cFE Manage Table Content APIs

- CFE_TBL_Load Load a specified table with data from specified source.
- CFE TBL Update Update contents of a specified table, if an update is pending.
- CFE TBL Validate Perform steps to validate the contents of a table image.
- CFE_TBL_Manage Perform standard operations to maintain a table.
- CFE_TBL_DumpToBuffer Copies the contents of a Dump Only Table to a shared buffer.
- CFE_TBL_Modified Notify cFE Table Services that table contents have been modified by the Application.

cFE Access Table Content APIs

3.8 Time Services API 97

- CFE_TBL_GetAddress Obtain the current address of the contents of the specified table.
- CFE_TBL_GetAddresses Obtain the current addresses of an array of specified tables.
- CFE_TBL_ReleaseAddress Release previously obtained pointer to the contents of the specified table.
- CFE TBL ReleaseAddresses Release the addresses of an array of specified tables.

cFE Get Table Information APIs

- CFE TBL GetStatus Obtain current status of pending actions for a table.
- CFE TBL GetInfo Obtain characteristics/information of/about a specified table.
- CFE_TBL_NotifyByMessage Instruct cFE Table Services to notify Application via message when table requires management.

3.8 Time Services API

- · cFE Get Current Time APIs
 - CFE TIME GetTime Get the current spacecraft time.
 - CFE_TIME_GetTAI Get the current TAI (MET + SCTF) time.
 - CFE_TIME_GetUTC Get the current UTC (MET + SCTF Leap Seconds) time.
 - CFE_TIME_GetMET Get the current value of the Mission Elapsed Time (MET).
 - CFE TIME GetMETseconds Get the current seconds count of the mission-elapsed time.
 - CFE_TIME_GetMETsubsecs Get the current sub-seconds count of the mission-elapsed time.
- · cFE Get Time Information APIs
 - CFE TIME GetSTCF Get the current value of the spacecraft time correction factor (STCF).
 - CFE_TIME_GetLeapSeconds Get the current value of the leap seconds counter.
 - CFE_TIME_GetClockState Get the current state of the spacecraft clock.
 - CFE_TIME_GetClockInfo Provides information about the spacecraft clock.
- cFE Time Arithmetic APIs
 - CFE_TIME_Add Adds two time values.
 - CFE_TIME_Subtract Subtracts two time values.
 - CFE_TIME_Compare Compares two time values.
- · cFE Time Conversion APIs
 - CFE TIME MET2SCTime Convert specified MET into Spacecraft Time.
 - CFE TIME Sub2MicroSecs Converts a sub-seconds count to an equivalent number of microseconds.
 - CFE_TIME_Micro2SubSecs Converts a number of microseconds to an equivalent sub-seconds count.
- · cFE External Time Source APIs
 - CFE_TIME_ExternalTone Provides the 1 Hz signal from an external source.
 - CFE TIME ExternalMET Provides the Mission Elapsed Time from an external source.
 - CFE_TIME_ExternalGPS Provide the time from an external source that has data common to GPS receivers.
 - CFE_TIME_ExternalTime Provide the time from an external source that measures time relative to a known epoch.
 - CFE_TIME_RegisterSynchCallback Registers a callback function that is called whenever time synchronization occurs.

- CFE_TIME_UnregisterSynchCallback Unregisters a callback function that is called whenever time synchronization occurs.
- cFE Miscellaneous Time APIs
 - CFE TIME Print Print a time value as a string.
 - CFE_TIME_Local1HzISR This function is called via a timer callback set up at initialization of the TIME service.

4 Osal API Documentation

- · General Information and Concepts
 - OSAL Introduction
- · Core
 - OSAL Return Code Defines
 - OSAL Object Type Defines
 - APIs
 - * OSAL Core Operation APIs
 - * OSAL Object ID Utility APIs
 - * OSAL Task APIs
 - * OSAL Message Queue APIs
 - * OSAL Heap APIs
 - * OSAL Error Info APIs
 - * OSAL Select APIs
 - * OSAL Printf APIs
 - * OSAL BSP low level access APIs
 - * OSAL Real Time Clock APIs
 - * OSAL Shell APIs
 - Common Reference
 - Return Code Reference
 - Id Map Reference
 - Clock Reference
 - Task Reference
 - Message Queue Reference
 - Heap Reference
 - Select Reference
 - Printf Reference
 - BSP Reference
 - Shell Reference
- · File System
 - File System Overview
 - File Descriptors In Osal
 - OSAL File Access Option Defines
 - OSAL Reference Point For Seek Offset Defines

4.1 OSAL Introduction 99

- APIs
 - * OSAL Standard File APIs
 - * OSAL Directory APIs
 - * OSAL File System Level APIs
- File System Reference
- File Reference
- Directory Reference
- · Object File Loader
 - APIs
 - * OSAL Dynamic Loader and Symbol APIs
 - File Loader Reference
- Network
 - APIs
 - * OSAL Network ID APIs
 - * OSAL Socket Address APIs
 - * OSAL Socket Management APIs
 - Network Reference
 - Socket Reference
- Timer
 - Timer Overview
 - APIs
 - * OSAL Time Base APIs
 - * OSAL Timer APIs
 - Timer Reference
 - Time Base Reference
- · Semaphore and Mutex
 - OSAL Semaphore State Defines
 - APIs
 - * OSAL Binary Semaphore APIs
 - * OSAL Counting Semaphore APIs
 - * OSAL Mutex APIs
 - Binary Semaphore Reference
 - Counting Semaphore Reference
 - Mutex Reference

4.1 OSAL Introduction

The goal of this library is to promote the creation of portable and reusable real time embedded system software. Given the necessary OS abstraction layer implementations, the same embedded software should compile and run on a number of platforms ranging from spacecraft computer systems to desktop PCs.

The OS Application Program Interfaces (APIs) are broken up into core, file system, loader, network, and timer APIs. See the related document sections for full descriptions.

Note

The majority of these APIs should be called from a task running in the context of an OSAL application and in general should not be called from an ISR. There are a few exceptions, such as the ability to give a binary semaphore from an ISR.

4.2 File System Overview

The File System API is a thin wrapper around a selection of POSIX file APIs. In addition the File System API presents a common directory structure and volume view regardless of the underlying system type. For example, vxWorks uses MS-DOS style volume names and directories where a vxWorks RAM disk might have the volume "RAM:0". With this File System API, volumes are represented as Unix-style paths where each volume is mounted on the root file system:

- RAM:0/file1.dat becomes /mnt/ram/file1.dat
- FL:0/file2.dat becomes /mnt/fl/file2.dat

This abstraction allows the applications to use the same paths regardless of the implementation and it also allows file systems to be simulated on a desktop system for testing. On a desktop Linux system, the file system abstraction can be set up to map virtual devices to a regular directory. This is accomplished through the OS_mkfs call, OS_mount call, and a BSP specific volume table that maps the virtual devices to real devices or underlying file systems.

In order to make this file system volume abstraction work, a "Volume Table" needs to be provided in the Board Support Package of the application. The table has the following fields:

- Device Name: This is the name of the virtual device that the Application uses. Common names are "ramdisk1", "flash1", or "volatile1" etc. But the name can be any unique string.
- Physical Device Name: This is an implementation specific field. For vxWorks it is not needed and can be left blank. For a File system based implementation, it is the "mount point" on the root file system where all of the volume will be mounted. A common place for this on Linux could be a user's home directory, "/tmp", or even the current working directory ".". In the example of "/tmp" all of the directories created for the volumes would be under "/tmp" on the Linux file system. For a real disk device in Linux, such as a RAM disk, this field is the device name "/dev/ram0".
- Volume Type: This field defines the type of volume. The types are: FS_BASED which uses the existing file system,
 RAM_DISK which uses a RAM_DISK device in vxWorks, RTEMS, or Linux, FLASH_DISK_FORMAT which uses
 a flash disk that is to be formatted before use, FLASH_DISK_INIT which uses a flash disk with an existing format
 that is just to be initialized before it's use, EEPROM which is for an EEPROM or PROM based system.
- Volatile Flag: This flag indicates that the volume or disk is a volatile disk (RAM disk) or a non-volatile disk, that retains its contents when the system is rebooted. This should be set to TRUE or FALSE.
- Free Flag: This is an internal flag that should be set to FALSE or zero.
- Is Mounted Flag: This is an internal flag that should be set to FALSE or zero. Note that a "pre-mounted" FS_B

 ASED path can be set up by setting this flag to one.
- · Volume Name: This is an internal field and should be set to a space character " ".
- Mount Point Field: This is an internal field and should be set to a space character " ".
- · Block Size Field: This is used to record the block size of the device and does not need to be set by the user.

4.3 File Descriptors In Osal

The OSAL uses abstracted file descriptors. This means that the file descriptors passed back from the OS_open and OS_creat calls will only work with other OSAL OS_* calls. The reasoning for this is as follows:

Because the OSAL now keeps track of all file descriptors, OSAL specific information can be associated with a specific file descriptor in an OS independent way. For instance, the path of the file that the file descriptor points to can be easily retrieved. Also, the OSAL task ID of the task that opened the file can also be retrieved easily. Both of these pieces of information are very useful when trying to determine statistics for a task, or the entire system. This information can all be retrieved with a single API, OS_FDGetInfo.

All of the possible file system calls are not implemented. "Special" files requiring OS specific control/operations are by nature not portable. Abstraction in this case is not possible, so the raw OS calls should be used (including

4.4 Timer Overview 101

open/close/etc). Mixing with OSAL calls is not supported for such cases. OS_TranslatePath is available to support using open directly by an app and maintain abstraction on the file system.

There are some small drawbacks with the OSAL file descriptors. Because the related information is kept in a table, there is a define called OS_MAX_NUM_OPEN_FILES that defines the maximum number of file descriptors available. This is a configuration parameter, and can be changed to fit your needs.

Also, if you open or create a file not using the OSAL calls (OS_open or OS_creat) then none of the other OS_* calls that accept a file descriptor as a parameter will work (the results of doing so are undefined). Therefore, if you open a file with the underlying OS's open call, you must continue to use the OS's calls until you close the file descriptor. Be aware that by doing this your software may no longer be OS agnostic.

4.4 Timer Overview

The timer API is a generic interface to the OS timer facilities. It is implemented using the POSIX timers on Linux and vxWorks and the native timer API on RTEMS. The number of timers supported is controlled by the configuration parameter OS_MAX_TIMERS.

5 cFE Mission Configuration Parameters

Global CFE_MISSION_ES_CMD_TOPICID

cFE Portable Message Numbers for Commands

Global CFE MISSION ES HK TLM TOPICID

cFE Portable Message Numbers for Telemetry

Global CFE MISSION EVS CMD TOPICID

cFE Portable Message Numbers for Commands

Global CFE_MISSION_EVS_HK_TLM_TOPICID

cFE Portable Message Numbers for Telemetry

Global CFE_MISSION_MAX_API_LEN

cFE Maximum length for API names within data exchange structures

cFE Maximum length for API names within data exchange structures

Global CFE MISSION MAX FILE LEN

cFE Maximum length for filenames within data exchange structures

cFE Maximum length for filenames within data exchange structures

Global CFE_MISSION_MAX_NUM_FILES

cFE Maximum number of files in a message/data exchange

cFE Maximum number of files in a message/data exchange

Global CFE MISSION MAX PATH LEN

cFE Maximum length for pathnames within data exchange structures

cFE Maximum length for pathnames within data exchange structures

Global CFE_MISSION_SB_CMD_TOPICID

cFE Portable Message Numbers for Commands

Global CFE_MISSION_SB_HK_TLM_TOPICID

cFE Portable Message Numbers for Telemetry

Global CFE_MISSION_TBL_CMD_TOPICID

cFE Portable Message Numbers for Commands

cFE Generic Message APIs

cFE Message Primary Header APIs

cFE Message Extended Header APIs

Global CFE_MISSION_TBL_HK_TLM_TOPICID cFE Portable Message Numbers for Telemetry	
Global CFE_MISSION_TIME_CMD_TOPICID cFE Portable Message Numbers for Commands	
Global CFE_MISSION_TIME_DATA_CMD_TOPICID cFE Portable Message Numbers for Global Messages	
Global CFE_MISSION_TIME_HK_TLM_TOPICID cFE Portable Message Numbers for Telemetry	
6 Module Index	
6.1 Modules	
Here is a list of all modules:	
cFE Return Code Defines	118
cFE Resource ID APIs	141
cFE Entry/Exit APIs	144
cFE Application Control APIs	146
cFE Application Behavior APIs	149
cFE Information APIs	153
cFE Child Task APIs	162
cFE Miscellaneous APIs	166
cFE Critical Data Store APIs	169
cFE Memory Manager APIs	174
cFE Performance Monitor APIs	181
cFE Generic Counter APIs	183
cFE Registration APIs	189
cFE Send Event APIs	191
cFE Reset Event Filter APIs	195
cFE File Header Management APIs	197
cFE File Utility APIs	201

206

207

216

6.1 Modules 103

cFE Message Secondary Header APIs	222
cFE Message Id APIs	227
cFE Message Integrity APIs	229
cFE Pipe Management APIs	231
cFE Message Subscription Control APIs	236
cFE Send/Receive Message APIs	241
cFE Zero Copy APIs	244
cFE Message Characteristics APIs	247
cFE Message ID APIs	251
cFE SB Pipe options	253
cFE Registration APIs	254
cFE Manage Table Content APIs	259
cFE Access Table Content APIs	265
cFE Get Table Information APIs	270
cFE Table Type Defines	273
cFE Get Current Time APIs	275
cFE Get Time Information APIs	278
cFE Time Arithmetic APIs	281
cFE Time Conversion APIs	284
cFE External Time Source APIs	286
cFE Miscellaneous Time APIs	291
cFE Resource ID base values	294
cFE Clock State Flag Defines	296
OSAL Semaphore State Defines	298
OSAL Binary Semaphore APIs	299
OSAL BSP low level access APIs	304
OSAL Real Time Clock APIs	305
OSAL Core Operation APIs	316
OSAL Condition Variable APIs	319
OSAL Counting Semaphore APIs	325

	OSAL Directory APIs	330
	OSAL Return Code Defines	334
	OSAL Error Info APIs	341
	OSAL File Access Option Defines	343
	OSAL Reference Point For Seek Offset Defines	344
	OSAL Standard File APIs	345
	OSAL File System Level APIs	356
	OSAL Heap APIs	364
	OSAL Object Type Defines	365
	OSAL Object ID Utility APIs	368
	OSAL Dynamic Loader and Symbol APIs	373
	OSAL Mutex APIs	377
	OSAL Network ID APIs	381
	OSAL Printf APIs	383
	OSAL Message Queue APIs	384
	OSAL Select APIs	388
	OSAL Shell APIs	392
	OSAL Socket Address APIs	393
	OSAL Socket Management APIs	397
	OSAL Task APIs	405
	OSAL Time Base APIs	411
	OSAL Timer APIs	416
7	Data Structure Index	
7. 1	Data Structures	
Не	re are the data structures with brief descriptions:	
	CCSDS_ExtendedHeader CCSDS packet extended header	422
	CCSDS_PrimaryHeader CCSDS packet primary header	422

7.1 Data Structures 105

CFE_ES_AppInfo Application Information	423
CFE_ES_AppNameCmd_Payload Generic application name command payload	427
CFE_ES_AppReloadCmd_Payload Reload Application Command Payload	427
CFE_ES_BlockStats Block statistics	428
CFE_ES_CDSRegDumpRec CDS Register Dump Record	429
CFE_ES_ClearERLogCmd	430
CFE_ES_ClearSysLogCmd	430
CFE_ES_DeleteCDSCmd Delete Critical Data Store Command	431
CFE_ES_DeleteCDSCmd_Payload Delete Critical Data Store Command Payload	432
CFE_ES_DumpCDSRegistryCmd Dump CDS Registry Command	432
CFE_ES_DumpCDSRegistryCmd_Payload Dump CDS Registry Command Payload	433
CFE_ES_FileNameCmd Generic file name command	433
CFE_ES_FileNameCmd_Payload Generic file name command payload	434
CFE_ES_HousekeepingTlm	434
CFE_ES_HousekeepingTlm_Payload	435
CFE_ES_MemPoolStats Memory Pool Statistics	443
CFE_ES_MemStatsTlm	444
CFE_ES_NoopCmd	445
CFE_ES_OneAppTIm	445
CFE_ES_OneAppTIm_Payload	446
CFE_ES_OverWriteSysLogCmd Overwrite/Discard System Log Configuration Command Payload	446
CFE_ES_OverWriteSysLogCmd_Payload Overwrite/Discard System Log Configuration Command Payload	447

CFE_ES_PoolAlign	
Pool Alignment	448
CFE_ES_PoolStatsTlm_Payload	448
CFE_ES_QueryAllCmd	449
CFE_ES_QueryAllTasksCmd	450
CFE_ES_QueryOneCmd	450
CFE_ES_ReloadAppCmd Reload Application Command	451
CFE_ES_ResetCountersCmd	451
CFE_ES_ResetPRCountCmd	452
CFE_ES_RestartAppCmd	452
CFE_ES_RestartCmd Restart cFE Command	453
CFE_ES_RestartCmd_Payload Restart cFE Command Payload	453
CFE_ES_SendHkCmd	454
CFE_ES_SendMemPoolStatsCmd Send Memory Pool Statistics Command	454
CFE_ES_SendMemPoolStatsCmd_Payload Send Memory Pool Statistics Command Payload	455
CFE_ES_SetMaxPRCountCmd Set Maximum Processor Reset Count Command	456
CFE_ES_SetMaxPRCountCmd_Payload Set Maximum Processor Reset Count Command Payload	456
CFE_ES_SetPerfFilterMaskCmd Set Performance Analyzer Filter Mask Command	457
CFE_ES_SetPerfFilterMaskCmd_Payload Set Performance Analyzer Filter Mask Command Payload	457
CFE_ES_SetPerfTriggerMaskCmd Set Performance Analyzer Trigger Mask Command	458
CFE_ES_SetPerfTrigMaskCmd_Payload Set Performance Analyzer Trigger Mask Command Payload	459
CFE_ES_StartApp Start Application Command	459
CFE_ES_StartAppCmd_Payload Start Application Command Payload	460

7.1 Data Structures 107

CFE_ES_StartPerfCmd_Payload Start Performance Analyzer Command Payload	461
CFE_ES_StartPerfDataCmd Start Performance Analyzer Command	461
CFE_ES_StopAppCmd	462
CFE_ES_StopPerfCmd_Payload Stop Performance Analyzer Command Payload	463
CFE_ES_StopPerfDataCmd Stop Performance Analyzer Command	463
CFE_ES_TaskInfo Task Information	464
CFE_ES_WriteERLogCmd	465
CFE_ES_WriteSysLogCmd	466
CFE_EVS_AddEventFilterCmd	466
CFE_EVS_AppDataCmd_Payload Write Event Services Application Information to File Command Payload	467
CFE_EVS_AppNameBitMaskCmd_Payload Generic App Name and Bitmask Command Payload	468
CFE_EVS_AppNameCmd_Payload Generic App Name Command Payload	468
CFE_EVS_AppNameEventIDCmd_Payload Generic App Name and Event ID Command Payload	469
CFE_EVS_AppNameEventIDMaskCmd_Payload Generic App Name, Event ID, Mask Command Payload	469
CFE_EVS_AppTImData	470
CFE_EVS_BinFilter Event message filter definition structure	471
CFE_EVS_BitMaskCmd_Payload Generic Bitmask Command Payload	472
CFE_EVS_ClearLogCmd	473
CFE_EVS_DeleteEventFilterCmd	473
CFE_EVS_DisableAppEventsCmd	474
CFE_EVS_DisableAppEventTypeCmd	474
CFE_EVS_DisableEventTypeCmd	475
CFE_EVS_DisablePortsCmd	475

CFE_EVS_EnableAppEventsCmd	476
CFE_EVS_EnableAppEventTypeCmd	476
CFE_EVS_EnableEventTypeCmd	477
CFE_EVS_EnablePortsCmd	478
CFE_EVS_HousekeepingTlm	478
CFE_EVS_HousekeepingTlm_Payload	479
CFE_EVS_LogFileCmd_Payload Write Event Log to File Command Payload	482
CFE_EVS_LongEventTIm	482
CFE_EVS_LongEventTlm_Payload	483
CFE_EVS_NoopCmd	484
CFE_EVS_PacketID	484
CFE_EVS_ResetAllFiltersCmd	486
CFE_EVS_ResetAppCounterCmd	486
CFE_EVS_ResetCountersCmd	487
CFE_EVS_ResetFilterCmd	487
CFE_EVS_SendHkCmd	488
CFE_EVS_SetEventFormatCode_Payload Set Event Format Mode Command Payload	488
CFE_EVS_SetEventFormatModeCmd Set Event Format Mode Command	489
CFE_EVS_SetFilterCmd	499
	490
CFE_EVS_SetLogMode_Payload Set Log Mode Command Payload	490
CFE_EVS_SetLogModeCmd Set Log Mode Command	491
CFE_EVS_ShortEventTIm	491
CFE_EVS_ShortEventTIm_Payload	492
CFE_EVS_WriteAppDataFileCmd Write Event Services Application Information to File Command	492
CFE_EVS_WriteLogDataFileCmd Write Event Log to File Command	493

7.1 Data Structures 109

CFE_FS_FileWriteMetaData External Metadata/State object associated with background file writes	494
CFE_FS_Header Standard cFE File header structure definition	495
CFE_SB_AllSubscriptionsTlm	496
CFE_SB_AllSubscriptionsTlm_Payload	497
CFE_SB_DisableRouteCmd	498
CFE_SB_DisableSubReportingCmd	498
CFE_SB_EnableRouteCmd	499
CFE_SB_EnableSubReportingCmd	499
CFE_SB_HousekeepingTlm	500
CFE_SB_HousekeepingTlm_Payload	500
CFE_SB_Msg Software Bus generic message	504
CFE_SB_Msgld_t CFE_SB_Msgld_t type definition	505
CFE_SB_MsgMapFileEntry SB Map File Entry	505
CFE_SB_NoopCmd	506
CFE_SB_PipeDepthStats SB Pipe Depth Statistics	506
CFE_SB_PipeInfoEntry SB Pipe Information File Entry	507
CFE_SB_Qos_t Quality Of Service Type Definition	509
CFE_SB_ResetCountersCmd	510
CFE_SB_RouteCmd_Payload Enable/Disable Route Command Payload	510
CFE_SB_RoutingFileEntry SB Routing File Entry	511
CFE_SB_SendHkCmd	512
CFE_SB_SendPrevSubsCmd	512
CFE_SB_SendSbStatsCmd	513
CFE_SB_SingleSubscriptionTlm	513

CFE_SB_SingleSubscriptionTlm_Payload	514
CFE_SB_StatsTlm	515
CFE_SB_StatsTlm_Payload	515
CFE_SB_SubEntries SB Previous Subscriptions Entry	519
CFE_SB_WriteFileInfoCmd_Payload Write File Info Command Payload	520
CFE_SB_WriteMapInfoCmd	520
CFE_SB_WritePipeInfoCmd	521
CFE_SB_WriteRoutingInfoCmd	521
CFE_TBL_AbortLoadCmd Abort Load Command	522
CFE_TBL_AbortLoadCmd_Payload Abort Load Command Payload	522
CFE_TBL_ActivateCmd Activate Table Command	523
CFE_TBL_ActivateCmd_Payload Activate Table Command Payload	524
CFE_TBL_DelCDSCmd_Payload Delete Critical Table CDS Command Payload	524
CFE_TBL_DeleteCDSCmd Delete Critical Table CDS Command	525
CFE_TBL_DumpCmd	525
CFE_TBL_DumpCmd_Payload Dump Table Command Payload	526
CFE_TBL_DumpRegistryCmd Dump Registry Command	527
CFE_TBL_DumpRegistryCmd_Payload Dump Registry Command Payload	527
CFE_TBL_File_Hdr The definition of the header fields that are included in CFE Table Data files	528
CFE_TBL_FileDef Table File summary object	529
CFE_TBL_HousekeepingTlm	530
CFE_TBL_HousekeepingTlm_Payload	531

7.1 Data Structures 111

CFE_TBL_Info	505
Table Info	535
CFE_TBL_LoadCmd Load Table Command	537
CFE_TBL_LoadCmd_Payload	
Load Table Command Payload	537
CFE_TBL_NoopCmd	538
CFE_TBL_NotifyCmd	538
CFE_TBL_NotifyCmd_Payload Table Management Notification Command Payload	539
CFE_TBL_ResetCountersCmd	539
CFE_TBL_SendHkCmd	540
CFE_TBL_SendRegistryCmd Send Table Registry Command	540
CFE_TBL_SendRegistryCmd_Payload	
Send Table Registry Command Payload	541
CFE_TBL_TableRegistryTlm	541
CFE_TBL_TblRegPacket_Payload	542
CFE_TBL_ValidateCmd Validate Table Command	545
CFE_TBL_ValidateCmd_Payload Validate Table Command Payload	546
CFE_TIME_1HzCmd	547
CFE_TIME_Add1HZAdjustmentCmd	547
CFE_TIME_AddAdjustCmd	548
CFE_TIME_AddDelayCmd	548
CFE_TIME_DiagnosticTIm	549
CFE_TIME_DiagnosticTIm_Payload	550
CFE_TIME_FakeToneCmd	558
CFE_TIME_HousekeepingTlm	558
CFE_TIME_HousekeepingTlm_Payload	559
CFE_TIME_LeapsCmd_Payload Set leap seconds command payload	562
CFE_TIME_NoopCmd	562

CFE_TIME_OneHzAdjustmentCmd_Payload Generic seconds, subseconds command payload	562
CFE_TIME_ResetCountersCmd	563
CFE_TIME_SendDiagnosticCmd	563
CFE_TIME_SendHkCmd	564
CFE_TIME_SetLeapSecondsCmd	
Set leap seconds command	564
CFE_TIME_SetMETCmd	565
CFE_TIME_SetSignalCmd Set tone signal source command	565
CFE_TIME_SetSourceCmd Set time data source command	566
CFE_TIME_SetStateCmd	
Set clock state command	567
CFE_TIME_SetSTCFCmd	567
CFE_TIME_SetTimeCmd	568
CFE_TIME_SignalCmd_Payload Set tone signal source command payload	568
CFE_TIME_SourceCmd_Payload Set time data source command payload	569
CFE_TIME_StateCmd_Payload Set clock state command payload	570
CFE_TIME_Sub1HZAdjustmentCmd	570
CFE_TIME_SubAdjustCmd	571
CFE_TIME_SubDelayCmd	571
CFE_TIME_SysTime Data structure used to hold system time values	572
CFE_TIME_TimeCmd_Payload Generic seconds, microseconds command payload	573
CFE_TIME_ToneDataCmd Time at tone data command	573
CFE_TIME_ToneDataCmd_Payload Time at tone data command payload	574
CFE_TIME_ToneSignalCmd	575
OS_bin_sem_prop_t OSAL binary semaphore properties	575

7.1 Data Structures 113

	_condvar_prop_t OSAL condition variable properties	576
	_count_sem_prop_t OSAL counting semaphore properties	576
	dirent_t Directory entry	577
	_FdSet An abstract structure capable of holding several OSAL IDs	577
	_file_prop_t OSAL file properties	578
_	fsinfo_t OSAL file system info	578
	fstat_t File system status	579
	_heap_prop_t OSAL heap properties	580
	_module_address_t OSAL module address properties	581
	_module_prop_t OSAL module properties	582
	_mut_sem_prop_t OSAL mutex properties	583
	_queue_prop_t OSAL queue properties	583
OS	_SockAddr_t Encapsulates a generic network address	584
	_SockAddrData_t Storage buffer for generic network address	584
OS.	_socket_prop_t Encapsulates socket properties	585
	_static_symbol_record_t Associates a single symbol name with a memory address	586
os	_statvfs_t	587
	_task_prop_t OSAL task properties	587
	_time_t OSAL time interval structure	588

OS_timebase_prop_t Time base properties	589
OS_timer_prop_t	
Timer properties	589
8 File Index	
8.1 File List	
Here is a list of all files with brief descriptions:	
build/osal_public_api/inc/osconfig.h	590
example_mission_cfg.h	596
example_platform_cfg.h	607
sample_perfids.h	650
cfe/modules/core_api/config/default_cfe_core_api_base_msgids.h	653
cfe/modules/core_api/config/default_cfe_core_api_interface_cfg.h	655
cfe/modules/core_api/config/default_cfe_mission_cfg.h	657
cfe/modules/core_api/config/default_cfe_msgids.h	657
cfe/modules/core_api/fsw/inc/cfe.h	658
cfe/modules/core_api/fsw/inc/cfe_config.h	658
cfe/modules/core_api/fsw/inc/cfe_config_api_typedefs.h	661
cfe/modules/core_api/fsw/inc/cfe_endian.h	662
cfe/modules/core_api/fsw/inc/cfe_error.h	663
cfe/modules/core_api/fsw/inc/cfe_es.h	671
cfe/modules/core_api/fsw/inc/cfe_es_api_typedefs.h	675
cfe/modules/core_api/fsw/inc/cfe_evs.h	680
cfe/modules/core_api/fsw/inc/cfe_evs_api_typedefs.h	681
cfe/modules/core_api/fsw/inc/cfe_fs.h	684
cfe/modules/core_api/fsw/inc/cfe_fs_api_typedefs.h	684
cfe/modules/core_api/fsw/inc/cfe_msg.h	687
cfe/modules/core_api/fsw/inc/cfe_msg_api_typedefs.h	689
cfe/modules/core_api/fsw/inc/cfe_resourceid.h	693
cfe/modules/core api/fsw/inc/cfe resourceid api typedefs.h	700

8.1 File List 115

cfe/modules/core_api/fsw/inc/cfe_sb.h	700
cfe/modules/core_api/fsw/inc/cfe_sb_api_typedefs.h	703
cfe/modules/core_api/fsw/inc/cfe_tbl.h	706
cfe/modules/core_api/fsw/inc/cfe_tbl_api_typedefs.h	707
cfe/modules/core_api/fsw/inc/cfe_tbl_filedef.h	710
cfe/modules/core_api/fsw/inc/cfe_time.h	711
cfe/modules/core_api/fsw/inc/cfe_time_api_typedefs.h	713
cfe/modules/core_api/fsw/inc/cfe_version.h	714
cfe/modules/es/config/default_cfe_es_extern_typedefs.h	716
cfe/modules/es/config/default_cfe_es_fcncodes.h	725
cfe/modules/es/config/default_cfe_es_interface_cfg.h	745
cfe/modules/es/config/default_cfe_es_internal_cfg.h	748
cfe/modules/es/config/default_cfe_es_mission_cfg.h	768
cfe/modules/es/config/default_cfe_es_msg.h	768
cfe/modules/es/config/default_cfe_es_msgdefs.h	769
cfe/modules/es/config/default_cfe_es_msgids.h	773
cfe/modules/es/config/default_cfe_es_msgstruct.h	774
cfe/modules/es/config/default_cfe_es_platform_cfg.h	778
cfe/modules/es/config/default_cfe_es_topicids.h	778
cfe/modules/es/fsw/inc/cfe_es_eventids.h	779
cfe/modules/evs/config/default_cfe_evs_extern_typedefs.h	804
cfe/modules/evs/config/default_cfe_evs_fcncodes.h	807
cfe/modules/evs/config/default_cfe_evs_interface_cfg.h	825
cfe/modules/evs/config/default_cfe_evs_internal_cfg.h	826
cfe/modules/evs/config/default_cfe_evs_mission_cfg.h	830
cfe/modules/evs/config/default_cfe_evs_msg.h	830
cfe/modules/evs/config/default_cfe_evs_msgdefs.h	831
cfe/modules/evs/config/default_cfe_evs_msgids.h	834
cfe/modules/evs/config/default_cfe_evs_msgstruct.h	835
cfe/modules/evs/config/default_cfe_evs_platform_cfg.h	838

cfe/modules/evs/config/default_cfe_evs_topicids.h	839
cfe/modules/evs/fsw/inc/cfe_evs_eventids.h	840
cfe/modules/fs/config/default_cfe_fs_extern_typedefs.h	852
cfe/modules/fs/config/default_cfe_fs_filedef.h	852
cfe/modules/fs/config/default_cfe_fs_interface_cfg.h	854
cfe/modules/fs/config/default_cfe_fs_mission_cfg.h	854
cfe/modules/msg/fsw/inc/ccsds_hdr.h	855
cfe/modules/resourceid/fsw/inc/cfe_core_resourceid_basevalues.h	855
cfe/modules/resourceid/fsw/inc/cfe_resourceid_basevalue.h	856
cfe/modules/sb/config/default_cfe_sb_extern_typedefs.h	857
cfe/modules/sb/config/default_cfe_sb_fcncodes.h	859
cfe/modules/sb/config/default_cfe_sb_interface_cfg.h	868
cfe/modules/sb/config/default_cfe_sb_internal_cfg.h	869
cfe/modules/sb/config/default_cfe_sb_mission_cfg.h	877
cfe/modules/sb/config/default_cfe_sb_msg.h	878
cfe/modules/sb/config/default_cfe_sb_msgdefs.h	878
cfe/modules/sb/config/default_cfe_sb_msgids.h	880
cfe/modules/sb/config/default_cfe_sb_msgstruct.h	882
cfe/modules/sb/config/default_cfe_sb_platform_cfg.h	884
cfe/modules/sb/config/default_cfe_sb_topicids.h	884
cfe/modules/sb/fsw/inc/cfe_sb_eventids.h	885
cfe/modules/tbl/config/default_cfe_tbl_extern_typedefs.h	905
cfe/modules/tbl/config/default_cfe_tbl_fcncodes.h	906
cfe/modules/tbl/config/default_cfe_tbl_interface_cfg.h	915
cfe/modules/tbl/config/default_cfe_tbl_internal_cfg.h	916
cfe/modules/tbl/config/default_cfe_tbl_mission_cfg.h	922
cfe/modules/tbl/config/default_cfe_tbl_msg.h	922
cfe/modules/tbl/config/default_cfe_tbl_msgdefs.h	922
cfe/modules/tbl/config/default_cfe_tbl_msgids.h	925
cfe/modules/tbl/config/default_cfe_tbl_msgstruct.h	926

8.1 File List 117

cfe/modules/tbl/config/default_cfe_tbl_platform_cfg.h	928
cfe/modules/tbl/config/default_cfe_tbl_topicids.h	928
cfe/modules/tbl/fsw/inc/cfe_tbl_eventids.h	929
cfe/modules/time/config/default_cfe_time_extern_typedefs.h	949
cfe/modules/time/config/default_cfe_time_fcncodes.h	954
cfe/modules/time/config/default_cfe_time_interface_cfg.h	970
cfe/modules/time/config/default_cfe_time_internal_cfg.h	974
cfe/modules/time/config/default_cfe_time_mission_cfg.h	979
cfe/modules/time/config/default_cfe_time_msg.h	980
cfe/modules/time/config/default_cfe_time_msgdefs.h	980
cfe/modules/time/config/default_cfe_time_msgids.h	982
cfe/modules/time/config/default_cfe_time_msgstruct.h	984
cfe/modules/time/config/default_cfe_time_platform_cfg.h	987
cfe/modules/time/config/default_cfe_time_topicids.h	987
cfe/modules/time/fsw/inc/cfe_time_eventids.h	989
osal/src/os/inc/common_types.h	999
osal/src/os/inc/osapi-binsem.h	1004
osal/src/os/inc/osapi-bsp.h	1005
osal/src/os/inc/osapi-clock.h	1005
osal/src/os/inc/osapi-common.h	1007
osal/src/os/inc/osapi-condvar.h	1009
osal/src/os/inc/osapi-constants.h	1010
osal/src/os/inc/osapi-countsem.h	1011
osal/src/os/inc/osapi-dir.h	1011
osal/src/os/inc/osapi-error.h	1012
osal/src/os/inc/osapi-file.h	1015
osal/src/os/inc/osapi-filesys.h	1018
osal/src/os/inc/osapi-heap.h	1020
osal/src/os/inc/osapi-idmap.h	1020
osal/src/os/inc/osapi-macros.h	1022

osal/src/os/inc/osapi-module.h	1023
osal/src/os/inc/osapi-mutex.h	1025
osal/src/os/inc/osapi-network.h	1025
osal/src/os/inc/osapi-printf.h	1026
osal/src/os/inc/osapi-queue.h	1026
osal/src/os/inc/osapi-select.h	1027
osal/src/os/inc/osapi-shell.h	1028
osal/src/os/inc/osapi-sockets.h	1028
osal/src/os/inc/osapi-task.h	1031
osal/src/os/inc/osapi-timebase.h	1033
osal/src/os/inc/osapi-timer.h	1034
osal/src/os/inc/osapi-version.h	1035
osal/src/os/inc/osapi.h	1038
psp/fsw/inc/cfe_psp.h	1039
psp/fsw/inc/cfe_psp_error.h CFE PSP Error header	1066

9 Module Documentation

9.1 cFE Return Code Defines

Macros

- #define CFE_SUCCESS ((CFE_Status_t)0)
 - Successful execution.
- #define CFE_STATUS_NO_COUNTER_INCREMENT ((CFE_Status_t)0x48000001)
 - No Counter Increment.
- #define CFE_STATUS_WRONG_MSG_LENGTH ((CFE_Status_t)0xc8000002)
 - Wrong Message Length.
- #define CFE_STATUS_UNKNOWN_MSG_ID ((CFE_Status_t)0xc8000003)
 - Unknown Message ID.
- #define CFE_STATUS_BAD_COMMAND_CODE ((CFE_Status_t)0xc8000004)
 - Bad Command Code.
- #define CFE_STATUS_EXTERNAL_RESOURCE_FAIL ((CFE_Status_t)0xc8000005)
 - External failure.
- #define CFE_STATUS_REQUEST_ALREADY_PENDING ((int32)0xc8000006)
 - Request already pending.
- #define CFE_STATUS_VALIDATION_FAILURE ((int32)0xc8000007)
 - Request or input value failed basic structural validation.
- #define CFE_STATUS_RANGE_ERROR ((int32)0xc8000008)

Request or input value is out of range.

• #define CFE_STATUS_INCORRECT_STATE ((int32)0xc8000009)

Cannot process request at this time.

#define CFE_STATUS_NOT_IMPLEMENTED ((CFE_Status_t)0xc800ffff)

Not Implemented.

#define CFE_EVS_UNKNOWN_FILTER ((CFE_Status_t)0xc2000001)

Unknown Filter.

#define CFE_EVS_APP_NOT_REGISTERED ((CFE_Status_t)0xc2000002)

Application Not Registered.

#define CFE_EVS_APP_ILLEGAL_APP_ID ((CFE_Status_t)0xc2000003)

Illegal Application ID.

#define CFE_EVS_APP_FILTER_OVERLOAD ((CFE_Status_t)0xc2000004)

Application Filter Overload.

#define CFE_EVS_RESET_AREA_POINTER ((CFE_Status_t)0xc2000005)

Reset Area Pointer Failure.

#define CFE_EVS_EVT_NOT_REGISTERED ((CFE_Status_t)0xc2000006)

Event Not Registered.

#define CFE_EVS_FILE_WRITE_ERROR ((CFE_Status_t)0xc2000007)

File Write Error.

#define CFE EVS INVALID PARAMETER ((CFE Status t)0xc2000008)

Invalid Pointer.

#define CFE_EVS_APP_SQUELCHED ((CFE_Status_t)0xc2000009)

Event sauelched.

#define CFE_EVS_NOT_IMPLEMENTED ((CFE_Status_t)0xc200ffff)

Not Implemented.

#define CFE_ES_ERR_RESOURCEID_NOT_VALID ((CFE_Status_t)0xc4000001)

Resource ID is not valid.

#define CFE_ES_ERR_NAME_NOT_FOUND ((CFE_Status_t)0xc4000002)

Resource Name Error.

#define CFE_ES_ERR_APP_CREATE ((CFE_Status_t)0xc4000004)

Application Create Error.

#define CFE_ES_ERR_CHILD_TASK_CREATE ((CFE_Status_t)0xc4000005)

Child Task Create Error.

#define CFE ES ERR SYS LOG FULL ((CFE Status t)0xc4000006)

System Log Full.

#define CFE ES ERR MEM BLOCK SIZE ((CFE Status t)0xc4000008)

Memory Block Size Error.

#define CFE_ES_ERR_LOAD_LIB ((CFE_Status_t)0xc4000009)

Load Library Error.

#define CFE_ES_BAD_ARGUMENT ((CFE_Status_t)0xc400000a)

Bad Argument.

#define CFE_ES_ERR_CHILD_TASK_REGISTER ((CFE_Status_t)0xc400000b)

Child Task Register Error.

#define CFE_ES_CDS_ALREADY_EXISTS ((CFE_Status_t)0x4400000d)

CDS Already Exists.

• #define CFE ES CDS INSUFFICIENT MEMORY ((CFE Status t)0xc400000e)

CDS Insufficient Memory.

```
    #define CFE_ES_CDS_INVALID_NAME ((CFE_Status_t)0xc400000f)

     CDS Invalid Name.

    #define CFE ES CDS INVALID SIZE ((CFE Status t)0xc4000010)

     CDS Invalid Size.

    #define CFE ES CDS INVALID ((CFE Status t)0xc4000012)

     CDS Invalid.

    #define CFE ES CDS ACCESS ERROR ((CFE Status t)0xc4000013)

     CDS Access Error.

    #define CFE ES FILE IO ERR ((CFE Status t)0xc4000014)

     File IO Error.

    #define CFE ES RST ACCESS ERR ((CFE Status t)0xc4000015)

     Reset Area Access Error.

    #define CFE ES ERR APP REGISTER ((CFE Status t)0xc4000017)

     Application Register Error.

    #define CFE_ES_ERR_CHILD_TASK_DELETE ((CFE_Status_t)0xc4000018)

     Child Task Delete Error.

    #define CFE ES ERR CHILD TASK DELETE MAIN TASK ((CFE Status t)0xc4000019)

     Child Task Delete Passed Main Task.

    #define CFE_ES_CDS_BLOCK_CRC_ERR ((CFE_Status_t)0xc400001A)

     CDS Block CRC Error.

    #define CFE_ES_MUT_SEM_DELETE_ERR ((CFE_Status_t)0xc400001B)

     Mutex Semaphore Delete Error.

    #define CFE_ES_BIN_SEM_DELETE_ERR ((CFE_Status_t)0xc400001C)

     Binary Semaphore Delete Error.

    #define CFE ES COUNT SEM DELETE ERR ((CFE Status t)0xc400001D)

     Counting Semaphore Delete Error.

    #define CFE_ES_QUEUE_DELETE_ERR ((CFE_Status_t)0xc400001E)

     Queue Delete Error.
• #define CFE ES FILE CLOSE_ERR ((CFE_Status_t)0xc400001F)
     File Close Error.

    #define CFE_ES_CDS_WRONG_TYPE_ERR ((CFE_Status_t)0xc4000020)

     CDS Wrong Type Error.

    #define CFE_ES_CDS_OWNER_ACTIVE_ERR ((CFE_Status_t)0xc4000022)

     CDS Owner Active Error.

    #define CFE ES APP CLEANUP ERR ((CFE Status t)0xc4000023)

     Application Cleanup Error.

    #define CFE_ES_TIMER_DELETE_ERR ((CFE_Status_t)0xc4000024)

     Timer Delete Error.

    #define CFE ES BUFFER NOT IN POOL ((CFE Status t)0xc4000025)

     Buffer Not In Pool.

    #define CFE_ES_TASK_DELETE_ERR ((CFE_Status_t)0xc4000026)

     Task Delete Error.

    #define CFE ES OPERATION TIMED OUT ((CFE Status t)0xc4000027)

     Operation Timed Out.

    #define CFE ES LIB ALREADY LOADED ((CFE Status t)0x44000028)

     Library Already Loaded.

    #define CFE ES ERR SYS LOG TRUNCATED ((CFE Status t)0x44000029)
```

System Log Message Truncated. #define CFE_ES_NO_RESOURCE_IDS_AVAILABLE ((CFE_Status_t)0xc400002B) Resource ID is not available. #define CFE ES POOL BLOCK INVALID ((CFE Status t)0xc400002C) Invalid pool block. #define CFE_ES_ERR_DUPLICATE_NAME ((CFE_Status_t)0xc400002E) Duplicate Name Error. #define CFE ES NOT IMPLEMENTED ((CFE Status t)0xc400ffff) Not Implemented. #define CFE_FS_BAD_ARGUMENT ((CFE_Status_t)0xc6000001) Bad Argument. #define CFE_FS_INVALID_PATH ((CFE_Status_t)0xc6000002) Invalid Path. #define CFE_FS_FNAME_TOO_LONG ((CFE_Status_t)0xc6000003) Filename Too Long. #define CFE_FS_NOT_IMPLEMENTED ((CFE_Status_t)0xc600ffff) Not Implemented. #define CFE_SB_TIME_OUT ((CFE_Status_t)0xca000001) Time Out. #define CFE_SB_NO_MESSAGE ((CFE_Status_t)0xca000002) No Message. #define CFE_SB_BAD_ARGUMENT ((CFE_Status_t)0xca000003) Bad Argument. #define CFE SB MAX PIPES MET ((CFE Status t)0xca000004) Max Pipes Met. #define CFE SB PIPE CR ERR ((CFE Status t)0xca000005) Pipe Create Error. #define CFE SB PIPE RD ERR ((CFE Status t)0xca000006)

Pipe Read Error.

• #define CFE_SB_MSG_TOO_BIG ((CFE_Status_t)0xca000007)

Message Too Big.

#define CFE_SB_BUF_ALOC_ERR ((CFE_Status_t)0xca000008)

Buffer Allocation Error.

Max Messages Met.

#define CFE_SB_MAX_MSGS_MET ((CFE_Status_t)0xca000009)

• #define CFE_SB_MAX_DESTS_MET ((CFE_Status_t)0xca00000a)

Max Destinations Met.

• #define CFE_SB_INTERNAL_ERR ((CFE_Status_t)0xca00000c)

Internal Error.

#define CFE_SB_WRONG_MSG_TYPE ((CFE_Status_t)0xca00000d)
 Wrong Message Type.

#define CFE_SB_BUFFER_INVALID ((CFE_Status_t)0xca00000e)
 Buffer Invalid.

#define CFE SB NOT IMPLEMENTED ((CFE Status t)0xca00ffff)

Not Implemented.

#define CFE_TBL_ERR_INVALID_HANDLE ((CFE_Status_t)0xcc000001)

Invalid Handle.

```
    #define CFE_TBL_ERR_INVALID_NAME ((CFE_Status_t)0xcc000002)

     Invalid Name.

    #define CFE TBL ERR INVALID SIZE ((CFE Status t)0xcc000003)

     Invalid Size.

    #define CFE TBL INFO UPDATE PENDING ((CFE Status t)0x4c000004)

     Update Pending.

    #define CFE TBL ERR NEVER LOADED ((CFE Status t)0xcc000005)

     Never Loaded.

    #define CFE TBL ERR REGISTRY FULL ((CFE Status t)0xcc000006)

     Registry Full.

    #define CFE_TBL_WARN_DUPLICATE ((CFE_Status_t)0x4c000007)

     Duplicate Warning.

    #define CFE TBL ERR NO ACCESS ((CFE Status t)0xcc000008)

     No Access.

    #define CFE_TBL_ERR_UNREGISTERED ((CFE_Status_t)0xcc000009)

     Unregistered.

    #define CFE TBL ERR HANDLES FULL ((CFE Status t)0xcc00000B)

     Handles Full.

    #define CFE_TBL_ERR_DUPLICATE_DIFF_SIZE ((CFE_Status_t)0xcc00000C)

     Duplicate Table With Different Size.
     Duplicate Table And Not Owned.
```

- #define CFE_TBL_ERR_DUPLICATE_NOT_OWNED ((CFE_Status_t)0xcc00000D) #define CFE TBL INFO UPDATED ((CFE Status t)0x4c00000E) Updated. #define CFE_TBL_ERR_NO_BUFFER_AVAIL ((CFE_Status_t)0xcc00000F)
- No Buffer Available. #define CFE_TBL_ERR_DUMP_ONLY ((CFE_Status_t)0xcc000010) Dump Only Error.
- #define CFE TBL ERR ILLEGAL SRC TYPE ((CFE Status t)0xcc000011) Illegal Source Type.
- #define CFE TBL ERR LOAD IN PROGRESS ((CFE Status t)0xcc000012) Load In Progress.
- #define CFE TBL ERR FILE TOO LARGE ((CFE Status t)0xcc000014) File Too Large.
- #define CFE_TBL_WARN_SHORT_FILE ((CFE_Status_t)0x4c000015) Short File Warning.
- #define CFE TBL ERR BAD CONTENT ID ((CFE Status t)0xcc000016) Bad Content ID.
- #define CFE_TBL_INFO_NO_UPDATE_PENDING ((CFE_Status_t)0x4c000017) No Update Pending.
- #define CFE TBL INFO TABLE LOCKED ((CFE Status t)0x4c000018) Table Locked.
- #define CFE TBL INFO VALIDATION PENDING ((CFE Status t)0x4c000019)
- #define CFE_TBL_INFO_NO_VALIDATION_PENDING ((CFE_Status_t)0x4c00001A)
- #define CFE TBL ERR BAD SUBTYPE ID ((CFE Status t)0xcc00001B) Bad Subtype ID.
- #define CFE TBL ERR FILE SIZE INCONSISTENT ((CFE Status t)0xcc00001C)

File Size Inconsistent. • #define CFE_TBL_ERR_NO_STD_HEADER ((CFE_Status_t)0xcc00001D) No Standard Header. #define CFE TBL ERR NO TBL HEADER ((CFE Status t)0xcc00001E) No Table Header. #define CFE TBL ERR FILENAME TOO LONG ((CFE Status t)0xcc00001F) Filename Too Long. #define CFE_TBL_ERR_FILE_FOR_WRONG_TABLE ((CFE_Status_t)0xcc000020) File For Wrong Table. #define CFE_TBL_ERR_LOAD_INCOMPLETE ((CFE_Status_t)0xcc000021) Load Incomplete. #define CFE_TBL_WARN_PARTIAL_LOAD ((CFE_Status_t)0x4c000022) Partial Load Warning. #define CFE TBL ERR PARTIAL LOAD ((CFE Status t)0xcc000023) Partial Load Error. #define CFE_TBL_INFO_DUMP_PENDING ((CFE_Status_t)0x4c000024) Dump Pending. #define CFE_TBL_ERR_INVALID_OPTIONS ((CFE_Status_t)0xcc000025) Invalid Options. #define CFE_TBL_WARN_NOT_CRITICAL ((CFE_Status_t)0x4c000026) Not Critical Warning. #define CFE TBL INFO RECOVERED TBL ((CFE Status t)0x4c000027) Recovered Table. #define CFE TBL ERR BAD SPACECRAFT ID ((CFE Status t)0xcc000028) Bad Spacecraft ID. #define CFE_TBL_ERR_BAD_PROCESSOR_ID ((CFE_Status_t)0xcc000029) Bad Processor ID. #define CFE TBL MESSAGE ERROR ((CFE Status t)0xcc00002a) Message Error. #define CFE TBL ERR SHORT FILE ((CFE Status t)0xcc00002b) #define CFE_TBL_ERR_ACCESS ((CFE_Status_t)0xcc00002c) #define CFE_TBL_BAD_ARGUMENT ((CFE_Status_t)0xcc00002d) Bad Argument. #define CFE TBL NOT IMPLEMENTED ((CFE Status t)0xcc00ffff) Not Implemented. #define CFE TIME NOT IMPLEMENTED ((CFE Status t)0xce00ffff) Not Implemented. #define CFE TIME INTERNAL ONLY ((CFE Status t)0xce000001) Internal Only. #define CFE_TIME_OUT_OF_RANGE ((CFE_Status_t)0xce000002) Out Of Range. #define CFE_TIME_TOO_MANY_SYNCH_CALLBACKS ((CFE_Status_t)0xce000003) Too Many Sync Callbacks.

#define CFE_TIME_CALLBACK_NOT_REGISTERED ((CFE_Status_t)0xce0000004)
 Callback Not Registered.
 #define CFE_TIME_BAD_ARGUMENT ((CFE_Status_t)0xce000005)
 Bad Argument.

9.1.1 Detailed Description

9.1.2 Macro Definition Documentation

9.1.2.1 CFE_ES_APP_CLEANUP_ERR #define CFE_ES_APP_CLEANUP_ERR ((CFE_Status_t)0xc4000023) Application Cleanup Error.

Occurs when an attempt was made to Clean Up an application which involves calling Table, EVS, and SB cleanup functions, then deleting all ES resources, child tasks, and unloading the object module. The approach here is to keep going even though one of these steps had an error. There will be syslog messages detailing each problem. Definition at line 588 of file cfe error.h.

9.1.2.2 CFE_ES_BAD_ARGUMENT #define CFE_ES_BAD_ARGUMENT ((CFE_Status_t)0xc400000a)

Bad Argument.

Bad parameter passed into an ES API.

Definition at line 399 of file cfe_error.h.

9.1.2.3 CFE_ES_BIN_SEM_DELETE_ERR #define CFE_ES_BIN_SEM_DELETE_ERR ((CFE_Status_t)0xc400001C) Binary Semaphore Delete Error.

Occurs when trying to delete a Binary Semaphore that belongs to a task that ES is cleaning up. Definition at line 527 of file cfe error.h.

9.1.2.4 CFE_ES_BUFFER_NOT_IN_POOL #define CFE_ES_BUFFER_NOT_IN_POOL ((CFE_Status_t)0xc4000025) Buffer Not In Pool.

The specified address is not in the memory pool.

Definition at line 605 of file cfe error.h.

9.1.2.5 CFE_ES_CDS_ACCESS_ERROR #define CFE_ES_CDS_ACCESS_ERROR ((CFE_Status_t)0xc4000013)

CDS Access Error.

The CDS was inaccessible

Definition at line 458 of file cfe error.h.

9.1.2.6 CFE_ES_CDS_ALREADY_EXISTS #define CFE_ES_CDS_ALREADY_EXISTS ((CFE_Status_t) 0x4400000d) CDS Already Exists.

The Application is receiving the pointer to a CDS that was already present.

Definition at line 415 of file cfe error.h.

9.1.2.7 CFE_ES_CDS_BLOCK_CRC_ERR #define CFE_ES_CDS_BLOCK_CRC_ERR ((CFE_Status_t)0xc400001A) CDS Block CRC Error.

Occurs when trying to read a CDS Data block and the CRC of the current data does not match the stored CRC for the data. Either the contents of the CDS Data Block are corrupted or the CDS Control Block is corrupted. Definition at line 509 of file cfe error.h.

9.1.2.8 CFE_ES_CDS_INSUFFICIENT_MEMORY #define CFE_ES_CDS_INSUFFICIENT_MEMORY ((CFE_Status_t)0xc400000e) CDS Insufficient Memory.

The Application is requesting a CDS Block that is larger than the remaining CDS memory. Definition at line 424 of file cfe error.h.

9.1.2.9 CFE ES CDS INVALID #define CFE ES CDS INVALID ((CFE Status t) 0xc4000012)

CDS Invalid.

The CDS contents are invalid.

Definition at line 450 of file cfe error.h.

9.1.2.10 CFE ES CDS INVALID NAME #define CFE_ES_CDS_INVALID_NAME ((CFE_Status_t) 0xc400000f) CDS Invalid Name.

The Application is requesting a CDS Block with an invalid ASCII string name. Either the name is too long (> CFE_MISSION_ES_CDS_MAX_NAME_LENGTH) or was an empty string.

Definition at line 433 of file cfe_error.h.

9.1.2.11 CFE_ES_CDS_INVALID_SIZE #define CFE_ES_CDS_INVALID_SIZE ((CFE_Status_t)0xc4000010) CDS Invalid Size.

The Application is requesting a CDS Block or Pool with a size beyond the applicable limits, either too large or too small/zero.

Definition at line 442 of file cfe error.h.

9.1.2.12 CFE_ES_CDS_OWNER_ACTIVE_ERR #define CFE_ES_CDS_OWNER_ACTIVE_ERR ((CFE_Status_t)0xc4000022) CDS Owner Active Error.

Occurs when an attempt was made to delete a CDS when an application with the same name associated with the CDS is still present. CDSs can ONLY be deleted when Applications that created them are not present in the system. Definition at line 575 of file cfe error.h.

9.1.2.13 CFE ES CDS WRONG TYPE ERR #define CFE_ES_CDS_WRONG_TYPE_ERR ((CFE_Status_t)0xc4000020) CDS Wrong Type Error.

Occurs when Table Services is trying to delete a Critical Data Store that is not a Critical Table Image or when Executive Services is trying to delete a Critical Table Image.

Definition at line 564 of file cfe_error.h.

9.1.2.14 CFE_ES_COUNT_SEM_DELETE_ERR #define CFE_ES_COUNT_SEM_DELETE_ERR ((CFE_Status_t) 0xc400001D)

Counting Semaphore Delete Error.

Occurs when trying to delete a Counting Semaphore that belongs to a task that ES is cleaning up. Definition at line 536 of file cfe error.h.

9.1.2.15 CFE_ES_ERR_APP_CREATE #define CFE_ES_ERR_APP_CREATE ((CFE_Status_t)0xc4000004)

Application Create Error.

There was an error loading or creating the App.

Definition at line 358 of file cfe error.h.

9.1.2.16 CFE_ES_ERR_APP_REGISTER #define CFE_ES_ERR_APP_REGISTER ((CFE_Status_t)0xc4000017)

Application Register Error.

Occurs when a task cannot be registered in ES global tables

Definition at line 482 of file cfe error.h.

9.1.2.17 CFE_ES_ERR_CHILD_TASK_CREATE #define CFE_ES_ERR_CHILD_TASK_CREATE ((CFE_Status_t) 0xc4000005)

Child Task Create Error.

There was an error creating a child task.

Definition at line 366 of file cfe error.h.

9.1.2.18 CFE_ES_ERR_CHILD_TASK_DELETE #define CFE_ES_ERR_CHILD_TASK_DELETE ((CFE_Status_t)0xc4000018)

Child Task Delete Error.

There was an error deleting a child task.

Definition at line 490 of file cfe_error.h.

9.1.2.19 CFE_ES_ERR_CHILD_TASK_DELETE_MAIN_TASK #define CFE_ES_ERR_CHILD_TASK_DELETE_MAI↔

N_TASK ((CFE_Status_t)0xc4000019)

Child Task Delete Passed Main Task.

There was an attempt to delete a cFE App Main Task with the CFE_ES_DeleteChildTask API.

Definition at line 499 of file cfe_error.h.

9.1.2.20 CFE_ES_ERR_CHILD_TASK_REGISTER #define CFE_ES_ERR_CHILD_TASK_REGISTER ((CFE_Status_t) 0xc400000b)

Child Task Register Error.

Errors occurred when trying to register a child task.

Definition at line 407 of file cfe error.h.

9.1.2.21 CFE_ES_ERR_DUPLICATE_NAME #define CFE_ES_ERR_DUPLICATE_NAME ((CFE_Status_t)0xc400002E)

Duplicate Name Error.

Resource creation failed due to the name already existing in the system.

Definition at line 668 of file cfe error.h.

9.1.2.22 CFE_ES_ERR_LOAD_LIB #define CFE_ES_ERR_LOAD_LIB ((CFE_Status_t)0xc4000009)

Load Library Error.

Could not load the shared library.

Definition at line 391 of file cfe error.h.

9.1.2.23 CFE_ES_ERR_MEM_BLOCK_SIZE #define CFE_ES_ERR_MEM_BLOCK_SIZE ((CFE_Status_t)0xc4000008)

Memory Block Size Error.

The block size requested is invalid.

Definition at line 383 of file cfe_error.h.

9.1.2.24 CFE ES ERR NAME NOT FOUND #define CFE_ES_ERR_NAME_NOT_FOUND ((CFE_Status_t)0xc4000002)

Resource Name Error.

There is no match in the system for the given name.

Generated by Doxygen

Definition at line 350 of file cfe_error.h.

9.1.2.25 CFE_ES_ERR_RESOURCEID_NOT_VALID #define CFE_ES_ERR_RESOURCEID_NOT_VALID ((CFE_Status_t) 0xc4000001) Resource ID is not valid.

This error indicates that the passed in resource identifier (App ID, Lib ID, Counter ID, etc) did not validate. Definition at line 342 of file cfe error.h.

9.1.2.26 CFE_ES_ERR_SYS_LOG_FULL #define CFE_ES_ERR_SYS_LOG_FULL ((CFE_Status_t)0xc4000006) System Log Full.

The cFE system Log is full. This error means the message was not logged at all Definition at line 375 of file cfe_error.h.

9.1.2.27 CFE_ES_ERR_SYS_LOG_TRUNCATED #define CFE_ES_ERR_SYS_LOG_TRUNCATED ((CFE_Status_t)0x44000029) System Log Message Truncated.

This information code means the last syslog message was truncated due to insufficient space in the log buffer. Definition at line 640 of file cfe_error.h.

9.1.2.28 CFE_ES_FILE_CLOSE_ERR #define CFE_ES_FILE_CLOSE_ERR ((CFE_Status_t)0xc400001F)

File Close Error.

Occurs when trying to close a file that belongs to a task that ES is cleaning up.

Definition at line 554 of file cfe_error.h.

9.1.2.29 CFE ES FILE IO ERR #define CFE_ES_FILE_IO_ERR ((CFE_Status_t)0xc4000014)

File IO Error.

Occurs when a file operation fails

Definition at line 466 of file cfe_error.h.

9.1.2.30 CFE_ES_LIB_ALREADY_LOADED #define CFE_ES_LIB_ALREADY_LOADED ((CFE_Status_t)0x44000028)

Library Already Loaded.

Occurs if CFE_ES_LoadLibrary detects that the requested library name is already loaded.

Definition at line 631 of file cfe_error.h.

9.1.2.31 CFE_ES_MUT_SEM_DELETE_ERR #define CFE_ES_MUT_SEM_DELETE_ERR ((CFE_Status_t)0xc400001B)

Mutex Semaphore Delete Error.

Occurs when trying to delete a Mutex that belongs to a task that ES is cleaning up.

Definition at line 518 of file cfe error.h.

This error indicates that the maximum resource identifiers (App ID, Lib ID, Counter ID, etc) has already been reached and a new ID cannot be allocated.

Definition at line 650 of file cfe error.h.

9.1.2.33 CFE_ES_NOT_IMPLEMENTED #define CFE_ES_NOT_IMPLEMENTED ((CFE_Status_t)0xc400ffff) Not Implemented.

Current version of cFE does not have the function or the feature of the function implemented. This could be due to either an early build of the cFE for this platform or the platform does not support the specified feature. Definition at line 679 of file cfe error.h.

9.1.2.34 CFE_ES_OPERATION_TIMED_OUT #define CFE_ES_OPERATION_TIMED_OUT ((CFE_Status_t)0xc4000027) Operation Timed Out.

Occurs if the timeout for a given operation was exceeded

Definition at line 622 of file cfe_error.h.

9.1.2.35 CFE_ES_POOL_BLOCK_INVALID #define CFE_ES_POOL_BLOCK_INVALID ((CFE_Status_t) 0xc400002C) Invalid pool block.

Software attempted to "put" a block back into a pool which does not appear to belong to that pool. This may mean the pool has become unusable due to memory corruption.

Definition at line 660 of file cfe error.h.

9.1.2.36 CFE_ES_QUEUE_DELETE_ERR #define CFE_ES_QUEUE_DELETE_ERR ((CFE_Status_t)0xc400001E)
Queue Delete Error.

Occurs when trying to delete a Queue that belongs to a task that ES is cleaning up.

Definition at line 545 of file cfe_error.h.

9.1.2.37 CFE_ES_RST_ACCESS_ERR #define CFE_ES_RST_ACCESS_ERR ((CFE_Status_t)0xc4000015)

Reset Area Access Error.

Occurs when the BSP is not successful in returning the reset area address.

Definition at line 474 of file cfe_error.h.

9.1.2.38 CFE_ES_TASK_DELETE_ERR #define CFE_ES_TASK_DELETE_ERR ((CFE_Status_t)0xc4000026)

Task Delete Error.

Occurs when trying to delete a task that ES is cleaning up.

Definition at line 614 of file cfe error.h.

9.1.2.39 CFE_ES_TIMER_DELETE_ERR #define CFE_ES_TIMER_DELETE_ERR ((CFE_Status_t)0xc4000024)

Timer Delete Error.

Occurs when trying to delete a Timer that belongs to a task that ES is cleaning up.

Definition at line 597 of file cfe error.h.

9.1.2.40 CFE_EVS_APP_FILTER_OVERLOAD #define CFE_EVS_APP_FILTER_OVERLOAD ((CFE_Status_t) 0xc2000004)

Application Filter Overload.

Number of Application event filters input upon registration is greater than CFE_PLATFORM_EVS_MAX_EVENT_FILTERS Definition at line 276 of file cfe error.h.

9.1.2.41 CFE_EVS_APP_ILLEGAL_APP_ID #define CFE_EVS_APP_ILLEGAL_APP_ID ((CFE_Status_t)0xc2000003) Illegal Application ID.

Application ID returned by CFE ES GetAppIDByName is greater than CFE PLATFORM ES MAX APPLICATIONS Definition at line 267 of file cfe error.h.

9.1.2.42 CFE EVS APP NOT REGISTERED #define CFE_EVS_APP_NOT_REGISTERED ((CFE_Status_t)0xc2000002)

Application Not Registered.

Calling application never previously called CFE EVS Register

Definition at line 258 of file cfe error.h.

9.1.2.43 CFE EVS APP SQUELCHED #define CFE_EVS_APP_SQUELCHED ((CFE_Status_t)0xc2000009)

Event squelched.

Event squelched due to being sent at too high a rate

Definition at line 318 of file cfe_error.h.

9.1.2.44 CFE_EVS_EVT_NOT_REGISTERED #define CFE_EVS_EVT_NOT_REGISTERED ((CFE_Status_t)0xc2000006) Event Not Registered.

CFE_EVS_ResetFilter EventID argument was not found in any event filter registered by the calling application. Definition at line 294 of file cfe error.h.

9.1.2.45 CFE EVS FILE WRITE ERROR #define CFE_EVS_FILE_WRITE_ERROR ((CFE_Status_t)0xc2000007) File Write Error.

A file write error occurred while processing an EVS command

Definition at line 302 of file cfe error.h.

9.1.2.46 CFE_EVS_INVALID_PARAMETER #define CFE_EVS_INVALID_PARAMETER ((CFE_Status_t) 0xc2000008)

Invalid Pointer.

Invalid parameter supplied to EVS command

Definition at line 310 of file cfe error.h.

9.1.2.47 CFE_EVS_NOT_IMPLEMENTED #define CFE_EVS_NOT_IMPLEMENTED ((CFE_Status_t))0xc200ffff)

Not Implemented.

Current version of cFE does not have the function or the feature of the function implemented. This could be due to either an early build of the cFE for this platform or the platform does not support the specified feature.

Definition at line 329 of file cfe error.h.

9.1.2.48 CFE_EVS_RESET_AREA_POINTER #define CFE_EVS_RESET_AREA_POINTER ((CFE_Status_t)0xc2000005)

Reset Area Pointer Failure.

Could not get pointer to the ES Reset area, so we could not get the pointer to the EVS Log.

Definition at line 285 of file cfe error.h.

9.1.2.49 CFE EVS UNKNOWN FILTER #define CFE_EVS_UNKNOWN_FILTER ((CFE_Status_t)0xc2000001)

Unknown Filter.

CFE EVS Register FilterScheme parameter was illegal

Definition at line 250 of file cfe_error.h.

9.1.2.50 CFE_FS_BAD_ARGUMENT #define CFE_FS_BAD_ARGUMENT ((CFE_Status_t)0xc6000001) Bad Argument.

A parameter given by a caller to a File Services API did not pass validation checks.

Definition at line 692 of file cfe error.h.

9.1.2.51 CFE FS FNAME TOO LONG #define CFE_FS_FNAME_TOO_LONG ((CFE_Status_t)0xc6000003)

Filename Too Long.

FS filename string is too long

Definition at line 708 of file cfe error.h.

9.1.2.52 CFE_FS_INVALID_PATH #define CFE_FS_INVALID_PATH ((CFE_Status_t)0xc6000002)

Invalid Path.

FS was unable to extract a filename from a path string

Definition at line 700 of file cfe_error.h.

9.1.2.53 CFE_FS_NOT_IMPLEMENTED #define CFE_FS_NOT_IMPLEMENTED ((CFE_Status_t)0xc600ffff) Not Implemented.

Current version of cFE does not have the function or the feature of the function implemented. This could be due to either an early build of the cFE for this platform or the platform does not support the specified feature. Definition at line 719 of file cfe error.h.

9.1.2.54 CFE_SB_BAD_ARGUMENT #define CFE_SB_BAD_ARGUMENT ((CFE_Status_t) 0xca000003) Bad Argument.

A parameter given by a caller to a Software Bus API did not pass validation checks.

Definition at line 750 of file cfe_error.h.

9.1.2.55 CFE_SB_BUF_ALOC_ERR #define CFE_SB_BUF_ALOC_ERR ((CFE_Status_t)0xca000008) Buffer Allocation Error.

Returned when the memory in the SB message buffer pool has been depleted. The amount of memory in the pool is dictated by the configuration parameter CFE_PLATFORM_SB_BUF_MEMORY_BYTES specified in the cfe_platform cfg.h file. Also the memory statistics, including current utilization figures and high water marks for the SB Buffer memory pool can be monitored by sending a Software Bus command to send the SB statistics packet. Definition at line 808 of file cfe_error.h.

9.1.2.56 CFE_SB_BUFFER_INVALID #define CFE_SB_BUFFER_INVALID ((CFE_Status_t)0xca00000e)

This error code will be returned when a request to release or send a zero copy buffer is invalid, such as if the handle or buffer is not correct or the buffer was previously released.

Definition at line 859 of file cfe error.h.

9.1.2.57 CFE_SB_INTERNAL_ERR #define CFE_SB_INTERNAL_ERR ((CFE_Status_t)0xca00000c) Internal Error.

This error code will be returned by the CFE_SB_Subscribe API if the code detects an internal index is out of range. The most likely cause would be a Single Event Upset.

Definition at line 840 of file cfe_error.h.

```
9.1.2.58 CFE_SB_MAX_DESTS_MET #define CFE_SB_MAX_DESTS_MET ((CFE_Status_t)0xca00000a) Max Destinations Met.
```

Will be returned when calling one of the SB subscription API's if the SB routing table cannot accommodate another destination for a particular the given message ID. This occurs when the number of destinations in use meets the platform configuration parameter CFE_PLATFORM_SB_MAX_DEST_PER_PKT.

Definition at line 830 of file cfe_error.h.

```
9.1.2.59 CFE_SB_MAX_MSGS_MET #define CFE_SB_MAX_MSGS_MET ((CFE_Status_t)0xca000009) Max Messages Met.
```

Will be returned when calling one of the SB subscription API's if the SB routing table cannot accommodate another unique message ID because the platform configuration parameter CFE_PLATFORM_SB_MAX_MSG_IDS has been met.

Definition at line 818 of file cfe_error.h.

```
9.1.2.60 CFE_SB_MAX_PIPES_MET #define CFE_SB_MAX_PIPES_MET ((CFE_Status_t)0xca000004) Max Pipes Met.
```

This error code will be returned from CFE_SB_CreatePipe when the SB cannot accommodate the request to create a pipe because the maximum number of pipes (CFE_PLATFORM_SB_MAX_PIPES) are in use. This configuration parameter is defined in the cfe_platform_cfg.h file.

Definition at line 761 of file cfe_error.h.

```
9.1.2.61 CFE_SB_MSG_TOO_BIG #define CFE_SB_MSG_TOO_BIG ((CFE_Status_t)0xca000007) Message Too Big.
```

The size field in the message header indicates the message exceeds the max Software Bus message size. The max size is defined by configuration parameter CFE_MISSION_SB_MAX_SB_MSG_SIZE in cfe_mission_cfg.h Definition at line 795 of file cfe_error.h.

```
9.1.2.62 CFE_SB_NO_MESSAGE #define CFE_SB_NO_MESSAGE ((CFE_Status_t)0xca000002) No Message.
```

When "Polling" a pipe for a message in CFE_SB_ReceiveBuffer, this return value indicates that there was not a message on the pipe.

Definition at line 741 of file cfe_error.h.

```
9.1.2.63 CFE_SB_NOT_IMPLEMENTED #define CFE_SB_NOT_IMPLEMENTED ((CFE_Status_t)0xca00ffff) Not Implemented.
```

Current version of cFE does not have the function or the feature of the function implemented. This could be due to either an early build of the cFE for this platform or the platform does not support the specified feature. Definition at line 870 of file cfe error.h.

9.1.2.64 CFE_SB_PIPE_CR_ERR #define CFE_SB_PIPE_CR_ERR ((CFE_Status_t)0xca000005)

Pipe Create Error.

The maximum number of queues(OS_MAX_QUEUES) are in use. Or possibly a lower level problem with creating the underlying queue has occurred such as a lack of memory. If the latter is the problem, the status code displayed in the event must be tracked.

Definition at line 772 of file cfe error.h.

9.1.2.65 CFE_SB_PIPE_RD_ERR #define CFE_SB_PIPE_RD_ERR ((CFE_Status_t)0xca000006)

Pipe Read Error.

This return value indicates an error at the Queue read level. This error typically cannot be corrected by the caller. Some possible causes are: queue was not properly initialized or created, the number of bytes read from the queue was not the number of bytes requested in the read. The queue id is invalid. Similar errors regarding the pipe will be caught by higher level code in the Software Bus.

Definition at line 785 of file cfe_error.h.

9.1.2.66 CFE_SB_TIME_OUT #define CFE_SB_TIME_OUT ((CFE_Status_t)0xca000001)

Time Out.

In CFE_SB_ReceiveBuffer, this return value indicates that a packet has not been received in the time given in the "timeout" parameter.

Definition at line 732 of file cfe error.h.

9.1.2.67 CFE_SB_WRONG_MSG_TYPE #define CFE_SB_WRONG_MSG_TYPE ((CFE_Status_t)0xca00000d)

Wrong Message Type.

This error code will be returned when a request such as CFE_MSG_SetMsgTime is made on a packet that does not include a field for msg time.

Definition at line 849 of file cfe_error.h.

9.1.2.68 CFE_STATUS_BAD_COMMAND_CODE #define CFE_STATUS_BAD_COMMAND_CODE ((CFE_Status_t) 0xc8000004) Bad Command Code.

This error code will be returned when a message identification process determined that the command code is does not correspond to any known value

Definition at line 182 of file cfe error.h.

9.1.2.69 CFE_STATUS_EXTERNAL_RESOURCE_FAIL #define CFE_STATUS_EXTERNAL_RESOURCE_FAIL ((CFE_Status_t)0xc800 External failure.

This error indicates that the operation failed for some reason outside the scope of CFE. The real failure may have been in OSAL, PSP, or another dependent library.

Details of the original failure should be written to syslog and/or a system event before returning this error.

Definition at line 194 of file cfe_error.h.

9.1.2.70 CFE_STATUS_INCORRECT_STATE #define CFE_STATUS_INCORRECT_STATE ((int32)0xc8000009)

Cannot process request at this time.

The system is not currently in the correct state to accept the request at this time.

Definition at line 227 of file cfe error.h.

Informational code indicating that a command was processed successfully but that the command counter should *not* be incremented.

Definition at line 155 of file cfe error.h.

9.1.2.72 CFE_STATUS_NOT_IMPLEMENTED #define CFE_STATUS_NOT_IMPLEMENTED ((CFE_Status_t) 0xc800ffff) Not Implemented.

Current version does not have the function or the feature of the function implemented. This could be due to either an early build for this platform or the platform does not support the specified feature.

Definition at line 238 of file cfe error.h.

9.1.2.73 CFE STATUS RANGE ERROR #define CFE_STATUS_RANGE_ERROR ((int32)0xc8000008)

Request or input value is out of range.

A message, table, or function call input contained a value that was outside the acceptable range, and the request was rejected.

Definition at line 219 of file cfe_error.h.

9.1.2.74 CFE_STATUS_REQUEST_ALREADY_PENDING #define CFE_STATUS_REQUEST_ALREADY_PENDI \leftrightarrow

NG ((int32)0xc8000006)

Request already pending.

Commands or requests are already pending or the pending request limit has been reached. No more requests can be made until the current request(s) complete.

Definition at line 203 of file cfe_error.h.

9.1.2.75 CFE_STATUS_UNKNOWN_MSG_ID #define CFE_STATUS_UNKNOWN_MSG_ID ((CFE_Status_t)0xc8000003) Unknown Message ID.

This error code will be returned when a message identification process determined that the message ID does not correspond to a known value

Definition at line 173 of file cfe_error.h.

9.1.2.76 CFE_STATUS_VALIDATION_FAILURE #define CFE_STATUS_VALIDATION_FAILURE ((int32)0xc8000007)

Request or input value failed basic structural validation.

A message or table input was not in the proper format to be understood and processed by an application, and was rejected.

Definition at line 211 of file cfe_error.h.

9.1.2.77 CFE_STATUS_WRONG_MSG_LENGTH #define CFE_STATUS_WRONG_MSG_LENGTH ((CFE_Status_t)0xc8000002) Wrong Message Length.

This error code will be returned when a message validation process determined that the message length is incorrect Definition at line 164 of file cfe_error.h.

9.1.2.78 CFE_SUCCESS #define CFE_SUCCESS ((CFE_Status_t)0)

Successful execution.

Operation was performed successfully

Definition at line 147 of file cfe_error.h.

9.1.2.79 CFE_TBL_BAD_ARGUMENT #define CFE_TBL_BAD_ARGUMENT ((CFE_Status_t)0xcc00002d) Bad Argument.

A parameter given by a caller to a Table API did not pass validation checks.

Definition at line 1281 of file cfe error.h.

9.1.2.80 CFE_TBL_ERR_ACCESS #define CFE_TBL_ERR_ACCESS ((CFE_Status_t)0xcc00002c)

Error code indicating that the TBL file could not be opened by the OS.

Definition at line 1272 of file cfe error.h.

9.1.2.81 CFE_TBL_ERR_BAD_CONTENT_ID #define CFE_TBL_ERR_BAD_CONTENT_ID ((CFE_Status_t)0xcc000016) Bad Content ID.

The calling Application called CFE_TBL_Load with a filename that specified a file whose content ID was not that of a table image.

Definition at line 1064 of file cfe error.h.

9.1.2.82 CFE_TBL_ERR_BAD_PROCESSOR_ID #define CFE_TBL_ERR_BAD_PROCESSOR_ID ((CFE_Status_t)0xcc000029) Bad Processor ID.

The selected table file failed validation for Processor ID. The platform configuration file has verification of table files enabled for Processor ID and an attempt was made to load a table with an invalid Processor ID in the table file header. Definition at line 1252 of file cfe_error.h.

9.1.2.83 CFE_TBL_ERR_BAD_SPACECRAFT_ID #define CFE_TBL_ERR_BAD_SPACECRAFT_ID ((CFE_Status_t)0xcc000028) Bad Spacecraft ID.

The selected table file failed validation for Spacecraft ID. The platform configuration file has verification of table files enabled for Spacecraft ID and an attempt was made to load a table with an invalid Spacecraft ID in the table file header. Definition at line 1241 of file cfe error.h.

9.1.2.84 CFE_TBL_ERR_BAD_SUBTYPE_ID #define CFE_TBL_ERR_BAD_SUBTYPE_ID ((CFE_Status_t)0xcc00001B) Bad Subtype ID.

The calling Application tried to access a table file whose Subtype identifier indicated it was not a table image file. Definition at line 1105 of file cfe error.h.

9.1.2.85 CFE_TBL_ERR_DUMP_ONLY #define CFE_TBL_ERR_DUMP_ONLY ((CFE_Status_t)0xcc000010) Dump Only Error.

The calling Application has attempted to perform a load on a table that was created with "Dump Only" attributes. Definition at line 1016 of file cfe error.h.

9.1.2.86 CFE_TBL_ERR_DUPLICATE_DIFF_SIZE #define CFE_TBL_ERR_DUPLICATE_DIFF_SIZE ((CFE_Status_t) 0xcc00000C) Duplicate Table With Different Size.

An application attempted to register a table with the same name as a table that is already in the registry. The size of the new table is different from the size already in the registry. Definition at line 977 of file cfe error.h.

Generated by Doxygen

9.1.2.87 CFE_TBL_ERR_DUPLICATE_NOT_OWNED #define CFE_TBL_ERR_DUPLICATE_NOT_OWNED ((CFE_Status_t) 0xcc00000D Duplicate Table And Not Owned.

An application attempted to register a table with the same name as a table that is already in the registry. The previously registered table is owned by a different application.

Definition at line 987 of file cfe_error.h.

9.1.2.88 CFE_TBL_ERR_FILE_FOR_WRONG_TABLE #define CFE_TBL_ERR_FILE_FOR_WRONG_TABLE ((CFE_Status_t)0xcc0000 File For Wrong Table.

The calling Application tried to load a table using a file whose header indicated that it was for a different table. Definition at line 1149 of file cfe error.h.

9.1.2.89 CFE_TBL_ERR_FILE_SIZE_INCONSISTENT #define CFE_TBL_ERR_FILE_SIZE_INCONSISTENT ((CFE_Status_t)0xcc00 File Size Inconsistent.

The calling Application tried to access a table file whose Subtype identifier indicated it was not a table image file. Definition at line 1114 of file cfe error.h.

9.1.2.90 CFE_TBL_ERR_FILE_TOO_LARGE #define CFE_TBL_ERR_FILE_TOO_LARGE ((CFE_Status_t)0xcc000014) File Too Large.

The calling Application called CFE_TBL_Load with a filename that specified a file that contained more data than the size of the table OR which contained more data than specified in the table header. Definition at line 1044 of file cfe error.h.

9.1.2.91 CFE_TBL_ERR_FILENAME_TOO_LONG #define CFE_TBL_ERR_FILENAME_TOO_LONG ((CFE_Status_t)0xcc00001F) Filename Too Long.

The calling Application tried to load a table using a filename that was too long.

Definition at line 1140 of file cfe error.h.

9.1.2.92 CFE_TBL_ERR_HANDLES_FULL #define CFE_TBL_ERR_HANDLES_FULL ((CFE_Status_t)0xcc00000B) Handles Full.

An application attempted to create a table and the Table Handle Array already used all CFE_PLATFORM_TBL_MAX↔ NUM HANDLES in it.

Definition at line 967 of file cfe error.h.

9.1.2.93 CFE_TBL_ERR_ILLEGAL_SRC_TYPE #define CFE_TBL_ERR_ILLEGAL_SRC_TYPE ((CFE_Status_t)0xcc000011) Illegal Source Type.

The calling Application called CFE_TBL_Load with an illegal value for the second parameter.

Definition at line 1025 of file cfe_error.h.

9.1.2.94 CFE_TBL_ERR_INVALID_HANDLE #define CFE_TBL_ERR_INVALID_HANDLE ((CFE_Status_t)0xcc000001) Invalid Handle.

The calling Application attempted to pass a Table handle that represented too large an index or identified a Table Access Descriptor that was not used.

Definition at line 884 of file cfe error.h.

9.1.2.95 CFE_TBL_ERR_INVALID_NAME #define CFE_TBL_ERR_INVALID_NAME ((CFE_Status_t)0xcc000002) Invalid Name.

The calling Application attempted to register a table whose name length exceeded the platform configuration value of CFE_MISSION_TBL_MAX_NAME_LENGTH or was zero characters long.

Definition at line 894 of file cfe_error.h.

9.1.2.96 CFE_TBL_ERR_INVALID_OPTIONS #define CFE_TBL_ERR_INVALID_OPTIONS ((CFE_Status_t)0xcc000025) Invalid Options.

The calling Application has used an illegal combination of table options. A summary of the illegal combinations are as follows:

#CFE_TBL_OPT_USR_DEF_ADDR cannot be combined with any of the following:

- 1. CFE_TBL_OPT_DBL_BUFFER
- 2. CFE TBL OPT LOAD DUMP
- 3. CFE_TBL_OPT_CRITICAL

#CFE_TBL_OPT_DBL_BUFFER cannot be combined with the following:

- 1. CFE TBL OPT USR DEF ADDR
- 2. CFE_TBL_OPT_DUMP_ONLY

Definition at line 1206 of file cfe error.h.

9.1.2.97 CFE_TBL_ERR_INVALID_SIZE #define CFE_TBL_ERR_INVALID_SIZE ((CFE_Status_t)0xcc000003) Invalid Size.

The calling Application attempted to register a table: a) that was a double buffered table with size greater than CFE_PLATFORM_TBL_MAX_DBL_TABLE_SIZE b) that was a single buffered table with size greater than CFE_PLATFORM_TBL_MAX_SNGL_TABLE_SIZE c) that had a size of zero

Definition at line 905 of file cfe error.h.

9.1.2.98 CFE_TBL_ERR_LOAD_IN_PROGRESS #define CFE_TBL_ERR_LOAD_IN_PROGRESS ((CFE_Status_t) 0xcc000012) Load In Progress.

The calling Application called CFE_TBL_Load when another Application was trying to load the table. Definition at line 1034 of file cfe_error.h.

9.1.2.99 CFE_TBL_ERR_LOAD_INCOMPLETE #define CFE_TBL_ERR_LOAD_INCOMPLETE ((CFE_Status_t)0xcc000021) Load Incomplete.

The calling Application tried to load a table file whose header claimed the load was larger than what was actually read from the file.

Definition at line 1158 of file cfe error.h.

9.1.2.100 CFE_TBL_ERR_NEVER_LOADED #define CFE_TBL_ERR_NEVER_LOADED ((CFE_Status_t) 0xcc000005) Never Loaded.

Table has not been loaded with data.

Definition at line 921 of file cfe error.h.

9.1.2.101 CFE_TBL_ERR_NO_ACCESS #define CFE_TBL_ERR_NO_ACCESS ((CFE_Status_t)0xcc000008) No Access.

The calling application either failed when calling CFE_TBL_Register, failed when calling CFE_TBL_Share or forgot to call either one.

Definition at line 949 of file cfe error.h.

9.1.2.102 CFE_TBL_ERR_NO_BUFFER_AVAIL #define CFE_TBL_ERR_NO_BUFFER_AVAIL ((CFE_Status_t) 0xcc00000F) No Buffer Available.

The calling Application has tried to allocate a working buffer but none were available.

Definition at line 1007 of file cfe_error.h.

9.1.2.103 CFE_TBL_ERR_NO_STD_HEADER #define CFE_TBL_ERR_NO_STD_HEADER ((CFE_Status_t) 0xcc00001D) No Standard Header.

The calling Application tried to access a table file whose standard cFE File Header was the wrong size, etc. Definition at line 1122 of file cfe error.h.

9.1.2.104 CFE_TBL_ERR_NO_TBL_HEADER #define CFE_TBL_ERR_NO_TBL_HEADER ((CFE_Status_t)0xcc00001E) No Table Header.

The calling Application tried to access a table file whose standard cFE Table File Header was the wrong size, etc. Definition at line 1131 of file cfe error.h.

9.1.2.105 CFE_TBL_ERR_PARTIAL_LOAD #define CFE_TBL_ERR_PARTIAL_LOAD ((CFE_Status_t)0xcc000023) Partial Load Error.

The calling Application tried to load a table file whose header claimed the load did not start with the first byte and the table image had NEVER been loaded before. Partial loads are not allowed on uninitialized tables. It should be noted that CFE_TBL_WARN_SHORT_FILE also indicates a partial load.

Definition at line 1180 of file cfe error.h.

9.1.2.106 CFE_TBL_ERR_REGISTRY_FULL #define CFE_TBL_ERR_REGISTRY_FULL ((CFE_Status_t)0xcc000006) Registry Full.

An application attempted to create a table and the Table registry already contained CFE_PLATFORM_TBL_MAX_NUM_TABLES in it.

Definition at line 930 of file cfe_error.h.

9.1.2.107 CFE_TBL_ERR_SHORT_FILE #define CFE_TBL_ERR_SHORT_FILE ((CFE_Status_t)0xcc00002b)

Error code indicating that the TBL file is shorter than indicated in the file header.

Definition at line 1266 of file cfe_error.h.

9.1.2.108 CFE_TBL_ERR_UNREGISTERED #define CFE_TBL_ERR_UNREGISTERED ((CFE_Status_t)0xcc000009) Unregistered.

The calling application is trying to access a table that has been unregistered.

Definition at line 958 of file cfe error.h.

9.1.2.109 CFE_TBL_INFO_DUMP_PENDING #define CFE_TBL_INFO_DUMP_PENDING ((CFE_Status_t)0x4c000024) Dump Pending.

The calling Application should call CFE_TBL_Manage for the specified table. The ground has requested a dump of the Dump-Only table and needs to synchronize with the owning application.

Definition at line 1190 of file cfe error.h.

9.1.2.110 CFE_TBL_INFO_NO_UPDATE_PENDING #define CFE_TBL_INFO_NO_UPDATE_PENDING ((CFE_Status_t) 0x4c000017) No Update Pending.

The calling Application has attempted to update a table without a pending load.

Definition at line 1072 of file cfe error.h.

$\textbf{9.1.2.111} \quad \textbf{CFE_TBL_INFO_NO_VALIDATION_PENDING} \quad \texttt{\#define CFE_TBL_INFO_NO_VALIDATION_PENDIC} \\$

NG ((CFE_Status_t)0x4c00001A)

No Validation Pending

The calling Application tried to validate a table that did not have a validation request pending.

Definition at line 1096 of file cfe_error.h.

9.1.2.112 CFE_TBL_INFO_RECOVERED_TBL #define CFE_TBL_INFO_RECOVERED_TBL ((CFE_Status_t)0x4c000027) Recovered Table.

The calling Application registered a critical table whose previous contents were discovered in the Critical Data Store.

The discovered contents were copied back into the newly registered table as the table's initial contents.

NOTE: In this situation, the contents of the table are NOT validated using the table's validation function.

Definition at line 1230 of file cfe_error.h.

9.1.2.113 CFE_TBL_INFO_TABLE_LOCKED #define CFE_TBL_INFO_TABLE_LOCKED ((CFE_Status_t) 0x4c000018) Table Locked.

The calling Application tried to update a table that is locked by another user.

Definition at line 1080 of file cfe error.h.

9.1.2.114 CFE_TBL_INFO_UPDATE_PENDING #define CFE_TBL_INFO_UPDATE_PENDING ((CFE_Status_t)0x4c000004) Update Pending.

The calling Application has identified a table that has a load pending.

Definition at line 913 of file cfe error.h.

9.1.2.115 CFE_TBL_INFO_UPDATED #define CFE_TBL_INFO_UPDATED ((CFE_Status_t)0x4c00000E) Updated.

The calling Application has identified a table that has been updated.

NOTE: This is a nominal return code informing the calling application that the table identified in the call has had its contents updated since the last time the application obtained its address or status.

Definition at line 998 of file cfe_error.h.

9.1.2.116 CFE_TBL_INFO_VALIDATION_PENDING #define CFE_TBL_INFO_VALIDATION_PENDING ((CFE_Status_t)0x4c000019) Validation Pending

The calling Application should call CFE TBL Validate for the specified table.

Definition at line 1088 of file cfe error.h.

9.1.2.117 CFE_TBL_MESSAGE_ERROR #define CFE_TBL_MESSAGE_ERROR ((CFE_Status_t)0xcc00002a) Message Error.

Error code indicating that the TBL command was not processed successfully and that the error counter should be incremented.

Definition at line 1260 of file cfe error.h.

9.1.2.118 CFE_TBL_NOT_IMPLEMENTED #define CFE_TBL_NOT_IMPLEMENTED ((CFE_Status_t)0xcc00ffff) Not Implemented.

Current version of cFE does not have the function or the feature of the function implemented. This could be due to either an early build of the cFE for this platform or the platform does not support the specified feature. Definition at line 1292 of file cfe error.h.

9.1.2.119 CFE_TBL_WARN_DUPLICATE #define CFE_TBL_WARN_DUPLICATE ((CFE_Status_t)0x4c000007) Duplicate Warning.

This is an error that the registration is trying to replace an existing table with the same name. The previous table stays in place and the new table is rejected.

Definition at line 940 of file cfe_error.h.

9.1.2.120 CFE_TBL_WARN_NOT_CRITICAL #define CFE_TBL_WARN_NOT_CRITICAL ((CFE_Status_t)0x4c000026) Not Critical Warning.

The calling Application attempted to register a table as "Critical". Table Services failed to create an appropriate Critical Data Store (See System Log for reason) to save the table contents. The table will be treated as a normal table from now on.

Definition at line 1217 of file cfe_error.h.

9.1.2.121 CFE_TBL_WARN_PARTIAL_LOAD #define CFE_TBL_WARN_PARTIAL_LOAD ((CFE_Status_t) 0x4c000022) Partial Load Warning.

The calling Application tried to load a table file whose header claimed the load did not start with the first byte. It should be noted that CFE_TBL_WARN_SHORT_FILE also indicates a partial load.

Definition at line 1168 of file cfe_error.h.

9.1.2.122 CFE_TBL_WARN_SHORT_FILE #define CFE_TBL_WARN_SHORT_FILE ((CFE_Status_t)0x4c000015) Short File Warning.

The calling Application called CFE_TBL_Load with a filename that specified a file that started with the first byte of the table but contained less data than the size of the table. It should be noted that CFE_TBL_WARN_PARTIAL_LOAD also indicates a partial load (one that starts at a non-zero offset).

Definition at line 1055 of file cfe_error.h.

9.1.2.123 CFE_TIME_BAD_ARGUMENT #define CFE_TIME_BAD_ARGUMENT ((CFE_Status_t) 0xce000005) Bad Argument.

A parameter given by a caller to a TIME Services API did not pass validation checks. Definition at line 1364 of file cfe_error.h.

9.1.2.124 CFE_TIME_CALLBACK_NOT_REGISTERED #define CFE_TIME_CALLBACK_NOT_REGISTERED ((CFE_Status_t)0xce000 Callback Not Registered.

An attempt to unregister a cFE Time Services Synchronization callback has failed because the specified callback function was not located in the Synchronization Callback Registry.

Definition at line 1355 of file cfe_error.h.

```
9.1.2.125 CFE_TIME_INTERNAL_ONLY #define CFE_TIME_INTERNAL_ONLY ((CFE_Status_t) 0xce000001) Internal Only.
```

One of the TIME Services API functions to set the time with data from an external time source has been called, but TIME Services has been commanded to not accept external time data. However, the command is still a signal for the Time Server to generate a "time at the tone" command packet using internal data.

Definition at line 1319 of file cfe_error.h.

9.1.2.126 CFE_TIME_NOT_IMPLEMENTED #define CFE_TIME_NOT_IMPLEMENTED ((CFE_Status_t)0xce00ffff) Not Implemented.

Current version of cFE does not have the function or the feature of the function implemented. This could be due to either an early build of the cFE for this platform or the platform does not support the specified feature. Definition at line 1307 of file cfe error.h.

9.1.2.127 CFE_TIME_OUT_OF_RANGE #define CFE_TIME_OUT_OF_RANGE ((CFE_Status_t) 0xce000002) Out Of Range.

One of the TIME Services API functions to set the time with data from an external time source has been called, but TIME Services has determined that the new time data is invalid. However, the command is still a signal for the Time Server to generate a "time at the tone" command packet using internal data.

Note that the test for invalid time update data only occurs if TIME Services has previously been commanded to set the clock state to "valid".

Definition at line 1334 of file cfe_error.h.

9.1.2.128 CFE_TIME_TOO_MANY_SYNCH_CALLBACKS #define CFE_TIME_TOO_MANY_SYNCH_CALLBAC← KS ((CFE_Status_t)0xce000003)

Too Many Sync Callbacks.

An attempt to register too many cFE Time Services Synchronization callbacks has been made. Only one callback function is allowed per application. It is expected that the application itself will distribute the single callback to child threads as needed.

Definition at line 1345 of file cfe_error.h.

9.2 cFE Resource ID APIs 141

9.2 cFE Resource ID APIs

Functions

CFE_Status_t CFE_ES_AppID_ToIndex (CFE_ES_AppId_t AppID, uint32 *Idx)

Obtain an index value correlating to an ES Application ID.

• int32 CFE_ES_LibID_ToIndex (CFE_ES_LibId_t LibId, uint32 *Idx)

Obtain an index value correlating to an ES Library ID.

• CFE Status t CFE ES TaskID ToIndex (CFE ES TaskId t TaskID, uint32 *Idx)

Obtain an index value correlating to an ES Task ID.

• CFE_Status_t CFE_ES_CounterID_ToIndex (CFE_ES_CounterId_t CounterId, uint32 *Idx)

Obtain an index value correlating to an ES Counter ID.

9.2.1 Detailed Description

9.2.2 Function Documentation

Obtain an index value correlating to an ES Application ID.

This calculates a zero based integer value that may be used for indexing into a local resource table/array. Index values are only guaranteed to be unique for resources of the same type. For instance, the indices corresponding to two [valid] application IDs will never overlap, but the index of an application and a library ID may be the same. Furthermore, indices may be reused if a resource is deleted and re-created.

Note

There is no inverse of this function - indices cannot be converted back to the original AppID value. The caller should retain the original ID for future use.

Parameters

in	AppID	Application ID to convert
out	ldx	Buffer where the calculated index will be stored (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.

Obtain an index value correlating to an ES Counter ID.

This calculates a zero based integer value that may be used for indexing into a local resource table/array.

Index values are only guaranteed to be unique for resources of the same type. For instance, the indices corresponding to two [valid] Counter IDs will never overlap, but the index of a Counter and a library ID may be the same. Furthermore, indices may be reused if a resource is deleted and re-created.

Note

There is no inverse of this function - indices cannot be converted back to the original CounterID value. The caller should retain the original ID for future use.

Parameters

in	Counter⊷	Counter ID to convert
	ld	
out	ldx	Buffer where the calculated index will be stored (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.

Obtain an index value correlating to an ES Library ID.

This calculates a zero based integer value that may be used for indexing into a local resource table/array. Index values are only guaranteed to be unique for resources of the same type. For instance, the indices corresponding to two [valid] Library IDs will never overlap, but the index of an Library and a library ID may be the same. Furthermore, indices may be reused if a resource is deleted and re-created.

Note

There is no inverse of this function - indices cannot be converted back to the original LibID value. The caller should retain the original ID for future use.

Parameters

in	Lib⊷	Library ID to convert
	ld	
out	ldx	Buffer where the calculated index will be stored (must not be null)

Returns

Execution status, see cFE Return Code Defines

9.2 cFE Resource ID APIs 143

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.

Obtain an index value correlating to an ES Task ID.

This calculates a zero based integer value that may be used for indexing into a local resource table/array. Index values are only guaranteed to be unique for resources of the same type. For instance, the indices corresponding to two [valid] Task IDs will never overlap, but the index of a Task and a library ID may be the same. Furthermore, indices may be reused if a resource is deleted and re-created.

Note

There is no inverse of this function - indices cannot be converted back to the original TaskID value. The caller should retain the original ID for future use.

Parameters

in	TaskID	Task ID to convert
out	ldx	Buffer where the calculated index will be stored (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

9.3 cFE Entry/Exit APIs

Functions

- void CFE_ES_Main (uint32 StartType, uint32 StartSubtype, uint32 Modeld, const char *StartFilePath)
 - cFE Main Entry Point used by Board Support Package to start cFE
- CFE_Status_t CFE_ES_ResetCFE (uint32 ResetType)

Reset the cFE Core and all cFE Applications.

9.3.1 Detailed Description

9.3.2 Function Documentation

cFE Main Entry Point used by Board Support Package to start cFE

Description

cFE main entry point. This is the entry point into the cFE software. It is called only by the Board Support Package software.

Assumptions, External Events, and Notes:

None

Parameters

in	StartType	Identifies whether this was a CFE_PSP_RST_TYPE_POWERON or CFE_PSP_RST_TYPE_PROCESSOR.
in	StartSubtype	Specifies, in more detail, what caused the StartType identified above. See CFE_PSP_RST_SUBTYPE_POWER_CYCLE for possible examples.
in	Modeld	Identifies the source of the Boot as determined by the BSP.
in	StartFilePath	Identifies the startup file to use to initialize the cFE apps.

See also

CFE_ES_ResetCFE

Reset the cFE Core and all cFE Applications.

Description

This API causes an immediate reset of the cFE Kernel and all cFE Applications. The caller can specify whether the reset should clear all memory (CFE_PSP_RST_TYPE_POWERON) or try to retain volatile memory areas (CFE_PSP_RST_TYPE_PROCESSOR).

Assumptions, External Events, and Notes:

None

Parameters

in	ResetType	Identifies the type of reset desired. Allowable settings are:	
		CFE_PSP_RST_TYPE_POWERON - Causes all memory to be cleared	
		 CFE_PSP_RST_TYPE_PROCESSOR - Attempts to retain volatile disk, critical data store and user reserved memory. 	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.
CFE_ES_NOT_IMPLEMENTED	Not Implemented.

See also

CFE_ES_Main

9.4 cFE Application Control APIs

Functions

CFE_Status_t CFE_ES_RestartApp (CFE_ES_Appld_t ApplD)

Restart a single cFE Application.

• CFE_Status_t CFE_ES_ReloadApp (CFE_ES_AppId_t AppID, const char *AppFileName)

Reload a single cFE Application.

• CFE_Status_t CFE_ES_DeleteApp (CFE_ES_Appld_t ApplD)

Delete a cFE Application.

9.4.1 Detailed Description

9.4.2 Function Documentation

Delete a cFE Application.

Description

This API causes a cFE Application to be stopped deleted.

Assumptions, External Events, and Notes:

None

Parameters

in AppID Identifies the a	application to be reset.
---------------------------	--------------------------

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_SUCCESS	Successful execution.

See also

CFE_ES_RestartApp, CFE_ES_ReloadApp

Reload a single cFE Application.

Description

This API causes a cFE Application to be stopped and restarted from the specified file.

Assumptions, External Events, and Notes:

The filename is checked for existence prior to load. A missing file will be reported and the reload operation will be aborted prior to unloading the app.

Goes through the standard CFE_ES_CleanUpApp which unloads, then attempts a load using the specified file name. In the event that an application cannot be reloaded due to a corrupt file, the application may no longer be reloaded when given a valid load file (it has been deleted and no longer exists). To recover, the application may be started by loading the application via the ES_STARTAPP command (CFE_ES_START_APP_CC).

Parameters

in	AppID	Identifies the application to be reset.
in	AppFileName	Identifies the new file to start (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_SUCCESS	Successful execution.
CFE_ES_FILE_IO_ERR	File IO Error.

See also

CFE_ES_RestartApp, CFE_ES_DeleteApp, CFE_ES_START_APP_CC

Restart a single cFE Application.

Description

This API causes a cFE Application to be unloaded and restarted from the same file name as the last start.

Assumptions, External Events, and Notes:

The filename is checked for existence prior to load. A missing file will be reported and the reload operation will be aborted prior to unloading the app.

Goes through the standard CFE_ES_CleanUpApp which unloads, then attempts a load using the original file name. In the event that an application cannot be reloaded due to a missing file or any other load issue, the application may no longer be restarted or reloaded when given a valid load file (the app has been deleted and no longer exists). To recover, the application may be started by loading the application via the ES_STARTAPP command (CFE_ES_START_APP_CC).

in	AppID	Identifies the application to be reset.
----	-------	---

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_FILE_IO_ERR	File IO Error.
CFE_SUCCESS	Successful execution.

See also

CFE_ES_ReloadApp, CFE_ES_DeleteApp

9.5 cFE Application Behavior APIs

Functions

• void CFE_ES_ExitApp (uint32 ExitStatus)

Exit a cFE Application.

• bool CFE_ES_RunLoop (uint32 *RunStatus)

Check for Exit, Restart, or Reload commands.

CFE_Status_t CFE_ES_WaitForSystemState (uint32 MinSystemState, uint32 TimeOutMilliseconds)

Allow an Application to Wait for a minimum global system state.

void CFE_ES_WaitForStartupSync (uint32 TimeOutMilliseconds)

Allow an Application to Wait for the "OPERATIONAL" global system state.

void CFE_ES_IncrementTaskCounter (void)

Increments the execution counter for the calling task.

9.5.1 Detailed Description

9.5.2 Function Documentation

Exit a cFE Application.

Description

This API is the "Exit Point" for the cFE application

Assumptions, External Events, and Notes:

None

in	ExitStatus	Acceptable values are:
		CFE_ES_RunStatus_APP_EXIT - Indicates that the Application wants to exit normally.
		 CFE_ES_RunStatus_APP_ERROR - Indicates that the Application is quitting with an error.
		CFE_ES_RunStatus_CORE_APP_INIT_ERROR - Indicates that the Core Application could not Init.
		CFE_ES_RunStatus_CORE_APP_RUNTIME_ERROR - Indicates that the Core Application had a runtime failure.

See also

CFE ES RunLoop

```
9.5.2.2 CFE_ES_IncrementTaskCounter() void CFE_ES_IncrementTaskCounter ( void )
```

Increments the execution counter for the calling task.

Description

This routine increments the execution counter that is stored for the calling task. It can be called from cFE Application main tasks, child tasks, or cFE Core application main tasks. Normally, the call is not necessary from a cFE Application, since the CFE ES RunLoop call increments the counter for the Application.

Assumptions, External Events, and Notes:

NOTE: This API is not needed for Applications that call the CFE ES RunLoop call.

See also

CFE_ES_RunLoop

Check for Exit, Restart, or Reload commands.

Description

This is the API that allows an app to check for exit requests from the system, or request shutdown from the system.

Assumptions, External Events, and Notes:

This API updates the internal task counter tracked by ES for the calling task. For ES to report application counters correctly this API should be called from the main app task as part of it's main processing loop.

In the event of a externally initiated app shutdown request (such as the APP_STOP, APP_RELOAD, and APP_RES TART commands) or if a system error occurs requiring the app to be shut down administratively, this function returns "false" and optionally sets the "RunStatus" output to further indicate the specific application state.

If "RunStatus" is passed as non-NULL, it should point to a local status variable containing the requested status to ES. Normally, this should be initialized to CFE_ES_RunStatus_APP_RUN during application start up, and should remain as this value during normal operation.

If "RunStatus" is set to CFE_ES_RunStatus_APP_EXIT or CFE_ES_RunStatus_APP_ERROR on input, this acts as a shutdown request - CFE_ES_RunLoop() function will return "false", and a shutdown will be initiated similar to if ES had been externally commanded to shut down the app.

If "RunStatus" is not used, it should be passed as NULL. In this mode, only the boolean return value is relevant, which will indicate if an externally-initiated shutdown request is pending.

in,out	RunStatus	Optional pointer to a variable containing the desired run status
--------	-----------	--

Returns

Boolean indicating application should continue running

Return values

true	Application should continue running
false	Application should not continue running

See also

CFE ES ExitApp

9.5.2.4 CFE_ES_WaitForStartupSync() void CFE_ES_WaitForStartupSync (uint32 *TimeOutMilliseconds*)

Allow an Application to Wait for the "OPERATIONAL" global system state.

Description

This is the API that allows an app to wait for the rest of the apps to complete their entire initialization before continuing. It is most useful for applications such as Health and Safety or the Scheduler that need to wait until applications exist and are running before sending out packets to them.

This is a specialized wrapper for CFE_ES_WaitForSystemState for compatibility with applications using this API.

Assumptions, External Events, and Notes:

This API should only be called as the last item of an Apps initialization. In addition, this API should only be called by an App that is started from the ES Startup file. It should not be used by an App that is started after the system is running. (Although it will cause no harm)

Parameters

Ī	in	TimeOutMilliseconds	The timeout value in Milliseconds. This parameter must be at least 1000. Lower
			values will be rounded up. There is not an option to wait indefinitely to avoid
			hanging a critical application because a non-critical app did not start.

See also

CFE_ES_RunLoop

Allow an Application to Wait for a minimum global system state.

Description

This is the API that allows an app to wait for the rest of the apps to complete a given stage of initialization before continuing.

This gives finer grained control than CFE_ES_WaitForStartupSync

Assumptions, External Events, and Notes:

This API assumes that the caller has also been initialized sufficiently to satisfy the global system state it is waiting for, and the apps own state will be updated accordingly.

Parameters

in	MinSystemState	Determine the state of the App	
in	n TimeOutMilliseconds The timeout value in Milliseconds. There is not an option to wait indefinitely to av		
		hanging a critical application because a non-critical app did not start.	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	State successfully achieved
CFE_ES_OPERATION_TIMED_OUT	(return value only verified in coverage test) Timeout was reached

See also

CFE_ES_RunLoop

9.6 cFE Information APIs 153

9.6 cFE Information APIs

Functions

int32 CFE ES GetResetType (uint32 *ResetSubtypePtr)

Return the most recent Reset Type.

CFE_Status_t CFE_ES_GetAppID (CFE_ES_AppId_t *AppIdPtr)

Get an Application ID for the calling Application.

CFE_Status_t CFE_ES_GetTaskID (CFE_ES_TaskId_t *TaskIdPtr)

Get the task ID of the calling context.

CFE_Status_t CFE_ES_GetAppIDByName (CFE_ES_AppId_t *AppIdPtr, const char *AppName)

Get an Application ID associated with a specified Application name.

CFE Status t CFE ES GetLibIDByName (CFE ES LibId t *LibIdPtr, const char *LibName)

Get a Library ID associated with a specified Library name.

• CFE_Status_t CFE_ES_GetAppName (char *AppName, CFE_ES_AppId_t AppId, size_t BufferLength)

Get an Application name for a specified Application ID.

• CFE_Status_t CFE_ES_GetLibName (char *LibName, CFE_ES_LibId_t LibId, size_t BufferLength)

Get a Library name for a specified Library ID.

CFE Status t CFE ES GetAppInfo (CFE ES AppInfo t *AppInfo, CFE ES AppInf t AppInfo, CFE ES AppInfo t *AppInfo, CFE ES AppInfo t *AppInfo, CFE ES AppInfo t *AppInfo, CFE ES AppInfo, CFE ES AppInfo t *AppInfo, CFE ES AppInfo, CFE ES AppInfo t *AppInfo, CFE ES AppInfo, CFE ES AppInfo t *AppInfo, CFE ES AppInfo t *AppInfo t *App

Get Application Information given a specified App ID.

CFE_Status_t CFE_ES_GetTaskInfo (CFE_ES_TaskInfo_t *TaskInfo, CFE_ES_TaskId_t TaskId)

Get Task Information given a specified Task ID.

int32 CFE ES GetLibInfo (CFE ES AppInfo t *LibInfo, CFE ES LibId t LibId)

Get Library Information given a specified Resource ID.

int32 CFE_ES_GetModuleInfo (CFE_ES_AppInfo_t *ModuleInfo, CFE_ResourceId_t ResourceId)

Get Information given a specified Resource ID.

9.6.1 Detailed Description

9.6.2 Function Documentation

Get an Application ID for the calling Application.

Description

This routine retrieves the cFE Application ID for the calling Application.

Assumptions, External Events, and Notes:

NOTE: All tasks associated with the Application would return the same Application ID.

ſ	out	<i>AppldPtr</i>	Pointer to variable that is to receive the Application's ID (must not be null). *AppldPtr will be
			set to the application ID of the calling Application.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_GetResetType, CFE_ES_GetAppIDByName, CFE_ES_GetAppName, CFE_ES_GetTaskInfo

Get an Application ID associated with a specified Application name.

Description

This routine retrieves the cFE Application ID associated with a specified Application name.

Assumptions, External Events, and Notes:

None

Parameters

out	<i>AppIdPtr</i>	Pointer to variable that is to receive the Application's ID (must not be null).
in	AppName	Pointer to null terminated character string containing an Application name (must not be null).

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_NAME_NOT_FOUND	Resource Name Error.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_GetAppID, CFE_ES_GetAppInfo

```
9.6.2.3 CFE_ES_GetAppInfo() CFE_Status_t CFE_ES_GetAppInfo ( CFE_ES_AppInfo_t * AppInfo,
```

9.6 cFE Information APIs 155

```
CFE_ES_AppId_t AppId )
```

Get Application Information given a specified App ID.

Description

This routine retrieves the information about an App associated with a specified App ID. The information includes all of the information ES maintains for an application (documented in the CFE_ES_AppInfo_t type)

Assumptions, External Events, and Notes:

None

Parameters

out	AppInfo	Pointer to a structure (must not be null) that will be filled with resource name and memory addresses information.
in	Appld	ID of application to obtain information about

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

 ${\sf CFE_ES_GetAppID}, {\sf CFE_ES_GetAppIDByName}, {\sf CFE_ES_GetAppName}$

Get an Application name for a specified Application ID.

Description

This routine retrieves the cFE Application name associated with a specified Application ID.

Assumptions, External Events, and Notes:

In the case of a failure (CFE_ES_ERR_RESOURCEID_NOT_VALID), an empty string is returned.

out	AppName	Pointer to a character array (must not be null) of at least BufferLength in size that will	
		be filled with the appropriate Application name.	
in	Appld	Application ID of Application whose name is being requested.	
in	BufferLength	The maximum number of characters, including the null terminator, that can be put into the	
Generated b	y Doxygen	AppName buffer. This routine will truncate the name to this length, if necessary.	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_GetAppID, CFE_ES_GetAppIDByName, CFE_ES_GetAppInfo

Get a Library ID associated with a specified Library name.

Description

This routine retrieves the cFE Library ID associated with a specified Library name.

Assumptions, External Events, and Notes:

None

Parameters

out	LibldPtr	Pointer to variable that is to receive the Library's ID (must not be null).
in	LibName	Pointer to null terminated character string containing a Library name (must not be null).

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_NAME_NOT_FOUND	Resource Name Error.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_GetLibName

```
9.6.2.6 CFE_ES_GetLibInfo() int32 CFE_ES_GetLibInfo ( CFE_ES_AppInfo_t * LibInfo,
```

9.6 cFE Information APIs 157

```
CFE_ES_LibId_t LibId )
```

Get Library Information given a specified Resource ID.

Description

This routine retrieves the information about a Library associated with a specified ID. The information includes all of the information ES maintains for this resource type (documented in the CFE_ES_AppInfo_t type).

This shares the same output structure as CFE_ES_GetAppInfo, such that informational commands can be executed against either applications or libraries. When applied to a library, the task information in the structure will be omitted, as libraries do not have tasks associated.

Assumptions, External Events, and Notes:

None

Parameters

out	LibInfo	Pointer to a structure (must not be null) that will be filled with resource name and memory
		addresses information.
in	Libld	ID of application to obtain information about

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_GetLibIDByName, CFE_ES_GetLibName

Get a Library name for a specified Library ID.

Description

This routine retrieves the cFE Library name associated with a specified Library ID.

Assumptions, External Events, and Notes:

In the case of a failure (CFE_ES_ERR_RESOURCEID_NOT_VALID), an empty string is returned.

out	LibName	Pointer to a character array (must not be null) of at least BufferLength in size that will be filled with the Library name.
in	Libld	Library ID of Library whose name is being requested.
in	BufferLength	The maximum number of characters (must not be zero), including the null terminator, that can be put into the LibName buffer. This routine will truncate the name to this length, if necessary.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_GetLibIDByName

Get Information given a specified Resource ID.

Description

This routine retrieves the information about an Application or Library associated with a specified ID.

This is a wrapper API that in turn calls either CFE_ES_GetAppInfo or CFE_ES_GetLibInfo if passed an AppId or LibId, respectively.

This allows commands originally targeted to operate on AppIDs to be easily ported to operate on either Libraries or Applications, where relevant.

Assumptions, External Events, and Notes:

None

out	ModuleInfo	Pointer to a structure (must not be null) that will be filled with resource name and memory
		addresses information.
in	Resource←	ID of application or library to obtain information about
	ld	

9.6 cFE Information APIs 159

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_GetLibInfo, CFE_ES_GetAppInfo

Return the most recent Reset Type.

Description

Provides the caller with codes that identifies the type of Reset the processor most recently underwent. The caller can also obtain information on what caused the reset by supplying a pointer to a variable that will be filled with the Reset Sub-Type.

Assumptions, External Events, and Notes:

None

Parameters

in,out	ResetSubtypePtr	Pointer to uint32 type variable in which the Reset Sub-Type will be stored. The caller can set this pointer to NULL if the Sub-Type is of no interest. ResetSubtypePtr If the provided pointer was not NULL, the Reset Sub-Type is
		stored at the given address. For a list of possible Sub-Type values, see "Reset Sub-Types".

Returns

Processor reset type

Return values

```
CFE_PSP_RST_TYPE_POWERON
CFE_PSP_RST_TYPE_PROCESSOR
```

See also

CFE_ES_GetAppID, CFE_ES_GetAppIDByName, CFE_ES_GetAppName, CFE_ES_GetTaskInfo

```
9.6.2.10 CFE_ES_GetTaskID() CFE_Status_t CFE_ES_GetTaskID ( CFE_ES_TaskId_t * TaskIdPtr )
```

Get the task ID of the calling context.

Description

This retrieves the current task context from OSAL

Assumptions, External Events, and Notes:

Applications which desire to call other CFE ES services such as CFE_ES_TaskGetInfo() should use this API rather than getting the ID from OSAL directly via OS_TaskGetId().

Parameters

out	TaskldPtr	Pointer to variable that is to receive the ID (must not be null). Will be set to the ID of the calling]
		task.	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

Get Task Information given a specified Task ID.

Description

This routine retrieves the information about a Task associated with a specified Task ID. The information includes Task Name, and Parent/Creator Application ID.

Assumptions, External Events, and Notes:

None

	out	TaskInfo	Pointer to a CFE_ES_TaskInfo_t structure (must not be null) that holds the specific task information. *TaskInfo is the filled out CFE_ES_TaskInfo_t structure containing the Task Name, Parent App Name, Parent App ID among other fields.
ľ	in	Taskld	Application ID of Application whose name is being requested.

9.6 cFE Information APIs

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

 ${\sf CFE_ES_GetTaskIDByName,\,CFE_ES_GetTaskName}$

9.7 cFE Child Task APIs

Functions

 CFE_Status_t CFE_ES_CreateChildTask (CFE_ES_TaskId_t *TaskIdPtr, const char *TaskName, CFE_ES_ChildTaskMainFuncPtr_ FunctionPtr, CFE_ES_StackPointer_t StackPtr, size_t StackSize, CFE_ES_TaskPriority_Atom_t Priority, uint32 Flags)

Creates a new task under an existing Application.

CFE_Status_t CFE_ES_GetTaskIDByName (CFE_ES_TaskId_t *TaskIdPtr, const char *TaskName)

Get a Task ID associated with a specified Task name.

• CFE Status t CFE ES GetTaskName (char *TaskName, CFE ES TaskId, t TaskId, size t BufferLength)

Get a Task name for a specified Task ID.

CFE_Status_t CFE_ES_DeleteChildTask (CFE_ES_TaskId_t TaskId)

Deletes a task under an existing Application.

void CFE_ES_ExitChildTask (void)

Exits a child task.

9.7.1 Detailed Description

9.7.2 Function Documentation

Creates a new task under an existing Application.

Description

This routine creates a new task (a separate execution thread) owned by the calling Application.

Assumptions, External Events, and Notes:

None

out	TaskldPtr	A pointer to a variable that will be filled in with the new task's ID (must not be null). TaskIdPtr is the Task ID of the newly created child task.
in	TaskName	A pointer to a string containing the desired name of the new task (must not be null). This can be up to OS_MAX_API_NAME characters, including the trailing null.
in	FunctionPtr	A pointer to the function that will be spawned as a new task (must not be null).
in	StackPtr	A pointer to the location where the child task's stack pointer should start. NOTE: Not all underlying operating systems support this parameter. The CFE_ES_TASK_STACK_ALLOCATE constant may be passed to indicate that the stack should be dynamically allocated.
in	StackSize	The number of bytes to allocate for the new task's stack (must not be zero).

9.7 cFE Child Task APIs 163

Parameters

in	Priority	The priority for the new task. Lower numbers are higher priority, with 0 being the highest priority.
in	Flags	Reserved for future expansion.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_CHILD_TASK_CREATE	Child Task Create Error.
CFE_ES_BAD_ARGUMENT	Bad Argument.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.

See also

CFE_ES_DeleteChildTask, CFE_ES_ExitChildTask

Deletes a task under an existing Application.

Description

This routine deletes a task under an Application specified by the TaskId obtained when the child task was created using the CFE_ES_CreateChildTask API.

Assumptions, External Events, and Notes:

None

Parameters

in	Task⇔	The task ID previously obtained when the Child Task was created with the
		CFE ES CreateChildTask API.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_CHILD_TASK_DELETE	(return value only verified in coverage test) Child Task
	Delete Error.
CFE_ES_ERR_CHILD_TASK_DELETE_MAIN_TASK	Child Task Delete Passed Main Task.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.

See also

CFE_ES_CreateChildTask, CFE_ES_ExitChildTask

9.7.2.3 CFE_ES_ExitChildTask() void CFE_ES_ExitChildTask (void)

Exits a child task.

Description

This routine allows the current executing child task to exit and be deleted by ES.

Assumptions, External Events, and Notes:

This function cannot be called from an Application's Main Task.

Note

This function does not return a value, but if it does return at all, it is assumed that the Task was either unregistered or this function was called from a cFE Application's main task.

See also

CFE_ES_CreateChildTask, CFE_ES_DeleteChildTask

Get a Task ID associated with a specified Task name.

Description

This routine retrieves the cFE Task ID associated with a specified Task name.

Assumptions, External Events, and Notes:

None

Parameters

out	TaskldPtr	Pointer to variable that is to receive the Task's ID (must not be null).	
in	TaskName	Pointer to null terminated character string containing a Task name (must not be null).	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE ES ERR NAME NOT FOUND	Resource Name Error.

9.7 cFE Child Task APIs 165

Return values

CFE_ES_BAD_ARGUMENT	Bad Argument.
---------------------	---------------

See also

CFE_ES_GetTaskName

Get a Task name for a specified Task ID.

Description

This routine retrieves the cFE Task name associated with a specified Task ID.

Assumptions, External Events, and Notes:

In the case of a failure (CFE_ES_ERR_RESOURCEID_NOT_VALID), an empty string is returned.

Parameters

out	TaskName	Pointer to a character array (must not be null) of at least BufferLength in size that will	
		be filled with the Task name.	
in	Taskld	Task ID of Task whose name is being requested.	
in	BufferLength	The maximum number of characters, including the null terminator, that can be put into the	
		TaskName buffer. This routine will truncate the name to this length, if necessary.	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_GetTaskIDByName

9.8 cFE Miscellaneous APIs

Functions

void CFE ES BackgroundWakeup (void)

Wakes up the CFE background task.

• CFE_Status_t CFE_ES_WriteToSysLog (const char *SpecStringPtr,...) OS_PRINTF(1

Write a string to the cFE System Log.

CFE_Status_t uint32 CFE_ES_CalculateCRC (const void *DataPtr, size_t DataLength, uint32 InputCRC, CFE_ES_CrcType_Enum_t TypeCRC)

Calculate a CRC on a block of memory.

void CFE ES ProcessAsyncEvent (void)

Notification that an asynchronous event was detected by the underlying OS/PSP.

9.8.1 Detailed Description

9.8.2 Function Documentation

Wakes up the CFE background task.

Description

Normally the ES background task wakes up at a periodic interval. Whenever new background work is added, this can be used to wake the task early, which may reduce the delay between adding the job and the job getting processed.

Assumptions, External Events, and Notes:

Note the amount of work that the background task will perform is pro-rated based on the amount of time elapsed since the last wakeup. Waking the task early will not cause the background task to do more work than it otherwise would - it just reduces the delay before work starts initially.

Calculate a CRC on a block of memory.

Description

This routine calculates a cyclic redundancy check (CRC) on a block of memory. The CRC algorithm used is determined by the last parameter.

Assumptions, External Events, and Notes:

None

in	DataPtr	Pointer to the base of the memory block.
in	DataLength	The number of bytes in the memory block.
in	InputCRC	A starting value for use in the CRC calculation. This parameter allows the user to calculate the CRC of non-contiguous blocks as a single value. Nominally, the user should set this value to zero.
in	TypeCRC	One of the following CRC algorithm selections defined in CFE_ES_CrcType_Enum_t

Returns

The result of the CRC calculation on the specified memory block. If the TypeCRC is unimplemented will return 0. If DataPtr is null or DataLength is 0, will return InputCRC

9.8.2.3 CFE_ES_ProcessAsyncEvent() void CFE_ES_ProcessAsyncEvent (

Notification that an asynchronous event was detected by the underlying OS/PSP.

Description

This hook routine is called from the PSP when an exception or other asynchronous system event occurs

Assumptions, External Events, and Notes:

The PSP must guarantee that this function is only invoked from a context which may use OSAL primitives. In general this means that it shouldn't be *directly* invoked from an ISR/signal context.

Write a string to the cFE System Log.

Description

This routine writes a formatted string to the cFE system log. This can be used to record very low-level errors that can't be reported using the Event Services. This function is used in place of printf for flight software. It should be used for significant startup events, critical errors, and conditionally compiled debug software.

Assumptions, External Events, and Notes:

None

Ī	in	SpecStringPtr	The format string for the log message (must not be null). This is similar to the format string
			for a printf() call.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_SYS_LOG_FULL	System Log Full.
CFE_ES_BAD_ARGUMENT	Bad Argument.

9.9 cFE Critical Data Store APIs

Functions

CFE_Status_t CFE_ES_RegisterCDS (CFE_ES_CDSHandle_t *CDSHandlePtr, size_t BlockSize, const char *Name)

Reserve space (or re-obtain previously reserved space) in the Critical Data Store (CDS)

- CFE_Status_t CFE_ES_GetCDSBlockIDByName (CFE_ES_CDSHandle_t *BlockIdPtr, const char *BlockName)

 Get a CDS Block ID associated with a specified CDS Block name.
- CFE_Status_t CFE_ES_GetCDSBlockName (char *BlockName, CFE_ES_CDSHandle_t BlockId, size_t Buffer ← Length)

Get a Block name for a specified Block ID.

- CFE_Status_t CFE_ES_CopyToCDS (CFE_ES_CDSHandle_t Handle, const void *DataToCopy)
 - Save a block of data in the Critical Data Store (CDS)
- CFE_Status_t CFE_ES_RestoreFromCDS (void *RestoreToMemory, CFE_ES_CDSHandle_t Handle)

Recover a block of data from the Critical Data Store (CDS)

9.9.1 Detailed Description

9.9.2 Function Documentation

Save a block of data in the Critical Data Store (CDS)

Description

This routine copies a specified block of memory into the Critical Data Store that had been previously registered via CFE_ES_RegisterCDS. The block of memory to be copied must be at least as big as the size specified when registering the CDS.

Assumptions, External Events, and Notes:

None

Parameters

in	Handle	The handle of the CDS block that was previously obtained from CFE_ES_RegisterCDS.
in	DataToCopy	A Pointer to the block of memory to be copied into the CDS (must not be null).

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_RegisterCDS, CFE_ES_RestoreFromCDS

Get a CDS Block ID associated with a specified CDS Block name.

Description

This routine retrieves the CDS Block ID associated with a specified CDS Block name.

Assumptions, External Events, and Notes:

None

Parameters

out	BlockIdPtr Pointer to variable that is to receive the CDS Block ID (must not be null).	
in	BlockName	Pointer to null terminated character string containing a CDS Block name (must not be null).

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_NAME_NOT_FOUND	Resource Name Error.
CFE_ES_BAD_ARGUMENT	Bad Argument.
CFE_ES_NOT_IMPLEMENTED	The processor does not support a Critical Data Store.

See also

CFE_ES_GetCDSBlockName

Get a Block name for a specified Block ID.

Description

This routine retrieves the cFE Block name associated with a specified Block ID.

Assumptions, External Events, and Notes:

In the case of a failure (CFE_ES_ERR_RESOURCEID_NOT_VALID), an empty string is returned.

out	BlockName	Pointer to a character array (must not be null) of at least BufferLength in size that will
		be filled with the CDS Block name.
in	Blockld	Block ID/Handle of CDS registry entry whose name is being requested.
in	BufferLength	The maximum number of characters, including the null terminator, that can be put into the
		BlockName buffer. This routine will truncate the name to this length, if necessary.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.
CFE_ES_NOT_IMPLEMENTED	The processor does not support a Critical Data Store.

See also

CFE_ES_GetCDSBlockIDByName

Reserve space (or re-obtain previously reserved space) in the Critical Data Store (CDS)

Description

This routine allocates a block of memory in the Critical Data Store and associates it with the calling Application. The memory can survive an Application restart as well as a Processor Reset.

Assumptions, External Events, and Notes:

This function does *not* clear or otherwise initialize/modify the data within the CDS block. If this function returns CFE_ES_CDS_ALREADY_EXISTS the block may already have valid data in it.

If a new CDS block is reserved (either because the name did not exist, or existed as a different size) it is the responsibility of the calling application to fill the CDS block with valid data. This is indicated by a CFE_SUCCESS return code, and in this case the calling application should ensure that it also calls CFE_ES_CopyToCDS() to fill the block with valid data.

out	CDSHandlePtr	Pointer Application's variable that will contain the CDS Memory Block Handle (must not be null). HandlePtr is the handle of the CDS block that can be used in CFE_ES_CopyToCDS and CFE_ES_RestoreFromCDS.	
in	BlockSize	The number of bytes needed in the CDS (must not be zero).	
in	Name	A pointer to a character string (must not be null) containing an application unique name of CFE_MISSION_ES_CDS_MAX_NAME_LENGTH characters or less.	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	The memory block was successfully created in the CDS.
CFE_ES_NOT_IMPLEMENTED	The processor does not support a Critical Data Store.
CFE_ES_CDS_ALREADY_EXISTS	CDS Already Exists.
CFE_ES_CDS_INVALID_SIZE	CDS Invalid Size.
CFE_ES_CDS_INVALID_NAME	CDS Invalid Name.
CFE_ES_BAD_ARGUMENT	Bad Argument.
CFE_ES_CDS_INVALID	(return value only verified in coverage test) CDS Invalid.

See also

CFE_ES_CopyToCDS, CFE_ES_RestoreFromCDS

Recover a block of data from the Critical Data Store (CDS)

Description

This routine copies data from the Critical Data Store identified with the <code>Handle</code> into the area of memory pointed to by the <code>RestoreToMemory</code> pointer. The area of memory to be copied into must be at least as big as the size specified when registering the CDS. The recovery will indicate an error if the data integrity check maintained by the CDS indicates the contents of the CDS have changed. However, the contents will still be copied into the specified area of memory.

Assumptions, External Events, and Notes:

None

Parameters

ir	Handle	The handle of the CDS block that was previously obtained from CFE_ES_RegisterCDS.
01	RestoreToMemory	A Pointer to the block of memory (must not be null) that is to be restored with the contents of the CDS. *RestoreToMemory is the contents of the specified CDS.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.

Return values

CFE_ES_CDS_BLOCK_CRC_ERR	(return value only verified in coverage test) CDS Block CRC Error.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_RegisterCDS, CFE_ES_CopyToCDS

9.10 cFE Memory Manager APIs

Functions

- CFE_Status_t CFE_ES_PoolCreateNoSem (CFE_ES_MemHandle_t *PoolID, void *MemPtr, size_t Size)
 - Initializes a memory pool created by an application without using a semaphore during processing.
- CFE_Status_t CFE_ES_PoolCreate (CFE_ES_MemHandle_t *PoolID, void *MemPtr, size_t Size)

Initializes a memory pool created by an application while using a semaphore during processing.

 CFE_Status_t CFE_ES_PoolCreateEx (CFE_ES_MemHandle_t *PoolID, void *MemPtr, size_t Size, uint16 NumBlockSizes, const size t *BlockSizes, bool UseMutex)

Initializes a memory pool created by an application with application specified block sizes.

int32 CFE_ES_PoolDelete (CFE_ES_MemHandle_t PoolID)

Deletes a memory pool that was previously created.

- int32 CFE_ES_GetPoolBuf (CFE_ES_MemPoolBuf_t *BufPtr, CFE_ES_MemHandle_t Handle, size_t Size)
 - Gets a buffer from the memory pool created by CFE ES PoolCreate or CFE ES PoolCreateNoSem.
- CFE_Status_t CFE_ES_GetPoolBufInfo (CFE_ES_MemHandle_t Handle, CFE_ES_MemPoolBuf_t BufPtr)
 Gets info on a buffer previously allocated via CFE_ES_GetPoolBuf.
- int32 CFE ES PutPoolBuf (CFE ES MemHandle t Handle, CFE ES MemPoolBuf t BufPtr)

Releases a buffer from the memory pool that was previously allocated via CFE_ES_GetPoolBuf.

CFE_Status_t CFE_ES_GetMemPoolStats (CFE_ES_MemPoolStats_t *BufPtr, CFE_ES_MemHandle_t Handle)

Extracts the statistics maintained by the memory pool software.

9.10.1 Detailed Description

9.10.2 Function Documentation

Extracts the statistics maintained by the memory pool software.

Description

This routine fills the CFE_ES_MemPoolStats_t data structure with the statistics maintained by the memory pool software. These statistics can then be telemetered by the calling Application.

Assumptions, External Events, and Notes:

None

Parameters

out	BufPtr	Pointer to CFE_ES_MemPoolStats_t data structure (must not be null) to be filled with memory statistics. *BufPtr is the Memory Pool Statistics stored in given data structure.
in	Handle	The handle to the memory pool whose statistics are desired.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_PoolCreate, CFE_ES_PoolCreateNoSem, CFE_ES_PoolCreateEx, CFE_ES_GetPoolBuf, CFE_ES_PutPoolBuf

Gets a buffer from the memory pool created by CFE_ES_PoolCreate or CFE_ES_PoolCreateNoSem.

Description

This routine obtains a block of memory from the memory pool supplied by the calling application.

Assumptions, External Events, and Notes:

1. The size allocated from the memory pool is, at a minimum, 12 bytes more than requested.

Parameters

out	BufPtr	A pointer to the Application's pointer (must not be null) in which will be stored the address of the allocated memory buffer. *BufPtr is the address of the requested buffer.	
in	Handle	The handle to the memory pool as returned by CFE_ES_PoolCreate or CFE_ES PoolCreateNoSem.	
in	Size	The size of the buffer requested. NOTE: The size allocated may be larger.	

Returns

Bytes Allocated, or error code cFE Return Code Defines

Return values

CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_ERR_MEM_BLOCK_SIZE	Memory Block Size Error.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_PoolCreate, CFE_ES_PoolCreateNoSem, CFE_ES_PoolCreateEx, CFE_ES_PutPoolBuf, CFE_ES_GetMemPoolStats, CFE_ES GetPoolBufInfo

9.10.2.3 CFE_ES_GetPoolBufInfo() CFE_Status_t CFE_ES_GetPoolBufInfo (

```
CFE_ES_MemHandle_t Handle,
CFE ES MemPoolBuf t BufPtr )
```

Gets info on a buffer previously allocated via CFE ES GetPoolBuf.

Description

This routine gets info on a buffer in the memory pool.

Assumptions, External Events, and Notes:

None

Parameters

-	in	Handle	The handle to the memory pool as returned by CFE_ES_PoolCreate or CFE_ES_PoolCreateNoSem.	
	in	BufPtr	A pointer to the memory buffer to provide status for (must not be null).	

Returns

Size of the buffer if successful, or status code if not successful, see cFE Return Code Defines

Return values

CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BUFFER_NOT_IN_POOL	Buffer Not In Pool.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_PoolCreate, CFE_ES_PoolCreateNoSem, CFE_ES_PoolCreateEx, CFE_ES_GetPoolBuf, CFE_ES_GetMemPoolStats, CFE_ES_PutPoolBuf

Initializes a memory pool created by an application while using a semaphore during processing.

Description

This routine initializes a pool of memory supplied by the calling application. When a memory pool created by this routine is processed, mutex handling will be performed.

Assumptions, External Events, and Notes:

- 1. The size of the pool must be an integral number of 32-bit words
- 2. The start address of the pool must be 32-bit aligned
- 3. 168 bytes are used for internal bookkeeping, therefore, they will not be available for allocation.

out	PoolID	A pointer to the variable the caller wishes to have the memory pool handle kept in (must not be null). PoolID is the memory pool handle.
in	MemPtr	A Pointer to the pool of memory created by the calling application (must not be null). This address must be aligned suitably for the processor architecture. The CFE_ES_STATIC_POOL_TYPE macro may be used to assist in creating properly aligned memory pools.
in	Size	The size of the pool of memory (must not be zero). Note that this must be an integral multiple of the memory alignment of the processor architecture.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_PoolCreateNoSem, CFE_ES_PoolCreateEx, CFE_ES_GetPoolBuf, CFE_ES_PutPoolBuf, CFE_ES_GetMemPoolStats

Initializes a memory pool created by an application with application specified block sizes.

Description

This routine initializes a pool of memory supplied by the calling application.

Assumptions, External Events, and Notes:

- 1. The size of the pool must be an integral number of 32-bit words
- 2. The start address of the pool must be 32-bit aligned
- 3. 168 bytes are used for internal bookkeeping, therefore, they will not be available for allocation.

out	PoolID	A pointer to the variable the caller wishes to have the memory pool handle kept in (must not be null). PoolID is the memory pool handle.
in	MemPtr	A Pointer to the pool of memory created by the calling application (must not be null). This address must be aligned suitably for the processor architecture. The CFE_ES_STATIC_POOL_TYPE macro may be used to assist in creating properly aligned memory pools.

in	Size	The size of the pool of memory (must not be zero). Note that this must be an integral multiple of the memory alignment of the processor architecture.
in	NumBlockSizes	The number of different block sizes specified in the BlockSizes array. If set larger than CFE_PLATFORM_ES_POOL_MAX_BUCKETS, CFE_ES_BAD_ARGUMENT will be returned. If BlockSizes is null and NumBlockSizes is 0, NubBlockSizes will be set to CFE_PLATFORM_ES_POOL_MAX_BUCKETS.
in	BlockSizes	Pointer to an array of sizes to be used instead of the default block sizes specified by CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01 through CFE_PLATFORM_ES_MAX_BLOCK_SIZE. If the pointer is equal to NULL, the default block sizes are used.
in	UseMutex	Flag indicating whether the new memory pool will be processing with mutex handling or not. Valid parameter values are CFE_ES_USE_MUTEX and CFE_ES_NO_MUTEX

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.
CFE_ES_NO_RESOURCE_IDS_AVAILABLE	Resource ID is not available.
CFE_STATUS_EXTERNAL_RESOURCE_FAIL	(return value only verified in coverage test) External failure.

See also

CFE_ES_PoolCreate, CFE_ES_PoolCreateNoSem, CFE_ES_GetPoolBuf, CFE_ES_PutPoolBuf, CFE_ES_GetMemPoolStats

Initializes a memory pool created by an application without using a semaphore during processing.

Description

This routine initializes a pool of memory supplied by the calling application. When a memory pool created by this routine is processed, no mutex handling is performed.

Assumptions, External Events, and Notes:

- 1. The size of the pool must be an integral number of 32-bit words
- 2. The start address of the pool must be 32-bit aligned
- 3. 168 bytes are used for internal bookkeeping, therefore, they will not be available for allocation.

out	PoolID	A pointer to the variable the caller wishes to have the memory pool handle kept in (must not be null). PoolID is the memory pool handle.
in	MemPtr	A Pointer to the pool of memory created by the calling application (must not be null). This address must be aligned suitably for the processor architecture. The CFE_ES_STATIC_POOL_TYPE macro may be used to assist in creating properly aligned memory pools.
in	Size	The size of the pool of memory (must not be zero). Note that this must be an integral multiple of the memory alignment of the processor architecture.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_PoolCreate, CFE_ES_PoolCreateEx, CFE_ES_GetPoolBuf, CFE_ES_PutPoolBuf, CFE_ES_GetMemPoolStats

Deletes a memory pool that was previously created.

Description

This routine removes the pool ID and frees the global table entry for future re-use.

Assumptions, External Events, and Notes:

All buffers associated with the pool become invalid after this call. The application should ensure that buffers/references to the pool are returned before deleting the pool.

Parameters

in	PooIID	The ID of the pool to delete

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.

See also

CFE_ES_PoolCreate, CFE_ES_PoolCreateNoSem, CFE_ES_GetPoolBuf, CFE_ES_PutPoolBuf, CFE_ES_GetMemPoolStats

Releases a buffer from the memory pool that was previously allocated via CFE_ES_GetPoolBuf.

Description

This routine releases a buffer back into the memory pool.

Assumptions, External Events, and Notes:

None

Parameters

in	Handle	The handle to the memory pool as returned by CFE_ES_PoolCreate or CFE_ES_PoolCreateNoSem.	
in	BufPtr	A pointer to the memory buffer to be released (must not be null).	

Returns

Bytes released, or error code cFE Return Code Defines

Return values

CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.
CFE_ES_BUFFER_NOT_IN_POOL	Buffer Not In Pool.
CFE_ES_POOL_BLOCK_INVALID	Invalid pool block.

See also

CFE_ES_PoolCreate, CFE_ES_PoolCreateNoSem, CFE_ES_PoolCreateEx, CFE_ES_GetPoolBuf, CFE_ES_GetMemPoolStats, CFE_ES GetPoolBufInfo

9.11 cFE Performance Monitor APIs

Macros

• #define CFE_ES_PerfLogEntry(id) (CFE_ES_PerfLogAdd(id, 0))

Entry marker for use with Software Performance Analysis Tool.

• #define CFE_ES_PerfLogExit(id) (CFE_ES_PerfLogAdd(id, 1))

Exit marker for use with Software Performance Analysis Tool.

Functions

• void CFE_ES_PerfLogAdd (uint32 Marker, uint32 EntryExit)

Adds a new entry to the data buffer.

9.11.1 Detailed Description

9.11.2 Macro Definition Documentation

Entry marker for use with Software Performance Analysis Tool.

Description

This macro logs the entry or start event/marker for the specified entry id. This macro, in conjunction with the CFE_ES_PerfLogExit, is used by the Software Performance Analysis tool.

Assumptions, External Events, and Notes:

None

Parameters

in	id	Identifier of the specific event or marker.
----	----	---

See also

```
CFE_ES_PerfLogExit, CFE_ES_PerfLogAdd
```

Definition at line 1464 of file cfe es.h.

Exit marker for use with Software Performance Analysis Tool.

Description

This macro logs the exit or end event/marker for the specified entry id. This macro, in conjunction with the CFE_ES_PerfLogEntry, is used by the Software Performance Analysis tool.

Assumptions, External Events, and Notes:

None

in	id	Identifier of the specific event or marker.
----	----	---

See also

```
CFE_ES_PerfLogEntry, CFE_ES_PerfLogAdd
```

Definition at line 1483 of file cfe_es.h.

9.11.3 Function Documentation

Adds a new entry to the data buffer.

Function called by CFE_ES_PerfLogEntry and CFE_ES_PerfLogExit macros

Description

This function logs the entry and exit marker for the specified id. This function is used by the Software Performance Analysis tool.

Assumptions, External Events, and Notes:

Marker limited to the range of 0 to CFE_MISSION_ES_PERF_MAX_IDS - 1. Any performance ids outside of this range will be ignored and will be flagged as an error.

This function implements a circular buffer using an array. DataStart points to first stored entry DataEnd points to next available entry if DataStart == DataEnd then the buffer is either empty or full depending on the value of the DataCount Time is stored as 2 32 bit integers, (TimerLower32, TimerUpper32): TimerLower32 is the current value of the hardware timer register. TimerUpper32 is the number of times the timer has rolled over.

Parameters

in	Marker	Identifier of the specific event or marker.		
in	EntryExit	Used to specify Entry(0) or Exit(1)		

See also

CFE_ES_PerfLogEntry, CFE_ES_PerfLogExit

9.12 cFE Generic Counter APIs

Functions

• CFE_Status_t CFE_ES_RegisterGenCounter (CFE_ES_CounterId_t *CounterIdPtr, const char *CounterName)

**Register a generic counter.*

• CFE_Status_t CFE_ES_DeleteGenCounter (CFE_ES_CounterId_t CounterId)

Delete a generic counter.

CFE Status t CFE ES IncrementGenCounter (CFE ES Counterld)

Increments the specified generic counter.

• CFE_Status_t CFE_ES_SetGenCount (CFE_ES_CounterId_t CounterId, uint32 Count)

Set the specified generic counter.

CFE_Status_t CFE_ES_GetGenCount (CFE_ES_CounterId_t CounterId, uint32 *Count)

Get the specified generic counter count.

CFE_Status_t CFE_ES_GetGenCounterIDByName (CFE_ES_CounterId_t *CounterIdPtr, const chall *CounterName)

Get the Id associated with a generic counter name.

CFE_Status_t CFE_ES_GetGenCounterName (char *CounterName, CFE_ES_CounterId_t CounterId, size_
 t BufferLength)

Get a Counter name for a specified Counter ID.

9.12.1 Detailed Description

9.12.2 Function Documentation

Delete a generic counter.

Description

This routine deletes a previously registered generic counter.

Assumptions, External Events, and Notes:

None.

Parameters

in	Counter⊷	The Counter Id of the newly created counter.		
	ld			

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

 $\label{lem:cfe_es_IncrementGenCounter} CFE_ES_IncrementGenCounter, CFE_ES_IncrementG$

Get the specified generic counter count.

Description

This routine gets the value of a generic counter.

Assumptions, External Events, and Notes:

None.

Parameters

in	Counter← Id	The Counter to get the value from.
out	Count	Buffer to store value of the Counter (must not be null).

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

 ${\it CFE_ES_Register} GenCounter, {\it CFE_ES_Delete} GenCounter, {\it CFE_ES_Set} GenCount, {\it CFE_ES_Increment} GenCounter, {\it CFE_ES_Get} GenCounter, {\it CFE_$

Get the Id associated with a generic counter name.

Description

This routine gets the Counter Id for a generic counter specified by name.

Assumptions, External Events, and Notes:

None.

out	CounterIdPtr	Pointer to variable that is to receive the Counter's ID (must not be null).
in	CounterName	Pointer to null terminated character string containing a Counter name (must not be null).

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_NAME_NOT_FOUND	Resource Name Error.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_GetGenCounterName

Get a Counter name for a specified Counter ID.

Description

This routine retrieves the cFE Counter name associated with a specified Counter ID.

Assumptions, External Events, and Notes:

In the case of a failure (CFE_ES_ERR_RESOURCEID_NOT_VALID), an empty string is returned.

Parameters

out	CounterName	Pointer to a character array (must not be null) of at least BufferLength in size that will be filled with the Counter name.
in	CounterId	ID of Counter whose name is being requested.
in	BufferLength	The maximum number of characters, including the null terminator (must not be zero), that can be put into the CounterName buffer. This routine will truncate the name to this length, if necessary.

Returns

Execution status, see cFE Return Code Defines

CFE_	SUCCESS	Successful execution.

Return values

CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_GetGenCounterIDByName

Increments the specified generic counter.

Description

This routine increments the specified generic counter.

Assumptions, External Events, and Notes:

None.

Parameters

in	Counter⊷	The Counter to be incremented.
	ld	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

 ${\tt CFE_ES_RegisterGenCounter,\ CFE_ES_DeleteGenCounter,\ CFE_ES_SetGenCount,\ CFE_ES_GetGenCount,\ CFE_ES_GetGenCounter]} \\$

Register a generic counter.

Description

This routine registers a generic thread-safe counter which can be used for inter-task management.

Assumptions, External Events, and Notes:

The initial value of all newly registered counters is 0.

Parameters

out	CounterIdPtr	Buffer to store the Counter Id of the newly created counter (must not be null).
in	CounterName	The Name of the generic counter (must not be null).

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.
CFE_ES_ERR_DUPLICATE_NAME	Duplicate Name Error.
CFE_ES_NO_RESOURCE_IDS_AVAILABLE	Resource ID is not available.

See also

 ${\it CFE_ES_IncrementGenCounter}, {\it CFE_ES_DeleteGenCounter}, {\it CFE_ES_SetGenCount}, {\it CFE_ES_GetGenCounter}, {\it CFE_ES$

Set the specified generic counter.

Description

This routine sets the specified generic counter to the specified value.

Assumptions, External Events, and Notes:

None.

Parameters

Ī	in	Counter← Id	The Counter to be set.
Ī	in	Count	The new value of the Counter.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

 ${\tt CFE_ES_RegisterGenCounter}, {\tt CFE_ES_DeleteGenCounter}, {\tt CFE_ES_IncrementGenCounter}, {\tt CFE_ES_GetGenCounter}, {\tt$

9.13 cFE Registration APIs

Functions

CFE_Status_t CFE_EVS_Register (const void *Filters, uint16 NumEventFilters, uint16 FilterScheme)
 Register an application for receiving event services.

9.13.1 Detailed Description

9.13.2 Function Documentation

Register an application for receiving event services.

Description

This routine registers an application with event services and allocates/initializes the internal data structures used to support this application's events. An application may not send events unless it has called this routine. The routine also accepts a filter array structure for applications requiring event filtering. In the current implementation of the EVS, only the binary filtering scheme is supported. See section TBD of the cFE Application Programmer's Guide for a description of the behavior of binary filters. Applications may call CFE_EVS_Register more than once, but each call will wipe out all filters registered by previous calls (filter registration is NOT cumulative).

Assumptions, External Events, and Notes:

Note: Event filters can be added, deleted or modified by ground commands. All filtering schemes include a default setting that results in no filtering (such as CFE_EVS_NO_FILTER for binary filters).

Filter Scheme: Binary

Code: CFE_EVS_EventFilter_BINARY

Filter Structure:

```
typedef struct CFE_EVS_BinFilter {
    uint16 EventID,
    uint16 Mask;
} CFE_EVS_BinFilter_t;
```

Parameters

in	Filters	Pointer to an array of event message filters, or NULL if no filtering is desired. The
		structure of an event message filter depends on the FilterScheme selected. (see Filter
		Schemes mentioned above)
in	NumEventFilters	The number of event message filters included in this call. This must be less than or
		equal to the maximum number of events allowed per application
		(CFE_PLATFORM_EVS_MAX_EVENT_FILTERS).
in	FilterScheme	The event filtering scheme that this application will use. For the first implementation of
		the event services, only filter type CFE_EVS_EventFilter_BINARY will be supported.

Returns

Execution status below or from CFE_ES_GetAppID, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_EVS_APP_FILTER_OVERLOAD	Application Filter Overload.
CFE_EVS_UNKNOWN_FILTER	Unknown Filter.
CFE_EVS_APP_ILLEGAL_APP_ID	Illegal Application ID.
CFE_ES_BAD_ARGUMENT	Bad Argument.

9.14 cFE Send Event APIs 191

9.14 cFE Send Event APIs

Functions

- CFE_Status_t CFE_EVS_SendEvent (uint16 EventID, uint16 EventType, const char *Spec,...) OS_PRINTF(3
 Generate a software event.
- CFE_Status_t CFE_EVS_SendEventWithAppID (uint16 EventID, uint16 EventType, CFE_ES_AppId_t AppID, const char *Spec,...) OS PRINTF(4

Generate a software event given the specified Application ID.

 CFE_Status_t CFE_Status_t CFE_EVS_SendTimedEvent (CFE_TIME_SysTime_t Time, uint16 EventID, uint16 EventType, const char *Spec,...) OS PRINTF(4

Generate a software event with a specific time tag.

9.14.1 Detailed Description

9.14.2 Function Documentation

Generate a software event.

Description

This routine generates a software event message. If the EventID is not filtered, the event will be sent as a software bus message, optionally logged in the local event log, and optionally sent as an ASCII text string out the enabled output port(s).

Assumptions, External Events, and Notes:

This API only works within the context of a registered application or core service. For messages outside the context of a registered application (for example early in app initialization or if registration fails) CFE_ES_WriteToSysLog can be used for reporting.

Parameters

EventID	A numeric literal used to uniquely identify an application event. The EventID is defined and supplied by the application sending the event.
EventType	A numeric literal used to classify an event, one of:
	CFE_EVS_EventType_DEBUG
	CFE_EVS_EventType_INFORMATION
	CFE_EVS_EventType_ERROR
	CFE_EVS_EventType_CRITICAL

in	Spec	A pointer to a null terminated text string (must not be null) describing the output format for the event. This is the same type of format string used for the ANSI printf function. Nominally the post-conversion string is limited to 80 characters, but this limit is configurable through the parameter CFE_MISSION_EVS_MAX_MESSAGE_LENGTH. Characters beyond the limit will
		be truncated. Do not use floating point conversions (f, e, E, g, and G) in the format string unless your application will be running in a system that supports floating point arithmetic. Do not use non-printable characters (t , n , etc.) in the format string; they will mess up the formatting when the events are displayed on the ground system.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_EVS_APP_NOT_REGISTERED	Application Not Registered.
CFE_EVS_APP_ILLEGAL_APP_ID	Illegal Application ID.
CFE_EVS_INVALID_PARAMETER	Invalid Pointer.

See also

CFE_EVS_SendEventWithAppID, CFE_EVS_SendTimedEvent

Generate a software event given the specified Application ID.

Description

This routine generates a software event message. If the EventID is not filtered, the event will be sent as a software bus message, optionally logged in the local event log, and optionally sent as an ASCII text string out the enabled output port(s). Note that this function should really only be used from within an API in order to preserve the context of an Application's event. In general, CFE EVS SendEvent should be used.

Assumptions, External Events, and Notes:

The Application ID must correspond to a registered application or core service. For messages outside the context of a registered application (for example early in app initialization or if registration fails) CFE_ES_WriteToSysLog can be used for reporting.

Parameters

in	EventID	A numeric literal used to uniquely identify an application event. The EventID is defined and
		supplied by the application sending the event.

9.14 cFE Send Event APIs 193

Parameters

in	EventType	A numeric literal used to classify an event, one of:
		CFE_EVS_EventType_DEBUG
		CFE_EVS_EventType_INFORMATION
		CFE_EVS_EventType_ERROR
		CFE_EVS_EventType_CRITICAL
in	AppID	The Application ID from which the event message should appear.
in	Spec	A pointer to a null terminated text string (must not be null) describing the output format for the event. This is the same type of format string used for the ANSI printf function. Nominally the post-conversion string is limited to 80 characters, but this limit is configurable through the parameter CFE_MISSION_EVS_MAX_MESSAGE_LENGTH. Characters beyond the limit will be truncated. Do not use floating point conversions (f, e, E, g, and G) in the format string unless your application will be running in a system that supports floating point arithmetic. Do not use non-printable characters (\tau, \n, etc.) in the format string; they will mess up the formatting when the events are displayed on the ground system.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_EVS_APP_NOT_REGISTERED	Application Not Registered.
CFE_EVS_APP_ILLEGAL_APP_ID	Illegal Application ID.
CFE_EVS_INVALID_PARAMETER	Invalid Pointer.

See also

 ${\sf CFE_EVS_SendEvent}, {\sf CFE_EVS_SendTimedEvent}$

Generate a software event with a specific time tag.

Description

This routine is the same as CFE_EVS_SendEvent except that the caller specifies the event time instead of having the EVS use the current spacecraft time. This routine should be used in situations where an error condition is detected at one time, but the event message is reported at a later time.

Assumptions, External Events, and Notes:

This API only works within the context of a registered application or core service. For messages outside the context of a registered application (for example early in app initialization or if registration fails) CFE_ES_WriteToSysLog can be used for reporting.

Parameters

in	Time	The time to include in the event. This will usually be a time returned by the function CFE_TIME_GetTime.	
in	EventID	A numeric literal used to uniquely identify an application event. The EventID is defined and supplied by the application sending the event.	
in	EventType	A numeric literal used to classify an event, one of:	
in	Spec	A pointer to a null terminated text string (must not be null) describing the output format for the event. This is the same type of format string used for the ANSI printf function. Nominally the post-conversion string is limited to 80 characters, but this limit is configurable through the parameter CFE_MISSION_EVS_MAX_MESSAGE_LENGTH. Characters beyond the limit will be truncated. Do not use floating point conversions (f, e, E, g, and G) in the format string unless your application will be running in a system that supports floating point arithmetic. Do not use non-printable characters (\tau, \n, etc.) in the format string; they will mess up the formatting when the events are displayed on the ground system.	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_EVS_APP_NOT_REGISTERED	Application Not Registered.
CFE_EVS_APP_ILLEGAL_APP_ID	Illegal Application ID.
CFE_EVS_INVALID_PARAMETER	Invalid Pointer.

See also

CFE_EVS_SendEvent, CFE_EVS_SendEventWithAppID

9.15 cFE Reset Event Filter APIs

Functions

CFE_Status_t CFE_EVS_ResetFilter (uint16 EventID)

Resets the calling application's event filter for a single event ID.

CFE_Status_t CFE_EVS_ResetAllFilters (void)

Resets all of the calling application's event filters.

9.15.1 Detailed Description

9.15.2 Function Documentation

Resets all of the calling application's event filters.

Description

This routine resets all the calling application's event filter counters to zero, providing a quick and convenient method for resetting event filters.

Assumptions, External Events, and Notes:

None

Returns

Execution status below or from CFE_ES_GetAppID, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_EVS_APP_NOT_REGISTERED	Application Not Registered.
CFE_EVS_APP_ILLEGAL_APP_ID	Illegal Application ID.

See also

CFE_EVS_ResetFilter

Resets the calling application's event filter for a single event ID.

Description

Resets the filter such that the next event is treated like the first. For example, if the filter was set to only send the first event, the next event following the reset would be sent.

Assumptions, External Events, and Notes:

None

Parameters

in	EventID	A numeric literal used to uniquely identify an application event. The EventID is defined and
		supplied by the application sending the event.

Returns

Execution status below or from CFE_ES_GetAppID, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_EVS_APP_NOT_REGISTERED	Application Not Registered.
CFE_EVS_APP_ILLEGAL_APP_ID	Illegal Application ID.
CFE_EVS_EVT_NOT_REGISTERED	Event Not Registered.

See also

CFE_EVS_ResetAllFilters

9.16 cFE File Header Management APIs

Functions

• CFE Status t CFE FS ReadHeader (CFE FS Header t *Hdr, osal id t FileDes)

Read the contents of the Standard cFE File Header.

• void CFE_FS_InitHeader (CFE_FS_Header_t *Hdr, const char *Description, uint32 SubType)

Initializes the contents of the Standard cFE File Header.

• CFE_Status_t CFE_FS_WriteHeader (osal_id_t FileDes, CFE_FS_Header_t *Hdr)

Write the specified Standard cFE File Header to the specified file.

CFE_Status_t CFE_FS_SetTimestamp (osal_id_t FileDes, CFE_TIME_SysTime_t NewTimestamp)

Modifies the Time Stamp field in the Standard cFE File Header for the specified file.

9.16.1 Detailed Description

9.16.2 Function Documentation

Initializes the contents of the Standard cFE File Header.

Description

This API will clear the specified CFE_FS_Header_t variable and initialize the description field with the specified value

Parameters

in	Hdr	Pointer to a variable of type CFE_FS_Header_t that will be cleared and initialized	
in	Description	Initializes Header's Description (must not be null)	
in	SubType	Initializes Header's SubType	

See also

CFE_FS_WriteHeader

Read the contents of the Standard cFE File Header.

Description

This API will fill the specified CFE_FS_Header_t variable with the contents of the Standard cFE File Header of the file identified by the given File Descriptor.

Assumptions, External Events, and Notes:

- The File has already been successfully opened using OS_OpenCreate and the caller has a legitimate File Descriptor.
- 2. File offset behavior: Agnostic on entry since it will move the offset to the start of the file, on success the offset will be at the end of the header, undefined offset behavior for error cases.

Parameters

out	Hdr	Pointer to a variable of type CFE_FS_Header_t (must not be null) that will be filled with the contents of the Standard cFE File Header. *Hdr is the contents of the Standard cFE File Header for the specified file.
in	FileDes	File Descriptor obtained from a previous call to OS_OpenCreate that is associated with the file whose header is to be read.

Returns

Bytes read or error status from OSAL

Return values

CFE_FS_BAD_ARGUMENT	Bad Argument.
---------------------	---------------

Note

This function invokes OSAL API routines and the current implementation may return OSAL error codes to the caller if failure occurs. In a future version of CFE, the status codes will be converted to a value in cFE Return Code Defines.

See also

CFE FS WriteHeader

Modifies the Time Stamp field in the Standard cFE File Header for the specified file.

Description

This API will modify the timestamp found in the Standard cFE File Header of the specified file. The timestamp will be replaced with the time specified by the caller.

Assumptions, External Events, and Notes:

- 1. The File has already been successfully opened using OS_OpenCreate and the caller has a legitimate File Descriptor.
- 2. The NewTimestamp field has been filled appropriately by the Application.
- 3. File offset behavior: Agnostic on entry since it will move the offset, on success the offset will be at the end of the time stamp, undefined offset behavior for error cases.

in	FileDes	File Descriptor obtained from a previous call to OS_OpenCreate that is associated with
		the file whose header is to be read.
in	NewTimestamp	A CFE_TIME_SysTime_t data structure containing the desired time to be put into the
		file's Standard cFE File Header.

Returns

Execution status, see cFE Return Code Defines, or OSAL status

Return values

CFE_STATUS_EXTERNAL_RESOURCE_FAIL	(return value only verified in coverage test) External failure.
CFE_SUCCESS	Successful execution.

Note

This function invokes OSAL API routines and the current implementation may return OSAL error codes to the caller if failure occurs. In a future version of CFE, the status codes will be converted to a value in cFE Return Code Defines.

Write the specified Standard cFE File Header to the specified file.

Description

This API will output the specified CFE_FS_Header_t variable, with some fields automatically updated, to the specified file as the Standard cFE File Header. This API will automatically populate the following fields in the specified CFE_FS_Header_t:

- 1. ContentType Filled with 0x63464531 ('cFE1')
- Length Filled with the sizeof(CFE_FS_Header_t)
- 3. Spacecraft ID Filled with the Spacecraft ID
- 4. ProcessorID Filled with the Processor ID
- 5. ApplicationID Filled with the Application ID
- 6. TimeSeconds Filled with the Time, in seconds, as obtained by CFE TIME GetTime
- 7. TimeSubSeconds Filled with the Time, subseconds, as obtained by CFE_TIME_GetTime

Assumptions, External Events, and Notes:

- The File has already been successfully opened using OS_OpenCreate and the caller has a legitimate File Descriptor.
- 2. The SubType field has been filled appropriately by the Application.
- 3. The ${\tt Description}$ field has been filled appropriately by the Application.
- 4. File offset behavior: Agnostic on entry since it will move the offset to the start of the file, on success the offset will be at the end of the header, undefined offset behavior for error cases.

in	FileDes	File Descriptor obtained from a previous call to OS_OpenCreate that is associated with the file	
		whose header is to be read.	
out	Hdr	Pointer to a variable of type CFE_FS_Header_t (must not be null) that will be filled with the contents of the Standard cFE File Header. *Hdr is the contents of the Standard cFE File Header for the specified file.	

Returns

Bytes read or error status from OSAL

Return values

CFE_FS_BAD_ARGUMENT	Bad Argument.
---------------------	---------------

Note

This function invokes OSAL API routines and the current implementation may return OSAL error codes to the caller if failure occurs. In a future version of CFE, the status codes will be converted to a value in cFE Return Code Defines.

See also

CFE_FS_ReadHeader

9.17 cFE File Utility APIs

Functions

const char * CFE FS GetDefaultMountPoint (CFE FS FileCategory t FileCategory)

Get the default virtual mount point for a file category.

const char * CFE_FS_GetDefaultExtension (CFE_FS_FileCategory_t FileCategory)

Get the default filename extension for a file category.

int32 CFE_FS_ParseInputFileNameEx (char *OutputBuffer, const char *InputBuffer, size_t OutputBufSize, size ←
t InputBufSize, const char *DefaultInput, const char *DefaultPath, const char *DefaultExtension)

Parse a filename input from an input buffer into a local buffer.

 int32 CFE_FS_ParseInputFileName (char *OutputBuffer, const char *InputName, size_t OutputBufSize, CFE_FS_FileCategory_t FileCategory)

Parse a filename string from the user into a local buffer.

CFE_Status_t CFE_FS_ExtractFilenameFromPath (const char *OriginalPath, char *FileNameOnly)

Extracts the filename from a unix style path and filename string.

• int32 CFE FS BackgroundFileDumpRequest (CFE FS FileWriteMetaData t *Meta)

Register a background file dump request.

• bool CFE_FS_BackgroundFileDumplsPending (const CFE_FS_FileWriteMetaData_t *Meta)

Query if a background file write request is currently pending.

9.17.1 Detailed Description

9.17.2 Function Documentation

Query if a background file write request is currently pending.

Description

This returns "true" while the request is on the background work queue This returns "false" once the request is complete and removed from the queue.

Assumptions, External Events, and Notes:

None

Parameters

in,out	Meta	The background file write persistent state object (must not be null)
--------	------	--

Returns

boolean value indicating if request is already pending

true	if request is pending
false	if request is not pending

```
9.17.2.2 CFE_FS_BackgroundFileDumpRequest() int32 CFE_FS_BackgroundFileDumpRequest ( CFE_FS_FileWriteMetaData_t * Meta )
```

Register a background file dump request.

Description

Puts the previously-initialized metadata into the pending request queue

Assumptions, External Events, and Notes:

Metadata structure should be stored in a persistent memory area (not on stack) as it must remain accessible by the file writer task throughout the asynchronous job operation.

Parameters

	in,out	Meta	The background file write persistent state object (must not be null)	
--	--------	------	--	--

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_FS_BAD_ARGUMENT	Bad Argument.
CFE_FS_INVALID_PATH	Invalid Path.
CFE_STATUS_REQUEST_ALREADY_PENDING	Request already pending.
CFE_SUCCESS	Successful execution.

Extracts the filename from a unix style path and filename string.

Description

This API will take the original unix path/filename combination and extract the base filename. Example: Given the path/filename: "/cf/apps/myapp.o.gz" this function will return the filename: "myapp.o.gz".

Assumptions, External Events, and Notes:

- 1. The paths and filenames used here are the standard unix style filenames separated by "/" characters.
- 2. The extracted filename (including terminator) is no longer than OS MAX PATH LEN

Parameters

in	OriginalPath	The original path (must not be null)
out	FileNameOnly	The filename that is extracted from the path (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_FS_BAD_ARGUMENT	Bad Argument.
CFE_FS_FNAME_TOO_LONG	Filename Too Long.
CFE_FS_INVALID_PATH	Invalid Path.
CFE_SUCCESS	Successful execution.

Get the default filename extension for a file category.

Certain file types may have an extension that varies from system to system. This is primarily an issue for application modules which are ".so" on Linux systems, ".dll" on Windows, ".o" on VxWorks, ".obj" on RTEMS, and so on.

This uses a combination of compile-time configuration and hints from the build environment to get the default/expected extension for a given file category.

Returns

String containing the extension

Return values

NULL if no default extension is know	wn for the given file category
--------------------------------------	--------------------------------

9.17.2.5 CFE_FS_GetDefaultMountPoint() const char* CFE_FS_GetDefaultMountPoint (CFE_FS_FileCategory_t FileCategory)

Get the default virtual mount point for a file category.

Certain classes of files generally reside in a common directory, mainly either the persistent storage (/cf typically) or ram disk (/ram typically).

Ephemeral status files are generally in the ram disk while application modules and scripts are generally in the persistent storage.

This returns the expected directory for a given class of files in the form of a virtual OSAL mount point string.

Returns

String containing the mount point

Return values

```
NULL if no mount point is known for the given file category
```

9.17.2.6 CFE_FS_ParseInputFileName() int32 CFE_FS_ParseInputFileName (

```
const char * InputName,
size_t OutputBufSize,
CFE_FS_FileCategory_t FileCategory )
```

Parse a filename string from the user into a local buffer.

Description

Simplified API for CFE_FS_ParseInputFileNameEx() where input is always known to be a non-empty, null terminated string and the fixed-length input buffer not needed. For instance this may be used where the input is a fixed string from cfe_platform_cfg.h or similar.

Assumptions, External Events, and Notes:

The parameters are organized such that this is basically like strncpy() with an extra argument, and existing file name accesses which use a direct copy can easily change to use this instead.

See also

CFE_FS_ParseInputFileNameEx()

Parameters

out	OutputBuffer	Buffer to store result (must not be null).
in	InputName	A null terminated input string (must not be null).
in	OutputBufSize	Maximum Size of output buffer (must not be zero).
in	FileCategory	The generalized category of file (implies default path/extension)

Returns

Execution status, see cFE Return Code Defines

```
const char * InputBuffer,
size_t OutputBufSize,
size_t InputBufSize,
const char * DefaultInput,
const char * DefaultPath,
const char * DefaultExtension )
```

Parse a filename input from an input buffer into a local buffer.

Description

This provides a more user friendly way to specify file names, using default values for the path and extension, which can vary from system to system.

If InputBuffer is null or its length is zero, then DefaultInput is used as if it was the content of the input buffer. If either the pathname or extension is missing from the input, it will be added from defaults, with the complete fully-qualified filename stored in the output buffer.

Assumptions, External Events, and Notes:

- 1. The paths and filenames used here are the standard unix style filenames separated by "/" (path) and "." (extension) characters.
- 2. Input Buffer has a fixed max length. Parsing will not exceed InputBufSize, and does not need to be null terminated. However parsing will stop at the first null char, when the input is shorter than the maximum.

Parameters

out	OutputBuffer	Buffer to store result (must not be null).
in	InputBuffer	A input buffer that may contain a file name (e.g. from command) (must not be null).
in	OutputBufSize	Maximum Size of output buffer (must not be zero).
in	InputBufSize	Maximum Size of input buffer.
in	DefaultInput	Default value to use for input if InputBffer is empty
in	DefaultPath	Default value to use for pathname if omitted from input
in	DefaultExtension Default value to use for extension if omitted from input	

Returns

Execution status, see cFE Return Code Defines

CFE_FS_BAD_ARGUMENT	Bad Argument.
CFE_FS_FNAME_TOO_LONG	Filename Too Long.
CFE_FS_INVALID_PATH	Invalid Path.
CFE_SUCCESS	Successful execution.

9.18 cFE Generic Message APIs

Functions

• CFE_Status_t CFE_MSG_Init (CFE_MSG_Message_t *MsgPtr, CFE_SB_MsgId_t MsgId, CFE_MSG_Size_t Size)

Initialize a message.

9.18.1 Detailed Description

9.18.2 Function Documentation

Initialize a message.

Description

This routine initialize a message. The entire message is set to zero (based on size), defaults are set, then the size and bits from Msgld are set.

Parameters

out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	Msgld	Msgld that corresponds to message
in	Size	Total size of the message (used to set length field)

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.19 cFE Message Primary Header APIs

Functions

- CFE_Status_t CFE_MSG_GetSize (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_Size_t *Size)
 Gets the total size of a message.
- CFE_Status_t CFE_MSG_SetSize (CFE_MSG_Message_t *MsgPtr, CFE_MSG_Size_t Size)

 Sets the total size of a message.
- CFE_Status_t CFE_MSG_GetType (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_Type_t *Type)
 Gets the message type.
- CFE_Status_t CFE_MSG_SetType (CFE_MSG_Message_t *MsgPtr, CFE_MSG_Type_t Type)

 Sets the message type.
- CFE_Status_t CFE_MSG_GetHeaderVersion (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_HeaderVersion_t *Version)

Gets the message header version.

CFE_Status_t CFE_MSG_SetHeaderVersion (CFE_MSG_Message_t *MsgPtr, CFE_MSG_HeaderVersion_t Version)

Sets the message header version.

CFE_Status_t CFE_MSG_GetHasSecondaryHeader (const CFE_MSG_Message_t *MsgPtr, bool *Has⇔ Secondary)

Gets the message secondary header boolean.

- CFE_Status_t CFE_MSG_SetHasSecondaryHeader (CFE_MSG_Message_t *MsgPtr, bool HasSecondary)

 Sets the message secondary header boolean.
- CFE_Status_t CFE_MSG_GetApId (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_ApId_t *ApId)
 Gets the message application ID.
- CFE_Status_t CFE_MSG_SetApId (CFE_MSG_Message_t *MsgPtr, CFE_MSG_ApId_t ApId)
 Sets the message application ID.
- CFE_Status_t CFE_MSG_GetSegmentationFlag (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_SegmentationFlag_t *SegFlag)

Gets the message segmentation flag.

 CFE_Status_t CFE_MSG_SetSegmentationFlag (CFE_MSG_Message_t *MsgPtr, CFE_MSG_SegmentationFlag_t SegFlag)

Sets the message segmentation flag.

 CFE_Status_t CFE_MSG_GetSequenceCount (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_SequenceCount_t *SeqCnt)

Gets the message sequence count.

CFE_Status_t CFE_MSG_SetSequenceCount (CFE_MSG_Message_t *MsgPtr, CFE_MSG_SequenceCount_t SeqCnt)

Sets the message sequence count.

CFE_MSG_SequenceCount_t CFE_MSG_GetNextSequenceCount (CFE_MSG_SequenceCount_t SeqCnt)
 Gets the next sequence count value (rolls over if appropriate)

9.19.1 Detailed Description

9.19.2 Function Documentation

Gets the message application ID.

Description

This routine gets the message application ID.

Parameters

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).	
out	Apld	Application ID (must not be null)	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.19.2.2 CFE_MSG_GetHasSecondaryHeader() CFE_Status_t CFE_MSG_GetHasSecondaryHeader (const CFE_MSG_Message_t * *MsgPtr*, bool * *HasSecondary*)

Gets the message secondary header boolean.

Description

This routine gets the message secondary header boolean.

Parameters

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	HasSecondary	Has secondary header flag (must not be null)

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Gets the message header version.

Description

This routine gets the message header version.

Parameters

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	Version	Header version (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.19.2.4 CFE_MSG_GetNextSequenceCount() CFE_MSG_SequenceCount_t CFE_MSG_GetNextSequenceCount (CFE_MSG_SequenceCount_t SeqCnt)

Gets the next sequence count value (rolls over if appropriate)

Description

Abstract method to get the next valid sequence count value. Will roll over to zero for any input value greater than or equal to the maximum possible sequence count value given the field in the header.

Parameters

in SeqCnt	Sequence count
-----------	----------------

Returns

The next valid sequence count value

Gets the message segmentation flag.

Description

This routine gets the message segmentation flag

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	SegFlag	Segmentation flag (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Gets the message sequence count.

Description

This routine gets the message sequence count.

Parameters

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	SeqCnt	Sequence count (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Gets the total size of a message.

Description

This routine gets the total size of the message.

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	Size	Total message size (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Gets the message type.

Description

This routine gets the message type.

Parameters

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	Туре	Message type (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Sets the message application ID.

Description

This routine sets the message application ID. Typically set at initialization using the MsgId, but API available to set bits that may not be included in MsgId.

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	Apld	Application ID

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Sets the message secondary header boolean.

Description

This routine sets the message secondary header boolean. Typically only set within message initialization and not used by APPs.

Parameters

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	HasSecondary	Has secondary header flag

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Sets the message header version.

Description

This routine sets the message header version. Typically only set within message initialization and not used by APPs.

in,out	MsgPtr	A pointer to the buffer that contains the message.	
in	Version	Header version	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Sets the message segmentation flag.

Description

This routine sets the message segmentation flag.

Parameters

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	SegFlag	Segmentation flag

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Sets the message sequence count.

Description

This routine sets the message sequence count.

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	SeqCnt	Sequence count

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Sets the total size of a message.

Description

This routine sets the total size of the message.

Parameters

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	Size	Total message size

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Sets the message type.

Description

This routine sets the message type.

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	Туре	Message type

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.20 cFE Message Extended Header APIs

Functions

CFE_Status_t CFE_MSG_GetEDSVersion (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_EDSVersion_t *Version)

Gets the message EDS version.

- CFE_Status_t CFE_MSG_SetEDSVersion (CFE_MSG_Message_t *MsgPtr, CFE_MSG_EDSVersion_t Version) Sets the message EDS version.
- CFE_Status_t CFE_MSG_GetEndian (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_Endian_t *Endian) Gets the message endian.
- CFE_Status_t CFE_MSG_SetEndian (CFE_MSG_Message_t *MsgPtr, CFE_MSG_Endian_t Endian) Sets the message endian.
- CFE_Status_t CFE_MSG_GetPlaybackFlag (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_PlaybackFlag_t *PlayFlag)

Gets the message playback flag.

CFE_Status_t CFE_MSG_SetPlaybackFlag (CFE_MSG_Message_t *MsgPtr, CFE_MSG_PlaybackFlag_t PlayFlag)

Sets the message playback flag.

CFE_Status_t CFE_MSG_GetSubsystem (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_Subsystem_t *Subsystem)

Gets the message subsystem.

CFE_Status_t CFE_MSG_SetSubsystem (CFE_MSG_Message_t *MsgPtr, CFE_MSG_Subsystem_t Subsystem)

Sets the message subsystem.

- CFE_Status_t CFE_MSG_GetSystem (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_System_t *System)

 Gets the message system.
- CFE_Status_t CFE_MSG_SetSystem (CFE_MSG_Message_t *MsgPtr, CFE_MSG_System_t System) Sets the message system.

9.20.1 Detailed Description

9.20.2 Function Documentation

Gets the message EDS version.

Description

This routine gets the message EDS version.

Parameters

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).	
out	Version	EDS Version (must not be null)	

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Gets the message endian.

Description

This routine gets the message endian.

Parameters

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	Endian	Endian (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Gets the message playback flag.

Description

This routine gets the message playback flag.

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	PlayFlag	Playback Flag (must not be null)

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Gets the message subsystem.

Description

This routine gets the message subsystem

Parameters

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	Subsystem	Subsystem (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Gets the message system.

Description

This routine gets the message system id

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	System	System (must not be null)

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Sets the message EDS version.

Description

This routine sets the message EDS version.

Parameters

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	Version	EDS Version

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Sets the message endian.

Description

This routine sets the message endian. Invalid endian selection will set big endian.

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	Endian	Endian

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Sets the message playback flag.

Description

This routine sets the message playback flag.

Parameters

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	PlayFlag	Playback Flag

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Sets the message subsystem.

Description

This routine sets the message subsystem. Some bits may be set at initialization using the Msgld, but API available to set bits that may not be included in Msgld.

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	Subsystem	Subsystem

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Sets the message system.

Description

This routine sets the message system id. Some bits may be set at initialization using the Msgld, but API available to set bits that may not be included in Msgld.

Parameters

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	System	System

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.21 cFE Message Secondary Header APIs

Functions

- CFE_Status_t CFE_MSG_GenerateChecksum (CFE_MSG_Message_t *MsgPtr)
 - Calculates and sets the checksum of a message.
- $\bullet \ \ \mathsf{CFE_Status_t} \ \mathsf{CFE_MSG_ValidateChecksum} \ (\mathsf{const} \ \mathsf{CFE_MSG_Message_t} \ * \mathsf{MsgPtr}, \ \mathsf{bool} \ * \mathsf{IsValid})$
 - Validates the checksum of a message.
- CFE_Status_t CFE_MSG_SetFcnCode (CFE_MSG_Message_t *MsgPtr, CFE_MSG_FcnCode_t FcnCode)
 Sets the function code field in a message.
- CFE_Status_t CFE_MSG_GetFcnCode (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_FcnCode_t *Fcn←Code)

Gets the function code field from a message.

- CFE_Status_t CFE_MSG_GetMsgTime (const CFE_MSG_Message_t *MsgPtr, CFE_TIME_SysTime_t *Time)

 Gets the time field from a message.
- CFE_Status_t CFE_MSG_SetMsgTime (CFE_MSG_Message_t *MsgPtr, CFE_TIME_SysTime_t NewTime)

 Sets the time field in a message.

9.21.1 Detailed Description

9.21.2 Function Documentation

Calculates and sets the checksum of a message.

Description

This routine calculates the checksum of a message according to an implementation-defined algorithm. Then, it sets the checksum field in the message with the calculated value. The contents and location of this field will depend on the underlying implementation of messages. It may be a checksum, a CRC, or some other algorithm.

Assumptions, External Events, and Notes:

 If the underlying implementation of messages does not include a checksum field, then this routine will return CFE MSG WRONG MSG TYPE

Parameters

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
--------	--------	---

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.
CFE_MSG_WRONG_MSG_TYPE	Error - wrong type.

Gets the function code field from a message.

Description

This routine gets the function code from a message.

Assumptions, External Events, and Notes:

• If the underlying implementation of messages does not include a function code field, then this routine will set FcnCode to zero and return CFE_MSG_WRONG_MSG_TYPE

Parameters

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	FcnCode	The function code from the message (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.
CFE_MSG_WRONG_MSG_TYPE	Error - wrong type.

Gets the time field from a message.

Description

This routine gets the time from a message.

Assumptions, External Events, and Notes:

- If the underlying implementation of messages does not include a time field, then this routine will set Time to zero and return CFE_MSG_WRONG_MSG_TYPE
- Note default implementation of command messages do not have a time field.

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	Time	Time from the message (must not be null)

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.
CFE_MSG_WRONG_MSG_TYPE	Error - wrong type.

Sets the function code field in a message.

Description

This routine sets the function code of a message.

Assumptions, External Events, and Notes:

• If the underlying implementation of messages does not include a function code field, then this routine will do nothing to the message contents and will return CFE_MSG_WRONG_MSG_TYPE.

Parameters

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	FcnCode	The function code to include in the message.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.
CFE_MSG_WRONG_MSG_TYPE	Error - wrong type.

Sets the time field in a message.

Description

This routine sets the time of a message. Most applications will want to use CFE_SB_TimeStampMsg instead of this function. But, when needed, this API can be used to set multiple messages with identical time stamps.

Assumptions, External Events, and Notes:

- If the underlying implementation of messages does not include a time field, then this routine will do nothing to the message contents and will return CFE_MSG_WRONG_MSG_TYPE.
- Note default implementation of command messages do not have a time field.

Parameters

in,out	MsgPtr	A pointer to the message (must not be null).
in	NewTime	The time to include in the message. This will usually be a time from CFE_TIME_GetTime.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.
CFE_MSG_WRONG_MSG_TYPE	Error - wrong type.

Validates the checksum of a message.

Description

This routine validates the checksum of a message according to an implementation-defined algorithm.

Assumptions, External Events, and Notes:

• If the underlying implementation of messages does not include a checksum field, then this routine will return CFE MSG WRONG MSG TYPE and set the IsValid parameter false.

in	MsgPtr	A pointer to the buffer that contains the message (must not be null). This must point to the first byte of the message header.	
out	IsValid	Checksum validation result (must not be null) • true - valid • false - invalid or not supported/implemented	

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.
CFE_MSG_WRONG_MSG_TYPE	Error - wrong type.

9.22 cFE Message Id APIs

Functions

- CFE_Status_t CFE_MSG_GetMsgld (const CFE_MSG_Message_t *MsgPtr, CFE_SB_Msgld_t *Msgld)
 Gets the message id from a message.
- CFE_Status_t CFE_MSG_SetMsgld (CFE_MSG_Message_t *MsgPtr, CFE_SB_Msgld_t Msgld)

 Sets the message id bits in a message.
- CFE_Status_t CFE_MSG_GetTypeFromMsgld (CFE_SB_Msgld_t Msgld, CFE_MSG_Type_t *Type)

 Gets message type using message ID.

9.22.1 Detailed Description

9.22.2 Function Documentation

Description

This routine gets the message id from a message. The message id is a hash of bits in the message header, used by the software bus for routing. Message id needs to be unique for each endpoint in the system.

Parameters

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	Msgld	Message id (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Gets message type using message ID.

Description

This routine gets the message type using the message ID

Parameters

in	Msg← Id	Message id
out	Туре	Message type (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Sets the message id bits in a message.

Description

This routine sets the message id bits in a message. The message id is a hash of bits in the message header, used by the software bus for routing. Message id needs to be unique for each endpoint in the system.

Note

This API only sets the bits in the header that make up the message ID. No other values in the header are modified.

The user should ensure that this function is only called with a valid Msgld parameter value. If called with an invalid value, the results are implementation-defined. The implementation may or may not return the error code CFE_MSG_BAD_ARGUMENT in this case.

Parameters

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	Msgld	Message id

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.23 cFE Message Integrity APIs

Functions

CFE_Status_t CFE_MSG_OriginationAction (CFE_MSG_Message_t *MsgPtr, size_t BufferSize, bool *Is← Acceptable)

Perform any necessary actions on a newly-created message, prior to sending.

CFE_Status_t CFE_MSG_VerificationAction (const CFE_MSG_Message_t *MsgPtr, size_t BufferSize, bool *Is← Acceptable)

Checks message integrity/acceptability.

9.23.1 Detailed Description

9.23.2 Function Documentation

Perform any necessary actions on a newly-created message, prior to sending.

Description

This routine updates and/or appends any necessary fields on a message, is invoked via SB just prior to broad-casting the message. The actions include updating any values that should be computed/updated per message, including:

- · setting the sequence number
- · updating the timestamp, if present
- · computing any error control or checksum fields, if present

The MSG module implementation determines which header fields meet this criteria and how they should be computed. The BufferSize parameter indicates the allocation size message of the buffer that holds the message (i.e. the message envelope size). In some implementations, the allocated buffer may include extra space in order to append a CRC or digital signature.

See also

CFE_MSG_VerificationAction

Parameters

in, out MsgPtr A pointer to the buffer that contains the message (must not be null).		A pointer to the buffer that contains the message (must not be null).
in BufferSize The size of the buffer encapsulating the message		
out IsAcceptable Output variable to be set, indicates message acceptability (must not be		Output variable to be set, indicates message acceptability (must not be null)

Returns

Execution status, see cFE Return Code Defines

CEE SUCCESS	Successful execution.
01 L_3000L33	Successiul execution.

Return values

CFE_MSG_BAD_ARGUMENT	Error - bad argument.
----------------------	-----------------------

Checks message integrity/acceptability.

Description

This routine validates that any error-control field(s) in the message header matches the expected value.

The specific function of this API is entirely dependent on the header fields and may be a no-op if no error checking is implemented. In that case, it will always output "true".

Note

Due to the fact that software bus uses a multicast architecture, this function must not modify the message, as the buffer may be shared among multiple receivers. This should generally be the inverse of CFE_MSG_OriginationAction(), but on the origination side it may update header fields and/or modify the message, on the verification/receive side it must only check those fields, not modify them.

See also

CFE_MSG_OriginationAction

Parameters

in	Message Pointer (must not be null)	
in	In BufferSize The size of the buffer encapsulating the message	
out IsAcceptable Output variable to be set, indicates message acceptability (must not be		

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.24 cFE Pipe Management APIs

Functions

- CFE_Status_t CFE_SB_CreatePipe (CFE_SB_PipeId_t *PipeIdPtr, uint16 Depth, const char *PipeName)

 Creates a new software bus pipe.
- CFE_Status_t CFE_SB_DeletePipe (CFE_SB_PipeId_t PipeId)

Delete a software bus pipe.

CFE_Status_t CFE_SB_PipeId_ToIndex (CFE_SB_PipeId_t PipeID, uint32 *Idx)

Obtain an index value correlating to an SB Pipe ID.

• CFE_Status_t CFE_SB_SetPipeOpts (CFE_SB_PipeId_t PipeId, uint8 Opts)

Set options on a pipe.

CFE_Status_t CFE_SB_GetPipeOpts (CFE_SB_PipeId_t PipeId, uint8 *OptsPtr)

Get options on a pipe.

- CFE_Status_t CFE_SB_GetPipeName (char *PipeNameBuf, size_t PipeNameSize, CFE_SB_PipeId_t PipeId)

 Get the pipe name for a given id.
- CFE_Status_t CFE_SB_GetPipeIdByName (CFE_SB_PipeId_t *PipeIdPtr, const char *PipeName)

 Get pipe id by pipe name.

9.24.1 Detailed Description

9.24.2 Function Documentation

Creates a new software bus pipe.

Description

This routine creates and initializes an input pipe that the calling application can use to receive software bus messages. By default, no messages are routed to the new pipe. So, the application must use CFE_SB_Subscribe to specify which messages it wants to receive on this pipe.

Assumptions, External Events, and Notes:

None

out	PipeldPtr	A pointer to a variable of type CFE_SB_Pipeld_t (must not be null), which will be filled in with the pipe ID information by the CFE_SB_CreatePipe routine. *PipeldPtr is the identifier for the created pipe.	
in	Depth	The maximum number of messages that will be allowed on this pipe at one time.	
		A string (must not be null) to be used to identify this pipe in error messages and routing information telemetry. The string must be no longer than OS_MAX_API_NAME (including terminator). Longer strings will be truncated.	

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.
CFE_SB_MAX_PIPES_MET	Max Pipes Met.
CFE_SB_PIPE_CR_ERR	Pipe Create Error.

See also

CFE_SB_DeletePipe CFE_SB_GetPipeOpts CFE_SB_SetPipeOpts CFE_SB_GetPipeIdByName

Delete a software bus pipe.

Description

This routine deletes an input pipe and cleans up all data structures associated with the pipe. All subscriptions made for this pipe by calls to CFE_SB_Subscribe will be automatically removed from the SB routing tables. Any messages in the pipe will be discarded.

Applications should not call this routine for all of their SB pipes as part of their orderly shutdown process, as the pipe will be deleted by the support framework at the appropriate time.

Assumptions, External Events, and Notes:

None

Parameters

in	Pipe←	The pipe ID (obtained previously from CFE_SB_CreatePipe) of the pipe to be deleted.
	ld	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.

See also

CFE_SB_CreatePipe CFE_SB_GetPipeOpts CFE_SB_SetPipeOpts CFE_SB_GetPipeIdByName

Get pipe id by pipe name.

Description

This routine finds the pipe id for a pipe name.

Parameters

in	PipeName	The name of the pipe (must not be null).
out	PipeldPtr	The Pipeld for that name (must not be null).

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.

See also

CFE_SB_CreatePipe CFE_SB_DeletePipe CFE_SB_SetPipeOpts CFE_SB_PIPEOPTS_IGNOREMINE

Get the pipe name for a given id.

Description

This routine finds the pipe name for a pipe id.

Parameters

out	PipeNameBuf	The buffer to receive the pipe name (must not be null).
in	PipeNameSize	The size (in chars) of the PipeName buffer (must not be zero).
in	Pipeld	The Pipeld for that name.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.

See also

CFE_SB_CreatePipe CFE_SB_DeletePipe CFE_SB_SetPipeOpts CFE_SB_GetPipeIdByName

Get options on a pipe.

Description

This routine gets the current options on a pipe.

Parameters

in	Pipeld	The pipe ID of the pipe to get options from.
out	OptsPtr	A bit field of options: cFE SB Pipe options (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.

See also

CFE SB CreatePipe CFE SB DeletePipe CFE SB SetPipeOpts CFE SB GetPipeIdByName CFE SB PIPEOPTS IGNOREMIN

Obtain an index value correlating to an SB Pipe ID.

This calculates a zero based integer value that may be used for indexing into a local resource table/array.

Index values are only guaranteed to be unique for resources of the same type. For instance, the indices corresponding to two [valid] application IDs will never overlap, but the index of a pipe ID and an app ID may be the same. Furthermore, indices may be reused if a resource is deleted and re-created.

Note

There is no inverse of this function - indices cannot be converted back to the original PipeID value. The caller should retain the original ID for future use.

Parameters

in	PipeID	Pipe ID to convert
out	ldx	Buffer where the calculated index will be stored (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.

Set options on a pipe.

Description

This routine sets (or clears) options to alter the pipe's behavior. Options are (re)set every call to this routine.

Parameters

in	Pipe⊷	The pipe ID of the pipe to set options on.
	ld	
in	Opts	A bit field of options: cFE SB Pipe options

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.

See also

CFE_SB_CreatePipe CFE_SB_DeletePipe CFE_SB_GetPipeOpts CFE_SB_GetPipeIdByName CFE_SB_PIPEOPTS_IGNOREMII

9.25 cFE Message Subscription Control APIs

Functions

 CFE_Status_t CFE_SB_SubscribeEx (CFE_SB_Msgld_t Msgld, CFE_SB_Pipeld_t Pipeld, CFE_SB_Qos_t Quality, uint16 MsgLim)

Subscribe to a message on the software bus.

CFE_Status_t CFE_SB_Subscribe (CFE_SB_Msgld_t Msgld, CFE_SB_Pipeld_t Pipeld)

Subscribe to a message on the software bus with default parameters.

- CFE_Status_t CFE_SB_SubscribeLocal (CFE_SB_Msgld_t Msgld, CFE_SB_Pipeld_t Pipeld, uint16 MsgLim)
 Subscribe to a message while keeping the request local to a cpu.
- CFE Status t CFE SB Unsubscribe (CFE SB Msgld t Msgld, CFE SB Pipeld t Pipeld)

Remove a subscription to a message on the software bus.

• CFE_Status_t CFE_SB_UnsubscribeLocal (CFE_SB_Msgld_t Msgld, CFE_SB_Pipeld_t Pipeld)

Remove a subscription to a message on the software bus on the current CPU.

9.25.1 Detailed Description

9.25.2 Function Documentation

Subscribe to a message on the software bus with default parameters.

Description

This routine adds the specified pipe to the destination list for the specified message ID. This is the same as CFE_SB_SubscribeEx with the Quality field set to CFE_SB_DEFAULT_QOS and MsgLim set to CFE_PLATFORM_SB_DEFAULT_MSG_LIMIT_(4).

Assumptions, External Events, and Notes:

Note: As subscriptions are received, the destinations are added to the head of a linked list. During the sending of a message, the list is traversed beginning at the head of the list. Therefore the message will first be sent to the last subscriber. If an application has timing constraints and needs to receive a message in the shortest possible time, the developer may consider holding off its subscription until other applications have subscribed to the message.

Parameters

in	Msg←	The message ID of the message to be subscribed to.
	ld	
in	Pipe⊷	The pipe ID of the pipe the subscribed message should be sent to.
	ld	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_SB_MAX_MSGS_MET	(return value only verified in coverage test) Max Messages Met.
CFE_SB_MAX_DESTS_MET	Max Destinations Met.
CFE_SB_BAD_ARGUMENT	Bad Argument.
CFE_SB_BUF_ALOC_ERR	(return value only verified in coverage test) Buffer Allocation Error.

See also

CFE SB SubscribeEx, CFE SB SubscribeLocal, CFE SB Unsubscribe, CFE SB UnsubscribeLocal

Subscribe to a message on the software bus.

Description

This routine adds the specified pipe to the destination list associated with the specified message ID.

Assumptions, External Events, and Notes:

Note: As subscriptions are received, the destinations are added to the head of a linked list. During the sending of a message, the list is traversed beginning at the head of the list. Therefore the message will first be sent to the last subscriber. If an application has timing constraints and needs to receive a message in the shortest possible time, the developer may consider holding off its subscription until other applications have subscribed to the message.

Parameters

in	Msgld	The message ID of the message to be subscribed to.
in	Pipeld	The pipe ID of the pipe the subscribed message should be sent to.
in	Quality	The requested Quality of Service (QoS) required of the messages. Most callers will use CFE_SB_DEFAULT_QOS for this parameter.
in	MsgLim	The maximum number of messages with this Message ID to allow in this pipe at the same time.

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_SB_MAX_MSGS_MET	(return value only verified in coverage test) Max Messages Met.
CFE_SB_MAX_DESTS_MET	Max Destinations Met.
CFE_SB_BAD_ARGUMENT	Bad Argument.
CFE_SB_BUF_ALOC_ERR	(return value only verified in coverage test) Buffer Allocation Error.

See also

CFE_SB_Subscribe, CFE_SB_SubscribeLocal, CFE_SB_Unsubscribe, CFE_SB_UnsubscribeLocal

Subscribe to a message while keeping the request local to a cpu.

Description

This routine adds the specified pipe to the destination list for the specified message ID. This is similar to CFE_SB_SubscribeEx with the Quality field set to CFE_SB_DEFAULT_QOS and MsgLim set to CFE_PLATFORM_SB_DEFAULT_MSG_LIMIT, but will not report the subscription.

Software Bus Network (SBN) application is an example use case, where local subscriptions should not be reported to peers.

Assumptions, External Events, and Notes:

• This API is typically only used by Software Bus Network (SBN) Application

Parameters

in	Msgld	The message ID of the message to be subscribed to.	
in	Pipeld	The pipe ID of the pipe the subscribed message should be sent to.	
in	MsgLim	The maximum number of messages with this Message ID to allow in this pipe at the same time.	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_SB_MAX_MSGS_MET	(return value only verified in coverage test) Max Messages Met.
CFE_SB_MAX_DESTS_MET	Max Destinations Met.
CFE_SB_BAD_ARGUMENT	Bad Argument.
CFE_SB_BUF_ALOC_ERR	(return value only verified in coverage test) Buffer Allocation Error.

See also

CFE_SB_Subscribe, CFE_SB_SubscribeEx, CFE_SB_Unsubscribe, CFE_SB_UnsubscribeLocal

Remove a subscription to a message on the software bus.

Description

This routine removes the specified pipe from the destination list for the specified message ID.

Assumptions, External Events, and Notes:

If the Pipe is not subscribed to MsgId, the CFE_SB_UNSUB_NO_SUBS_EID event will be generated and CFE_SUCCESS will be returned

Parameters

Í	in	Msg⇔	The message ID of the message to be unsubscribed.
		ld	
3	in	Pipe⊷	The pipe ID of the pipe the subscribed message should no longer be sent to.
		ld	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.

See also

CFE SB Subscribe, CFE SB SubscribeEx, CFE SB SubscribeLocal, CFE SB UnsubscribeLocal

Remove a subscription to a message on the software bus on the current CPU.

Description

This routine removes the specified pipe from the destination list for the specified message ID on the current CPU.

Assumptions, External Events, and Notes:

This API is typically only used by Software Bus Network (SBN) Application. If the Pipe is not subscribed to Msgld, the CFE SB UNSUB NO SUBS EID event will be generated and CFE SUCCESS will be returned

in	Msg⊷ Id	The message ID of the message to be unsubscribed.
in	Pipe⊷	The pipe ID of the pipe the subscribed message should no longer be sent to.
	ld	

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.

See also

CFE_SB_Subscribe, CFE_SB_SubscribeEx, CFE_SB_SubscribeLocal, CFE_SB_Unsubscribe

9.26 cFE Send/Receive Message APIs

Functions

- CFE_Status_t CFE_SB_TransmitMsg (const CFE_MSG_Message_t *MsgPtr, bool IsOrigination)
 Transmit a message.
- CFE_Status_t CFE_SB_ReceiveBuffer (CFE_SB_Buffer_t **BufPtr, CFE_SB_PipeId_t PipeId, int32 TimeOut)

 Receive a message from a software bus pipe.

9.26.1 Detailed Description

9.26.2 Function Documentation

Receive a message from a software bus pipe.

Description

This routine retrieves the next message from the specified pipe. If the pipe is empty, this routine will block until either a new message comes in or the timeout value is reached.

Assumptions, External Events, and Notes:

Note - If an error occurs in this API, the *BufPtr value may be NULL or random. Therefore, it is recommended that the return code be tested for CFE_SUCCESS before processing the message.

Parameters

in,out	BufPtr	A pointer to the software bus buffer to receive to (must not be null). Typically a caller declares a ptr of type CFE_SB_Buffer_t (i.e. CFE_SB_Buffer_t *Ptr) then gives the address of that pointer (&Ptr) as this parameter. After a successful receipt of a message, *BufPtr will point to the first byte of the software bus buffer. This should be used as a read-only pointer (in systems with an MMU, writes to this pointer may cause a memory protection fault). The *BufPtr is valid only until the next call to CFE_SB_ReceiveBuffer for the same pipe.
in	Pipeld	The pipe ID of the pipe containing the message to be obtained.
in	TimeOut	The number of milliseconds to wait for a new message if the pipe is empty at the time of the call. This can also be set to CFE_SB_POLL for a non-blocking receive or CFE_SB_PEND_FOREVER to wait forever for a message to arrive.

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.

Return values

CFE_SB_TIME_OUT	Time Out.
CFE_SB_PIPE_RD_ERR	(return value only verified in coverage test) Pipe Read Error.
CFE_SB_NO_MESSAGE	No Message.

Transmit a message.

Description

This routine copies the specified message into a software bus buffer which is then transmitted to all subscribers. The software bus will read the message ID from the message header to determine which pipes should receive the message.

The IsOrigination parameter should be passed as "true" if the message was newly constructed by the sender and is being sent for the first time. This enables the message origination actions as determined by the CFE MSG module, which may include (but not limited to):

- · Updating sequence number
- · Updating timestamp
- · Calcualating a CRC, checksum, or other message error control field

Conversely, when forwarding a message that originated from an external entity (e.g. messages passing through CI or SBN), the parameter should be passed as "false" to not overwrite existing data.

Assumptions, External Events, and Notes:

- This routine will not normally wait for the receiver tasks to process the message before returning control to the caller's task.
- However, if a higher priority task is pending and subscribed to this message, that task may get to run before returning control to the caller.
- In previous versions of CFE, the boolean parameter referred to the sequence number header of telemetry
 messages only. This has been extended to apply more generically to any headers, as determined by the
 CFE MSG implementation.

Parameters

in	MsgPtr	A pointer to the message to be sent (must not be null). This must point to the first byte of the message header.
in	IsOrigination	Update the headers of the message

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.
CFE_SB_MSG_TOO_BIG	Message Too Big.
CFE_SB_BUF_ALOC_ERR	(return value only verified in coverage test) Buffer Allocation Error.

9.27 cFE Zero Copy APIs

Functions

CFE SB Buffer t * CFE SB AllocateMessageBuffer (size t MsgSize)

Get a buffer pointer to use for "zero copy" SB sends.

CFE_Status_t CFE_SB_ReleaseMessageBuffer (CFE_SB_Buffer_t *BufPtr)

Release an unused "zero copy" buffer pointer.

CFE Status t CFE SB TransmitBuffer (CFE SB Buffer t *BufPtr, bool IsOrigination)

Transmit a buffer.

9.27.1 Detailed Description

9.27.2 Function Documentation

```
9.27.2.1 CFE_SB_AllocateMessageBuffer() CFE_SB_Buffer_t* CFE_SB_AllocateMessageBuffer ( size_t MsgSize )
```

Get a buffer pointer to use for "zero copy" SB sends.

Description

This routine can be used to get a pointer to one of the software bus' internal memory buffers that are used for sending messages. The caller can use this memory buffer to build an SB message, then send it using the CFE_SB_TransmitBuffer() function. This interface avoids an extra copy of the message from the user's memory buffer to the software bus internal buffer.

Assumptions, External Events, and Notes:

- 1. The pointer returned by CFE_SB_AllocateMessageBuffer() is only good for one call to CFE_SB_TransmitBuffer().
- 2. Once a buffer has been successfully transmitted (as indicated by a successful return from CFE_SB_TransmitBuffer()) the buffer becomes owned by the SB application. It will automatically be freed by SB once all recipients have finished reading it.
- 3. Applications must not de-reference the message pointer (for reading or writing) after the call to CFE SB TransmitBuffer().
- 4. If CFE SB ReleaseMessageBuffer should be used only if a message is not transmitted

Parameters

in	MsgSize	The size of the SB message buffer the caller wants (including the SB message header).
----	---------	---

Returns

A pointer to a memory buffer that message data can be written to for use with CFE_SB_TransmitBuffer().

Release an unused "zero copy" buffer pointer.

Description

This routine can be used to release a pointer to one of the software bus' internal memory buffers.

Assumptions, External Events, and Notes:

1. This function is not needed for normal "zero copy" transfers. It is needed only for cleanup when an application gets a pointer using CFE_SB_AllocateMessageBuffer(), but (due to some error condition) never uses that pointer in a call to CFE_SB_TransmitBuffer().

Parameters

in	BufPtr	A pointer to the SB internal buffer (must not be null). This must be a pointer returned by a call to
		CFE_SB_AllocateMessageBuffer(), but never used in a call to CFE_SB_TransmitBuffer().

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_SB_BUFFER_INVALID	Buffer Invalid.

Transmit a buffer.

Description

This routine sends a message that has been created directly in an internal SB message buffer by an application (after a call to CFE_SB_AllocateMessageBuffer). This interface is more complicated than the normal CFE_SB_TransmitMsg interface, but it avoids an extra copy of the message from the user's memory buffer to the software bus internal buffer. The "zero copy" interface can be used to improve performance in high-rate, high-volume software bus traffic.

The IsOrigination parameter should be passed as "true" if the message was newly constructed by the sender and is being sent for the first time. This enables the message origination actions as determined by the CFE MSG module, which may include (but not limited to):

- · Updating sequence number
- Updating timestamp
- · Calcualating a CRC, checksum, or other message error control field

Conversely, when forwarding a message that originated from an external entity (e.g. messages passing through CI or SBN), the parameter should be passed as "false" to not overwrite existing data.

Assumptions, External Events, and Notes:

- 1. A handle returned by CFE_SB_AllocateMessageBuffer is "consumed" by a *successful* call to CFE_SB_TransmitBuffer.
- 2. If this function returns CFE_SUCCESS, this indicates the zero copy handle is now owned by software bus, and is no longer owned by the calling application, and should not be re-used.
- 3. However if this function fails (returns any error status) it does not change the state of the buffer at all, meaning the calling application still owns it. (a failure means the buffer is left in the same state it was before the call).
- 4. Applications should be written as if CFE_SB_AllocateMessageBuffer is equivalent to a malloc() and a successful call to CFE_SB_TransmitBuffer is equivalent to a free().
- 5. Applications must not de-reference the message pointer (for reading or writing) after a successful call to CFE_SB_TransmitBuffer.
- 6. This function will increment and apply the internally tracked sequence counter if set to do so.

Parameters

in	BufPtr	A pointer to the buffer to be sent (must not be null).
in	IsOrigination	Update applicable header field(s) of a newly constructed message

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.
CFE_SB_MSG_TOO_BIG	Message Too Big.

9.28 cFE Message Characteristics APIs

Functions

void CFE SB SetUserDataLength (CFE MSG Message t *MsgPtr, size t DataLength)

Sets the length of user data in a software bus message.

void CFE_SB_TimeStampMsg (CFE_MSG_Message_t *MsgPtr)

Sets the time field in a software bus message with the current spacecraft time.

int32 CFE_SB_MessageStringSet (char *DestStringPtr, const char *SourceStringPtr, size_t DestMaxSize, size ← t SourceMaxSize)

Copies a string into a software bus message.

void * CFE SB GetUserData (CFE MSG Message t *MsgPtr)

Get a pointer to the user data portion of a software bus message.

size_t CFE_SB_GetUserDataLength (const CFE_MSG_Message_t *MsgPtr)

Gets the length of user data in a software bus message.

int32 CFE_SB_MessageStringGet (char *DestStringPtr, const char *SourceStringPtr, const char *DefaultString, size_t DestMaxSize, size_t SourceMaxSize)

Copies a string out of a software bus message.

9.28.1 Detailed Description

9.28.2 Function Documentation

Get a pointer to the user data portion of a software bus message.

Description

This routine returns a pointer to the user data portion of a software bus message. SB message header formats can be different for each deployment of the cFE. So, applications should use this function and avoid hard coding offsets into their SB message buffers.

Assumptions, External Events, and Notes:

None

Parameters

	in	MsgPtr	A pointer to the buffer that contains the software bus message (must not be null).	1
--	----	--------	--	---

Returns

A pointer to the first byte of user data within the software bus message.

```
9.28.2.2 CFE_SB_GetUserDataLength() size_t CFE_SB_GetUserDataLength ( const CFE_MSG_Message_t * MsgPtr )
```

Gets the length of user data in a software bus message.

Description

This routine returns the size of the user data in a software bus message.

Assumptions, External Events, and Notes:

None

Parameters

in	MsgPtr	A pointer to the buffer that contains the software bus message (must not be null). This must point
		to the first byte of the message header.

Returns

The size (in bytes) of the user data in the software bus message.

Return values

0 if an error occurs, such as if the MsgPtr argument is not valid.

```
const char * SourceStringPtr,
const char * DefaultString,
size_t DestMaxSize,
size_t SourceMaxSize)
```

Copies a string out of a software bus message.

Description

Strings within software bus messages have a defined/fixed maximum length, and may not necessarily be null terminated within the message. This presents a possible issue when using the C library functions to copy strings out of a message.

This function should replace use of C library functions such as strcpy/strncpy when copying strings out of software bus messages to local storage buffers.

Up to [SourceMaxSize] or [DestMaxSize-1] (whichever is smaller) characters will be copied from the source buffer to the destination buffer, and a NUL termination character will be written to the destination buffer as the last character.

If the DefaultString pointer is non-NULL, it will be used in place of the source string if the source is an empty string. This is typically a string constant that comes from the platform configuration, allowing default values to be assumed for fields that are unspecified.

IMPORTANT - the default string, if specified, must be null terminated. This will be the case if a string literal is passed in (the typical/expected use case).

If the default is NULL, then only the source string will be copied, and the result will be an empty string if the source was empty.

If the destination buffer is too small to store the entire string, it will be truncated, but it will still be null terminated.

out	DestStringPtr	Pointer to destination buffer (must not be null)
-----	---------------	--

Parameters

in	SourceStringPtr	Pointer to source buffer (component of SB message definition)
in	DefaultString	Default string to use if source is empty
in	DestMaxSize	Size of destination storage buffer (must not be zero)
in	SourceMaxSize	Size of source buffer as defined by the message definition

Returns

Number of characters copied or error code, see cFE Return Code Defines

Return values

```
CFE_SB_BAD_ARGUMENT | Bad Argument.
```

Copies a string into a software bus message.

Description

Strings within software bus messages have a defined/fixed maximum length, and may not necessarily be null terminated within the message. This presents a possible issue when using the C library functions to copy strings out of a message.

This performs a very similar function to "strncpy()" except that the sizes of *both* buffers are passed in. Neither buffer is required to be null-terminated, but copying will stop after the first termination character is encountered.

If the destination buffer is not completely filled by the source data (such as if the supplied string was shorter than the allotted length) the destination buffer will be padded with NUL characters up to the size of the buffer, similar to what strncpy() does. This ensures that the entire destination buffer is set.

Note

If the source string buffer is already guaranteed to be null terminated, then there is no difference between the C library "strncpy()" function and this implementation. It is only necessary to use this when termination of the source buffer is not guaranteed.

out	DestStringPtr	Pointer to destination buffer (component of SB message definition) (must not be null)
in	SourceStringPtr	Pointer to source buffer (must not be null)
in	DestMaxSize	Size of destination buffer as defined by the message definition
in	SourceMaxSize	Size of source buffer

Number of characters copied or error code, see cFE Return Code Defines

Return values

```
CFE_SB_BAD_ARGUMENT | Bad Argument.
```

Sets the length of user data in a software bus message.

Description

This routine sets the field in the SB message header that determines the size of the user data in a software bus message. SB message header formats can be different for each deployment of the cFE. So, applications should use this function rather than trying to poke a length value directly into their SB message buffers.

Assumptions, External Events, and Notes:

· You must set a valid message ID in the SB message header before calling this function.

Parameters

in	MsgPtr	A pointer to the buffer that contains the software bus message (must not be null). This must point to the first byte of the message header.
in	DataLength	The length to set (size of the user data, in bytes).

Sets the time field in a software bus message with the current spacecraft time.

Description

This routine sets the time of a software bus message with the current spacecraft time. This will be the same time that is returned by the function CFE_TIME_GetTime.

Assumptions, External Events, and Notes:

• If the underlying implementation of software bus messages does not include a time field, then this routine will do nothing.

in	MsgPtr	A pointer to the buffer that contains the software bus message (must not be null). This must point
		to the first byte of the message header.

9.29 cFE Message ID APIs

Functions

bool CFE SB IsValidMsgld (CFE SB Msgld t Msgld)

Identifies whether a given CFE_SB_Msgld_t is valid.

• static bool CFE_SB_Msgld_Equal (CFE_SB_Msgld_t Msgld1, CFE_SB_Msgld_t Msgld2)

Identifies whether two CFE_SB_Msgld_t values are equal.

static CFE_SB_Msgld_Atom_t CFE_SB_MsgldToValue (CFE_SB_Msgld_t Msgld)

Converts a CFE_SB_Msgld_t to a normal integer.

static CFE_SB_Msgld_t CFE_SB_ValueToMsgld (CFE_SB_Msgld_Atom_t MsgldValue)

Converts a normal integer into a CFE_SB_Msgld_t.

9.29.1 Detailed Description

9.29.2 Function Documentation

Description

Implements a basic sanity check on the value provided

Returns

Boolean message ID validity indicator

Return values

true	Message ID is within the valid range
false	Message ID is not within the valid range

Description

In cases where the CFE_SB_Msgld_t type is not a simple integer type, it may not be possible to do a direct equality check. This inline function provides an abstraction for the equality check between two CFE_SB_Msgld_t values.

Applications should transition to using this function to compare Msgld values for equality to remain compatible with future versions of cFE.

Returns

Boolean message ID equality indicator

Return values

true	Message IDs are Equal
false	Message IDs are not Equal

Definition at line 791 of file cfe_sb.h.

References CFE SB MSGID UNWRAP VALUE.

Description

In cases where the CFE_SB_Msgld_t type is not a simple integer type, it is not possible to directly display the value in a printf-style statement, use it in a switch() statement, or other similar use cases.

This inline function provides the ability to map a CFE_SB_Msgld_t type back into a simple integer value. Applications should transition to using this function wherever a CFE_SB_Msgld_t type needs to be used as an integer.

Assumptions and Notes:

This negates the type safety that was gained by using a non- integer type for the CFE_SB_Msgld_t value. This should only be used in specific cases such as UI display (printf, events, etc) where the value is being sent externally. Any internal API calls should be updated to use the CFE_SB_Msgld_t type directly, rather than an integer type.

Returns

Integer representation of the CFE_SB_Msgld_t

Definition at line 822 of file cfe sb.h.

References CFE SB MSGID UNWRAP VALUE.

Description

In cases where the CFE_SB_Msgld_t type is not a simple integer type, it is not possible to directly use an integer value supplied via a define or similar method.

This inline function provides the ability to map an integer value into a corresponding CFE_SB_Msgld_t value. Applications should transition to using this function wherever an integer needs to be used for a CFE_SB_Msgld_t.

Assumptions and Notes:

This negates the type safety that was gained by using a non- integer type for the CFE_SB_Msgld_t value. This should only be used in specific cases where the value is coming from an external source. Any internal API calls should be updated to return the CFE_SB_Msgld_t type directly, rather than an integer type.

Returns

```
CFE SB Msgld t representation of the integer
```

Definition at line 851 of file cfe_sb.h. References CFE_SB_MSGID_C.

9.30 cFE SB Pipe options

Macros

• #define CFE_SB_PIPEOPTS_IGNOREMINE 0x00000001

Messages sent by the app that owns this pipe will not be sent to this pipe.

- 9.30.1 Detailed Description
- 9.30.2 Macro Definition Documentation

9.30.2.1 CFE_SB_PIPEOPTS_IGNOREMINE #define CFE_SB_PIPEOPTS_IGNOREMINE 0x00000001 Messages sent by the app that owns this pipe will not be sent to this pipe. Definition at line 131 of file cfe_sb_api_typedefs.h.

9.31 cFE Registration APIs

Functions

 CFE_Status_t CFE_TBL_Register (CFE_TBL_Handle_t *TblHandlePtr, const char *Name, size_t Size, uint16 TblOptionFlags, CFE_TBL_CallbackFuncPtr_t TblValidationFuncPtr)

Register a table with cFE to obtain Table Management Services.

CFE_Status_t CFE_TBL_Share (CFE_TBL_Handle_t *TblHandlePtr, const char *TblName)

Obtain handle of table registered by another application.

• CFE_Status_t CFE_TBL_Unregister (CFE_TBL_Handle_t TblHandle)

Unregister a table.

9.31.1 Detailed Description

9.31.2 Function Documentation

Register a table with cFE to obtain Table Management Services.

Description

When an application is created and initialized, it is responsible for creating its table images via the TBL API. The application must inform the Table Service of the table name, table size and selection of optional table features.

Assumptions, External Events, and Notes:

Note: This function call can block. Therefore, interrupt service routines should NOT create their own tables. An application should create any table(s) and provide the handle(s) to the interrupt service routine.

Parameters

out	TblHandlePtr	a pointer to a CFE_TBL_Handle_t type variable (must not be null) that will be assigned the table's handle. The table handle is required for other API calls when accessing the data contained in the table. *TblHandlePtr is the handle used to identify table to cFE when performing Table operations. This value is returned at address specified by TblHandlePtr.	
in	Name	The raw table name. This name will be combined with the name of the application to produce a name of the form "AppName.RawTableName". This application specific name will be used in commands for modifying or viewing the contents of the table.	
in	Size	The size, in bytes, of the table to be created (must not be zero). This is the size that will be allocated as a shared memory resource between the Table Management Service and the calling application.	

Parameters

in	TblOptionFlags	Flag bits indicating selected options for table. A bitwise OR of the following option flags:
		CFE_TBL_OPT_DEFAULT - The default setting for table options is a combination of CFE_TBL_OPT_SNGL_BUFFER and CFE_TBL_OPT_LOAD_DUMP. See below for a description of these two options. This option is mutually exclusive with the CFE_TBL_OPT_DBL_BUFFER, CFE_TBL_OPT_DUMP_ONLY and CFE_TBL_OPT_USR_DEF_ADDR options.
		CFE_TBL_OPT_SNGL_BUFFER - When this option is selected, the table will use a shared session table for performing table modifications and a memory copy from the session table to the "active" table buffer will occur when the table is updated. This is the preferred option since it will minimize memory usage. This option is mutually exclusive with the CFE_TBL_OPT_DBL_BUFFER option
		CFE_TBL_OPT_DBL_BUFFER - When this option is selected, two instances of the table are created. One is considered the "active" table and the other the "inactive" table. Whenever table modifications occur, they do not require the use of a common session table. Modifications occur in the "inactive" buffer. Then, when it is time to update the table, the pointer to the "active" table is changed to point to the "inactive" buffer thus making it the new "active" buffer. This feature is most useful for time critical applications (ie - interrupt service routines, etc). This option is mutually exclusive with the CFE_TBL_OPT_SNGL_BUFFER and CFE_TBL_OPT_DEFAULT option.
		CFE_TBL_OPT_LOAD_DUMP - When this option is selected, the Table Service is allowed to perform all operations on the specified table. This option is mutually exclusive with the CFE_TBL_OPT_DUMP_ONLY option.
		CFE_TBL_OPT_DUMP_ONLY - When this option is selected, the Table Service will not perform table loads to this table. This does not prevent, however, a task from writing to the table via an address obtained with the CFE_TBL_GetAddress API function. This option is mutually exclusive with the CFE_TBL_OPT_LOAD_DUMP and CFE_TBL_OPT_DEFAULT options. If the Application wishes to specify their own block of memory as the Dump Only table, they need to also include the CFE_TBL_OPT_USR_DEF_ADDR option explained below.
		CFE_TBL_OPT_NOT_USR_DEF - When this option is selected, Table Services allocates memory for the table and, in the case of a double buffered table, it allocates the same amount of memory again for the second buffer. This option is mutually exclusive with the CFE_TBL_OPT_USR_DEF_ADDR option.
		CFE_TBL_OPT_USR_DEF_ADDR- When this option is selected, the Table Service will not allocate memory for the table. Table Services will require the Application to identify the location of the active table buffer via the CFE_TBL_Load function. This option implies the CFE_TBL_OPT_DUMP_ONLY and the CFE_TBL_OPT_SNGL_BUFFER options and is mutually exclusive of the CFE_TBL_OPT_DBL_BUFFER option.
		CFE_TBL_OPT_CRITICAL- When this option is selected, the Table Service will automatically allocate space in the Critical Data Store (CDS) for the table and ensure that the contents in the CDS are the same as the contents
Generated b	y Doxygen	of the currently active buffer for the table. This option is mutually exclusive of the CFE_TBL_OPT_USR_DEF_ADDR and CFE_TBL_OPT_DUMP_ONLY options. It should also be noted that the use of this option with double buffered tables will prove the update of the double buffered tables from

buffered tables will prevent the update of the double buffered table from

Parameters

in	TblValidationFuncPtr	is a pointer to a function that will be executed in the context of the Table Management Service when the contents of a table need to be validated. If set to NULL, then the Table Management Service will assume any data is valid. If the value is not NULL, it must be a pointer to a function with the following prototype: int32 CallbackFunc(void *TblPtr);
		where TbIPtr will be a pointer to the table data that is to be verified. When the function returns CFE_SUCCESS, the data is considered valid and ready for a commit. When the function returns a negative value, the data is considered invalid and an Event Message will be issued containing the returned value. If the function should return a positive number, the table is considered invalid and the return code is considered invalid. Validation functions must return either CFE_SUCCESS or a negative number (whose value is at the developer's discretion). The validation function will be executed in the Application's context so that Event Messages describing the validation failure are possible from within the function.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_TBL_INFO_RECOVERED_TBL	Recovered Table.
CFE_TBL_ERR_DUPLICATE_DIFF_SIZE	Duplicate Table With Different Size.
CFE_TBL_ERR_DUPLICATE_NOT_OWNED	Duplicate Table And Not Owned.
CFE_TBL_ERR_REGISTRY_FULL	Registry Full.
CFE_TBL_ERR_HANDLES_FULL	Handles Full.
CFE_TBL_ERR_INVALID_SIZE	Invalid Size.
CFE_TBL_ERR_INVALID_NAME	Invalid Name.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_BAD_ARGUMENT	Bad Argument.
CFE_TBL_ERR_INVALID_OPTIONS	Invalid Options.
CFE_TBL_WARN_DUPLICATE	Duplicate Warning.
CFE_TBL_WARN_NOT_CRITICAL	Not Critical Warning.

See also

CFE_TBL_Unregister, CFE_TBL_Share

Obtain handle of table registered by another application.

Description

After a table has been created, other applications can gain access to that table via the table handle. In order for two or more applications to share a table, the applications that do not create the table must obtain the handle using this function.

Assumptions, External Events, and Notes:

None

Parameters

out	TblHandlePtr	A pointer to a CFE_TBL_Handle_t type variable (must not be null) that will be assigned	
		the table's handle. The table handle is required for other API calls when accessing the	
		data contained in the table. *TblHandlePtr is the handle used to identify table to cFE when	
		performing Table operations. This value is returned at the address specified by	
		TblHandlePtr.	
in	TblName	The application specific name of the table of the form "AppName.RawTableName", where	
		RawTableName is the name specified in the CFE_TBL_Register API call. Example:	
		"ACS.TamParams" for a table called "TamParams" that was registered by the application	
		called "ACS".	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_TBL_ERR_HANDLES_FULL	Handles Full.
CFE_TBL_ERR_INVALID_NAME	Invalid Name.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_BAD_ARGUMENT	Bad Argument.

See also

CFE TBL Unregister, CFE TBL Register

Unregister a table.

Description

When an application is being removed from the system, ES will clean up/free all the application related resources including tables so apps are not required to call this function.

A valid use-case for this API is to unregister a shared table if access is no longer needed or the owning application was removed from the system (CS app is an example).

Typically apps should only register tables during initialization and registration/unregistration by the owning application during operation should be avoided. If unavoidable, special care needs to be taken (especially for shared tables) to avoid race conditions due to competing requests from multiple tasks.

Note the table will not be removed from memory until all table access links have been removed (registration and all shared access).

Assumptions, External Events, and Notes:

None

Parameters

in	TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the
		Table to be unregistered.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.

See also

CFE_TBL_Share, CFE_TBL_Register

9.32 cFE Manage Table Content APIs

Functions

 CFE_Status_t CFE_TBL_Load (CFE_TBL_Handle_t TblHandle, CFE_TBL_SrcEnum_t SrcType, const void *SrcDataPtr)

Load a specified table with data from specified source.

CFE_Status_t CFE_TBL_Update (CFE_TBL_Handle_t TblHandle)

Update contents of a specified table, if an update is pending.

• CFE Status t CFE TBL Validate (CFE TBL Handle t TblHandle)

Perform steps to validate the contents of a table image.

• CFE_Status_t CFE_TBL_Manage (CFE_TBL_Handle_t TblHandle)

Perform standard operations to maintain a table.

• CFE Status_t CFE_TBL_DumpToBuffer (CFE_TBL_Handle_t TblHandle)

Copies the contents of a Dump Only Table to a shared buffer.

• CFE_Status_t CFE_TBL_Modified (CFE_TBL_Handle_t TblHandle)

Notify cFE Table Services that table contents have been modified by the Application.

9.32.1 Detailed Description

9.32.2 Function Documentation

Copies the contents of a Dump Only Table to a shared buffer.

Description

Typically, apps should just call CFE_TBL_Manage as part of routine processing which will perform validation, update, or dump if pending. This API is provided for the case where just a dump should be performed.

Assumptions, External Events, and Notes:

If the table does not have a dump pending status, nothing will occur (no error, no dump)

Parameters

in	TblHandle	Handle of Table to be dumped.
----	-----------	-------------------------------

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.
CFE_TBL_INFO_DUMP_PENDING	Dump Pending.

See also

CFE_TBL_Manage

Load a specified table with data from specified source.

Description

Once an application has created a table (CFE_TBL_Register), it must provide the values that initialize the contents of that table. The application accomplishes this with one of two different TBL API calls. This function call initializes the table with values that are held in a data structure.

Assumptions, External Events, and Notes:

This function call can block. Therefore, interrupt service routines should NOT initialize their own tables. An application should initialize any table(s) prior to providing the handle(s) to the interrupt service routine.

Parameters

in	TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the Table to be loaded.	
		Table to be loaded.	
in	SrcType	Flag indicating the nature of the given SrcDataPtr below. This value can be any one of the following:	
		• CFE_TBL_SRC_FILE - File source When this option is selected, the SrcDataPtr will be interpreted as a pointer to a null terminated character string. The string should specify the full path and filename of the file containing the initial data contents of the table.	
		 CFE_TBL_SRC_ADDRESS - Address source When this option is selected, the SrcDataPtr will be interpreted as a pointer to a memory location that is the beginning of the initialization data for loading the table OR, in the case of a "user defined" dump only table, the address of the active table itself. The block of memory is assumed to be of the same size specified in the CFE_TBL_Register function Size parameter. 	
in	SrcDataPtr	Pointer (must not be null) to either a character string specifying a filename or a memory address of a block of binary data to be loaded into a table or, if the table was registered with the CFE_TBL_OPT_USR_DEF_ADDR option, the address of the active table buffer.	

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.

Return values

CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.
CFE_TBL_ERR_DUMP_ONLY	Dump Only Error.
CFE_TBL_ERR_ILLEGAL_SRC_TYPE	Illegal Source Type.
CFE_TBL_ERR_LOAD_IN_PROGRESS	Load In Progress.
CFE_TBL_ERR_LOAD_INCOMPLETE	Load Incomplete.
CFE_TBL_ERR_NO_BUFFER_AVAIL	No Buffer Available.
CFE_TBL_ERR_ACCESS	
CFE_TBL_ERR_FILE_TOO_LARGE	File Too Large.
CFE_TBL_ERR_BAD_CONTENT_ID	Bad Content ID.
CFE_TBL_ERR_BAD_SUBTYPE_ID	Bad Subtype ID.
CFE_TBL_ERR_NO_STD_HEADER	No Standard Header.
CFE_TBL_ERR_NO_TBL_HEADER	No Table Header.
CFE_TBL_ERR_PARTIAL_LOAD	Partial Load Error.
CFE_TBL_BAD_ARGUMENT	Bad Argument.

See also

CFE_TBL_Update, CFE_TBL_Validate, CFE_TBL_Manage

Perform standard operations to maintain a table.

Description

Applications should call this API periodically to process pending requests for update, validation, or dump to buffer. Typically, the application that created the table would call this function at the start or conclusion of any routine processing cycle.

Assumptions, External Events, and Notes:

None

Parameters

in	TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the
		Table to be managed.

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_TBL_INFO_UPDATED	Updated.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.

Return values

CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.
CFE_TBL_INFO_DUMP_PENDING	Dump Pending.
CFE_TBL_INFO_UPDATE_PENDING	Update Pending.
CFE_TBL_INFO_VALIDATION_PENDING	

See also

CFE_TBL_Update, CFE_TBL_Validate, CFE_TBL_Load, CFE_TBL_DumpToBuffer

```
9.32.2.4 CFE_TBL_Modified() CFE_Status_t CFE_TBL_Modified ( CFE_TBL_Handle_t TblHandle)
```

Notify cFE Table Services that table contents have been modified by the Application.

Description

This API notifies Table Services that the contents of the specified table has been modified by the Application. This notification is important when a table has been registered as "Critical" because Table Services can then update the contents of the table kept in the Critical Data Store.

Assumptions, External Events, and Notes:

None

Parameters

|--|

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.

See also

CFE_TBL_Manage

```
9.32.2.5 CFE_TBL_Update() CFE_Status_t CFE_TBL_Update ( CFE_TBL_Handle_t TblHandle )
```

Update contents of a specified table, if an update is pending.

Description

Typically, apps should just call CFE_TBL_Manage as part of routine processing which will perform validation, update, or dump if pending. This API is provided for the case where just an update should be performed.

Assumptions, External Events, and Notes:

None

Parameters

ſ	in	TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the
			Table to be updated.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_TBL_INFO_NO_UPDATE_PENDING	No Update Pending.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.

See also

CFE_TBL_Load, CFE_TBL_Validate, CFE_TBL_Manage

Perform steps to validate the contents of a table image.

Description

Typically, apps should just call CFE_TBL_Manage as part of routine processing which will perform validation, update, or dump if pending. This API is provided for the case where just a validation should be performed.

Assumptions, External Events, and Notes:

None

Parameters

in	TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the
		Table to be managed.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_TBL_INFO_NO_VALIDATION_PENDING	
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.

See also

CFE_TBL_Update, CFE_TBL_Manage, CFE_TBL_Load

9.33 cFE Access Table Content APIs

Functions

CFE_Status_t CFE_TBL_GetAddress (void **TblPtr, CFE_TBL_Handle_t TblHandle)

Obtain the current address of the contents of the specified table.

CFE_Status_t CFE_TBL_ReleaseAddress (CFE_TBL_Handle_t TblHandle)

Release previously obtained pointer to the contents of the specified table.

CFE_Status_t CFE_TBL_GetAddresses (void **TblPtrs[], uint16 NumTables, const CFE_TBL_Handle_t Tbl
 Handles[])

Obtain the current addresses of an array of specified tables.

CFE Status t CFE TBL ReleaseAddresses (uint16 NumTables, const CFE TBL Handle t TblHandles[])

Release the addresses of an array of specified tables.

9.33.1 Detailed Description

9.33.2 Function Documentation

Obtain the current address of the contents of the specified table.

Description

When a table has been created and initialized, it is available to any application that can identify it with its unique handle. In order to view the data contained in the table, an application must call this function or CFE_TBL_GetAddresses.

Assumptions, External Events, and Notes:

- 1. This call can be a blocking call when the table is not double buffered and is shared with another application of lower priority that just happens to be in the middle of a table update of the specific table. If this occurs, the application performing the table update will automatically have its priority elevated in order to release the resource as soon as possible.
- An application must always release the returned table address using the CFE_TBL_ReleaseAddress or CFE_TBL_ReleaseAddresses function prior to either a CFE_TBL_Update call or any blocking call (e.g. pending on software bus message, etc). Table updates cannot occur while table addresses have not been released.
- 3. CFE_TBL_ERR_NEVER_LOADED will be returned if the table has never been loaded (either from file or from a block of memory), but the function will still return a valid table pointer to a table with all zero content. This pointer must be released with the CFE_TBL_ReleaseAddress API before the table can be loaded with data.

Parameters

out	TblPtr	The address of a pointer (must not be null) that will be loaded with the address of the first byte of the table. This pointer can then be typecast by the calling application to the appropriate table data structure. *TblPtr is the address of the first byte of data associated with the specified table.
in	TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the
		Table whose address is to be returned.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_TBL_INFO_UPDATED	Updated.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.
CFE_TBL_ERR_UNREGISTERED	Unregistered.
CFE_TBL_ERR_NEVER_LOADED	Never Loaded.
CFE_TBL_BAD_ARGUMENT	Bad Argument.

See also

CFE_TBL_ReleaseAddress, CFE_TBL_GetAddresses, CFE_TBL_ReleaseAddresses

Obtain the current addresses of an array of specified tables.

Description

When a table has been created and initialized, it is available to any application that can identify it with its unique handle. In order to view the data contained in the table, an application must call this function or CFE TBL GetAddress.

Assumptions, External Events, and Notes:

- 1. This call can be a blocking call when the table is not double buffered and is shared with another application of lower priority that just happens to be in the middle of a table update of the specific table. If this occurs, the application performing the table update will automatically have its priority elevated in order to release the resource as soon as possible.
- An application must always release the returned table address using the CFE_TBL_ReleaseAddress or CFE_TBL_ReleaseAddresses function prior to either a CFE_TBL_Update call or any blocking call (e.g. pending on software bus message, etc). Table updates cannot occur while table addresses have not been released.
- CFE_TBL_ERR_NEVER_LOADED will be returned if the table has never been loaded (either from file or from a block of memory), but the function will still return a valid table pointer to a table with all zero content. This pointer must be released with the CFE_TBL_ReleaseAddress API before the table can be loaded with data.

Parameters

out	TblPtrs	Array of Pointers (must not be null) to variables that calling Application wishes to hold the	
		start addresses of the Tables. *TblPtrs is an array of addresses of the first byte of data	
		associated with the specified tables.	

Parameters

in	NumTables	Size of TblPtrs and TblHandles arrays.	
in	TblHandles	Array of Table Handles, previously obtained from CFE_TBL_Register or CFE_TBL_Share,	
		of those tables whose start addresses are to be obtained.	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_TBL_INFO_UPDATED	Updated.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.
CFE_TBL_ERR_UNREGISTERED	Unregistered.
CFE_TBL_ERR_NEVER_LOADED	Never Loaded.
CFE_TBL_BAD_ARGUMENT	Bad Argument.

See also

CFE_TBL_GetAddress, CFE_TBL_ReleaseAddress, CFE_TBL_ReleaseAddresses

```
9.33.2.3 CFE_TBL_ReleaseAddress() CFE_Status_t CFE_TBL_ReleaseAddress ( CFE_TBL_Handle_t TblHandle )
```

Release previously obtained pointer to the contents of the specified table.

Description

Each application is **required** to release a table address obtained through the CFE_TBL_GetAddress function.

Assumptions, External Events, and Notes:

An application must always release the returned table address using the CFE_TBL_ReleaseAddress function prior to either a CFE_TBL_Update call or any blocking call (e.g. - pending on software bus message, etc). Table updates cannot occur while table addresses have not been released.

Parameters

in	TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the
		Table whose address is to be released.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_TBL_INFO_UPDATED	Updated.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.
CFE_TBL_ERR_NEVER_LOADED	Never Loaded.

See also

CFE_TBL_GetAddress, CFE_TBL_GetAddresses, CFE_TBL_ReleaseAddresses

Release the addresses of an array of specified tables.

Description

Each application is **required** to release a table address obtained through the CFE_TBL_GetAddress function.

Assumptions, External Events, and Notes:

An application must always release the returned table address using the CFE_TBL_ReleaseAddress function prior to either a CFE_TBL_Update call or any blocking call (e.g. - pending on software bus message, etc). Table updates cannot occur while table addresses have not been released.

Parameters

in	NumTables	Size of TblHandles array.	
in	TblHandles	Array of Table Handles (must not be null), previously obtained from CFE_TBL_Register or	
		CFE_TBL_Share, of those tables whose start addresses are to be released.	

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_TBL_INFO_UPDATED	Updated.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.
CFE_TBL_ERR_NEVER_LOADED	Never Loaded.
CFE_TBL_BAD_ARGUMENT	Bad Argument.

See also

 ${\sf CFE_TBL_GetAddress}, {\sf CFE_TBL_ReleaseAddress}, {\sf CFE_TBL_GetAddresses}$

9.34 cFE Get Table Information APIs

Functions

• CFE_Status_t CFE_TBL_GetStatus (CFE_TBL_Handle_t TblHandle)

Obtain current status of pending actions for a table.

• CFE_Status_t CFE_TBL_GetInfo (CFE_TBL_Info_t *TbIInfoPtr, const char *TbIName)

Obtain characteristics/information of/about a specified table.

 CFE_Status_t CFE_TBL_NotifyByMessage (CFE_TBL_Handle_t TblHandle, CFE_SB_Msgld_t Msgld, CFE_MSG_FcnCode_t CommandCode, uint32 Parameter)

Instruct cFE Table Services to notify Application via message when table requires management.

9.34.1 Detailed Description

9.34.2 Function Documentation

Obtain characteristics/information of/about a specified table.

Description

This API provides the registry information associated with the specified table. The function fills the given data structure with the data found in the Table Registry.

Assumptions, External Events, and Notes:

None

Parameters

out	TblInfoPtr	A pointer to a CFE_TBL_Info_t data structure (must not be null) that is to be populated with	
		table characteristics and information. *TbIInfoPtr is the description of the tables	
		characteristics and registry information stored in the CFE_TBL_Info_t data structure format.	
in	TblName	The application specific name (must not be null) of the table of the form	
		"AppName.RawTableName", where RawTableName is the name specified in the	
		CFE_TBL_Register API call. Example: "ACS.TamParams" for a table called "TamParams"	
		that was registered by the application called "ACS".	

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_TBL_ERR_INVALID_NAME	Invalid Name.
CFE_TBL_BAD_ARGUMENT	Bad Argument.

See also

CFE_TBL_GetStatus

```
9.34.2.2 CFE_TBL_GetStatus() CFE_Status_t CFE_TBL_GetStatus ( CFE_TBL_Handle_t TblHandle )
```

Obtain current status of pending actions for a table.

Description

An application is **required** to perform a periodic check for an update or a validation request for all the tables that it creates. Typically, the application that created the table would call this function at the start or conclusion of any routine processing cycle. If a table update or validation request is pending, the Application should follow up with a call to CFE_TBL_Update or CFE_TBL_Validate respectively.

Assumptions, External Events, and Notes:

None

Parameters

in	TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the
		Table to be managed.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_TBL_INFO_UPDATE_PENDING	Update Pending.
CFE_TBL_INFO_VALIDATION_PENDING	
CFE_TBL_INFO_DUMP_PENDING	Dump Pending.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.

Note

Some status return codes are "success" while being non-zero. This behavior will change in the future.

See also

```
CFE_TBL_Manage, CFE_TBL_Update, CFE_TBL_Validate, CFE_TBL_GetInfo
```

```
CFE_MSG_FcnCode_t CommandCode,
uint32 Parameter )
```

Instruct cFE Table Services to notify Application via message when table requires management.

Description

This API instructs Table Services to send a message to the calling Application whenever the specified table requires management by the application. This feature allows applications to avoid polling table services via the CFE_TBL_Manage call to determine whether a table requires updates, validation, etc. This API should be called following the CFE_TBL_Register API whenever the owning application requires this feature.

Assumptions, External Events, and Notes:

- · Only the application that owns the table is allowed to register a notification message
- Recommend NOT using the ground command MID which typically impacts command counters. The typical
 approach is to use a unique MID for inter-task communications similar to how schedulers typically trigger
 application housekeeping messages.

Parameters

in	TblHandle	Handle of Table with which the message should be associated.	
in	Msgld	Message ID to be used in notification message sent by Table Services.	
in	CommandCode	Command Code value to be placed in secondary header of message sent by Table Services.	
		Services.	
in	Parameter	Application defined value to be passed as a parameter in the message sent by Table Services. Suggested use includes an application's table index that allows the same Msgld and Command Code to be used for all table management notifications.	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.

See also

CFE_TBL_Register

9.35 cFE Table Type Defines

Macros

#define CFE TBL OPT BUFFER MSK (0x0001)

Table buffer mask.

#define CFE_TBL_OPT_SNGL_BUFFER (0x0000)

Single buffer table.

#define CFE TBL OPT DBL BUFFER (0x0001)

Double buffer table.

• #define CFE TBL OPT LD DMP MSK (0x0002)

Table load/dump mask.

#define CFE TBL OPT LOAD DUMP (0x0000)

Load/Dump table.

• #define CFE TBL OPT DUMP ONLY (0x0002)

Dump only table.

#define CFE TBL OPT USR DEF MSK (0x0004)

Table user defined mask.

#define CFE_TBL_OPT_NOT_USR_DEF (0x0000)

Not user defined table.

#define CFE_TBL_OPT_USR_DEF_ADDR (0x0006)

User Defined table,.

#define CFE_TBL_OPT_CRITICAL_MSK (0x0008)

Table critical mask.

#define CFE_TBL_OPT_NOT_CRITICAL (0x0000)

Not critical table.

#define CFE_TBL_OPT_CRITICAL (0x0008)

Critical table.

#define CFE_TBL_OPT_DEFAULT (CFE_TBL_OPT_SNGL_BUFFER | CFE_TBL_OPT_LOAD_DUMP)

Default table options.

9.35.1 Detailed Description

9.35.2 Macro Definition Documentation

```
9.35.2.1 CFE_TBL_OPT_BUFFER_MSK #define CFE_TBL_OPT_BUFFER_MSK (0x0001)
```

Table buffer mask.

Definition at line 48 of file cfe_tbl_api_typedefs.h.

```
9.35.2.2 CFE_TBL_OPT_CRITICAL #define CFE_TBL_OPT_CRITICAL (0x0008)
```

Critical table.

Definition at line 63 of file cfe_tbl_api_typedefs.h.

9.35.2.3 CFE_TBL_OPT_CRITICAL_MSK #define CFE_TBL_OPT_CRITICAL_MSK (0x0008)

Table critical mask.

Definition at line 61 of file cfe tbl api typedefs.h.

9.35.2.4 CFE_TBL_OPT_DBL_BUFFER #define CFE_TBL_OPT_DBL_BUFFER (0x0001)

Double buffer table.

Definition at line 50 of file cfe_tbl_api_typedefs.h.

9.35.2.5 CFE_TBL_OPT_DEFAULT #define CFE_TBL_OPT_DEFAULT (CFE_TBL_OPT_SNGL_BUFFER | CFE_TBL_OPT_LOAD_DUMP)

Default table options.

Definition at line 66 of file cfe_tbl_api_typedefs.h.

9.35.2.6 CFE_TBL_OPT_DUMP_ONLY #define CFE_TBL_OPT_DUMP_ONLY (0x0002)

Dump only table.

Definition at line 54 of file cfe_tbl_api_typedefs.h.

9.35.2.7 CFE_TBL_OPT_LD_DMP_MSK #define CFE_TBL_OPT_LD_DMP_MSK (0x0002)

Table load/dump mask.

Definition at line 52 of file cfe_tbl_api_typedefs.h.

9.35.2.8 CFE_TBL_OPT_LOAD_DUMP #define CFE_TBL_OPT_LOAD_DUMP (0x0000)

Load/Dump table.

Definition at line 53 of file cfe tbl api typedefs.h.

9.35.2.9 CFE TBL OPT NOT CRITICAL #define CFE_TBL_OPT_NOT_CRITICAL (0x0000)

Not critical table.

Definition at line 62 of file cfe_tbl_api_typedefs.h.

9.35.2.10 CFE TBL OPT NOT USR DEF #define CFE_TBL_OPT_NOT_USR_DEF (0x0000)

Not user defined table.

Definition at line 57 of file cfe tbl api typedefs.h.

9.35.2.11 CFE_TBL_OPT_SNGL_BUFFER #define CFE_TBL_OPT_SNGL_BUFFER (0x0000)

Single buffer table.

Definition at line 49 of file cfe_tbl_api_typedefs.h.

9.35.2.12 CFE_TBL_OPT_USR_DEF_ADDR #define CFE_TBL_OPT_USR_DEF_ADDR (0x0006)

User Defined table,.

Note

Automatically includes CFE_TBL_OPT_DUMP_ONLY option

Definition at line 58 of file cfe_tbl_api_typedefs.h.

9.35.2.13 CFE_TBL_OPT_USR_DEF_MSK #define CFE_TBL_OPT_USR_DEF_MSK (0x0004)

Table user defined mask.

Definition at line 56 of file cfe tbl api typedefs.h.

9.36 cFE Get Current Time APIs

Functions

CFE_TIME_SysTime_t CFE_TIME_GetTime (void)

Get the current spacecraft time.

CFE_TIME_SysTime_t CFE_TIME_GetTAI (void)

Get the current TAI (MET + SCTF) time.

CFE_TIME_SysTime_t CFE_TIME_GetUTC (void)

Get the current UTC (MET + SCTF - Leap Seconds) time.

CFE TIME SysTime t CFE TIME GetMET (void)

Get the current value of the Mission Elapsed Time (MET).

uint32 CFE_TIME_GetMETseconds (void)

Get the current seconds count of the mission-elapsed time.

uint32 CFE_TIME_GetMETsubsecs (void)

Get the current sub-seconds count of the mission-elapsed time.

9.36.1 Detailed Description

9.36.2 Function Documentation

```
9.36.2.1 CFE_TIME_GetMET() CFE_TIME_SysTime_t CFE_TIME_GetMET (
void )
```

Get the current value of the Mission Elapsed Time (MET).

Description

This routine returns the current mission-elapsed time (MET). MET is usually derived from a hardware-based clock that is not adjusted during normal operations. Callers of this routine should not assume that the MET return value has any specific relationship to any ground-based time standard.

Assumptions, External Events, and Notes:

None

Returns

The current MET

See also

CFE_TIME_GetTime, CFE_TIME_GetTAI, CFE_TIME_GetUTC, CFE_TIME_GetMETseconds, CFE_TIME_GetMETsubsecs, CFE_TIME_MET2SCTime

```
9.36.2.2 CFE_TIME_GetMETseconds() uint32 CFE_TIME_GetMETseconds (
```

Get the current seconds count of the mission-elapsed time.

Description

This routine is the same as CFE_TIME_GetMET, except that it returns only the integer seconds portion of the MET time.

Assumptions, External Events, and Notes:

None

Returns

The current MET seconds

See also

CFE_TIME_GetTime, CFE_TIME_GetTAI, CFE_TIME_GetUTC, CFE_TIME_GetMET, CFE_TIME_GetMETsubsecs, CFE_TIME_MET2SCTime

```
9.36.2.3 CFE_TIME_GetMETsubsecs() uint32 CFE_TIME_GetMETsubsecs (
```

Get the current sub-seconds count of the mission-elapsed time.

Description

This routine is the same as CFE_TIME_GetMET, except that it returns only the integer sub-seconds portion of the MET time. Each count is equal to $2^{(-32)}$ seconds.

Assumptions, External Events, and Notes:

None

Returns

The current MET sub-seconds

See also

CFE_TIME_GetTime, CFE_TIME_GetTAI, CFE_TIME_GetUTC, CFE_TIME_GetMET, CFE_TIME_GetMETseconds, CFE_TIME_MET2SCTime

```
9.36.2.4 CFE_TIME_GetTAl() CFE_TIME_SysTime_t CFE_TIME_GetTAl ( void )
```

Get the current TAI (MET + SCTF) time.

Description

This routine returns the current TAI time to the caller. TAI is an international time standard that does not include leap seconds. This routine should only be used in situations where TAI is absolutely required. Applications that call CFE_TIME_GetTAI may not be portable to all missions. Maintenance of correct TAI in flight is not guaranteed under all mission operations scenarios. To maintain re-usability across missions, most applications should be using CFE_TIME_GetTime, rather than the specific routines for getting UTC/TAI directly.

Assumptions, External Events, and Notes:

- 1. The "TAI" time returned is referenced to the mission-defined time epoch, which may or may not be the same as the standard TAI epoch.
- 2. Even though TAI does not include leap seconds, the time returned by this function can still jump forward or backward without warning when the spacecraft clock is set or adjusted by operators. Applications using this function must be able to handle these time discontinuities gracefully.

Returns

The current spacecraft time in TAI

See also

CFE_TIME_GetTime, CFE_TIME_GetUTC, CFE_TIME_GetMET, CFE_TIME_GetMETseconds, CFE_TIME_GetMETsubsecs

```
9.36.2.5 CFE_TIME_GetTime() CFE_TIME_SysTime_t CFE_TIME_GetTime ( void )
```

Get the current spacecraft time.

Description

This routine returns the current spacecraft time, which is the amount of time elapsed since the epoch as set in mission configuration. The time returned is either TAI (no leap seconds) or UTC (including leap seconds). This choice is made in the mission configuration file by defining either CFE_MISSION_TIME_CFG_DEFAULT_TAI or CFE_MISSION_TIME_CFG_DEFAULT_UTC as true at compile time. To maintain re-usability across missions, most applications should be using this function rather than the specific routines for getting UTC/TAI directly.

Assumptions, External Events, and Notes:

None

Returns

The current spacecraft time in default format

See also

CFE TIME GetTAI, CFE TIME GetUTC, CFE TIME GetMET, CFE TIME GetMETseconds, CFE TIME GetMETsubsecs

```
9.36.2.6 CFE_TIME_GetUTC() CFE_TIME_SysTime_t CFE_TIME_GetUTC (
```

Get the current UTC (MET + SCTF - Leap Seconds) time.

Description

This routine returns the current UTC time to the caller. This routine should only be used in situations where UTC is absolutely required. Applications that call CFE_TIME_GetUTC may not be portable to all missions. Maintenance of correct UTC in flight is not guaranteed under all mission operations scenarios. If UTC is maintained in flight, it will jump backwards occasionally due to leap second adjustments. To maintain re-usability across missions, most applications should be using CFE_TIME_GetTime, rather than the specific routines for getting UTC/TAI directly.

Assumptions, External Events, and Notes:

Note: The "UTC" time returned is referenced to the mission-defined time epoch, which may or may not be the same as the standard UTC epoch.

Returns

The current spacecraft time in UTC

See also

CFE_TIME_GetTime, CFE_TIME_GetTAI, CFE_TIME_GetMET, CFE_TIME_GetMETseconds, CFE_TIME_GetMETsubsecs

9.37 cFE Get Time Information APIs

Functions

CFE_TIME_SysTime_t CFE_TIME_GetSTCF (void)

Get the current value of the spacecraft time correction factor (STCF).

int16 CFE_TIME_GetLeapSeconds (void)

Get the current value of the leap seconds counter.

CFE TIME ClockState Enum t CFE TIME GetClockState (void)

Get the current state of the spacecraft clock.

uint16 CFE_TIME_GetClockInfo (void)

Provides information about the spacecraft clock.

9.37.1 Detailed Description

9.37.2 Function Documentation

Provides information about the spacecraft clock.

Description

This routine returns information on the spacecraft clock in a bit mask.

Assumptions, External Events, and Notes:

None

Returns

Spacecraft clock information, cFE Clock State Flag Defines. To extract the information from the returned value, the flags can be used as in the following:

```
if ((ReturnValue & CFE_TIME_FLAG_xxxxxx) == CFE_TIME_FLAG_xxxxxx) then the following definition of the CFE_TIME_FLAG_xxxxxx is true.
```

See also

CFE_TIME_GetSTCF, CFE_TIME_GetLeapSeconds, CFE_TIME_GetClockState

```
9.37.2.2 CFE_TIME_GetClockState() CFE_TIME_ClockState_Enum_t CFE_TIME_GetClockState ( void )
```

Get the current state of the spacecraft clock.

Description

This routine returns the spacecraft clock state. Applications that are highly dependent on valid time may want to call this routine before taking actions based on the times returned by the various clock routines

Assumptions, External Events, and Notes:

None

Returns

The current spacecraft clock state

See also

CFE_TIME_GetSTCF, CFE_TIME_GetLeapSeconds, CFE_TIME_GetClockInfo

```
9.37.2.3 CFE_TIME_GetLeapSeconds() int16 CFE_TIME_GetLeapSeconds (
```

Get the current value of the leap seconds counter.

Description

This routine returns the current value of the leap seconds counter. This is the delta seconds between international atomic time (TAI) and universal coordinated time (UTC). There is no API provided to set or adjust leap seconds or SCTF, those actions should be done by command only. This API is provided for applications to be able to include leap seconds in their data products to aid in time correlation during downstream science data processing. Note that some mission operations teams do not maintain the leap seconds count, preferring to adjust the STCF instead. Users of this function should check with their mission ops team to see how they are planning to handle leap seconds.

Assumptions, External Events, and Notes:

None

Returns

The current spacecraft leap seconds.

See also

CFE_TIME_GetSTCF, CFE_TIME_GetClockState, CFE_TIME_GetClockInfo

```
9.37.2.4 CFE_TIME_GetSTCF() CFE_TIME_SysTime_t CFE_TIME_GetSTCF ( void )
```

Get the current value of the spacecraft time correction factor (STCF).

Description

This routine returns the current value of the spacecraft time correction factor. This is the delta time between the MET and the TAI time. There is no API provided to set or adjust leap seconds or SCTF, those actions should be done by command only. This API is provided for applications to be able to include STCF in their data products to aid in time correlation during downstream science data processing.

Assumptions, External Events, and Notes:

Does not include leap seconds

Returns

The current SCTF

See also

CFE_TIME_GetLeapSeconds, CFE_TIME_GetClockState, CFE_TIME_GetClockInfo

9.38 cFE Time Arithmetic APIs

Functions

- CFE_TIME_SysTime_t CFE_TIME_Add (CFE_TIME_SysTime_t Time1, CFE_TIME_SysTime_t Time2)

 Adds two time values.
- CFE_TIME_SysTime_t CFE_TIME_Subtract (CFE_TIME_SysTime_t Time1, CFE_TIME_SysTime_t Time2)
 Subtracts two time values.
- CFE_TIME_Compare_t CFE_TIME_Compare (CFE_TIME_SysTime_t TimeA, CFE_TIME_SysTime_t TimeB)
 Compares two time values.

9.38.1 Detailed Description

9.38.2 Function Documentation

Adds two time values.

Description

This routine adds the two specified times and returns the result. Normally, at least one of the input times should be a value representing a delta time. Adding two absolute times together will not cause an error, but the result will probably be meaningless.

Assumptions, External Events, and Notes:

None

Parameters

in	Time1	The first time to be added.
in	Time2	The second time to be added.

Returns

The sum of the two times. If the sum is greater than the maximum value that can be stored in a CFE TIME SysTime t, the result will roll over (this is not considered an error).

See also

```
CFE_TIME_Subtract, CFE_TIME_Compare
```

Compares two time values.

Description

This routine compares two time values to see which is "greater". It is important that applications use this function rather than trying to directly compare the component pieces of times. This function will handle roll-over cases seamlessly, which may not be intuitively obvious. The cFE's internal representation of time "rolls over" when the 32 bit seconds count reaches 0xFFFFFFF. Also, subtracting a delta time from an absolute time close to the epoch could result in "roll under". The strange cases that result from these situations can be handled by defining the comparison function for times as follows: Plot the two times on the circumference of a circle where 0 is at the top and 0x80000000 is at the bottom. If the shortest arc from time A to time B runs clockwise around the circle, then time A is less than time B. If the shortest arc from A to B runs counter-clockwise, then time A is greater than time B.

Assumptions, External Events, and Notes:

None

Parameters

in	TimeA	The first time to compare.
in	TimeB	The second time to compare.

Returns

The result of comparing the two times.

Return values

CFE_TIME_EQUAL	The two specified times are considered to be equal.
CFE_TIME_A_GT_B	The first specified time is considered to be after the second specified time.
CFE_TIME_A_LT_B	The first specified time is considered to be before the second specified time.

See also

CFE TIME Add, CFE TIME Subtract

Subtracts two time values.

Description

This routine subtracts time2 from time1 and returns the result. The time values can represent either absolute or delta times, but not all combinations make sense.

- AbsTime AbsTime = DeltaTime
- AbsTime DeltaTime = AbsTime
- DeltaTime DeltaTime = DeltaTime
- DeltaTime AbsTime = garbage

Assumptions, External Events, and Notes:

None

Parameters

in	Time1	The base time.
in	Time2	The time to be subtracted from the base time.

Returns

The result of subtracting the two times. If the subtraction results in an underflow, the result will roll over (this is not considered an error).

See also

CFE_TIME_Add, CFE_TIME_Compare

9.39 cFE Time Conversion APIs

Functions

CFE_TIME_SysTime_t CFE_TIME_MET2SCTime (CFE_TIME_SysTime_t METTime)

Convert specified MET into Spacecraft Time.

• uint32 CFE_TIME_Sub2MicroSecs (uint32 SubSeconds)

Converts a sub-seconds count to an equivalent number of microseconds.

uint32 CFE TIME Micro2SubSecs (uint32 MicroSeconds)

Converts a number of microseconds to an equivalent sub-seconds count.

9.39.1 Detailed Description

9.39.2 Function Documentation

Convert specified MET into Spacecraft Time.

Description

This function returns Spacecraft Time given MET. Note that Spacecraft Time is returned as either UTC or T← Al depending on whether the mission configuration parameter CFE_MISSION_TIME_CFG_DEFAULT_UTC or CFE_MISSION_TIME_CFG_DEFAULT_TAI was set to true at compile time.

Assumptions, External Events, and Notes:

None

Parameters

```
in | METTime | The MET to be converted.
```

Returns

Spacecraft Time (UTC or TAI) corresponding to the specified MET

See also

CFE_TIME_GetMET, CFE_TIME_GetMETseconds, CFE_TIME_GetMETsubsecs, CFE_TIME_Sub2MicroSecs, CFE_TIME_Micro2SubSecs

```
9.39.2.2 CFE_TIME_Micro2SubSecs() uint32 CFE_TIME_Micro2SubSecs ( uint32 MicroSeconds )
```

Converts a number of microseconds to an equivalent sub-seconds count.

Description

This routine converts from microseconds (each tick is 1e-06 seconds) to a subseconds count (each tick is $1/2^32$ seconds).

Assumptions, External Events, and Notes:

None

Parameters

in <i>MicroSeconds</i> The sub-seconds count to convert.
--

Returns

The equivalent number of subseconds. If the number of microseconds passed in is greater than one second, (i.e. > 999,999), the return value is equal to $0 \times fffffff$.

See also

CFE_TIME_MET2SCTime, CFE_TIME_Sub2MicroSecs,

9.39.2.3 CFE_TIME_Sub2MicroSecs() uint32 CFE_TIME_Sub2MicroSecs (uint32 SubSeconds)

Converts a sub-seconds count to an equivalent number of microseconds.

Description

This routine converts from a sub-seconds count (each tick is $1/2^3$ 2 seconds) to microseconds (each tick is 1e-06 seconds).

Assumptions, External Events, and Notes:

None

Parameters

in	SubSeconds	The sub-seconds count to convert.
----	------------	-----------------------------------

Returns

The equivalent number of microseconds.

See also

CFE_TIME_MET2SCTime, CFE_TIME_Micro2SubSecs,

9.40 cFE External Time Source APIs

Functions

void CFE TIME ExternalTone (void)

Provides the 1 Hz signal from an external source.

void CFE_TIME_ExternalMET (CFE_TIME_SysTime_t NewMET)

Provides the Mission Elapsed Time from an external source.

void CFE_TIME_ExternalGPS (CFE_TIME_SysTime_t NewTime, int16 NewLeaps)

Provide the time from an external source that has data common to GPS receivers.

void CFE TIME ExternalTime (CFE TIME SysTime t NewTime)

Provide the time from an external source that measures time relative to a known epoch.

CFE_Status_t CFE_TIME_RegisterSynchCallback (CFE_TIME_SynchCallbackPtr_t CallbackFuncPtr)

Registers a callback function that is called whenever time synchronization occurs.

CFE Status t CFE TIME UnregisterSynchCallback (CFE TIME SynchCallbackPtr t CallbackFuncPtr)

Unregisters a callback function that is called whenever time synchronization occurs.

9.40.1 Detailed Description

9.40.2 Function Documentation

Provide the time from an external source that has data common to GPS receivers.

Description

This routine provides a method to provide cFE TIME with current time data acquired from an external source. There is a presumption that this function will be called at the appropriate time (relative to the tone) such that this call may be used by cFE TIME as the signal to generate the "time at the tone" data command. The "time at the tone" data command must arrive within the configuration parameter specified window for tone signal and data packet verification.

Internally, cFE TIME will calculate a new STCF as the difference between this new time value and the spacecraft MET value at the tone. This allows cFE TIME to always calculate time as the sum of MET and STCF. The value of STCF will change only as much as the drift factor between spacecraft MET and the external time source.

Assumptions, External Events, and Notes:

• This routine is included in the API only when 3 specific configuration parameters are set to true. The first is CFE_PLATFORM_TIME_CFG_SERVER which defines this instantiation of cFE TIME as a time server (not a client). The second required configuration parameter is CFE_PLATFORM_TIME_CFG_SOURCE which enables time source selection commands to the cFE TIME task, and further enables configuration definitions for the selected type of external time data. The third configuration parameter required for this routine is CFE_PLATFORM_TIME_CFG_SRC_GPS, which indicates that the external time data consists of a time value relative to a known epoch, plus a leap seconds value.

Parameters

in	NewTime	The MET value at the next (or previous) 1 Hz tone signal.
in	NewLeaps	The Leap Seconds value used to calculate time as UTC.

See also

CFE TIME ExternalTone, CFE TIME ExternalMET, CFE TIME ExternalTime

```
9.40.2.2 CFE_TIME_ExternalMET() void CFE_TIME_ExternalMET ( CFE_TIME_SysTime_t NewMET )
```

Provides the Mission Elapsed Time from an external source.

Description

This routine provides a method to provide cFE TIME with MET acquired from an external source. There is a presumption that this function will be called at the appropriate time (relative to the tone) such that this call may be used by cFE TIME as the signal to generate the "time at the tone" data command. The "time at the tone" data command must arrive within the configuration parameter specified window for tone signal and data packet verification.

The MET value at the tone "should" have zero subseconds. Although the interface accepts non-zero values for sub-seconds, it may be harmful to other applications that expect zero subseconds at the moment of the tone. Any decision to use non-zero subseconds should be carefully considered.

Assumptions, External Events, and Notes:

• This routine is included in the API only when 3 specific configuration parameters are set to true. The first is CFE_PLATFORM_TIME_CFG_SERVER which defines this instantiation of cFE TIME as a time server (not a client). The second required configuration parameter is CFE_PLATFORM_TIME_CFG_SOURCE which enables time source selection commands to the cFE TIME task, and further enables configuration definitions for the selected type of external time data. The third configuration parameter required for this routine is CFE_PLATFORM_TIME_CFG_SRC_MET, which indicates that the external time data consists of MET.

Parameters

	in	NewMET	The MET value at the next (or previous) 1 Hz tone signal.
--	----	--------	---

See also

CFE_TIME_ExternalTone, CFE_TIME_ExternalGPS, CFE_TIME_ExternalTime

```
9.40.2.3 CFE_TIME_ExternalTime() void CFE_TIME_ExternalTime (

CFE_TIME_SysTime_t NewTime )
```

Provide the time from an external source that measures time relative to a known epoch.

Description

This routine provides a method to provide cFE TIME with current time data acquired from an external source. There is a presumption that this function will be called at the appropriate time (relative to the tone) such that this call may be used by cFE TIME as the signal to generate the "time at the tone" data command. The "time at the tone" data command must arrive within the configuration specified window for tone signal and data packet verification.

Internally, cFE TIME will calculate a new STCF as the difference between this new time value and the spacecraft MET value at the tone. This allows cFE TIME to always calculate time as the sum of MET and STCF. The value of STCF will change only as much as the drift factor between spacecraft MET and the external time source.

Assumptions, External Events, and Notes:

• This routine is included in the API only when 3 specific configuration parameters are set to true. The first is CFE_PLATFORM_TIME_CFG_SERVER which defines this instantiation of cFE TIME as a time server (not a client). The second required configuration parameter is CFE_PLATFORM_TIME_CFG_SOURCE which enables time source selection commands to the cFE TIME task, and further enables configuration definitions for the selected type of external time data. The third configuration parameter required for this routine is CFE_PLATFORM_TIME_CFG_SRC_TIME, which indicates that the external time data consists of a time value relative to a known epoch.

Parameters

in	NewTime	The MET value at the next (or previous) 1 Hz tone signal.
----	---------	---

See also

CFE_TIME_ExternalTone, CFE_TIME_ExternalMET, CFE_TIME_ExternalGPS

```
9.40.2.4 CFE_TIME_ExternalTone() void CFE_TIME_ExternalTone (
```

Provides the 1 Hz signal from an external source.

Description

This routine provides a method for cFE TIME software to be notified of the occurrence of the 1Hz tone signal without knowledge of the specific hardware design. Regardless of the source of the tone, this routine should be called as soon as possible after detection to allow cFE TIME software the opportunity to latch the local clock as close as possible to the instant of the tone.

Assumptions, External Events, and Notes:

• This routine may be called directly from within the context of an interrupt handler.

See also

```
CFE_TIME_ExternalMET, CFE_TIME_ExternalGPS, CFE_TIME_ExternalTime
```

Registers a callback function that is called whenever time synchronization occurs.

Description

This routine passes a callback function pointer for an Application that wishes to be notified whenever a legitimate time synchronization signal (typically a 1 Hz) is received.

Assumptions, External Events, and Notes:

Only a single callback per application is supported, and this function should only be called from a single thread within each application (typically the apps main thread). If an application requires triggering multiple child tasks at 1Hz, it should distribute the timing signal internally, rather than registering for multiple callbacks.

Parameters

in	CallbackFuncPtr	Function to call at synchronization interval (must not be null)
----	-----------------	---

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_TIME_TOO_MANY_SYNCH_CALLBACKS	Too Many Sync Callbacks.
CFE_TIME_BAD_ARGUMENT	Bad Argument.

See also

CFE_TIME_UnregisterSynchCallback

Unregisters a callback function that is called whenever time synchronization occurs.

Description

This routine removes the specified callback function pointer from the list of Callback functions that are called whenever a time synchronization (typically the 1Hz signal) is received.

Assumptions, External Events, and Notes:

Only a single callback per application is supported, and this function should only be called from a single thread within each application (typically the apps main thread).

Parameters

in	CallbackFuncPtr	Function to remove from synchronization call list (must not be null)
	o amount arror tr	i diretter to remove mem ejirem em adien edil met (maet net ee man)

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_TIME_CALLBACK_NOT_REGISTERED	Callback Not Registered.
CFE_TIME_BAD_ARGUMENT	Bad Argument.

See also

 ${\sf CFE_TIME_RegisterSynchCallback}$

9.41 cFE Miscellaneous Time APIs

Functions

```
• void CFE_TIME_Print (char *PrintBuffer, CFE_TIME_SysTime_t TimeToPrint)

Print a time value as a string.
```

void CFE_TIME_Local1HzISR (void)

This function is called via a timer callback set up at initialization of the TIME service.

9.41.1 Detailed Description

9.41.2 Function Documentation

```
9.41.2.1 CFE_TIME_Local1HzISR() void CFE_TIME_Local1HzISR (
```

This function is called via a timer callback set up at initialization of the TIME service.

Description

Drives the time processing logic from the system PSP layer. This must be called once per second based on a hardware interrupt or OS kernel signal.

Assumptions, External Events, and Notes:

This will update the global data structures accordingly, incrementing each by the 1Hz amount.

Print a time value as a string.

Description

This routine prints the specified time to the specified string buffer in the following format:

```
yyyy-ddd-hh:mm:ss.xxxxx\0
```

where:

- yyyy = **year**
- ddd = Julian day of the year
- hh = hour of the day (0 to 23)
- mm = minute (0 to 59)
- ss = second (0 to 59)
- xxxxx = subsecond formatted as a decimal fraction (1/4 second = 0.25000)
- \0 = trailing null

Assumptions, External Events, and Notes:

- The value of the time argument is simply added to the configuration definitions for the ground epoch and converted into a fixed length string in the buffer provided by the caller.
- A loss of data during the string conversion will occur if the computed year exceeds 9999. However, a year
 that large would require an unrealistic definition for the ground epoch since the maximum amount of time
 represented by a CFE_TIME_SysTime structure is approximately 136 years.

Parameters

out	PrintBuffer	Pointer to a character array (must not be null) of at least CFE_TIME_PRINTED_STRING_SIZE characters in length. *PrintBuffer is the time as a character string as described above.	
in	TimeToPrint	The time to print into the character array.	

9.42 cFE Resource ID base values

Enumerations

• enum { CFE_RESOURCEID_ES_TASKID_BASE_OFFSET = OS_OBJECT_TYPE_OS_TASK, CFE_RESOURCEID_ES_APPID_BASE_(= OS OBJECT TYPE USER + 1, CFE RESOURCEID ES LIBID BASE OFFSET = OS OBJECT TYPE ↔ USER + 2, CFE_RESOURCEID_ES_COUNTID_BASE_OFFSET = OS_OBJECT_TYPE_USER + 3, CFE RESOURCEID ES POOLID BASE OFFSET = OS OBJECT TYPE USER + 4, CFE RESOURCEID ES CDSBLOCKID = OS_OBJECT_TYPE_USER + 5, CFE_RESOURCEID_SB_PIPEID_RESOURCE_BASE_OFFSET = OS_O↔ BJECT_TYPE_USER + 6, CFE_RESOURCEID_CONFIGID_BASE_OFFSET = OS_OBJECT_TYPE_USER + 7 • enum { CFE ES TASKID BASE = CFE RESOURCEID MAKE BASE(CFE RESOURCEID ES TASKID BASE O← FFSET), CFE_ES_APPID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOURCEID_ES_APPID_BA↔ SE_OFFSET), CFE_ES_LIBID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOURCEID_ES_LIBID ← BASE OFFSET), CFE ES COUNTID BASE = CFE RESOURCEID MAKE BASE(CFE RESOURCEID E↔ S COUNTID BASE OFFSET), CFE_ES_POOLID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOURCEID_ES_POOLID_BASE_O ← $FFSET), \ CFE_ES_CDSBLOCKID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOURCEID_ES_CD \\ \leftarrow CFE_RESOURCEID_ES_CD \\ \leftarrow CFE_RESOU$ SBLOCKID_BASE_OFFSET), CFE_SB_PIPEID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOUR ↔ CEID SB PIPEID RESOURCE BASE OFFSET), CFE CONFIGID BASE = CFE RESOURCEID MAKE B↔

9.42.1 Detailed Description

9.42.2 Enumeration Type Documentation

9.42.2.1 anonymous enum anonymous enum

Enumerator

CFE_RESOURCEID_ES_TASKID_BASE_OFFSET	
CFE_RESOURCEID_ES_APPID_BASE_OFFSET	
CFE_RESOURCEID_ES_LIBID_BASE_OFFSET	
CFE_RESOURCEID_ES_COUNTID_BASE_OFFSET	
CFE_RESOURCEID_ES_POOLID_BASE_OFFSET	
CFE_RESOURCEID_ES_CDSBLOCKID_BASE_OFFSET	
CFE_RESOURCEID_SB_PIPEID_RESOURCE_BASE_OFFSET	
CFE_RESOURCEID_CONFIGID_BASE_OFFSET	

ASE(CFE RESOURCEID CONFIGID BASE OFFSET) }

Definition at line 48 of file cfe_core_resourceid_basevalues.h.

9.42.2.2 anonymous enum anonymous enum

Enumerator

CFE_ES_TASKID_BASE	
CFE_ES_APPID_BASE	
CFE_ES_LIBID_BASE	
CFE_ES_COUNTID_BASE	

Enumerator

CFE_ES_POOLID_BASE	
CFE_ES_CDSBLOCKID_BASE	
CFE_SB_PIPEID_BASE	
CFE_CONFIGID_BASE	

Definition at line 80 of file cfe_core_resourceid_basevalues.h.

9.43 cFE Clock State Flag Defines

Macros

#define CFE TIME FLAG CLKSET 0x8000

The spacecraft time has been set.

• #define CFE_TIME_FLAG_FLYING 0x4000

This instance of Time Services is flywheeling.

#define CFE TIME FLAG SRCINT 0x2000

The clock source is set to "internal".

• #define CFE TIME FLAG SIGPRI 0x1000

The clock signal is set to "primary".

#define CFE_TIME_FLAG_SRVFLY 0x0800

The Time Server is in flywheel mode.

• #define CFE TIME FLAG CMDFLY 0x0400

This instance of Time Services was commanded into flywheel mode.

#define CFE TIME FLAG ADDADJ 0x0200

One time STCF Adjustment is to be done in positive direction.

#define CFE_TIME_FLAG_ADD1HZ 0x0100

1 Hz STCF Adjustment is to be done in a positive direction

#define CFE_TIME_FLAG_ADDTCL 0x0080

Time Client Latency is applied in a positive direction.

#define CFE TIME FLAG SERVER 0x0040

This instance of Time Services is a Time Server.

#define CFE_TIME_FLAG_GDTONE 0x0020

The tone received is good compared to the last tone received.

#define CFE_TIME_FLAG_REFERR 0x0010

GetReference read error, will be set if unable to get a consistent ref value.

#define CFE TIME FLAG UNUSED 0x000F

Reserved flags - should be zero.

9.43.1 Detailed Description

9.43.2 Macro Definition Documentation

9.43.2.1 CFE_TIME_FLAG_ADD1HZ #define CFE_TIME_FLAG_ADD1HZ 0x0100

1 Hz STCF Adjustment is to be done in a positive direction

Definition at line 44 of file default_cfe_time_msgdefs.h.

9.43.2.2 CFE TIME FLAG ADDADJ #define CFE_TIME_FLAG_ADDADJ 0x0200

One time STCF Adjustment is to be done in positive direction.

Definition at line 43 of file default_cfe_time_msgdefs.h.

9.43.2.3 CFE_TIME_FLAG_ADDTCL #define CFE_TIME_FLAG_ADDTCL 0x0080

Time Client Latency is applied in a positive direction.

Definition at line 45 of file default cfe time msgdefs.h.

9.43.2.4 CFE_TIME_FLAG_CLKSET #define CFE_TIME_FLAG_CLKSET 0x8000

The spacecraft time has been set.

Definition at line 37 of file default_cfe_time_msgdefs.h.

9.43.2.5 CFE_TIME_FLAG_CMDFLY #define CFE_TIME_FLAG_CMDFLY 0x0400

This instance of Time Services was commanded into flywheel mode.

Definition at line 42 of file default_cfe_time_msgdefs.h.

9.43.2.6 CFE_TIME_FLAG_FLYING #define CFE_TIME_FLAG_FLYING 0x4000

This instance of Time Services is flywheeling.

Definition at line 38 of file default cfe time msgdefs.h.

9.43.2.7 CFE_TIME_FLAG_GDTONE #define CFE_TIME_FLAG_GDTONE 0x0020

The tone received is good compared to the last tone received.

Definition at line 47 of file default_cfe_time msgdefs.h.

9.43.2.8 CFE_TIME_FLAG_REFERR #define CFE_TIME_FLAG_REFERR 0x0010

GetReference read error, will be set if unable to get a consistent ref value.

Definition at line 48 of file default cfe time msgdefs.h.

9.43.2.9 CFE TIME FLAG SERVER #define CFE_TIME_FLAG_SERVER 0x0040

This instance of Time Services is a Time Server.

Definition at line 46 of file default_cfe_time_msgdefs.h.

9.43.2.10 CFE_TIME_FLAG_SIGPRI #define CFE_TIME_FLAG_SIGPRI 0x1000

The clock signal is set to "primary".

Definition at line 40 of file default cfe time msgdefs.h.

9.43.2.11 CFE_TIME_FLAG_SRCINT #define CFE_TIME_FLAG_SRCINT 0x2000

The clock source is set to "internal".

Definition at line 39 of file default_cfe_time_msgdefs.h.

9.43.2.12 CFE_TIME_FLAG_SRVFLY #define CFE_TIME_FLAG_SRVFLY 0x0800

The Time Server is in flywheel mode.

Definition at line 41 of file default cfe time msgdefs.h.

9.43.2.13 CFE_TIME_FLAG_UNUSED #define CFE_TIME_FLAG_UNUSED 0x000F

Reserved flags - should be zero.

Definition at line 50 of file default_cfe_time_msgdefs.h.

9.44 OSAL Semaphore State Defines

Macros

• #define OS_SEM_FULL 1

Semaphore full state.

• #define OS_SEM_EMPTY 0

Semaphore empty state.

9.44.1 Detailed Description

9.44.2 Macro Definition Documentation

9.44.2.1 OS_SEM_EMPTY #define OS_SEM_EMPTY 0

Semaphore empty state.

Definition at line 35 of file osapi-binsem.h.

9.44.2.2 OS_SEM_FULL #define OS_SEM_FULL 1

Semaphore full state.

Definition at line 34 of file osapi-binsem.h.

9.45 OSAL Binary Semaphore APIs

Functions

- int32 OS_BinSemCreate (osal_id_t *sem_id, const char *sem_name, uint32 sem_initial_value, uint32 options) Creates a binary semaphore.
- int32 OS_BinSemFlush (osal_id_t sem_id)

Unblock all tasks pending on the specified semaphore.

int32 OS_BinSemGive (osal_id_t sem_id)

Increment the semaphore value.

int32 OS_BinSemTake (osal_id_t sem_id)

Decrement the semaphore value.

int32 OS_BinSemTimedWait (osal_id_t sem_id, uint32 msecs)

Decrement the semaphore value with a timeout.

int32 OS BinSemDelete (osal id t sem id)

Deletes the specified Binary Semaphore.

int32 OS_BinSemGetIdByName (osal_id_t *sem_id, const char *sem_name)

Find an existing semaphore ID by name.

int32 OS_BinSemGetInfo (osal_id_t sem_id, OS_bin_sem_prop_t *bin_prop)

Fill a property object buffer with details regarding the resource.

9.45.1 Detailed Description

9.45.2 Function Documentation

Creates a binary semaphore.

Creates a binary semaphore with initial value specified by sem_initial_value and name specified by sem_name. sem_id will be returned to the caller

Parameters

out	sem_id	will be set to the non-zero ID of the newly-created resource (must not be null)	
in	sem_name	the name of the new resource to create (must not be null)	
in	sem_initial_value	the initial value of the binary semaphore	
in	options	Reserved for future use, should be passed as 0.	

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.	
OS_INVALID_POINTER	if sen name or sem_id are NULL	

OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NO_FREE_IDS	if all of the semaphore ids are taken
OS_ERR_NAME_TAKEN	if this is already the name of a binary semaphore
OS_SEM_FAILURE	if the OS call failed (return value only verified in coverage test)

9.45.2.2 OS_BinSemDelete() int32 OS_BinSemDelete (osal_id_t sem_id)

Deletes the specified Binary Semaphore.

This is the function used to delete a binary semaphore in the operating system. This also frees the respective sem_id to be used again when another semaphore is created.

Parameters

in	sem⊷	The object ID to delete
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.	
OS_ERR_INVALID_ID	if the id passed in is not a valid binary semaphore	
OS_SEM_FAILURE	if an unspecified failure occurs (return value only verified in coverage test)	

Unblock all tasks pending on the specified semaphore.

The function unblocks all tasks pending on the specified semaphore. However, this function does not change the state of the semaphore.

Parameters

in	sem←	The object ID to operate on
	_id	

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.

OS_ERR_INVALID_ID	if the id passed in is not a binary semaphore
OS_SEM_FAILURE	if an unspecified failure occurs (return value only verified in coverage test)

Find an existing semaphore ID by name.

This function tries to find a binary sem Id given the name of a bin_sem The id is returned through sem_id

Parameters

out	sem_id	will be set to the ID of the existing resource
in	sem_name	the name of the existing resource to find (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	is semid or sem_name are NULL pointers
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	if the name was not found in the table

Fill a property object buffer with details regarding the resource.

This function will pass back a pointer to structure that contains all of the relevant info(name and creator) about the specified binary semaphore.

Parameters

in	sem_id	The object ID to operate on
out	bin_prop	The property object buffer to fill (must not be null)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.

OS_ERR_INVALID_ID	if the id passed in is not a valid semaphore
OS_INVALID_POINTER	if the bin_prop pointer is null
OS_ERR_NOT_IMPLEMENTED	Not implemented.

Increment the semaphore value.

The function unlocks the semaphore referenced by sem_id by performing a semaphore unlock operation on that semaphore. If the semaphore value resulting from this operation is positive, then no threads were blocked waiting for the semaphore to become unlocked; the semaphore value is simply incremented for this semaphore.

Parameters

in	sem←	The object ID to operate on
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.	
OS_ERR_INVALID_ID	if the id passed in is not a binary semaphore	
OS_SEM_FAILURE	if an unspecified failure occurs (return value only verified in coverage test)	

9.45.2.7 OS_BinSemTake() int32 OS_BinSemTake (osal_id_t sem_id)

Decrement the semaphore value.

The locks the semaphore referenced by sem_id by performing a semaphore lock operation on that semaphore. If the semaphore value is currently zero, then the calling thread shall not return from the call until it either locks the semaphore or the call is interrupted.

Parameters

in	sem←	The object ID to operate on
	_id	

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.

OS_ERR_INVALID_ID	the ld passed in is not a valid binary semaphore
OS_SEM_FAILURE	if an unspecified failure occurs (return value only verified in coverage test)

```
9.45.2.8 OS_BinSemTimedWait() int32 OS_BinSemTimedWait ( osal_id_t sem_id, uint32 msecs )
```

Decrement the semaphore value with a timeout.

The function locks the semaphore referenced by sem_id. However, if the semaphore cannot be locked without waiting for another process or thread to unlock the semaphore, this wait shall be terminated when the specified timeout, msecs, expires.

Parameters

in	sem⇔	The object ID to operate on
	_ia	
in	msecs	The maximum amount of time to block, in milliseconds

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.	
OS_SEM_TIMEOUT	if semaphore was not relinquished in time	
OS_ERR_INVALID_ID	if the ID passed in is not a valid semaphore ID	
OS_SEM_FAILURE	if an unspecified failure occurs (return value only verified in coverage test)	

9.46 OSAL BSP low level access APIs

These are for OSAL internal BSP information access to pass any BSP-specific boot/command line/startup arguments through to the application, and return a status code back to the OS after exit.

Functions

- void OS BSP SetResourceTypeConfig (uint32 ResourceType, uint32 ConfigOptionValue)
- uint32 OS_BSP_GetResourceTypeConfig (uint32 ResourceType)
- uint32 OS_BSP_GetArgC (void)
- char *const * OS BSP GetArgV (void)
- void OS_BSP_SetExitCode (int32 code)

9.46.1 Detailed Description

These are for OSAL internal BSP information access to pass any BSP-specific boot/command line/startup arguments through to the application, and return a status code back to the OS after exit.

Not intended for user application use

9.46.2 Function Documentation

9.47 OSAL Real Time Clock APIs

Functions

int32 OS GetLocalTime (OS time t *time struct)

Get the local time.

int32 OS_SetLocalTime (const OS_time_t *time_struct)

Set the local time.

static int64 OS TimeGetTotalSeconds (OS time t tm)

Get interval from an OS_time_t object normalized to whole number of seconds.

static OS time t OS TimeFromTotalSeconds (int64 tm)

Get an OS_time_t interval object from an integer number of seconds.

static int64 OS TimeGetTotalMilliseconds (OS time t tm)

Get interval from an OS_time_t object normalized to millisecond units.

static OS time t OS TimeFromTotalMilliseconds (int64 tm)

Get an OS_time_t interval object from a integer number of milliseconds.

static int64 OS_TimeGetTotalMicroseconds (OS_time_t tm)

Get interval from an OS_time_t object normalized to microsecond units.

static OS time t OS TimeFromTotalMicroseconds (int64 tm)

Get an OS_time_t interval object from a integer number of microseconds.

static int64 OS TimeGetTotalNanoseconds (OS time t tm)

Get interval from an OS_time_t object normalized to nanosecond units.

static OS_time_t OS_TimeFromTotalNanoseconds (int64 tm)

Get an OS_time_t interval object from a integer number of nanoseconds.

static int64 OS_TimeGetFractionalPart (OS_time_t tm)

Get subseconds portion (fractional part only) from an OS_time_t object.

static uint32 OS_TimeGetSubsecondsPart (OS_time_t tm)

Get 32-bit normalized subseconds (fractional part only) from an OS_time_t object.

static uint32 OS_TimeGetMillisecondsPart (OS_time_t tm)

Get milliseconds portion (fractional part only) from an OS_time_t object.

static uint32 OS_TimeGetMicrosecondsPart (OS_time_t tm)

Get microseconds portion (fractional part only) from an OS_time_t object.

static uint32 OS_TimeGetNanosecondsPart (OS_time_t tm)

Get nanoseconds portion (fractional part only) from an OS_time_t object.

static OS_time_t OS_TimeAssembleFromNanoseconds (int64 seconds, uint32 nanoseconds)

Assemble/Convert a number of seconds + nanoseconds into an OS_time_t interval.

static OS time t OS TimeAssembleFromMicroseconds (int64 seconds, uint32 microseconds)

Assemble/Convert a number of seconds + microseconds into an OS time t interval.

static OS_time_t OS_TimeAssembleFromMilliseconds (int64 seconds, uint32 milliseconds)

Assemble/Convert a number of seconds + milliseconds into an OS_time_t interval.

static OS time t OS TimeAssembleFromSubseconds (int64 seconds, uint32 subseconds)

Assemble/Convert a number of seconds + subseconds into an OS_time_t interval.

static OS_time_t OS_TimeAdd (OS_time_t time1, OS_time_t time2)

Computes the sum of two time intervals.

static OS time t OS TimeSubtract (OS time t time1, OS time t time2)

Computes the difference between two time intervals.

9.47.1 Detailed Description

9.47.2 Function Documentation

Get the local time.

This function gets the local time from the underlying OS.

Note

Mission time management typically uses the cFE Time Service

Parameters

	out	time_struct	An OS_time_t that will be set to the current time (must not be null)	l
--	-----	-------------	--	---

Returns

Get local time status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if time_struct is null

Set the local time.

This function sets the local time on the underlying OS.

Note

Mission time management typically uses the cFE Time Services

Parameters

i	time_struct	An OS_time_t containing the current time (must not be null)]
---	-------------	---	---

Returns

Set local time status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if time_struct is null

Computes the sum of two time intervals.

Parameters

in	time1	The first interval
in	time2	The second interval

Returns

The sum of the two intervals (time1 + time2)

Definition at line 467 of file osapi-clock.h.

References OS_time_t::ticks.

Assemble/Convert a number of seconds + microseconds into an OS_time_t interval.

This creates an OS_time_t value using a whole number of seconds and a fractional part in units of microseconds. This is the inverse of OS_TimeGetTotalSeconds() and OS_TimeGetMicrosecondsPart(), and should recreate the original OS_time_t value from these separate values (aside from any potential conversion losses due to limited resolution of the data types/units).

See also

OS TimeGetTotalSeconds(), OS TimeGetMicrosecondsPart()

Parameters

in	seconds	Whole number of seconds
in	microseconds	Number of microseconds (fractional part only)

Returns

The input arguments represented as an OS time t interval

Definition at line 402 of file osapi-clock.h.

References OS_TIME_TICKS_PER_SECOND, OS_TIME_TICKS_PER_USEC, and OS_time_t::ticks.

Assemble/Convert a number of seconds + milliseconds into an OS time t interval.

This creates an OS_time_t value using a whole number of seconds and a fractional part in units of milliseconds. This is the inverse of OS_TimeGetTotalSeconds() and OS_TimeGetMillisecondsPart(), and should recreate the original OS_time_t value from these separate values (aside from any potential conversion losses due to limited resolution of the data types/units).

See also

OS_TimeGetTotalSeconds(), OS_TimeGetMillisecondsPart()

Parameters

in	seconds	Whole number of seconds
in	milliseconds	Number of milliseconds (fractional part only)

Returns

The input arguments represented as an OS_time_t interval

Definition at line 426 of file osapi-clock.h.

References OS TIME TICKS PER MSEC, OS TIME TICKS PER SECOND, and OS time t::ticks.

Assemble/Convert a number of seconds + nanoseconds into an OS_time_t interval.

This creates an OS_time_t value using a whole number of seconds and a fractional part in units of nanoseconds. This is the inverse of OS_TimeGetTotalSeconds() and OS_TimeGetNanosecondsPart(), and should recreate the original OS_time_t value from these separate values (aside from any potential conversion losses due to limited resolution of the data types/units).

See also

OS TimeGetTotalSeconds(), OS TimeGetNanosecondsPart()

Parameters

in	seconds	Whole number of seconds
in	nanoseconds	Number of nanoseconds (fractional part only)

Returns

The input arguments represented as an OS time t interval

Definition at line 378 of file osapi-clock.h.

References OS_TIME_TICK_RESOLUTION_NS, OS_TIME_TICKS_PER_SECOND, and OS_time_t::ticks.

Assemble/Convert a number of seconds + subseconds into an OS_time_t interval.

This creates an OS_time_t value using a whole number of seconds and a fractional part in units of sub-seconds (1/2³2). This is the inverse of OS_TimeGetTotalSeconds() and OS_TimeGetSubsecondsPart(), and should recreate the original OS_time_t value from these separate values (aside from any potential conversion losses due to limited resolution of the data types/units).

See also

OS_TimeGetTotalSeconds(), OS_TimeGetNanosecondsPart()

Parameters

in	seconds	Whole number of seconds
in	subseconds	Number of subseconds (32 bit fixed point fractional part)

Returns

The input arguments represented as an OS_time_t interval

Definition at line 449 of file osapi-clock.h.

References OS_TIME_TICKS_PER_SECOND, and OS_time_t::ticks.

Get an OS_time_t interval object from a integer number of microseconds.

This is the inverse operation of OS_TimeGetTotalMicroseconds(), converting the total number of microseconds into an OS time t value.

See also

OS_TimeGetTotalMicroseconds()

Parameters

in	tm	Time interval value, in microseconds
----	----	--------------------------------------

Returns

OS_time_t value representing the interval

Definition at line 216 of file osapi-clock.h.

References OS_TIME_TICKS_PER_USEC.

Get an OS_time_t interval object from a integer number of milliseconds.

This is the inverse operation of OS_TimeGetTotalMilliseconds(), converting the total number of milliseconds into an OS_time_t value.

See also

OS_TimeGetTotalMilliseconds()

Parameters

in	tm	Time interval value, in milliseconds
----	----	--------------------------------------

Returns

OS time t value representing the interval

Definition at line 182 of file osapi-clock.h. References OS_TIME_TICKS_PER_MSEC.

Get an OS time t interval object from a integer number of nanoseconds.

This is the inverse operation of OS_TimeGetTotalNanoseconds(), converting the total number of nanoseconds into an OS_time_t value.

See also

OS_TimeGetTotalNanoseconds()

Parameters

in tm Time interval value, in nanosecor	nds
---	-----

Returns

OS_time_t value representing the interval

Definition at line 254 of file osapi-clock.h. References OS_TIME_TICK_RESOLUTION_NS.

Get an OS_time_t interval object from an integer number of seconds.

This is the inverse operation of OS_TimeGetTotalSeconds(), converting the total number of seconds into an OS_time_t value.

See also

OS TimeGetTotalSeconds()

Parameters

in	tm	Time interval value, in seconds
----	----	---------------------------------

Returns

OS_time_t value representing the interval

Definition at line 148 of file osapi-clock.h. References OS_TIME_TICKS_PER_SECOND.

Get subseconds portion (fractional part only) from an OS time t object.

Extracts the fractional part from a given OS_time_t object. Units returned are in ticks, not normalized to any standard time unit.

Parameters

in	tm	Time interval value

Returns

Fractional/subsecond portion of time interval in ticks

Definition at line 270 of file osapi-clock.h.

References OS_TIME_TICKS_PER_SECOND, and OS_time_t::ticks.

Referenced by OS_TimeGetMicrosecondsPart(), OS_TimeGetMillisecondsPart(), OS_TimeGetNanosecondsPart(), and OS_TimeGetSubsecondsPart().

Get microseconds portion (fractional part only) from an OS_time_t object.

Extracts the fractional part from a given OS time t object normalized to units of microseconds.

This function may be used to adapt applications initially implemented using an older OSAL version where OS_time_t was a structure containing a "seconds" and "microsecs" field.

This function will obtain a value that is compatible with the "microsecs" field of OS_time_t as it was defined in previous versions of OSAL, as well as the "tv_usec" field of POSIX-style "struct timeval" values.

See also

OS_TimeGetTotalSeconds()

Parameters

in	tm	Time interval value
----	----	---------------------

Returns

Number of microseconds in time interval

Definition at line 338 of file osapi-clock.h.

References OS_TIME_TICKS_PER_USEC, and OS_TimeGetFractionalPart().

Here is the call graph for this function:



Get milliseconds portion (fractional part only) from an OS_time_t object.

Extracts the fractional part from a given OS time t object normalized to units of milliseconds.

See also

OS_TimeGetTotalSeconds()

Parameters

in tm Time interval value	e
---------------------------	---

Returns

Number of milliseconds in time interval

Definition at line 313 of file osapi-clock.h.

References OS_TIME_TICKS_PER_MSEC, and OS_TimeGetFractionalPart().

Here is the call graph for this function:



```
9.47.2.15 OS_TimeGetNanosecondsPart() static uint32 OS_TimeGetNanosecondsPart (
OS_time_t tm ) [inline], [static]
```

Get nanoseconds portion (fractional part only) from an OS_time_t object.

Extracts the only number of nanoseconds from a given OS_time_t object.

This function will obtain a value that is compatible with the "tv_nsec" field of POSIX-style "struct timespec" values.

See also

OS_TimeGetTotalSeconds()

Parameters



Returns

Number of nanoseconds in time interval

Definition at line 357 of file osapi-clock.h.

References OS_TIME_TICK_RESOLUTION_NS, and OS_TimeGetFractionalPart().

Here is the call graph for this function:



Get 32-bit normalized subseconds (fractional part only) from an OS_time_t object.

Extracts the fractional part from a given OS_time_t object in maximum precision, with units of $2^{\land}(-32)$ sec. This is a base-2 fixed-point fractional value with the point left-justified in the 32-bit value (i.e. left of MSB).

This is (mostly) compatible with the CFE "subseconds" value, where 0x80000000 represents exactly one half second, and 0 represents a full second.

Parameters

in tm Time interval value

Returns

Fractional/subsecond portion of time interval as 32-bit fixed point value

Definition at line 289 of file osapi-clock.h.

References OS_TIME_TICKS_PER_SECOND, and OS_TimeGetFractionalPart().

Here is the call graph for this function:



Get interval from an OS_time_t object normalized to microsecond units.

Note this refers to the complete interval, not just the fractional part.

See also

OS_TimeFromTotalMicroseconds()

Parameters

Returns

Whole number of microseconds in time interval

Definition at line 199 of file osapi-clock.h.

References OS TIME TICKS PER USEC, and OS time t::ticks.

Get interval from an OS_time_t object normalized to millisecond units.

Note this refers to the complete interval, not just the fractional part.

See also

OS_TimeFromTotalMilliseconds()

Parameters

in tm Time interval value	è
---------------------------	---

Returns

Whole number of milliseconds in time interval

Definition at line 165 of file osapi-clock.h.

References OS_TIME_TICKS_PER_MSEC, and OS_time_t::ticks.

Get interval from an OS time t object normalized to nanosecond units.

Note this refers to the complete interval, not just the fractional part.

Note

There is no protection against overflow of the 64-bit return value. Applications must use caution to ensure that the interval does not exceed the representable range of a signed 64 bit integer - approximately 140 years.

See also

OS_TimeFromTotalNanoseconds

Parameters

in	tm	Time interval value

Returns

Whole number of microseconds in time interval

Definition at line 237 of file osapi-clock.h.

References OS_TIME_TICK_RESOLUTION_NS, and OS_time_t::ticks.

Get interval from an OS time t object normalized to whole number of seconds.

Extracts the number of whole seconds from a given OS_time_t object, discarding any fractional component.

This may also replace a direct read of the "seconds" field from the OS_time_t object from previous versions of OSAL, where the structure was defined with separate seconds/microseconds fields.

See also

```
OS_TimeGetMicrosecondsPart()
```

OS_TimeFromTotalSeconds()

Parameters

111 titi Titile ilitervai value		in	tm	Time interval value
-------------------------------------	--	----	----	---------------------

Returns

Whole number of seconds in time interval

Definition at line 131 of file osapi-clock.h.

References OS_TIME_TICKS_PER_SECOND, and OS_time_t::ticks.

Computes the difference between two time intervals.

Parameters

in	time1	The first interval
in	time2	The second interval

Returns

The difference of the two intervals (time1 - time2)

Definition at line 482 of file osapi-clock.h.

References OS time t::ticks.

9.48 OSAL Core Operation APIs

These are for OSAL core operations for startup/initialization, running, and shutdown. Typically only used in bsps, unit tests, psps, etc.

Functions

void OS Application Startup (void)

Application startup.

void OS_Application_Run (void)

Application run.

• int32 OS API Init (void)

Initialization of API.

void OS_API_Teardown (void)

Teardown/de-initialization of OSAL API.

void OS IdleLoop (void)

Background thread implementation - waits forever for events to occur.

void OS DeleteAllObjects (void)

delete all resources created in OSAL.

void OS_ApplicationShutdown (uint8 flag)

Initiate orderly shutdown.

void OS_ApplicationExit (int32 Status)

Exit/Abort the application.

int32 OS_RegisterEventHandler (OS_EventHandler_t handler)

Callback routine registration.

9.48.1 Detailed Description

These are for OSAL core operations for startup/initialization, running, and shutdown. Typically only used in bsps, unit tests, psps, etc.

Not intended for user application use

9.48.2 Function Documentation

```
9.48.2.1 OS_API_Init() int32 OS_API_Init ( void )
```

Initialization of API.

This function returns initializes the internal data structures of the OS Abstraction Layer. It must be called in the application startup code before calling any other OS routines.

Returns

Execution status, see OSAL Return Code Defines. Any error code (negative) means the OSAL can not be initialized. Typical platform specific response is to abort since additional OSAL calls will have undefined behavior.

OS_SUCCESS	Successful execution.	
OS_ERROR	Failed execution. (return value only verified in coverage test)	

```
9.48.2.2 OS_API_Teardown() void OS_API_Teardown (
```

Teardown/de-initialization of OSAL API.

This is the inverse of OS_API_Init(). It will release all OS resources and return the system to a state similar to what it was prior to invoking OS_API_Init() initially.

Normally for embedded applications, the OSAL is initialized after boot and will remain initialized in memory until the processor is rebooted. However for testing and development purposes, it is potentially useful to reset back to initial conditions.

For testing purposes, this API is designed/intended to be compatible with the UtTest_AddTeardown() routine provided by the UT-Assert subsystem.

Note

This is a "best-effort" routine and it may not always be possible/guaranteed to recover all resources, particularly in the case of off-nominal conditions, or if a resource is used outside of OSAL.

For example, while this will attempt to unload all dynamically-loaded modules, doing so may not be possible and/or may induce undefined behavior if resources are in use by tasks/functions outside of OSAL.

Application run.

Run abstraction such that the same BSP can be used for operations and testing.

Application startup.

Startup abstraction such that the same BSP can be used for operations and testing.

Exit/Abort the application.

Indicates that the OSAL application should exit and return control to the OS This is intended for e.g. scripted unit testing where the test needs to end without user intervention.

This function does not return. Production code typically should not ever call this.

Note

This exits the entire process including tasks that have been created.

```
9.48.2.6 OS_ApplicationShutdown() void OS_ApplicationShutdown ( uint8 flag )
```

Initiate orderly shutdown.

Indicates that the OSAL application should perform an orderly shutdown of ALL tasks, clean up all resources, and exit the application.

This allows the task currently blocked in OS_IdleLoop() to wake up, and for that function to return to its caller.

This is preferred over e.g. OS_ApplicationExit() which exits immediately and does not provide for any means to clean up first.

Parameters

in	flag	set to true to initiate shutdown, false to cancel	
----	------	---	--

delete all resources created in OSAL.

provides a means to clean up all resources allocated by this instance of OSAL. It would typically be used during an orderly shutdown but may also be helpful for testing purposes.

Background thread implementation - waits forever for events to occur.

This should be called from the BSP main routine or initial thread after all other board and application initialization has taken place and all other tasks are running.

Typically just waits forever until "OS_shutdown" flag becomes true.

```
9.48.2.9 OS_RegisterEventHandler() int32 OS_RegisterEventHandler ( OS_EventHandler_t handler )
```

Callback routine registration.

This hook enables the application code to perform extra platform-specific operations on various system events such as resource creation/deletion.

Note

Some events are invoked while the resource is "locked" and therefore application-defined handlers for these events should not block or attempt to access other OSAL resources.

Parameters

in	handler	The application-provided event handler (must not be null)	
----	---------	---	--

Returns

Execution status, see OSAL Return Code Defines.

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if handler is NULL

9.49 OSAL Condition Variable APIs

Functions

int32 OS CondVarCreate (osal id t *var id, const char *var name, uint32 options)

Creates a condition variable resource.

int32 OS_CondVarLock (osal_id_t var_id)

Locks/Acquires the underlying mutex associated with a condition variable.

int32 OS_CondVarUnlock (osal_id_t var_id)

Unlocks/Releases the underlying mutex associated with a condition variable.

• int32 OS CondVarSignal (osal id t var id)

Signals the condition variable resource referenced by var_id.

int32 OS CondVarBroadcast (osal id t var id)

Broadcasts the condition variable resource referenced by var_id.

int32 OS CondVarWait (osal id t var id)

Waits on the condition variable object referenced by var_id.

int32 OS_CondVarTimedWait (osal_id_t var_id, const OS_time_t *abs_wakeup_time)

Time-limited wait on the condition variable object referenced by var_id.

int32 OS CondVarDelete (osal id t var id)

Deletes the specified condition variable.

int32 OS_CondVarGetIdByName (osal_id_t *var_id, const char *var_name)

Find an existing condition variable ID by name.

• int32 OS_CondVarGetInfo (osal_id_t var_id, OS_condvar_prop_t *condvar_prop)

Fill a property object buffer with details regarding the resource.

9.49.1 Detailed Description

9.49.2 Function Documentation

```
9.49.2.1 OS_CondVarBroadcast() int32 OS_CondVarBroadcast ( osal_id_t var_id )
```

Broadcasts the condition variable resource referenced by var id.

This function may be used to indicate when the state of a data object has been changed.

If there are threads blocked on the condition variable object referenced by var_id when this function is called, all threads will be unblocked.

Note that although all threads are unblocked, because the mutex is re-acquired before the wait function returns, only a single task will be testing the condition at a given time. The order with which each blocked task runs is determined by the scheduling policy.

Parameters

in	var⇔	The object ID to operate on
	_id	

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid condition variable

Creates a condition variable resource.

A condition variable adds a more sophisticated synchronization option for mutexes, such that it can operate on arbitrary user-defined conditions rather than simply a counter or boolean (as in the case of simple semaphores).

Creating a condition variable resource in OSAL will in turn create both a basic mutex as well as a synchronization overlay. The underlying mutex is similar to the mutex functionality provided by the OSAL mutex subsystem, and can be locked and unlocked normally.

This mutex is intended to protect access to any arbitrary user-defined data object that serves as the condition being tested.

A task that needs a particular state of the object should follow this general flow:

- · Lock the underlying mutex
- Test for the condition being waited for (a user-defined check on user-defined data)
- If condition IS NOT met, then call OS_CondVarWait() to wait, then repeat test
- If condition IS met, then unlock the underlying mutex and continue

A task that changes the state of the object should follow this general flow:

- · Lock the underlying mutex
- · Change the state as necessary
- Call either OS_CondVarSignal() or OS_CondVarBroadcast()
- · Unlock the underlying mutex

Parameters

out	var_id	will be set to the non-zero ID of the newly-created resource (must not be null)
in	in var_name the name of the new resource to create (must not be null)	
in	options	reserved for future use. Should be passed as 0.

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS Successful execution.	
OS_INVALID_POINTER	if var_id or var_name are NULL
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME

OS_ERR_NO_FREE_IDS	if there are no more free condition variable lds
OS_ERR_NAME_TAKEN	if there is already a condition variable with the same name

9.49.2.3 OS_CondVarDelete() int32 OS_CondVarDelete (osal_id_t var_id)

Deletes the specified condition variable.

Delete the condition variable and releases any related system resources.

Parameters

in	var⊷	The object ID to delete
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid condvar

Find an existing condition variable ID by name.

This function tries to find an existing condition variable ID given the name. The id is returned through var_id.

Parameters

out	var_id	will be set to the ID of the existing resource
in	var_name	the name of the existing resource to find (must not be null)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	is var_id or var_name are NULL pointers
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	if the name was not found in the table

Fill a property object buffer with details regarding the resource.

This function will fill a structure to contain the information (name and creator) about the specified condition variable.

Parameters

Ī	in	var_id	The object ID to operate on
	out	condvar_prop	The property object buffer to fill (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid semaphore
OS_INVALID_POINTER	if the mut_prop pointer is null

9.49.2.6 OS_CondVarLock() int32 OS_CondVarLock (osal_id_t var_id)

Locks/Acquires the underlying mutex associated with a condition variable.

The mutex should always be locked by a task before reading or modifying the data object associated with a condition variable.

Note

This lock must be acquired by a task before invoking OS_CondVarWait() or OS_CondVarTimedWait() on the same condition variable.

Parameters

in	var←	The object ID to operate on
	_id	

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid condition variable

```
9.49.2.7 OS_CondVarSignal() int32 OS_CondVarSignal ( osal_id_t var_id )
```

Signals the condition variable resource referenced by var_id.

This function may be used to indicate when the state of a data object has been changed.

If there are threads blocked on the condition variable object referenced by var_id when this function is called, one of those threads will be unblocked, as determined by the scheduling policy.

Parameters

in	var⊸	The object ID to operate on
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid condition variable

Time-limited wait on the condition variable object referenced by var_id.

Identical in operation to OS_CondVarWait(), except that the maximum amount of time that the task will be blocked is limited.

The abs_wakeup_time refers to the absolute time of the system clock at which the task should be unblocked to run, regardless of the state of the condition variable. This refers to the same system clock that is the subject of the OS GetLocalTime() API.

Parameters

i	n	var_id	The object ID to operate on
i	n	abs_wakeup_time	The system time at which the task should be unblocked (must not be null)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	the id passed in is not a valid condvar

```
9.49.2.9 OS_CondVarUnlock() int32 OS_CondVarUnlock ( osal_id_t var_id )
```

Unlocks/Releases the underlying mutex associated with a condition variable.

The mutex should be unlocked by a task once reading or modifying the data object associated with a condition variable is complete.

Parameters

in	var⇔	The object ID to operate on
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid condition variable

Waits on the condition variable object referenced by var_id.

The calling task will be blocked until another task calls the function OS_CondVarSignal() or OS_CondVarBroadcast() on the same condition variable.

The underlying mutex associated with the condition variable must be locked and owned by the calling task at the time this function is invoked. As part of this call, the mutex will be unlocked as the task blocks. This is done in such a way that there is no possibility that another task could aquire the mutex before the calling task has actually blocked.

This atomicity with respect to blocking the task and unlocking the mutex is a critical difference between condition variables and other synchronization primitives. It avoids a window of opportunity where inherent in the simpler synchronization resource types where the state of the data could change between the time that the calling task tested the state and the time that the task actually blocks on the sync resource.

Parameters

in	var←	The object ID to operate on
	_id	

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	the id passed in is not a valid condvar

9.50 OSAL Counting Semaphore APIs

Functions

- int32 OS_CountSemCreate (osal_id_t *sem_id, const char *sem_name, uint32 sem_initial_value, uint32 options)

 Creates a counting semaphore.
- int32 OS_CountSemGive (osal_id_t sem_id)

Increment the semaphore value.

int32 OS CountSemTake (osal id t sem id)

Decrement the semaphore value.

• int32 OS CountSemTimedWait (osal id t sem id, uint32 msecs)

Decrement the semaphore value with timeout.

• int32 OS CountSemDelete (osal id t sem id)

Deletes the specified counting Semaphore.

int32 OS CountSemGetIdByName (osal id t *sem id, const char *sem name)

Find an existing semaphore ID by name.

int32 OS_CountSemGetInfo (osal_id_t sem_id, OS_count_sem_prop_t *count_prop)

Fill a property object buffer with details regarding the resource.

9.50.1 Detailed Description

9.50.2 Function Documentation

Creates a counting semaphore.

Creates a counting semaphore with initial value specified by sem_initial_value and name specified by sem_name. sem_id will be returned to the caller.

Note

Underlying RTOS implementations may or may not impose a specific upper limit to the value of a counting semaphore. If the OS has a specific limit and the sem_initial_value exceeds this limit, then OS_INVALID_SEM_VALUE is returned. On other implementations, any 32-bit integer value may be acceptable. For maximum portability, it is recommended to keep counting semaphore values within the range of a "short int" (i.e. between 0 and 32767). Many platforms do accept larger values, but may not be guaranteed.

out	sem_id	will be set to the non-zero ID of the newly-created resource (must not be null)
in	sem_name	the name of the new resource to create (must not be null)
in	sem_initial_value	the initial value of the counting semaphore
in	options	Reserved for future use, should be passed as 0.

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.	
OS_INVALID_POINTER	if sen name or sem_id are NULL	
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME	
OS_ERR_NO_FREE_IDS	if all of the semaphore ids are taken	
OS_ERR_NAME_TAKEN	if this is already the name of a counting semaphore	
OS_INVALID_SEM_VALUE	if the semaphore value is too high (return value only verified in coverage test)	
OS_SEM_FAILURE	if an unspecified implementation error occurs (return value only verified in	
	coverage test)	

9.50.2.2 OS_CountSemDelete() int32 OS_CountSemDelete (osal_id_t sem_id)

Deletes the specified counting Semaphore.

Parameters

in	sem←	The object ID to delete
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.	
OS_ERR_INVALID_ID	if the id passed in is not a valid counting semaphore	
OS_SEM_FAILURE	if an unspecified implementation error occurs (return value only verified in coverage test)	

9.50.2.3 OS_CountSemGetIdByName() int32 OS_CountSemGetIdByName (osal_id_t * sem_id, const char * sem_name)

Find an existing semaphore ID by name.

This function tries to find a counting sem Id given the name of a count_sem The id is returned through sem_id

01	ut	sem_id	will be set to the ID of the existing resource
i	n	sem_name	the name of the existing resource to find (must not be null)

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	is semid or sem_name are NULL pointers
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	if the name was not found in the table

Fill a property object buffer with details regarding the resource.

This function will pass back a pointer to structure that contains all of the relevant info(name and creator) about the specified counting semaphore.

Parameters

in	sem_id	The object ID to operate on
out	count_prop	The property object buffer to fill (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid semaphore
OS_INVALID_POINTER	if the count_prop pointer is null
OS_ERR_NOT_IMPLEMENTED	Not implemented.

Increment the semaphore value.

The function unlocks the semaphore referenced by sem_id by performing a semaphore unlock operation on that semaphore. If the semaphore value resulting from this operation is positive, then no threads were blocked waiting for the semaphore to become unlocked; the semaphore value is simply incremented for this semaphore.

in	sem⇔	The object ID to operate on
	id	

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.	
OS_ERR_INVALID_ID	RR_INVALID_ID if the id passed in is not a counting semaphore	
OS_SEM_FAILURE	if an unspecified implementation error occurs (return value only verified in coverage test)	

9.50.2.6 OS_CountSemTake() int32 OS_CountSemTake (osal_id_t sem_id)

Decrement the semaphore value.

The locks the semaphore referenced by sem_id by performing a semaphore lock operation on that semaphore. If the semaphore value is currently zero, then the calling thread shall not return from the call until it either locks the semaphore or the call is interrupted.

Parameters

in	sem←	The object ID to operate on
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.	
OS_ERR_INVALID_ID	the ld passed in is not a valid counting semaphore	
OS_SEM_FAILURE	if an unspecified implementation error occurs (return value only verified in coverage test)	

Decrement the semaphore value with timeout.

The function locks the semaphore referenced by sem_id. However, if the semaphore cannot be locked without waiting for another process or thread to unlock the semaphore, this wait shall be terminated when the specified timeout, msecs, expires.

	in	sem⊷	The object ID to operate on
		_id	
Ī	in	msecs	The maximum amount of time to block, in milliseconds

Execution status, see OSAL Return Code Defines

OS_SUCCESS	OS_SUCCESS Successful execution.	
OS_SEM_TIMEOUT	if semaphore was not relinquished in time	
OS_ERR_INVALID_ID	if the ID passed in is not a valid semaphore ID	
OS_SEM_FAILURE	if an unspecified implementation error occurs (return value only verified in coverage test)	

9.51 OSAL Directory APIs

Functions

• int32 OS_DirectoryOpen (osal_id_t *dir_id, const char *path)

Opens a directory.

int32 OS_DirectoryClose (osal_id_t dir_id)

Closes an open directory.

int32 OS_DirectoryRewind (osal_id_t dir_id)

Rewinds an open directory.

• int32 OS_DirectoryRead (osal_id_t dir_id, os_dirent_t *dirent)

Reads the next name in the directory.

int32 OS_mkdir (const char *path, uint32 access)

Makes a new directory.

• int32 OS rmdir (const char *path)

Removes a directory from the file system.

9.51.1 Detailed Description

9.51.2 Function Documentation

9.51.2.1 OS_DirectoryClose() int32 OS_DirectoryClose (osal_id_t dir_id)

Closes an open directory.

The directory referred to by dir_id will be closed

Parameters

in	dir⊷	The handle ID of the directory
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the directory handle is invalid

Opens a directory.

Prepares for reading the files within a directory

out	dir←	Location to store handle ID of the directory (must not be null)
	_id	
in	path	The directory to open (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if dir_id or path is NULL
OS_FS_ERR_PATH_TOO_LONG	if the path argument exceeds the maximum length
OS_FS_ERR_PATH_INVALID	if the path argument is not valid
OS_ERROR	if the directory could not be opened

Reads the next name in the directory.

Obtains directory entry data for the next file from an open directory

Parameters

in	dir←	The handle ID of the directory	
	_id		
out	dirent	Buffer to store directory entry information (must not be null)	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if dirent argument is NULL
OS_ERR_INVALID_ID	if the directory handle is invalid
OS_ERROR	at the end of the directory or if the OS call otherwise fails

9.51.2.4 OS_DirectoryRewind() int32 OS_DirectoryRewind (osal_id_t dir_id)

Rewinds an open directory.

Resets a directory read handle back to the first file.

in	dir⊷	The handle ID of the directory
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the directory handle is invalid

Makes a new directory.

Makes a directory specified by path.

Parameters

in	path	The new directory name (must not be null)
in	access	The permissions for the directory (reserved for future use)

Note

Current implementations do not utilize the "access" parameter. Applications should still pass the intended value (OS_READ_WRITE or OS_READ_ONLY) to be compatible with future implementations.

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if path is NULL
OS_FS_ERR_PATH_TOO_LONG	if the path is too long to be stored locally
OS_FS_ERR_PATH_INVALID	if path cannot be parsed
OS_ERROR	if the OS call fails (return value only verified in coverage test)

```
9.51.2.6 OS_rmdir() int32 OS_rmdir ( const char * path )
```

Removes a directory from the file system.

Removes a directory from the structure. The directory must be empty prior to this operation.

in	path	The directory to remove
----	------	-------------------------

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if path is NULL
OS_FS_ERR_PATH_INVALID	if path cannot be parsed
OS_FS_ERR_PATH_TOO_LONG	
OS_ERROR	if the directory remove operation failed (return value only verified in coverage test)

9.52 OSAL Return Code Defines

Invalid semaphore value.

The specific status/return code definitions listed in this section may be extended or refined in future versions of OSAL.

Macros

```
• #define OS_SUCCESS (0)
     Successful execution.

    #define OS_ERROR (-1)

     Failed execution.
• #define OS_INVALID_POINTER (-2)
     Invalid pointer.

    #define OS ERROR ADDRESS MISALIGNED (-3)

     Address misalignment.
• #define OS ERROR TIMEOUT (-4)
     Error timeout.

    #define OS_INVALID_INT_NUM (-5)

     Invalid Interrupt number.
• #define OS_SEM_FAILURE (-6)
     Semaphore failure.

    #define OS_SEM_TIMEOUT (-7)

     Semaphore timeout.

    #define OS QUEUE EMPTY (-8)

     Queue empty.

    #define OS_QUEUE_FULL (-9)

     Queue full.

    #define OS_QUEUE_TIMEOUT (-10)

     Queue timeout.

    #define OS_QUEUE_INVALID_SIZE (-11)

     Queue invalid size.

    #define OS_QUEUE_ID_ERROR (-12)

     Queue ID error.
• #define OS_ERR_NAME_TOO_LONG (-13)
     name length including null terminator greater than OS_MAX_API_NAME
• #define OS_ERR_NO_FREE_IDS (-14)
     No free IDs.

    #define OS_ERR_NAME_TAKEN (-15)

     Name taken.
• #define OS ERR INVALID ID (-16)
     Invalid ID.

    #define OS ERR NAME NOT FOUND (-17)

     Name not found.
• #define OS_ERR_SEM_NOT_FULL (-18)
     Semaphore not full.

    #define OS_ERR_INVALID_PRIORITY (-19)

     Invalid priority.
• #define OS INVALID SEM VALUE (-20)
```

```
    #define OS_ERR_FILE (-27)

     File error.

    #define OS_ERR_NOT_IMPLEMENTED (-28)

     Not implemented.
• #define OS_TIMER_ERR_INVALID_ARGS (-29)
     Timer invalid arguments.

    #define OS_TIMER_ERR_TIMER_ID (-30)

     Timer ID error.

    #define OS_TIMER_ERR_UNAVAILABLE (-31)

     Timer unavailable.

    #define OS_TIMER_ERR_INTERNAL (-32)

     Timer internal error.

    #define OS ERR OBJECT IN USE (-33)

     Object in use.

    #define OS ERR BAD ADDRESS (-34)

     Bad address.
• #define OS_ERR_INCORRECT_OBJ_STATE (-35)
     Incorrect object state.
• #define OS_ERR_INCORRECT_OBJ_TYPE (-36)
     Incorrect object type.
• #define OS_ERR_STREAM_DISCONNECTED (-37)
     Stream disconnected.

    #define OS_ERR_OPERATION_NOT_SUPPORTED (-38)

     Requested operation not support on supplied object(s)

    #define OS_ERR_INVALID_SIZE (-40)

     Invalid Size.
• #define OS_ERR_OUTPUT_TOO_LARGE (-41)
     Size of output exceeds limit

    #define OS_ERR_INVALID_ARGUMENT (-42)

     Invalid argument value (other than ID or size)

    #define OS_FS_ERR_PATH_TOO_LONG (-103)

     FS path too long.

    #define OS_FS_ERR_NAME_TOO_LONG (-104)

     FS name too long.

    #define OS_FS_ERR_DRIVE_NOT_CREATED (-106)

     FS drive not created.

    #define OS_FS_ERR_DEVICE_NOT_FREE (-107)

     FS device not free.

    #define OS_FS_ERR_PATH_INVALID (-108)

     FS path invalid.
```

9.52.1 Detailed Description

The specific status/return code definitions listed in this section may be extended or refined in future versions of OSAL.

Note

Application developers should assume that any OSAL API may return any status value listed here. While the documentation of each OSAL API function indicates the return/status values that function may directly generate, functions may also pass through other status codes from related functions, so that list should not be considered absolute/exhaustive.

The int32 data type should be used to store an OSAL status code. Negative values will always represent errors, while non-negative values indicate success. Most APIs specifically return OS_SUCCESS (0) upon successful execution, but some return a nonzero value, such as data size.

Ideally, in order to more easily adapt to future OSAL versions and status code extensions/refinements, applications should typically check for errors as follows:

```
int32 status;
status = OS_TaskCreate(...); (or any other API)
if (status < OS_SUCCESS)
{
    handle or report error...
    may also check for specific codes here.
}
else
{
    handle normal/successful status...
}</pre>
```

9.52.2 Macro Definition Documentation

9.52.2.1 OS ERR BAD ADDRESS #define OS_ERR_BAD_ADDRESS (-34)

Bad address.

Definition at line 124 of file osapi-error.h.

```
9.52.2.2 OS_ERR_FILE #define OS_ERR_FILE (-27)
```

File error.

Definition at line 117 of file osapi-error.h.

```
9.52.2.3 OS_ERR_INCORRECT_OBJ_STATE #define OS_ERR_INCORRECT_OBJ_STATE (-35)
```

Incorrect object state.

Definition at line 125 of file osapi-error.h.

```
9.52.2.4 OS_ERR_INCORRECT_OBJ_TYPE #define OS_ERR_INCORRECT_OBJ_TYPE (-36)
```

Incorrect object type.

Definition at line 126 of file osapi-error.h.

```
9.52.2.5 OS_ERR_INVALID_ARGUMENT #define OS_ERR_INVALID_ARGUMENT (-42)
```

Invalid argument value (other than ID or size)

Definition at line 131 of file osapi-error.h.

9.52.2.6 OS_ERR_INVALID_ID #define OS_ERR_INVALID_ID (-16)

Invalid ID.

Definition at line 112 of file osapi-error.h.

9.52.2.7 OS_ERR_INVALID_PRIORITY #define OS_ERR_INVALID_PRIORITY (-19)

Invalid priority.

Definition at line 115 of file osapi-error.h.

9.52.2.8 OS_ERR_INVALID_SIZE #define OS_ERR_INVALID_SIZE (-40)

Invalid Size.

Definition at line 129 of file osapi-error.h.

9.52.2.9 OS_ERR_NAME_NOT_FOUND #define OS_ERR_NAME_NOT_FOUND (-17)

Name not found.

Definition at line 113 of file osapi-error.h.

9.52.2.10 OS_ERR_NAME_TAKEN #define OS_ERR_NAME_TAKEN (-15)

Name taken.

Definition at line 111 of file osapi-error.h.

9.52.2.11 OS_ERR_NAME_TOO_LONG #define OS_ERR_NAME_TOO_LONG (-13)

name length including null terminator greater than OS_MAX_API_NAME

Definition at line 109 of file osapi-error.h.

9.52.2.12 OS_ERR_NO_FREE_IDS #define OS_ERR_NO_FREE_IDS (-14)

No free IDs.

Definition at line 110 of file osapi-error.h.

9.52.2.13 OS_ERR_NOT_IMPLEMENTED #define OS_ERR_NOT_IMPLEMENTED (-28)

Not implemented.

Definition at line 118 of file osapi-error.h.

9.52.2.14 OS_ERR_OBJECT_IN_USE #define OS_ERR_OBJECT_IN_USE (-33)

Object in use.

Definition at line 123 of file osapi-error.h.

9.52.2.15 OS_ERR_OPERATION_NOT_SUPPORTED #define OS_ERR_OPERATION_NOT_SUPPORTED (-38)

Requested operation not support on supplied object(s)

Definition at line 128 of file osapi-error.h.

9.52.2.16 OS_ERR_OUTPUT_TOO_LARGE #define OS_ERR_OUTPUT_TOO_LARGE (-41)

Size of output exceeds limit

Definition at line 130 of file osapi-error.h.

9.52.2.17 OS ERR SEM NOT FULL #define OS_ERR_SEM_NOT_FULL (-18)

Semaphore not full.

Definition at line 114 of file osapi-error.h.

9.52.2.18 OS_ERR_STREAM_DISCONNECTED #define OS_ERR_STREAM_DISCONNECTED (-37)

Stream disconnected.

Definition at line 127 of file osapi-error.h.

9.52.2.19 OS ERROR #define OS_ERROR (-1)

Failed execution.

Definition at line 97 of file osapi-error.h.

9.52.2.20 OS ERROR ADDRESS MISALIGNED #define OS_ERROR_ADDRESS_MISALIGNED (-3)

Address misalignment.

Definition at line 99 of file osapi-error.h.

9.52.2.21 OS_ERROR_TIMEOUT #define OS_ERROR_TIMEOUT (-4)

Error timeout.

Definition at line 100 of file osapi-error.h.

9.52.2.22 OS_FS_ERR_DEVICE_NOT_FREE #define OS_FS_ERR_DEVICE_NOT_FREE (-107)

FS device not free.

Definition at line 144 of file osapi-error.h.

9.52.2.23 OS_FS_ERR_DRIVE_NOT_CREATED #define OS_FS_ERR_DRIVE_NOT_CREATED (-106)

FS drive not created.

Definition at line 143 of file osapi-error.h.

9.52.2.24 OS_FS_ERR_NAME_TOO_LONG #define OS_FS_ERR_NAME_TOO_LONG (-104)

FS name too long.

Definition at line 142 of file osapi-error.h.

9.52.2.25 OS_FS_ERR_PATH_INVALID #define OS_FS_ERR_PATH_INVALID (-108)

FS path invalid.

Definition at line 145 of file osapi-error.h.

9.52.2.26 OS_FS_ERR_PATH_TOO_LONG #define OS_FS_ERR_PATH_TOO_LONG (-103)

FS path too long.

Definition at line 141 of file osapi-error.h.

9.52.2.27 OS INVALID INT NUM #define OS_INVALID_INT_NUM (-5)

Invalid Interrupt number.

Definition at line 101 of file osapi-error.h.

9.52.2.28 OS_INVALID_POINTER #define OS_INVALID_POINTER (-2)

Invalid pointer.

Definition at line 98 of file osapi-error.h.

9.52.2.29 OS_INVALID_SEM_VALUE #define OS_INVALID_SEM_VALUE (-20)

Invalid semaphore value.

Definition at line 116 of file osapi-error.h.

9.52.2.30 OS_QUEUE_EMPTY #define OS_QUEUE_EMPTY (-8)

Queue empty.

Definition at line 104 of file osapi-error.h.

9.52.2.31 OS_QUEUE_FULL #define OS_QUEUE_FULL (-9)

Queue full.

Definition at line 105 of file osapi-error.h.

9.52.2.32 OS_QUEUE_ID_ERROR #define OS_QUEUE_ID_ERROR (-12)

Queue ID error.

Definition at line 108 of file osapi-error.h.

9.52.2.33 OS_QUEUE_INVALID_SIZE #define OS_QUEUE_INVALID_SIZE (-11)

Queue invalid size.

Definition at line 107 of file osapi-error.h.

9.52.2.34 OS_QUEUE_TIMEOUT #define OS_QUEUE_TIMEOUT (-10)

Queue timeout.

Definition at line 106 of file osapi-error.h.

9.52.2.35 OS_SEM_FAILURE #define OS_SEM_FAILURE (-6)

Semaphore failure.

Definition at line 102 of file osapi-error.h.

9.52.2.36 OS_SEM_TIMEOUT #define OS_SEM_TIMEOUT (-7)

Semaphore timeout.

Definition at line 103 of file osapi-error.h.

9.52.2.37 OS_SUCCESS #define OS_SUCCESS (0)

Successful execution.

Definition at line 96 of file osapi-error.h.

9.52.2.38 OS_TIMER_ERR_INTERNAL #define OS_TIMER_ERR_INTERNAL (-32)

Timer internal error.

Definition at line 122 of file osapi-error.h.

9.52.2.39 OS_TIMER_ERR_INVALID_ARGS #define OS_TIMER_ERR_INVALID_ARGS (-29)

Timer invalid arguments.

Definition at line 119 of file osapi-error.h.

9.52.2.40 OS_TIMER_ERR_TIMER_ID #define OS_TIMER_ERR_TIMER_ID (-30)

Timer ID error.

Definition at line 120 of file osapi-error.h.

9.52.2.41 OS_TIMER_ERR_UNAVAILABLE #define OS_TIMER_ERR_UNAVAILABLE (-31)

Timer unavailable.

Definition at line 121 of file osapi-error.h.

9.53 OSAL Error Info APIs 341

9.53 OSAL Error Info APIs

Functions

• static long OS_StatusToInteger (osal_status_t Status)

Convert a status code to a native "long" type.

• int32 OS_GetErrorName (int32 error_num, os_err_name_t *err_name)

Convert an error number to a string.

char * OS_StatusToString (osal_status_t status, os_status_string_t *status_string)

Convert status to a string.

9.53.1 Detailed Description

9.53.2 Function Documentation

Convert an error number to a string.

Parameters

in	error_num	Error number to convert
out	err_name	Buffer to store error string

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	if successfully converted to a string
OS_INVALID_POINTER	if err_name is NULL
OS_ERROR	if error could not be converted

Convert a status code to a native "long" type.

For printing or logging purposes, this converts the given status code to a "long" (signed integer) value. It should be used in conjunction with the "%Id" conversion specifier in printf-style statements.

in Status Execution status, see OSA	L Return Code Defines
-------------------------------------	-----------------------

Same status value converted to the "long" data type

Definition at line 164 of file osapi-error.h.

Parameters

ſ	in	status	Status value to convert
	out	status_string	Buffer to store status converted to string

Returns

Passed in string pointer

9.54 OSAL File Access Option Defines

Macros

- #define OS_READ_ONLY 0
- #define OS WRITE ONLY 1
- #define OS_READ_WRITE 2

9.54.1 Detailed Description

9.54.2 Macro Definition Documentation

Definition at line 35 of file osapi-file.h.

9.54.2.2 OS_READ_WRITE #define OS_READ_WRITE 2

Read write file access

Definition at line 37 of file osapi-file.h.

9.54.2.3 OS_WRITE_ONLY #define OS_WRITE_ONLY 1

Write only file access

Definition at line 36 of file osapi-file.h.

9.55 OSAL Reference Point For Seek Offset Defines

Macros

- #define OS_SEEK_SET 0
- #define OS SEEK CUR 1
- #define OS_SEEK_END 2

9.55.1 Detailed Description

9.55.2 Macro Definition Documentation

Definition at line 44 of file osapi-file.h.

 $\textbf{9.55.2.2} \quad \textbf{OS_SEEK_END} \quad \texttt{\#define OS_SEEK_END 2}$

Seek offset end

Definition at line 45 of file osapi-file.h.

9.55.2.3 OS_SEEK_SET #define OS_SEEK_SET 0

Seek offset set

Definition at line 43 of file osapi-file.h.

9.56 OSAL Standard File APIs

Functions

```
    int32 OS OpenCreate (osal id t *filedes, const char *path, int32 flags, int32 access mode)
```

Open or create a file.

int32 OS_close (osal_id_t filedes)

Closes an open file handle.

int32 OS read (osal id t filedes, void *buffer, size t nbytes)

Read from a file handle.

• int32 OS_write (osal_id_t filedes, const void *buffer, size_t nbytes)

Write to a file handle.

int32 OS TimedRead (osal id t filedes, void *buffer, size t nbytes, int32 timeout)

File/Stream input read with a timeout.

int32 OS_TimedWrite (osal_id_t filedes, const void *buffer, size_t nbytes, int32 timeout)

File/Stream output write with a timeout.

int32 OS_chmod (const char *path, uint32 access_mode)

Changes the permissions of a file.

int32 OS_stat (const char *path, os_fstat_t *filestats)

Obtain information about a file or directory.

int32 OS_lseek (osal_id_t filedes, int32 offset, uint32 whence)

Seeks to the specified position of an open file.

int32 OS remove (const char *path)

Removes a file from the file system.

• int32 OS_rename (const char *old_filename, const char *new_filename)

Renames a file.

int32 OS cp (const char *src, const char *dest)

Copies a single file from src to dest.

• int32 OS_mv (const char *src, const char *dest)

Move a single file from src to dest.

int32 OS_FDGetInfo (osal_id_t filedes, OS_file_prop_t *fd_prop)

Obtain information about an open file.

int32 OS_FileOpenCheck (const char *Filename)

Checks to see if a file is open.

int32 OS_CloseAllFiles (void)

Close all open files.

int32 OS_CloseFileByName (const char *Filename)

Close a file by filename.

9.56.1 Detailed Description

9.56.2 Function Documentation

Changes the permissions of a file.

in	path	File to change (must not be null)
in	access_mode	Desired access mode - see OSAL File Access Option Defines

Note

Some file systems do not implement permissions. If the underlying OS does not support this operation, then OS_ERR_NOT_IMPLEMENTED is returned.

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution. (return value only verified in coverage test)
OS_ERR_NOT_IMPLEMENTED	if the filesystem does not support this call
OS_INVALID_POINTER	if the path argument is NULL

Closes an open file handle.

This closes regular file handles and any other file-like resource, such as network streams or pipes.

Parameters

in	filedes	The handle ID to operate on
----	---------	-----------------------------

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.	
OS_ERR_INVALID_ID	if the file descriptor passed in is invalid	
OS_ERROR if an unexpected/unhandled error occurs (return value only verified in coverage		

Close all open files.

Closes All open files that were opened through the OSAL

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.	
OS_ERROR	if one or more file close returned an error (return value only verified in coverage test	

9.56.2.4 OS_CloseFileByName() int32 OS_CloseFileByName (const char * Filename)

Close a file by filename.

Allows a file to be closed by name. This will only work if the name passed in is the same name used to open the file.

Parameters

in	Filename	The file to close (must not be null)
----	----------	--------------------------------------

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.	
OS_FS_ERR_PATH_INVALID	if the file is not found	
OS_ERROR	if the file close returned an error (return value only verified in coverage test)	
OS_INVALID_POINTER	if the filename argument is NULL	

```
9.56.2.5 OS_cp() int32 OS_cp ( const char * src, const char * dest )
```

Copies a single file from src to dest.

Note

The behavior of this API on an open file is not defined at the OSAL level due to dependencies on the underlying OS which may or may not allow the related operation based on a variety of potential configurations. For portability, it is recommended that applications ensure the file is closed prior to removal.

in	src	The source file to operate on (must not be null)
in	dest	The destination file (must not be null)

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERROR	if the file could not be accessed
OS_INVALID_POINTER	if src or dest are NULL
OS_FS_ERR_PATH_INVALID	if path cannot be parsed
OS_FS_ERR_PATH_TOO_LONG	if the paths given are too long to be stored locally
OS_FS_ERR_NAME_TOO_LONG	if the dest name is too long to be stored locally

Obtain information about an open file.

Copies the information of the given file descriptor into a structure passed in

Parameters

in	filedes	The handle ID to operate on
out	fd_prop	Storage buffer for file information (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the file descriptor passed in is invalid
OS_INVALID_POINTER	if the fd_prop argument is NULL

Checks to see if a file is open.

This function takes a filename and determines if the file is open. The function will return success if the file is open.

in	Filename	The file to operate on (must not be null)
----	----------	---

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	if the file is open
OS_ERROR	if the file is not open
OS_INVALID_POINTER	if the filename argument is NULL

Seeks to the specified position of an open file.

Sets the read/write pointer to a specific offset in a specific file.

Parameters

in	filedes	The handle ID to operate on
in	offset	The file offset to seek to
in	whence	The reference point for offset, see OSAL Reference Point For Seek Offset Defines

Returns

Byte offset from the beginning of the file or appropriate error code, see OSAL Return Code Defines

Return values

OS_ERR_INVALID_ID	if the file descriptor passed in is invalid
OS_ERROR	if OS call failed (return value only verified in coverage test)

```
9.56.2.9 OS_mv() int32 OS_mv ( const char * src, const char * dest )
```

Move a single file from src to dest.

This first attempts to rename the file, which is faster if the source and destination reside on the same file system. If this fails, it falls back to copying the file and removing the original.

Note

The behavior of this API on an open file is not defined at the OSAL level due to dependencies on the underlying OS which may or may not allow the related operation based on a variety of potential configurations. For portability, it is recommended that applications ensure the file is closed prior to removal.

in	src	The source file to operate on (must not be null)
in	dest	The destination file (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERROR	if the file could not be renamed.
OS_INVALID_POINTER	if src or dest are NULL
OS_FS_ERR_PATH_INVALID	if path cannot be parsed
OS_FS_ERR_PATH_TOO_LONG	if the paths given are too long to be stored locally
OS_FS_ERR_NAME_TOO_LONG	if the dest name is too long to be stored locally

Open or create a file.

Implements the same as OS_open/OS_creat but follows the OSAL paradigm of outputting the ID/descriptor separately from the return value, rather than relying on the user to convert it back.

Parameters

out	filedes	The handle ID (OS_OBJECT_ID_UNDEFINED on failure) (must not be null)
in	path	File name to create or open (must not be null)
in	flags	The file permissions - see OS_file_flag_t
in	access_mode	Intended access mode - see OSAL File Access Option Defines

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERROR	if the command was not executed properly
OS_INVALID_POINTER	if pointer argument was NULL
OS_ERR_NO_FREE_IDS	if all available file handles are in use
OS_FS_ERR_NAME_TOO_LONG	if the filename portion of the path exceeds OS_MAX_FILE_NAME
OS_FS_ERR_PATH_INVALID	if the path argument is not valid
OS_FS_ERR_PATH_TOO_LONG	if the path argument exceeds OS_MAX_PATH_LEN

Read from a file handle.

Reads up to nbytes from a file, and puts them into buffer.

If the file position is at the end of file (or beyond, if the OS allows) then this function will return 0.

Parameters

	in	filedes	The handle ID to operate on
Ī	out	buffer	Storage location for file data (must not be null)
Ī	in	nbytes	Maximum number of bytes to read (must not be zero)

Note

All OSAL error codes are negative int32 values. Failure of this call can be checked by testing if the result is less than 0.

Returns

A non-negative byte count or appropriate error code, see OSAL Return Code Defines

Return values

OS_INVALID_POINTER	if buffer is a null pointer
OS_ERR_INVALID_SIZE	if the passed-in size is not valid
OS_ERROR	if OS call failed (return value only verified in coverage test)
OS_ERR_INVALID_ID	if the file descriptor passed in is invalid
0	if at end of file/stream data

```
9.56.2.12 OS_remove() int32 OS_remove ( const char * path )
```

Removes a file from the file system.

Removes a given filename from the drive

Note

The behavior of this API on an open file is not defined at the OSAL level due to dependencies on the underlying OS which may or may not allow the related operation based on a variety of potential configurations. For portability, it is recommended that applications ensure the file is closed prior to removal.

in	path	The file to operate on (must not be null)

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERROR	if there is no device or the driver returns error
OS_INVALID_POINTER	if path is NULL
OS_FS_ERR_PATH_TOO_LONG	if path is too long to be stored locally
OS_FS_ERR_PATH_INVALID	if path cannot be parsed
OS_FS_ERR_NAME_TOO_LONG	if the name of the file to remove is too long

Renames a file.

Changes the name of a file, where the source and destination reside on the same file system.

Note

The behavior of this API on an open file is not defined at the OSAL level due to dependencies on the underlying OS which may or may not allow the related operation based on a variety of potential configurations. For portability, it is recommended that applications ensure the file is closed prior to removal.

Parameters

in	old_filename	The original filename (must not be null)
in	new_filename	The desired filename (must not be null)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERROR	if the file could not be opened or renamed.
OS_INVALID_POINTER	if old or new are NULL
OS_FS_ERR_PATH_INVALID	if path cannot be parsed
OS_FS_ERR_PATH_TOO_LONG	if the paths given are too long to be stored locally
OS_FS_ERR_NAME_TOO_LONG	if the new name is too long to be stored locally

Obtain information about a file or directory.

Returns information about a file or directory in an os fstat t structure

Parameters

in	path	The file to operate on (must not be null)
out	filestats	Buffer to store file information (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if path or filestats is NULL
OS_FS_ERR_PATH_TOO_LONG	if the path is too long to be stored locally
OS_FS_ERR_NAME_TOO_LONG	if the name of the file is too long to be stored
OS_FS_ERR_PATH_INVALID	if path cannot be parsed
OS_ERROR	if the OS call failed

File/Stream input read with a timeout.

This implements a time-limited read and is primarily intended for use with sockets but may also work with any other stream-like resource that the underlying OS supports, such as pipes or special devices.

If data is immediately available on the file/socket, this will return that data along with the actual number of bytes that were immediately available. It will not block.

If the file position is at the end of file or end of stream data (e.g. if the remote end has closed the connection), then this function will immediately return 0 without blocking for the timeout period.

If no data is immediately available, but the underlying resource/stream is still connected to a peer, this will wait up to the given timeout for additional data to appear. If no data appears within the timeout period, then this returns the OS_ERROR_TIMEOUT status code. This allows the caller to differentiate an open (but idle) socket connection from a connection which has been closed by the remote peer.

In all cases this will return successfully as soon as at least 1 byte of actual data is available. It will not attempt to read the entire input buffer.

If an EOF condition occurs prior to timeout, this function returns zero.

in	filedes	The handle ID to operate on
out	buffer	Storage location for file data (must not be null)
in	nbytes	Maximum number of bytes to read (must not be zero)
in	timeout	Maximum time to wait, in milliseconds (OS_PEND = forever)

Byte count on success or appropriate error code, see OSAL Return Code Defines

Return values

OS_ERROR_TIMEOUT	if no data became available during timeout period
OS_ERR_INVALID_ID	if the file descriptor passed in is invalid
OS_ERR_INVALID_SIZE	if the passed-in size is not valid
OS_INVALID_POINTER	if the passed-in buffer is not valid
0	if at end of file/stream data

File/Stream output write with a timeout.

This implements a time-limited write and is primarily intended for use with sockets but may also work with any other stream-like resource that the underlying OS supports.

If output buffer space is immediately available on the file/socket, this will place data into the buffer and return the actual number of bytes that were gueued for output. It will not block.

If no output buffer space is immediately available, this will wait up to the given timeout for space to become available. If no space becomes available within the timeout period, then this returns an error code (not zero).

In all cases this will return successfully as soon as at least 1 byte of actual data is output. It will *not* attempt to write the entire output buffer.

If an EOF condition occurs prior to timeout, this function returns zero.

Parameters

in	filedes	The handle ID to operate on
in	buffer	Source location for file data (must not be null)
in	nbytes	Maximum number of bytes to read (must not be zero)
in	timeout	Maximum time to wait, in milliseconds (OS_PEND = forever)

Returns

A non-negative byte count or appropriate error code, see OSAL Return Code Defines

OS_ERROR_TIMEOUT	if no data became available during timeout period
OS_ERR_INVALID_ID	if the file descriptor passed in is invalid
OS_ERR_INVALID_SIZE	if the passed-in size is not valid
OS_INVALID_POINTER	if the passed-in buffer is not valid
0	if file/stream cannot accept any more data

Write to a file handle.

Writes to a file. copies up to a maximum of nbytes of buffer to the file described in filedes

Parameters

in	filedes	The handle ID to operate on
in	buffer	Source location for file data (must not be null)
in	nbytes	Maximum number of bytes to read (must not be zero)

Note

All OSAL error codes are negative int32 values. Failure of this call can be checked by testing if the result is less than 0.

Returns

A non-negative byte count or appropriate error code, see OSAL Return Code Defines

OS INVALID POINTER	if buffer is NULL
	if the passed-in size is not valid
	•
OS_ERROR	if OS call failed (return value only verified in coverage test)
OS_ERR_INVALID_ID	if the file descriptor passed in is invalid
0	if file/stream cannot accept any more data

9.57 OSAL File System Level APIs

Functions

• int32 OS FileSysAddFixedMap (osal id t *filesys id, const char *phys path, const char *virt path)

Create a fixed mapping between an existing directory and a virtual OSAL mount point.

 int32 OS_mkfs (char *address, const char *devname, const char *volname, size_t blocksize, osal_blockcount_t numblocks)

Makes a file system on the target.

int32 OS mount (const char *devname, const char *mountpoint)

Mounts a file system.

 int32 OS_initfs (char *address, const char *devname, const char *volname, size_t blocksize, osal_blockcount_t numblocks)

Initializes an existing file system.

• int32 OS_rmfs (const char *devname)

Removes a file system.

int32 OS unmount (const char *mountpoint)

Unmounts a mounted file system.

• int32 OS_FileSysStatVolume (const char *name, OS_statvfs_t *statbuf)

Obtains information about size and free space in a volume.

int32 OS_chkfs (const char *name, bool repair)

Checks the health of a file system and repairs it if necessary.

• int32 OS_FS_GetPhysDriveName (char *PhysDriveName, const char *MountPoint)

Obtains the physical drive name associated with a mount point.

int32 OS_TranslatePath (const char *VirtualPath, char *LocalPath)

Translates an OSAL Virtual file system path to a host Local path.

int32 OS_GetFsInfo (os_fsinfo_t *filesys_info)

Returns information about the file system.

9.57.1 Detailed Description

9.57.2 Function Documentation

Checks the health of a file system and repairs it if necessary.

Checks the drives for inconsistencies and optionally also repairs it

Note

not all operating systems implement this function. If the underlying OS does not provide a facility to check the volume, then OS ERR NOT IMPLEMENTED will be returned.

in	name	The device/path to operate on (must not be null)
in	repair	Whether to also repair inconsistencies

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution. (return value only verified in coverage test)
OS_INVALID_POINTER	Name is NULL
OS_ERR_NOT_IMPLEMENTED	Not implemented.
OS_FS_ERR_PATH_TOO_LONG	if the name is too long
OS_ERROR	Failed execution. (return value only verified in coverage test)

Create a fixed mapping between an existing directory and a virtual OSAL mount point.

This mimics the behavior of a "FS_BASED" entry in the VolumeTable but is registered at runtime. It is intended to be called by the PSP/BSP prior to starting the application.

Note

OSAL virtual mount points are required to be a single, non-empty top-level directory name. Virtual path names always follow the form /<virt_mount_point>/<relative_path>/<file>. Only the relative path may be omitted/empty (i.e. /<virt_mount_point>/<file>) but the virtual mount point must be present and not an empty string. In particular this means it is not possible to directly refer to files in the "root" of the native file system from OSAL. However it is possible to create a virtual map to the root, such as by calling:

```
OS_FileSysAddFixedMap(&fs_id, "/", "/root");
```

Parameters

out	filesys_id	A buffer to store the ID of the file system mapping (must not be null)
in	phys_path	The native system directory (an existing mount point) (must not be null)
in	virt_path	The virtual mount point of this filesystem (must not be null)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_FS_ERR_PATH_TOO_LONG	if the overall phys_path is too long
OS_ERR_NAME_TOO_LONG	if the phys_path basename (filesystem name) is too long
OS_INVALID_POINTER	if any argument is NULL

Obtains information about size and free space in a volume.

Populates the supplied OS_statvfs_t structure, which includes the block size and total/free blocks in a file system volume. This replaces two older OSAL calls:

OS_fsBlocksFree() is determined by reading the blocks_free output struct member OS_fsBytesFree() is determined by multiplying blocks_free by the block_size member

Parameters

ĺ	in	name	The device/path to operate on (must not be null)
ſ	out	statbuf	Output structure to populate (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if name or statbuf is NULL
OS_FS_ERR_PATH_TOO_LONG	if the name is too long
OS_ERROR	if an unexpected/unhandled OS error occurs (return value only verified in
	coverage test)

Obtains the physical drive name associated with a mount point.

Returns the name of the physical volume associated with the drive, when given the OSAL mount point of the drive

Parameters

οι	ıt	PhysDriveName	Buffer to store physical drive name (must not be null)
ir	n n	MountPoint 4 8 1	OSAL mount point (must not be null)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if either parameter is NULL
OS_ERR_NAME_NOT_FOUND	if the MountPoint is not mounted in OSAL
OS_FS_ERR_PATH_TOO_LONG	if the MountPoint is too long

Returns information about the file system.

Returns information about the file system in an os_fsinfo_t. This includes the number of open files and file systems

Parameters

out	filesys_info	Buffer to store filesystem information (must not be null)	
-----	--------------	---	--

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if filesys_info is NULL

Initializes an existing file system.

Initializes a file system on the target.

Note

The "volname" parameter of RAM disks should always begin with the string "RAM", e.g. "RAMDISK" or "RA⊷ M0","RAM1", etc if multiple devices are created. The underlying implementation uses this to select the correct filesystem type/format, and this may also be used to differentiate between RAM disks and real physical disks.

Parameters

in	address	The address at which to start the new disk. If address == 0, then space will be allocated by	
		the OS	
in	devname	The underlying kernel device to use, if applicable. (must not be null)	
in	volname	The name of the volume (see note) (must not be null)	
in	blocksize	ze The size of a single block on the drive	
in	numblocks	The number of blocks to allocate for the drive	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if devname or volname are NULL
OS_FS_ERR_PATH_TOO_LONG	if the name is too long
OS_FS_ERR_DEVICE_NOT_FREE	if the volume table is full
OS_FS_ERR_DRIVE_NOT_CREATED	if an unexpected/unhandled OS error occurs (return value only verified in
	coverage test)

Makes a file system on the target.

Makes a file system on the target. Highly dependent on underlying OS and dependent on OS volume table definition.

Note

The "volname" parameter of RAM disks should always begin with the string "RAM", e.g. "RAMDISK" or "RA ← M0","RAM1", etc if multiple devices are created. The underlying implementation uses this to select the correct filesystem type/format, and this may also be used to differentiate between RAM disks and real physical disks.

Parameters

in	address	The address at which to start the new disk. If address == 0 space will be allocated by the OS.
in	devname	The underlying kernel device to use, if applicable. (must not be null)
in	volname	The name of the volume (see note) (must not be null)
in	blocksize	The size of a single block on the drive
in	numblocks	The number of blocks to allocate for the drive

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if devname or volname is NULL
OS_FS_ERR_PATH_TOO_LONG	if the overall devname or volname is too long
OS_FS_ERR_DEVICE_NOT_FREE	if the volume table is full
OS_FS_ERR_DRIVE_NOT_CREATED	if an unexpected/unhandled OS error occurs (return value only verified in
	coverage test)

```
9.57.2.8 OS_mount() int32 OS_mount (
```

```
const char * devname,
const char * mountpoint )
```

Mounts a file system.

Mounts a file system / block device at the given mount point.

Parameters

in	devname	The name of the drive to mount. devname is the same from OS_mkfs (must not be null)	
in	mountpoint	The name to call this disk from now on (must not be null)	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_NAME_NOT_FOUND	if the device name does not exist in OSAL
OS_FS_ERR_PATH_TOO_LONG	if the mount point string is too long
OS_INVALID_POINTER	if any argument is NULL
OS_ERROR	if an unexpected/unhandled OS error occurs (return value only verified in coverage test)

```
9.57.2.9 OS_rmfs() int32 OS_rmfs ( const char * devname )
```

Removes a file system.

This function will remove or un-map the target file system. Note that this is not the same as un-mounting the file system.

Parameters

	in	devname	The name of the "generic" drive (must not be null)
--	----	---------	--

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if devname is NULL
OS_FS_ERR_PATH_TOO_LONG	if the devname is too long
OS_ERR_NAME_NOT_FOUND	if the devname does not exist in OSAL
OS_ERROR	if an unexpected/unhandled OS error occurs (return value only verified in
	coverage test)

Translates an OSAL Virtual file system path to a host Local path.

Translates a virtual path to an actual system path name

Note

The buffer provided in the LocalPath argument is required to be at least OS_MAX_PATH_LEN characters in length.

Parameters

	in	VirtualPath	OSAL virtual path name (must not be null)
Ī	out	LocalPath	Buffer to store native/translated path name (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if either parameter is NULL
OS_FS_ERR_NAME_TOO_LONG	if the filename component is too long
OS_FS_ERR_PATH_INVALID	if either parameter cannot be interpreted as a path
OS_FS_ERR_PATH_TOO_LONG	if either input or output pathnames are too long

Unmounts a mounted file system.

This function will unmount a drive from the file system and make all open file descriptors useless.

Note

Any open file descriptors referencing this file system should be closed prior to unmounting a drive

Parameters

	in	mountpoint	The mount point to remove from OS_mount (must not be null)	
--	----	------------	--	--

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if name is NULL
OS_FS_ERR_PATH_TOO_LONG	if the absolute path given is too long

OS_ERR_NAME_NOT_FOUND	if the mountpoint is not mounted in OSAL
OS_ERROR	if an unexpected/unhandled OS error occurs (return value only verified in
	coverage test)

9.58 OSAL Heap APIs

Functions

• int32 OS_HeapGetInfo (OS_heap_prop_t *heap_prop)

Return current info on the heap.

9.58.1 Detailed Description

9.58.2 Function Documentation

```
9.58.2.1 OS_HeapGetInfo() int32 OS_HeapGetInfo ( OS_heap_prop_t * heap_prop_)
```

Return current info on the heap.

Parameters

out neap_prop Storage buller for neap into		out	heap_prop	Storage buffer for heap info
--	--	-----	-----------	------------------------------

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if the heap_prop argument is NULL

9.59 OSAL Object Type Defines

Macros

#define OS_OBJECT_TYPE_UNDEFINED 0x00

Object type undefined.

#define OS_OBJECT_TYPE_OS_TASK 0x01

Object task type.

#define OS_OBJECT_TYPE_OS_QUEUE 0x02

Object queue type.

#define OS OBJECT TYPE OS COUNTSEM 0x03

Object counting semaphore type.

#define OS_OBJECT_TYPE_OS_BINSEM 0x04

Object binary semaphore type.

#define OS_OBJECT_TYPE_OS_MUTEX 0x05

Object mutex type.

• #define OS_OBJECT_TYPE_OS_STREAM 0x06

Object stream type.

#define OS_OBJECT_TYPE_OS_DIR 0x07

Object directory type.

#define OS_OBJECT_TYPE_OS_TIMEBASE 0x08

Object timebase type.

• #define OS OBJECT TYPE OS TIMECB 0x09

Object timer callback type.

• #define OS OBJECT TYPE OS MODULE 0x0A

Object module type.

#define OS_OBJECT_TYPE_OS_FILESYS 0x0B

Object file system type.

#define OS_OBJECT_TYPE_OS_CONSOLE 0x0C

Object console type.

#define OS_OBJECT_TYPE_OS_CONDVAR 0x0D

Object condition variable type.

• #define OS_OBJECT_TYPE_USER 0x10

Object user type.

9.59.1 Detailed Description

9.59.2 Macro Definition Documentation

9.59.2.1 OS_OBJECT_TYPE_OS_BINSEM #define OS_OBJECT_TYPE_OS_BINSEM 0x04

Object binary semaphore type.

Definition at line 42 of file osapi-idmap.h.

9.59.2.2 OS_OBJECT_TYPE_OS_CONDVAR #define OS_OBJECT_TYPE_OS_CONDVAR 0x0D

Object condition variable type.

Definition at line 51 of file osapi-idmap.h.

9.59.2.3 OS_OBJECT_TYPE_OS_CONSOLE #define OS_OBJECT_TYPE_OS_CONSOLE 0x0C Object console type.

Definition at line 50 of file osapi-idmap.h.

9.59.2.4 OS_OBJECT_TYPE_OS_COUNTSEM #define OS_OBJECT_TYPE_OS_COUNTSEM 0x03

Object counting semaphore type.

Definition at line 41 of file osapi-idmap.h.

9.59.2.5 OS_OBJECT_TYPE_OS_DIR #define OS_OBJECT_TYPE_OS_DIR 0x07

Object directory type.

Definition at line 45 of file osapi-idmap.h.

9.59.2.6 OS_OBJECT_TYPE_OS_FILESYS #define OS_OBJECT_TYPE_OS_FILESYS 0x0B

Object file system type.

Definition at line 49 of file osapi-idmap.h.

9.59.2.7 OS_OBJECT_TYPE_OS_MODULE #define OS_OBJECT_TYPE_OS_MODULE 0x0A

Object module type.

Definition at line 48 of file osapi-idmap.h.

9.59.2.8 OS_OBJECT_TYPE_OS_MUTEX #define OS_OBJECT_TYPE_OS_MUTEX 0x05

Object mutex type.

Definition at line 43 of file osapi-idmap.h.

 $\textbf{9.59.2.9} \quad \textbf{OS_OBJECT_TYPE_OS_QUEUE} \quad \texttt{\#define OS_OBJECT_TYPE_OS_QUEUE 0x02}$

Object queue type.

Definition at line 40 of file osapi-idmap.h.

9.59.2.10 OS_OBJECT_TYPE_OS_STREAM #define OS_OBJECT_TYPE_OS_STREAM 0x06

Object stream type.

Definition at line 44 of file osapi-idmap.h.

9.59.2.11 OS_OBJECT_TYPE_OS_TASK #define OS_OBJECT_TYPE_OS_TASK 0x01

Object task type.

Definition at line 39 of file osapi-idmap.h.

9.59.2.12 OS_OBJECT_TYPE_OS_TIMEBASE #define OS_OBJECT_TYPE_OS_TIMEBASE 0x08

Object timebase type.

Definition at line 46 of file osapi-idmap.h.

 $\textbf{9.59.2.13} \quad \textbf{OS_OBJECT_TYPE_OS_TIMECB} \quad \texttt{\#define OS_OBJECT_TYPE_OS_TIMECB} \quad \texttt{0x09}$

Object timer callback type.

Definition at line 47 of file osapi-idmap.h.

 $\textbf{9.59.2.14} \quad \textbf{OS_OBJECT_TYPE_UNDEFINED} \quad \texttt{\#define OS_OBJECT_TYPE_UNDEFINED 0x00}$

Object type undefined.

Definition at line 38 of file osapi-idmap.h.

9.59.2.15 OS_OBJECT_TYPE_USER #define OS_OBJECT_TYPE_USER 0x10

Object user type.

Definition at line 52 of file osapi-idmap.h.

9.60 OSAL Object ID Utility APIs

Functions

static unsigned long OS ObjectIdToInteger (osal id t object id)

Obtain an integer value corresponding to an object ID.

• static osal_id_t OS_ObjectIdFromInteger (unsigned long value)

Obtain an osal ID corresponding to an integer value.

static bool OS ObjectIdEqual (osal id t object id1, osal id t object id2)

Check two OSAL object ID values for equality.

static bool OS ObjectIdDefined (osal id t object id)

Check if an object ID is defined.

• int32 OS GetResourceName (osal id t object id, char *buffer, size t buffer size)

Obtain the name of an object given an arbitrary object ID.

osal objtype t OS IdentifyObject (osal id t object id)

Obtain the type of an object given an arbitrary object ID.

int32 OS_ConvertToArrayIndex (osal_id_t object_id, osal_index_t *ArrayIndex)

Converts an abstract ID into a number suitable for use as an array index.

int32 OS_ObjectIdToArrayIndex (osal_objtype_t idtype, osal_id_t object_id, osal_index_t *ArrayIndex)

Converts an abstract ID into a number suitable for use as an array index.

 $\bullet \ \ void\ OS_For Each Object\ (osal_id_t\ creator_id,\ OS_Arg Callback_t\ callback_ptr,\ void\ *callback_arg)$

call the supplied callback function for all valid object IDs

 void OS_ForEachObjectOfType (osal_objtype_t objtype, osal_id_t creator_id, OS_ArgCallback_t callback_ptr, void *callback_arg)

call the supplied callback function for valid object IDs of a specific type

9.60.1 Detailed Description

9.60.2 Function Documentation

Converts an abstract ID into a number suitable for use as an array index.

This will return a unique zero-based integer number in the range of [0,MAX) for any valid object ID. This may be used by application code as an array index for indexing into local tables.

Note

This does NOT verify the validity of the ID, that is left to the caller. This is only the conversion logic.

This routine accepts any object type, and returns a value based on the maximum number of objects for that type. This is equivalent to invoking OS_ObjectIdToArrayIndex() with the idtype set to OS_OBJECT_TYPE_UNDEFINED.

See also

OS_ObjectIdToArrayIndex

Parameters

in	object_id	The object ID to operate on
out	*ArrayIndex	The Index to return (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the object_id argument is not valid
OS_INVALID_POINTER	if the ArrayIndex is NULL

call the supplied callback function for all valid object IDs

Loops through all defined OSAL objects of all types and calls callback_ptr on each one If creator_id is nonzero then only objects with matching creator id are processed.

Parameters

in	creator_id	Filter objects to those created by a specific task This may be passed as
		OS_OBJECT_CREATOR_ANY to return all objects
in	callback_ptr	Function to invoke for each matching object ID
in	callback_arg	Opaque Argument to pass to callback function (may be NULL)

call the supplied callback function for valid object IDs of a specific type

Loops through all defined OSAL objects of a specific type and calls callback_ptr on each one If creator_id is nonzero then only objects with matching creator id are processed.

Parameters

in	objtype	The type of objects to iterate
in	creator_id	Filter objects to those created by a specific task This may be passed as
		OS_OBJECT_CREATOR_ANY to return all objects
in	callback_ptr	Function to invoke for each matching object ID
in	callback_arg	Opaque Argument to pass to callback function (may be NULL)

```
size_t buffer_size )
```

Obtain the name of an object given an arbitrary object ID.

All OSAL resources generally have a name associated with them. This allows application code to retrieve the name of any valid OSAL object ID.

Parameters

in	object_id	The object ID to operate on	
out	buffer	Buffer in which to store the name (must not be null)	
in	buffer_size	Size of the output storage buffer (must not be zero)	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the passed-in ID is not a valid OSAL ID
OS_INVALID_POINTER	if the passed-in buffer is invalid
OS_ERR_NAME_TOO_LONG	if the name will not fit in the buffer provided

Obtain the type of an object given an arbitrary object ID. Given an arbitrary object ID, get the type of the object

Parameters

in	object⊷	The object ID to operate on
	_id	

Returns

The object type portion of the object_id, see OSAL Object Type Defines for expected values

```
9.60.2.6 OS_ObjectIdDefined() static bool OS_ObjectIdDefined ( osal_id_t object_id ) [inline], [static]
```

Check if an object ID is defined.

The OSAL ID values should be treated as abstract values by applications, and not directly manipulated using standard C operators.

This returns false if the ID is NOT a defined resource (i.e. free/empty/invalid).

Note

OS_ObjectIdDefined(OS_OBJECT_ID_UNDEFINED) is always guaranteed to be false.

Parameters

in	object⊷	The first object ID
	_id	

Definition at line 150 of file osapi-idmap.h.

References OS_ObjectIdToInteger().

Check two OSAL object ID values for equality.

The OSAL ID values should be treated as abstract values by applications, and not directly manipulated using standard C operators.

This checks two values for equality, replacing the "==" operator.

Parameters

in	object_id1	The first object ID
in	object_id2	The second object ID

Returns

true if the object IDs are equal

Definition at line 129 of file osapi-idmap.h.

References OS_ObjectIdToInteger().

```
9.60.2.8 OS_ObjectIdFromInteger() static osal_id_t OS_ObjectIdFromInteger ( unsigned long value ) [inline], [static]
```

Obtain an osal ID corresponding to an integer value.

Provides the inverse of OS ObjectIdToInteger(). Reconstitutes the original osal id type from an integer representation.

Parameters

in	value	The integer representation of an OSAL ID
----	-------	--

Returns

The ID value converted to an osal id t

Definition at line 102 of file osapi-idmap.h.

Converts an abstract ID into a number suitable for use as an array index.

This will return a unique zero-based integer number in the range of [0,MAX) for any valid object ID. This may be used by application code as an array index for indexing into local tables.

This routine operates on a specific object type, and returns a value based on the maximum number of objects for that type.

If the idtype is passed as OS_OBJECT_TYPE_UNDEFINED, then object type verification is skipped and any object ID will be accepted and converted to an index. In this mode, the range of the output depends on the actual passed-in object type.

If the idtype is passed as any other value, the passed-in ID value is first confirmed to be the correct type. This check will guarantee that the output is within an expected range; for instance, if the type is passed as OS_OBJECT_TYPE_OS_TASK, then the output index is guaranteed to be between 0 and OS_MAX_TASKS-1 after successful conversion.

Parameters

in	idtype	The object type to convert
in	object_id	The object ID to operate on
out	*ArrayIndex	The Index to return (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the object_id argument is not valid
OS_INVALID_POINTER	if the ArrayIndex is NULL

9.60.2.10 OS_ObjectIdToInteger() static unsigned long OS_ObjectIdToInteger (osal_id_t object_id) [inline], [static]

Obtain an integer value corresponding to an object ID.

Obtains an integer representation of an object id, generally for the purpose of printing to the console or system logs. The returned value is of the type "unsigned long" for direct use with printf-style functions. It is recommended to use the "%lx" conversion specifier as the hexadecimal encoding clearly delineates the internal fields.

Note

This provides the raw integer value and is *not* suitable for use as an array index, as the result is not zero-based. See the OS_ConvertToArrayIndex() to obtain a zero-based index value.

Parameters

in	object⊷	The object ID
	_id	

Returns

integer value representation of object ID

Definition at line 80 of file osapi-idmap.h.

Referenced by OS_ObjectIdDefined(), and OS_ObjectIdEqual().

9.61 OSAL Dynamic Loader and Symbol APIs

Functions

- int32 OS_SymbolLookup (cpuaddr *symbol_address, const char *symbol_name) Find the Address of a Symbol.
- int32 OS_ModuleSymbolLookup (osal_id_t module_id, cpuaddr *symbol_address, const char *symbol_name)

 Find the Address of a Symbol within a module.
- int32 OS_SymbolTableDump (const char *filename, size_t size_limit)

Dumps the system symbol table to a file.

- int32 OS_ModuleLoad (osal_id_t *module_id, const char *module_name, const char *filename, uint32 flags)

 Loads an object file.
- int32 OS_ModuleUnload (osal_id_t module_id)

Unloads the module file.

int32 OS_ModuleInfo (osal_id_t module_id, OS_module_prop_t *module_info)

Obtain information about a module.

9.61.1 Detailed Description

9.61.2 Function Documentation

Obtain information about a module.

Returns information about the loadable module

Parameters

in	in <i>module_id</i>	OSAL ID of the previously the loaded module
out	module_info	Buffer to store module information (must not be null)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.	
OS_ERR_INVALID_ID	if the module id invalid	
OS_INVALID_POINTER	if the pointer to the ModuleInfo structure is invalid	
OS_ERROR	if an other/unspecified error occurs (return value only verified in coverage test)	

```
uint32 flags )
```

Loads an object file.

Loads an object file into the running operating system

The "flags" parameter may influence how the loaded module symbols are made available for use in the application. See OS_MODULE_FLAG_LOCAL_SYMBOLS and OS_MODULE_FLAG_GLOBAL_SYMBOLS for descriptions.

Parameters

out	module_id	Non-zero OSAL ID corresponding to the loaded module
in	module_name	Name of module (must not be null)
in	filename	File containing the object code to load (must not be null)
in	flags	Options for the loaded module

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if one of the parameters is NULL
OS_ERR_NO_FREE_IDS	if the module table is full
OS_ERR_NAME_TAKEN	if the name is in use
OS_ERR_NAME_TOO_LONG	if the module_name is too long
OS_FS_ERR_PATH_INVALID	if the filename argument is not valid
OS_ERROR	if an other/unspecified error occurs (return value only verified in coverage test)

Find the Address of a Symbol within a module.

This is similar to OS_SymbolLookup() but for a specific module ID. This should be used to look up a symbol in a module that has been loaded with the OS_MODULE_FLAG_LOCAL_SYMBOLS flag.

Parameters

in	module_id	Module ID that should contain the symbol
out	symbol_address	Set to the address of the symbol (must not be null)
in	symbol_name	Name of the symbol to look up (must not be null)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
------------	-----------------------

Return values

OS_ERROR	if the symbol could not be found
OS_INVALID_POINTER	if one of the pointers passed in are NULL

9.61.2.4 OS_ModuleUnload() int32 OS_ModuleUnload (osal_id_t module_id)

Unloads the module file.

Unloads the module file from the running operating system

Parameters

in	module↔	OSAL ID of the previously the loaded module
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.	
OS_ERR_INVALID_ID	if the module id invalid	
OS_ERROR	if an other/unspecified error occurs (return value only verified in coverage test)	

Find the Address of a Symbol.

This calls to the OS dynamic symbol lookup implementation, and/or checks a static symbol table for a matching symbol name

The static table is intended to support embedded targets that do not have module loading capability or have it disabled.

Parameters

out	symbol_address	Set to the address of the symbol (must not be null)
in	symbol_name	Name of the symbol to look up (must not be null)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERROR	if the symbol could not be found
OS_INVALID_POINTER	if one of the pointers passed in are NULL

```
\textbf{9.61.2.6} \quad \textbf{OS\_SymbolTableDump()} \quad \texttt{int32} \  \, \texttt{OS\_SymbolTableDump} \  \, \textbf{(}
```

```
const char * filename,
size_t size_limit )
```

Dumps the system symbol table to a file.

Dumps the system symbol table to the specified filename

Note

Not all RTOS implementations support this API. If the underlying module subsystem does not provide a facility to iterate through the symbol table, then the OS_ERR_NOT_IMPLEMENTED status code is returned.

Parameters

in	filename	File to write to (must not be null)
in	size_limit	Maximum number of bytes to write

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_NOT_IMPLEMENTED	Not implemented.
OS_INVALID_POINTER	if the filename argument is NULL
OS_FS_ERR_PATH_INVALID	if the filename argument is not valid
OS_ERR_NAME_TOO_LONG	if any of the symbol names are too long (return value only verified in coverage test)
OS_ERR_OUTPUT_TOO_LARGE	if the size_limit was reached before completing all symbols (return value only verified in coverage test)
OS_ERROR	if an other/unspecified error occurs (return value only verified in coverage test)

9.62 OSAL Mutex APIs 377

9.62 OSAL Mutex APIs

Functions

• int32 OS_MutSemCreate (osal_id_t *sem_id, const char *sem_name, uint32 options)

Creates a mutex semaphore.

• int32 OS_MutSemGive (osal_id_t sem_id)

Releases the mutex object referenced by sem_id.

int32 OS_MutSemTake (osal_id_t sem_id)

Acquire the mutex object referenced by sem_id.

• int32 OS_MutSemDelete (osal_id_t sem_id)

Deletes the specified Mutex Semaphore.

int32 OS_MutSemGetIdByName (osal_id_t *sem_id, const char *sem_name)

Find an existing mutex ID by name.

• int32 OS MutSemGetInfo (osal id t sem id, OS mut sem prop t *mut prop)

Fill a property object buffer with details regarding the resource.

9.62.1 Detailed Description

9.62.2 Function Documentation

Creates a mutex semaphore.

Mutex semaphores are always created in the unlocked (full) state.

Parameters

out	sem_id	will be set to the non-zero ID of the newly-created resource (must not be null)
in	sem_name	the name of the new resource to create (must not be null)
in	options reserved for future use. Should be passed as 0.	

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if sem_id or sem_name are NULL
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NO_FREE_IDS	if there are no more free mutex lds
OS_ERR_NAME_TAKEN	if there is already a mutex with the same name
OS_SEM_FAILURE	if the OS call failed (return value only verified in coverage test)

Deletes the specified Mutex Semaphore.

Delete the semaphore. This also frees the respective sem_id such that it can be used again when another is created.

Parameters

in	sem⊷	The object ID to delete
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.	
OS_ERR_INVALID_ID	if the id passed in is not a valid mutex	
OS_SEM_FAILURE	if an unspecified error occurs (return value only verified in coverage test)	

Find an existing mutex ID by name.

This function tries to find a mutex sem Id given the name of a mut_sem. The id is returned through sem_id

Parameters

out	sem_id	will be set to the ID of the existing resource
in	sem_name	the name of the existing resource to find (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	is semid or sem_name are NULL pointers
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	if the name was not found in the table

Fill a property object buffer with details regarding the resource.

9.62 OSAL Mutex APIs 379

This function will pass back a pointer to structure that contains all of the relevant info(name and creator) about the specified mutex semaphore.

Parameters

in	sem_id	The object ID to operate on
out	mut_prop	The property object buffer to fill (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid semaphore
OS_INVALID_POINTER	if the mut_prop pointer is null

9.62.2.5 OS_MutSemGive() int32 OS_MutSemGive (osal_id_t sem_id)

Releases the mutex object referenced by sem_id.

If there are threads blocked on the mutex object referenced by mutex when this function is called, resulting in the mutex becoming available, the scheduling policy shall determine which thread shall acquire the mutex.

Parameters

in	sem⊷	The object ID to operate on
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.	
OS_ERR_INVALID_ID	if the id passed in is not a valid mutex	
OS_SEM_FAILURE	JRE if an unspecified error occurs (return value only verified in coverage te	

Acquire the mutex object referenced by sem_id.

If the mutex is already locked, the calling thread shall block until the mutex becomes available. This operation shall return with the mutex object referenced by mutex in the locked state with the calling thread as its owner.

Parameters

in	sem←	The object ID to operate on
	_id	

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	the id passed in is not a valid mutex
OS_SEM_FAILURE	if an unspecified error occurs (return value only verified in coverage test)

9.63 OSAL Network ID APIs

Provides some basic methods to query a network host name and ID.

Functions

• int32 OS_NetworkGetID (void)

Gets the network ID of the local machine.

int32 OS_NetworkGetHostName (char *host_name, size_t name_len)

Gets the local machine network host name.

9.63.1 Detailed Description

Provides some basic methods to query a network host name and ID.

9.63.2 Function Documentation

Gets the local machine network host name.

If configured in the underlying network stack, this function retrieves the local hostname of the system.

Parameters

out	host_name	Buffer to hold name information (must not be null)
in	name_len	Maximum length of host name buffer (must not be zero)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_SIZE	if the name_len is zero
OS_INVALID_POINTER	if the host_name is NULL

```
9.63.2.2 OS_NetworkGetID() int32 OS_NetworkGetID (
```

Gets the network ID of the local machine.

The ID is an implementation-defined value and may not be consistent in meaning across different platform types.

Note

This API may be removed in a future version of OSAL due to inconsistencies between platforms.

Returns

The ID or fixed value of -1 if the host id could not be found. Note it is not possible to differentiate between error codes and valid network IDs here. It is assumed, however, that -1 is never a valid ID.

9.64 OSAL Printf APIs 383

9.64 OSAL Printf APIs

Functions

void OS_printf (const char *string,...) OS_PRINTF(1

Abstraction for the system printf() call.

void void OS_printf_disable (void)

This function disables the output from OS_printf.

void OS printf enable (void)

This function enables the output from OS_printf.

9.64.1 Detailed Description

9.64.2 Function Documentation

Abstraction for the system printf() call.

This function abstracts out the printf type statements. This is useful for using OS- specific thats that will allow non-polled print statements for the real time systems.

Operates in a manner similar to the printf() call defined by the standard C library and takes all the parameters and formatting options of printf. This abstraction may implement additional buffering, if necessary, to improve the real-time performance of the call.

Strings (including terminator) longer than OS BUFFER SIZE will be truncated.

The output of this routine also may be dynamically enabled or disabled by the OS_printf_enable() and OS_printf_disable() calls, respectively.

Parameters

|--|

This function disables the output from OS_printf.

This function enables the output from OS printf.

9.65 OSAL Message Queue APIs

Functions

int32 OS_QueueCreate (osal_id_t *queue_id, const char *queue_name, osal_blockcount_t queue_depth, size
 t data size, uint32 flags)

Create a message queue.

int32 OS QueueDelete (osal id t queue id)

Deletes the specified message queue.

• int32 OS_QueueGet (osal_id_t queue_id, void *data, size_t size, size_t *size_copied, int32 timeout)

Receive a message on a message queue.

int32 OS_QueuePut (osal_id_t queue_id, const void *data, size_t size, uint32 flags)

Put a message on a message queue.

• int32 OS_QueueGetIdByName (osal_id_t *queue_id, const char *queue_name)

Find an existing queue ID by name.

• int32 OS_QueueGetInfo (osal_id_t queue_id, OS_queue_prop_t *queue_prop)

Fill a property object buffer with details regarding the resource.

9.65.1 Detailed Description

9.65.2 Function Documentation

Create a message queue.

This is the function used to create a queue in the operating system. Depending on the underlying operating system, the memory for the queue will be allocated automatically or allocated by the code that sets up the queue. Queue names must be unique; if the name already exists this function fails. Names cannot be NULL.

Parameters

out	queue_id	will be set to the non-zero ID of the newly-created resource (must not be null)
in	queue_name	the name of the new resource to create (must not be null)
in	queue_depth	the maximum depth of the queue
in	data_size	the size of each entry in the queue (must not be zero)
in	flags	options for the queue (reserved for future use, pass as 0)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if a pointer passed in is NULL
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME

Return values

OS_ERR_NO_FREE_IDS	if there are already the max queues created
OS_ERR_NAME_TAKEN	if the name is already being used on another queue
OS_ERR_INVALID_SIZE	if data_size is 0
OS_QUEUE_INVALID_SIZE	if the queue depth exceeds the limit
OS_ERROR	if the OS create call fails

Deletes the specified message queue.

This is the function used to delete a queue in the operating system. This also frees the respective queue_id to be used again when another queue is created.

Note

If There are messages on the queue, they will be lost and any subsequent calls to QueueGet or QueuePut to this queue will result in errors

Parameters

in	queue⊷	The object ID to delete
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in does not exist
OS_ERROR	if the OS call returns an unexpected error (return value only verified in coverage test)

Receive a message on a message queue.

If a message is pending, it is returned immediately. Otherwise the calling task will block until a message arrives or the timeout expires.

Parameters

in	queue_id	The object ID to operate on
----	----------	-----------------------------

Parameters

out	data	The buffer to store the received message (must not be null)
in	size	The size of the data buffer (must not be zero)
out	size_copied	Set to the actual size of the message (must not be null)
in	timeout	The maximum amount of time to block, or OS_PEND to wait forever

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the given ID does not exist
OS_INVALID_POINTER	if a pointer passed in is NULL
OS_QUEUE_EMPTY	if the Queue has no messages on it to be received
OS_QUEUE_TIMEOUT	if the timeout was OS_PEND and the time expired
OS_QUEUE_INVALID_SIZE	if the size copied from the queue was not correct
OS_ERROR	if the OS call returns an unexpected error (return value only verified in coverage test)

Find an existing queue ID by name.

This function tries to find a queue Id given the name of the queue. The id of the queue is passed back in queue_id.

Parameters

-	out	queue_id	will be set to the ID of the existing resource
	in	queue_name	the name of the existing resource to find (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if the name or id pointers are NULL
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	the name was not found in the table

9.65.2.5 OS_QueueGetInfo() int32 OS_QueueGetInfo (

```
osal_id_t queue_id,
OS_queue_prop_t * queue_prop )
```

Fill a property object buffer with details regarding the resource.

This function will pass back a pointer to structure that contains all of the relevant info (name and creator) about the specified queue.

Parameters

in	queue_id	The object ID to operate on
out	queue_prop	The property object buffer to fill (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if queue_prop is NULL
OS_ERR_INVALID_ID	if the ID given is not a valid queue

Put a message on a message queue.

Parameters

in	queue⊷	The object ID to operate on
	_id	
in	data	The buffer containing the message to put (must not be null)
in	size	The size of the data buffer (must not be zero)
in	flags	Currently reserved/unused, should be passed as 0

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the queue id passed in is not a valid queue
OS_INVALID_POINTER	if the data pointer is NULL
OS_QUEUE_INVALID_SIZE	if the data message is too large for the queue
OS_QUEUE_FULL	if the queue cannot accept another message
OS_ERROR	if the OS call returns an unexpected error (return value only verified in coverage test)

9.66 OSAL Select APIs

Functions

• int32 OS_SelectMultiple (OS_FdSet *ReadSet, OS_FdSet *WriteSet, int32 msecs)

Wait for events across multiple file handles.

• int32 OS_SelectSingle (osal_id_t objid, uint32 *StateFlags, int32 msecs)

Wait for events on a single file handle.

int32 OS_SelectFdZero (OS_FdSet *Set)

Clear a FdSet structure.

• int32 OS_SelectFdAdd (OS_FdSet *Set, osal_id_t objid)

Add an ID to an FdSet structure.

int32 OS_SelectFdClear (OS_FdSet *Set, osal_id_t objid)

Clear an ID from an FdSet structure.

• bool OS SelectFdlsSet (const OS FdSet *Set, osal id t objid)

Check if an FdSet structure contains a given ID.

9.66.1 Detailed Description

9.66.2 Function Documentation

Add an ID to an FdSet structure.

After this call the set will contain the given OSAL ID

Parameters

in,out	Set	Pointer to OS_FdSet object to operate on (must not be null)	
in	objid	The handle ID to add to the set	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if argument is NULL
OS_ERR_INVALID_ID	if the objid is not a valid handle

Clear an ID from an FdSet structure.

After this call the set will no longer contain the given OSAL ID

9.66 OSAL Select APIs 389

Parameters

in,out	Set	Pointer to OS_FdSet object to operate on (must not be null)	
in	objid	The handle ID to remove from the set	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if argument is NULL
OS_ERR_INVALID_ID	if the objid is not a valid handle

Check if an FdSet structure contains a given ID.

Parameters

in	Set	Pointer to OS_FdSet object to operate on (must not be null)
in	objid	The handle ID to check for in the set

Returns

Boolean set status

Return values

true	FdSet structure contains ID
false	FDSet structure does not contain ID

9.66.2.4 OS_SelectFdZero() int32 OS_SelectFdZero (OS_FdSet * Set)

Clear a FdSet structure.

After this call the set will contain no OSAL IDs

Parameters

out	Set	Pointer to OS	FdSet object to clear	(must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if argument is NULL

Wait for events across multiple file handles.

Wait for any of the given sets of IDs to become readable or writable

This function will block until any of the following occurs:

- · At least one OSAL ID in the ReadSet is readable
- · At least one OSAL ID in the WriteSet is writable
- · The timeout has elapsed

The sets are input/output parameters. On entry, these indicate the file handle(s) to wait for. On exit, these are set to the actual file handle(s) that have activity.

If the timeout occurs this returns an error code and all output sets should be empty.

Note

This does not lock or otherwise protect the file handles in the given sets. If a filehandle supplied via one of the FdSet arguments is closed or modified by another while this function is in progress, the results are undefined. Because of this limitation, it is recommended to use OS_SelectSingle() whenever possible.

Parameters

in,out	ReadSet	Set of handles to check/wait to become readable	
in,out	WriteSet Set of handles to check/wait to become writable		
in	msecs	Indicates the timeout. Positive values will wait up to that many milliseconds. Zero will not wait (poll). Negative values will wait forever (pend)	

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	If any handle in the ReadSet or WriteSet is readable or writable, respectively
OS_ERROR_TIMEOUT	If no handles in the ReadSet or WriteSet became readable or writable within the timeout
OS_ERR_OPERATION_NOT_SUPPORTED	if a specified handle does not support select
OS_ERR_INVALID_ID	if no valid handles were contained in the ReadSet/WriteSet

9.66 OSAL Select APIs 391

Wait for events on a single file handle.

Wait for a single OSAL filehandle to change state

This function can be used to wait for a single OSAL stream ID to become readable or writable. On entry, the "StateFlags" parameter should be set to the desired state (OS_STREAM_STATE_READABLE and/or OS_STREAM_STATE_WR ∪ ITABLE) and upon return the flags will be set to the state actually detected.

As this operates on a single ID, the filehandle is protected during this call, such that another thread accessing the same handle will return an error. However, it is important to note that once the call returns then other threads may then also read/write and affect the state before the current thread can service it.

To mitigate this risk the application may prefer to use the OS_TimedRead/OS_TimedWrite calls.

Parameters

in	objid	The handle ID to select on
in,out	StateFlags State flag(s) (readable or writable) (must not be null)	
in	msecs	Indicates the timeout. Positive values will wait up to that many milliseconds. Zero will not wait (poll). Negative values will wait forever (pend)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	If the handle is readable and/or writable, as requested
OS_ERROR_TIMEOUT	If the handle did not become readable or writable within the timeout
OS_INVALID_POINTER	if argument is NULL
OS_ERR_INVALID_ID	if the objid is not a valid handle

9.67 OSAL Shell APIs

Functions

• int32 OS_ShellOutputToFile (const char *Cmd, osal_id_t filedes)

Executes the command and sends output to a file.

9.67.1 Detailed Description

9.67.2 Function Documentation

Executes the command and sends output to a file.

Takes a shell command in and writes the output of that command to the specified file The output file must be opened previously with write access (OS_WRITE_ONLY or OS_READ_WRITE).

Parameters

in	Cmd	Command to pass to shell (must not be null)
in	filedes	File to send output to.

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERROR	if the command was not executed properly
OS_INVALID_POINTER	if Cmd argument is NULL
OS_ERR_INVALID_ID	if the file descriptor passed in is invalid

9.68 OSAL Socket Address APIs

These functions provide a means to manipulate network addresses in a manner that is (mostly) agnostic to the actual network address type.

Functions

int32 OS SocketAddrInit (OS SockAddr t *Addr, OS SocketDomain t Domain)

Initialize a socket address structure to hold an address of the given family.

int32 OS_SocketAddrToString (char *buffer, size_t buflen, const OS_SockAddr_t *Addr)

Get a string representation of a network host address.

int32 OS SocketAddrFromString (OS SockAddr t *Addr, const char *string)

Set a network host address from a string representation.

int32 OS SocketAddrGetPort (uint16 *PortNum, const OS SockAddr t *Addr)

Get the port number of a network address.

int32 OS SocketAddrSetPort (OS SockAddr t *Addr, uint16 PortNum)

Set the port number of a network address.

9.68.1 Detailed Description

These functions provide a means to manipulate network addresses in a manner that is (mostly) agnostic to the actual network address type.

Every network address should be representable as a string (i.e. dotted decimal IP, etc). This can serve as the "common denominator" to all address types.

9.68.2 Function Documentation

Set a network host address from a string representation.

The specific format of the output string depends on the address family.

The address structure should have been previously initialized using OS_SocketAddrInit() to set the address family type.

Note

For IPv4, this would typically be the dotted-decimal format (X.X.X.X). It is up to the discretion of the underlying implementation whether to accept hostnames, as this depends on the availability of DNS services. Since many embedded deployments do not have name services, this should not be relied upon.

Parameters

out	Addr	The address buffer to initialize (must not be null)
in	string	The string to initialize the address from (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if argument is NULL
OS_ERROR	if the string cannot be converted to an address

```
9.68.2.2 OS_SocketAddrGetPort() int32 OS_SocketAddrGetPort ( uint16 * PortNum, const OS_SockAddr_t * Addr )
```

Get the port number of a network address.

For network protocols that have the concept of a port number (such as TCP/IP and UDP/IP) this function gets the port number from the address structure.

Parameters

	out	PortNum	Buffer to store the port number (must not be null)
Ī	in	Addr	The network address buffer (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if argument is NULL
OS_ERR_BAD_ADDRESS	if the address domain is not compatible

Initialize a socket address structure to hold an address of the given family. The address is set to a suitable default value for the family.

Parameters

out	Addr	The address buffer to initialize (must not be null)	
in	Domain	The address family	

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.

Return values

OS_INVALID_POINTER	if Addr argument is NULL
OS_ERR_NOT_IMPLEMENTED	if the system does not implement the requested domain

Set the port number of a network address.

For network protocols that have the concept of a port number (such as TCP/IP and UDP/IP) this function sets the port number from the address structure.

Parameters

out	Addr	The network address buffer (must not be null)
in	PortNum	The port number to set

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if argument is NULL
OS_ERR_BAD_ADDRESS	if the address domain is not compatible

Get a string representation of a network host address.

The specific format of the output string depends on the address family.

This string should be suitable to pass back into OS_SocketAddrFromString() which should recreate the same network address, and it should also be meaningful to a user of printed or logged as a C string.

Note

For IPv4, this would typically be the dotted-decimal format (X.X.X.X).

Parameters

out	buffer	Buffer to hold the output string (must not be null)
in	buflen	Maximum length of the output string (must not be zero)
in	Addr	The network address buffer to convert (must not be null)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if argument is NULL
OS_ERR_INVALID_SIZE	if passed-in buflen is not valid
OS_ERROR	if the address cannot be converted to string, or string buffer too small

9.69 OSAL Socket Management APIs

These functions are loosely related to the BSD Sockets API but made to be more consistent with other OSAL API functions. That is, they operate on OSAL IDs (32-bit opaque number values) and return an OSAL error code.

Functions

- int32 OS_SocketOpen (osal_id_t *sock_id, OS_SocketDomain_t Domain, OS_SocketType_t Type)
 Opens a socket.
- int32 OS_SocketBind (osal_id_t sock_id, const OS_SockAddr_t *Addr)

Binds a socket to a given local address and enter listening (server) mode.

int32 OS_SocketListen (osal_id_t sock_id)

Places the specified socket into a listening state.

int32 OS SocketBindAddress (osal id t sock id, const OS SockAddr t *Addr)

Binds a socket to a given local address.

int32 OS_SocketConnect (osal_id_t sock_id, const OS_SockAddr_t *Addr, int32 timeout)

Connects a socket to a given remote address.

int32 OS_SocketShutdown (osal_id_t sock_id, OS_SocketShutdownMode_t Mode)

Implement graceful shutdown of a stream socket.

int32 OS_SocketAccept (osal_id_t sock_id, osal_id_t *connsock_id, OS_SockAddr_t *Addr, int32 timeout)

Waits for and accept the next incoming connection on the given socket.

int32 OS_SocketRecvFrom (osal_id_t sock_id, void *buffer, size_t buflen, OS_SockAddr_t *RemoteAddr, int32 timeout)

Reads data from a message-oriented (datagram) socket.

int32 OS_SocketSendTo (osal_id_t sock_id, const void *buffer, size_t buflen, const OS_SockAddr_t *Remote ← Addr)

Sends data to a message-oriented (datagram) socket.

int32 OS_SocketGetIdByName (osal_id_t *sock_id, const char *sock_name)

Gets an OSAL ID from a given name.

int32 OS_SocketGetInfo (osal_id_t sock_id, OS_socket_prop_t *sock_prop)

Gets information about an OSAL Socket ID.

9.69.1 Detailed Description

These functions are loosely related to the BSD Sockets API but made to be more consistent with other OSAL API functions. That is, they operate on OSAL IDs (32-bit opaque number values) and return an OSAL error code.

OSAL Socket IDs are very closely related to File IDs and share the same ID number space. Additionally, the file OS read() / OS write() / OS close() calls also work on sockets.

Note that all of functions may return OS_ERR_NOT_IMPLEMENTED if network support is not configured at compile time.

9.69.2 Function Documentation

Waits for and accept the next incoming connection on the given socket.

This is used for sockets operating in a "server" role. The socket must be a stream type (connection-oriented) and previously bound to a local address using OS_SocketBind(). This will block the caller up to the given timeout or until an incoming connection request occurs, whichever happens first.

The new stream connection is then returned to the caller and the original server socket ID can be reused for the next connection.

Parameters

in	sock_id	The server socket ID, previously bound using OS_SocketBind()
out	connsock←	The connection socket, a new ID that can be read/written (must not be null)
	_id	
in	Addr	The remote address of the incoming connection (must not be null)
in	timeout	The maximum amount of time to wait, or OS_PEND to wait forever

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if argument is NULL
OS_ERR_INVALID_ID	if the sock_id parameter is not valid
OS_ERR_INCORRECT_OBJ_TYPE	if the handle is not a socket
OS_ERR_INCORRECT_OBJ_STATE	if the socket is not bound or already connected

Binds a socket to a given local address and enter listening (server) mode.

This is a convenience/compatibility routine to perform both OS_SocketBindAddress() and OS_SocketListen() operations in a single call, intended to simplify the setup for a server role.

If the socket is connectionless, then it only binds to the local address.

Parameters

in	sock← _id	The socket ID
in	Addr	The local address to bind to (must not be null)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the sock_id parameter is not valid

Return values

OS_INVALID_POINTER	if argument is NULL
OS_ERR_INCORRECT_OBJ_STATE	if the socket is already bound
OS_ERR_INCORRECT_OBJ_TYPE	if the handle is not a socket

Binds a socket to a given local address.

The specified socket will be bound to the local address and port, if available. This controls the source address reflected in network traffic transmitted via this socket.

After binding to the address, a stream socket may be followed by a call to either OS_SocketListen() for a server role or to OS_SocketConnect() for a client role.

Parameters

in	sock⊷	The socket ID
	_id	
in	Addr	The local address to bind to (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the sock_id parameter is not valid
OS_INVALID_POINTER	if argument is NULL
OS_ERR_INCORRECT_OBJ_STATE	if the socket is already bound
OS_ERR_INCORRECT_OBJ_TYPE	if the handle is not a socket

Connects a socket to a given remote address.

The socket will be connected to the remote address and port, if available. This only applies to stream-oriented sockets. Calling this on a datagram socket will return an error (these sockets should use SendTo/RecvFrom).

Parameters

	in	sock⊷	The socket ID
		_id	
	in	Addr	The remote address to connect to (must not be null)
ſ	in	timeout	The maximum amount of time to wait, or OS_PEND to wait forever

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INCORRECT_OBJ_STATE	if the socket is already connected
OS_ERR_INVALID_ID	if the sock_id parameter is not valid
OS_ERR_INCORRECT_OBJ_TYPE	if the handle is not a socket
OS_INVALID_POINTER	if Addr argument is NULL

Gets an OSAL ID from a given name.

Note

OSAL Sockets use generated names according to the address and type.

See also

OS_SocketGetInfo()

Parameters

out	sock_id	Buffer to hold result (must not be null)
in	sock_name	Name of socket to find (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	is id or name are NULL pointers
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	if the name was not found in the table

Gets information about an OSAL Socket ID.

OSAL Sockets use generated names according to the address and type. This allows applications to find the name of a given socket.

Parameters

in	sock_id	The socket ID
out	sock_prop	Buffer to hold socket information (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid semaphore
OS_INVALID_POINTER	if the count_prop pointer is null

Places the specified socket into a listening state.

This function only applies to connection-oriented (stream) sockets that are intended to be used in a server-side role. This places the socket into a state where it can accept incoming connections from clients.

Parameters

in	sock⊷	The socket ID
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the sock_id parameter is not valid
OS_ERR_INCORRECT_OBJ_STATE	if the socket is already listening
OS_ERR_INCORRECT_OBJ_TYPE	if the handle is not a stream socket

Opens a socket.

A new, unconnected and unbound socket is allocated of the given domain and type.

Parameters

out	sock⊷	Buffer to hold the non-zero OSAL ID (must not be null)
	_id	
in	Domain	The domain / address family of the socket (INET or INET6, etc)
in	Туре	The type of the socket (STREAM or DATAGRAM)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if argument is NULL
OS_ERR_NOT_IMPLEMENTED	if the system does not implement the requested socket/address domain

Reads data from a message-oriented (datagram) socket.

If a message is already available on the socket, this should immediately return that data without blocking. Otherwise, it may block up to the given timeout.

Parameters

in	sock_id	The socket ID, previously bound using OS_SocketBind()	
out	buffer	Pointer to message data receive buffer (must not be null)	
in	buflen	The maximum length of the message data to receive (must not be zero)	
out	RemoteAddr	Buffer to store the remote network address (may be NULL)	
in	timeout	The maximum amount of time to wait, or OS_PEND to wait forever	

Returns

Count of actual bytes received or error status, see OSAL Return Code Defines

OS_INVALID_POINTER	if argument is NULL
OS_ERR_INVALID_SIZE	if passed-in buflen is not valid
OS_ERR_INVALID_ID	if the sock_id parameter is not valid
OS_ERR_INCORRECT_OBJ_TYPE	if the handle is not a socket

Sends data to a message-oriented (datagram) socket.

This sends data in a non-blocking mode. If the socket is not currently able to queue the message, such as if its outbound buffer is full, then this returns an error code.

Parameters

in	sock_id	The socket ID, which must be of the datagram type
in	buffer	Pointer to message data to send (must not be null)
in	buflen	The length of the message data to send (must not be zero)
in	RemoteAddr	Buffer containing the remote network address to send to

Returns

Count of actual bytes sent or error status, see OSAL Return Code Defines

Return values

OS_INVALID_POINTER	if argument is NULL
OS_ERR_INVALID_SIZE	if passed-in buflen is not valid
OS_ERR_INVALID_ID	if the sock_id parameter is not valid
OS_ERR_INCORRECT_OBJ_TYPE	if the handle is not a socket

Implement graceful shutdown of a stream socket.

This can be utilized to indicate the end of data stream without immediately closing the socket, giving the remote side an indication that the data transfer is complete.

Parameters

in	sock⊷	The socket ID
	_id	
in	Mode	Whether to shutdown reading, writing, or both.

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the sock_id parameter is not valid

OS_ERR_INVALID_ARGUMENT	if the Mode argument is not one of the valid options
OS_ERR_INCORRECT_OBJ_TYPE	if the handle is not a socket
OS_ERR_INCORRECT_OBJ_STATE	if the socket is not connected

9.70 OSAL Task APIs 405

9.70 OSAL Task APIs

Functions

int32 OS_TaskCreate (osal_id_t *task_id, const char *task_name, osal_task_entry function_pointer, osal_stackptr_t_stack_pointer, size_t_stack_size, osal_priority_t_priority_uint32 flags)

Creates a task and starts running it.

int32 OS TaskDelete (osal id t task id)

Deletes the specified Task.

void OS TaskExit (void)

Exits the calling task.

int32 OS_TaskInstallDeleteHandler (osal_task_entry function_pointer)

Installs a handler for when the task is deleted.

• int32 OS_TaskDelay (uint32 millisecond)

Delay a task for specified amount of milliseconds.

int32 OS_TaskSetPriority (osal_id_t task_id, osal_priority_t new_priority)

Sets the given task to a new priority.

· osal id t OS TaskGetId (void)

Obtain the task id of the calling task.

int32 OS_TaskGetIdByName (osal_id_t *task_id, const char *task_name)

Find an existing task ID by name.

int32 OS_TaskGetInfo (osal_id_t task_id, OS_task_prop_t *task_prop)

Fill a property object buffer with details regarding the resource.

int32 OS_TaskFindIdBySystemData (osal_id_t *task_id, const void *sysdata, size_t sysdata_size)

Reverse-lookup the OSAL task ID from an operating system ID.

9.70.1 Detailed Description

9.70.2 Function Documentation

Creates a task and starts running it.

Creates a task and passes back the id of the task created. Task names must be unique; if the name already exists this function fails. Names cannot be NULL.

Portable applications should always specify the actual stack size in the stack_size parameter, not 0. This size value is not enforced/checked by OSAL, but is simply passed through to the RTOS for stack creation. Some RTOS implementations may assume 0 means a default stack size while others may actually create a task with no stack.

Unlike stack_size, the stack_pointer is optional and can be specified as NULL. In that case, a stack of the requested size will be dynamically allocated from the system heap.

Parameters

out	task id	will be set to the non-zero ID of the newly-created resource (must not be null)

Parameters

in	task_name	the name of the new resource to create (must not be null)
in	function_pointer	the entry point of the new task (must not be null)
in	stack_pointer	pointer to the stack for the task, or NULL to allocate a stack from the system memory heap
in	stack_size	the size of the stack (must not be zero)
in	priority	initial priority of the new task
in	flags	initial options for the new task

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if any of the necessary pointers are NULL
OS_ERR_INVALID_SIZE	if the stack_size argument is zero
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_INVALID_PRIORITY	if the priority is bad (return value only verified in coverage test)
OS_ERR_NO_FREE_IDS	if there can be no more tasks created
OS_ERR_NAME_TAKEN	if the name specified is already used by a task
OS_ERROR	if an unspecified/other error occurs (return value only verified in coverage test)

Delay a task for specified amount of milliseconds.

Causes the current thread to be suspended from execution for the period of millisecond. This is a scheduled wait (clock_nanosleep/rtems_task_wake_after/taskDelay), not a "busy" wait.

Parameters

in	millisecond	Amount of time to delay
----	-------------	-------------------------

Returns

Execution status, see OSAL Return Code Defines

Return values

0	S_SUCCESS	Successful execution.	
	OS_ERROR	if an unspecified/other error occurs (return value only verified in coverage test)	

9.70.2.3 OS_TaskDelete() int32 OS_TaskDelete (

9.70 OSAL Task APIs 407

```
osal_id_t task_id )
```

Deletes the specified Task.

The task will be removed from the local tables. and the OS will be configured to stop executing the task at the next opportunity.

Parameters

in	task⊷	The object ID to operate on
	id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the ID given to it is invalid
OS_ERROR	if the OS delete call fails (return value only verified in coverage test)

Exits the calling task.

The calling thread is terminated. This function does not return.

Reverse-lookup the OSAL task ID from an operating system ID.

This provides a method by which an external entity may find the OSAL task ID corresponding to a system-defined identifier (e.g. TASK_ID, pthread_t, rtems_id, etc).

Normally OSAL does not expose the underlying OS-specific values to the application, but in some circumstances, such as exception handling, the OS may provide this information directly to a BSP handler outside of the normal OSAL API.

Parameters

01	ut	task_id	The buffer where the task id output is stored (must not be null)
ir	n	sysdata	Pointer to the system-provided identification data
ir	n	sysdata_size	Size of the system-provided identification data

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution. (return value only verified in coverage test)
OS_INVALID_POINTER	if a pointer argument is NULL

Obtain the task id of the calling task.

This function returns the task id of the calling task

Returns

Task ID, or zero if the operation failed (zero is never a valid task ID)

Find an existing task ID by name.

This function tries to find a task Id given the name of a task

Parameters

out	task_id	will be set to the ID of the existing resource
in	task_name	the name of the existing resource to find (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if the pointers passed in are NULL
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	if the name wasn't found in the table

Fill a property object buffer with details regarding the resource.

This function will pass back a pointer to structure that contains all of the relevant info (creator, stack size, priority, name) about the specified task.

Parameters

in	task_id	The object ID to operate on
out	task_prop	The property object buffer to fill (must not be null)

9.70 OSAL Task APIs 409

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the ID passed to it is invalid
OS_INVALID_POINTER	if the task_prop pointer is NULL

9.70.2.9 OS_TaskInstallDeleteHandler() int32 OS_TaskInstallDeleteHandler (osal_task_entry function_pointer)

Installs a handler for when the task is deleted.

This function is used to install a callback that is called when the task is deleted. The callback is called when OS_Task
Delete is called with the task ID. A task delete handler is useful for cleaning up resources that a task creates, before the task is removed from the system.

Parameters

in	function_pointer	function to be called when task exits
----	------------------	---------------------------------------

Returns

Execution status, see OSAL Return Code Defines

Return values

```
OS_ERR_INVALID_ID if the calling context is not an OSAL task
```

Sets the given task to a new priority.

Parameters

in	task_id	The object ID to operate on
in	new_priority	Set the new priority

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the ID passed to it is invalid

OS_ERR_INVALID_PRIORITY	if the priority is greater than the max allowed (return value only verified in coverage test)
OS_ERROR	if an unspecified/other error occurs (return value only verified in coverage test)

9.71 OSAL Time Base APIs

Functions

Create an abstract Time Base resource.

int32 OS_TimeBaseSet (osal_id_t timebase_id, uint32 start_time, uint32 interval_time)

Sets the tick period for simulated time base objects.

• int32 OS TimeBaseDelete (osal id t timebase id)

Deletes a time base object.

int32 OS_TimeBaseGetIdByName (osal_id_t *timebase_id, const char *timebase_name)

Find the ID of an existing time base resource.

int32 OS TimeBaseGetInfo (osal id t timebase id, OS timebase prop) t *timebase prop)

Obtain information about a timebase resource.

• int32 OS TimeBaseGetFreeRun (osal id t timebase id, uint32 *freerun val)

Read the value of the timebase free run counter.

9.71.1 Detailed Description

9.71.2 Function Documentation

Create an abstract Time Base resource.

An OSAL time base is an abstraction of a "timer tick" that can, in turn, be used for measurement of elapsed time between events.

Time bases can be simulated by the operating system using the OS kernel-provided timing facilities, or based on a hardware timing source if provided by the BSP.

A time base object has a servicing task associated with it, that runs at elevated priority and will thereby interrupt user-level tasks when timing ticks occur.

If the external_sync function is passed as NULL, the operating system kernel timing resources will be utilized for a simulated timer tick.

If the external_sync function is not NULL, this should point to a BSP-provided function that will block the calling task until the next tick occurs. This can be used for synchronizing with hardware events.

Note

When provisioning a tunable RTOS kernel, such as RTEMS, the kernel should be configured to support at least (OS_MAX_TASKS + OS_MAX_TIMEBASES) threads, to account for the helper threads associated with time base objects.

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

Parameters

out	timebase_id	will be set to the non-zero ID of the newly-created resource (must not be null)
in	timebase_name	The name of the time base (must not be null)
in	external_sync	A synchronization function for BSP hardware-based timer ticks

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_NAME_TAKEN	if the name specified is already used
OS_ERR_NO_FREE_IDS	if there can be no more timebase resources created
OS_ERR_INCORRECT_OBJ_STATE	if called from timer/timebase context
OS_ERR_NAME_TOO_LONG	if the timebase_name is too long
OS_INVALID_POINTER	if a pointer argument is NULL

9.71.2.2 OS_TimeBaseDelete() int32 OS_TimeBaseDelete (osal_id_t timebase_id)

Deletes a time base object.

The helper task and any other resources associated with the time base abstraction will be freed.

Note

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

Parameters

in	timebase⊷	The timebase resource to delete
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid timebase
OS_ERR_INCORRECT_OBJ_STATE	if called from timer/timebase context

Read the value of the timebase free run counter.

Poll the timer free-running time counter in a lightweight fashion.

The free run count is a monotonically increasing value reflecting the total time elapsed since the timebase inception. Units are the same as the timebase itself, usually microseconds.

Applications may quickly and efficiently calculate relative time differences by polling this value and subtracting the previous counter value.

The absolute value of this counter is not relevant, because it will "roll over" after $2^{\circ}32$ units of time. For a timebase with microsecond units, this occurs approximately every 4294 seconds, or about 1.2 hours.

Note

To ensure consistency of results, the application should sample the value at a minimum of two times the roll over frequency, and calculate the difference between the consecutive samples.

Parameters

in	timebase <i>←</i> _id	The timebase to operate on
out	freerun_val	Buffer to store the free run counter (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid timebase
OS_INVALID_POINTER	if pointer argument is NULL

Find the ID of an existing time base resource.

Given a time base name, find and output the ID associated with it.

Note

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

Parameters

out	timebase_id	will be set to the non-zero ID of the matching resource (must not be null)
in	timebase_name	The name of the timebase resource to find (must not be null)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if timebase_id or timebase_name are NULL pointers
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME

Return values

OS_ERR_NAME_NOT_FOUND	if the name was not found in the table
OS_ERR_INCORRECT_OBJ_STATE	if called from timer/timebase context

Obtain information about a timebase resource.

Fills the buffer referred to by the timebase_prop parameter with relevant information about the time base resource. This function will pass back a pointer to structure that contains all of the relevant info(name and creator) about the specified timebase.

Note

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

Parameters

in	timebase_id	The timebase resource ID
out	timebase_prop	Buffer to store timebase properties (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid timebase
OS_INVALID_POINTER	if the timebase_prop pointer is null
OS_ERR_INCORRECT_OBJ_STATE	if called from timer/timebase context

Sets the tick period for simulated time base objects.

This sets the actual tick period for timing ticks that are simulated by the RTOS kernel (i.e. the "external_sync" parameter on the call to OS TimeBaseCreate() is NULL).

The RTOS will be configured to wake up the helper thread at the requested interval.

This function has no effect for time bases that are using a BSP-provided external_sync function.

Note

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

Parameters

	in	timebase_id	The timebase resource to configure
Ī	in	start_time	The amount of delay for the first tick, in microseconds.
ĺ	in	interval_time	The amount of delay between ticks, in microseconds.

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid timebase
OS_ERR_INCORRECT_OBJ_STATE	if called from timer/timebase context
OS_TIMER_ERR_INVALID_ARGS	if start_time or interval_time are out of range

9.72 OSAL Timer APIs

Functions

int32 OS_TimerCreate (osal_id_t *timer_id, const char *timer_name, uint32 *clock_accuracy, OS_TimerCallback_t callback_ptr)

Create a timer object.

 int32 OS_TimerAdd (osal_id_t *timer_id, const char *timer_name, osal_id_t timebase_id, OS_ArgCallback_t callback ptr, void *callback arg)

Add a timer object based on an existing TimeBase resource.

int32 OS TimerSet (osal id t timer id, uint32 start time, uint32 interval time)

Configures a periodic or one shot timer.

· int32 OS TimerDelete (osal id t timer id)

Deletes a timer resource.

• int32 OS_TimerGetIdByName (osal_id_t *timer_id, const char *timer_name)

Locate an existing timer resource by name.

• int32 OS TimerGetInfo (osal id t timer id, OS timer prop t *timer prop)

Gets information about an existing timer.

9.72.1 Detailed Description

9.72.2 Function Documentation

Add a timer object based on an existing TimeBase resource.

A timer object is a resource that invokes the specified application-provided function upon timer expiration. Timers may be one-shot or periodic in nature.

This function uses an existing time base object to service this timer, which must exist prior to adding the timer. The precision of the timer is the same as that of the underlying time base object. Multiple timer objects can be created referring to a single time base object.

This routine also uses a different callback function prototype from OS_TimerCreate(), allowing a single opaque argument to be passed to the callback routine. The OSAL implementation does not use this parameter, and may be set NULL. The callback function for this method should be declared according to the OS_ArgCallback_t function pointer type. The timer_id is passed in to the function by the OSAL, and the arg parameter is passed through from the callback_arg argument on this call.

Note

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

See also

OS ArgCallback t

9.72 OSAL Timer APIs 417

Parameters

out	timer_id	Will be set to the non-zero resource ID of the timer object (must not be null)
in	timer_name Name of the timer object (must not be null)	
in	timebase↔ id	The time base resource to use as a reference
in	callback_ptr	Application-provided function to invoke (must not be null)
in	callback_arg	Opaque argument to pass to callback function, may be NULL

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if any parameters are NULL
OS_ERR_INVALID_ID	if the timebase_id parameter is not valid
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_TAKEN	if the name is already in use by another timer.
OS_ERR_NO_FREE_IDS	if all of the timers are already allocated.
OS_ERR_INCORRECT_OBJ_STATE	if invoked from a timer context
OS_TIMER_ERR_INTERNAL	if there was an error programming the OS timer (return value only verified
	in coverage test)

Create a timer object.

A timer object is a resource that invokes the specified application-provided function upon timer expiration. Timers may be one-shot or periodic in nature.

This function creates a dedicated (hidden) time base object to service this timer, which is created and deleted with the timer object itself. The internal time base is configured for an OS simulated timer tick at the same interval as the timer. The callback function should be declared according to the OS_TimerCallback_t function pointer type. The timer_id value is passed to the callback function.

Note

clock_accuracy comes from the underlying OS tick value. The nearest integer microsecond value is returned, so may not be exact.

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

See also

OS_TimerCallback_t

Parameters

out	timer_id	Will be set to the non-zero resource ID of the timer object (must not be null)
in	timer_name	Name of the timer object (must not be null)
out	clock_accuracy	Expected precision of the timer, in microseconds. This is the underlying tick value rounded to the nearest microsecond integer. (must not be null)
in	callback_ptr	The function pointer of the timer callback (must not be null).

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if any parameters are NULL
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_TAKEN	if the name is already in use by another timer.
OS_ERR_NO_FREE_IDS	if all of the timers are already allocated.
OS_ERR_INCORRECT_OBJ_STATE	if invoked from a timer context
OS_TIMER_ERR_INTERNAL	if there was an error programming the OS timer (return value only verified
	in coverage test)

Deletes a timer resource.

The application callback associated with the timer will be stopped, and the resources freed for future use.

Note

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

Parameters

in	timer⊷	The timer ID to operate on
	_id	

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the timer_id is invalid.
OS_TIMER_ERR_INTERNAL	if there was a problem deleting the timer in the host OS (return value only verified in coverage test)
OS_ERR_INCORRECT_OBJ_STATE	if called from timer/timebase context

9.72 OSAL Timer APIs 419

Locate an existing timer resource by name.

Outputs the ID associated with the given timer, if it exists.

Note

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

Parameters

out	timer_id	Will be set to the timer ID corresponding to the name (must not be null)
in	timer_name	The timer name to find (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if timer_id or timer_name are NULL pointers
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	if the name was not found in the table
OS_ERR_INCORRECT_OBJ_STATE	if called from timer/timebase context

Gets information about an existing timer.

This function takes timer_id, and looks it up in the OS table. It puts all of the information known about that timer into a structure pointer to by timer_prop.

Parameters

Note

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

Parameters

in	timer_id	The timer ID to operate on
out	timer_prop	Buffer containing timer properties (must not be null)
		creator: the OS task ID of the task that created this timer
		name: the string name of the timer
		 start_time: the start time in microseconds, if any
		 interval_time: the interval time in microseconds, if any
		accuracy: the accuracy of the timer in microseconds

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid timer
OS_INVALID_POINTER	if the timer_prop pointer is null
OS_ERR_INCORRECT_OBJ_STATE	if called from timer/timebase context

Configures a periodic or one shot timer.

This function programs the timer with a start time and an optional interval time. The start time is the time in microseconds when the user callback function will be called. If the interval time is non-zero, the timer will be reprogrammed with that interval in microseconds to call the user callback function periodically. If the start time and interval time are zero, the function will return an error.

For a "one-shot" timer, the start_time configures the expiration time, and the interval_time should be passed as zero to indicate the timer is not to be automatically reset.

Note

The resolution of the times specified is limited to the clock accuracy returned in the OS_TimerCreate call. If the times specified in the start_msec or interval_msec parameters are less than the accuracy, they will be rounded up to the accuracy of the timer.

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

9.72 OSAL Timer APIs 421

Parameters

in	timer_id	The timer ID to operate on	
in	start_time	Time in microseconds to the first expiration	
in	interval_time	Time in microseconds between subsequent intervals, value of zero will only call the user callback function once after the start_msec time.	

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the timer_id is not valid.
OS_TIMER_ERR_INTERNAL	if there was an error programming the OS timer (return value only verified
	in coverage test)
OS_ERR_INCORRECT_OBJ_STATE	if called from timer/timebase context
OS_TIMER_ERR_INVALID_ARGS	if the start_time or interval_time is out of range, or both 0

10 Data Structure Documentation

10.1 CCSDS_ExtendedHeader Struct Reference

CCSDS packet extended header.
#include <ccsds_hdr.h>

Data Fields

• uint8 Subsystem [2]

subsystem qualifier

• uint8 SystemId [2]

system qualifier

10.1.1 Detailed Description

CCSDS packet extended header.

Definition at line 73 of file ccsds_hdr.h.

10.1.2 Field Documentation

10.1.2.1 Subsystem uint8 CCSDS_ExtendedHeader::Subsystem[2] subsystem qualifier

Definition at line 75 of file ccsds hdr.h.

10.1.2.2 SystemId uint8 CCSDS_ExtendedHeader::SystemId[2] system qualifier

Definition at line 82 of file ccsds_hdr.h.

The documentation for this struct was generated from the following file:

• cfe/modules/msg/fsw/inc/ccsds_hdr.h

10.2 CCSDS_PrimaryHeader Struct Reference

CCSDS packet primary header.
#include <ccsds_hdr.h>

Data Fields

• uint8 StreamId [2]

packet identifier word (stream ID)

• uint8 Sequence [2]

packet sequence word

• uint8 Length [2]

packet length word

10.2.1 Detailed Description

CCSDS packet primary header.

Definition at line 51 of file ccsds_hdr.h.

10.2.2 Field Documentation

10.2.2.1 Length uint8 CCSDS_PrimaryHeader::Length[2] packet length word

Definition at line 71 of file ccsds_hdr.h.

10.2.2.2 Sequence uint8 CCSDS_PrimaryHeader::Sequence[2]

packet sequence word

Definition at line 66 of file ccsds hdr.h.

10.2.2.3 StreamId uint8 CCSDS_PrimaryHeader::StreamId[2]

packet identifier word (stream ID)

Definition at line 59 of file ccsds hdr.h.

The documentation for this struct was generated from the following file:

· cfe/modules/msg/fsw/inc/ccsds hdr.h

10.3 CFE_ES_AppInfo Struct Reference

Application Information.

#include <default_cfe_es_extern_typedefs.h>

Data Fields

• CFE Resourceld t Resourceld

Application or Library ID for this resource.

uint32 Type

The type of App: CORE or EXTERNAL.

char Name [CFE_MISSION_MAX_API_LEN]

The Registered Name of the Application.

char EntryPoint [CFE_MISSION_MAX_API_LEN]

The Entry Point label for the Application.

char FileName [CFE_MISSION_MAX_PATH_LEN]

The Filename of the file containing the Application.

CFE ES MemOffset t StackSize

The Stack Size of the Application.

uint32 AddressesAreValid

Indicates that the Code, Data, and BSS addresses/sizes are valid.

CFE_ES_MemAddress_t CodeAddress

The Address of the Application Code Segment.

CFE_ES_MemOffset_t CodeSize

The Code Size of the Application.

CFE ES MemAddress t DataAddress

The Address of the Application Data Segment.

CFE ES MemOffset t DataSize

The Data Size of the Application.

CFE ES MemAddress t BSSAddress

The Address of the Application BSS Segment.

· CFE ES MemOffset t BSSSize

The BSS Size of the Application.

· CFE ES MemAddress t StartAddress

The Start Address of the Application.

CFE ES ExceptionAction Enum t ExceptionAction

What should occur if Application has an exception (Restart Application OR Restart Processor)

CFE_ES_TaskPriority_Atom_t Priority

The Priority of the Application.

CFE_ES_TaskId_t MainTaskId

The Application's Main Task ID.

uint32 ExecutionCounter

The Application's Main Task Execution Counter.

char MainTaskName [CFE_MISSION_MAX_API_LEN]

The Application's Main Task ID.

· uint32 NumOfChildTasks

Number of Child tasks for an App.

10.3.1 Detailed Description

Application Information.

Structure that is used to provide information about an app. It is primarily used for the QueryOne and QueryAll Commands.

While this structure is primarily intended for Application info, it can also represent Library information where only a subset of the information applies.

Definition at line 441 of file default_cfe_es_extern_typedefs.h.

10.3.2 Field Documentation

10.3.2.1 AddressesAreValid uint32 CFE_ES_AppInfo::AddressesAreValid

Indicates that the Code, Data, and BSS addresses/sizes are valid.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_AddrsValid

Definition at line 457 of file default_cfe_es_extern_typedefs.h.

10.3.2.2 BSSAddress CFE_ES_MemAddress_t CFE_ES_AppInfo::BSSAddress

The Address of the Application BSS Segment.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_BSSAddress

Definition at line 467 of file default_cfe_es_extern_typedefs.h.

10.3.2.3 BSSSize CFE_ES_MemOffset_t CFE_ES_AppInfo::BSSSize

The BSS Size of the Application.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_BSSSize

Definition at line 469 of file default cfe es extern typedefs.h.

10.3.2.4 CodeAddress CFE_ES_MemAddress_t CFE_ES_AppInfo::CodeAddress The Address of the Application Code Segment.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_CodeAddress

Definition at line 459 of file default cfe es extern typedefs.h.

10.3.2.5 CodeSize CFE_ES_MemOffset_t CFE_ES_AppInfo::CodeSize The Code Size of the Application.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_CodeSize

Definition at line 461 of file default cfe es extern typedefs.h.

10.3.2.6 DataAddress CFE_ES_MemAddress_t CFE_ES_AppInfo::DataAddress The Address of the Application Data Segment.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_DataAddress

Definition at line 463 of file default_cfe_es_extern_typedefs.h.

10.3.2.7 DataSize CFE_ES_MemOffset_t CFE_ES_AppInfo::DataSize The Data Size of the Application.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_DataSize

Definition at line 465 of file default_cfe_es_extern_typedefs.h.

10.3.2.8 EntryPoint char CFE_ES_AppInfo::EntryPoint[CFE_MISSION_MAX_API_LEN] The Entry Point label for the Application.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_AppEntryPt[OS_MAX_API_NAME]

Definition at line 450 of file default_cfe_es_extern_typedefs.h.

10.3.2.9 ExceptionAction CFE_ES_ExceptionAction_Enum_t CFE_ES_AppInfo::ExceptionAction What should occur if Application has an exception (Restart Application OR Restart Processor)

Telemetry Mnemonic(s) \$sc_\$cpu_ES_ExceptnActn

Definition at line 473 of file default_cfe_es_extern_typedefs.h.

10.3.2.10 ExecutionCounter uint32 CFE_ES_AppInfo::ExecutionCounter The Application's Main Task Execution Counter.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_ExecutionCtr

Definition at line 480 of file default cfe es extern typedefs.h.

10.3.2.11 FileName char CFE_ES_AppInfo::FileName[CFE_MISSION_MAX_PATH_LEN] The Filename of the file containing the Application.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_AppFilename[OS_MAX_PATH_LEN]

Definition at line 452 of file default cfe es extern typedefs.h.

10.3.2.12 MainTaskId CFE_ES_TaskId_t CFE_ES_AppInfo::MainTaskId The Application's Main Task ID.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_MainTaskId

Definition at line 478 of file default cfe es extern typedefs.h.

10.3.2.13 MainTaskName char CFE_ES_AppInfo::MainTaskName[CFE_MISSION_MAX_API_LEN] The Application's Main Task ID.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_MainTaskName[OS_MAX_API_NAME]

Definition at line 482 of file default_cfe_es_extern_typedefs.h.

10.3.2.14 Name char CFE_ES_AppInfo::Name[CFE_MISSION_MAX_API_LEN] The Registered Name of the Application.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_AppName[OS_MAX_API_NAME]

Definition at line 448 of file default_cfe_es_extern_typedefs.h.

10.3.2.15 NumOfChildTasks uint32 CFE_ES_AppInfo::NumOfChildTasks Number of Child tasks for an App.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_ChildTasks

Definition at line 484 of file default_cfe_es_extern_typedefs.h.

10.3.2.16 Priority CFE_ES_TaskPriority_Atom_t CFE_ES_AppInfo::Priority The Priority of the Application.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_Priority

Definition at line 476 of file default_cfe_es_extern_typedefs.h.

10.3.2.17 ResourceId CFE_ResourceId_t CFE_ES_AppInfo::ResourceId Application or Library ID for this resource.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_AppID

Definition at line 443 of file default cfe es extern typedefs.h.

10.3.2.18 StackSize CFE_ES_MemOffset_t CFE_ES_AppInfo::StackSize

The Stack Size of the Application.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_StackSize

Definition at line 455 of file default cfe es extern typedefs.h.

10.3.2.19 StartAddress CFE_ES_MemAddress_t CFE_ES_AppInfo::StartAddress

The Start Address of the Application.

Telemetry Mnemonic(s) \$sc \$cpu ES StartAddr

Definition at line 471 of file default_cfe_es_extern_typedefs.h.

10.3.2.20 Type uint32 CFE_ES_AppInfo::Type

The type of App: CORE or EXTERNAL.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_AppType

Definition at line 445 of file default cfe es extern typedefs.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/config/default_cfe_es_extern_typedefs.h

10.4 CFE_ES_AppNameCmd_Payload Struct Reference

Generic application name command payload.

#include <default_cfe_es_msgdefs.h>

Data Fields

• char Application [CFE_MISSION_MAX_API_LEN]

ASCII text string containing Application or Library Name.

10.4.1 Detailed Description

Generic application name command payload.

For command details, see CFE_ES_STOP_APP_CC, CFE_ES_RESTART_APP_CC, CFE_ES_QUERY_ONE_CC Definition at line 104 of file default_cfe_es_msgdefs.h.

10.4.2 Field Documentation

10.4.2.1 Application char CFE_ES_AppNameCmd_Payload::Application[CFE_MISSION_MAX_API_LEN]

ASCII text string containing Application or Library Name.

Definition at line 106 of file default cfe es msgdefs.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/config/default_cfe_es_msgdefs.h

10.5 CFE_ES_AppReloadCmd_Payload Struct Reference

Reload Application Command Payload.

#include <default_cfe_es_msgdefs.h>

Data Fields

char Application [CFE MISSION MAX API LEN]

ASCII text string containing Application Name.

char AppFileName [CFE MISSION MAX PATH LEN]

Full path and filename of Application's executable image.

10.5.1 Detailed Description

Reload Application Command Payload.
For command details, see CFE_ES_RELOAD_APP_CC
Definition at line 115 of file default_cfe_es_msgdefs.h.

10.5.2 Field Documentation

10.5.2.1 AppFileName char CFE_ES_AppReloadCmd_Payload::AppFileName[CFE_MISSION_MAX_PATH_LEN] Full path and filename of Application's executable image.

Definition at line 118 of file default cfe es msgdefs.h.

10.5.2.2 Application char CFE_ES_AppReloadCmd_Payload::Application[CFE_MISSION_MAX_API_LEN] ASCII text string containing Application Name.

Definition at line 117 of file default_cfe_es_msgdefs.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/config/default_cfe_es_msgdefs.h

10.6 CFE ES BlockStats Struct Reference

Block statistics.

#include <default_cfe_es_extern_typedefs.h>

Data Fields

• CFE_ES_MemOffset_t BlockSize

Number of bytes in each of these blocks.

uint32 NumCreated

Number of Memory Blocks of this size created.

uint32 NumFree

Number of Memory Blocks of this size that are free.

10.6.1 Detailed Description

Block statistics.

Sub-Structure that is used to provide information about a specific block size/bucket within a memory pool. Definition at line 538 of file default_cfe_es_extern_typedefs.h.

10.6.2 Field Documentation

10.6.2.1 BlockSize CFE_ES_MemOffset_t CFE_ES_BlockStats::BlockSize

Number of bytes in each of these blocks.

Definition at line 540 of file default cfe es extern typedefs.h.

10.6.2.2 NumCreated uint32 CFE_ES_BlockStats::NumCreated

Number of Memory Blocks of this size created.

Definition at line 541 of file default cfe es extern typedefs.h.

10.6.2.3 NumFree uint32 CFE_ES_BlockStats::NumFree

Number of Memory Blocks of this size that are free.

Definition at line 542 of file default cfe es extern typedefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/config/default_cfe_es_extern_typedefs.h

10.7 CFE_ES_CDSRegDumpRec Struct Reference

CDS Register Dump Record.

#include <default_cfe_es_extern_typedefs.h>

Data Fields

· CFE ES CDSHandle t Handle

Handle of CDS.

· CFE ES MemOffset t Size

Size, in bytes, of the CDS memory block.

· bool Table

Flag that indicates whether CDS contains a Critical Table.

char Name [CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN]

Processor Unique Name of CDS.

• uint8 ByteAlignSpare [3]

Spare bytes to ensure structure size is multiple of 4 bytes.

10.7.1 Detailed Description

CDS Register Dump Record.

Structure that is used to provide information about a critical data store. It is primarily used for the Dump CDS registry (CFE_ES_DUMP_CDS_REGISTRY_CC) command.

Note

There is not currently a telemetry message directly containing this data structure, but it does define the format of the data file generated by the Dump CDS registry command. Therefore it should be considered part of the overall telemetry interface.

Definition at line 523 of file default_cfe_es_extern_typedefs.h.

10.7.2 Field Documentation

10.7.2.1 ByteAlignSpare uint8 CFE_ES_CDSRegDumpRec::ByteAlignSpare[3]

Spare bytes to ensure structure size is multiple of 4 bytes.

Definition at line 529 of file default cfe es extern typedefs.h.

10.7.2.2 Handle CFE_ES_CDSHandle_t CFE_ES_CDSRegDumpRec::Handle

Handle of CDS.

Definition at line 525 of file default_cfe_es_extern_typedefs.h.

10.7.2.3 Name char CFE_ES_CDSRegDumpRec::Name[CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN]

Processor Unique Name of CDS.

Definition at line 528 of file default cfe es extern typedefs.h.

10.7.2.4 Size CFE_ES_MemOffset_t CFE_ES_CDSRegDumpRec::Size

Size, in bytes, of the CDS memory block.

Definition at line 526 of file default_cfe_es_extern_typedefs.h.

10.7.2.5 Table bool CFE_ES_CDSRegDumpRec::Table

Flag that indicates whether CDS contains a Critical Table.

Definition at line 527 of file default cfe es extern typedefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/config/default_cfe_es_extern_typedefs.h

10.8 CFE ES ClearERLogCmd Struct Reference

#include <default_cfe_es_msgstruct.h>

Data Fields

CFE MSG CommandHeader t CommandHeader

Command header.

10.8.1 Detailed Description

Definition at line 68 of file default_cfe_es_msgstruct.h.

10.8.2 Field Documentation

10.8.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_ClearERLogCmd::CommandHeader

Command header.

Definition at line 70 of file default_cfe_es_msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/config/default_cfe_es_msgstruct.h

10.9 CFE_ES_ClearSysLogCmd Struct Reference

#include <default_cfe_es_msgstruct.h>

Data Fields

· CFE MSG CommandHeader t CommandHeader

Command header.

10.9.1 Detailed Description

Definition at line 63 of file default cfe es msgstruct.h.

10.9.2 Field Documentation

10.9.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_ClearSysLogCmd::CommandHeader Command header.

Definition at line 65 of file default cfe es msgstruct.h.

The documentation for this struct was generated from the following file:

· cfe/modules/es/config/default cfe es msgstruct.h

10.10 CFE ES DeleteCDSCmd Struct Reference

Delete Critical Data Store Command.

#include <default_cfe_es_msgstruct.h>

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_ES_DeleteCDSCmd_Payload_t Payload

Command payload.

10.10.1 Detailed Description

Delete Critical Data Store Command.

Definition at line 192 of file default cfe es msgstruct.h.

10.10.2 Field Documentation

10.10.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_DeleteCDSCmd::CommandHeader Command header.

Definition at line 194 of file default cfe es msgstruct.h.

10.10.2.2 Payload CFE_ES_DeleteCDSCmd_Payload_t CFE_ES_DeleteCDSCmd::Payload

Command payload.

Definition at line 195 of file default_cfe_es_msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/config/default cfe es msgstruct.h

10.11 CFE_ES_DeleteCDSCmd_Payload Struct Reference

Delete Critical Data Store Command Payload.

#include <default_cfe_es_msgdefs.h>

Data Fields

char CdsName [CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN]

ASCII text string containing name of CDS to delete.

10.11.1 Detailed Description

Delete Critical Data Store Command Payload.
For command details, see CFE_ES_DELETE_CDS_CC
Definition at line 140 of file default cfe es msgdefs.h.

10.11.2 Field Documentation

10.11.2.1 CdsName char CFE_ES_DeleteCDSCmd_Payload::CdsName[CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN]
ASCII text string containing name of CDS to delete.

Definition at line 143 of file default cfe es msgdefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/config/default_cfe_es_msgdefs.h

10.12 CFE ES DumpCDSRegistryCmd Struct Reference

Dump CDS Registry Command.

#include <default_cfe_es_msgstruct.h>

Data Fields

· CFE MSG CommandHeader t CommandHeader

Command header.

CFE_ES_DumpCDSRegistryCmd_Payload_t Payload

Command payload.

10.12.1 Detailed Description

Dump CDS Registry Command.

Definition at line 246 of file default_cfe_es_msgstruct.h.

10.12.2 Field Documentation

10.12.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_DumpCDSRegistryCmd::CommandHeader Command header.

Definition at line 248 of file default cfe es msgstruct.h.

10.12.2.2 Payload CFE_ES_DumpCDSRegistryCmd_Payload_t CFE_ES_DumpCDSRegistryCmd::Payload Command payload.

Definition at line 249 of file default_cfe_es_msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/config/default cfe es msgstruct.h

10.13 CFE_ES_DumpCDSRegistryCmd_Payload Struct Reference

Dump CDS Registry Command Payload.

#include <default_cfe_es_msgdefs.h>

Data Fields

char DumpFilename [CFE_MISSION_MAX_PATH_LEN]

ASCII text string of full path and filename of file CDS Registry is to be written.

10.13.1 Detailed Description

Dump CDS Registry Command Payload.
For command details, see CFE_ES_DUMP_CDS_REGISTRY_CC
Definition at line 225 of file default_cfe_es_msgdefs.h.

10.13.2 Field Documentation

10.13.2.1 DumpFilename char CFE_ES_DumpCDSRegistryCmd_Payload::DumpFilename[CFE_MISSION_MAX_PATH_LEN]

ASCII text string of full path and filename of file CDS Registry is to be written.

Definition at line 227 of file default cfe es msgdefs.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/config/default_cfe_es_msgdefs.h

10.14 CFE_ES_FileNameCmd Struct Reference

Generic file name command.

#include <default_cfe_es_msgstruct.h>

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_ES_FileNameCmd_Payload_t Payload

Command payload.

10.14.1 Detailed Description

Generic file name command.

Definition at line 96 of file default_cfe_es_msgstruct.h.

10.14.2 Field Documentation

10.14.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_FileNameCmd::CommandHeader

Command header.

Definition at line 98 of file default_cfe_es_msgstruct.h.

10.14.2.2 Payload CFE_ES_FileNameCmd_Payload_t CFE_ES_FileNameCmd::Payload

Command payload.

Definition at line 99 of file default_cfe_es_msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/config/default_cfe_es_msgstruct.h

10.15 CFE ES FileNameCmd Payload Struct Reference

Generic file name command payload.

#include <default_cfe_es_msgdefs.h>

Data Fields

char FileName [CFE MISSION MAX PATH LEN]

ASCII text string containing full path and filename of file in which Application data is to be dumped.

10.15.1 Detailed Description

Generic file name command payload.

This format is shared by several executive services commands. For command details, see CFE_ES_QUERY_ALL_CC, CFE_ES_QUERY_ALL_TASKS_CC, CFE_ES_WRITE_SYSLOG_CC, and CFE_ES_WRITE_ER_LOG_CC Definition at line 58 of file default_cfe_es_msgdefs.h.

10.15.2 Field Documentation

10.15.2.1 FileName char CFE_ES_FileNameCmd_Payload::FileName[CFE_MISSION_MAX_PATH_LEN]

ASCII text string containing full path and filename of file in which Application data is to be dumped.

Definition at line 60 of file default_cfe_es_msgdefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/config/default cfe es msgdefs.h

10.16 CFE ES HousekeepingTlm Struct Reference

#include <default_cfe_es_msgstruct.h>

Data Fields

CFE MSG TelemetryHeader t TelemetryHeader

Telemetry header.

CFE_ES_HousekeepingTlm_Payload_t Payload

Telemetry payload.

10.16.1 Detailed Description

Name Executive Services Housekeeping Packet

Definition at line 279 of file default cfe es msgstruct.h.

10.16.2 Field Documentation

10.16.2.1 Payload CFE_ES_HousekeepingTlm_Payload_t CFE_ES_HousekeepingTlm::Payload

Telemetry payload.

Definition at line 282 of file default_cfe_es_msgstruct.h.

10.16.2.2 TelemetryHeader CFE_MSG_TelemetryHeader_t CFE_ES_HousekeepingTlm::TelemetryHeader

Telemetry header.

Definition at line 281 of file default_cfe_es_msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/config/default_cfe_es_msgstruct.h

10.17 CFE_ES_HousekeepingTIm_Payload Struct Reference

#include <default_cfe_es_msgdefs.h>

Data Fields

uint8 CommandCounter

The ES Application Command Counter.

uint8 CommandErrorCounter

The ES Application Command Error Counter.

· uint16 CFECoreChecksum

Checksum of cFE Core Code.

· uint8 CFEMajorVersion

Major Version Number of cFE.

uint8 CFEMinorVersion

Minor Version Number of cFE.

· uint8 CFERevision

Sub-Minor Version Number of cFE.

• uint8 CFEMissionRevision

Mission Version Number of cFE.

uint8 OSALMajorVersion

OS Abstraction Layer Major Version Number.

uint8 OSALMinorVersion

OS Abstraction Layer Minor Version Number.

• uint8 OSALRevision

OS Abstraction Layer Revision Number.

• uint8 OSALMissionRevision

OS Abstraction Layer MissionRevision Number.

• uint8 PSPMajorVersion

Platform Support Package Major Version Number.

uint8 PSPMinorVersion

Platform Support Package Minor Version Number.

uint8 PSPRevision

Platform Support Package Revision Number.

· uint8 PSPMissionRevision

Platform Support Package MissionRevision Number.

CFE_ES_MemOffset_t SysLogBytesUsed

Total number of bytes used in system log.

CFE_ES_MemOffset_t SysLogSize

Total size of the system log.

uint32 SysLogEntries

Number of entries in the system log.

· uint32 SysLogMode

Write/Overwrite Mode.

uint32 ERLogIndex

Current index of the ER Log (wraps around)

uint32 ERLogEntries

Number of entries made in the ER Log since the power on.

uint32 RegisteredCoreApps

Number of Applications registered with ES.

uint32 RegisteredExternalApps

Number of Applications registered with ES.

uint32 RegisteredTasks

Number of Tasks (main AND child tasks) registered with ES.

· uint32 RegisteredLibs

Number of Libraries registered with ES.

uint32 ResetType

Reset type (PROCESSOR or POWERON)

uint32 ResetSubtype

Reset Sub Type.

uint32 ProcessorResets

Number of processor resets since last power on.

uint32 MaxProcessorResets

Max processor resets before a power on is done.

· uint32 BootSource

Boot source (as provided from BSP)

· uint32 PerfState

Current state of Performance Analyzer.

· uint32 PerfMode

Current mode of Performance Analyzer.

uint32 PerfTriggerCount

Number of Times Performance Analyzer has Triggered.

uint32 PerfFilterMask [CFE MISSION ES PERF MAX IDS/32]

Current Setting of Performance Analyzer Filter Masks.

uint32 PerfTriggerMask [CFE_MISSION_ES_PERF_MAX_IDS/32]

Current Setting of Performance Analyzer Trigger Masks.

uint32 PerfDataStart

Identifies First Stored Entry in Performance Analyzer Log.

uint32 PerfDataEnd

Identifies Last Stored Entry in Performance Analyzer Log.

uint32 PerfDataCount

Number of Entries Put Into the Performance Analyzer Log.

uint32 PerfDataToWrite

Number of Performance Analyzer Log Entries Left to be Written to Log Dump File.

CFE_ES_MemOffset_t HeapBytesFree

Number of free bytes remaining in the OS heap.

CFE_ES_MemOffset_t HeapBlocksFree

Number of free blocks remaining in the OS heap.

• CFE_ES_MemOffset_t HeapMaxBlockSize

Number of bytes in the largest free block.

10.17.1 Detailed Description

Name Executive Services Housekeeping Packet

Definition at line 263 of file default_cfe_es_msgdefs.h.

10.17.2 Field Documentation

10.17.2.1 BootSource uint32 CFE_ES_HousekeepingTlm_Payload::BootSource Boot source (as provided from BSP)

Telemetry Mnemonic(s) \$sc \$cpu ES BootSource

Definition at line 329 of file default cfe es msgdefs.h.

10.17.2.2 CFECoreChecksum uint16 CFE_ES_HousekeepingTlm_Payload::CFECoreChecksum Checksum of cFE Core Code.

Telemetry Mnemonic(s) \$sc \$cpu ES CKSUM

Definition at line 270 of file default_cfe_es_msgdefs.h.

10.17.2.3 CFEMajorVersion uint8 CFE_ES_HousekeepingTlm_Payload::CFEMajorVersion Major Version Number of cFE.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_CFEMAJORVER

Definition at line 272 of file default_cfe_es_msgdefs.h.

10.17.2.4 CFEMinorVersion uint8 CFE_ES_HousekeepingTlm_Payload::CFEMinorVersion Minor Version Number of cFE.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_CFEMINORVER

Definition at line 274 of file default cfe es msgdefs.h.

10.17.2.5 CFEMissionRevision uint8 CFE_ES_HousekeepingTlm_Payload::CFEMissionRevision Mission Version Number of cFE.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_CFEMISSIONREV

Definition at line 278 of file default cfe es msgdefs.h.

10.17.2.6 CFERevision uint8 CFE_ES_HousekeepingTlm_Payload::CFERevision Sub-Minor Version Number of cFE.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_CFEREVISION

Definition at line 276 of file default cfe es msgdefs.h.

10.17.2.7 CommandCounter uint8 CFE_ES_HousekeepingTlm_Payload::CommandCounter The ES Application Command Counter.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_CMDPC

Definition at line 265 of file default_cfe_es_msgdefs.h.

10.17.2.8 CommandErrorCounter uint SCFE_ES_HousekeepingTlm_Payload::CommandErrorCounter The ES Application Command Error Counter.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_CMDEC

Definition at line 267 of file default_cfe_es_msgdefs.h.

10.17.2.9 ERLogEntries uint32 CFE_ES_HousekeepingTlm_Payload::ERLogEntries Number of entries made in the ER Log since the power on.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_ERLOGENTRIES

Definition at line 309 of file default_cfe_es_msgdefs.h.

10.17.2.10 ERLogIndex uint32 CFE_ES_HousekeepingTlm_Payload::ERLogIndex Current index of the ER Log (wraps around)

Telemetry Mnemonic(s) \$sc_\$cpu_ES_ERLOGINDEX

Definition at line 307 of file default_cfe_es_msgdefs.h.

10.17.2.11 HeapBlocksFree CFE_ES_MemOffset_t CFE_ES_HousekeepingTlm_Payload::HeapBlocksFree Number of free blocks remaining in the OS heap.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_HeapBlocksFree

Definition at line 354 of file default cfe es msgdefs.h.

10.17.2.12 HeapBytesFree CFE_ES_MemOffset_t CFE_ES_HousekeepingTlm_Payload::HeapBytesFree Number of free bytes remaining in the OS heap.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_HeapBytesFree

Definition at line 352 of file default cfe es msgdefs.h.

10.17.2.13 HeapMaxBlockSize CFE_ES_MemOffset_t CFE_ES_HousekeepingTlm_Payload::HeapMaxBlockSize Number of bytes in the largest free block.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_HeapMaxBlkSize

Definition at line 356 of file default cfe es msgdefs.h.

10.17.2.14 MaxProcessorResets uint32 CFE_ES_HousekeepingTlm_Payload::MaxProcessorResets Max processor resets before a power on is done.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_MaxProcResets

Definition at line 327 of file default_cfe_es_msgdefs.h.

10.17.2.15 OSALMajorVersion uint8 CFE_ES_HousekeepingTlm_Payload::OSALMajorVersion OS Abstraction Layer Major Version Number.

Telemetry Mnemonic(s) \$sc \$cpu ES OSMAJORVER

Definition at line 280 of file default_cfe_es_msgdefs.h.

 $\textbf{10.17.2.16} \quad \textbf{OSALMinorVersion} \quad \textbf{uint 8} \quad \texttt{CFE_ES_HousekeepingTlm_Payload::OSALMinorVersion} \\ \textbf{OS Abstraction Layer Minor Version Number}.$

Telemetry Mnemonic(s) \$sc_\$cpu_ES_OSMINORVER

Definition at line 282 of file default_cfe_es_msgdefs.h.

 $\textbf{10.17.2.17} \quad \textbf{OSALMissionRevision} \quad \textbf{uint 8} \quad \texttt{CFE_ES_HousekeepingTlm_Payload::OSALMissionRevision} \\ \textbf{OS Abstraction Layer MissionRevision Number.}$

Telemetry Mnemonic(s) \$sc_\$cpu_ES_OSMISSIONREV

Definition at line 286 of file default_cfe_es_msgdefs.h.

10.17.2.18 OSALRevision uint8 CFE_ES_HousekeepingTlm_Payload::OSALRevision OS Abstraction Layer Revision Number.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_OSREVISION

Definition at line 284 of file default cfe es msgdefs.h.

10.17.2.19 PerfDataCount uint32 CFE_ES_HousekeepingTlm_Payload::PerfDataCount Number of Entries Put Into the Performance Analyzer Log.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PerfDataCnt

Definition at line 347 of file default cfe es msgdefs.h.

10.17.2.20 PerfDataEnd uint32 CFE_ES_HousekeepingTlm_Payload::PerfDataEnd Identifies Last Stored Entry in Performance Analyzer Log.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PerfDataEnd

Definition at line 345 of file default cfe es msgdefs.h.

10.17.2.21 PerfDataStart uint32 CFE_ES_HousekeepingTlm_Payload::PerfDataStart Identifies First Stored Entry in Performance Analyzer Log.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PerfDataStart

Definition at line 343 of file default_cfe_es_msgdefs.h.

10.17.2.22 PerfDataToWrite uint32 CFE_ES_HousekeepingTlm_Payload::PerfDataToWrite Number of Performance Analyzer Log Entries Left to be Written to Log Dump File.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PerfData2Write

Definition at line 350 of file default_cfe_es_msgdefs.h.

10.17.2.23 PerfFilterMask uint32 CFE_ES_HousekeepingTlm_Payload::PerfFilterMask[CFE_MISSION_ES_PERF_MAX_IDS/32] Current Setting of Performance Analyzer Filter Masks.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PerfFltrMask[MaskCnt]

Definition at line 338 of file default_cfe_es_msgdefs.h.

10.17.2.24 PerfMode uint32 CFE_ES_HousekeepingTlm_Payload::PerfMode Current mode of Performance Analyzer.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PerfMode

Definition at line 334 of file default_cfe_es_msgdefs.h.

10.17.2.25 PerfState uint32 CFE_ES_HousekeepingTlm_Payload::PerfState Current state of Performance Analyzer.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PerfState

Definition at line 332 of file default cfe es msgdefs.h.

10.17.2.26 PerfTriggerCount uint32 CFE_ES_HousekeepingTlm_Payload::PerfTriggerCount Number of Times Performance Analyzer has Triggered.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PerfTrigCnt

Definition at line 336 of file default cfe es msgdefs.h.

10.17.2.27 PerfTriggerMask uint32 CFE_ES_HousekeepingTlm_Payload::PerfTriggerMask[CFE_MISSION_ES_PERF_MAX_IDS/32] Current Setting of Performance Analyzer Trigger Masks.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PerfTrigMask[MaskCnt]

Definition at line 341 of file default cfe es msgdefs.h.

10.17.2.28 ProcessorResets uint32 CFE_ES_HousekeepingTlm_Payload::ProcessorResets Number of processor resets since last power on.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_ProcResetCnt

Definition at line 325 of file default_cfe_es_msgdefs.h.

10.17.2.29 PSPMajorVersion uint8 CFE_ES_HousekeepingTlm_Payload::PSPMajorVersion Platform Support Package Major Version Number.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PSPMAJORVER

Definition at line 289 of file default_cfe_es_msgdefs.h.

10.17.2.30 PSPMinorVersion uint8 CFE_ES_HousekeepingTlm_Payload::PSPMinorVersion Platform Support Package Minor Version Number.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PSPMINORVER

Definition at line 291 of file default_cfe_es_msgdefs.h.

 $\textbf{10.17.2.31} \quad \textbf{PSPMissionRevision} \quad \textbf{uint 8} \quad \texttt{CFE_ES_HousekeepingTlm_Payload::PSPMissionRevision} \\ \textbf{PSPMissionRevision} \quad \textbf{Platform Support Package MissionRevision Number.} \\$

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PSPMISSIONREV

Definition at line 295 of file default_cfe_es_msgdefs.h.

10.17.2.32 PSPRevision uint8 CFE_ES_HousekeepingTlm_Payload::PSPRevision Platform Support Package Revision Number.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PSPREVISION

Definition at line 293 of file default cfe es msgdefs.h.

10.17.2.33 RegisteredCoreApps uint32 CFE_ES_HousekeepingTlm_Payload::RegisteredCoreApps Number of Applications registered with ES.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_RegCoreApps

Definition at line 312 of file default cfe es msgdefs.h.

10.17.2.34 RegisteredExternalApps uint32 CFE_ES_HousekeepingTlm_Payload::RegisteredExternalApps Number of Applications registered with ES.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_RegExtApps

Definition at line 314 of file default cfe es msgdefs.h.

10.17.2.35 RegisteredLibs uint32 CFE_ES_HousekeepingTlm_Payload::RegisteredLibs Number of Libraries registered with ES.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_RegLibs

Definition at line 318 of file default_cfe_es_msgdefs.h.

10.17.2.36 RegisteredTasks uint32 CFE_ES_HousekeepingTlm_Payload::RegisteredTasks Number of Tasks (main AND child tasks) registered with ES.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_RegTasks

Definition at line 316 of file default_cfe_es_msgdefs.h.

 $\begin{tabular}{ll} \textbf{10.17.2.37} & \textbf{ResetSubtype} & \texttt{uint32} & \texttt{CFE_ES_HousekeepingTlm_Payload::ResetSubtype} \\ \textbf{Reset Sub Type.} \end{tabular}$

Telemetry Mnemonic(s) \$sc_\$cpu_ES_ResetSubtype

Definition at line 323 of file default_cfe_es_msgdefs.h.

10.17.2.38 ResetType uint32 CFE_ES_HousekeepingTlm_Payload::ResetType Reset type (PROCESSOR or POWERON)

Telemetry Mnemonic(s) \$sc_\$cpu_ES_ResetType

Definition at line 321 of file default_cfe_es_msgdefs.h.

10.17.2.39 SysLogBytesUsed CFE_ES_MemOffset_t CFE_ES_HousekeepingTlm_Payload::SysLogBytesUsed Total number of bytes used in system log.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_SYSLOGBYTEUSED

Definition at line 298 of file default cfe es msgdefs.h.

10.17.2.40 SysLogEntries uint32 CFE_ES_HousekeepingTlm_Payload::SysLogEntries Number of entries in the system log.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_SYSLOGENTRIES

Definition at line 302 of file default cfe es msgdefs.h.

10.17.2.41 SysLogMode uint32 CFE_ES_HousekeepingTlm_Payload::SysLogMode Write/Overwrite Mode.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_SYSLOGMODE

Definition at line 304 of file default_cfe_es_msgdefs.h.

10.17.2.42 SysLogSize CFE_ES_MemOffset_t CFE_ES_HousekeepingTlm_Payload::SysLogSize Total size of the system log.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_SYSLOGSIZE

Definition at line 300 of file default_cfe_es_msgdefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/config/default cfe es msgdefs.h

10.18 CFE ES MemPoolStats Struct Reference

Memory Pool Statistics.

#include <default_cfe_es_extern_typedefs.h>

Data Fields

· CFE ES MemOffset t PoolSize

Size of Memory Pool (in bytes)

• uint32 NumBlocksRequested

Number of times a memory block has been allocated.

uint32 CheckErrCtr

Number of errors detected when freeing a memory block.

CFE_ES_MemOffset_t NumFreeBytes

Number of bytes never allocated to a block.

CFE_ES_BlockStats_t BlockStats [CFE_MISSION_ES_POOL_MAX_BUCKETS]

Contains stats on each block size.

10.18.1 Detailed Description

Memory Pool Statistics.

Structure that is used to provide information about a memory pool. Used by the Memory Pool Stats telemetry message.

See also

CFE_ES_SEND_MEM_POOL_STATS_CC

Definition at line 553 of file default cfe es extern typedefs.h.

10.18.2 Field Documentation

10.18.2.1 BlockStats CFE_ES_BlockStats_t CFE_ES_MemPoolStats::BlockStats[CFE_MISSION_ES_POOL_MAX_BUCKETS]
Contains stats on each block size.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_BlkStats[BLK_SIZES]

Definition at line 563 of file default cfe es extern typedefs.h.

10.18.2.2 CheckErrCtr uint32 CFE ES MemPoolStats::CheckErrCtr

Number of errors detected when freeing a memory block.

Telemetry Mnemonic(s) \$sc \$cpu ES BlkErrCTR

Definition at line 559 of file default cfe es extern typedefs.h.

10.18.2.3 NumBlocksRequested uint32 CFE_ES_MemPoolStats::NumBlocksRequested Number of times a memory block has been allocated.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_BlksREQ

Definition at line 557 of file default cfe es extern typedefs.h.

10.18.2.4 NumFreeBytes CFE_ES_MemOffset_t CFE_ES_MemPoolStats::NumFreeBytes Number of bytes never allocated to a block.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_FreeBytes

Definition at line 561 of file default_cfe_es_extern_typedefs.h.

10.18.2.5 PoolSize CFE_ES_MemOffset_t CFE_ES_MemPoolStats::PoolSize Size of Memory Pool (in bytes)

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PoolSize

Definition at line 555 of file default_cfe_es_extern_typedefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/config/default_cfe_es_extern_typedefs.h

10.19 CFE_ES_MemStatsTIm Struct Reference

#include <default_cfe_es_msgstruct.h>

Data Fields

CFE_MSG_TelemetryHeader_t TelemetryHeader

Telemetry header.

CFE_ES_PoolStatsTIm_Payload_t Payload

Telemetry payload.

10.19.1 Detailed Description

Name Memory Pool Statistics Packet

Definition at line 270 of file default cfe es msgstruct.h.

10.19.2 Field Documentation

10.19.2.1 Payload CFE_ES_PoolStatsTlm_Payload_t CFE_ES_MemStatsTlm::Payload

Telemetry payload.

Definition at line 273 of file default_cfe_es_msgstruct.h.

10.19.2.2 TelemetryHeader CFE_MSG_TelemetryHeader_t CFE_ES_MemStatsTlm::TelemetryHeader Telemetry header.

Definition at line 272 of file default_cfe_es_msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/config/default_cfe_es_msgstruct.h

10.20 CFE_ES_NoopCmd Struct Reference

#include <default_cfe_es_msgstruct.h>

Data Fields

 CFE_MSG_CommandHeader_t CommandHeader Command header.

10.20.1 Detailed Description

Definition at line 53 of file default cfe es msgstruct.h.

10.20.2 Field Documentation

10.20.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_NoopCmd::CommandHeader

Command header.

Definition at line 57 of file default cfe es msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/config/default_cfe_es_msgstruct.h

10.21 CFE_ES_OneAppTIm Struct Reference

#include <default_cfe_es_msgstruct.h>

Data Fields

CFE_MSG_TelemetryHeader_t TelemetryHeader

Telemetry header.

CFE_ES_OneAppTlm_Payload_t Payload

Telemetry payload.

10.21.1 Detailed Description

Name Single Application Information Packet

Definition at line 261 of file default_cfe_es_msgstruct.h.

10.21.2 Field Documentation

10.21.2.1 Payload CFE_ES_OneAppTlm_Payload_t CFE_ES_OneAppTlm::Payload

Telemetry payload.

Definition at line 264 of file default_cfe_es_msgstruct.h.

10.21.2.2 TelemetryHeader CFE_MSG_TelemetryHeader_t CFE_ES_OneAppTlm::TelemetryHeader

Telemetry header.

Definition at line 263 of file default_cfe_es_msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/config/default_cfe_es_msgstruct.h

10.22 CFE_ES_OneAppTIm_Payload Struct Reference

#include <default_cfe_es_msgdefs.h>

Data Fields

CFE_ES_AppInfo_t AppInfo

For more information, see CFE_ES_AppInfo_t.

10.22.1 Detailed Description

Name Single Application Information Packet

Definition at line 243 of file default_cfe_es_msgdefs.h.

10.22.2 Field Documentation

10.22.2.1 Appinfo CFE_ES_AppInfo_t CFE_ES_OneAppTlm_Payload::AppInfo

For more information, see CFE_ES_AppInfo_t.

Definition at line 245 of file default_cfe_es_msgdefs.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/config/default_cfe_es_msgdefs.h

10.23 CFE ES OverWriteSysLogCmd Struct Reference

Overwrite/Discard System Log Configuration Command Payload.

#include <default_cfe_es_msgstruct.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_ES_OverWriteSysLogCmd_Payload_t Payload

Command payload.

10.23.1 Detailed Description

Overwrite/Discard System Log Configuration Command Payload. Definition at line 133 of file default cfe es msgstruct.h.

10.23.2 Field Documentation

10.23.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_OverWriteSysLogCmd::CommandHeader Command header.

Definition at line 135 of file default cfe es msgstruct.h.

10.23.2.2 Payload CFE_ES_OverWriteSysLogCmd_Payload_t CFE_ES_OverWriteSysLogCmd::Payload Command payload.

Definition at line 136 of file default cfe es msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/config/default cfe es msgstruct.h

10.24 CFE_ES_OverWriteSysLogCmd_Payload Struct Reference

Overwrite/Discard System Log Configuration Command Payload.

#include <default_cfe_es_msgdefs.h>

Data Fields

uint32 Mode

CFE_ES_LogMode_DISCARD=Throw away most recent messages, CFE_ES_LogMode_OVERWRITE=Overwrite oldest with most recent

10.24.1 Detailed Description

Overwrite/Discard System Log Configuration Command Payload. For command details, see CFE_ES_OVER_WRITE_SYSLOG_CC Definition at line 70 of file default_cfe_es_msgdefs.h.

10.24.2 Field Documentation

10.24.2.1 Mode uint32 CFE_ES_OverWriteSysLogCmd_Payload::Mode

CFE_ES_LogMode_DISCARD=Throw away most recent messages, CFE_ES_LogMode_OVERWRITE=Overwrite oldest with most recent

Definition at line 72 of file default_cfe_es_msgdefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/config/default cfe es msgdefs.h

10.25 CFE_ES_PoolAlign Union Reference

Pool Alignment.

#include <cfe_es_api_typedefs.h>

Data Fields

void * Ptr

Aligned pointer.

long long int LongInt

Aligned Long Integer.

• long double LongDouble

Aligned Long Double.

10.25.1 Detailed Description

Pool Alignment.

Union that can be used for minimum memory alignment of ES memory pools on the target. It contains the longest native data types such that the alignment of this structure should reflect the largest possible alignment requirements for any data on this processor.

Definition at line 145 of file cfe_es_api_typedefs.h.

10.25.2 Field Documentation

10.25.2.1 LongDouble long double CFE_ES_PoolAlign::LongDouble

Aligned Long Double.

Definition at line 150 of file cfe_es_api_typedefs.h.

10.25.2.2 LongInt long long int CFE_ES_PoolAlign::LongInt

Aligned Long Integer.

Definition at line 149 of file cfe_es_api_typedefs.h.

10.25.2.3 Ptr void* CFE_ES_PoolAlign::Ptr

Aligned pointer.

Definition at line 147 of file cfe_es_api_typedefs.h.

The documentation for this union was generated from the following file:

cfe/modules/core_api/fsw/inc/cfe_es_api_typedefs.h

10.26 CFE_ES_PoolStatsTIm_Payload Struct Reference

#include <default_cfe_es_msgdefs.h>

Data Fields

CFE ES MemHandle t PoolHandle

Handle of memory pool whose stats are being telemetered.

CFE_ES_MemPoolStats_t PoolStats

For more info, see CFE_ES_MemPoolStats_t.

10.26.1 Detailed Description

Name Memory Pool Statistics Packet

Definition at line 251 of file default cfe es msgdefs.h.

10.26.2 Field Documentation

10.26.2.1 PoolHandle CFE_ES_MemHandle_t CFE_ES_PoolStatsTlm_Payload::PoolHandle Handle of memory pool whose stats are being telemetered.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PoolHandle

Definition at line 253 of file default cfe es msgdefs.h.

10.26.2.2 PoolStats CFE_ES_MemPoolStats_t CFE_ES_PoolStatsTlm_Payload::PoolStats For more info, see CFE_ES_MemPoolStats_t.

Definition at line 255 of file default cfe es msgdefs.h.

The documentation for this struct was generated from the following file:

· cfe/modules/es/config/default cfe es msgdefs.h

10.27 CFE_ES_QueryAllCmd Struct Reference

#include <default_cfe_es_msgstruct.h>

Data Fields

· CFE MSG CommandHeader t CommandHeader

Command header.

CFE_ES_FileNameCmd_Payload_t Payload

Command payload.

10.27.1 Detailed Description

Definition at line 106 of file default_cfe_es_msgstruct.h.

10.27.2 Field Documentation

10.27.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_QueryAllCmd::CommandHeader Command header.

Definition at line 108 of file default cfe es msgstruct.h.

10.27.2.2 Payload CFE_ES_FileNameCmd_Payload_t CFE_ES_QueryAllCmd::Payload Command payload.

Definition at line 109 of file default_cfe_es_msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/config/default cfe es msgstruct.h

10.28 CFE_ES_QueryAllTasksCmd Struct Reference

#include <default_cfe_es_msgstruct.h>

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_ES_FileNameCmd_Payload_t Payload

Command payload.

10.28.1 Detailed Description

Definition at line 112 of file default cfe es msgstruct.h.

10.28.2 Field Documentation

10.28.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_QueryAllTasksCmd::CommandHeader Command header.

Definition at line 114 of file default_cfe_es_msgstruct.h.

10.28.2.2 Payload CFE_ES_FileNameCmd_Payload_t CFE_ES_QueryAllTasksCmd::Payload Command payload.

Definition at line 115 of file default cfe es msgstruct.h.

The documentation for this struct was generated from the following file:

· cfe/modules/es/config/default cfe es msgstruct.h

10.29 CFE_ES_QueryOneCmd Struct Reference

#include <default_cfe_es_msgstruct.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_ES_AppNameCmd_Payload_t Payload

Command payload.

10.29.1 Detailed Description

Definition at line 165 of file default_cfe_es_msgstruct.h.

10.29.2 Field Documentation

10.29.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_QueryOneCmd::CommandHeader Command header.

Definition at line 167 of file default cfe es msgstruct.h.

10.29.2.2 Payload CFE_ES_AppNameCmd_Payload_t CFE_ES_QueryOneCmd::Payload Command payload.

Definition at line 168 of file default cfe es msgstruct.h.

The documentation for this struct was generated from the following file:

· cfe/modules/es/config/default cfe es msgstruct.h

10.30 CFE_ES_ReloadAppCmd Struct Reference

Reload Application Command.

#include <default_cfe_es_msgstruct.h>

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_ES_AppReloadCmd_Payload_t Payload

Command payload.

10.30.1 Detailed Description

Reload Application Command.

Definition at line 174 of file default cfe es msgstruct.h.

10.30.2 Field Documentation

10.30.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_ReloadAppCmd::CommandHeader Command header.

Definition at line 176 of file default_cfe_es_msgstruct.h.

10.30.2.2 Payload CFE_ES_AppReloadCmd_Payload_t CFE_ES_ReloadAppCmd::Payload Command payload.

Definition at line 177 of file default_cfe_es_msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/config/default_cfe_es_msgstruct.h

10.31 CFE_ES_ResetCountersCmd Struct Reference

#include <default_cfe_es_msgstruct.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

10.31.1 Detailed Description

Definition at line 58 of file default cfe es msgstruct.h.

10.31.2 Field Documentation

10.31.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_ResetCountersCmd::CommandHeader Command header.

Definition at line 60 of file default cfe es msgstruct.h.

The documentation for this struct was generated from the following file:

· cfe/modules/es/config/default cfe es msgstruct.h

10.32 CFE_ES_ResetPRCountCmd Struct Reference

#include <default_cfe_es_msgstruct.h>

Data Fields

 CFE_MSG_CommandHeader_t CommandHeader Command header.

10.32.1 Detailed Description

Definition at line 73 of file default_cfe_es_msgstruct.h.

10.32.2 Field Documentation

10.32.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_ResetPRCountCmd::CommandHeader Command header.

Definition at line 75 of file default cfe es msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/config/default_cfe_es_msgstruct.h

10.33 CFE ES RestartAppCmd Struct Reference

#include <default_cfe_es_msgstruct.h>

Data Fields

- CFE_MSG_CommandHeader_t CommandHeader
 - Command header.
- CFE_ES_AppNameCmd_Payload_t Payload

Command payload.

10.33.1 Detailed Description

Definition at line 159 of file default_cfe_es_msgstruct.h.

10.33.2 Field Documentation

10.33.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_RestartAppCmd::CommandHeader Command header.

Definition at line 161 of file default_cfe_es_msgstruct.h.

10.33.2.2 Payload CFE_ES_AppNameCmd_Payload_t CFE_ES_RestartAppCmd::Payload

Command payload.

Definition at line 162 of file default_cfe_es_msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/config/default_cfe_es_msgstruct.h

10.34 CFE ES RestartCmd Struct Reference

Restart cFE Command.

#include <default_cfe_es_msgstruct.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE ES RestartCmd Payload t Payload

Command payload.

10.34.1 Detailed Description

Restart cFE Command.

Definition at line 86 of file default_cfe_es_msgstruct.h.

10.34.2 Field Documentation

10.34.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_RestartCmd::CommandHeader

Command header.

Definition at line 88 of file default_cfe_es_msgstruct.h.

10.34.2.2 Payload CFE_ES_RestartCmd_Payload_t CFE_ES_RestartCmd::Payload

Command payload.

Definition at line 89 of file default_cfe_es_msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/config/default_cfe_es_msgstruct.h

10.35 CFE_ES_RestartCmd_Payload Struct Reference

Restart cFE Command Payload.

#include <default_cfe_es_msgdefs.h>

Data Fields

uint16 RestartType

CFE_PSP_RST_TYPE_PROCESSOR=Processor Reset or CFE_PSP_RST_TYPE_POWERON=Power-On Reset

10.35.1 Detailed Description

Restart cFE Command Payload.

For command details, see CFE_ES_RESTART_CC

Definition at line 44 of file default_cfe_es_msgdefs.h.

10.35.2 Field Documentation

10.35.2.1 RestartType uint16 CFE_ES_RestartCmd_Payload::RestartType CFE_PSP_RST_TYPE_PROCESSOR=Processor Reset or CFE_PSP_RST_TYPE_POWERON=Power-On Reset

Definition at line 46 of file default_cfe_es_msgdefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/config/default cfe es msgdefs.h

10.36 CFE_ES_SendHkCmd Struct Reference

#include <default_cfe_es_msgstruct.h>

Data Fields

 CFE_MSG_CommandHeader_t CommandHeader Command header.

10.36.1 Detailed Description

Definition at line 78 of file default_cfe_es_msgstruct.h.

10.36.2 Field Documentation

10.36.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_SendHkCmd::CommandHeader Command header.

Definition at line 80 of file default cfe es msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/config/default cfe es msgstruct.h

10.37 CFE_ES_SendMemPoolStatsCmd Struct Reference

Send Memory Pool Statistics Command.

#include <default_cfe_es_msgstruct.h>

Data Fields

· CFE MSG CommandHeader t CommandHeader

Command header.

CFE ES SendMemPoolStatsCmd Payload t Payload

Command payload.

10.37.1 Detailed Description

Send Memory Pool Statistics Command.

Definition at line 237 of file default_cfe_es_msgstruct.h.

10.37.2 Field Documentation

10.37.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_SendMemPoolStatsCmd::CommandHeader Command header.

Definition at line 239 of file default cfe es msgstruct.h.

10.37.2.2 Payload CFE_ES_SendMemPoolStatsCmd_Payload_t CFE_ES_SendMemPoolStatsCmd::Payload Command payload.

Definition at line 240 of file default_cfe_es_msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/config/default_cfe_es_msgstruct.h

10.38 CFE_ES_SendMemPoolStatsCmd_Payload Struct Reference

Send Memory Pool Statistics Command Payload.

#include <default_cfe_es_msgdefs.h>

Data Fields

- char Application [CFE MISSION MAX API LEN]
 - RESERVED should be all zeroes
- CFE ES MemHandle t PoolHandle

Handle of Pool whose statistics are to be telemetered.

10.38.1 Detailed Description

Send Memory Pool Statistics Command Payload.

For command details, see CFE_ES_SEND_MEM_POOL_STATS_CC

Definition at line 213 of file default cfe es msgdefs.h.

10.38.2 Field Documentation

10.38.2.1 Application char CFE_ES_SendMemPoolStatsCmd_Payload::Application[CFE_MISSION_MAX_API_LEN]

• RESERVED - should be all zeroes

Definition at line 215 of file default cfe es msgdefs.h.

10.38.2.2 PoolHandle CFE_ES_MemHandle_t CFE_ES_SendMemPoolStatsCmd_Payload::PoolHandle

Handle of Pool whose statistics are to be telemetered.

Definition at line 216 of file default_cfe_es_msgdefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/config/default cfe es msgdefs.h

10.39 CFE_ES_SetMaxPRCountCmd Struct Reference

Set Maximum Processor Reset Count Command.

#include <default_cfe_es_msgstruct.h>

Data Fields

· CFE MSG CommandHeader t CommandHeader

Command header.

CFE_ES_SetMaxPRCountCmd_Payload_t Payload

Command payload.

10.39.1 Detailed Description

Set Maximum Processor Reset Count Command.

Definition at line 183 of file default cfe es msgstruct.h.

10.39.2 Field Documentation

10.39.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_SetMaxPRCountCmd::CommandHeader Command header.

Definition at line 185 of file default_cfe_es_msgstruct.h.

10.39.2.2 Payload CFE_ES_SetMaxPRCountCmd_Payload_t CFE_ES_SetMaxPRCountCmd::Payload Command payload.

Definition at line 186 of file default_cfe_es_msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/config/default_cfe_es_msgstruct.h

10.40 CFE ES SetMaxPRCountCmd Payload Struct Reference

Set Maximum Processor Reset Count Command Payload.

#include <default_cfe_es_msgdefs.h>

Data Fields

uint16 MaxPRCount

New maximum number of Processor Resets before an automatic Power-On Reset is performed.

10.40.1 Detailed Description

Set Maximum Processor Reset Count Command Payload. For command details, see CFE_ES_SET_MAX_PR_COUNT_CC Definition at line 128 of file default_cfe_es_msgdefs.h.

10.40.2 Field Documentation

10.40.2.1 MaxPRCount uint16 CFE_ES_SetMaxPRCountCmd_Payload::MaxPRCount

New maximum number of Processor Resets before an automatic Power-On Reset is performed. Definition at line 130 of file default cfe es msgdefs.h.

The documentation for this struct was generated from the following file:

· cfe/modules/es/config/default cfe es msgdefs.h

10.41 CFE ES SetPerfFilterMaskCmd Struct Reference

Set Performance Analyzer Filter Mask Command.

#include <default_cfe_es_msgstruct.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_ES_SetPerfFilterMaskCmd_Payload_t Payload

Command payload.

10.41.1 Detailed Description

Set Performance Analyzer Filter Mask Command. Definition at line 219 of file default cfe es msgstruct.h.

10.41.2 Field Documentation

10.41.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_SetPerfFilterMaskCmd::CommandHeader Command header.

Definition at line 221 of file default cfe es msgstruct.h.

10.41.2.2 Payload CFE_ES_SetPerfFilterMaskCmd_Payload_t CFE_ES_SetPerfFilterMaskCmd::Payload Command payload.

Definition at line 222 of file default_cfe_es_msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/config/default_cfe_es_msgstruct.h

10.42 CFE_ES_SetPerfFilterMaskCmd_Payload Struct Reference

Set Performance Analyzer Filter Mask Command Payload.

#include <default_cfe_es_msgdefs.h>

Data Fields

• uint32 FilterMaskNum

Index into array of Filter Masks.

uint32 FilterMask

New Mask for specified entry in array of Filter Masks.

10.42.1 Detailed Description

Set Performance Analyzer Filter Mask Command Payload. For command details, see CFE_ES_SET_PERF_FILTER_MASK_CC Definition at line 189 of file default_cfe_es_msgdefs.h.

10.42.2 Field Documentation

10.42.2.1 FilterMask uint32 CFE_ES_SetPerfFilterMaskCmd_Payload::FilterMask New Mask for specified entry in array of Filter Masks.

Definition at line 192 of file default cfe es msgdefs.h.

10.42.2.2 FilterMaskNum uint32 CFE_ES_SetPerfFilterMaskCmd_Payload::FilterMaskNum Index into array of Filter Masks.

Definition at line 191 of file default cfe es msgdefs.h.

The documentation for this struct was generated from the following file:

· cfe/modules/es/config/default cfe es msgdefs.h

10.43 CFE_ES_SetPerfTriggerMaskCmd Struct Reference

Set Performance Analyzer Trigger Mask Command.

#include <default_cfe_es_msgstruct.h>

Data Fields

- CFE_MSG_CommandHeader_t CommandHeader Command header.
- CFE_ES_SetPerfTrigMaskCmd_Payload_t Payload Command payload.

10.43.1 Detailed Description

Set Performance Analyzer Trigger Mask Command. Definition at line 228 of file default_cfe_es_msgstruct.h.

10.43.2 Field Documentation

10.43.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_SetPerfTriggerMaskCmd::CommandHeader Command header.

Definition at line 230 of file default_cfe_es_msgstruct.h.

10.43.2.2 Payload CFE_ES_SetPerfTrigMaskCmd_Payload_t CFE_ES_SetPerfTriggerMaskCmd::Payload Command payload.

Definition at line 231 of file default cfe es msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/config/default cfe es msgstruct.h

10.44 CFE_ES_SetPerfTrigMaskCmd_Payload Struct Reference

Set Performance Analyzer Trigger Mask Command Payload.

#include <default_cfe_es_msgdefs.h>

Data Fields

uint32 TriggerMaskNum

Index into array of Trigger Masks.

· uint32 TriggerMask

New Mask for specified entry in array of Trigger Masks.

10.44.1 Detailed Description

Set Performance Analyzer Trigger Mask Command Payload.
For command details, see CFE_ES_SET_PERF_TRIGGER_MASK_CC
Definition at line 201 of file default_cfe_es_msgdefs.h.

10.44.2 Field Documentation

10.44.2.1 TriggerMask uint32 CFE_ES_SetPerfTrigMaskCmd_Payload::TriggerMask New Mask for specified entry in array of Trigger Masks.

Definition at line 204 of file default cfe es msgdefs.h.

10.44.2.2 TriggerMaskNum uint32 CFE_ES_SetPerfTrigMaskCmd_Payload::TriggerMaskNum Index into array of Trigger Masks.

Definition at line 203 of file default cfe es msgdefs.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/config/default_cfe_es_msgdefs.h

10.45 CFE_ES_StartApp Struct Reference

Start Application Command.

#include <default_cfe_es_msgstruct.h>

Data Fields

CFE MSG CommandHeader t CommandHeader

Command header.

CFE_ES_StartAppCmd_Payload_t Payload

Command payload.

10.45.1 Detailed Description

Start Application Command.

Definition at line 142 of file default_cfe_es_msgstruct.h.

10.45.2 Field Documentation

10.45.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_StartApp::CommandHeader

Command header.

Definition at line 144 of file default cfe es msgstruct.h.

10.45.2.2 Payload CFE_ES_StartAppCmd_Payload_t CFE_ES_StartApp::Payload

Command payload.

Definition at line 145 of file default_cfe_es_msgstruct.h.

The documentation for this struct was generated from the following file:

· cfe/modules/es/config/default cfe es msgstruct.h

10.46 CFE_ES_StartAppCmd_Payload Struct Reference

Start Application Command Payload.

#include <default_cfe_es_msgdefs.h>

Data Fields

char Application [CFE_MISSION_MAX_API_LEN]

Name of Application to be started.

char AppEntryPoint [CFE_MISSION_MAX_API_LEN]

Symbolic name of Application's entry point.

char AppFileName [CFE_MISSION_MAX_PATH_LEN]

Full path and filename of Application's executable image.

· CFE ES MemOffset t StackSize

Desired stack size for the new application.

• CFE ES ExceptionAction Enum t ExceptionAction

CFE_ES_ExceptionAction_RESTART_APP=On exception, restart Application, CFE_ES_ExceptionAction_PROC_RESTART=On exception, perform a Processor Reset

· CFE ES TaskPriority Atom t Priority

The new Applications runtime priority.

10.46.1 Detailed Description

Start Application Command Payload.

For command details, see CFE ES START APP CC

Definition at line 82 of file default_cfe_es_msgdefs.h.

10.46.2 Field Documentation

10.46.2.1 AppEntryPoint char CFE_ES_StartAppCmd_Payload::AppEntryPoint[CFE_MISSION_MAX_API_LEN]

Symbolic name of Application's entry point.

Definition at line 85 of file default_cfe_es_msgdefs.h.

10.46.2.2 AppFileName char CFE_ES_StartAppCmd_Payload::AppFileName[CFE_MISSION_MAX_PATH_LEN]

Full path and filename of Application's executable image.

Definition at line 86 of file default cfe es msgdefs.h.

10.46.2.3 Application char CFE_ES_StartAppCmd_Payload::Application[CFE_MISSION_MAX_API_LEN]

Name of Application to be started.

Definition at line 84 of file default_cfe_es_msgdefs.h.

 $\textbf{10.46.2.4} \quad \textbf{ExceptionAction} \quad \texttt{CFE_ES_ExceptionAction_Enum_t} \quad \texttt{CFE_ES_StartAppCmd_Payload} : \texttt{Exception} \\ \leftarrow \\ \textbf{CFE_ES_ExceptionAction_Enum_t} \quad \textbf{CFE_ES_StartAppCmd_Payload} : \textbf{Exception} \\ \leftarrow \\ \textbf{CFE_ES_ExceptionAction_Enum_t} \quad \textbf{CFE_ES_ExceptionAction_Enum_t} \quad \textbf{CFE_ES_StartAppCmd_Payload} : \textbf{ExceptionAction_Enum_t} \\ \textbf{CFE_ES_StartAppCmd_Payload} : \textbf{CFE_ES_ExceptionAction_Enum_t} \quad \textbf{CFE_ES_StartAppCmd_Payload} : \textbf{CFE_ES_ExceptionAction_Enum_t} \\ \textbf{CFE_ES_ExceptionAction_Enum_t} \quad \textbf{CFE_ES_ExceptionAction_Enum_t} \\ \textbf{CFE_ExceptionAction_Enum_t} \\ \textbf{CFE_ES_ExceptionAction_Enum_t} \\ \textbf{CFE_ExceptionAction_Enum_t} \\ \textbf{CFE_ExceptionActionActionActionActionActionActionActionActionActionActionActionActionActionActionActionActionActionActionActionA$

Action

CFE_ES_ExceptionAction_RESTART_APP=On exception, restart Application, CFE_ES_ExceptionAction_PROC_RESTART=On exception, perform a Processor Reset

Definition at line 91 of file default cfe es msgdefs.h.

10.46.2.5 Priority CFE_ES_TaskPriority_Atom_t CFE_ES_StartAppCmd_Payload::Priority

The new Applications runtime priority.

Definition at line 95 of file default cfe es msgdefs.h.

10.46.2.6 StackSize CFE_ES_MemOffset_t CFE_ES_StartAppCmd_Payload::StackSize

Desired stack size for the new application.

Definition at line 89 of file default_cfe_es_msgdefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/config/default_cfe_es_msgdefs.h

10.47 CFE_ES_StartPerfCmd_Payload Struct Reference

Start Performance Analyzer Command Payload.

#include <default cfe es msgdefs.h>

Data Fields

CFE ES PerfMode Enum t TriggerMode

Desired trigger position (Start, Center, End). Values defined by CFE_ES_PerfMode.

10.47.1 Detailed Description

Start Performance Analyzer Command Payload.

For command details, see CFE ES START PERF DATA CC

Definition at line 166 of file default_cfe_es_msgdefs.h.

10.47.2 Field Documentation

10.47.2.1 TriggerMode CFE_ES_PerfMode_Enum_t CFE_ES_StartPerfCmd_Payload::TriggerMode

Desired trigger position (Start, Center, End). Values defined by CFE ES PerfMode.

Definition at line 168 of file default cfe es msgdefs.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/config/default_cfe_es_msgdefs.h

10.48 CFE_ES_StartPerfDataCmd Struct Reference

Start Performance Analyzer Command.

#include <default_cfe_es_msgstruct.h>

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

• CFE_ES_StartPerfCmd_Payload_t Payload

Command payload.

10.48.1 Detailed Description

Start Performance Analyzer Command.

Definition at line 201 of file default cfe es msgstruct.h.

10.48.2 Field Documentation

10.48.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_StartPerfDataCmd::CommandHeader Command header.

Definition at line 203 of file default_cfe_es_msgstruct.h.

10.48.2.2 Payload CFE_ES_StartPerfCmd_Payload_t CFE_ES_StartPerfDataCmd::Payload Command payload.

Definition at line 204 of file default_cfe_es_msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/config/default_cfe_es_msgstruct.h

10.49 CFE_ES_StopAppCmd Struct Reference

#include <default_cfe_es_msgstruct.h>

Data Fields

· CFE MSG CommandHeader t CommandHeader

Command header.

CFE_ES_AppNameCmd_Payload_t Payload

Command payload.

10.49.1 Detailed Description

Definition at line 153 of file default_cfe_es_msgstruct.h.

10.49.2 Field Documentation

10.49.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_StopAppCmd::CommandHeader

Command header.

Definition at line 155 of file default_cfe_es_msgstruct.h.

10.49.2.2 Payload CFE_ES_AppNameCmd_Payload_t CFE_ES_StopAppCmd::Payload Command payload.

Definition at line 156 of file default cfe es msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/config/default cfe es msgstruct.h

10.50 CFE_ES_StopPerfCmd_Payload Struct Reference

Stop Performance Analyzer Command Payload.

#include <default_cfe_es_msgdefs.h>

Data Fields

char DataFileName [CFE_MISSION_MAX_PATH_LEN]

ASCII text string of full path and filename of file Performance Analyzer data is to be written.

10.50.1 Detailed Description

Stop Performance Analyzer Command Payload. For command details, see CFE_ES_STOP_PERF_DATA_CC Definition at line 177 of file default_cfe_es_msgdefs.h.

10.50.2 Field Documentation

10.50.2.1 DataFileName char CFE_ES_StopPerfCmd_Payload::DataFileName[CFE_MISSION_MAX_PATH_LEN]

ASCII text string of full path and filename of file Performance Analyzer data is to be written.

Definition at line 179 of file default cfe es msgdefs.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/config/default_cfe_es_msgdefs.h

10.51 CFE_ES_StopPerfDataCmd Struct Reference

Stop Performance Analyzer Command.

#include <default_cfe_es_msgstruct.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_ES_StopPerfCmd_Payload_t Payload

Command payload.

10.51.1 Detailed Description

Stop Performance Analyzer Command.

Definition at line 210 of file default_cfe_es_msgstruct.h.

10.51.2 Field Documentation

10.51.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_StopPerfDataCmd::CommandHeader

Command header.

Definition at line 212 of file default_cfe_es_msgstruct.h.

10.51.2.2 Payload CFE_ES_StopPerfCmd_Payload_t CFE_ES_StopPerfDataCmd::Payload

Command payload.

Definition at line 213 of file default_cfe_es_msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/config/default cfe es msgstruct.h

10.52 CFE_ES_TaskInfo Struct Reference

Task Information.

#include <default_cfe_es_extern_typedefs.h>

Data Fields

CFE ES Taskld t Taskld

Task Id.

uint32 ExecutionCounter

Task Execution Counter.

• char TaskName [CFE MISSION MAX API LEN]

Task Name.

· CFE ES Appld t Appld

Parent Application ID.

char AppName [CFE MISSION MAX API LEN]

Parent Application Name.

- CFE_ES_MemOffset_t StackSize
- CFE_ES_TaskPriority_Atom_t Priority
- uint8 Spare [2]

10.52.1 Detailed Description

Task Information.

Structure that is used to provide information about a task. It is primarily used for the Query All Tasks (CFE_ES_QUERY_ALL_TASKS_CC) command.

Note

There is not currently a telemetry message directly containing this data structure, but it does define the format of the data file generated by the Query All Tasks command. Therefore it should be considered part of the overall telemetry interface.

Definition at line 499 of file default_cfe_es_extern_typedefs.h.

10.52.2 Field Documentation

10.52.2.1 Appld CFE_ES_Appld_t CFE_ES_TaskInfo::Appld

Parent Application ID.

Definition at line 504 of file default cfe es extern typedefs.h.

10.52.2.2 AppName char CFE_ES_TaskInfo::AppName[CFE_MISSION_MAX_API_LEN]

Parent Application Name.

Definition at line 505 of file default cfe es extern typedefs.h.

10.52.2.3 ExecutionCounter uint32 CFE_ES_TaskInfo::ExecutionCounter

Task Execution Counter.

Definition at line 502 of file default_cfe_es_extern_typedefs.h.

10.52.2.4 Priority CFE_ES_TaskPriority_Atom_t CFE_ES_TaskInfo::Priority

Priority of task

Definition at line 507 of file default_cfe_es_extern_typedefs.h.

10.52.2.5 Spare uint8 CFE_ES_TaskInfo::Spare[2]

Spare bytes for alignment

Definition at line 508 of file default_cfe_es_extern_typedefs.h.

10.52.2.6 StackSize CFE_ES_MemOffset_t CFE_ES_TaskInfo::StackSize

Size of task stack

Definition at line 506 of file default cfe es extern typedefs.h.

10.52.2.7 TaskId CFE_ES_TaskId_t CFE_ES_TaskInfo::TaskId

Task Id.

Definition at line 501 of file default cfe es extern typedefs.h.

10.52.2.8 TaskName char CFE_ES_TaskInfo::TaskName[CFE_MISSION_MAX_API_LEN]

Task Name.

Definition at line 503 of file default cfe es extern typedefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/config/default_cfe_es_extern_typedefs.h

10.53 CFE_ES_WriteERLogCmd Struct Reference

#include <default_cfe_es_msgstruct.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

• CFE_ES_FileNameCmd_Payload_t Payload

Command payload.

10.53.1 Detailed Description

Definition at line 124 of file default cfe es msgstruct.h.

10.53.2 Field Documentation

10.53.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_WriteERLogCmd::CommandHeader Command header.

Definition at line 126 of file default cfe es msgstruct.h.

10.53.2.2 Payload CFE_ES_FileNameCmd_Payload_t CFE_ES_WriteERLogCmd::Payload

Command payload.

Definition at line 127 of file default_cfe_es_msgstruct.h.

The documentation for this struct was generated from the following file:

· cfe/modules/es/config/default cfe es msgstruct.h

10.54 CFE ES WriteSysLogCmd Struct Reference

#include <default_cfe_es_msgstruct.h>

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

• CFE_ES_FileNameCmd_Payload_t Payload

Command payload.

10.54.1 Detailed Description

Definition at line 118 of file default_cfe_es_msgstruct.h.

10.54.2 Field Documentation

 $\textbf{10.54.2.1} \quad \textbf{CommandHeader} \quad \texttt{CFE_MSG_CommandHeader_t} \quad \texttt{CFE_ES_WriteSysLogCmd::} \\ \textbf{CommandHeader} \quad \textbf{CFE_MSG_CommandHeader_t} \quad \textbf{CFE_ES_WriteSysLogCmd::} \\ \textbf{CommandHeader_t} \quad \textbf{CFE_MSG_CommandHeader_t} \quad \textbf{CFE_ES_WriteSysLogCmd::} \\ \textbf{CFE_MSG_CommandHeader_t} \quad \textbf{CFE_MSG_CommandHeader_t} \quad \textbf{CFE_MSG_CommandHeader_t} \\ \textbf{CFE_MSG_CommandHeader_t} \quad \textbf{CFE_MSG_CommandHeader_t} \quad \textbf{CFE_MSG_CommandHeader_t} \\ \textbf{CFE_MSG_CommandHeader_t} \quad \textbf{CFE_MSG_CommandHeader_t} \quad \textbf{CFE_MSG_CommandHeader_t} \\ \textbf{CFE_CommandHeader_t} \\ \textbf{CFE_MSG_CommandHeader_t} \\ \textbf{C$

Command header.

Definition at line 120 of file default_cfe_es_msgstruct.h.

10.54.2.2 Payload CFE_ES_FileNameCmd_Payload_t CFE_ES_WriteSysLogCmd::Payload

Command payload.

Definition at line 121 of file default cfe es msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/config/default_cfe_es_msgstruct.h

10.55 CFE_EVS_AddEventFilterCmd Struct Reference

#include <default_cfe_evs_msgstruct.h>

Data Fields

· CFE MSG CommandHeader t CommandHeader

Command header.

CFE EVS AppNameEventIDMaskCmd Payload t Payload

Command payload.

10.55.1 Detailed Description

Definition at line 203 of file default cfe evs msgstruct.h.

10.55.2 Field Documentation

10.55.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_EVS_AddEventFilterCmd::CommandHeader Command header.

Definition at line 205 of file default cfe evs msgstruct.h.

10.55.2.2 Payload CFE_EVS_AppNameEventIDMaskCmd_Payload_t CFE_EVS_AddEventFilterCmd::Payload Command payload.

Definition at line 206 of file default cfe evs msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/evs/config/default_cfe_evs_msgstruct.h

10.56 CFE_EVS_AppDataCmd_Payload Struct Reference

Write Event Services Application Information to File Command Payload.

#include <default_cfe_evs_msgdefs.h>

Data Fields

char AppDataFilename [CFE_MISSION_MAX_PATH_LEN]

Filename where application data is to be written.

10.56.1 Detailed Description

Write Event Services Application Information to File Command Payload. For command details, see CFE_EVS_WRITE_APP_DATA_FILE_CC Definition at line 68 of file default_cfe_evs_msgdefs.h.

10.56.2 Field Documentation

10.56.2.1 AppDataFilename char CFE_EVS_AppDataCmd_Payload::AppDataFilename[CFE_MISSION_MAX_PATH_LEN] Filename where application data is to be written.

Definition at line 70 of file default_cfe_evs_msgdefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/evs/config/default cfe evs msgdefs.h

10.57 CFE_EVS_AppNameBitMaskCmd_Payload Struct Reference

Generic App Name and Bitmask Command Payload.

#include <default_cfe_evs_msgdefs.h>

Data Fields

char AppName [CFE_MISSION_MAX_API_LEN]

Application name to use in the command.

uint8 BitMask

BitMask to use in the command.

• uint8 Spare

Pad to even byte.

10.57.1 Detailed Description

Generic App Name and Bitmask Command Payload.

For command details, see CFE_EVS_ENABLE_APP_EVENT_TYPE_CC and/or CFE_EVS_DISABLE_APP_EVENT_TYPE_CC Definition at line 140 of file default_cfe_evs_msgdefs.h.

10.57.2 Field Documentation

10.57.2.1 AppName char CFE_EVS_AppNameBitMaskCmd_Payload::AppName[CFE_MISSION_MAX_API_LEN] Application name to use in the command.

Definition at line 142 of file default cfe evs msgdefs.h.

10.57.2.2 BitMask uint8 CFE_EVS_AppNameBitMaskCmd_Payload::BitMask

BitMask to use in the command.

Definition at line 143 of file default cfe evs msgdefs.h.

10.57.2.3 Spare uint8 CFE_EVS_AppNameBitMaskCmd_Payload::Spare

Pad to even byte.

Definition at line 144 of file default_cfe_evs_msgdefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/evs/config/default_cfe_evs_msgdefs.h

10.58 CFE EVS AppNameCmd Payload Struct Reference

Generic App Name Command Payload.

#include <default_cfe_evs_msgdefs.h>

Data Fields

char AppName [CFE_MISSION_MAX_API_LEN]

Application name to use in the command.

10.58.1 Detailed Description

Generic App Name Command Payload.

For command details, see CFE_EVS_ENABLE_APP_EVENTS_CC, CFE_EVS_DISABLE_APP_EVENTS_CC, CFE_EVS_RESET_APP_COUNTER_CC and/or CFE_EVS_RESET_ALL_FILTERS_CC Definition at line 117 of file default_cfe_evs_msgdefs.h.

10.58.2 Field Documentation

10.58.2.1 AppName char CFE_EVS_AppNameCmd_Payload::AppName[CFE_MISSION_MAX_API_LEN]

Application name to use in the command.

Definition at line 119 of file default_cfe_evs_msgdefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/evs/config/default_cfe_evs_msgdefs.h

10.59 CFE_EVS_AppNameEventIDCmd_Payload Struct Reference

Generic App Name and Event ID Command Payload.

#include <default_cfe_evs_msgdefs.h>

Data Fields

char AppName [CFE_MISSION_MAX_API_LEN]

Application name to use in the command.

uint16 EventID

Event ID to use in the command.

10.59.1 Detailed Description

Generic App Name and Event ID Command Payload.

For command details, see CFE_EVS_RESET_FILTER_CC and CFE_EVS_DELETE_EVENT_FILTER_CC Definition at line 128 of file default_cfe_evs_msgdefs.h.

10.59.2 Field Documentation

10.59.2.1 AppName char CFE_EVS_AppNameEventIDCmd_Payload::AppName[CFE_MISSION_MAX_API_LEN]

Application name to use in the command.

Definition at line 130 of file default_cfe_evs_msgdefs.h.

10.59.2.2 EventID uint16 CFE_EVS_AppNameEventIDCmd_Payload::EventID

Event ID to use in the command.

Definition at line 131 of file default_cfe_evs_msgdefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/evs/config/default_cfe_evs_msgdefs.h

10.60 CFE EVS AppNameEventIDMaskCmd Payload Struct Reference

Generic App Name, Event ID, Mask Command Payload.

#include <default_cfe_evs_msqdefs.h>

Data Fields

char AppName [CFE MISSION MAX API LEN]

Application name to use in the command.

uint16 EventID

Event ID to use in the command.

uint16 Mask

Mask to use in the command.

10.60.1 Detailed Description

Generic App Name, Event ID, Mask Command Payload.

For command details, see CFE_EVS_SET_FILTER_CC, CFE_EVS_ADD_EVENT_FILTER_CC and/or CFE_EVS_DELETE_EVENT_FILD Definition at line 154 of file default_cfe_evs_msgdefs.h.

10.60.2 Field Documentation

10.60.2.1 AppName char CFE_EVS_AppNameEventIDMaskCmd_Payload::AppName[CFE_MISSION_MAX_API_LEN]

Application name to use in the command.

Definition at line 156 of file default_cfe_evs_msgdefs.h.

10.60.2.2 EventID uint16 CFE_EVS_AppNameEventIDMaskCmd_Payload::EventID

Event ID to use in the command.

Definition at line 157 of file default_cfe_evs_msgdefs.h.

10.60.2.3 Mask uint16 CFE_EVS_AppNameEventIDMaskCmd_Payload::Mask

Mask to use in the command.

Definition at line 158 of file default cfe evs msgdefs.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/config/default_cfe_evs_msgdefs.h

10.61 CFE_EVS_AppTImData Struct Reference

#include <default_cfe_evs_msgdefs.h>

Data Fields

CFE ES Appld t ApplD

Numerical application identifier.

• uint16 AppMessageSentCounter

Application message sent counter.

· uint8 AppEnableStatus

Application event service enable status.

uint8 AppMessageSquelchedCounter

Number of events squelched.

10.61.1 Detailed Description

Definition at line 167 of file default cfe evs msgdefs.h.

10.61.2 Field Documentation

10.61.2.1 AppEnableStatus uint8 CFE_EVS_AppTlmData::AppEnableStatus Application event service enable status.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_APP[CFE_PLATFORM_ES_MAX_APPLICATIONS].APPENASTAT

Definition at line 173 of file default cfe evs msgdefs.h.

10.61.2.2 AppID CFE_ES_AppId_t CFE_EVS_AppTlmData::AppID Numerical application identifier.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_APP[CFE_PLATFORM_ES_MAX_APPLICATIONS].APPID

Definition at line 169 of file default cfe evs msgdefs.h.

10.61.2.3 AppMessageSentCounter uint16 CFE_EVS_AppTlmData::AppMessageSentCounter Application message sent counter.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_APP[CFE_PLATFORM_ES_MAX_APPLICATIONS].APPMSGSENTC

Definition at line 171 of file default cfe evs msgdefs.h.

10.61.2.4 AppMessageSquelchedCounter uint8 CFE_EVS_AppTlmData::AppMessageSquelchedCounter Number of events squelched.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_APP[CFE_PLATFORM_ES_MAX_APPLICATIONS].SQUELCHEDC

Definition at line 175 of file default cfe evs msgdefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/evs/config/default_cfe_evs_msgdefs.h

10.62 CFE_EVS_BinFilter Struct Reference

Event message filter definition structure.

#include <cfe_evs_api_typedefs.h>

Data Fields

uint16 EventID

Numerical event identifier.

· uint16 Mask

Binary filter mask value.

10.62.1 Detailed Description

Event message filter definition structure.

Definition at line 60 of file cfe_evs_api_typedefs.h.

10.62.2 Field Documentation

10.62.2.1 EventID uint16 CFE_EVS_BinFilter::EventID

Numerical event identifier.

Definition at line 62 of file cfe evs api typedefs.h.

10.62.2.2 Mask uint16 CFE_EVS_BinFilter::Mask

Binary filter mask value.

Definition at line 63 of file cfe_evs_api_typedefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/core_api/fsw/inc/cfe_evs_api_typedefs.h

10.63 CFE_EVS_BitMaskCmd_Payload Struct Reference

Generic Bitmask Command Payload.

#include <default_cfe_evs_msgdefs.h>

Data Fields

uint8 BitMask

BitMask to use in the command.

• uint8 Spare

Pad to even byte.

10.63.1 Detailed Description

Generic Bitmask Command Payload.

For command details, see CFE_EVS_ENABLE_EVENT_TYPE_CC, CFE_EVS_DISABLE_EVENT_TYPE_CC, CFE_EVS_ENABLE_PORTS_CC and/or CFE_EVS_DISABLE_PORTS_CC

Definition at line 104 of file default_cfe_evs_msgdefs.h.

10.63.2 Field Documentation

10.63.2.1 BitMask uint8 CFE_EVS_BitMaskCmd_Payload::BitMask

BitMask to use in the command.

Definition at line 106 of file default_cfe_evs_msgdefs.h.

10.63.2.2 Spare uint8 CFE_EVS_BitMaskCmd_Payload::Spare

Pad to even byte.

Definition at line 107 of file default_cfe_evs_msgdefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/evs/config/default cfe evs msgdefs.h

10.64 CFE_EVS_ClearLogCmd Struct Reference

#include <default_cfe_evs_msgstruct.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

10.64.1 Detailed Description

Definition at line 60 of file default cfe evs msgstruct.h.

10.64.2 Field Documentation

10.64.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_EVS_ClearLogCmd::CommandHeader Command header.

Definition at line 62 of file default_cfe_evs_msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/evs/config/default cfe evs msgstruct.h

10.65 CFE_EVS_DeleteEventFilterCmd Struct Reference

#include <default_cfe_evs_msgstruct.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_EVS_AppNameEventIDCmd_Payload_t Payload

Command payload.

10.65.1 Detailed Description

Definition at line 175 of file default_cfe_evs_msgstruct.h.

10.65.2 Field Documentation

10.65.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_EVS_DeleteEventFilterCmd::CommandHeader Command header.

Definition at line 177 of file default_cfe_evs_msgstruct.h.

10.65.2.2 Payload CFE_EVS_AppNameEventIDCmd_Payload_t CFE_EVS_DeleteEventFilterCmd::Payload Command payload.

Definition at line 178 of file default_cfe_evs_msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/evs/config/default cfe evs msgstruct.h

10.66 CFE_EVS_DisableAppEventsCmd Struct Reference

#include <default_cfe_evs_msgstruct.h>

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_EVS_AppNameCmd_Payload_t Payload

Command payload.

10.66.1 Detailed Description

Definition at line 146 of file default cfe evs msgstruct.h.

10.66.2 Field Documentation

10.66.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_EVS_DisableAppEventsCmd::CommandHeader Command header.

Definition at line 148 of file default_cfe_evs_msgstruct.h.

10.66.2.2 Payload CFE_EVS_AppNameCmd_Payload_t CFE_EVS_DisableAppEventsCmd::Payload Command payload.

Definition at line 149 of file default cfe evs msgstruct.h.

The documentation for this struct was generated from the following file:

· cfe/modules/evs/config/default cfe evs msgstruct.h

10.67 CFE_EVS_DisableAppEventTypeCmd Struct Reference

#include <default_cfe_evs_msgstruct.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_EVS_AppNameBitMaskCmd_Payload_t Payload

Command payload.

10.67.1 Detailed Description

Definition at line 192 of file default_cfe_evs_msgstruct.h.

10.67.2 Field Documentation

10.67.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_EVS_DisableAppEventTypeCmd::CommandHeader Command header.

Definition at line 194 of file default cfe evs msgstruct.h.

10.67.2.2 Payload CFE_EVS_AppNameBitMaskCmd_Payload_t CFE_EVS_DisableAppEventTypeCmd::Payload Command payload.

Definition at line 195 of file default cfe evs msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/evs/config/default cfe evs msgstruct.h

10.68 CFE_EVS_DisableEventTypeCmd Struct Reference

#include <default_cfe_evs_msgstruct.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

• CFE_EVS_BitMaskCmd_Payload_t Payload

Command payload.

10.68.1 Detailed Description

Definition at line 129 of file default cfe evs msgstruct.h.

10.68.2 Field Documentation

10.68.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_EVS_DisableEventTypeCmd::CommandHeader Command header.

Definition at line 131 of file default_cfe_evs_msgstruct.h.

10.68.2.2 Payload CFE_EVS_BitMaskCmd_Payload_t CFE_EVS_DisableEventTypeCmd::Payload Command payload.

Definition at line 132 of file default cfe evs msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/config/default_cfe_evs_msgstruct.h

10.69 CFE_EVS_DisablePortsCmd Struct Reference

#include <default_cfe_evs_msgstruct.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

• CFE_EVS_BitMaskCmd_Payload_t Payload

Command payload.

10.69.1 Detailed Description

Definition at line 117 of file default cfe evs msgstruct.h.

10.69.2 Field Documentation

10.69.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_EVS_DisablePortsCmd::CommandHeader Command header.

Definition at line 119 of file default cfe evs msgstruct.h.

10.69.2.2 Payload CFE_EVS_BitMaskCmd_Payload_t CFE_EVS_DisablePortsCmd::Payload Command payload.

Definition at line 120 of file default_cfe_evs_msgstruct.h.

The documentation for this struct was generated from the following file:

· cfe/modules/evs/config/default cfe evs msgstruct.h

10.70 CFE EVS EnableAppEventsCmd Struct Reference

#include <default_cfe_evs_msgstruct.h>

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_EVS_AppNameCmd_Payload_t Payload

Command payload.

10.70.1 Detailed Description

Definition at line 140 of file default_cfe_evs_msgstruct.h.

10.70.2 Field Documentation

10.70.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_EVS_EnableAppEventsCmd::CommandHeader Command header.

Definition at line 142 of file default_cfe_evs_msgstruct.h.

10.70.2.2 Payload CFE_EVS_AppNameCmd_Payload_t CFE_EVS_EnableAppEventsCmd::Payload Command payload.

Definition at line 143 of file default cfe evs msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/config/default_cfe_evs_msgstruct.h

10.71 CFE_EVS_EnableAppEventTypeCmd Struct Reference

#include <default_cfe_evs_msgstruct.h>

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_EVS_AppNameBitMaskCmd_Payload_t Payload

Command payload.

10.71.1 Detailed Description

Definition at line 186 of file default cfe evs msgstruct.h.

10.71.2 Field Documentation

10.71.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_EVS_EnableAppEventTypeCmd::CommandHeader Command header.

Definition at line 188 of file default cfe evs msgstruct.h.

10.71.2.2 Payload CFE_EVS_AppNameBitMaskCmd_Payload_t CFE_EVS_EnableAppEventTypeCmd::Payload Command payload.

Definition at line 189 of file default cfe evs msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/config/default_cfe_evs_msgstruct.h

10.72 CFE_EVS_EnableEventTypeCmd Struct Reference

#include <default_cfe_evs_msgstruct.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

• CFE_EVS_BitMaskCmd_Payload_t Payload

Command payload.

10.72.1 Detailed Description

Definition at line 123 of file default cfe evs msgstruct.h.

10.72.2 Field Documentation

10.72.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_EVS_EnableEventTypeCmd::CommandHeader Command header.

Definition at line 125 of file default cfe evs msgstruct.h.

10.72.2.2 Payload CFE_EVS_BitMaskCmd_Payload_t CFE_EVS_EnableEventTypeCmd::Payload Command payload.

Definition at line 126 of file default cfe evs msgstruct.h.

The documentation for this struct was generated from the following file:

· cfe/modules/evs/config/default cfe evs msgstruct.h

10.73 CFE_EVS_EnablePortsCmd Struct Reference

#include <default_cfe_evs_msgstruct.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_EVS_BitMaskCmd_Payload_t Payload

Command payload.

10.73.1 Detailed Description

Definition at line 111 of file default cfe evs msgstruct.h.

10.73.2 Field Documentation

10.73.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_EVS_EnablePortsCmd::CommandHeader Command header.

Definition at line 113 of file default_cfe_evs_msgstruct.h.

10.73.2.2 Payload CFE_EVS_BitMaskCmd_Payload_t CFE_EVS_EnablePortsCmd::Payload

Command payload.

Definition at line 114 of file default cfe evs msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/config/default_cfe_evs_msgstruct.h

10.74 CFE EVS HousekeepingTlm Struct Reference

#include <default_cfe_evs_msgstruct.h>

Data Fields

CFE_MSG_TelemetryHeader_t TelemetryHeader

Telemetry header.

• CFE_EVS_HousekeepingTlm_Payload_t Payload

Telemetry payload.

10.74.1 Detailed Description

Definition at line 221 of file default cfe evs msgstruct.h.

10.74.2 Field Documentation

10.74.2.1 Payload CFE_EVS_HousekeepingTlm_Payload_t CFE_EVS_HousekeepingTlm::Payload

Telemetry payload.

Definition at line 224 of file default cfe evs msgstruct.h.

10.74.2.2 TelemetryHeader CFE_MSG_TelemetryHeader_t CFE_EVS_HousekeepingTlm::TelemetryHeader

Telemetry header.

Definition at line 223 of file default_cfe_evs_msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/config/default_cfe_evs_msgstruct.h

10.75 CFE_EVS_HousekeepingTIm_Payload Struct Reference

#include <default_cfe_evs_msgdefs.h>

Data Fields

uint8 CommandCounter

EVS Command Counter.

uint8 CommandErrorCounter

EVS Command Error Counter.

uint8 MessageFormatMode

Event message format mode (short/long)

· uint8 MessageTruncCounter

Event message truncation counter.

uint8 UnregisteredAppCounter

Unregistered application message send counter.

uint8 OutputPort

Output port mask.

uint8 LogFullFlag

Local event log full flag.

· uint8 LogMode

Local event logging mode (overwrite/discard)

· uint16 MessageSendCounter

Event message send counter.

• uint16 LogOverflowCounter

Local event log overflow counter.

uint8 LogEnabled

Current event log enable/disable state.

• uint8 Spare1

Padding for 32 bit boundary.

• uint8 Spare2

Padding for 32 bit boundary.

uint8 Spare3

Padding for 32 bit boundary.

CFE_EVS_AppTImData_t AppData [CFE_MISSION_ES_MAX_APPLICATIONS]

Array of registered application table data.

10.75.1 Detailed Description

Name Event Services Housekeeping Telemetry Packet

Definition at line 182 of file default_cfe_evs_msgdefs.h.

10.75.2 Field Documentation

10.75.2.1 AppData CFE_EVS_AppTlmData_t CFE_EVS_HousekeepingTlm_Payload::AppData[CFE_MISSION_ES_MAX_APPLICATIONS] Array of registered application table data.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_APP[CFE_PLATFORM_ES_MAX_APPLICATIONS]

Definition at line 216 of file default cfe evs msgdefs.h.

10.75.2.2 CommandCounter uint8 CFE_EVS_HousekeepingTlm_Payload::CommandCounter EVS Command Counter.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_CMDPC

Definition at line 184 of file default cfe evs msgdefs.h.

10.75.2.3 CommandErrorCounter uint8 CFE_EVS_HousekeepingTlm_Payload::CommandErrorCounter EVS Command Error Counter.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_CMDEC

Definition at line 186 of file default_cfe_evs_msgdefs.h.

10.75.2.4 LogEnabled uint8 CFE_EVS_HousekeepingTlm_Payload::LogEnabled Current event log enable/disable state.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_LOGENABLED

Definition at line 207 of file default_cfe_evs_msgdefs.h.

10.75.2.5 LogFullFlag uint8 CFE_EVS_HousekeepingTlm_Payload::LogFullFlag Local event log full flag.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_LOGFULL

Definition at line 197 of file default_cfe_evs_msgdefs.h.

10.75.2.6 LogMode uint8 CFE_EVS_HousekeepingTlm_Payload::LogMode Local event logging mode (overwrite/discard)

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_LOGMODE

Definition at line 199 of file default cfe evs msgdefs.h.

10.75.2.7 LogOverflowCounter uint16 CFE_EVS_HousekeepingTlm_Payload::LogOverflowCounter Local event log overflow counter.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_LOGOVERFLOWC

Definition at line 204 of file default cfe evs msgdefs.h.

10.75.2.8 MessageFormatMode uint8 CFE_EVS_HousekeepingTlm_Payload::MessageFormatMode Event message format mode (short/long)

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_MSGFMTMODE

Definition at line 188 of file default cfe evs msgdefs.h.

10.75.2.9 MessageSendCounter uint16 CFE_EVS_HousekeepingTlm_Payload::MessageSendCounter Event message send counter.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_MSGSENTC

Definition at line 202 of file default_cfe_evs_msgdefs.h.

10.75.2.10 MessageTruncCounter uint8 CFE_EVS_HousekeepingTlm_Payload::MessageTruncCounter Event message truncation counter.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_MSGTRUNC

Definition at line 190 of file default_cfe_evs_msgdefs.h.

 $\begin{tabular}{ll} \textbf{10.75.2.11} & \textbf{OutputPort} & \textbf{uint8} & \textbf{CFE_EVS_HousekeepingTlm_Payload::} \textbf{OutputPort} \\ \textbf{Output port mask.} \end{tabular}$

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_OUTPUTPORT

Definition at line 195 of file default_cfe_evs_msgdefs.h.

 $\begin{tabular}{ll} \textbf{10.75.2.12} & \textbf{Spare1} & \texttt{uint8} & \texttt{CFE_EVS_HousekeepingTlm_Payload::Spare1} \\ \textbf{Padding for 32 bit boundary.} \\ \end{tabular}$

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_HK_SPARE1

Definition at line 209 of file default_cfe_evs_msgdefs.h.

10.75.2.13 Spare2 uint8 CFE_EVS_HousekeepingTlm_Payload::Spare2 Padding for 32 bit boundary.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_HK_SPARE2

Definition at line 211 of file default cfe evs msgdefs.h.

10.75.2.14 Spare3 uint8 CFE_EVS_HousekeepingTlm_Payload::Spare3 Padding for 32 bit boundary.

Telemetry Mnemonic(s) \$sc \$cpu EVS HK SPARE3

Definition at line 213 of file default cfe evs msgdefs.h.

10.75.2.15 UnregisteredAppCounter uint8 CFE_EVS_HousekeepingTlm_Payload::UnregisteredAppCounter Unregistered application message send counter.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_UNREGAPPC

Definition at line 193 of file default_cfe_evs_msgdefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/evs/config/default_cfe_evs_msgdefs.h

10.76 CFE_EVS_LogFileCmd_Payload Struct Reference

Write Event Log to File Command Payload.

#include <default_cfe_evs_msgdefs.h>

Data Fields

char LogFilename [CFE_MISSION_MAX_PATH_LEN]

Filename where log data is to be written.

10.76.1 Detailed Description

Write Event Log to File Command Payload. For command details, see CFE_EVS_WRITE_LOG_DATA_FILE_CC Definition at line 57 of file default_cfe_evs_msgdefs.h.

10.76.2 Field Documentation

10.76.2.1 LogFilename char CFE_EVS_LogFileCmd_Payload::LogFilename[CFE_MISSION_MAX_PATH_LEN] Filename where log data is to be written.

Definition at line 59 of file default cfe evs msgdefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/evs/config/default_cfe_evs_msgdefs.h

10.77 CFE EVS LongEventTlm Struct Reference

#include <default_cfe_evs_msgstruct.h>

Data Fields

• CFE_MSG_TelemetryHeader_t TelemetryHeader

Telemetry header.

CFE_EVS_LongEventTlm_Payload_t Payload

Telemetry payload.

10.77.1 Detailed Description

Definition at line 227 of file default cfe evs msgstruct.h.

10.77.2 Field Documentation

10.77.2.1 Payload CFE_EVS_LongEventTlm_Payload_t CFE_EVS_LongEventTlm::Payload

Telemetry payload.

Definition at line 230 of file default_cfe_evs_msgstruct.h.

$\textbf{10.77.2.2} \quad \textbf{Telemetry Header} \quad \texttt{CFE_MSG_Telemetry Header_t} \quad \texttt{CFE_EVS_Long EventTlm::} \\ \textbf{Telemetry Header} \quad \texttt{Telemetry Header_t} \quad \texttt{CFE_EVS_Long EventTlm::} \\ \textbf{Telemetry Header_t} \quad \texttt{Telemetry Header_t} \quad$

Telemetry header.

Definition at line 229 of file default cfe evs msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/config/default_cfe_evs_msgstruct.h

10.78 CFE EVS LongEventTlm Payload Struct Reference

#include <default_cfe_evs_msgdefs.h>

Data Fields

• CFE_EVS_PacketID_t PacketID

Event packet information.

char Message [CFE_MISSION_EVS_MAX_MESSAGE_LENGTH]

Event message string.

• uint8 Spare1

Structure padding.

• uint8 Spare2

Structure padding.

10.78.1 Detailed Description

Name Event Message Telemetry Packet (Long format)

Definition at line 239 of file default_cfe_evs_msgdefs.h.

10.78.2 Field Documentation

10.78.2.1 Message char CFE_EVS_LongEventTlm_Payload::Message[CFE_MISSION_EVS_MAX_MESSAGE_LENGTH] Event message string.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_EVENT[CFE_MISSION_EVS_MAX_MESSAGE_LENGTH]

Definition at line 242 of file default cfe evs msgdefs.h.

10.78.2.2 PacketID CFE_EVS_PacketID_t CFE_EVS_LongEventTlm_Payload::PacketID

Event packet information.

Definition at line 241 of file default cfe evs msgdefs.h.

10.78.2.3 Spare1 uint8 CFE_EVS_LongEventTlm_Payload::Spare1

Structure padding.

Telemetry Mnemonic(s) \$sc \$cpu EVS SPARE1

Definition at line 244 of file default_cfe_evs_msgdefs.h.

10.78.2.4 Spare2 uint8 CFE_EVS_LongEventTlm_Payload::Spare2

Structure padding.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_SPARE2

Definition at line 246 of file default_cfe_evs_msgdefs.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/config/default_cfe_evs_msgdefs.h

10.79 CFE_EVS_NoopCmd Struct Reference

#include <default_cfe_evs_msgstruct.h>

Data Fields

· CFE MSG CommandHeader t CommandHeader

Command header.

10.79.1 Detailed Description

Definition at line 50 of file default_cfe_evs_msgstruct.h.

10.79.2 Field Documentation

10.79.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_EVS_NoopCmd::CommandHeader

Command header.

Definition at line 54 of file default_cfe_evs_msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/evs/config/default_cfe_evs_msgstruct.h

10.80 CFE_EVS_PacketID Struct Reference

#include <default_cfe_evs_msqdefs.h>

Data Fields

char AppName [CFE MISSION MAX API LEN]

Application name.

uint16 EventID

Numerical event identifier.

uint16 EventType

Numerical event type identifier.

uint32 SpacecraftID

Spacecraft identifier.

· uint32 ProcessorID

Numerical processor identifier.

10.80.1 Detailed Description

Telemetry packet structures

Definition at line 222 of file default_cfe_evs_msgdefs.h.

10.80.2 Field Documentation

10.80.2.1 AppName char CFE_EVS_PacketID::AppName[CFE_MISSION_MAX_API_LEN] Application name.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_APPNAME[OS_MAX_API_NAME]

Definition at line 224 of file default_cfe_evs_msgdefs.h.

10.80.2.2 EventID uint16 CFE_EVS_PacketID::EventID

Numerical event identifier.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_EVENTID

Definition at line 226 of file default_cfe_evs_msgdefs.h.

10.80.2.3 EventType uint16 CFE_EVS_PacketID::EventType

Numerical event type identifier.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_EVENTTYPE

Definition at line 228 of file default_cfe_evs_msgdefs.h.

10.80.2.4 ProcessorID uint32 CFE_EVS_PacketID::ProcessorID

Numerical processor identifier.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_PROCESSORID

Definition at line 232 of file default_cfe_evs_msgdefs.h.

10.80.2.5 SpacecraftID uint32 CFE_EVS_PacketID::SpacecraftID Spacecraft identifier.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_SCID

Definition at line 230 of file default_cfe_evs_msgdefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/evs/config/default_cfe_evs_msgdefs.h

10.81 CFE EVS ResetAllFiltersCmd Struct Reference

#include <default_cfe_evs_msgstruct.h>

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_EVS_AppNameCmd_Payload_t Payload

Command payload.

10.81.1 Detailed Description

Definition at line 158 of file default_cfe_evs_msgstruct.h.

10.81.2 Field Documentation

10.81.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_EVS_ResetAllFiltersCmd::CommandHeader Command header.

Definition at line 160 of file default_cfe_evs_msgstruct.h.

10.81.2.2 Payload CFE_EVS_AppNameCmd_Payload_t CFE_EVS_ResetAllFiltersCmd::Payload Command payload.

Definition at line 161 of file default_cfe_evs_msgstruct.h.

The documentation for this struct was generated from the following file:

· cfe/modules/evs/config/default cfe evs msgstruct.h

10.82 CFE EVS ResetAppCounterCmd Struct Reference

#include <default_cfe_evs_msgstruct.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

· CFE EVS AppNameCmd Payload t Payload

Command payload.

10.82.1 Detailed Description

Definition at line 152 of file default cfe evs msgstruct.h.

10.82.2 Field Documentation

10.82.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_EVS_ResetAppCounterCmd::CommandHeader Command header.

Definition at line 154 of file default_cfe_evs_msgstruct.h.

10.82.2.2 Payload CFE_EVS_AppNameCmd_Payload_t CFE_EVS_ResetAppCounterCmd::Payload Command payload.

Definition at line 155 of file default_cfe_evs_msgstruct.h.

The documentation for this struct was generated from the following file:

· cfe/modules/evs/config/default cfe evs msgstruct.h

10.83 CFE_EVS_ResetCountersCmd Struct Reference

#include <default_cfe_evs_msgstruct.h>

Data Fields

 CFE_MSG_CommandHeader_t CommandHeader Command header.

10.83.1 Detailed Description

Definition at line 55 of file default_cfe_evs_msgstruct.h.

10.83.2 Field Documentation

10.83.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_EVS_ResetCountersCmd::CommandHeader Command header.

Definition at line 57 of file default_cfe_evs_msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/evs/config/default_cfe_evs_msgstruct.h

10.84 CFE_EVS_ResetFilterCmd Struct Reference

#include <default_cfe_evs_msgstruct.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_EVS_AppNameEventIDCmd_Payload_t Payload

Command payload.

10.84.1 Detailed Description

Definition at line 169 of file default cfe evs msgstruct.h.

10.84.2 Field Documentation

10.84.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_EVS_ResetFilterCmd::CommandHeader Command header.

Definition at line 171 of file default cfe evs msgstruct.h.

10.84.2.2 Payload CFE_EVS_AppNameEventIDCmd_Payload_t CFE_EVS_ResetFilterCmd::Payload Command payload.

Definition at line 172 of file default_cfe_evs_msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/evs/config/default_cfe_evs_msgstruct.h

10.85 CFE_EVS_SendHkCmd Struct Reference

#include <default_cfe_evs_msqstruct.h>

Data Fields

CFE MSG CommandHeader t CommandHeader

Command header.

10.85.1 Detailed Description

Definition at line 65 of file default_cfe_evs_msgstruct.h.

10.85.2 Field Documentation

10.85.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_EVS_SendHkCmd::CommandHeader Command header.

Definition at line 67 of file default cfe evs msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/config/default_cfe_evs_msgstruct.h

10.86 CFE_EVS_SetEventFormatCode_Payload Struct Reference

Set Event Format Mode Command Payload.

#include <default_cfe_evs_msgdefs.h>

Data Fields

• CFE_EVS_MsgFormat_Enum_t MsgFormat

Mode to use in the command.

· uint8 Spare

Pad to even byte.

10.86.1 Detailed Description

Set Event Format Mode Command Payload.
For command details, see CFE_EVS_SET_EVENT_FORMAT_MODE_CC
Definition at line 91 of file default_cfe_evs_msgdefs.h.

10.86.2 Field Documentation

10.86.2.1 MsgFormat CFE_EVS_MsgFormat_Enum_t CFE_EVS_SetEventFormatCode_Payload::MsgFormat Mode to use in the command.

Definition at line 93 of file default_cfe_evs_msgdefs.h.

10.86.2.2 Spare uint8 CFE_EVS_SetEventFormatCode_Payload::Spare

Pad to even byte.

Definition at line 94 of file default_cfe_evs_msgdefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/evs/config/default cfe evs msgdefs.h

10.87 CFE_EVS_SetEventFormatModeCmd Struct Reference

Set Event Format Mode Command.

#include <default_cfe_evs_msgstruct.h>

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_EVS_SetEventFormatMode_Payload_t Payload

Command payload.

10.87.1 Detailed Description

Set Event Format Mode Command.

Definition at line 100 of file default_cfe_evs_msgstruct.h.

10.87.2 Field Documentation

10.87.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_EVS_SetEventFormatModeCmd::CommandHeader Command header.

Definition at line 102 of file default_cfe_evs_msgstruct.h.

10.87.2.2 Payload CFE_EVS_SetEventFormatMode_Payload_t CFE_EVS_SetEventFormatModeCmd::Payload Command payload.

Definition at line 103 of file default cfe evs msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/evs/config/default cfe evs msgstruct.h

10.88 CFE_EVS_SetFilterCmd Struct Reference

#include <default_cfe_evs_msgstruct.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_EVS_AppNameEventIDMaskCmd_Payload_t Payload

Command payload.

10.88.1 Detailed Description

Definition at line 209 of file default cfe evs msgstruct.h.

10.88.2 Field Documentation

10.88.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_EVS_SetFilterCmd::CommandHeader Command header.

Definition at line 211 of file default_cfe_evs_msgstruct.h.

10.88.2.2 Payload CFE_EVS_AppNameEventIDMaskCmd_Payload_t CFE_EVS_SetFilterCmd::Payload Command payload.

Definition at line 212 of file default_cfe_evs_msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/config/default_cfe_evs_msgstruct.h

10.89 CFE EVS SetLogMode Payload Struct Reference

Set Log Mode Command Payload.

#include <default_cfe_evs_msgdefs.h>

Data Fields

CFE EVS LogMode Enum t LogMode

Mode to use in the command.

· uint8 Spare

Pad to even byte.

10.89.1 Detailed Description

Set Log Mode Command Payload.
For command details, see CFE_EVS_SET_LOG_MODE_CC
Definition at line 79 of file default_cfe_evs_msgdefs.h.

10.89.2 Field Documentation

10.89.2.1 LogMode CFE_EVS_LogMode_Enum_t CFE_EVS_SetLogMode_Payload::LogMode

Mode to use in the command.

Definition at line 81 of file default_cfe_evs_msgdefs.h.

10.89.2.2 Spare uint8 CFE_EVS_SetLogMode_Payload::Spare

Pad to even byte.

Definition at line 82 of file default_cfe_evs_msgdefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/evs/config/default_cfe_evs_msgdefs.h

10.90 CFE_EVS_SetLogModeCmd Struct Reference

Set Log Mode Command.

#include <default_cfe_evs_msgstruct.h>

Data Fields

· CFE MSG CommandHeader t CommandHeader

Command header.

• CFE_EVS_SetLogMode_Payload_t Payload

Command payload.

10.90.1 Detailed Description

Set Log Mode Command.

Definition at line 91 of file default_cfe_evs_msgstruct.h.

10.90.2 Field Documentation

 $\textbf{10.90.2.1} \quad \textbf{CommandHeader} \quad \texttt{CFE_MSG_CommandHeader_t} \quad \texttt{CFE_EVS_SetLogModeCmd::} \\ \textbf{CommandHeader} \quad \textbf{CFE_MSG_CommandHeader_t} \quad \textbf{CFE_EVS_SetLogModeCmd::} \\ \textbf{CFE_MSG_CommandHeader_t} \quad \textbf{CFE_EVS_SetLogModeCmd::} \\ \textbf{CFE_MSG_CommandHeader_t} \quad \textbf{CFE_EVS_SetLogModeCmd::} \\ \textbf{CFE_MSG_CommandHeader_t} \quad \textbf{CFE_EVS_SetLogModeCmd::} \\ \textbf{CFE_MSG_CommandHeader_t} \quad \textbf{CFE_MSG_CommandHeader_t} \quad \textbf{CFE_MSG_CommandHeader_t} \\ \textbf$

Command header.

Definition at line 93 of file default_cfe_evs_msgstruct.h.

10.90.2.2 Payload CFE_EVS_SetLogMode_Payload_t CFE_EVS_SetLogModeCmd::Payload

Command payload.

Definition at line 94 of file default_cfe_evs_msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/config/default_cfe_evs_msgstruct.h

10.91 CFE_EVS_ShortEventTIm Struct Reference

#include <default_cfe_evs_msgstruct.h>

Data Fields

• CFE_MSG_TelemetryHeader_t TelemetryHeader

Telemetry header.

CFE_EVS_ShortEventTlm_Payload_t Payload

Telemetry payload.

10.91.1 Detailed Description

Definition at line 233 of file default cfe evs msgstruct.h.

10.91.2 Field Documentation

10.91.2.1 Payload CFE_EVS_ShortEventTlm_Payload_t CFE_EVS_ShortEventTlm::Payload Telemetry payload.

Definition at line 236 of file default_cfe_evs_msgstruct.h.

10.91.2.2 TelemetryHeader CFE_MSG_TelemetryHeader_t CFE_EVS_ShortEventTlm::TelemetryHeader Telemetry header.

Definition at line 235 of file default cfe evs msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/evs/config/default_cfe_evs_msgstruct.h

10.92 CFE EVS ShortEventTlm Payload Struct Reference

#include <default_cfe_evs_msgdefs.h>

Data Fields

• CFE_EVS_PacketID_t PacketID

Event packet information.

10.92.1 Detailed Description

Name Event Message Telemetry Packet (Short format)

Definition at line 253 of file default_cfe_evs_msgdefs.h.

10.92.2 Field Documentation

10.92.2.1 PacketID CFE_EVS_PacketID_t CFE_EVS_ShortEventTlm_Payload::PacketID

Event packet information.

Definition at line 255 of file default_cfe_evs_msgdefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/evs/config/default_cfe_evs_msgdefs.h

10.93 CFE_EVS_WriteAppDataFileCmd Struct Reference

Write Event Services Application Information to File Command.

#include <default_cfe_evs_msqstruct.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_EVS_AppDataCmd_Payload_t Payload

Command payload.

10.93.1 Detailed Description

Write Event Services Application Information to File Command. Definition at line 82 of file default cfe evs msgstruct.h.

10.93.2 Field Documentation

10.93.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_EVS_WriteAppDataFileCmd::CommandHeader Command header.

Definition at line 84 of file default cfe evs msgstruct.h.

10.93.2.2 Payload CFE_EVS_AppDataCmd_Payload_t CFE_EVS_WriteAppDataFileCmd::Payload Command payload.

Definition at line 85 of file default_cfe_evs_msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/evs/config/default_cfe_evs_msgstruct.h

10.94 CFE EVS WriteLogDataFileCmd Struct Reference

Write Event Log to File Command.

#include <default_cfe_evs_msgstruct.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_EVS_LogFileCmd_Payload_t Payload

Command payload.

10.94.1 Detailed Description

Write Event Log to File Command.

Definition at line 73 of file default_cfe_evs_msgstruct.h.

10.94.2 Field Documentation

10.94.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_EVS_WriteLogDataFileCmd::CommandHeader Command header.

Definition at line 75 of file default cfe evs msgstruct.h.

10.94.2.2 Payload CFE_EVS_LogFileCmd_Payload_t CFE_EVS_WriteLogDataFileCmd::Payload Command payload.

Definition at line 76 of file default cfe evs msgstruct.h.

The documentation for this struct was generated from the following file:

· cfe/modules/evs/config/default cfe evs msgstruct.h

10.95 CFE FS FileWriteMetaData Struct Reference

External Metadata/State object associated with background file writes.

#include <cfe_fs_api_typedefs.h>

Data Fields

- · volatile bool IsPending
- char FileName [OS_MAX_PATH_LEN]
- uint32 FileSubType
- char Description [CFE_FS_HDR_DESC_MAX_LEN]
- · CFE FS FileWriteGetData t GetData
- · CFE FS FileWriteOnEvent t OnEvent

10.95.1 Detailed Description

External Metadata/State object associated with background file writes.

Applications intending to schedule background file write jobs should instantiate this object in static/global data memory. This keeps track of the state of the file write request(s).

Definition at line 123 of file cfe_fs_api_typedefs.h.

10.95.2 Field Documentation

10.95.2.1 Description char CFE_FS_FileWriteMetaData::Description[CFE_FS_HDR_DESC_MAX_LEN] Description of file (for FS header)

Definition at line 131 of file cfe_fs_api_typedefs.h.

10.95.2.2 FileName char CFE_FS_FileWriteMetaData::FileName[OS_MAX_PATH_LEN]

Name of file to write

Definition at line 127 of file cfe fs api typedefs.h.

10.95.2.3 FileSubType uint32 CFE_FS_FileWriteMetaData::FileSubType

Type of file to write (for FS header)

Definition at line 130 of file cfe_fs_api_typedefs.h.

10.95.2.4 GetData CFE_FS_FileWriteGetData_t CFE_FS_FileWriteMetaData::GetData

Application callback to get a data record

Definition at line 133 of file cfe fs api typedefs.h.

10.95.2.5 IsPending volatile bool CFE_FS_FileWriteMetaData::IsPending Whether request is pending (volatile as it may be checked outside lock)

Definition at line 125 of file cfe_fs_api_typedefs.h.

10.95.2.6 OnEvent CFE_FS_FileWriteOnEvent_t CFE_FS_FileWriteMetaData::OnEvent

Application callback for abstract event processing

Definition at line 134 of file cfe_fs_api_typedefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/core_api/fsw/inc/cfe_fs_api_typedefs.h

10.96 CFE_FS_Header Struct Reference

Standard cFE File header structure definition.

#include <default cfe fs filedef.h>

Data Fields

uint32 ContentType

Identifies the content type (='cFE1'=0x63464531)

uint32 SubType

Type of Content Type, if necessary.

· uint32 Length

Length of this header to support external processing.

· uint32 SpacecraftID

Spacecraft that generated the file.

• uint32 ProcessorID

Processor that generated the file.

uint32 ApplicationID

Application that generated the file.

• uint32 TimeSeconds

File creation timestamp (seconds)

• uint32 TimeSubSeconds

File creation timestamp (sub-seconds)

char Description [CFE_FS_HDR_DESC_MAX_LEN]

File description.

10.96.1 Detailed Description

Standard cFE File header structure definition.

Definition at line 181 of file default_cfe_fs_filedef.h.

10.96.2 Field Documentation

10.96.2.1 ApplicationID uint32 CFE_FS_Header::ApplicationID

Application that generated the file.

Definition at line 190 of file default_cfe_fs_filedef.h.

10.96.2.2 ContentType uint32 CFE_FS_Header::ContentType

Identifies the content type (='cFE1'=0x63464531)

Definition at line 183 of file default cfe fs filedef.h.

10.96.2.3 Description char CFE_FS_Header::Description[CFE_FS_HDR_DESC_MAX_LEN]

File description.

Definition at line 195 of file default_cfe_fs_filedef.h.

10.96.2.4 Length uint32 CFE_FS_Header::Length

Length of this header to support external processing.

Definition at line 187 of file default cfe fs filedef.h.

10.96.2.5 ProcessorID uint32 CFE_FS_Header::ProcessorID

Processor that generated the file.

Definition at line 189 of file default cfe fs filedef.h.

10.96.2.6 SpacecraftID uint32 CFE_FS_Header::SpacecraftID

Spacecraft that generated the file.

Definition at line 188 of file default_cfe_fs_filedef.h.

10.96.2.7 SubType uint32 CFE_FS_Header::SubType

Type of ContentType, if necessary.

Standard SubType definitions can be found here

Definition at line 184 of file default cfe fs filedef.h.

10.96.2.8 TimeSeconds uint32 CFE_FS_Header::TimeSeconds

File creation timestamp (seconds)

Definition at line 192 of file default_cfe_fs_filedef.h.

10.96.2.9 TimeSubSeconds uint32 CFE_FS_Header::TimeSubSeconds

File creation timestamp (sub-seconds)

Definition at line 193 of file default_cfe_fs_filedef.h.

The documentation for this struct was generated from the following file:

• cfe/modules/fs/config/default_cfe_fs_filedef.h

10.97 CFE_SB_AllSubscriptionsTIm Struct Reference

#include <default_cfe_sb_msgstruct.h>

Data Fields

• CFE_MSG_TelemetryHeader_t TelemetryHeader

Telemetry header.

CFE_SB_AllSubscriptionsTlm_Payload_t Payload

Telemetry payload.

10.97.1 Detailed Description

Definition at line 145 of file default cfe sb msgstruct.h.

10.97.2 Field Documentation

10.97.2.1 Payload CFE_SB_AllSubscriptionsTlm_Payload_t CFE_SB_AllSubscriptionsTlm::Payload Telemetry payload.

Definition at line 148 of file default cfe sb msgstruct.h.

10.97.2.2 TelemetryHeader CFE_MSG_TelemetryHeader_t CFE_SB_AllSubscriptionsTlm::TelemetryHeader Telemetry header.

Definition at line 147 of file default cfe sb msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/config/default_cfe_sb_msgstruct.h

10.98 CFE_SB_AllSubscriptionsTlm_Payload Struct Reference

#include <default_cfe_sb_msgdefs.h>

Data Fields

uint32 PktSegment

Pkt number(starts at 1) in the series.

· uint32 TotalSegments

Total number of pkts needed to complete the request.

uint32 Entries

Number of entries in the pkt.

• CFE SB SubEntries t Entry [CFE SB SUB ENTRIES PER PKT]

Array of CFE_SB_SubEntries_t entries.

10.98.1 Detailed Description

Name SB Previous Subscriptions Packet

This structure defines the pkt(s) sent by SB that contains a list of all current subscriptions. This pkt is generated on cmd and intended to be used primarily by the Software Bus Networking Application (SBN). Typically, when the cmd is received there are more subscriptions than can fit in one pkt. The complete list of subscriptions is sent via a series of segmented pkts.

Definition at line 274 of file default cfe sb msgdefs.h.

10.98.2 Field Documentation

10.98.2.1 Entries uint32 CFE_SB_AllSubscriptionsTlm_Payload::Entries

Number of entries in the pkt.

Definition at line 278 of file default cfe sb msgdefs.h.

10.98.2.2 Entry CFE_SB_SubEntries_t CFE_SB_AllSubscriptionsTlm_Payload::Entry[CFE_SB_SUB_ENTRIES_PER_PKT]
Array of CFE_SB_SubEntries_t entries.

Definition at line 279 of file default cfe sb msgdefs.h.

10.98.2.3 PktSegment uint32 CFE_SB_AllSubscriptionsTlm_Payload::PktSegment

Pkt number(starts at 1) in the series.

Definition at line 276 of file default_cfe_sb_msgdefs.h.

10.98.2.4 TotalSegments uint32 CFE_SB_AllSubscriptionsTlm_Payload::TotalSegments

Total number of pkts needed to complete the request.

Definition at line 277 of file default_cfe_sb_msgdefs.h.

The documentation for this struct was generated from the following file:

· cfe/modules/sb/config/default cfe sb msgdefs.h

10.99 CFE_SB_DisableRouteCmd Struct Reference

#include <default_cfe_sb_msgstruct.h>

Data Fields

CFE MSG CommandHeader t CommandHeader

Command header.

CFE_SB_RouteCmd_Payload_t Payload

Command payload.

10.99.1 Detailed Description

Definition at line 117 of file default cfe sb msgstruct.h.

10.99.2 Field Documentation

10.99.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_SB_DisableRouteCmd::CommandHeader

Command header.

Definition at line 119 of file default_cfe_sb_msgstruct.h.

10.99.2.2 Payload CFE_SB_RouteCmd_Payload_t CFE_SB_DisableRouteCmd::Payload

Command payload.

Definition at line 120 of file default_cfe_sb_msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/config/default_cfe_sb_msgstruct.h

10.100 CFE SB DisableSubReportingCmd Struct Reference

#include <default_cfe_sb_msgstruct.h>

Data Fields

CFE MSG CommandHeader t CommandHeader

10.100.1 Detailed Description

Definition at line 67 of file default cfe sb msgstruct.h.

10.100.2 Field Documentation

10.100.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_SB_DisableSubReportingCmd::CommandHeader Definition at line 69 of file default_cfe_sb_msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/config/default_cfe_sb_msgstruct.h

10.101 CFE_SB_EnableRouteCmd Struct Reference

#include <default_cfe_sb_msgstruct.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_SB_RouteCmd_Payload_t Payload

Command payload.

10.101.1 Detailed Description

Definition at line 111 of file default_cfe_sb_msgstruct.h.

10.101.2 Field Documentation

10.101.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_SB_EnableRouteCmd::CommandHeader Command header.

Definition at line 113 of file default_cfe_sb_msgstruct.h.

10.101.2.2 Payload CFE_SB_RouteCmd_Payload_t CFE_SB_EnableRouteCmd::Payload

Command payload.

Definition at line 114 of file default_cfe_sb_msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/config/default_cfe_sb_msgstruct.h

10.102 CFE_SB_EnableSubReportingCmd Struct Reference

#include <default_cfe_sb_msgstruct.h>

Data Fields

CFE MSG CommandHeader t CommandHeader

10.102.1 Detailed Description

Definition at line 62 of file default_cfe_sb_msgstruct.h.

10.102.2 Field Documentation

10.102.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_SB_EnableSubReportingCmd::CommandHeader Definition at line 64 of file default_cfe_sb_msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/sb/config/default_cfe_sb_msgstruct.h

10.103 CFE_SB_HousekeepingTlm Struct Reference

```
#include <default_cfe_sb_msgstruct.h>
```

Data Fields

CFE_MSG_TelemetryHeader_t TelemetryHeader

Telemetry header.

CFE_SB_HousekeepingTlm_Payload_t Payload

Telemetry payload.

10.103.1 Detailed Description

Definition at line 127 of file default_cfe_sb_msgstruct.h.

10.103.2 Field Documentation

10.103.2.1 Payload CFE_SB_HousekeepingTlm_Payload_t CFE_SB_HousekeepingTlm::Payload Telemetry payload.

Definition at line 132 of file default cfe sb msgstruct.h.

10.103.2.2 TelemetryHeader CFE_MSG_TelemetryHeader_t CFE_SB_HousekeepingTlm::TelemetryHeader Telemetry header.

Definition at line 131 of file default_cfe_sb_msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/sb/config/default_cfe_sb_msgstruct.h

10.104 CFE_SB_HousekeepingTIm_Payload Struct Reference

```
#include <default_cfe_sb_msgdefs.h>
```

Data Fields

• uint8 CommandCounter

Count of valid commands received.

uint8 CommandErrorCounter

Count of invalid commands received.

• uint8 NoSubscribersCounter

Count pkts sent with no subscribers.

• uint8 MsgSendErrorCounter

Count of message send errors.

• uint8 MsgReceiveErrorCounter

Count of message receive errors.

uint8 InternalErrorCounter

Count of queue read or write errors.

· uint8 CreatePipeErrorCounter

Count of errors in create pipe API.

· uint8 SubscribeErrorCounter

Count of errors in subscribe API.

• uint8 PipeOptsErrorCounter

Count of errors in set/get pipe options API.

• uint8 DuplicateSubscriptionsCounter

Count of duplicate subscriptions.

uint8 GetPipeldByNameErrorCounter

Count of errors in get pipe id by name API.

uint8 Spare2Align [1]

Spare bytes to ensure alignment.

• uint16 PipeOverflowErrorCounter

Count of pipe overflow errors.

uint16 MsgLimitErrorCounter

Count of msg id to pipe errors.

CFE ES MemHandle t MemPoolHandle

Handle to SB's Memory Pool.

• uint32 MemInUse

Memory in use.

• uint32 UnmarkedMem

cfg param CFE_PLATFORM_SB_BUF_MEMORY_BYTES minus Peak Memory in use

10.104.1 Detailed Description

Name Software Bus task housekeeping Packet

Definition at line 67 of file default_cfe_sb_msgdefs.h.

10.104.2 Field Documentation

10.104.2.1 CommandCounter uint8 CFE_SB_HousekeepingTlm_Payload::CommandCounter Count of valid commands received.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_CMDPC

Definition at line 71 of file default cfe sb msgdefs.h.

10.104.2.2 CommandErrorCounter uint8 CFE_SB_HousekeepingTlm_Payload::CommandErrorCounter Count of invalid commands received.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_CMDEC

Definition at line 73 of file default_cfe_sb_msgdefs.h.

10.104.2.3 CreatePipeErrorCounter uint8 CFE_SB_HousekeepingTlm_Payload::CreatePipeErrorCounter Count of errors in create pipe API.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_NewPipeEC

Definition at line 84 of file default cfe sb msgdefs.h.

10.104.2.4 DuplicateSubscriptionsCounter uint8 CFE_SB_HousekeepingTlm_Payload::DuplicateSubscriptions← Counter

Count of duplicate subscriptions.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_DupSubCnt

Definition at line 90 of file default cfe sb msgdefs.h.

10.104.2.5 GetPipeIdByNameErrorCounter uint8 CFE_SB_HousekeepingTlm_Payload::GetPipeIdByName← ErrorCounter

Count of errors in get pipe id by name API.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_GetPipeIDByNameEC

Definition at line 92 of file default cfe sb msgdefs.h.

10.104.2.6 InternalErrorCounter uint8 CFE_SB_HousekeepingTlm_Payload::InternalErrorCounter Count of queue read or write errors.

Telemetry Mnemonic(s) \$sc \$cpu SB InternalEC

Definition at line 82 of file default_cfe_sb_msgdefs.h.

10.104.2.7 MemInUse uint32 CFE_SB_HousekeepingTlm_Payload::MemInUse Memory in use.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_MemInUse

Definition at line 105 of file default_cfe_sb_msgdefs.h.

10.104.2.8 MemPoolHandle CFE_ES_MemHandle_t CFE_SB_HousekeepingTlm_Payload::MemPoolHandle Handle to SB's Memory Pool.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_MemPoolHdl

Definition at line 102 of file default cfe sb msgdefs.h.

10.104.2.9 MsgLimitErrorCounter uint16 CFE_SB_HousekeepingTlm_Payload::MsgLimitErrorCounter Count of msg id to pipe errors.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_MsgLimEC

Definition at line 99 of file default cfe sb msgdefs.h.

10.104.2.10 MsgReceiveErrorCounter uint8 CFE_SB_HousekeepingTlm_Payload::MsgReceiveErrorCounter Count of message receive errors.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_MsgRecEC

Definition at line 80 of file default_cfe_sb_msgdefs.h.

10.104.2.11 MsgSendErrorCounter uint8 CFE_SB_HousekeepingTlm_Payload::MsgSendErrorCounter Count of message send errors.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_MsgSndEC

Definition at line 77 of file default_cfe_sb_msgdefs.h.

10.104.2.12 NoSubscribersCounter uint8 CFE_SB_HousekeepingTlm_Payload::NoSubscribersCounter Count pkts sent with no subscribers.

Telemetry Mnemonic(s) \$sc \$cpu SB NoSubEC

Definition at line 75 of file default_cfe_sb_msgdefs.h.

10.104.2.13 PipeOptsErrorCounter uint8 CFE_SB_HousekeepingTlm_Payload::PipeOptsErrorCounter Count of errors in set/get pipe options API.

Telemetry Mnemonic(s) \$sc \$cpu SB PipeOptsEC

Definition at line 88 of file default_cfe_sb_msgdefs.h.

10.104.2.14 PipeOverflowErrorCounter uint16 CFE_SB_HousekeepingTlm_Payload::PipeOverflowError← Counter

Count of pipe overflow errors.

Telemetry Mnemonic(s) \$sc \$cpu SB PipeOvrEC

Definition at line 97 of file default cfe sb msgdefs.h.

10.104.2.15 Spare2Align uint8 CFE_SB_HousekeepingTlm_Payload::Spare2Align[1] Spare bytes to ensure alignment.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Spare2Align[2]

Definition at line 94 of file default cfe sb msgdefs.h.

10.104.2.16 SubscribeErrorCounter uint8 CFE_SB_HousekeepingTlm_Payload::SubscribeErrorCounter Count of errors in subscribe API.

Telemetry Mnemonic(s) \$sc \$cpu SB SubscrEC

Definition at line 86 of file default_cfe_sb_msgdefs.h.

10.104.2.17 UnmarkedMem uint32 CFE_SB_HousekeepingTlm_Payload::UnmarkedMem cfg param CFE_PLATFORM_SB_BUF_MEMORY_BYTES minus Peak Memory in use

Telemetry Mnemonic(s) \$sc_\$cpu_SB_UnMarkedMem

Definition at line 108 of file default cfe sb msgdefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/config/default cfe sb msgdefs.h

10.105 CFE_SB_Msg Union Reference

Software Bus generic message.

#include <cfe_sb_api_typedefs.h>

Data Fields

CFE_MSG_Message_t Msg

Base message type without enforced alignment.

• long long int LongInt

Align to support Long Integer.

• long double LongDouble

Align to support Long Double.

10.105.1 Detailed Description

Software Bus generic message.

Definition at line 142 of file cfe_sb_api_typedefs.h.

10.105.2 Field Documentation

10.105.2.1 LongDouble long double CFE_SB_Msg::LongDouble

Align to support Long Double.

Definition at line 146 of file cfe_sb_api_typedefs.h.

10.105.2.2 LongInt long long int CFE_SB_Msg::LongInt

Align to support Long Integer.

Definition at line 145 of file cfe_sb_api_typedefs.h.

10.105.2.3 Msg CFE_MSG_Message_t CFE_SB_Msg::Msg

Base message type without enforced alignment.

Definition at line 144 of file cfe_sb_api_typedefs.h.

The documentation for this union was generated from the following file:

cfe/modules/core api/fsw/inc/cfe sb api typedefs.h

10.106 CFE_SB_Msgld_t Struct Reference

```
CFE_SB_Msgld_t type definition.
#include <default_cfe_sb_extern_typedefs.h>
```

Data Fields

CFE_SB_Msgld_Atom_t Value

10.106.1 Detailed Description

CFE_SB_Msgld_t type definition.

Software Bus message identifier used in many SB APIs

Currently this is directly mapped to the underlying holding type (not wrapped) for compatibility with existing usage semantics in apps (mainly switch/case statements)

Note

In a future version it could become a type-safe wrapper similar to the route index, to avoid message IDs getting mixed between other integer values.

Definition at line 104 of file default cfe sb extern typedefs.h.

10.106.2 Field Documentation

10.106.2.1 Value CFE_SB_MsgId_Atom_t CFE_SB_MsgId_t::Value

Definition at line 106 of file default_cfe_sb_extern_typedefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/config/default_cfe_sb_extern_typedefs.h

10.107 CFE_SB_MsgMapFileEntry Struct Reference

SB Map File Entry.

#include <default_cfe_sb_msgdefs.h>

Data Fields

CFE SB Msgld t Msgld

Message Id which has been subscribed to.

CFE_SB_RouteId_Atom_t Index

Routing raw index value (0 based, not Route ID)

10.107.1 Detailed Description

SB Map File Entry.

Structure of one element of the map information in response to CFE_SB_WRITE_MAP_INFO_CC Definition at line 226 of file default_cfe_sb_msgdefs.h.

10.107.2 Field Documentation

10.107.2.1 Index CFE_SB_RouteId_Atom_t CFE_SB_MsgMapFileEntry::Index

Routing raw index value (0 based, not Route ID)

Definition at line 229 of file default cfe sb msgdefs.h.

10.107.2.2 Msgld CFE_SB_MsgId_t CFE_SB_MsgMapFileEntry::MsgId

Message Id which has been subscribed to.

Definition at line 228 of file default cfe sb msgdefs.h.

The documentation for this struct was generated from the following file:

· cfe/modules/sb/config/default cfe sb msgdefs.h

10.108 CFE_SB_NoopCmd Struct Reference

#include <default_cfe_sb_msgstruct.h>

Data Fields

· CFE MSG CommandHeader t CommandHeader

10.108.1 Detailed Description

Definition at line 52 of file default cfe sb msgstruct.h.

10.108.2 Field Documentation

10.108.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_SB_NoopCmd::CommandHeader

Definition at line 58 of file default_cfe_sb_msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/sb/config/default_cfe_sb_msgstruct.h

10.109 CFE SB PipeDepthStats Struct Reference

SB Pipe Depth Statistics.

#include <default_cfe_sb_msgdefs.h>

Data Fields

• CFE SB_Pipeld_t Pipeld

Pipe Id associated with the stats below.

uint16 MaxQueueDepth

Number of messages the pipe can hold.

• uint16 CurrentQueueDepth

Number of messages currently on the pipe.

· uint16 PeakQueueDepth

Peak number of messages that have been on the pipe.

uint16 Spare

Spare word to ensure alignment.

10.109.1 Detailed Description

SB Pipe Depth Statistics.

Used in SB Statistics Telemetry Packet CFE_SB_StatsTlm_t

Definition at line 115 of file default_cfe_sb_msgdefs.h.

10.109.2 Field Documentation

10.109.2.1 CurrentQueueDepth uint16 CFE_SB_PipeDepthStats::CurrentQueueDepth Number of messages currently on the pipe.

Telemetry Mnemonic(s) \$sc \$cpu SB Stat.SB SMPDS[CFE PLATFORM SB MAX PIPES].SB PDINUSE

Definition at line 121 of file default cfe sb msgdefs.h.

10.109.2.2 MaxQueueDepth uint16 CFE_SB_PipeDepthStats::MaxQueueDepth Number of messages the pipe can hold.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPDS[CFE_PLATFORM_SB_MAX_PIPES].SB_PDDEPTH

Definition at line 119 of file default cfe sb msgdefs.h.

10.109.2.3 PeakQueueDepth uint16 CFE_SB_PipeDepthStats::PeakQueueDepth Peak number of messages that have been on the pipe.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPDS[CFE_PLATFORM_SB_MAX_PIPES].SB_PDPKINUSE

Definition at line 123 of file default cfe sb msgdefs.h.

10.109.2.4 PipeId CFE_SB_PipeId_t CFE_SB_PipeDepthStats::PipeId Pipe Id associated with the stats below.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPDS[CFE_PLATFORM_SB_MAX_PIPES].SB_PDPIPEID

Definition at line 117 of file default_cfe_sb_msgdefs.h.

10.109.2.5 Spare uint16 CFE_SB_PipeDepthStats::Spare

Spare word to ensure alignment.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPDS[CFE_PLATFORM_SB_MAX_PIPES].SB_PDSPARE

Definition at line 125 of file default_cfe_sb_msgdefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/config/default_cfe_sb_msgdefs.h

10.110 CFE_SB_PipeInfoEntry Struct Reference

SB Pipe Information File Entry.

#include <default_cfe_sb_msgdefs.h>

Data Fields

- · CFE SB Pipeld t Pipeld
- CFE_ES_Appld_t Appld
- char PipeName [CFE_MISSION_MAX_API_LEN]
- char AppName [CFE MISSION MAX API LEN]
- uint16 MaxQueueDepth
- uint16 CurrentQueueDepth
- uint16 PeakQueueDepth
- uint16 SendErrors
- uint8 Opts
- uint8 Spare [3]

10.110.1 Detailed Description

SB Pipe Information File Entry.

This statistics structure is output as part of the CFE SB "Send Pipe Info" command (CFE_SB_SEND_PIPE_INFO_CC). Previous versions of CFE simply wrote the internal CFE_SB_PipeD_t object to the file, but this also contains information such as pointers which are not relevant outside the running CFE process.

By defining the pipe info structure separately, it also provides some independence, such that the internal CFE_SB $_\leftarrow$ PipeD $_$ t definition can evolve without changing the binary format of the information file.

Definition at line 144 of file default cfe sb msgdefs.h.

10.110.2 Field Documentation

10.110.2.1 Appld CFE_ES_Appld_t CFE_SB_PipeInfoEntry::Appld

The runtime ID of the application that owns the pipe

Definition at line 147 of file default_cfe_sb_msgdefs.h.

10.110.2.2 AppName char CFE_SB_PipeInfoEntry::AppName[CFE_MISSION_MAX_API_LEN]

The Name of the application that owns the pipe

Definition at line 149 of file default cfe sb msgdefs.h.

10.110.2.3 CurrentQueueDepth uint16 CFE_SB_PipeInfoEntry::CurrentQueueDepth

The current depth of the pipe

Definition at line 151 of file default cfe sb msgdefs.h.

10.110.2.4 MaxQueueDepth uint16 CFE_SB_PipeInfoEntry::MaxQueueDepth

The allocated depth of the pipe (max capacity)

Definition at line 150 of file default cfe sb msgdefs.h.

10.110.2.5 Opts uint8 CFE_SB_PipeInfoEntry::Opts

Pipe options set (bitmask)

Definition at line 154 of file default cfe sb msgdefs.h.

10.110.2.6 PeakQueueDepth uint16 CFE_SB_PipeInfoEntry::PeakQueueDepth

The peak depth of the pipe (high watermark)

Definition at line 152 of file default cfe sb msgdefs.h.

10.110.2.7 Pipeld CFE_SB_PipeId_t CFE_SB_PipeInfoEntry::PipeId

The runtime ID of the pipe

Definition at line 146 of file default_cfe_sb_msgdefs.h.

10.110.2.8 PipeName char CFE_SB_PipeInfoEntry::PipeName[CFE_MISSION_MAX_API_LEN]

The Name of the pipe

Definition at line 148 of file default cfe sb msgdefs.h.

10.110.2.9 SendErrors uint16 CFE_SB_PipeInfoEntry::SendErrors

Number of errors when writing to this pipe

Definition at line 153 of file default_cfe_sb_msgdefs.h.

10.110.2.10 Spare uint8 CFE_SB_PipeInfoEntry::Spare[3]

Padding to make this structure a multiple of 4 bytes

Definition at line 155 of file default cfe sb msgdefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/config/default_cfe_sb_msgdefs.h

10.111 CFE_SB_Qos_t Struct Reference

Quality Of Service Type Definition.

#include <default_cfe_sb_extern_typedefs.h>

Data Fields

• uint8 Priority

Specify high(1) or low(0) message priority for off-board routing, currently unused.

· uint8 Reliability

Specify high(1) or low(0) message transfer reliability for off-board routing, currently unused.

10.111.1 Detailed Description

Quality Of Service Type Definition.

Currently an unused parameter in CFE_SB_SubscribeEx Intended to be used for interprocessor communication only Definition at line 121 of file default_cfe_sb_extern_typedefs.h.

10.111.2 Field Documentation

10.111.2.1 Priority uint8 CFE_SB_Qos_t::Priority

Specify high(1) or low(0) message priority for off-board routing, currently unused.

Definition at line 123 of file default cfe sb extern typedefs.h.

10.111.2.2 Reliability uint8 CFE_SB_Qos_t::Reliability

Specify high(1) or low(0) message transfer reliability for off-board routing, currently unused.

Definition at line 124 of file default cfe sb extern typedefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/config/default cfe sb extern typedefs.h

10.112 CFE SB ResetCountersCmd Struct Reference

```
#include <default_cfe_sb_msgstruct.h>
```

Data Fields

· CFE MSG CommandHeader t CommandHeader

10.112.1 Detailed Description

Definition at line 57 of file default cfe sb msgstruct.h.

10.112.2 Field Documentation

10.112.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_SB_ResetCountersCmd::CommandHeader

Definition at line 59 of file default_cfe_sb_msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/sb/config/default_cfe_sb_msgstruct.h

10.113 CFE_SB_RouteCmd_Payload Struct Reference

Enable/Disable Route Command Payload.

#include <default_cfe_sb_msgdefs.h>

Data Fields

CFE_SB_Msgld_t Msgld

Message ID of route to be enabled or disabled CFE_SB_Msgld_t.

CFE_SB_PipeId_t Pipe

Pipe ID of route to be enabled or disabled CFE_SB_PipeId_t.

· uint8 Spare

Spare byte to make command even number of bytes.

10.113.1 Detailed Description

Enable/Disable Route Command Payload.

This structure contains a definition used by two SB commands, 'Enable Route' CFE_SB_ENABLE_ROUTE_CC and 'Disable Route' CFE_SB_DISABLE_ROUTE_CC. A route is the destination pipe for a particular message and is therefore defined as a Msgld and Pipeld combination.

Definition at line 53 of file default_cfe_sb_msgdefs.h.

10.113.2 Field Documentation

10.113.2.1 Msgld CFE_SB_Msgld_t CFE_SB_RouteCmd_Payload::Msgld Message ID of route to be enabled or disabled CFE_SB_Msgld_t. Definition at line 55 of file default cfe sb msgdefs.h.

10.113.2.2 Pipe CFE_SB_PipeId_t CFE_SB_RouteCmd_Payload::Pipe Pipe ID of route to be enabled or disabled CFE_SB_PipeId_t. Definition at line 56 of file default cfe sb msgdefs.h.

10.113.2.3 Spare uint8 CFE_SB_RouteCmd_Payload::Spare

Spare byte to make command even number of bytes.

Definition at line 57 of file default_cfe_sb_msgdefs.h.

The documentation for this struct was generated from the following file:

• cfe/modules/sb/config/default_cfe_sb_msgdefs.h

10.114 CFE_SB_RoutingFileEntry Struct Reference

SB Routing File Entry.

#include <default_cfe_sb_msgdefs.h>

Data Fields

CFE_SB_Msgld_t Msgld

Message Id portion of the route.

CFE_SB_PipeId_t PipeId

Pipe Id portion of the route.

· uint8 State

Route Enabled or Disabled.

uint16 MsgCnt

Number of msgs with this Msgld sent to this Pipeld.

• char AppName [CFE_MISSION_MAX_API_LEN]

Pipe Depth Statistics.

char PipeName [CFE_MISSION_MAX_API_LEN]

Pipe Depth Statistics.

10.114.1 Detailed Description

SB Routing File Entry.

Structure of one element of the routing information in response to CFE_SB_WRITE_ROUTING_INFO_CC Definition at line 211 of file default_cfe_sb_msgdefs.h.

10.114.2 Field Documentation

10.114.2.1 AppName char CFE_SB_RoutingFileEntry::AppName[CFE_MISSION_MAX_API_LEN] Pipe Depth Statistics.

Definition at line 217 of file default cfe sb msgdefs.h.

10.114.2.2 MsgCnt uint16 CFE_SB_RoutingFileEntry::MsgCnt

Number of msgs with this Msgld sent to this Pipeld.

Definition at line 216 of file default cfe sb msgdefs.h.

10.114.2.3 Msgld CFE_SB_MsgId_t CFE_SB_RoutingFileEntry::MsgId

Message Id portion of the route.

Definition at line 213 of file default cfe sb msgdefs.h.

10.114.2.4 Pipeld CFE_SB_PipeId_t CFE_SB_RoutingFileEntry::PipeId

Pipe Id portion of the route.

Definition at line 214 of file default cfe sb msgdefs.h.

10.114.2.5 PipeName char CFE_SB_RoutingFileEntry::PipeName[CFE_MISSION_MAX_API_LEN]

Pipe Depth Statistics.

Definition at line 218 of file default_cfe_sb_msgdefs.h.

10.114.2.6 State uint8 CFE_SB_RoutingFileEntry::State

Route Enabled or Disabled.

Definition at line 215 of file default_cfe_sb_msgdefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/config/default_cfe_sb_msgdefs.h

10.115 CFE SB SendHkCmd Struct Reference

#include <default_cfe_sb_msgstruct.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

10.115.1 Detailed Description

Definition at line 82 of file default_cfe_sb_msgstruct.h.

10.115.2 Field Documentation

10.115.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_SB_SendHkCmd::CommandHeader

Definition at line 84 of file default_cfe_sb_msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/config/default_cfe_sb_msgstruct.h

10.116 CFE_SB_SendPrevSubsCmd Struct Reference

#include <default_cfe_sb_msgstruct.h>

Data Fields

· CFE MSG CommandHeader t CommandHeader

10.116.1 Detailed Description

Definition at line 77 of file default_cfe_sb_msgstruct.h.

10.116.2 Field Documentation

10.116.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_SB_SendPrevSubsCmd::CommandHeader Definition at line 79 of file default_cfe_sb_msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/sb/config/default_cfe_sb_msgstruct.h

10.117 CFE SB SendSbStatsCmd Struct Reference

#include <default_cfe_sb_msgstruct.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

10.117.1 Detailed Description

Definition at line 72 of file default cfe sb msgstruct.h.

10.117.2 Field Documentation

10.117.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_SB_SendSbStatsCmd::CommandHeader Definition at line 74 of file default_cfe_sb_msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/config/default_cfe_sb_msgstruct.h

10.118 CFE_SB_SingleSubscriptionTIm Struct Reference

#include <default_cfe_sb_msgstruct.h>

Data Fields

• CFE_MSG_TelemetryHeader_t TelemetryHeader

Telemetry header.

CFE_SB_SingleSubscriptionTlm_Payload_t Payload

Telemetry payload.

10.118.1 Detailed Description

Definition at line 139 of file default cfe sb msgstruct.h.

10.118.2 Field Documentation

10.118.2.1 Payload CFE_SB_SingleSubscriptionTlm_Payload_t CFE_SB_SingleSubscriptionTlm::Payload Telemetry payload.

Definition at line 142 of file default cfe sb msgstruct.h.

10.118.2.2 TelemetryHeader CFE_MSG_TelemetryHeader_t CFE_SB_SingleSubscriptionTlm::Telemetry← Header

Telemetry header.

Definition at line 141 of file default_cfe_sb_msgstruct.h.

The documentation for this struct was generated from the following file:

· cfe/modules/sb/config/default cfe sb msgstruct.h

10.119 CFE SB SingleSubscriptionTlm Payload Struct Reference

#include <default_cfe_sb_msgdefs.h>

Data Fields

uint8 SubType

Subscription or Unsubscription.

• CFE_SB_Msgld_t Msgld

Msgld subscribed or unsubscribe to.

CFE_SB_Qos_t Qos

Quality of Service, used only for interprocessor communication.

CFE_SB_PipeId_t Pipe

Destination pipe id to send above msg id

10.119.1 Detailed Description

Name SB Subscription Report Packet

This structure defines the pkt sent by SB when a subscription or a request to unsubscribe is received while subscription reporting is enabled. By default subscription reporting is disabled. This feature is intended to be used primarily by Software Bus Networking Application (SBN)

See also

CFE_SB_ENABLE_SUB_REPORTING_CC, CFE_SB_DISABLE_SUB_REPORTING_CC

Definition at line 242 of file default_cfe_sb_msgdefs.h.

10.119.2 Field Documentation

10.119.2.1 Msgld CFE_SB_MsgId_t CFE_SB_SingleSubscriptionTlm_Payload::MsgId

Msgld subscribed or unsubscribe to.

Definition at line 245 of file default cfe sb msgdefs.h.

10.119.2.2 Pipe CFE_SB_PipeId_t CFE_SB_SingleSubscriptionTlm_Payload::Pipe Destination pipe id to send above msg id

Definition at line 247 of file default cfe sb msgdefs.h.

10.119.2.3 Qos CFE_SB_Qos_t CFE_SB_SingleSubscriptionTlm_Payload::Qos

Quality of Service, used only for interprocessor communication.

Definition at line 246 of file default_cfe_sb_msgdefs.h.

10.119.2.4 SubType uint8 CFE_SB_SingleSubscriptionTlm_Payload::SubType

Subscription or Unsubscription.

Definition at line 244 of file default cfe sb msgdefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/config/default_cfe_sb_msgdefs.h

10.120 CFE_SB_StatsTlm Struct Reference

#include <default_cfe_sb_msgstruct.h>

Data Fields

- CFE_MSG_TelemetryHeader_t TelemetryHeader
 - Telemetry header.
- CFE_SB_StatsTlm_Payload_t Payload

Telemetry payload.

10.120.1 Detailed Description

Definition at line 133 of file default_cfe_sb_msgstruct.h.

10.120.2 Field Documentation

10.120.2.1 Payload CFE_SB_StatsTlm_Payload_t CFE_SB_StatsTlm::Payload

Telemetry payload.

Definition at line 136 of file default cfe sb msgstruct.h.

10.120.2.2 TelemetryHeader CFE_MSG_TelemetryHeader_t CFE_SB_StatsTlm::TelemetryHeader

Telemetry header.

Definition at line 135 of file default cfe sb msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/config/default_cfe_sb_msgstruct.h

10.121 CFE_SB_StatsTIm_Payload Struct Reference

#include <default_cfe_sb_msgdefs.h>

Data Fields

• uint32 MsgldsInUse

Current number of Msglds with a destination.

uint32 PeakMsgldsInUse

Peak number of Msglds with a destination.

uint32 MaxMsgldsAllowed

cFE Cfg Param CFE_PLATFORM_SB_MAX_MSG_IDS

• uint32 PipesInUse

Number of pipes currently in use.

· uint32 PeakPipesInUse

Peak number of pipes since last reboot.

uint32 MaxPipesAllowed

cFE Cfg Param CFE PLATFORM SB MAX PIPES

uint32 MemInUse

Memory bytes currently in use for SB msg transfers.

uint32 PeakMemInUse

Peak memory bytes in use for SB msg transfers.

• uint32 MaxMemAllowed

cFE Cfg Param CFE_PLATFORM_SB_BUF_MEMORY_BYTES

· uint32 SubscriptionsInUse

Number of current subscriptions.

• uint32 PeakSubscriptionsInUse

Peak number of subscriptions.

uint32 MaxSubscriptionsAllowed

product of CFE_PLATFORM_SB_MAX_MSG_IDS and CFE_PLATFORM_SB_MAX_DEST_PER_PKT

uint32 SBBuffersInUse

Number of SB message buffers currently in use.

• uint32 PeakSBBuffersInUse

Max number of SB message buffers in use.

uint32 MaxPipeDepthAllowed

Maximum allowed pipe depth.

• CFE_SB_PipeDepthStats_t PipeDepthStats [CFE_MISSION_SB_MAX_PIPES]

Pipe Depth Statistics CFE_SB_PipeDepthStats_t.

10.121.1 Detailed Description

Name SB Statistics Telemetry Packet

SB Statistics packet sent in response to CFE_SB_SEND_SB_STATS_CC Definition at line 163 of file default cfe sb msgdefs.h.

10.121.2 Field Documentation

10.121.2.1 MaxMemAllowed uint32 CFE_SB_StatsTlm_Payload::MaxMemAllowed cFE Cfg Param CFE_PLATFORM_SB_BUF_MEMORY_BYTES

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMMBMALW

Definition at line 183 of file default cfe sb msgdefs.h.

10.121.2.2 MaxMsgldsAllowed uint32 CFE_SB_StatsTlm_Payload::MaxMsgldsAllowed cFE Cfg Param CFE PLATFORM SB MAX MSG IDS

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMMMIDALW

Definition at line 169 of file default cfe sb msgdefs.h.

10.121.2.3 MaxPipeDepthAllowed uint32 CFE_SB_StatsTlm_Payload::MaxPipeDepthAllowed Maximum allowed pipe depth.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMMPDALW

Definition at line 199 of file default cfe sb msgdefs.h.

10.121.2.4 MaxPipesAllowed uint32 CFE_SB_StatsTlm_Payload::MaxPipesAllowed cFE Cfg Param CFE_PLATFORM_SB_MAX_PIPES

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMMPALW

Definition at line 176 of file default_cfe_sb_msgdefs.h.

10.121.2.5 MaxSubscriptionsAllowed uint32 CFE_SB_StatsTlm_Payload::MaxSubscriptionsAllowed product of CFE PLATFORM SB MAX MSG IDS and CFE PLATFORM SB MAX DEST PER PKT

Telemetry Mnemonic(s) \$sc \$cpu SB Stat.SB SMMSALW

Definition at line 190 of file default_cfe_sb_msgdefs.h.

10.121.2.6 MemInUse uint32 CFE_SB_StatsTlm_Payload::MemInUse Memory bytes currently in use for SB msg transfers.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMBMIU

Definition at line 179 of file default_cfe_sb_msgdefs.h.

10.121.2.7 MsgldsInUse uint32 CFE_SB_StatsTlm_Payload::MsgldsInUse Current number of Msglds with a destination.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMMIDIU

Definition at line 165 of file default_cfe_sb_msgdefs.h.

10.121.2.8 PeakMemInUse uint32 CFE_SB_StatsTlm_Payload::PeakMemInUse Peak memory bytes in use for SB msg transfers.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPBMIU

Definition at line 181 of file default cfe sb msgdefs.h.

10.121.2.9 PeakMsgldsInUse uint32 CFE_SB_StatsTlm_Payload::PeakMsgldsInUse Peak number of Msglds with a destination.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPMIDIU

Definition at line 167 of file default cfe sb msgdefs.h.

10.121.2.10 PeakPipesInUse uint32 CFE_SB_StatsTlm_Payload::PeakPipesInUse Peak number of pipes since last reboot.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPPIU

Definition at line 174 of file default cfe sb msgdefs.h.

10.121.2.11 PeakSBBuffersInUse uint32 CFE_SB_StatsTlm_Payload::PeakSBBuffersInUse Max number of SB message buffers in use.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPSBBIU

Definition at line 196 of file default_cfe_sb_msgdefs.h.

10.121.2.12 PeakSubscriptionsInUse uint32 CFE_SB_StatsTlm_Payload::PeakSubscriptionsInUse Peak number of subscriptions.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPSIU

Definition at line 188 of file default_cfe_sb_msgdefs.h.

10.121.2.13 PipeDepthStats CFE_SB_PipeDepthStats_t CFE_SB_StatsTlm_Payload::PipeDepthStats[CFE_MISSION_SB_MAX_PIPEDepth Statistics CFE_SB_PipeDepthStats_t.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPDS[CFE_PLATFORM SB MAX PIPES]

Definition at line 202 of file default_cfe_sb_msgdefs.h.

10.121.2.14 PipesInUse uint32 CFE_SB_StatsTlm_Payload::PipesInUse Number of pipes currently in use.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPIU

Definition at line 172 of file default_cfe_sb_msgdefs.h.

10.121.2.15 SBBuffersInUse uint32 CFE_SB_StatsTlm_Payload::SBBuffersInUse Number of SB message buffers currently in use.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMSBBIU

Definition at line 194 of file default cfe sb msgdefs.h.

10.121.2.16 SubscriptionsInUse uint32 CFE_SB_StatsTlm_Payload::SubscriptionsInUse Number of current subscriptions.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMSIU

Definition at line 186 of file default_cfe_sb_msgdefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/config/default cfe sb msgdefs.h

10.122 CFE SB SubEntries Struct Reference

SB Previous Subscriptions Entry.

#include <default_cfe_sb_msgdefs.h>

Data Fields

• CFE_SB_Msgld_t Msgld

Msgld portion of the subscription.

• CFE_SB_Qos_t Qos

Qos portion of the subscription.

CFE SB Pipeld t Pipe

Pipeld portion of the subscription.

10.122.1 Detailed Description

SB Previous Subscriptions Entry.

This structure defines an entry used in the CFE_SB_PrevSubsPkt_t Intended to be used primarily by Software Bus Networking Application (SBN)

Used in structure definition CFE SB AllSubscriptionsTlm t

Definition at line 258 of file default cfe sb msgdefs.h.

10.122.2 Field Documentation

```
10.122.2.1 Msgld CFE_SB_MsgId_t CFE_SB_SubEntries::MsgId
```

Msgld portion of the subscription.

Definition at line 260 of file default_cfe_sb_msgdefs.h.

10.122.2.2 Pipe CFE_SB_PipeId_t CFE_SB_SubEntries::Pipe

Pipeld portion of the subscription.

Definition at line 262 of file default_cfe_sb_msgdefs.h.

```
10.122.2.3 Qos CFE_SB_Qos_t CFE_SB_SubEntries::Qos
```

Qos portion of the subscription.

Definition at line 261 of file default_cfe_sb_msgdefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/config/default cfe sb msgdefs.h

10.123 CFE_SB_WriteFileInfoCmd_Payload Struct Reference

Write File Info Command Payload.

#include <default_cfe_sb_msgdefs.h>

Data Fields

char Filename [CFE MISSION MAX PATH LEN]

Path and Filename of data to be loaded.

10.123.1 Detailed Description

Write File Info Command Payload.

This structure contains a generic definition used by SB commands that write to a file Definition at line 40 of file default_cfe_sb_msgdefs.h.

10.123.2 Field Documentation

10.123.2.1 Filename char CFE_SB_WriteFileInfoCmd_Payload::Filename[CFE_MISSION_MAX_PATH_LEN] Path and Filename of data to be loaded.

Definition at line 42 of file default cfe sb msgdefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/config/default_cfe_sb_msgdefs.h

10.124 CFE SB WriteMapInfoCmd Struct Reference

#include <default_cfe_sb_msgstruct.h>

Data Fields

· CFE MSG CommandHeader t CommandHeader

Command header.

CFE_SB_WriteFileInfoCmd_Payload_t Payload

Command payload.

10.124.1 Detailed Description

Definition at line 102 of file default_cfe_sb_msgstruct.h.

10.124.2 Field Documentation

10.124.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_SB_WriteMapInfoCmd::CommandHeader Command header.

Definition at line 104 of file default_cfe_sb_msgstruct.h.

10.124.2.2 Payload CFE_SB_WriteFileInfoCmd_Payload_t CFE_SB_WriteMapInfoCmd::Payload Command payload.

Definition at line 105 of file default cfe sb msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/config/default cfe sb msgstruct.h

10.125 CFE_SB_WritePipeInfoCmd Struct Reference

#include <default_cfe_sb_msgstruct.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_SB_WriteFileInfoCmd_Payload_t Payload

Command payload.

10.125.1 Detailed Description

Definition at line 96 of file default cfe sb msgstruct.h.

10.125.2 Field Documentation

10.125.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_SB_WritePipeInfoCmd::CommandHeader Command header.

Definition at line 98 of file default_cfe_sb_msgstruct.h.

10.125.2.2 Payload CFE_SB_WriteFileInfoCmd_Payload_t CFE_SB_WritePipeInfoCmd::Payload Command payload.

Definition at line 99 of file default cfe sb msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/config/default_cfe_sb_msgstruct.h

10.126 CFE SB WriteRoutingInfoCmd Struct Reference

#include <default_cfe_sb_msgstruct.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

· CFE_SB_WriteFileInfoCmd_Payload_t Payload

Command payload.

10.126.1 Detailed Description

Definition at line 90 of file default cfe sb msgstruct.h.

10.126.2 Field Documentation

10.126.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_SB_WriteRoutingInfoCmd::CommandHeader Command header.

Definition at line 92 of file default cfe sb msgstruct.h.

10.126.2.2 Payload CFE_SB_WriteFileInfoCmd_Payload_t CFE_SB_WriteRoutingInfoCmd::Payload Command payload.

Definition at line 93 of file default cfe sb msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/sb/config/default_cfe_sb_msgstruct.h

10.127 CFE_TBL_AbortLoadCmd Struct Reference

Abort Load Command.

#include <default_cfe_tbl_msgstruct.h>

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_TBL_AbortLoadCmd_Payload_t Payload

Command payload.

10.127.1 Detailed Description

Abort Load Command.

Definition at line 131 of file default_cfe_tbl_msgstruct.h.

10.127.2 Field Documentation

10.127.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TBL_AbortLoadCmd::CommandHeader Command header.

Definition at line 133 of file default cfe tbl msgstruct.h.

10.127.2.2 Payload CFE_TBL_AbortLoadCmd_Payload_t CFE_TBL_AbortLoadCmd::Payload Command payload.

Definition at line 134 of file default_cfe_tbl_msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/tbl/config/default cfe tbl msgstruct.h

10.128 CFE_TBL_AbortLoadCmd_Payload Struct Reference

Abort Load Command Payload.

#include <default_cfe_tbl_msqdefs.h>

Data Fields

char TableName [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Full Name of Table whose load is to be aborted.

10.128.1 Detailed Description

Abort Load Command Payload.

For command details, see CFE_TBL_ABORT_LOAD_CC

Definition at line 147 of file default_cfe_tbl_msgdefs.h.

10.128.2 Field Documentation

10.128.2.1 TableName char CFE_TBL_AbortLoadCmd_Payload::TableName[CFE_MISSION_TBL_MAX_FULL_NAME_LEN] Full Name of Table whose load is to be aborted.

ASCII string containing full table name identifier of a table whose load is to be aborted Definition at line 149 of file default cfe tbl msgdefs.h.

The documentation for this struct was generated from the following file:

· cfe/modules/tbl/config/default cfe tbl msgdefs.h

10.129 CFE_TBL_ActivateCmd Struct Reference

Activate Table Command.

#include <default_cfe_tbl_msgstruct.h>

Data Fields

CFE MSG CommandHeader t CommandHeader

Command header.

CFE_TBL_ActivateCmd_Payload_t Payload

Command payload.

10.129.1 Detailed Description

Activate Table Command.

Definition at line 95 of file default_cfe_tbl_msgstruct.h.

10.129.2 Field Documentation

10.129.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TBL_ActivateCmd::CommandHeader Command header.

Definition at line 97 of file default_cfe_tbl_msgstruct.h.

10.129.2.2 Payload CFE_TBL_ActivateCmd_Payload_t CFE_TBL_ActivateCmd::Payload Command payload.

Definition at line 98 of file default_cfe_tbl_msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/tbl/config/default cfe tbl msgstruct.h

10.130 CFE_TBL_ActivateCmd_Payload Struct Reference

Activate Table Command Payload.

#include <default_cfe_tbl_msgdefs.h>

Data Fields

char TableName [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Full Name of Table to be activated.

10.130.1 Detailed Description

Activate Table Command Payload.

For command details, see CFE_TBL_ACTIVATE_CC

Definition at line 94 of file default_cfe_tbl_msgdefs.h.

10.130.2 Field Documentation

10.130.2.1 TableName char CFE_TBL_ActivateCmd_Payload::TableName[CFE_MISSION_TBL_MAX_FULL_NAME_LEN] Full Name of Table to be activated.

ASCII string containing full table name identifier of table to be activated Definition at line 96 of file default cfe tbl msgdefs.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/config/default_cfe_tbl_msgdefs.h

10.131 CFE_TBL_DelCDSCmd_Payload Struct Reference

Delete Critical Table CDS Command Payload.

#include <default_cfe_tbl_msgdefs.h>

Data Fields

• char TableName [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Full Name of Table whose CDS is to be deleted.

10.131.1 Detailed Description

Delete Critical Table CDS Command Payload. For command details, see CFE_TBL_DELETE_CDS_CC Definition at line 133 of file default cfe tbl msgdefs.h.

10.131.2 Field Documentation

10.131.2.1 TableName char CFE_TBL_DelCDSCmd_Payload::TableName[CFE_MISSION_TBL_MAX_FULL_NAME_LEN] Full Name of Table whose CDS is to be deleted.

ASCII string containing full table name identifier of a critical table whose CDS is to be deleted Definition at line 135 of file default_cfe_tbl_msgdefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/tbl/config/default cfe tbl msgdefs.h

10.132 CFE_TBL_DeleteCDSCmd Struct Reference

Delete Critical Table CDS Command.

#include <default_cfe_tbl_msgstruct.h>

Data Fields

CFE MSG CommandHeader t CommandHeader

Command header.

CFE_TBL_DelCDSCmd_Payload_t Payload

Command payload.

10.132.1 Detailed Description

Delete Critical Table CDS Command.

Definition at line 122 of file default_cfe_tbl_msgstruct.h.

10.132.2 Field Documentation

10.132.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TBL_DeleteCDSCmd::CommandHeader

Command header.

Definition at line 124 of file default_cfe_tbl_msgstruct.h.

10.132.2.2 Payload CFE_TBL_DelCDSCmd_Payload_t CFE_TBL_DeleteCDSCmd::Payload

Command payload.

Definition at line 125 of file default_cfe_tbl_msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/tbl/config/default cfe tbl msgstruct.h

10.133 CFE_TBL_DumpCmd Struct Reference

#include <default_cfe_tbl_msgstruct.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_TBL_DumpCmd_Payload_t Payload

Command payload.

10.133.1 Detailed Description

/brief Dump Table Command

Definition at line 77 of file default_cfe_tbl_msgstruct.h.

10.133.2 Field Documentation

10.133.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TBL_DumpCmd::CommandHeader Command header.

Definition at line 79 of file default cfe tbl msgstruct.h.

10.133.2.2 Payload CFE_TBL_DumpCmd_Payload_t CFE_TBL_DumpCmd::Payload

Command payload.

Definition at line 80 of file default cfe tbl msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/tbl/config/default cfe tbl msgstruct.h

10.134 CFE_TBL_DumpCmd_Payload Struct Reference

Dump Table Command Payload.

#include <default_cfe_tbl_msgdefs.h>

Data Fields

uint16 ActiveTableFlag

CFE_TBL_BufferSelect_INACTIVE=Inactive Table, CFE_TBL_BufferSelect_ACTIVE=Active Table

char TableName [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Full name of table to be dumped.

• char DumpFilename [CFE MISSION MAX PATH LEN]

Full Filename where data is to be written.

10.134.1 Detailed Description

Dump Table Command Payload.

For command details, see CFE_TBL_DUMP_CC

Definition at line 55 of file default_cfe_tbl_msgdefs.h.

10.134.2 Field Documentation

10.134.2.1 ActiveTableFlag uint16 CFE_TBL_DumpCmd_Payload::ActiveTableFlag CFE_TBL_BufferSelect_INACTIVE=Inactive Table, CFE_TBL_BufferSelect_ACTIVE=Active Table Selects either the "Inactive" (CFE_TBL_BufferSelect_INACTIVE) buffer or the "Active" (CFE_TBL_BufferSelect_ACTIVE) buffer to be dumped

Definition at line 57 of file default_cfe_tbl_msgdefs.h.

10.134.2.2 DumpFilename char CFE_TBL_DumpCmd_Payload::DumpFilename[CFE_MISSION_MAX_PATH_LEN] Full Filename where data is to be written.

ASCII string containing full path of filename where data is to be dumped Definition at line 66 of file default cfe tbl msgdefs.h.

10.134.2.3 TableName char CFE_TBL_DumpCmd_Payload::TableName[CFE_MISSION_TBL_MAX_FULL_NAME_LEN] Full name of table to be dumped.

ASCII string containing full table name identifier of table to be dumped

Definition at line 63 of file default_cfe_tbl_msgdefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/tbl/config/default cfe tbl msgdefs.h

10.135 CFE_TBL_DumpRegistryCmd Struct Reference

Dump Registry Command.

#include <default_cfe_tbl_msgstruct.h>

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_TBL_DumpRegistryCmd_Payload_t Payload

Command payload.

10.135.1 Detailed Description

Dump Registry Command.

Definition at line 104 of file default_cfe_tbl_msgstruct.h.

10.135.2 Field Documentation

10.135.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TBL_DumpRegistryCmd::CommandHeader Command header.

Definition at line 106 of file default_cfe_tbl_msgstruct.h.

10.135.2.2 Payload CFE_TBL_DumpRegistryCmd_Payload_t CFE_TBL_DumpRegistryCmd::Payload Command payload.

Definition at line 107 of file default cfe tbl msgstruct.h.

The documentation for this struct was generated from the following file:

· cfe/modules/tbl/config/default cfe tbl msgstruct.h

10.136 CFE TBL DumpRegistryCmd Payload Struct Reference

Dump Registry Command Payload.

#include <default_cfe_tbl_msgdefs.h>

Data Fields

• char DumpFilename [CFE MISSION MAX PATH LEN]

Full Filename where dumped data is to be written.

10.136.1 Detailed Description

Dump Registry Command Payload.

For command details, see CFE TBL DUMP REGISTRY CC

Definition at line 106 of file default cfe tbl msgdefs.h.

10.136.2 Field Documentation

10.136.2.1 DumpFilename char CFE_TBL_DumpRegistryCmd_Payload::DumpFilename[CFE_MISSION_MAX_PATH_LEN]

Full Filename where dumped data is to be written.

ASCII string containing full path of filename where registry is to be dumped

Definition at line 108 of file default_cfe_tbl_msgdefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/tbl/config/default cfe tbl msgdefs.h

10.137 CFE TBL File Hdr Struct Reference

The definition of the header fields that are included in CFE Table Data files.

```
#include <default_cfe_tbl_extern_typedefs.h>
```

Data Fields

- uint32 Reserved
- · uint32 Offset
- · uint32 NumBytes
- char TableName [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

10.137.1 Detailed Description

The definition of the header fields that are included in CFE Table Data files.

This header follows the CFE FS header and precedes the actual table data.

Note

The Offset and NumBytes fields in the table header are to 32 bits for backward compatibility with existing CFE versions. This means that even on 64-bit CPUs, individual table files will be limited to 4GiB in size.

Definition at line 64 of file default_cfe_tbl_extern_typedefs.h.

10.137.2 Field Documentation

```
10.137.2.1 NumBytes uint32 CFE_TBL_File_Hdr::NumBytes
```

Number of bytes to load into table

Definition at line 68 of file default_cfe_tbl_extern_typedefs.h.

10.137.2.2 Offset uint32 CFE_TBL_File_Hdr::Offset

Byte Offset at which load should commence

Definition at line 67 of file default_cfe_tbl_extern_typedefs.h.

10.137.2.3 Reserved uint32 CFE_TBL_File_Hdr::Reserved

Future Use: NumTblSegments in File?

Definition at line 66 of file default cfe tbl extern typedefs.h.

10.137.2.4 TableName char CFE_TBL_File_Hdr::TableName[CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Fully qualified name of table to load

Definition at line 69 of file default cfe tbl extern typedefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/tbl/config/default cfe tbl extern typedefs.h

10.138 CFE_TBL_FileDef Struct Reference

Table File summary object.

#include <cfe tbl filedef.h>

Data Fields

• char ObjectName [64]

Name of instantiated variable that contains desired table image.

char TableName [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Name of Table as defined onboard.

char Description [CFE FS HDR DESC MAX LEN]

Description of table image that is included in cFE File Header.

char TgtFilename [CFE MISSION MAX FILE LEN]

Default filename to be used for output of elf2cfetbl utility.

· uint32 ObjectSize

Size, in bytes, of instantiated object.

10.138.1 Detailed Description

Table File summary object.

The definition of the file definition metadata that can be used by external tools (e.g. elf2cfetbl) to generate CFE table data files.

Definition at line 58 of file cfe_tbl_filedef.h.

10.138.2 Field Documentation

10.138.2.1 Description char CFE_TBL_FileDef::Description[CFE_FS_HDR_DESC_MAX_LEN]

Description of table image that is included in cFE File Header.

This is a free-form text string that can be any meaningful value

Definition at line 94 of file cfe_tbl_filedef.h.

10.138.2.2 ObjectName char CFE_TBL_FileDef::ObjectName[64]

Name of instantiated variable that contains desired table image.

Note

For consistency and future compatibility with auto-generated table files and table definitions, the "ObjectName" should match the table struct typedef name without the "_t" suffix. For example, the limit checker action table (ADT) is defined by a type called "LC ADT t", the ObjectName should be "LC ADT".

This naming convention allows the type name to be inferred from the ObjectName (and vice-versa) without having to directly specify both the type name and object name here.

Although the traditional elf2cfetbl tool does not currently do any type checking, future tool versions may add more robust type verification and therefore need to know the type name as well as the object name.

Definition at line 76 of file cfe tbl filedef.h.

10.138.2.3 ObjectSize uint32 CFE_TBL_FileDef::ObjectSize

Size, in bytes, of instantiated object.

This may be used by tools to check for consistency between the actual defined table size and the expected table size. This is set automatically via the CFE_TBL_FILEDEF macro.

Definition at line 112 of file cfe tbl filedef.h.

10.138.2.4 TableName char CFE_TBL_FileDef::TableName[CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Name of Table as defined onboard.

This should be in the form of "APP_NAME.TABLE_NAME" where APP_NAME matches what the app is named at runtime (the 4th column of cfe_es_startup.scr) and TABLE_NAME matches the 2nd parameter of the call to CFE_TBL_Register(). Preferably the TABLE_NAME should also match the ObjectName here in this structure, although this is not strictly required, it helps keep things consistent.

Definition at line 87 of file cfe tbl filedef.h.

10.138.2.5 TgtFilename char CFE_TBL_FileDef::TgtFilename[CFE_MISSION_MAX_FILE_LEN]

Default filename to be used for output of elf2cfetbl utility.

This must match the expected table file name, which is the name of the source file but the ".c" extension replaced with ".tbl". This is the filename only - do not include a directory/path name here, it can be copied to any runtime directory on the target by external scripts, but should not be renamed.

Definition at line 104 of file cfe tbl filedef.h.

The documentation for this struct was generated from the following file:

· cfe/modules/core api/fsw/inc/cfe tbl filedef.h

10.139 CFE TBL HousekeepingTlm Struct Reference

#include <default_cfe_tbl_msgstruct.h>

Data Fields

- CFE_MSG_TelemetryHeader_t TelemetryHeader Telemetry header.
- CFE_TBL_HousekeepingTIm_Payload_t Payload Telemetry payload.

10.139.1 Detailed Description

Definition at line 154 of file default cfe tbl msgstruct.h.

10.139.2 Field Documentation

10.139.2.1 Payload CFE_TBL_HousekeepingTlm_Payload_t CFE_TBL_HousekeepingTlm::Payload Telemetry payload.

Definition at line 157 of file default cfe tbl msgstruct.h.

10.139.2.2 TelemetryHeader CFE_MSG_TelemetryHeader_t CFE_TBL_HousekeepingTlm::TelemetryHeader Telemetry header.

Definition at line 156 of file default cfe tbl msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/config/default_cfe_tbl_msgstruct.h

10.140 CFE_TBL_HousekeepingTlm_Payload Struct Reference

#include <default_cfe_tbl_msqdefs.h>

Data Fields

uint8 CommandCounter

Count of valid commands received.

uint8 CommandErrorCounter

Count of invalid commands received.

uint16 NumTables

Number of Tables Registered.

uint16 NumLoadPending

Number of Tables pending on Applications for their update.

uint16 ValidationCounter

Number of completed table validations.

uint32 LastValCrc

Data Integrity Value computed for last table validated.

· int32 LastValStatus

Returned status from validation function for last table validated.

bool ActiveBuffer

Indicator of whether table buffer validated was 0=Inactive, 1=Active.

char LastValTableName [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Name of last table validated.

uint8 SuccessValCounter

Total number of successful table validations.

• uint8 FailedValCounter

Total number of unsuccessful table validations.

uint8 NumValRequests

Number of times Table Services has requested validations from Apps.

uint8 NumFreeSharedBufs

Number of free Shared Working Buffers.

uint8 ByteAlignPad1

Spare byte to ensure longword alignment.

CFE_ES_MemHandle_t MemPoolHandle

Handle to TBL's memory pool.

CFE_TIME_SysTime_t LastUpdateTime

Time of last table update.

char LastUpdatedTable [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Name of the last table updated.

char LastFileLoaded [CFE_MISSION_MAX_PATH_LEN]

Path and Name of last table image file loaded.

char LastFileDumped [CFE_MISSION_MAX_PATH_LEN]

Path and Name of last file dumped to.

char LastTableLoaded [CFE MISSION TBL MAX FULL NAME LEN]

Name of the last table loaded.

10.140.1 Detailed Description

Name Table Services Housekeeping Packet

Definition at line 178 of file default_cfe_tbl_msgdefs.h.

10.140.2 Field Documentation

10.140.2.1 ActiveBuffer bool CFE_TBL_HousekeepingTlm_Payload::ActiveBuffer Indicator of whether table buffer validated was 0=Inactive, 1=Active.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_LastValBuf

Definition at line 205 of file default_cfe_tbl_msgdefs.h.

10.140.2.2 ByteAlignPad1 uint8 CFE_TBL_HousekeepingTlm_Payload::ByteAlignPad1 Spare byte to ensure longword alignment.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_ByteAlignPad1

Definition at line 221 of file default_cfe_tbl_msgdefs.h.

10.140.2.3 CommandCounter uint8 CFE_TBL_HousekeepingTlm_Payload::CommandCounter Count of valid commands received.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_CMDPC

Definition at line 183 of file default_cfe_tbl_msgdefs.h.

10.140.2.4 CommandErrorCounter uint8 CFE_TBL_HousekeepingTlm_Payload::CommandErrorCounter Count of invalid commands received.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_CMDEC

Definition at line 185 of file default_cfe_tbl_msgdefs.h.

10.140.2.5 FailedValCounter uint8 CFE_TBL_HousekeepingTlm_Payload::FailedValCounter Total number of unsuccessful table validations.

Telemetry Mnemonic(s) \$sc \$cpu TBL ValFailedCtr

Definition at line 211 of file default cfe tbl msgdefs.h.

10.140.2.6 LastFileDumped char CFE_TBL_HousekeepingTlm_Payload::LastFileDumped[CFE_MISSION_MAX_PATH_LEN] Path and Name of last file dumped to.

Telemetry Mnemonic(s) \$sc \$cpu TBL LastFileDumped[OS MAX PATH LEN]

Definition at line 231 of file default cfe tbl msgdefs.h.

10.140.2.7 LastFileLoaded char CFE_TBL_HousekeepingTlm_Payload::LastFileLoaded[CFE_MISSION_MAX_PATH_LEN] Path and Name of last table image file loaded.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_LastFileLoaded[OS_MAX_PATH_LEN]

Definition at line 229 of file default cfe tbl msgdefs.h.

10.140.2.8 LastTableLoaded char CFE_TBL_HousekeepingTlm_Payload::LastTableLoaded[CFE_MISSION_TBL_MAX_FULL_NAME_LIN

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_LastTableLoaded[CFE_TBL_MAX_FULL_NAME_LEN]

Definition at line 233 of file default_cfe_tbl_msgdefs.h.

10.140.2.9 LastUpdatedTable char CFE_TBL_HousekeepingTlm_Payload::LastUpdatedTable[CFE_MISSION_TBL_MAX_FULL_NAME_Name of the last table updated.

Telemetry Mnemonic(s) \$sc \$cpu TBL LastUpdTblName[CFE TB MAX FULL NAME LEN]

Definition at line 227 of file default_cfe_tbl_msgdefs.h.

10.140.2.10 LastUpdateTime CFE_TIME_SysTime_t CFE_TBL_HousekeepingTlm_Payload::LastUpdateTime Time of last table update.

Telemetry Mnemonic(s) \$sc \$cpu TBL LastUpdTime, \$sc \$cpu TBL SECONDS, \$sc \$cpu TBL SUBSECONDS

Definition at line 225 of file default_cfe_tbl_msgdefs.h.

10.140.2.11 LastValCrc uint32 CFE_TBL_HousekeepingTlm_Payload::LastValCrc Data Integrity Value computed for last table validated.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_LastValCRC

Definition at line 201 of file default_cfe_tbl_msgdefs.h.

10.140.2.12 LastValStatus int32 CFE_TBL_HousekeepingTlm_Payload::LastValStatus Returned status from validation function for last table validated.

Telemetry Mnemonic(s) \$sc \$cpu TBI LastValS

Definition at line 203 of file default cfe tbl msgdefs.h.

10.140.2.13 LastValTableName char CFE_TBL_HousekeepingTlm_Payload::LastValTableName[CFE_MISSION_TBL_MAX_FULL_NAM Name of last table validated.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_LastValTblName[CFE_TB_MAX_FULL_NAME_LEN]

Definition at line 207 of file default cfe tbl msgdefs.h.

10.140.2.14 MemPoolHandle CFE_ES_MemHandle_t CFE_TBL_HousekeepingTlm_Payload::MemPoolHandle Handle to TBL's memory pool.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_MemPoolHandle

Definition at line 223 of file default cfe tbl msgdefs.h.

10.140.2.15 NumFreeSharedBufs uint8 CFE_TBL_HousekeepingTlm_Payload::NumFreeSharedBufs Number of free Shared Working Buffers.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_NumFreeShrBuf

Definition at line 219 of file default_cfe_tbl_msgdefs.h.

10.140.2.16 NumLoadPending uint16 CFE_TBL_HousekeepingTlm_Payload::NumLoadPending Number of Tables pending on Applications for their update.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_NumUpdatesPend

Definition at line 193 of file default_cfe_tbl_msgdefs.h.

10.140.2.17 NumTables uint16 CFE_TBL_HousekeepingTlm_Payload::NumTables Number of Tables Registered.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_NumTables

Definition at line 191 of file default_cfe_tbl_msgdefs.h.

10.140.2.18 NumValRequests uint8 CFE_TBL_HousekeepingTlm_Payload::NumValRequests Number of times Table Services has requested validations from Apps.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_ValReqCtr

Definition at line 213 of file default_cfe_tbl_msgdefs.h.

10.140.2.19 SuccessValCounter uint8 CFE_TBL_HousekeepingTlm_Payload::SuccessValCounter Total number of successful table validations.

Telemetry Mnemonic(s) \$sc \$cpu TBL ValSuccessCtr

Definition at line 209 of file default cfe tbl msgdefs.h.

10.140.2.20 ValidationCounter uint16 CFE_TBL_HousekeepingTlm_Payload::ValidationCounter Number of completed table validations.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_ValCompltdCtr

Definition at line 199 of file default_cfe_tbl_msgdefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/tbl/config/default cfe tbl msgdefs.h

10.141 CFE_TBL_Info Struct Reference

Table Info.

#include <cfe_tbl_api_typedefs.h>

Data Fields

size t Size

Size, in bytes, of Table.

uint32 NumUsers

Number of Apps with access to the table.

• uint32 FileCreateTimeSecs

File creation time from last file loaded into table.

uint32 FileCreateTimeSubSecs

File creation time from last file loaded into table.

• uint32 Crc

Most recently calculated CRC by TBL services on table contents.

CFE_TIME_SysTime_t TimeOfLastUpdate

Time when Table was last updated.

• bool TableLoadedOnce

Flag indicating whether table has been loaded once or not.

bool DumpOnly

Flag indicating Table is NOT to be loaded.

· bool DoubleBuffered

Flag indicating Table has a dedicated inactive buffer.

bool UserDefAddr

Flag indicating Table address was defined by Owner Application.

· bool Critical

Flag indicating Table contents are maintained in a CDS.

char LastFileLoaded [CFE_MISSION_MAX_PATH_LEN]

Filename of last file loaded into table.

10.141.1 Detailed Description

Table Info.

Definition at line 109 of file cfe_tbl_api_typedefs.h.

10.141.2 Field Documentation

10.141.2.1 Crc uint32 CFE_TBL_Info::Crc

Most recently calculated CRC by TBL services on table contents.

Definition at line 115 of file cfe_tbl_api_typedefs.h.

10.141.2.2 Critical bool CFE TBL Info::Critical

Flag indicating Table contents are maintained in a CDS.

Definition at line 121 of file cfe_tbl_api_typedefs.h.

10.141.2.3 DoubleBuffered bool CFE_TBL_Info::DoubleBuffered

Flag indicating Table has a dedicated inactive buffer.

Definition at line 119 of file cfe_tbl_api_typedefs.h.

10.141.2.4 DumpOnly bool CFE_TBL_Info::DumpOnly

Flag indicating Table is NOT to be loaded.

Definition at line 118 of file cfe tbl api typedefs.h.

10.141.2.5 FileCreateTimeSecs uint32 CFE_TBL_Info::FileCreateTimeSecs

File creation time from last file loaded into table.

Definition at line 113 of file cfe tbl api typedefs.h.

10.141.2.6 FileCreateTimeSubSecs uint32 CFE_TBL_Info::FileCreateTimeSubSecs

File creation time from last file loaded into table.

Definition at line 114 of file cfe tbl api typedefs.h.

10.141.2.7 LastFileLoaded char CFE_TBL_Info::LastFileLoaded[CFE_MISSION_MAX_PATH_LEN]

Filename of last file loaded into table.

Definition at line 122 of file cfe_tbl_api_typedefs.h.

10.141.2.8 NumUsers uint32 CFE_TBL_Info::NumUsers

Number of Apps with access to the table.

Definition at line 112 of file cfe_tbl_api_typedefs.h.

10.141.2.9 Size size_t CFE_TBL_Info::Size

Size, in bytes, of Table.

Definition at line 111 of file cfe_tbl_api_typedefs.h.

10.141.2.10 TableLoadedOnce bool CFE_TBL_Info::TableLoadedOnce

Flag indicating whether table has been loaded once or not.

Definition at line 117 of file cfe tbl api typedefs.h.

10.141.2.11 TimeOfLastUpdate CFE_TIME_SysTime_t CFE_TBL_Info::TimeOfLastUpdate

Time when Table was last updated.

Definition at line 116 of file cfe tbl api typedefs.h.

10.141.2.12 UserDefAddr bool CFE_TBL_Info::UserDefAddr

Flag indicating Table address was defined by Owner Application.

Definition at line 120 of file cfe_tbl_api_typedefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/core_api/fsw/inc/cfe_tbl_api_typedefs.h

10.142 CFE_TBL_LoadCmd Struct Reference

Load Table Command.

#include <default_cfe_tbl_msgstruct.h>

Data Fields

· CFE MSG CommandHeader t CommandHeader

Command header.

CFE TBL LoadCmd Payload t Payload

Command payload.

10.142.1 Detailed Description

Load Table Command.

Definition at line 68 of file default_cfe_tbl_msgstruct.h.

10.142.2 Field Documentation

10.142.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TBL_LoadCmd::CommandHeader

Command header.

Definition at line 70 of file default cfe tbl msgstruct.h.

10.142.2.2 Payload CFE_TBL_LoadCmd_Payload_t CFE_TBL_LoadCmd::Payload

Command payload.

Definition at line 71 of file default_cfe_tbl_msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/tbl/config/default_cfe_tbl_msgstruct.h

10.143 CFE TBL LoadCmd Payload Struct Reference

Load Table Command Payload.

#include <default cfe tbl msqdefs.h>

Data Fields

char LoadFilename [CFE_MISSION_MAX_PATH_LEN]

Filename (and path) of data to be loaded.

10.143.1 Detailed Description

Load Table Command Payload.

For command details, see CFE_TBL_LOAD_CC

Definition at line 45 of file default_cfe_tbl_msgdefs.h.

10.143.2 Field Documentation

10.143.2.1 LoadFilename char CFE_TBL_LoadCmd_Payload::LoadFilename[CFE_MISSION_MAX_PATH_LEN] Filename (and path) of data to be loaded.

Definition at line 47 of file default cfe tbl msgdefs.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/config/default_cfe_tbl_msgdefs.h

10.144 CFE_TBL_NoopCmd Struct Reference

#include <default_cfe_tbl_msgstruct.h>

Data Fields

 CFE_MSG_CommandHeader_t CommandHeader Command header.

10.144.1 Detailed Description

Definition at line 50 of file default_cfe_tbl_msgstruct.h.

10.144.2 Field Documentation

10.144.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TBL_NoopCmd::CommandHeader Command header.

Definition at line 54 of file default cfe tbl msgstruct.h.

The documentation for this struct was generated from the following file:

· cfe/modules/tbl/config/default cfe tbl msgstruct.h

10.145 CFE TBL NotifyCmd Struct Reference

#include <default_cfe_tbl_msgstruct.h>

Data Fields

- CFE_MSG_CommandHeader_t CommandHeader Command header.
- CFE_TBL_NotifyCmd_Payload_t Payload

Command payload.

10.145.1 Detailed Description

/brief Table Management Notification Command
Definition at line 142 of file default cfe tbl msgstruct.h.

10.145.2 Field Documentation

10.145.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TBL_NotifyCmd::CommandHeader

Command header.

Definition at line 144 of file default cfe tbl msgstruct.h.

10.145.2.2 Payload CFE_TBL_NotifyCmd_Payload_t CFE_TBL_NotifyCmd::Payload

Command payload.

Definition at line 145 of file default_cfe_tbl_msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/tbl/config/default cfe tbl msgstruct.h

10.146 CFE_TBL_NotifyCmd_Payload Struct Reference

Table Management Notification Command Payload.

#include <default_cfe_tbl_msgdefs.h>

Data Fields

· uint32 Parameter

Application specified command parameter.

10.146.1 Detailed Description

Table Management Notification Command Payload.

Description

Whenever an application that owns a table calls the CFE_TBL_NotifyByMessage API following the table registration, Table services will generate the following command message with the application specified message ID, command code and parameter whenever the table requires management (e.g. - loads and validations).

Definition at line 165 of file default_cfe_tbl_msgdefs.h.

10.146.2 Field Documentation

10.146.2.1 Parameter uint32 CFE_TBL_NotifyCmd_Payload::Parameter

Application specified command parameter.

Definition at line 167 of file default_cfe_tbl_msgdefs.h.

The documentation for this struct was generated from the following file:

 $\bullet \ \ cfe/modules/tbl/config/default_cfe_tbl_msgdefs.h$

10.147 CFE_TBL_ResetCountersCmd Struct Reference

#include <default_cfe_tbl_msgstruct.h>

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

10.147.1 Detailed Description

Definition at line 55 of file default_cfe_tbl_msgstruct.h.

10.147.2 Field Documentation

10.147.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TBL_ResetCountersCmd::CommandHeader Command header.

Definition at line 57 of file default_cfe_tbl_msgstruct.h.

The documentation for this struct was generated from the following file:

· cfe/modules/tbl/config/default cfe tbl msgstruct.h

10.148 CFE TBL SendHkCmd Struct Reference

```
#include <default_cfe_tbl_msgstruct.h>
```

Data Fields

 CFE_MSG_CommandHeader_t CommandHeader Command header.

10.148.1 Detailed Description

Definition at line 60 of file default_cfe_tbl_msgstruct.h.

10.148.2 Field Documentation

10.148.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TBL_SendHkCmd::CommandHeader Command header.

Definition at line 62 of file default_cfe_tbl_msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/config/default_cfe_tbl_msgstruct.h

10.149 CFE_TBL_SendRegistryCmd Struct Reference

Send Table Registry Command.

```
#include <default_cfe_tbl_msgstruct.h>
```

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_TBL_SendRegistryCmd_Payload_t Payload

Command payload.

10.149.1 Detailed Description

Send Table Registry Command.

Definition at line 113 of file default cfe tbl msgstruct.h.

10.149.2 Field Documentation

10.149.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TBL_SendRegistryCmd::CommandHeader Command header.

Definition at line 115 of file default cfe tbl msgstruct.h.

10.149.2.2 Payload CFE_TBL_SendRegistryCmd_Payload_t CFE_TBL_SendRegistryCmd::Payload Command payload.

Definition at line 116 of file default cfe tbl msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/config/default_cfe_tbl_msgstruct.h

10.150 CFE_TBL_SendRegistryCmd_Payload Struct Reference

Send Table Registry Command Payload.

#include <default cfe tbl msgdefs.h>

Data Fields

• char TableName [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Full Name of Table whose registry entry is to be telemetered.

10.150.1 Detailed Description

Send Table Registry Command Payload.
For command details, see CFE_TBL_SEND_REGISTRY_CC
Definition at line 119 of file default_cfe_tbl_msgdefs.h.

10.150.2 Field Documentation

10.150.2.1 TableName char CFE_TBL_SendRegistryCmd_Payload::TableName[CFE_MISSION_TBL_MAX_FULL_NAME_LEN] Full Name of Table whose registry entry is to be telemetered.

ASCII string containing full table name identifier of table whose registry entry is to be telemetered via CFE_TBL_TableRegistryTIm_t

Definition at line 121 of file default cfe tbl msgdefs.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/config/default_cfe_tbl_msgdefs.h

10.151 CFE_TBL_TableRegistryTlm Struct Reference

#include <default_cfe_tbl_msgstruct.h>

Data Fields

• CFE_MSG_TelemetryHeader_t TelemetryHeader

Telemetry header.

CFE_TBL_TblRegPacket_Payload_t Payload

Telemetry payload.

10.151.1 Detailed Description

Definition at line 160 of file default_cfe_tbl_msgstruct.h.

10.151.2 Field Documentation

10.151.2.1 Payload CFE_TBL_TblRegPacket_Payload_t CFE_TBL_TableRegistryTlm::Payload Telemetry payload.

Definition at line 163 of file default cfe tbl msgstruct.h.

10.151.2.2 TelemetryHeader CFE_MSG_TelemetryHeader_t CFE_TBL_TableRegistryTlm::TelemetryHeader Telemetry header.

Definition at line 162 of file default_cfe_tbl_msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/config/default_cfe_tbl_msgstruct.h

10.152 CFE TBL TblRegPacket Payload Struct Reference

#include <default_cfe_tbl_msqdefs.h>

Data Fields

· CFE ES MemOffset t Size

Size, in bytes, of Table.

· uint32 Crc

Most recently calculated CRC of Table.

• CFE_ES_MemAddress_t ActiveBufferAddr

Address of Active Buffer.

CFE_ES_MemAddress_t InactiveBufferAddr

Address of Inactive Buffer.

• CFE_ES_MemAddress_t ValidationFuncPtr

Ptr to Owner App's function that validates tbl contents.

CFE_TIME_SysTime_t TimeOfLastUpdate

Time when Table was last updated.

uint32 FileCreateTimeSecs

File creation time from last file loaded into table.

• uint32 FileCreateTimeSubSecs

File creation time from last file loaded into table.

• bool TableLoadedOnce

Flag indicating whether table has been loaded once or not.

bool LoadPending

Flag indicating an inactive buffer is ready to be copied.

bool DumpOnly

Flag indicating Table is NOT to be loaded.

· bool DoubleBuffered

Flag indicating Table has a dedicated inactive buffer.

char Name [CFE MISSION TBL MAX FULL NAME LEN]

Processor specific table name.

char LastFileLoaded [CFE MISSION MAX PATH LEN]

Filename of last file loaded into table.

char OwnerAppName [CFE_MISSION_MAX_API_LEN]

Name of owning application.

bool Critical

Indicates whether table is Critical or not.

• uint8 ByteAlign4

Spare byte to maintain byte alignment.

10.152.1 Detailed Description

Name Table Registry Info Packet

Definition at line 240 of file default_cfe_tbl_msgdefs.h.

10.152.2 Field Documentation

10.152.2.1 ActiveBufferAddr CFE_ES_MemAddress_t CFE_TBL_TblRegPacket_Payload::ActiveBufferAddr Address of Active Buffer.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_ActBufAdd

Definition at line 246 of file default cfe tbl msgdefs.h.

10.152.2.2 ByteAlign4 uint8 CFE_TBL_TblRegPacket_Payload::ByteAlign4 Spare byte to maintain byte alignment.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_Spare4

Definition at line 274 of file default_cfe_tbl_msgdefs.h.

10.152.2.3 Crc uint32 CFE_TBL_TblRegPacket_Payload::Crc Most recently calculated CRC of Table.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_CRC

Definition at line 244 of file default_cfe_tbl_msgdefs.h.

10.152.2.4 Critical bool CFE_TBL_TblRegPacket_Payload::Critical Indicates whether table is Critical or not.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_Spare3

Definition at line 272 of file default cfe tbl msgdefs.h.

10.152.2.5 DoubleBuffered bool CFE_TBL_TblRegPacket_Payload::DoubleBuffered Flag indicating Table has a dedicated inactive buffer.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_DblBuffered

Definition at line 264 of file default cfe tbl msgdefs.h.

10.152.2.6 DumpOnly bool CFE_TBL_TblRegPacket_Payload::DumpOnly Flag indicating Table is NOT to be loaded.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_DumpOnly

Definition at line 262 of file default cfe tbl msgdefs.h.

10.152.2.7 FileCreateTimeSecs uint32 CFE_TBL_TblRegPacket_Payload::FileCreateTimeSecs File creation time from last file loaded into table.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_FILECSECONDS

Definition at line 254 of file default_cfe_tbl_msgdefs.h.

10.152.2.8 FileCreateTimeSubSecs uint32 CFE_TBL_TblRegPacket_Payload::FileCreateTimeSubSecs File creation time from last file loaded into table.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_FILECSUBSECONDS

Definition at line 256 of file default_cfe_tbl_msgdefs.h.

10.152.2.9 InactiveBufferAddr CFE_ES_MemAddress_t CFE_TBL_TblRegPacket_Payload::InactiveBufferAddr Address of Inactive Buffer.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_IActBufAdd

Definition at line 248 of file default_cfe_tbl_msgdefs.h.

10.152.2.10 LastFileLoaded char CFE_TBL_TblRegPacket_Payload::LastFileLoaded[CFE_MISSION_MAX_PATH_LEN] Filename of last file loaded into table.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_LastFileUpd[OS_MAX_PATH_LEN]

Definition at line 268 of file default_cfe_tbl_msgdefs.h.

10.152.2.11 LoadPending bool CFE_TBL_TblRegPacket_Payload::LoadPending Flag indicating an inactive buffer is ready to be copied.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_UpdatePndng

Definition at line 260 of file default cfe tbl msgdefs.h.

10.152.2.12 Name char CFE_TBL_TblRegPacket_Payload::Name[CFE_MISSION_TBL_MAX_FULL_NAME_LEN] Processor specific table name.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_Name[CFE_TB_MAX_FULL_NAME_LEN]

Definition at line 266 of file default cfe tbl msgdefs.h.

10.152.2.13 OwnerAppName char CFE_TBL_TblRegPacket_Payload::OwnerAppName[CFE_MISSION_MAX_API_LEN] Name of owning application.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_OwnerApp[OS_MAX_API_NAME]

Definition at line 270 of file default_cfe_tbl_msgdefs.h.

10.152.2.14 Size CFE_ES_MemOffset_t CFE_TBL_TblRegPacket_Payload::Size Size, in bytes, of Table.

Telemetry Mnemonic(s) \$sc \$cpu TBL SIZE

Definition at line 242 of file default_cfe_tbl_msgdefs.h.

10.152.2.15 TableLoadedOnce bool CFE_TBL_TblRegPacket_Payload::TableLoadedOnce Flag indicating whether table has been loaded once or not.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_LoadedOnce

Definition at line 258 of file default cfe tbl msgdefs.h.

10.152.2.16 TimeOfLastUpdate CFE_TIME_SysTime_t CFE_TBL_TblRegPacket_Payload::TimeOfLastUpdate Time when Table was last updated.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_TimeLastUpd, \$sc_\$cpu_TBL_TLUSECONDS, \$sc_\$cpu_TBL_TLUSUB ← SECONDS

Definition at line 252 of file default cfe tbl msgdefs.h.

10.152.2.17 ValidationFuncPtr CFE_ES_MemAddress_t CFE_TBL_TblRegPacket_Payload::ValidationFuncPtr Ptr to Owner App's function that validates tbl contents.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_ValFuncPtr

Definition at line 250 of file default cfe tbl msgdefs.h.

The documentation for this struct was generated from the following file:

· cfe/modules/tbl/config/default cfe tbl msgdefs.h

10.153 CFE_TBL_ValidateCmd Struct Reference

Validate Table Command.

#include <default_cfe_tbl_msgstruct.h>

Data Fields

· CFE MSG CommandHeader t CommandHeader

Command header.

CFE_TBL_ValidateCmd_Payload_t Payload

Command payload.

10.153.1 Detailed Description

Validate Table Command.

Definition at line 86 of file default cfe tbl msgstruct.h.

10.153.2 Field Documentation

10.153.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TBL_ValidateCmd::CommandHeader Command header.

Definition at line 88 of file default cfe tbl msgstruct.h.

10.153.2.2 Payload CFE_TBL_ValidateCmd_Payload_t CFE_TBL_ValidateCmd::Payload Command payload.

Definition at line 89 of file default cfe tbl msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/tbl/config/default cfe tbl msgstruct.h

10.154 CFE_TBL_ValidateCmd_Payload Struct Reference

Validate Table Command Payload.

#include <default_cfe_tbl_msgdefs.h>

Data Fields

uint16 ActiveTableFlag

CFE_TBL_BufferSelect_INACTIVE=Inactive Table, CFE_TBL_BufferSelect_ACTIVE=Active Table

char TableName [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Full Name of Table to be validated.

10.154.1 Detailed Description

Validate Table Command Payload. For command details, see CFE_TBL_VALIDATE_CC Definition at line 76 of file default_cfe_tbl_msgdefs.h.

10.154.2 Field Documentation

10.154.2.1 ActiveTableFlag uint16 CFE_TBL_ValidateCmd_Payload::ActiveTableFlag CFE_TBL_BufferSelect_INACTIVE=Inactive Table, CFE_TBL_BufferSelect_ACTIVE=Active Table Selects either the "Inactive" (CFE_TBL_BufferSelect_INACTIVE) buffer or the "Active" (CFE_TBL_BufferSelect_ACTIVE) buffer to be validated

Definition at line 78 of file default_cfe_tbl_msgdefs.h.

10.154.2.2 TableName char CFE_TBL_ValidateCmd_Payload::TableName[CFE_MISSION_TBL_MAX_FULL_NAME_LEN] Full Name of Table to be validated.

ASCII string containing full table name identifier of table to be validated

Definition at line 84 of file default_cfe_tbl_msgdefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/tbl/config/default_cfe_tbl_msgdefs.h

10.155 CFE TIME 1HzCmd Struct Reference

#include <default_cfe_time_msgstruct.h>

Data Fields

 CFE_MSG_CommandHeader_t CommandHeader Command header.

10.155.1 Detailed Description

Definition at line 61 of file default_cfe_time_msgstruct.h.

10.155.2 Field Documentation

10.155.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TIME_1HzCmd::CommandHeader Command header.

Definition at line 63 of file default_cfe_time_msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/config/default_cfe_time_msgstruct.h

10.156 CFE_TIME_Add1HZAdjustmentCmd Struct Reference

#include <default_cfe_time_msgstruct.h>

Data Fields

· CFE MSG CommandHeader t CommandHeader

Command header.

CFE_TIME_OneHzAdjustmentCmd_Payload_t Payload

Command payload.

10.156.1 Detailed Description

Definition at line 169 of file default cfe time msgstruct.h.

10.156.2 Field Documentation

10.156.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TIME_Add1HZAdjustmentCmd::CommandHeader Command header.

Definition at line 171 of file default cfe time msgstruct.h.

10.156.2.2 Payload CFE_TIME_OneHzAdjustmentCmd_Payload_t CFE_TIME_Add1HZAdjustmentCmd::Payload Command payload.

Definition at line 172 of file default_cfe_time_msgstruct.h.

The documentation for this struct was generated from the following file:

· cfe/modules/time/config/default cfe time msgstruct.h

10.157 CFE TIME AddAdjustCmd Struct Reference

#include <default_cfe_time_msgstruct.h>

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

• CFE_TIME_TimeCmd_Payload_t Payload

Command payload.

10.157.1 Detailed Description

Definition at line 146 of file default_cfe_time_msgstruct.h.

10.157.2 Field Documentation

10.157.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TIME_AddAdjustCmd::CommandHeader Command header.

Definition at line 148 of file default_cfe_time_msgstruct.h.

10.157.2.2 Payload CFE_TIME_TimeCmd_Payload_t CFE_TIME_AddAdjustCmd::Payload Command payload.

Definition at line 149 of file default cfe time msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/config/default_cfe_time_msgstruct.h

10.158 CFE_TIME_AddDelayCmd Struct Reference

#include <default_cfe_time_msgstruct.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_TIME_TimeCmd_Payload_t Payload

Command payload.

10.158.1 Detailed Description

Definition at line 122 of file default cfe time msgstruct.h.

10.158.2 Field Documentation

10.158.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TIME_AddDelayCmd::CommandHeader Command header.

Definition at line 124 of file default cfe time msgstruct.h.

10.158.2.2 Payload CFE_TIME_TimeCmd_Payload_t CFE_TIME_AddDelayCmd::Payload

Command payload.

Definition at line 125 of file default cfe time msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/config/default_cfe_time_msgstruct.h

10.159 CFE_TIME_DiagnosticTIm Struct Reference

```
#include <default_cfe_time_msgstruct.h>
```

Data Fields

- CFE_MSG_TelemetryHeader_t TelemetryHeader
 - Telemetry header.
- CFE_TIME_DiagnosticTIm_Payload_t Payload

Telemetry payload.

10.159.1 Detailed Description

Definition at line 198 of file default cfe time msgstruct.h.

10.159.2 Field Documentation

10.159.2.1 Payload CFE_TIME_DiagnosticTlm_Payload_t CFE_TIME_DiagnosticTlm::Payload Telemetry payload.

Definition at line 201 of file default_cfe_time_msgstruct.h.

10.159.2.2 TelemetryHeader CFE_MSG_TelemetryHeader_t CFE_TIME_DiagnosticTlm::TelemetryHeader Telemetry header.

Definition at line 200 of file default cfe time msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/time/config/default_cfe_time_msgstruct.h

10.160 CFE_TIME_DiagnosticTIm_Payload Struct Reference

#include <default_cfe_time_msgdefs.h>

Data Fields

CFE_TIME_SysTime_t AtToneMET

MET at time of tone.

CFE_TIME_SysTime_t AtToneSTCF

STCF at time of tone.

CFE_TIME_SysTime_t AtToneDelay

Adjustment for slow tone detection.

CFE_TIME_SysTime_t AtToneLatch

Local clock latched at time of tone.

int16 AtToneLeapSeconds

Leap Seconds at time of tone.

CFE_TIME_ClockState_Enum_t ClockStateAPI

Clock state as per API.

• CFE_TIME_SysTime_t TimeSinceTone

Time elapsed since the tone.

CFE_TIME_SysTime_t CurrentLatch

Local clock latched just "now".

CFE_TIME_SysTime_t CurrentMET

MET at this instant.

CFE_TIME_SysTime_t CurrentTAI

TAI at this instant.

CFE_TIME_SysTime_t CurrentUTC

UTC at this instant.

· int16 ClockSetState

Time has been "set".

int16 ClockFlyState

Current fly-wheel state.

• int16 ClockSource

Internal vs external, etc.

• int16 ClockSignal

Primary vs redundant, etc.

• int16 ServerFlyState

Used by clients only.

• int16 Forced2Fly

Commanded into fly-wheel.

uint16 ClockStateFlags

Clock State Flags.

• int16 OneTimeDirection

One time STCF adjustment direction (Add = 1, Sub = 2)

· int16 OneHzDirection

1Hz STCF adjustment direction

· int16 DelayDirection

Client latency adjustment direction.

CFE_TIME_SysTime_t OneTimeAdjust

Previous one-time STCF adjustment.

CFE_TIME_SysTime_t OneHzAdjust

Current 1Hz STCF adjustment.

CFE_TIME_SysTime_t ToneSignalLatch

Local Clock latched at most recent tone signal.

CFE_TIME_SysTime_t ToneDataLatch

Local Clock latched at arrival of tone data.

· uint32 ToneMatchCounter

Tone signal / data verification count.

uint32 ToneMatchErrorCounter

Tone signal / data verification error count.

· uint32 ToneSignalCounter

Tone signal detected SB message count.

• uint32 ToneDataCounter

Time at the tone data SB message count.

uint32 ToneIntCounter

Tone signal ISR execution count.

uint32 ToneIntErrorCounter

Tone signal ISR error count.

• uint32 ToneTaskCounter

Tone task execution count.

• uint32 VersionCounter

Count of mods to time at tone reference data (version)

uint32 LocalIntCounter

Local 1Hz ISR execution count.

• uint32 LocalTaskCounter

Local 1Hz task execution count.

uint32 VirtualMET

Software MET.

· uint32 MinElapsed

Min tone signal / data pkt arrival window (Sub-seconds)

uint32 MaxElapsed

Max tone signal / data pkt arrival window (Sub-seconds)

CFE_TIME_SysTime_t MaxLocalClock

Max local clock value before rollover.

uint32 ToneOverLimit

Max between tone signal interrupts.

uint32 ToneUnderLimit

Min between tone signal interrupts.

· uint32 DataStoreStatus

Data Store status (preserved across processor reset)

10.160.1 Detailed Description

Name Time Services Diagnostics Packet

Definition at line 190 of file default_cfe_time_msgdefs.h.

10.160.2 Field Documentation

10.160.2.1 AtToneDelay CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload::AtToneDelay Adjustment for slow tone detection.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DLatentS, \$sc_\$cpu_TIME_DLatentSs

Definition at line 199 of file default cfe time msgdefs.h.

10.160.2.2 AtToneLatch CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload::AtToneLatch Local clock latched at time of tone.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTValidS, \$sc_\$cpu_TIME_DTValidSs

Definition at line 201 of file default cfe time msgdefs.h.

10.160.2.3 AtToneLeapSeconds int16 CFE_TIME_DiagnosticTlm_Payload::AtToneLeapSeconds Leap Seconds at time of tone.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DLeapS

Definition at line 204 of file default_cfe_time_msgdefs.h.

10.160.2.4 AtToneMET CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload::AtToneMET MET at time of tone.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTMETS, \$sc_\$cpu_TIME_DTMETSs

Definition at line 195 of file default_cfe_time_msgdefs.h.

10.160.2.5 AtToneSTCF CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload::AtToneSTCF STCF at time of tone.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DSTCFS, \$sc_\$cpu_TIME_DSTCFSS

Definition at line 197 of file default_cfe_time_msgdefs.h.

10.160.2.6 ClockFlyState int16 CFE_TIME_DiagnosticTlm_Payload::ClockFlyState Current fly-wheel state.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DFlywheel

Definition at line 228 of file default cfe time msgdefs.h.

10.160.2.7 ClockSetState int16 CFE_TIME_DiagnosticTlm_Payload::ClockSetState Time has been "set".

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DValid

Definition at line 226 of file default cfe time msgdefs.h.

10.160.2.8 ClockSignal int16 CFE_TIME_DiagnosticTlm_Payload::ClockSignal Primary vs redundant, etc.

Telemetry Mnemonic(s) \$sc \$cpu TIME DSignal

Definition at line 232 of file default cfe time msgdefs.h.

10.160.2.9 ClockSource int16 CFE_TIME_DiagnosticTlm_Payload::ClockSource Internal vs external, etc.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DSource

Definition at line 230 of file default cfe time msgdefs.h.

10.160.2.10 ClockStateAPI CFE_TIME_ClockState_Enum_t CFE_TIME_DiagnosticTlm_Payload::ClockStateAPI Clock state as per API.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DAPIState

Definition at line 206 of file default_cfe_time_msgdefs.h.

10.160.2.11 ClockStateFlags uint16 CFE_TIME_DiagnosticTlm_Payload::ClockStateFlags Clock State Flags.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DStateFlags, \$sc_\$cpu_TIME_DFlagSet, \$sc_\$cpu_TIME_DFlagFly, \$sc_\$cpu_TIME_DFlagSrc, \$sc_\$cpu_TIME_DFlagPri, \$sc_\$cpu_TIME_DFlagSfly, \$sc_↔ \$cpu_TIME_DFlagCfly, \$sc_\$cpu_TIME_DFlagAdjd, \$sc_\$cpu_TIME_DFlag1Hzd, \$sc_↔ \$cpu_TIME_DFlagClat, \$sc_\$cpu_TIME_DFlagSorC, \$sc_\$cpu_TIME_DFlagNIU

Definition at line 242 of file default cfe time msgdefs.h.

10.160.2.12 CurrentLatch CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload::CurrentLatch Local clock latched just "now".

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DLocalS, \$sc_\$cpu_TIME_DLocalSs

Definition at line 214 of file default_cfe_time_msgdefs.h.

10.160.2.13 CurrentMET CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload::CurrentMET MET at this instant.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DMETS, \$sc_\$cpu_TIME_DMETSs

Definition at line 216 of file default cfe time msgdefs.h.

10.160.2.14 CurrentTAI CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload::CurrentTAI TAI at this instant.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTAIS, \$sc_\$cpu_TIME_DTAISS

Definition at line 218 of file default cfe time msgdefs.h.

10.160.2.15 CurrentUTC CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload::CurrentUTC UTC at this instant.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DUTCS, \$sc_\$cpu_TIME_DUTCSS

Definition at line 220 of file default cfe time msgdefs.h.

10.160.2.16 DataStoreStatus uint32 CFE_TIME_DiagnosticTlm_Payload::DataStoreStatus Data Store status (preserved across processor reset)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DataStStat

Definition at line 332 of file default_cfe_time_msgdefs.h.

10.160.2.17 DelayDirection int16 CFE_TIME_DiagnosticTlm_Payload::DelayDirection Client latency adjustment direction.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DLatentDir

Definition at line 252 of file default_cfe_time_msgdefs.h.

10.160.2.18 Forced2Fly int16 CFE_TIME_DiagnosticTlm_Payload::Forced2Fly Commanded into fly-wheel.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DCMD2Fly

Definition at line 236 of file default_cfe_time_msgdefs.h.

10.160.2.19 LocalIntCounter uint32 CFE_TIME_DiagnosticTlm_Payload::LocalIntCounter Local 1Hz ISR execution count.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_D1HzISRCNT

Definition at line 290 of file default_cfe_time_msgdefs.h.

10.160.2.20 LocalTaskCounter uint32 CFE_TIME_DiagnosticTlm_Payload::LocalTaskCounter Local 1Hz task execution count.

Telemetry Mnemonic(s) \$sc \$cpu TIME D1HzTaskCNT

Definition at line 292 of file default cfe time msgdefs.h.

10.160.2.21 MaxElapsed uint32 CFE_TIME_DiagnosticTlm_Payload::MaxElapsed Max tone signal / data pkt arrival window (Sub-seconds)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DMaxWindow

Definition at line 312 of file default cfe time msgdefs.h.

10.160.2.22 MaxLocalClock CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload::MaxLocalClock Max local clock value before rollover.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DWrapS, \$sc_\$cpu_TIME_DWrapSs

Definition at line 318 of file default cfe time msgdefs.h.

10.160.2.23 MinElapsed uint32 CFE_TIME_DiagnosticTlm_Payload::MinElapsed Min tone signal / data pkt arrival window (Sub-seconds)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DMinWindow

Definition at line 310 of file default_cfe_time_msgdefs.h.

10.160.2.24 OneHzAdjust CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload::OneHzAdjust Current 1Hz STCF adjustment.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_D1HzAdjS, \$sc_\$cpu_TIME_D1HzAdjSs

Definition at line 260 of file default_cfe_time_msgdefs.h.

10.160.2.25 OneHzDirection int16 CFE_TIME_DiagnosticTlm_Payload::OneHzDirection 1Hz STCF adjustment direction

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_D1HzAdjDir

Definition at line 250 of file default_cfe_time_msgdefs.h.

10.160.2.26 OneTimeAdjust CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload::OneTimeAdjust Previous one-time STCF adjustment.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DAdjustS, \$sc_\$cpu_TIME_DAdjustSs

Definition at line 258 of file default_cfe_time_msgdefs.h.

10.160.2.27 OneTimeDirection intl6 CFE_TIME_DiagnosticTlm_Payload::OneTimeDirection One time STCF adjustment direction (Add = 1, Sub = 2)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DAdjustDir

Definition at line 248 of file default cfe time msgdefs.h.

10.160.2.28 ServerFlyState int16 CFE_TIME_DiagnosticTlm_Payload::ServerFlyState Used by clients only.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DSrvFly

Definition at line 234 of file default cfe time msgdefs.h.

10.160.2.29 TimeSinceTone CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload::TimeSinceTone Time elapsed since the tone.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DElapsedS, \$sc_\$cpu_TIME_DElapsedSs

Definition at line 212 of file default cfe time msgdefs.h.

10.160.2.30 ToneDataCounter uint32 CFE_TIME_DiagnosticTlm_Payload::ToneDataCounter Time at the tone data SB message count.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTatTCNT

Definition at line 280 of file default_cfe_time_msgdefs.h.

10.160.2.31 ToneDataLatch CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload::ToneDataLatch Local Clock latched at arrival of tone data.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTDS, \$sc_\$cpu_TIME_DTDSs

Definition at line 268 of file default_cfe_time_msgdefs.h.

10.160.2.32 ToneIntCounter uint32 CFE_TIME_DiagnosticTlm_Payload::ToneIntCounter Tone signal ISR execution count.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTsISRCNT

Definition at line 282 of file default_cfe_time_msgdefs.h.

10.160.2.33 ToneIntErrorCounter uint32 CFE_TIME_DiagnosticTlm_Payload::ToneIntErrorCounter Tone signal ISR error count.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTsISRERR

Definition at line 284 of file default_cfe_time_msgdefs.h.

10.160.2.34 ToneMatchCounter uint32 CFE_TIME_DiagnosticTlm_Payload::ToneMatchCounter Tone signal / data verification count.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DVerifyCNT

Definition at line 274 of file default cfe time msgdefs.h.

10.160.2.35 ToneMatchErrorCounter uint32 CFE_TIME_DiagnosticTlm_Payload::ToneMatchErrorCounter Tone signal / data verification error count.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DVerifyER

Definition at line 276 of file default cfe time msgdefs.h.

10.160.2.36 ToneOverLimit uint32 CFE_TIME_DiagnosticTlm_Payload::ToneOverLimit Max between tone signal interrupts.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DMaxSs

Definition at line 324 of file default_cfe_time_msgdefs.h.

10.160.2.37 ToneSignalCounter uint32 CFE_TIME_DiagnosticTlm_Payload::ToneSignalCounter Tone signal detected SB message count.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTSDetCNT

Definition at line 278 of file default_cfe_time_msgdefs.h.

10.160.2.38 ToneSignalLatch CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload::ToneSignalLatch Local Clock latched at most recent tone signal.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTTS, \$sc_\$cpu_TIME_DTTSs

Definition at line 266 of file default_cfe_time_msgdefs.h.

10.160.2.39 ToneTaskCounter uint32 CFE_TIME_DiagnosticTlm_Payload::ToneTaskCounter Tone task execution count.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTsTaskCNT

Definition at line 286 of file default_cfe_time_msgdefs.h.

10.160.2.40 ToneUnderLimit uint32 CFE_TIME_DiagnosticTlm_Payload::ToneUnderLimit Min between tone signal interrupts.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DMinSs

Definition at line 326 of file default_cfe_time_msgdefs.h.

10.160.2.41 VersionCounter uint32 CFE_TIME_DiagnosticTlm_Payload::VersionCounter Count of mods to time at tone reference data (version)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DVersionCNT

Definition at line 288 of file default cfe time msgdefs.h.

10.160.2.42 VirtualMET uint32 CFE_TIME_DiagnosticTlm_Payload::VirtualMET Software MET.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DLogicalMET

Definition at line 298 of file default cfe time msgdefs.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/config/default_cfe_time_msgdefs.h

10.161 CFE_TIME_FakeToneCmd Struct Reference

#include <default_cfe_time_msqstruct.h>

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

10.161.1 Detailed Description

Definition at line 71 of file default cfe time msgstruct.h.

10.161.2 Field Documentation

10.161.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TIME_FakeToneCmd::CommandHeader Command header.

Definition at line 73 of file default_cfe_time_msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/config/default_cfe_time_msgstruct.h

10.162 CFE TIME HousekeepingTlm Struct Reference

#include <default_cfe_time_msgstruct.h>

Data Fields

CFE_MSG_TelemetryHeader_t TelemetryHeader

Telemetry header.

CFE_TIME_HousekeepingTlm_Payload_t Payload

Telemetry payload.

10.162.1 Detailed Description

Definition at line 192 of file default_cfe_time_msgstruct.h.

10.162.2 Field Documentation

10.162.2.1 Payload CFE_TIME_HousekeepingTlm_Payload_t CFE_TIME_HousekeepingTlm::Payload Telemetry payload.

Definition at line 195 of file default cfe time msgstruct.h.

10.162.2.2 TelemetryHeader CFE_MSG_TelemetryHeader_t CFE_TIME_HousekeepingTlm::TelemetryHeader Telemetry header.

Definition at line 194 of file default_cfe_time_msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/time/config/default_cfe_time_msgstruct.h

10.163 CFE_TIME_HousekeepingTIm_Payload Struct Reference

#include <default_cfe_time_msgdefs.h>

Data Fields

· uint8 CommandCounter

Time Command Execution Counter.

uint8 CommandErrorCounter

Time Command Error Counter.

uint16 ClockStateFlags

State Flags.

CFE_TIME_ClockState_Enum_t ClockStateAPI

API State.

• int16 LeapSeconds

Current Leaps Seconds.

• uint32 SecondsMET

Current MET (seconds)

uint32 SubsecsMET

Current MET (sub-seconds)

uint32 SecondsSTCF

Current STCF (seconds)

uint32 SubsecsSTCF

Current STCF (sub-seconds)

uint32 Seconds1HzAdj

Current 1 Hz SCTF adjustment (seconds)

• uint32 Subsecs1HzAdj

Current 1 Hz SCTF adjustment (sub-seconds)

uint32 SecondsDelay

Current 1 Hz SCTF Delay (seconds)

· uint32 SubsecsDelay

Current 1 Hz SCTF Delay (sub-seconds)

10.163.1 Detailed Description

Name Time Services Housekeeping Packet

Definition at line 127 of file default cfe time msgdefs.h.

10.163.2 Field Documentation

10.163.2.1 ClockStateAPI CFE_TIME_ClockState_Enum_t CFE_TIME_HousekeepingTlm_Payload::ClockState ← API

API State.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DAPIState

Definition at line 142 of file default cfe time msgdefs.h.

10.163.2.2 ClockStateFlags uint16 CFE_TIME_HousekeepingTlm_Payload::ClockStateFlags State Flags.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_StateFlg, \$sc_\$cpu_TIME_FlagSet, \$sc_\$cpu_TIME_FlagFly, \$sc_\$cpu←

__TIME_FlagSrc, \$sc_\$cpu_TIME_FlagPri, \$sc_\$cpu_TIME_FlagSfly, \$sc_\$cpu_TIME_←

FlagCfly, \$sc_\$cpu_TIME_FlagAdjd, \$sc_\$cpu_TIME_Flag1Hzd, \$sc_\$cpu_TIME_FlagClat,

\$sc_\$cpu_TIME_FlagSorC, \$sc_\$cpu_TIME_FlagNIU

Definition at line 140 of file default_cfe_time_msgdefs.h.

10.163.2.3 CommandCounter uint8 CFE_TIME_HousekeepingTlm_Payload::CommandCounter Time Command Execution Counter.

Telemetry Mnemonic(s) \$sc \$cpu TIME CMDPC

Definition at line 132 of file default_cfe_time_msgdefs.h.

10.163.2.4 CommandErrorCounter uint8 CFE_TIME_HousekeepingTlm_Payload::CommandErrorCounter Time Command Error Counter.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_CMDEC

Definition at line 134 of file default cfe time msgdefs.h.

10.163.2.5 LeapSeconds int16 CFE_TIME_HousekeepingTlm_Payload::LeapSeconds Current Leaps Seconds.

Telemetry Mnemonic(s) \$sc \$cpu TIME LeapSecs

Definition at line 148 of file default_cfe_time_msgdefs.h.

10.163.2.6 Seconds1HzAdj uint32 CFE_TIME_HousekeepingTlm_Payload::Seconds1HzAdj Current 1 Hz SCTF adjustment (seconds)

Telemetry Mnemonic(s) \$sc \$cpu TIME 1HzAdjSecs

Definition at line 168 of file default cfe time msgdefs.h.

10.163.2.7 SecondsDelay uint32 CFE_TIME_HousekeepingTlm_Payload::SecondsDelay Current 1 Hz SCTF Delay (seconds)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_1HzAdjSecs

Definition at line 178 of file default_cfe_time_msgdefs.h.

10.163.2.8 SecondsMET uint32 CFE_TIME_HousekeepingTlm_Payload::SecondsMET Current MET (seconds)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_METSecs

Definition at line 154 of file default_cfe_time_msgdefs.h.

10.163.2.9 SecondsSTCF uint32 CFE_TIME_HousekeepingTlm_Payload::SecondsSTCF Current STCF (seconds)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_STCFSecs

Definition at line 159 of file default cfe time msgdefs.h.

10.163.2.10 Subsecs1HzAdj uint32 CFE_TIME_HousekeepingTlm_Payload::Subsecs1HzAdj Current 1 Hz SCTF adjustment (sub-seconds)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_1HzAdjSSecs

Definition at line 170 of file default cfe time msgdefs.h.

10.163.2.11 SubsecsDelay uint32 CFE_TIME_HousekeepingTlm_Payload::SubsecsDelay Current 1 Hz SCTF Delay (sub-seconds)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_1HzAdjSSecs

Definition at line 180 of file default cfe time msgdefs.h.

10.163.2.12 SubsecsMET uint32 CFE_TIME_HousekeepingTlm_Payload::SubsecsMET Current MET (sub-seconds)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_METSubsecs

Definition at line 156 of file default_cfe_time_msgdefs.h.

10.163.2.13 SubsecsSTCF uint32 CFE_TIME_HousekeepingTlm_Payload::SubsecsSTCF Current STCF (sub-seconds)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_STCFSubsecs

Definition at line 161 of file default_cfe_time_msgdefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/time/config/default cfe time msgdefs.h

10.164 CFE_TIME_LeapsCmd_Payload Struct Reference

Set leap seconds command payload.

#include <default_cfe_time_msgdefs.h>

Data Fields

• int16 LeapSeconds

10.164.1 Detailed Description

Set leap seconds command payload.

Definition at line 56 of file default_cfe_time_msgdefs.h.

10.164.2 Field Documentation

10.164.2.1 LeapSeconds int16 CFE_TIME_LeapsCmd_Payload::LeapSeconds

Definition at line 58 of file default_cfe_time_msgdefs.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/config/default_cfe_time_msgdefs.h

10.165 CFE_TIME_NoopCmd Struct Reference

```
#include <default_cfe_time_msgstruct.h>
```

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

10.165.1 Detailed Description

Definition at line 46 of file default_cfe_time_msgstruct.h.

10.165.2 Field Documentation

10.165.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TIME_NoopCmd::CommandHeader

Command header.

Definition at line 50 of file default_cfe_time_msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/config/default_cfe_time_msgstruct.h

10.166 CFE TIME OneHzAdjustmentCmd Payload Struct Reference

Generic seconds, subseconds command payload.

#include <default_cfe_time_msqdefs.h>

Data Fields

- uint32 Seconds
- · uint32 Subseconds

10.166.1 Detailed Description

Generic seconds, subseconds command payload.

Definition at line 105 of file default cfe time msgdefs.h.

10.166.2 Field Documentation

10.166.2.1 Seconds uint32 CFE_TIME_OneHzAdjustmentCmd_Payload::Seconds Definition at line 107 of file default_cfe_time_msgdefs.h.

10.166.2.2 Subseconds uint32 CFE_TIME_OneHzAdjustmentCmd_Payload::Subseconds Definition at line 108 of file default_cfe_time_msgdefs.h. The documentation for this struct was generated from the following file:

· cfe/modules/time/config/default cfe time msgdefs.h

10.167 CFE_TIME_ResetCountersCmd Struct Reference

#include <default_cfe_time_msgstruct.h>

Data Fields

 CFE_MSG_CommandHeader_t CommandHeader Command header.

10.167.1 Detailed Description

Definition at line 51 of file default_cfe_time_msgstruct.h.

10.167.2 Field Documentation

10.167.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TIME_ResetCountersCmd::CommandHeader Command header.

Definition at line 53 of file default_cfe_time_msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/config/default_cfe_time_msgstruct.h

10.168 CFE_TIME_SendDiagnosticCmd Struct Reference

#include <default_cfe_time_msgstruct.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

10.168.1 Detailed Description

Definition at line 56 of file default_cfe_time_msgstruct.h.

10.168.2 Field Documentation

10.168.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TIME_SendDiagnosticCmd::CommandHeader Command header.

Definition at line 58 of file default_cfe_time_msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/config/default_cfe_time_msgstruct.h

10.169 CFE_TIME_SendHkCmd Struct Reference

#include <default_cfe_time_msgstruct.h>

Data Fields

 CFE_MSG_CommandHeader_t CommandHeader Command header.

10.169.1 Detailed Description

Definition at line 76 of file default_cfe_time_msgstruct.h.

10.169.2 Field Documentation

10.169.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TIME_SendHkCmd::CommandHeader Command header.

Definition at line 78 of file default_cfe_time_msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/config/default_cfe_time_msgstruct.h

10.170 CFE_TIME_SetLeapSecondsCmd Struct Reference

Set leap seconds command.

#include <default_cfe_time_msgstruct.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_TIME_LeapsCmd_Payload_t Payload

Command payload.

10.170.1 Detailed Description

Set leap seconds command.

Definition at line 84 of file default cfe time msgstruct.h.

10.170.2 Field Documentation

10.170.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TIME_SetLeapSecondsCmd::CommandHeader Command header.

Definition at line 86 of file default cfe time msgstruct.h.

10.170.2.2 Payload CFE_TIME_LeapsCmd_Payload_t CFE_TIME_SetLeapSecondsCmd::Payload Command payload.

Definition at line 87 of file default_cfe_time_msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/time/config/default_cfe_time_msgstruct.h

10.171 CFE_TIME_SetMETCmd Struct Reference

#include <default_cfe_time_msgstruct.h>

Data Fields

CFE MSG CommandHeader t CommandHeader

Command header.

CFE_TIME_TimeCmd_Payload_t Payload

Command payload.

10.171.1 Detailed Description

Definition at line 134 of file default_cfe_time_msgstruct.h.

10.171.2 Field Documentation

10.171.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TIME_SetMETCmd::CommandHeader Command header.

Definition at line 136 of file default_cfe_time_msgstruct.h.

10.171.2.2 Payload CFE_TIME_TimeCmd_Payload_t CFE_TIME_SetMETCmd::Payload

Command payload.

Definition at line 137 of file default_cfe_time_msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/config/default_cfe_time_msgstruct.h

10.172 CFE_TIME_SetSignalCmd Struct Reference

Set tone signal source command.

#include <default_cfe_time_msgstruct.h>

Data Fields

· CFE MSG CommandHeader t CommandHeader

Command header.

CFE_TIME_SignalCmd_Payload_t Payload

Command payload.

10.172.1 Detailed Description

Set tone signal source command.

Definition at line 111 of file default cfe time msgstruct.h.

10.172.2 Field Documentation

10.172.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TIME_SetSignalCmd::CommandHeader Command header.

Definition at line 113 of file default cfe time msgstruct.h.

10.172.2.2 Payload CFE_TIME_SignalCmd_Payload_t CFE_TIME_SetSignalCmd::Payload Command payload.

Definition at line 114 of file default_cfe_time_msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/config/default_cfe_time_msgstruct.h

10.173 CFE TIME SetSourceCmd Struct Reference

Set time data source command.

#include <default_cfe_time_msgstruct.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_TIME_SourceCmd_Payload_t Payload

Command payload.

10.173.1 Detailed Description

Set time data source command.

Definition at line 102 of file default cfe time msgstruct.h.

10.173.2 Field Documentation

10.173.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TIME_SetSourceCmd::CommandHeader Command header.

Definition at line 104 of file default cfe time msgstruct.h.

10.173.2.2 Payload CFE_TIME_SourceCmd_Payload_t CFE_TIME_SetSourceCmd::Payload Command payload.

Definition at line 105 of file default cfe time msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/config/default_cfe_time_msgstruct.h

10.174 CFE TIME SetStateCmd Struct Reference

Set clock state command.

#include <default_cfe_time_msgstruct.h>

Data Fields

CFE MSG CommandHeader t CommandHeader

Command header.

CFE_TIME_StateCmd_Payload_t Payload

Command payload.

10.174.1 Detailed Description

Set clock state command.

Definition at line 93 of file default_cfe_time_msgstruct.h.

10.174.2 Field Documentation

10.174.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TIME_SetStateCmd::CommandHeader Command header.

Definition at line 95 of file default_cfe_time_msgstruct.h.

10.174.2.2 Payload CFE_TIME_StateCmd_Payload_t CFE_TIME_SetStateCmd::Payload Command payload.

Definition at line 96 of file default cfe time msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/config/default_cfe_time_msgstruct.h

10.175 CFE TIME SetSTCFCmd Struct Reference

#include <default_cfe_time_msgstruct.h>

Data Fields

CFE MSG CommandHeader t CommandHeader

Command header.

CFE TIME TimeCmd Payload t Payload

Command payload.

10.175.1 Detailed Description

Definition at line 140 of file default cfe time msgstruct.h.

10.175.2 Field Documentation

10.175.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TIME_SetSTCFCmd::CommandHeader Command header.

Definition at line 142 of file default cfe time msgstruct.h.

10.175.2.2 Payload CFE_TIME_TimeCmd_Payload_t CFE_TIME_SetSTCFCmd::Payload Command payload.

Definition at line 143 of file default cfe time msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/config/default_cfe_time_msgstruct.h

10.176 CFE_TIME_SetTimeCmd Struct Reference

#include <default_cfe_time_msqstruct.h>

Data Fields

CFE MSG CommandHeader t CommandHeader

Command header.

CFE_TIME_TimeCmd_Payload_t Payload

Command payload.

10.176.1 Detailed Description

Definition at line 158 of file default_cfe_time_msgstruct.h.

10.176.2 Field Documentation

10.176.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TIME_SetTimeCmd::CommandHeader Command header.

Definition at line 160 of file default cfe time msgstruct.h.

10.176.2.2 Payload CFE_TIME_TimeCmd_Payload_t CFE_TIME_SetTimeCmd::Payload

Command payload.

Definition at line 161 of file default_cfe_time_msgstruct.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/config/default_cfe_time_msgstruct.h

10.177 CFE TIME SignalCmd Payload Struct Reference

Set tone signal source command payload.

#include <default_cfe_time_msqdefs.h>

Data Fields

int16 ToneSource

CFE_TIME_ToneSignalSelect_PRIMARY=Primary Source, CFE_TIME_ToneSignalSelect_REDUNDANT=Redundant Source

10.177.1 Detailed Description

Set tone signal source command payload.

Definition at line 86 of file default_cfe_time_msgdefs.h.

10.177.2 Field Documentation

10.177.2.1 ToneSource int16 CFE_TIME_SignalCmd_Payload::ToneSource CFE_TIME_ToneSignalSelect_PRIMARY=Primary Source, CFE_TIME_ToneSignalSelect_REDUNDANT=Redundant Source

Selects either the "Primary" or "Redundant" tone signal source Definition at line 88 of file default_cfe_time_msgdefs.h. The documentation for this struct was generated from the following file:

cfe/modules/time/config/default cfe time msgdefs.h

10.178 CFE_TIME_SourceCmd_Payload Struct Reference

Set time data source command payload.

#include <default_cfe_time_msgdefs.h>

Data Fields

• int16 TimeSource

CFE_TIME_SourceSelect_INTERNAL=Internal Source, CFE_TIME_SourceSelect_EXTERNAL=External Source

10.178.1 Detailed Description

Set time data source command payload.

Definition at line 76 of file default_cfe_time_msgdefs.h.

10.178.2 Field Documentation

10.178.2.1 TimeSource int16 CFE_TIME_SourceCmd_Payload::TimeSource CFE TIME SourceSelect INTERNAL=Internal Source, CFE TIME SourceSelect EXTERNAL=External Source

Selects either the "Internal" and "External" clock source Definition at line 78 of file default_cfe_time_msgdefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/time/config/default cfe time msgdefs.h

10.179 CFE_TIME_StateCmd_Payload Struct Reference

Set clock state command payload.

#include <default_cfe_time_msgdefs.h>

Data Fields

CFE TIME ClockState Enum t ClockState

CFE_TIME_ClockState_INVALID=Spacecraft time has not been accurately set, CFE_TIME_ClockState_VALID=Spacecraft clock has been accurately set, CFE_TIME_ClockState_FLYWHEEL=Force into FLYWHEEL mode

10.179.1 Detailed Description

Set clock state command payload.

Definition at line 64 of file default_cfe_time_msgdefs.h.

10.179.2 Field Documentation

10.179.2.1 ClockState CFE_TIME_ClockState_Enum_t CFE_TIME_StateCmd_Payload::ClockState CFE_TIME_ClockState_INVALID=Spacecraft time has not been accurately set, CFE_TIME_ClockState_VALID=Spacecraft clock has been accurately set, CFE_TIME_ClockState_FLYWHEEL=Force into FLYWHEEL mode

Selects the current clock state

Definition at line 66 of file default_cfe_time_msgdefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/time/config/default_cfe_time_msgdefs.h

10.180 CFE TIME Sub1HZAdjustmentCmd Struct Reference

#include <default_cfe_time_msgstruct.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

• CFE_TIME_OneHzAdjustmentCmd_Payload_t Payload

Command payload.

10.180.1 Detailed Description

Definition at line 175 of file default_cfe_time_msgstruct.h.

10.180.2 Field Documentation

10.180.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TIME_Sub1HZAdjustmentCmd::CommandHeader Command header.

Definition at line 177 of file default cfe time msgstruct.h.

10.180.2.2 Payload CFE_TIME_OneHzAdjustmentCmd_Payload_t CFE_TIME_Sub1HZAdjustmentCmd::Payload Command payload.

Definition at line 178 of file default cfe time msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/time/config/default cfe time msgstruct.h

10.181 CFE_TIME_SubAdjustCmd Struct Reference

#include <default_cfe_time_msgstruct.h>

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

• CFE_TIME_TimeCmd_Payload_t Payload

Command payload.

10.181.1 Detailed Description

Definition at line 152 of file default cfe time msgstruct.h.

10.181.2 Field Documentation

10.181.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TIME_SubAdjustCmd::CommandHeader Command header.

Definition at line 154 of file default_cfe_time_msgstruct.h.

10.181.2.2 Payload CFE_TIME_TimeCmd_Payload_t CFE_TIME_SubAdjustCmd::Payload Command payload.

Definition at line 155 of file default cfe time msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/time/config/default_cfe_time_msgstruct.h

10.182 CFE TIME SubDelayCmd Struct Reference

#include <default_cfe_time_msgstruct.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

• CFE_TIME_TimeCmd_Payload_t Payload

Command payload.

10.182.1 Detailed Description

Definition at line 128 of file default cfe time msgstruct.h.

10.182.2 Field Documentation

10.182.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TIME_SubDelayCmd::CommandHeader

Command header.

Definition at line 130 of file default_cfe_time_msgstruct.h.

10.182.2.2 Payload CFE_TIME_TimeCmd_Payload_t CFE_TIME_SubDelayCmd::Payload

Command payload.

Definition at line 131 of file default cfe time msgstruct.h.

The documentation for this struct was generated from the following file:

· cfe/modules/time/config/default cfe time msgstruct.h

10.183 CFE_TIME_SysTime Struct Reference

Data structure used to hold system time values.

#include <default_cfe_time_extern_typedefs.h>

Data Fields

· uint32 Seconds

Number of seconds since epoch.

• uint32 Subseconds

Number of subseconds since epoch (LSB = 2^{\land} (-32) seconds)

10.183.1 Detailed Description

Data structure used to hold system time values.

Description

The CFE_TIME_SysTime_t data structure is used to hold time values. Time is referred to as the elapsed time (in seconds and subseconds) since a specified epoch time. The subseconds field contains the number of $2^{(-32)}$ second intervals that have elapsed since the epoch.

Definition at line 41 of file default cfe time extern typedefs.h.

10.183.2 Field Documentation

10.183.2.1 Seconds uint32 CFE_TIME_SysTime::Seconds

Number of seconds since epoch.

Definition at line 43 of file default cfe time extern typedefs.h.

10.183.2.2 Subseconds uint32 CFE_TIME_SysTime::Subseconds

Number of subseconds since epoch (LSB = 2^{\land} (-32) seconds)

Definition at line 44 of file default_cfe_time_extern_typedefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/time/config/default cfe time extern typedefs.h

10.184 CFE_TIME_TimeCmd_Payload Struct Reference

Generic seconds, microseconds command payload.

#include <default_cfe_time_msgdefs.h>

Data Fields

- uint32 Seconds
- · uint32 MicroSeconds

10.184.1 Detailed Description

Generic seconds, microseconds command payload. Definition at line 96 of file default cfe time msgdefs.h.

10.184.2 Field Documentation

10.184.2.1 MicroSeconds uint32 CFE_TIME_TimeCmd_Payload::MicroSeconds Definition at line 99 of file default_cfe_time_msgdefs.h.

10.184.2.2 Seconds uint32 CFE_TIME_TimeCmd_Payload::Seconds Definition at line 98 of file default_cfe_time_msgdefs.h. The documentation for this struct was generated from the following file:

· cfe/modules/time/config/default cfe time msgdefs.h

10.185 CFE_TIME_ToneDataCmd Struct Reference

Time at tone data command.

#include <default_cfe_time_msgstruct.h>

Data Fields

- CFE_MSG_CommandHeader_t CommandHeader
- CFE_TIME_ToneDataCmd_Payload_t Payload

Command payload.

Command header.

10.185.1 Detailed Description

Time at tone data command.

Definition at line 184 of file default_cfe_time_msgstruct.h.

10.185.2 Field Documentation

10.185.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TIME_ToneDataCmd::CommandHeader Command header.

Definition at line 186 of file default cfe time msgstruct.h.

10.185.2.2 Payload CFE_TIME_ToneDataCmd_Payload_t CFE_TIME_ToneDataCmd::Payload Command payload.

Definition at line 187 of file default cfe time msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/time/config/default_cfe_time_msgstruct.h

10.186 CFE_TIME_ToneDataCmd_Payload Struct Reference

Time at tone data command payload.

#include <default_cfe_time_msgdefs.h>

Data Fields

CFE_TIME_SysTime_t AtToneMET

MET at time of tone.

CFE_TIME_SysTime_t AtToneSTCF

STCF at time of tone.

int16 AtToneLeapSeconds

Leap Seconds at time of tone.

• CFE_TIME_ClockState_Enum_t AtToneState

Clock state at time of tone.

10.186.1 Detailed Description

Time at tone data command payload.

Definition at line 114 of file default_cfe_time_msgdefs.h.

10.186.2 Field Documentation

10.186.2.1 AtToneLeapSeconds int16 CFE_TIME_ToneDataCmd_Payload::AtToneLeapSeconds Leap Seconds at time of tone.

Definition at line 118 of file default cfe time msgdefs.h.

10.186.2.2 AtToneMET CFE_TIME_SysTime_t CFE_TIME_ToneDataCmd_Payload::AtToneMET MET at time of tone.

Definition at line 116 of file default cfe time msgdefs.h.

10.186.2.3 AtToneState CFE_TIME_ClockState_Enum_t CFE_TIME_ToneDataCmd_Payload::AtToneState Clock state at time of tone.

Definition at line 119 of file default cfe time msgdefs.h.

10.186.2.4 AtToneSTCF CFE_TIME_SysTime_t CFE_TIME_ToneDataCmd_Payload::AtToneSTCF STCF at time of tone.

Definition at line 117 of file default cfe time msgdefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/time/config/default cfe time msgdefs.h

10.187 CFE_TIME_ToneSignalCmd Struct Reference

#include <default_cfe_time_msgstruct.h>

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

10.187.1 Detailed Description

Definition at line 66 of file default_cfe_time_msgstruct.h.

10.187.2 Field Documentation

10.187.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TIME_ToneSignalCmd::CommandHeader Command header.

Definition at line 68 of file default_cfe_time_msgstruct.h.

The documentation for this struct was generated from the following file:

cfe/modules/time/config/default cfe time msgstruct.h

10.188 OS_bin_sem_prop_t Struct Reference

OSAL binary semaphore properties.

#include <osapi-binsem.h>

Data Fields

- char name [OS_MAX_API_NAME]
- osal_id_t creator
- int32 value

10.188.1 Detailed Description

OSAL binary semaphore properties. Definition at line 39 of file osapi-binsem.h.

10.188.2 Field Documentation

10.188.2.1 creator osal_id_t OS_bin_sem_prop_t::creator Definition at line 42 of file osapi-binsem.h.

10.188.2.2 name char OS_bin_sem_prop_t::name[OS_MAX_API_NAME] Definition at line 41 of file osapi-binsem.h.

10.188.2.3 value int32 OS_bin_sem_prop_t::value

Definition at line 43 of file osapi-binsem.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-binsem.h

10.189 OS_condvar_prop_t Struct Reference

OSAL condition variable properties.

```
#include <osapi-condvar.h>
```

Data Fields

- char name [OS_MAX_API_NAME]
- · osal id t creator

10.189.1 Detailed Description

OSAL condition variable properties.

Definition at line 34 of file osapi-condvar.h.

10.189.2 Field Documentation

10.189.2.1 creator osal_id_t OS_condvar_prop_t::creator Definition at line 37 of file osapi-condvar.h.

10.189.2.2 name char OS_condvar_prop_t::name[OS_MAX_API_NAME] Definition at line 36 of file osapi-condvar.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-condvar.h

10.190 OS_count_sem_prop_t Struct Reference

OSAL counting semaphore properties.

```
#include <osapi-countsem.h>
```

Data Fields

- char name [OS_MAX_API_NAME]
- · osal_id_t creator
- int32 value

10.190.1 Detailed Description

OSAL counting semaphore properties. Definition at line 32 of file osapi-countsem.h.

10.190.2 Field Documentation

10.190.2.1 creator osal_id_t OS_count_sem_prop_t::creator Definition at line 35 of file osapi-countsem.h.

10.190.2.2 name char OS_count_sem_prop_t::name[OS_MAX_API_NAME] Definition at line 34 of file osapi-countsem.h.

10.190.2.3 value int32 OS_count_sem_prop_t::value

Definition at line 36 of file osapi-countsem.h.

The documentation for this struct was generated from the following file:

· osal/src/os/inc/osapi-countsem.h

10.191 os dirent t Struct Reference

Directory entry.

#include <osapi-dir.h>

Data Fields

char FileName [OS MAX FILE NAME]

10.191.1 Detailed Description

Directory entry.

Definition at line 32 of file osapi-dir.h.

10.191.2 Field Documentation

10.191.2.1 FileName char os_dirent_t::FileName[OS_MAX_FILE_NAME]

Definition at line 34 of file osapi-dir.h.

The documentation for this struct was generated from the following file:

osal/src/os/inc/osapi-dir.h

10.192 OS_FdSet Struct Reference

An abstract structure capable of holding several OSAL IDs.

```
#include <osapi-select.h>
```

Data Fields

• uint8 object ids [(OS MAX NUM OPEN FILES+7)/8]

10.192.1 Detailed Description

An abstract structure capable of holding several OSAL IDs.

This is part of the select API and is manipulated using the related API calls. It should not be modified directly by applications.

Note: Math is to determine uint8 array size needed to represent single bit OS_MAX_NUM_OPEN_FILES objects, + 7 rounds up and 8 is the size of uint8.

See also

```
OS_SelectFdZero(), OS_SelectFdAdd(), OS_SelectFdClear(), OS_SelectFdIsSet()
```

Definition at line 43 of file osapi-select.h.

10.192.2 Field Documentation

```
10.192.2.1 object_ids uint8 OS_FdSet::object_ids[(OS_MAX_NUM_OPEN_FILES+7)/8] Definition at line 45 of file osapi-select.h.
```

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-select.h

10.193 OS file prop t Struct Reference

```
OSAL file properties.
```

```
#include <osapi-file.h>
```

Data Fields

- char Path [OS_MAX_PATH_LEN]
- · osal_id_t User
- uint8 IsValid

10.193.1 Detailed Description

OSAL file properties.

Definition at line 49 of file osapi-file.h.

10.193.2 Field Documentation

```
10.193.2.1 IsValid uint8 OS_file_prop_t::IsValid
```

Definition at line 53 of file osapi-file.h.

```
10.193.2.2 Path char OS_file_prop_t::Path[OS_MAX_PATH_LEN] Definition at line 51 of file osapi-file.h.
```

```
10.193.2.3 User osal_id_t OS_file_prop_t::User
```

Definition at line 52 of file osapi-file.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-file.h

10.194 os_fsinfo_t Struct Reference

OSAL file system info.

#include <osapi-filesys.h>

Data Fields

uint32 MaxFds

Total number of file descriptors.

• uint32 FreeFds

Total number that are free.

• uint32 MaxVolumes

Maximum number of volumes.

• uint32 FreeVolumes

Total number of volumes free.

10.194.1 Detailed Description

OSAL file system info.

Definition at line 35 of file osapi-filesys.h.

10.194.2 Field Documentation

10.194.2.1 FreeFds uint32 os_fsinfo_t::FreeFds

Total number that are free.

Definition at line 38 of file osapi-filesys.h.

10.194.2.2 FreeVolumes uint32 os_fsinfo_t::FreeVolumes

Total number of volumes free.

Definition at line 40 of file osapi-filesys.h.

10.194.2.3 MaxFds uint32 os_fsinfo_t::MaxFds

Total number of file descriptors.

Definition at line 37 of file osapi-filesys.h.

10.194.2.4 MaxVolumes uint32 os_fsinfo_t::MaxVolumes

Maximum number of volumes.

Definition at line 39 of file osapi-filesys.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-filesys.h

10.195 os_fstat_t Struct Reference

File system status.

#include <osapi-file.h>

Data Fields

- uint32 FileModeBits
- OS_time_t FileTime
- size t FileSize

10.195.1 Detailed Description

File system status.

Note

This used to be directly typedef'ed to the "struct stat" from the C library

Some C libraries (glibc in particular) actually define member names to reference into sub-structures, so attempting to reuse a name like "st_mtime" might not work.

Definition at line 64 of file osapi-file.h.

10.195.2 Field Documentation

10.195.2.1 FileModeBits uint32 os_fstat_t::FileModeBits Definition at line 66 of file osapi-file.h.

10.195.2.2 FileSize size_t os_fstat_t::FileSize Definition at line 68 of file osapi-file.h.

10.195.2.3 FileTime OS_time_t os_fstat_t::FileTime

Definition at line 67 of file osapi-file.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-file.h

10.196 OS_heap_prop_t Struct Reference

OSAL heap properties.

#include <osapi-heap.h>

Data Fields

- · size t free bytes
- · osal blockcount tfree blocks
- size_t largest_free_block

10.196.1 Detailed Description

OSAL heap properties.

See also

OS_HeapGetInfo()

Definition at line 36 of file osapi-heap.h.

10.196.2 Field Documentation

10.196.2.1 free_blocks osal_blockcount_t OS_heap_prop_t::free_blocks Definition at line 39 of file osapi-heap.h.

10.196.2.2 free_bytes size_t OS_heap_prop_t::free_bytes Definition at line 38 of file osapi-heap.h.

10.196.2.3 largest_free_block size_t OS_heap_prop_t::largest_free_block Definition at line 40 of file osapi-heap.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-heap.h

10.197 OS_module_address_t Struct Reference

OSAL module address properties.

#include <osapi-module.h>

Data Fields

- uint32 valid
- · uint32 flags
- · cpuaddr code_address
- cpuaddr code_size
- cpuaddr data_address
- · cpuaddr data size
- cpuaddr bss_address
- · cpuaddr bss_size

10.197.1 Detailed Description

OSAL module address properties. Definition at line 78 of file osapi-module.h.

10.197.2 Field Documentation

10.197.2.1 bss_address cpuaddr OS_module_address_t::bss_address Definition at line 86 of file osapi-module.h.

10.197.2.2 bss_size cpuaddr OS_module_address_t::bss_size Definition at line 87 of file osapi-module.h.

10.197.2.3 code_address cpuaddr OS_module_address_t::code_address
Definition at line 82 of file osapi-module.h.

10.197.2.4 code_size cpuaddr OS_module_address_t::code_size
Definition at line 83 of file osapi-module.h.

10.197.2.5 data_address cpuaddr OS_module_address_t::data_address
Definition at line 84 of file osapi-module.h.

10.197.2.6 data_size cpuaddr OS_module_address_t::data_size Definition at line 85 of file osapi-module.h.

10.197.2.7 flags uint32 OS_module_address_t::flags Definition at line 81 of file osapi-module.h.

10.197.2.8 valid uint32 OS_module_address_t::valid Definition at line 80 of file osapi-module.h. The documentation for this struct was generated from the following file:

osal/src/os/inc/osapi-module.h

10.198 OS_module_prop_t Struct Reference

OSAL module properties.

#include <osapi-module.h>

Data Fields

- · cpuaddr entry_point
- · cpuaddr host module id
- char filename [OS_MAX_PATH_LEN]
- char name [OS MAX API NAME]
- OS_module_address_t addr

10.198.1 Detailed Description

OSAL module properties.

Definition at line 91 of file osapi-module.h.

10.198.2 Field Documentation

10.198.2.1 addr <code>OS_module_address_t</code> <code>OS_module_prop_t::addr</code> Definition at line 97 of file osapi-module.h.

10.198.2.2 entry_point cpuaddr OS_module_prop_t::entry_point Definition at line 93 of file osapi-module.h.

10.198.2.3 filename char OS_module_prop_t::filename[OS_MAX_PATH_LEN] Definition at line 95 of file osapi-module.h.

10.198.2.4 host_module_id cpuaddr OS_module_prop_t::host_module_id Definition at line 94 of file osapi-module.h.

10.198.2.5 name char OS_module_prop_t::name[OS_MAX_API_NAME] Definition at line 96 of file osapi-module.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-module.h

10.199 OS_mut_sem_prop_t Struct Reference

OSAL mutex properties.

#include <osapi-mutex.h>

Data Fields

- char name [OS_MAX_API_NAME]
- · osal_id_t creator

10.199.1 Detailed Description

OSAL mutex properties.

Definition at line 32 of file osapi-mutex.h.

10.199.2 Field Documentation

10.199.2.1 creator osal_id_t OS_mut_sem_prop_t::creator Definition at line 35 of file osapi-mutex.h.

10.199.2.2 name char OS_mut_sem_prop_t::name[OS_MAX_API_NAME]

Definition at line 34 of file osapi-mutex.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-mutex.h

10.200 OS_queue_prop_t Struct Reference

OSAL queue properties.

#include <osapi-queue.h>

Data Fields

- char name [OS_MAX_API_NAME]
- · osal_id_t creator

10.200.1 Detailed Description

OSAL queue properties.

Definition at line 32 of file osapi-queue.h.

10.200.2 Field Documentation

10.200.2.1 creator osal_id_t OS_queue_prop_t::creator

Definition at line 35 of file osapi-queue.h.

10.200.2.2 name char OS_queue_prop_t::name[OS_MAX_API_NAME]

Definition at line 34 of file osapi-queue.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-queue.h

10.201 OS_SockAddr_t Struct Reference

Encapsulates a generic network address.

#include <osapi-sockets.h>

Data Fields

size t ActualLength

Length of the actual address data.

· OS SockAddrData t AddrData

Abstract Address data.

10.201.1 Detailed Description

Encapsulates a generic network address.

This is just an abstract buffer type that holds a network address. It is allocated for the worst-case size defined by OS SOCKADDR MAX LEN, and the real size is stored within.

Definition at line 109 of file osapi-sockets.h.

10.201.2 Field Documentation

10.201.2.1 ActualLength size_t OS_SockAddr_t::ActualLength

Length of the actual address data.

Definition at line 111 of file osapi-sockets.h.

10.201.2.2 AddrData OS_SockAddrData_t OS_SockAddr_t::AddrData

Abstract Address data.

Definition at line 112 of file osapi-sockets.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-sockets.h

10.202 OS_SockAddrData_t Union Reference

Storage buffer for generic network address.

#include <osapi-sockets.h>

Data Fields

uint8 Buffer [OS_SOCKADDR_MAX_LEN]

Ensures length of at least OS_SOCKADDR_MAX_LEN.

• uint32 AlignU32

Ensures uint32 alignment.

void * AlignPtr

Ensures pointer alignment.

10.202.1 Detailed Description

Storage buffer for generic network address.

This is a union type that helps to ensure a minimum alignment value for the data storage, such that it can be cast to the system-specific type without increasing alignment requirements.

Definition at line 95 of file osapi-sockets.h.

10.202.2 Field Documentation

10.202.2.1 AlignPtr void* OS_SockAddrData_t::AlignPtr

Ensures pointer alignment.

Definition at line 99 of file osapi-sockets.h.

10.202.2.2 AlignU32 uint32 OS_SockAddrData_t::AlignU32

Ensures uint32 alignment.

Definition at line 98 of file osapi-sockets.h.

10.202.2.3 Buffer uint8 OS_SockAddrData_t::Buffer[OS_SOCKADDR_MAX_LEN]

Ensures length of at least OS_SOCKADDR_MAX_LEN.

Definition at line 97 of file osapi-sockets.h.

The documentation for this union was generated from the following file:

osal/src/os/inc/osapi-sockets.h

10.203 OS_socket_prop_t Struct Reference

Encapsulates socket properties.

#include <osapi-sockets.h>

Data Fields

• char name [OS MAX API NAME]

Name of the socket.

osal_id_t creator

OSAL TaskID which opened the socket.

10.203.1 Detailed Description

Encapsulates socket properties.

This is for consistency with other OSAL resource types. Currently no extra properties are exposed here but this could change in a future revision of OSAL as needed.

Definition at line 122 of file osapi-sockets.h.

10.203.2 Field Documentation

10.203.2.1 creator osal_id_t OS_socket_prop_t::creator

OSAL TaskID which opened the socket.

Definition at line 125 of file osapi-sockets.h.

10.203.2.2 name char OS_socket_prop_t::name[OS_MAX_API_NAME]

Name of the socket.

Definition at line 124 of file osapi-sockets.h.

The documentation for this struct was generated from the following file:

osal/src/os/inc/osapi-sockets.h

10.204 OS_static_symbol_record_t Struct Reference

Associates a single symbol name with a memory address.

#include <osapi-module.h>

Data Fields

- const char * Name
- void(* Address)(void)
- const char * Module

10.204.1 Detailed Description

Associates a single symbol name with a memory address.

If the OS_STATIC_SYMBOL_TABLE feature is enabled, then an array of these structures should be provided by the application. When the application needs to find a symbol address, the static table will be checked in addition to (or instead of) the OS/library-provided lookup function.

This static symbol allows systems that do not implement dynamic module loading to maintain the same semantics as dynamically loaded modules.

Definition at line 113 of file osapi-module.h.

10.204.2 Field Documentation

10.204.2.1 Address void(* OS_static_symbol_record_t::Address) (void)

Definition at line 116 of file osapi-module.h.

10.204.2.2 Module const char* OS_static_symbol_record_t::Module

Definition at line 117 of file osapi-module.h.

10.204.2.3 Name const char* OS_static_symbol_record_t::Name

Definition at line 115 of file osapi-module.h.

The documentation for this struct was generated from the following file:

osal/src/os/inc/osapi-module.h

10.205 OS_statvfs_t Struct Reference

#include <osapi-filesys.h>

Data Fields

- size t block size
- · osal blockcount total blocks
- osal_blockcount_t blocks_free

10.205.1 Detailed Description

Definition at line 49 of file osapi-filesys.h.

10.205.2 Field Documentation

10.205.2.1 block_size size_t OS_statvfs_t::block_size Block size of underlying FS
Definition at line 51 of file osapi-filesys.h.

10.205.2.2 blocks_free osal_blockcount_t OS_statvfs_t::blocks_free Available blocks in underlying FS Definition at line 53 of file osapi-filesys.h.

10.205.2.3 total_blocks osal_blockcount_t OS_statvfs_t::total_blocks
Total blocks in underlying FS
Definition at line 52 of file osapi-filesys.h.
The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-filesys.h

10.206 OS task prop t Struct Reference

OSAL task properties. #include <osapi-task.h>

Data Fields

- char name [OS_MAX_API_NAME]
- · osal id t creator
- · size t stack size
- osal_priority_t priority

10.206.1 Detailed Description

OSAL task properties. Definition at line 57 of file osapi-task.h.

10.206.2 Field Documentation

10.206.2.1 creator osal_id_t OS_task_prop_t::creator

Definition at line 60 of file osapi-task.h.

10.206.2.2 name char OS_task_prop_t::name[OS_MAX_API_NAME]

Definition at line 59 of file osapi-task.h.

10.206.2.3 priority osal_priority_t OS_task_prop_t::priority

Definition at line 62 of file osapi-task.h.

10.206.2.4 stack_size size_t OS_task_prop_t::stack_size

Definition at line 61 of file osapi-task.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-task.h

10.207 OS_time_t Struct Reference

OSAL time interval structure.

#include <osapi-clock.h>

Data Fields

· int64 ticks

10.207.1 Detailed Description

OSAL time interval structure.

This is used to represent a basic time interval.

When used with OS_GetLocalTime/OS_SetLocalTime, this represents the interval from the OS's epoch point, typically 01 Jan 1970 00:00:00 UTC on systems that have a persistent real time clock (RTC), or the system boot time if there is no RTC available.

Applications should not directly access fields within this structure, as the definition may change in future versions of OSAL. Instead, applications should use the accessor/conversion methods defined below.

Definition at line 45 of file osapi-clock.h.

10.207.2 Field Documentation

10.207.2.1 ticks int64 OS_time_t::ticks

Ticks elapsed since reference point

Definition at line 47 of file osapi-clock.h.

Referenced by OS_TimeAdd(), OS_TimeAssembleFromMicroseconds(), OS_TimeAssembleFromMilliseconds(), O \hookrightarrow S_TimeAssembleFromNanoseconds(), OS_TimeAssembleFromSubseconds(), OS_TimeGetFractionalPart(), OS_ \hookleftarrow TimeGetTotalMicroseconds(), OS_TimeGetTotalMilliseconds(), OS_TimeGetTotalNanoseconds(), OS_TimeGetTotal \hookleftarrow Seconds(), and OS_TimeSubtract().

The documentation for this struct was generated from the following file:

osal/src/os/inc/osapi-clock.h

10.208 OS_timebase_prop_t Struct Reference

Time base properties.

#include <osapi-timebase.h>

Data Fields

- char name [OS_MAX_API_NAME]
- · osal_id_t creator
- uint32 nominal_interval_time
- · uint32 freerun time
- · uint32 accuracy

10.208.1 Detailed Description

Time base properties.

Definition at line 37 of file osapi-timebase.h.

10.208.2 Field Documentation

```
10.208.2.1 accuracy uint32 OS_timebase_prop_t::accuracy Definition at line 43 of file osapi-timebase.h.
```

```
10.208.2.2 creator osal_id_t OS_timebase_prop_t::creator Definition at line 40 of file osapi-timebase.h.
```

10.208.2.3 freerun_time uint32 OS_timebase_prop_t::freerun_time Definition at line 42 of file osapi-timebase.h.

```
10.208.2.4 name char OS_timebase_prop_t::name[OS_MAX_API_NAME] Definition at line 39 of file osapi-timebase.h.
```

 $\begin{tabular}{ll} \textbf{10.208.2.5} & \textbf{nominal_interval_time} & \verb"uint32" OS_timebase_prop_t::nominal_interval_time \\ \textbf{Definition at line 41 of file osapi-timebase.h.} \end{tabular}$

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-timebase.h

10.209 OS_timer_prop_t Struct Reference

Timer properties.

#include <osapi-timer.h>

Data Fields

- char name [OS_MAX_API_NAME]
- · osal_id_t creator
- · uint32 start time
- · uint32 interval time
- · uint32 accuracy

10.209.1 Detailed Description

Timer properties.

Definition at line 37 of file osapi-timer.h.

10.209.2 Field Documentation

10.209.2.1 accuracy uint32 OS_timer_prop_t::accuracy Definition at line 43 of file osapi-timer.h.

10.209.2.2 creator osal_id_t OS_timer_prop_t::creator Definition at line 40 of file osapi-timer.h.

10.209.2.3 interval_time uint32 OS_timer_prop_t::interval_time Definition at line 42 of file osapi-timer.h.

10.209.2.4 name char OS_timer_prop_t::name[OS_MAX_API_NAME] Definition at line 39 of file osapi-timer.h.

10.209.2.5 start_time uint32 OS_timer_prop_t::start_time Definition at line 41 of file osapi-timer.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-timer.h

11 File Documentation

11.1 build/osal public api/inc/osconfig.h File Reference

Macros

• #define OSAL_CONFIG_INCLUDE_DYNAMIC_LOADER

Configuration file Operating System Abstraction Layer.

- #define OSAL CONFIG INCLUDE NETWORK
- #define OSAL_CONFIG_INCLUDE_STATIC_LOADER
- #define OSAL CONFIG CONSOLE ASYNC
- #define OS_MAX_TASKS 64

The maximum number of to support.

#define OS MAX QUEUES 64

The maximum number of queues to support.

#define OS_MAX_COUNT_SEMAPHORES 20

The maximum number of counting semaphores to support.

#define OS MAX BIN SEMAPHORES 20

The maximum number of binary semaphores to support.

#define OS_MAX_MUTEXES 20

The maximum number of mutexes to support.

#define OS MAX CONDVARS 4

The maximum number of condition variables to support.

#define OS_MAX_MODULES 20

The maximum number of modules to support.

#define OS MAX TIMEBASES 5

The maximum number of timebases to support.

#define OS_MAX_TIMERS 10

The maximum number of timer callbacks to support.

#define OS MAX NUM OPEN FILES 50

The maximum number of concurrently open files to support.

#define OS_MAX_NUM_OPEN_DIRS 4

The maximum number of concurrently open directories to support.

#define OS MAX FILE SYSTEMS 14

The maximum number of file systems to support.

• #define OS_MAX_SYM_LEN 64

The maximum length of symbols.

#define OS_MAX_FILE_NAME 20

The maximum length of OSAL file names.

#define OS_MAX_PATH_LEN 64

The maximum length of OSAL path names.

#define OS_MAX_API_NAME 20

The maximum length of OSAL resource names.

#define OS_SOCKADDR_MAX_LEN 28

The maximum size of the socket address structure.

#define OS BUFFER SIZE 172

The maximum size of output produced by a single OS_printf()

#define OS BUFFER MSG DEPTH 100

The maximum number of OS_printf() output strings to buffer.

#define OS UTILITYTASK PRIORITY 245

Priority level of the background utility task.

#define OS_UTILITYTASK_STACK_SIZE 2048

The stack size of the background utility task.

#define OS_MAX_CMD_LEN 1000

The maximum size of a shell command.

#define OS_QUEUE_MAX_DEPTH 50

The maximum depth of OSAL queues.

#define OS_SHELL_CMD_INPUT_FILE_NAME ""

The name of the temporary file used to store shell commands.

#define OS_PRINTF_CONSOLE_NAME ""

The name of the primary console device.

• #define OS_ADD_TASK_FLAGS 0

Flags added to all tasks on creation.

• #define OS_MAX_CONSOLES 1

The maximum number of console devices to support.

• #define OS MODULE FILE EXTENSION ".so"

The system-specific file extension used on loadable module files.

- #define OS_FS_DEV_NAME_LEN 32
- #define OS FS PHYS NAME LEN 64
- #define OS_FS_VOL_NAME_LEN 32

11.1.1 Macro Definition Documentation

11.1.1.1 OS_ADD_TASK_FLAGS #define OS_ADD_TASK_FLAGS 0

Flags added to all tasks on creation.

Added to the task flags on creation

Supports adding floating point support for all tasks when the OS requires it Definition at line 254 of file osconfig.h.

11.1.1.2 OS_BUFFER_MSG_DEPTH #define OS_BUFFER_MSG_DEPTH 100

The maximum number of OS printf() output strings to buffer.

Based on the OSAL_CONFIG_PRINTF_BUFFER_DEPTH configuration option Definition at line 187 of file osconfig.h.

11.1.1.3 OS BUFFER SIZE #define OS_BUFFER_SIZE 172

The maximum size of output produced by a single OS printf()

Based on the OSAL_CONFIG_PRINTF_BUFFER_SIZE configuration option Definition at line 180 of file osconfig.h.

11.1.1.4 OS_FS_DEV_NAME_LEN #define OS_FS_DEV_NAME_LEN 32

Device name length

Definition at line 281 of file osconfig.h.

11.1.1.5 OS FS_PHYS_NAME_LEN #define OS_FS_PHYS_NAME_LEN 64

Physical drive name length

Definition at line 282 of file osconfig.h.

11.1.1.6 OS_FS_VOL_NAME_LEN #define OS_FS_VOL_NAME_LEN 32

Volume name length

Definition at line 283 of file osconfig.h.

11.1.1.7 OS_MAX_API_NAME #define OS_MAX_API_NAME 20

The maximum length of OSAL resource names.

Based on the OSAL_CONFIG_MAX_API_NAME configuration option

Note

This value must include a terminating NUL character

Definition at line 163 of file osconfig.h.

11.1.1.8 OS MAX BIN SEMAPHORES #define OS_MAX_BIN_SEMAPHORES 20

The maximum number of binary semaphores to support.

Based on the OSAL_CONFIG_MAX_BIN_SEMAPHORES configuration option Definition at line 65 of file osconfig.h.

11.1.1.9 OS_MAX_CMD_LEN #define OS_MAX_CMD_LEN 1000

The maximum size of a shell command.

This limit is only applicable if shell support is enabled.

Based on the OSAL CONFIG MAX CMD LEN configuration option

Note

This value must include a terminating NUL character

Definition at line 218 of file osconfig.h.

11.1.1.10 OS_MAX_CONDVARS #define OS_MAX_CONDVARS 4

The maximum number of condition variables to support.

Based on the OSAL_CONFIG_MAX_CONDVARS configuration option

Definition at line 79 of file osconfig.h.

11.1.1.11 OS MAX CONSOLES #define OS_MAX_CONSOLES 1

The maximum number of console devices to support.

Fixed value based on current OSAL implementation, not user configurable.

Definition at line 269 of file osconfig.h.

11.1.1.12 OS_MAX_COUNT_SEMAPHORES #define OS_MAX_COUNT_SEMAPHORES 20

The maximum number of counting semaphores to support.

Based on the $OSAL_CONFIG_MAX_COUNT_SEMAPHORES$ configuration option

Definition at line 58 of file osconfig.h.

11.1.1.13 OS_MAX_FILE_NAME #define OS_MAX_FILE_NAME 20

The maximum length of OSAL file names.

This limit applies specifically to the file name portion, not the directory portion, of a path name.

Based on the OSAL_CONFIG_MAX_FILE_NAME configuration option

Note

This value must include a terminating NUL character

Definition at line 142 of file osconfig.h.

11.1.1.14 OS_MAX_FILE_SYSTEMS #define OS_MAX_FILE_SYSTEMS 14

The maximum number of file systems to support.

Based on the OSAL_CONFIG_MAX_FILE_SYSTEMS configuration option Definition at line 121 of file osconfig.h.

11.1.1.15 OS_MAX_MODULES #define OS_MAX_MODULES 20

The maximum number of modules to support.

Based on the OSAL_CONFIG_MAX_MODULES configuration option Definition at line 86 of file osconfig.h.

11.1.1.16 OS_MAX_MUTEXES #define OS_MAX_MUTEXES 20

The maximum number of mutexes to support.

Based on the OSAL_CONFIG_MAX_MUTEXES configuration option Definition at line 72 of file osconfig.h.

11.1.1.17 OS_MAX_NUM_OPEN_DIRS #define OS_MAX_NUM_OPEN_DIRS 4

The maximum number of concurrently open directories to support.

Based on the OSAL_CONFIG_MAX_NUM_OPEN_DIRS configuration option

Definition at line 114 of file osconfig.h.

11.1.1.18 OS_MAX_NUM_OPEN_FILES #define OS_MAX_NUM_OPEN_FILES 50

The maximum number of concurrently open files to support.

Based on the OSAL_CONFIG_MAX_NUM_OPEN_FILES configuration option Definition at line 107 of file osconfig.h.

11.1.1.19 OS MAX PATH LEN #define OS_MAX_PATH_LEN 64

The maximum length of OSAL path names.

This limit applies to the overall length of a path name, including the file name and directory portions.

Based on the OSAL_CONFIG_MAX_PATH_LEN configuration option

Note

This value must include a terminating NUL character

Definition at line 154 of file osconfig.h.

11.1.1.20 OS_MAX_QUEUES #define OS_MAX_QUEUES 64

The maximum number of queues to support.

Based on the OSAL_CONFIG_MAX_QUEUES configuration option

Definition at line 51 of file according by

Definition at line 51 of file osconfig.h.

11.1.1.21 OS_MAX_SYM_LEN #define OS_MAX_SYM_LEN 64

The maximum length of symbols.

Based on the OSAL CONFIG MAX SYM LEN configuration option

Note

This value must include a terminating NUL character

Definition at line 130 of file osconfig.h.

11.1.1.22 OS_MAX_TASKS #define OS_MAX_TASKS 64

The maximum number of to support.

Based on the OSAL_CONFIG_MAX_TASKS configuration option

Definition at line 44 of file osconfig.h.

11.1.1.23 OS MAX TIMEBASES #define OS_MAX_TIMEBASES 5

The maximum number of timebases to support.

Based on the OSAL_CONFIG_MAX_TIMEBASES configuration option

Definition at line 93 of file osconfig.h.

11.1.1.24 OS_MAX_TIMERS #define OS_MAX_TIMERS 10

The maximum number of timer callbacks to support.

Based on the OSAL CONFIG MAX TIMERS configuration option

Definition at line 100 of file osconfig.h.

11.1.1.25 OS_MODULE_FILE_EXTENSION #define OS_MODULE_FILE_EXTENSION ".so"

The system-specific file extension used on loadable module files.

Fixed value based on system selection, not user configurable.

Definition at line 276 of file osconfig.h.

11.1.1.26 OS_PRINTF_CONSOLE_NAME #define OS_PRINTF_CONSOLE_NAME ""

The name of the primary console device.

This is the device to which OS_printf() output is written. The output may be configured to tag each line with this prefix for identification.

Based on the OSAL_CONFIG_PRINTF_CONSOLE_NAME configuration option

Definition at line 245 of file osconfig.h.

11.1.1.27 OS_QUEUE_MAX_DEPTH #define OS_QUEUE_MAX_DEPTH 50

The maximum depth of OSAL queues.

Based on the OSAL CONFIG QUEUE MAX DEPTH configuration option

Definition at line 225 of file osconfig.h.

11.1.1.28 OS SHELL CMD INPUT FILE NAME #define OS_SHELL_CMD_INPUT_FILE_NAME ""

The name of the temporary file used to store shell commands.

This configuration is only applicable if shell support is enabled, and only necessary/relevant on some OS implementations.

Based on the OSAL_CONFIG_SHELL_CMD_INPUT_FILE_NAME configuration option

Definition at line 235 of file osconfig.h.

11.1.1.29 OS_SOCKADDR_MAX_LEN #define OS_SOCKADDR_MAX_LEN 28

The maximum size of the socket address structure.

This is part of the Socket API, and should be set large enough to hold the largest address type in use on the target system.

Based on the OSAL CONFIG SOCKADDR MAX LEN configuration option

Definition at line 173 of file osconfig.h.

11.1.1.30 OS_UTILITYTASK_PRIORITY #define OS_UTILITYTASK_PRIORITY 245

Priority level of the background utility task.

This task is responsible for writing buffered output of OS_printf to the actual console device, and any other future maintenance task.

Based on the OSAL_CONFIG_UTILITYTASK_PRIORITY configuration option

Definition at line 197 of file osconfig.h.

11.1.1.31 OS_UTILITYTASK_STACK_SIZE #define OS_UTILITYTASK_STACK_SIZE 2048

The stack size of the background utility task.

This task is responsible for writing buffered output of OS_printf to the actual console device, and any other future maintenance task.

Based on the OSAL_CONFIG_UTILITYTASK_STACK_SIZE configuration option

Definition at line 207 of file osconfig.h.

11.1.1.32 OSAL_CONFIG_CONSOLE_ASYNC #define OSAL_CONFIG_CONSOLE_ASYNC

Definition at line 27 of file osconfig.h.

11.1.1.33 OSAL CONFIG INCLUDE DYNAMIC LOADER #define OSAL_CONFIG_INCLUDE_DYNAMIC_LOADER

Configuration file Operating System Abstraction Layer.

The specific definitions in this file may only be modified by setting the respective OSAL configuration options in the CMake build.

Any direct modifications to the generated copy will be overwritten each time CMake executes.

Note

This file was automatically generated by CMake from /home/runner/work/cFS/cFS/osal/default_config.cmake

Definition at line 21 of file osconfig.h.

11.1.1.34 OSAL_CONFIG_INCLUDE_NETWORK #define OSAL_CONFIG_INCLUDE_NETWORK

Definition at line 22 of file osconfig.h.

11.1.1.35 OSAL_CONFIG_INCLUDE_STATIC_LOADER #define OSAL_CONFIG_INCLUDE_STATIC_LOADER

Definition at line 23 of file osconfig.h.

11.2 example_mission_cfg.h File Reference

Macros

- #define CFE_MISSION_MAX_PATH_LEN 64
- #define CFE MISSION MAX FILE LEN 20

- #define CFE_MISSION_MAX_API_LEN 20
- #define CFE MISSION MAX NUM FILES 50
- #define CFE MISSION ES MAX APPLICATIONS 16
- #define CFE MISSION ES PERF MAX IDS 128
- #define CFE MISSION ES POOL MAX BUCKETS 17
- #define CFE MISSION ES CDS MAX NAME LENGTH 16
- #define CFE_MISSION_ES_DEFAULT_CRC CFE_ES_CrcType_CRC_16
- #define CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN (CFE_MISSION_ES_CDS_MAX_NAME_LENGTH + CFE_MISSION_MAX_API_LEN + 4)

Checksum/CRC algorithm identifiers

- #define CFE MISSION ES CRC 8 CFE ES CrcType CRC 8 /* 1 */
- #define CFE MISSION ES CRC 16 CFE ES CrcType CRC 16 /* 2 */
- #define CFE MISSION ES CRC 32 CFE ES CrcType CRC 32 /* 3 */
- #define CFE MISSION EVS MAX MESSAGE LENGTH 122
- #define CFE FS HDR DESC MAX LEN 32

Max length of description field in a standard cFE File Header.

#define CFE FS FILE CONTENT ID 0x63464531

Magic Number for cFE compliant files (= 'cFE1')

- #define CFE_MISSION_SB_MAX_SB_MSG_SIZE 32768
- #define CFE_MISSION_SB_MAX_PIPES 64
- #define CFE MISSION TBL MAX NAME LENGTH 16
- #define CFE_MISSION_TBL_MAX_FULL_NAME_LEN (CFE_MISSION_TBL_MAX_NAME_LENGTH + CFE_MISSION_MAX_API_LEN + 4)
- #define CFE MISSION TIME CFG DEFAULT TAI true
- #define CFE MISSION TIME CFG DEFAULT UTC false
- #define CFE MISSION TIME CFG FAKE TONE true
- #define CFE_MISSION_TIME_AT_TONE_WAS true
- #define CFE_MISSION_TIME_AT_TONE_WILL_BE false
- #define CFE MISSION TIME MIN ELAPSED 0
- #define CFE MISSION TIME MAX ELAPSED 200000
- #define CFE_MISSION_TIME_DEF_MET_SECS 1000
- #define CFE_MISSION_TIME_DEF_MET_SUBS 0
- #define CFE_MISSION_TIME_DEF_STCF_SECS 1000000
- #define CFE MISSION TIME DEF STCF SUBS 0
- #define CFE_MISSION_TIME_DEF_LEAPS 37
- #define CFE_MISSION_TIME_DEF_DELAY_SECS 0
- #define CFE_MISSION_TIME_DEF_DELAY_SUBS 1000
- #define CFE_MISSION_TIME_EPOCH_YEAR 1980
- #define CFE_MISSION_TIME_EPOCH_DAY 1
- #define CFE MISSION TIME EPOCH HOUR 0
- #define CFE MISSION TIME EPOCH MINUTE 0
- #define CFE_MISSION_TIME_EPOCH_SECOND 0
- #define CFE MISSION TIME EPOCH MICROS 0
- #define CFE_MISSION_TIME_FS_FACTOR 789004800

11.2.1 Detailed Description

This header file contains the mission configuration parameters and typedefs with mission scope.

This provides values for configurable items that affect the interface(s) of this module. This includes the CMD/T ← LM message interface, tables definitions, and any other data products that serve to exchange information with other entities.

Note

It is no longer necessary to provide this file directly in the defs directory, but if present, this file is still supported/usable for backward compatibility. To use this file, is should be called "cfe_mission_cfg.h".

Going forward, more fine-grained (module/purposes-specific) header files are included with each submodule. These may be overridden as necessary, but only if a definition within that file needs to be changed from the default. This approach will reduce the amount of duplicate/cloned definitions and better support alternative build configurations in the future.

Note that if this file is present, the fine-grained header files noted above will not be used.

11.2.2 Macro Definition Documentation

11.2.2.1 CFE_FS_FILE_CONTENT_ID #define CFE_FS_FILE_CONTENT_ID 0x63464531

Magic Number for cFE compliant files (= 'cFE1')

Definition at line 313 of file example mission cfg.h.

11.2.2.2 CFE FS HDR DESC MAX LEN #define CFE_FS_HDR_DESC_MAX_LEN 32

Max length of description field in a standard cFE File Header.

Definition at line 311 of file example mission cfg.h.

11.2.2.3 CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN #define CFE_MISSION_ES_CDS_MAX_FULL_NAME_L↔
EN (CFE_MISSION_ES_CDS_MAX_NAME_LENGTH + CFE_MISSION_MAX_API_LEN + 4)

Purpose Maximum Length of Full CDS Name in messages

Description:

Indicates the maximum length (in characters) of the entire CDS name of the following form: "ApplicationName. ← CDSName"

This affects the layout of command/telemetry messages but does not affect run time behavior or internal allocation.

Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 262 of file example_mission_cfg.h.

11.2.2.4 CFE_MISSION_ES_CDS_MAX_NAME_LENGTH #define CFE_MISSION_ES_CDS_MAX_NAME_LENGTH 16

Purpose Maximum Length of CDS Name

Description:

Indicates the maximum length (in characters) of the CDS name ('CDSName') portion of a Full CDS Name of the following form: "ApplicationName.CDSName"

This length does not need to include an extra character for NULL termination.

Limits

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 228 of file example mission cfg.h.

11.2.2.5 CFE_MISSION_ES_CRC_16 #define CFE_MISSION_ES_CRC_16 CFE_ES_CrcType_CRC_16 /* 2 */ Definition at line 270 of file example mission cfg.h.

11.2.2.6 CFE_MISSION_ES_CRC_32 #define CFE_MISSION_ES_CRC_32 CFE_ES_CrcType_CRC_32 /* 3 */ Definition at line 271 of file example_mission_cfg.h.

11.2.2.7 CFE_MISSION_ES_CRC_8 #define CFE_MISSION_ES_CRC_8 CFE_ES_CrcType_CRC_8 /* 1 */ Definition at line 269 of file example mission cfg.h.

11.2.2.8 CFE_MISSION_ES_DEFAULT_CRC #define CFE_MISSION_ES_DEFAULT_CRC CFE_ES_CrcType_CRC_16

Purpose Mission Default CRC algorithm

Description:

Indicates the which CRC algorithm should be used as the default for verifying the contents of Critical Data Stores and when calculating Table Image data integrity values.

Limits

Currently only CFE_ES_CrcType_CRC_16 is supported (see brief in CFE_ES_CrcType_Enum definition in cfe_es_api_typedefs.h)

Definition at line 242 of file example_mission_cfg.h.

11.2.2.9 CFE MISSION ES MAX APPLICATIONS #define CFE_MISSION_ES_MAX_APPLICATIONS 16

Purpose Mission Max Apps in a message

Description:

Indicates the maximum number of apps in a telemetry housekeeping message

This affects the layout of command/telemetry messages but does not affect run time behavior or internal allocation.

Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

Definition at line 173 of file example mission cfg.h.

11.2.2.10 CFE_MISSION_ES_PERF_MAX_IDS #define CFE_MISSION_ES_PERF_MAX_IDS 128

Purpose Define Max Number of Performance IDs for messages

Description:

Defines the maximum number of perf ids allowed in command/telemetry messages

This affects the layout of command/telemetry messages but does not affect run time behavior or internal allocation.

Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

Definition at line 190 of file example_mission_cfg.h.

11.2.2.11 CFE MISSION ES POOL MAX BUCKETS #define CFE_MISSION_ES_POOL_MAX_BUCKETS 17

Purpose Maximum number of block sizes in pool structures

Description:

The upper limit for the number of block sizes supported in the generic pool implementation, which in turn implements the memory pools and CDS. This definition is used as the array size with the pool stats structure, and therefore should be consistent across all CPUs in a mission, as well as with the ground station.

There is also a platform-specific limit which may be fewer than this value.

Limits:

Must be at least one. No specific upper limit, but the number is anticipated to be reasonably small (i.e. tens, not hundreds). Large values have not been tested.

Definition at line 211 of file example_mission_cfg.h.

11.2.2.12 CFE_MISSION_EVS_MAX_MESSAGE_LENGTH #define CFE_MISSION_EVS_MAX_MESSAGE_LENG←
TH 122

Purpose Maximum Event Message Length

Description:

Indicates the maximum length (in characters) of the formatted text string portion of an event message

This length does not need to include an extra character for NULL termination.

Limits

Not Applicable

Definition at line 297 of file example mission cfg.h.

11.2.2.13 CFE_MISSION_MAX_API_LEN #define CFE_MISSION_MAX_API_LEN 20

Purpose cFE Maximum length for API names within data exchange structures

Description:

The value of this constant dictates the size of filenames within all structures used for external data exchange, such as Software bus messages and table definitions. This is typically the same as OS_MAX_API_LEN but that is OSAL dependent – and as such it definable on a per-processor/OS basis and hence may be different across multiple processors. It is recommended to set this to the value of the largest OS_MAX_API_LEN in use on any CPU on the mission.

This affects only the layout of command/telemetry messages and table definitions; internal allocation may use the platform-specific OS_MAX_API_LEN value.

This length must include an extra character for NULL termination.

Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 125 of file example mission cfg.h.

11.2.2.14 CFE_MISSION_MAX_FILE_LEN #define CFE_MISSION_MAX_FILE_LEN 20

Purpose cFE Maximum length for filenames within data exchange structures

Description:

The value of this constant dictates the size of filenames within all structures used for external data exchange, such as Software bus messages and table definitions. This is typically the same as OS_MAX_FILE_LEN but that is OSAL dependent – and as such it definable on a per-processor/OS basis and hence may be different across multiple processors. It is recommended to set this to the value of the largest OS_MAX_FILE_LEN in use on any CPU on the mission.

This affects only the layout of command/telemetry messages and table definitions; internal allocation may use the platform-specific OS MAX FILE LEN value.

This length must include an extra character for NULL termination.

Limits

All CPUs within the same SB domain (mission) and ground tools must share the same definition. Note this affects the size of messages, so it must not cause any message to exceed the max length.

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 99 of file example mission cfg.h.

11.2.2.15 CFE MISSION MAX NUM FILES #define CFE_MISSION_MAX_NUM_FILES 50

Purpose cFE Maximum number of files in a message/data exchange

Description:

The value of this constant dictates the maximum number of files within all structures used for external data exchange, such as Software bus messages and table definitions. This is typically the same as OS_MAX_NUM_O← PEN_FILES but that is OSAL dependent − and as such it definable on a per-processor/OS basis and hence may be different across multiple processors. It is recommended to set this to the value of the largest OS_MAX_NU← M OPEN FILES in use on any CPU on the mission.

This affects only the layout of command/telemetry messages and table definitions; internal allocation may use the platform-specific OS MAX NUM OPEN FILES value.

Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

Definition at line 147 of file example mission cfg.h.

11.2.2.16 CFE MISSION MAX PATH LEN #define CFE_MISSION_MAX_PATH_LEN 64

Purpose cFE Maximum length for pathnames within data exchange structures

Description:

The value of this constant dictates the size of pathnames within all structures used for external data exchange, such as Software bus messages and table definitions. This is typically the same as OS_MAX_PATH_LEN but that is OSAL dependent – and as such it definable on a per-processor/OS basis and hence may be different across multiple processors. It is recommended to set this to the value of the largest OS_MAX_PATH_LEN in use on any CPU on the mission.

This affects only the layout of command/telemetry messages and table definitions; internal allocation may use the platform-specific OS_MAX_PATH_LEN value.

This length must include an extra character for NULL termination.

Limits

All CPUs within the same SB domain (mission) and ground tools must share the same definition. Note this affects the size of messages, so it must not cause any message to exceed the max length.

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 72 of file example mission cfg.h.

11.2.2.17 CFE_MISSION_SB_MAX_PIPES #define CFE_MISSION_SB_MAX_PIPES 64

Purpose Maximum Number of pipes that SB command/telemetry messages may hold

Description:

Dictates the maximum number of unique Pipes the SB message definitions will hold.

This affects the layout of command/telemetry messages but does not affect run time behavior or internal allocation.

Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

Definition at line 357 of file example mission cfg.h.

11.2.2.18 CFE_MISSION_SB_MAX_SB_MSG_SIZE #define CFE_MISSION_SB_MAX_SB_MSG_SIZE 32768

Purpose Maximum SB Message Size

Description:

The following definition dictates the maximum message size allowed on the software bus. SB checks the pkt length field in the header of all messages sent. If the pkt length field indicates the message is larger than this define, SB sends an event and rejects the send.

Limits

This parameter has a lower limit of 6 (CCSDS primary header size). There are no restrictions on the upper limit however, the maximum message size is system dependent and should be verified. Total message size values that are checked against this configuration are defined by a 16 bit data word.

Definition at line 340 of file example_mission_cfg.h.

11.2.2.19 CFE_MISSION_TBL_MAX_FULL_NAME_LEN #define CFE_MISSION_TBL_MAX_FULL_NAME_LEN (CFE_MISSION_TBL_MAX + CFE_MISSION_MAX_API_LEN + 4)

Purpose Maximum Length of Full Table Name in messages

Description:

Indicates the maximum length (in characters) of the entire table name within software bus messages, in "App⊷ Name.TableName" notation.

This affects the layout of command/telemetry messages but does not affect run time behavior or internal allocation.

Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 402 of file example_mission_cfg.h.

11.2.2.20 CFE_MISSION_TBL_MAX_NAME_LENGTH #define CFE_MISSION_TBL_MAX_NAME_LENGTH 16

Purpose Maximum Table Name Length

Description:

Indicates the maximum length (in characters) of the table name ('TblName') portion of a Full Table Name of the following form: "ApplicationName.TblName"

This length does not need to include an extra character for NULL termination.

Limits

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 382 of file example mission cfg.h.

11.2.2.21 CFE_MISSION_TIME_AT_TONE_WAS #define CFE_MISSION_TIME_AT_TONE_WAS true

Purpose Default Time and Tone Order

Description:

Time Services may be configured to expect the time at the tone data packet to either precede or follow the tone signal. If the time at the tone data packet follows the tone signal, then the data within the packet describes what the time "was" at the tone. If the time at the tone data packet precedes the tone signal, then the data within the packet describes what the time "will be" at the tone. One, and only one, of the following symbols must be set to true:

- · CFE MISSION TIME AT TONE WAS
- CFE_MISSION_TIME_AT_TONE_WILL_BE Note: If Time Services is defined as using a simulated tone signal (see CFE_MISSION_TIME_CFG_FAKE_TONE above), then the tone data packet must follow the tone signal.

Limits

Either CFE_MISSION_TIME_AT_TONE_WAS or CFE_MISSION_TIME_AT_TONE_WILL_BE must be set to true. They may not both be true and they may not both be false.

Definition at line 468 of file example mission cfg.h.

11.2.2.22 CFE_MISSION_TIME_AT_TONE_WILL_BE #define CFE_MISSION_TIME_AT_TONE_WILL_BE false Definition at line 469 of file example mission cfg.h.

11.2.2.23 CFE_MISSION_TIME_CFG_DEFAULT_TAI #define CFE_MISSION_TIME_CFG_DEFAULT_TAI true

Purpose Default Time Format

Description:

The following definitions select either UTC or TAI as the default (mission specific) time format. Although it is possible for an application to request time in a specific format, most callers should use CFE_TIME_GetTime(), which returns time in the default format. This avoids having to modify each individual caller when the default choice is changed.

Limits

if CFE_MISSION_TIME_CFG_DEFAULT_TAI is defined as true then CFE_MISSION_TIME_CFG_DEFAULT_
UTC must be defined as false. if CFE_MISSION_TIME_CFG_DEFAULT_TAI is defined as false then CFE_MI
SSION_TIME_CFG_DEFAULT_UTC must be defined as true.

Definition at line 432 of file example_mission_cfg.h.

11.2.2.24 CFE_MISSION_TIME_CFG_DEFAULT_UTC #define CFE_MISSION_TIME_CFG_DEFAULT_UTC false Definition at line 433 of file example mission cfg.h.

11.2.2.25 CFE_MISSION_TIME_CFG_FAKE_TONE #define CFE_MISSION_TIME_CFG_FAKE_TONE true

Purpose Default Time Format

Description:

The following definition enables the use of a simulated time at the tone signal using a software bus message.

Limits

Not Applicable

Definition at line 445 of file example mission cfg.h.

11.2.2.26 CFE_MISSION_TIME_DEF_DELAY_SECS #define CFE_MISSION_TIME_DEF_DELAY_SECS 0 Definition at line 527 of file example_mission_cfg.h.

11.2.2.27 CFE_MISSION_TIME_DEF_DELAY_SUBS #define CFE_MISSION_TIME_DEF_DELAY_SUBS 1000 Definition at line 528 of file example_mission_cfg.h.

11.2.2.28 CFE_MISSION_TIME_DEF_LEAPS #define CFE_MISSION_TIME_DEF_LEAPS 37 Definition at line 525 of file example_mission_cfg.h.

11.2.2.29 CFE MISSION TIME DEF MET SECS #define CFE_MISSION_TIME_DEF_MET_SECS 1000

Purpose Default Time Values

Description:

Default time values are provided to avoid problems due to time calculations performed after startup but before commands can be processed. For example, if the default time format is UTC then it is important that the sum of MET and STCF always exceed the value of Leap Seconds to prevent the UTC time calculation (time = MET + STCF - Leap Seconds) from resulting in a negative (very large) number.

Some past missions have also created known (albeit wrong) default timestamps. For example, assume the epoch is defined as Jan 1, 1970 and further assume the default time values are set to create a timestamp of Jan 1, 2000. Even though the year 2000 timestamps are wrong, it may be of value to keep the time within some sort of bounds acceptable to the software.

Note: Sub-second units are in micro-seconds (0 to 999,999) and all values must be defined

Limits

Not Applicable

Definition at line 519 of file example_mission_cfg.h.

11.2.2.30 CFE_MISSION_TIME_DEF_MET_SUBS #define CFE_MISSION_TIME_DEF_MET_SUBS 0 Definition at line 520 of file example mission cfg.h.

11.2.2.31 CFE_MISSION_TIME_DEF_STCF_SECS #define CFE_MISSION_TIME_DEF_STCF_SECS 1000000 Definition at line 522 of file example mission cfg.h.

11.2.2.32 CFE_MISSION_TIME_DEF_STCF_SUBS #define CFE_MISSION_TIME_DEF_STCF_SUBS 0 Definition at line 523 of file example_mission_cfg.h.

11.2.2.33 CFE_MISSION_TIME_EPOCH_DAY #define CFE_MISSION_TIME_EPOCH_DAY 1 Definition at line 546 of file example_mission_cfg.h.

11.2.2.34 CFE_MISSION_TIME_EPOCH_HOUR #define CFE_MISSION_TIME_EPOCH_HOUR 0 Definition at line 547 of file example mission cfg.h.

11.2.2.35 CFE_MISSION_TIME_EPOCH_MICROS #define CFE_MISSION_TIME_EPOCH_MICROS 0 Definition at line 550 of file example mission cfg.h.

11.2.2.36 CFE_MISSION_TIME_EPOCH_MINUTE #define CFE_MISSION_TIME_EPOCH_MINUTE 0 Definition at line 548 of file example_mission_cfg.h.

11.2.2.37 CFE_MISSION_TIME_EPOCH_SECOND #define CFE_MISSION_TIME_EPOCH_SECOND 0 Definition at line 549 of file example_mission_cfg.h.

11.2.2.38 CFE MISSION TIME EPOCH YEAR #define CFE_MISSION_TIME_EPOCH_YEAR 1980

Purpose Default EPOCH Values

Description:

Default ground time epoch values Note: these values are used only by the CFE_TIME_Print() API function

Limits

Year - must be within 136 years Day - Jan 1 = 1, Feb 1 = 32, etc. Hour - 0 to 23 Minute - 0 to 59 Second - 0 to 59 Micros - 0 to 999999

Definition at line 545 of file example_mission_cfg.h.

11.2.2.39 CFE_MISSION_TIME_FS_FACTOR #define CFE_MISSION_TIME_FS_FACTOR 789004800

Purpose Time File System Factor

Description:

Define the s/c vs file system time conversion constant...

Note: this value is intended for use only by CFE TIME API functions to convert time values based on the ground system epoch (s/c time) to and from time values based on the file system epoch (fs time).

FS time = S/C time + factor S/C time = FS time - factor

Worksheet:

S/C epoch = Jan 1, 2005 (LRO ground system epoch) FS epoch = Jan 1, 1980 (vxWorks DOS file system epoch)

Delta = 25 years, 0 days, 0 hours, 0 minutes, 0 seconds

Leap years = 1980, 1984, 1988, 1992, 1996, 2000, 2004 (divisible by 4 - except if by 100 - unless also by 400)

1 year = 31,536,000 seconds 1 day = 86,400 seconds 1 hour = 3,600 seconds 1 minute = 60 seconds

25 years = 788,400,000 seconds 7 extra leap days = 604,800 seconds

total delta = 789,004,800 seconds

Limits

Not Applicable

Definition at line 588 of file example mission cfg.h.

11.2.2.40 CFE_MISSION_TIME_MAX_ELAPSED #define CFE_MISSION_TIME_MAX_ELAPSED 200000 Definition at line 494 of file example mission cfg.h.

11.2.2.41 CFE MISSION TIME MIN ELAPSED #define CFE_MISSION_TIME_MIN_ELAPSED 0

Purpose Min and Max Time Elapsed

Description:

Based on the definition of Time and Tone Order (CFE_MISSION_TIME_AT_TONE_WAS/WILL_BE) either the "time at the tone" signal or data packet will follow the other. This definition sets the valid window of time for the second of the pair to lag behind the first. Time Services will invalidate both the tone and packet if the second does not arrive within this window following the first.

For example, if the data packet follows the tone, it might be valid for the data packet to arrive between zero and 100,000 micro-seconds after the tone. But, if the tone follows the packet, it might be valid only if the packet arrived between 200,000 and 700,000 micro-seconds before the tone.

Note: units are in micro-seconds

Limits

0 to 999,999 decimal

Definition at line 493 of file example_mission_cfg.h.

11.3 example_platform_cfg.h File Reference

Macros

- #define CFE PLATFORM ENDIAN CCSDS LITTLE ENDIAN
- #define CFE PLATFORM CORE MAX STARTUP MSEC 30000
- #define CFE PLATFORM ES START TASK PRIORITY 68
- #define CFE_PLATFORM_ES_START_TASK_STACK_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE
- #define CFE PLATFORM ES NONVOL DISK MOUNT STRING "/cf"
- #define CFE PLATFORM ES RAM DISK MOUNT STRING "/ram"

- #define CFE_PLATFORM_ES_MAX_APPLICATIONS 32
- #define CFE PLATFORM ES MAX LIBRARIES 10
- #define CFE_PLATFORM_ES_ER_LOG_ENTRIES 20
- #define CFE PLATFORM ES ER LOG MAX CONTEXT SIZE 256
- #define CFE PLATFORM ES SYSTEM LOG SIZE 3072
- #define CFE_PLATFORM_ES_OBJECT_TABLE_SIZE 30
- #define CFE_PLATFORM_ES_MAX_GEN_COUNTERS 8
- #define CFE PLATFORM ES APP SCAN RATE 1000
- #define CFE_PLATFORM_ES_APP_KILL_TIMEOUT 5
- #define CFE PLATFORM ES RAM DISK SECTOR SIZE 512
- #define CFE PLATFORM ES RAM DISK NUM SECTORS 4096
- #define CFE PLATFORM ES RAM DISK PERCENT RESERVED 30
- #define CFE PLATFORM ES CDS SIZE (128 * 1024)
- #define CFE PLATFORM ES USER RESERVED SIZE (1024 * 1024)
- #define CFE_PLATFORM_ES_MEMPOOL_ALIGN_SIZE_MIN 4
- #define CFE_PLATFORM_ES_NONVOL_STARTUP_FILE "/cf/cfe_es_startup.scr"
- #define CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE "/ram/cfe_es_startup.scr"
- #define CFE PLATFORM ES DEFAULT APP LOG FILE "/ram/cfe es app info.log"
- #define CFE_PLATFORM_ES_DEFAULT_TASK_LOG_FILE "/ram/cfe_es_taskinfo.log"
- #define CFE PLATFORM ES DEFAULT SYSLOG FILE "/ram/cfe es syslog.log"
- #define CFE_PLATFORM_ES_DEFAULT_ER_LOG_FILE "/ram/cfe_erlog.log"
- #define CFE_PLATFORM_ES_DEFAULT_PERF_DUMP_FILENAME "/ram/cfe_es_perf.dat"
- #define CFE_PLATFORM_ES_DEFAULT_CDS_REG_DUMP_FILE "/ram/cfe_cds_reg.log"
- #define CFE_PLATFORM_ES_DEFAULT_POR_SYSLOG_MODE 0
- #define CFE_PLATFORM_ES_DEFAULT_PR_SYSLOG_MODE 1
- #define CFE PLATFORM ES PERF DATA BUFFER SIZE 10000
- #define CFE_PLATFORM_ES_PERF_FILTMASK_NONE 0
- #define CFE_PLATFORM_ES_PERF_FILTMASK_ALL ~CFE_PLATFORM_ES_PERF_FILTMASK_NONE
- #define CFE PLATFORM ES PERF FILTMASK INIT CFE PLATFORM ES PERF FILTMASK ALL
- #define CFE_PLATFORM_ES_PERF_TRIGMASK_NONE 0
- #define CFE PLATFORM ES PERF TRIGMASK ALL ~CFE PLATFORM ES PERF TRIGMASK NONE
- #define CFE PLATFORM ES PERF TRIGMASK INIT CFE PLATFORM ES PERF TRIGMASK NONE
- #define CFE_PLATFORM_ES_PERF_CHILD_PRIORITY 200
- #define CFE_PLATFORM_ES_PERF_CHILD_STACK_SIZE 4096
- #define CFE PLATFORM ES PERF CHILD MS DELAY 20
- #define CFE PLATFORM ES PERF ENTRIES BTWN DLYS 50
- #define CFE PLATFORM ES DEFAULT STACK SIZE 8192
- #define CFE PLATFORM ES CDS MAX NUM ENTRIES 512
- #define CFE PLATFORM ES MAX PROCESSOR RESETS 2
- #define CFE_PLATFORM_ES_POOL_MAX_BUCKETS 17
- #define CFE_PLATFORM_ES_MAX_MEMORY_POOLS 10
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01 8
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02 16
- #define CFE PLATFORM ES MEM BLOCK SIZE 03 32
- #define CFE PLATFORM ES MEM BLOCK SIZE 04 48
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05 64
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06 96
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07 128
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_08 160
- #define CFE PLATFORM ES MEM BLOCK SIZE 09 256
- #define CFE PLATFORM ES MEM BLOCK SIZE 10 512

- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11 1024 #define CFE PLATFORM ES MEM BLOCK SIZE 12 2048 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_13 4096 #define CFE PLATFORM ES MEM BLOCK SIZE 14 8192 #define CFE PLATFORM ES MEM BLOCK SIZE 15 16384 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_16 32768 #define CFE_PLATFORM_ES_MAX_BLOCK_SIZE 80000 #define CFE PLATFORM ES CDS MEM BLOCK SIZE 01 8 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_02 16 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_03 32 #define CFE PLATFORM ES CDS MEM BLOCK SIZE 04 48 #define CFE PLATFORM ES CDS MEM BLOCK SIZE 05 64 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_06 96 #define CFE PLATFORM ES CDS MEM BLOCK SIZE 07 128 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_08 160 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_09 256 #define CFE PLATFORM ES CDS MEM BLOCK SIZE 10 512 #define CFE PLATFORM ES CDS MEM BLOCK SIZE 11 1024 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_12 2048 #define CFE PLATFORM ES CDS MEM BLOCK SIZE 13 4096 #define CFE PLATFORM ES CDS MEM BLOCK SIZE 14 8192 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_15 16384 #define CFE PLATFORM ES CDS MEM BLOCK SIZE 16 32768 #define CFE PLATFORM ES CDS MAX BLOCK SIZE 80000 #define CFE PLATFORM ES STARTUP SYNC POLL MSEC 50 #define CFE PLATFORM ES STARTUP SCRIPT TIMEOUT MSEC 1000 #define CFE PLATFORM EVS START TASK PRIORITY 61 #define CFE_PLATFORM_EVS_START_TASK_STACK_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE #define CFE PLATFORM EVS MAX EVENT FILTERS 8 #define CFE PLATFORM EVS MAX APP EVENT BURST 32 #define CFE PLATFORM EVS APP EVENTS PER SEC 15 #define CFE PLATFORM EVS DEFAULT LOG FILE "/ram/cfe evs.log" #define CFE PLATFORM EVS LOG MAX 20 #define CFE_PLATFORM_EVS_DEFAULT_APP_DATA_FILE "/ram/cfe_evs_app.dat" #define CFE PLATFORM EVS PORT DEFAULT 0x0001 #define CFE PLATFORM EVS DEFAULT TYPE FLAG 0xE • #define CFE PLATFORM EVS DEFAULT LOG MODE 1 #define CFE PLATFORM EVS DEFAULT MSG FORMAT MODE CFE EVS MsgFormat LONG #define CFE PLATFORM SB MAX MSG IDS 256 #define CFE PLATFORM SB MAX PIPES 64 #define CFE PLATFORM SB MAX DEST PER PKT 16 • #define CFE_PLATFORM_SB_DEFAULT_MSG_LIMIT 4 #define CFE_PLATFORM_SB_BUF_MEMORY_BYTES 524288 #define CFE PLATFORM SB HIGHEST VALID MSGID 0x1FFF #define CFE PLATFORM SB DEFAULT ROUTING FILENAME "/ram/cfe sb route.dat"
- #define CFE_PLATFORM_SB_DEFAULT_MAP_FILENAME "/ram/cfe_sb_msgmap.dat"
 #define CFE_PLATFORM_SB_FILTERED_EVENT1 CFE_SB_SEND_NO_SUBS_EID
 #define CFE_PLATFORM_SB_FILTER_MASK1 CFE_EVS_FIRST_4_STOP
 #define CFE_PLATFORM_SB_FILTERED_EVENT2 CFE_SB_DUP_SUBSCRIP_EID
 #define CFE_PLATFORM_SB_FILTER_MASK2 CFE_EVS_FIRST_4_STOP

#define CFE_PLATFORM_SB_DEFAULT_PIPE_FILENAME "/ram/cfe_sb_pipe.dat"

- #define CFE_PLATFORM_SB_FILTERED_EVENT3 CFE_SB_MSGID_LIM_ERR_EID
- #define CFE PLATFORM SB FILTER MASK3 CFE EVS FIRST 16 STOP
- #define CFE_PLATFORM_SB_FILTERED_EVENT4 CFE_SB_Q_FULL_ERR_EID
- #define CFE_PLATFORM_SB_FILTER_MASK4 CFE_EVS_FIRST_16_STOP
- #define CFE PLATFORM SB FILTERED EVENT5 0
- #define CFE PLATFORM SB FILTER MASK5 CFE EVS NO FILTER
- #define CFE PLATFORM SB FILTERED EVENT6 0
- #define CFE PLATFORM SB FILTER MASK6 CFE EVS NO FILTER
- #define CFE PLATFORM SB FILTERED EVENT7 0
- #define CFE PLATFORM SB FILTER MASK7 CFE EVS NO FILTER
- #define CFE PLATFORM SB FILTERED EVENT8 0
- #define CFE_PLATFORM_SB_FILTER_MASK8 CFE_EVS_NO_FILTER
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_01 8
- #define CFE PLATFORM SB MEM BLOCK SIZE 02 16
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_03 20
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_04 36
- #define CFE PLATFORM SB MEM BLOCK SIZE 05 64
- #define CFE PLATFORM SB MEM BLOCK SIZE 06 96
- #define CFE PLATFORM SB MEM BLOCK SIZE 07 128
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_08 160
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_09 256
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_10 512
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_11 1024
- #define CFE PLATFORM SB MEM BLOCK SIZE 12 2048
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_13 4096
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_14 8192
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_15 16384
- #define CFE PLATFORM SB MEM BLOCK SIZE 16 32768
- #define CFE PLATFORM SB MAX BLOCK SIZE (CFE MISSION SB MAX SB MSG SIZE + 128)
- #define CFE PLATFORM SB START TASK PRIORITY 64
- #define CFE_PLATFORM_SB_START_TASK_STACK_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE
- #define CFE_PLATFORM_TBL_START_TASK_PRIORITY 70
- #define CFE_PLATFORM_TBL_START_TASK_STACK_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE
- #define CFE_PLATFORM_TBL_BUF_MEMORY_BYTES 524288
- #define CFE PLATFORM TBL MAX DBL TABLE SIZE 16384
- #define CFE_PLATFORM_TBL_MAX_SNGL_TABLE_SIZE 16384
- #define CFE_PLATFORM_TBL_MAX_NUM_TABLES 128
- #define CFE PLATFORM TBL MAX CRITICAL TABLES 32
- #define CFE_PLATFORM_TBL_MAX_NUM_HANDLES 256
- #define CFE_PLATFORM_TBL_MAX_SIMULTANEOUS_LOADS 4
- #define CFE_PLATFORM_TBL_MAX_NUM_VALIDATIONS 10
- #define CFE PLATFORM TBL DEFAULT REG DUMP FILE "/ram/cfe tbl reg.log"
- #define CFE_PLATFORM_TBL_VALID_SCID_COUNT 0
- #define CFE_PLATFORM_TBL_U32FROM4CHARS(_C1, _C2, _C3, _C4) ((uint32)(_C1) << 24 | (uint32)(_C2) << 16 | (uint32)(_C3) << 8 | (uint32)(_C4))
- #define CFE_PLATFORM_TBL_VALID_SCID_1 (0x42)
- #define CFE_PLATFORM_TBL_VALID_SCID_2 (CFE_PLATFORM_TBL_U32FROM4CHARS('a', 'b', 'c', 'd'))
- #define CFE_PLATFORM_TBL_VALID_PRID_COUNT 0
- #define CFE_PLATFORM_TBL_VALID_PRID_1 (1)
- #define CFE PLATFORM TBL VALID PRID 2 (CFE PLATFORM TBL U32FROM4CHARS('a', 'b', 'c', 'd'))
- #define CFE PLATFORM TBL VALID PRID 3 0

- #define CFE_PLATFORM_TBL_VALID_PRID_4 0
- #define CFE_PLATFORM_TIME_CFG_SERVER true
- #define CFE PLATFORM TIME CFG CLIENT false
- #define CFE_PLATFORM_TIME_CFG_VIRTUAL true
- #define CFE PLATFORM TIME CFG SIGNAL false
- #define CFE PLATFORM TIME CFG SOURCE false
- #define CFE PLATFORM TIME CFG SRC MET false
- #define CFE_PLATFORM_TIME_CFG_SRC_GPS false
- #define CFE PLATFORM TIME CFG SRC TIME false
- #define CFE PLATFORM TIME MAX DELTA SECS 0
- #define CFE_PLATFORM_TIME_MAX_DELTA_SUBS 500000
- #define CFE PLATFORM TIME MAX LOCAL SECS 27
- #define CFE PLATFORM TIME MAX LOCAL SUBS 0
- #define CFE_PLATFORM_TIME_CFG_TONE_LIMIT 20000
- #define CFE PLATFORM TIME CFG START FLY 2
- #define CFE PLATFORM TIME CFG LATCH FLY 8
- #define CFE_PLATFORM_TIME_START_TASK_PRIORITY 60
- #define CFE PLATFORM TIME TONE TASK PRIORITY 25
- #define CFE_PLATFORM_TIME_ONEHZ_TASK_PRIORITY 25
- #define CFE PLATFORM TIME START TASK STACK SIZE CFE PLATFORM ES DEFAULT STACK SIZE
- #define CFE_PLATFORM_TIME_TONE_TASK_STACK_SIZE 4096
- #define CFE_PLATFORM_TIME_ONEHZ_TASK_STACK_SIZE 8192

11.3.1 Detailed Description

This header file contains the internal configuration parameters and typedefs with platform scope.

This provides default values for configurable items that do NOT affect the interface(s) of this module. This includes internal parameters, path names, and limit value(s) that are relevant for a specific platform.

Note

It is no longer necessary to provide this file directly in the defs directory, but if present, this file is still supported/usable for backward compatibility. To use this file, is should be called "cfe_platform_cfg.h".

Going forward, more fine-grained (module/purposes-specific) header files are included with each submodule. These may be overridden as necessary, but only if a definition within that file needs to be changed from the default. This approach will reduce the amount of duplicate/cloned definitions and better support alternative build configurations in the future.

Note that if this file is present, the fine-grained header files noted above will not be used.

11.3.2 Macro Definition Documentation

11.3.2.1 CFE_PLATFORM_CORE_MAX_STARTUP_MSEC #define CFE_PLATFORM_CORE_MAX_STARTUP_MS← EC 30000

Purpose CFE core application startup timeout

Description:

The upper limit for the amount of time that the cFE core applications (ES, SB, EVS, TIME, TBL) are each allotted to reach their respective "ready" states.

The CFE "main" thread starts individual tasks for each of the core applications (except FS). Each of these must perform some initialization work before the next core application can be started, so the main thread waits to ensure that the application has reached the "ready" state before starting the next application.

If any core application fails to start, then it indicates a major problem with the system and startup is aborted.

Units are in milliseconds

Limits:

Must be defined as an integer value that is greater than or equal to zero.

Definition at line 84 of file example_platform_cfg.h.

11.3.2.2 CFE_PLATFORM_ENDIAN #define CFE_PLATFORM_ENDIAN CCSDS_LITTLE_ENDIAN

Purpose Platform Endian Indicator

Description:

The value of this constant indicates the endianess of the target system

Limits

This parameter has a lower limit of 0 and an upper limit of 1.

Definition at line 60 of file example platform cfg.h.

11.3.2.3 CFE_PLATFORM_ES_APP_KILL_TIMEOUT #define CFE_PLATFORM_ES_APP_KILL_TIMEOUT 5

Purpose Define ES Application Kill Timeout

Description:

ES Application Kill Timeout. This parameter controls the number of "scan periods" that ES will wait for an application to Exit after getting the signal Delete, Reload or Restart. The sequence works as follows:

- 1. ES will set the control request for an App to Delete/Restart/Reload and set this kill timer to the value in this parameter.
- If the App is responding and Calls it's RunLoop function, it will drop out of it's main loop and call CFE_ES
 _ExitApp. Once it calls Exit App, then ES can delete, restart, or reload the app the next time it scans the app table.
- 3. If the App is not responding, the ES App will decrement this Kill Timeout value each time it runs. If the timeout value reaches zero, ES will kill the app.

The Kill timeout value depends on the CFE_PLATFORM_ES_APP_SCAN_RATE. If the Scan Rate is 1000, or 1 second, and this CFE_PLATFORM_ES_APP_KILL_TIMEOUT is set to 5, then it will take 5 seconds to kill a non-responding App. If the Scan Rate is 250, or 1/4 second, and the CFE_PLATFORM_ES_APP_KILL_TIMEOUT is set to 2, then it will take 1/2 second to time out.

Limits

There is a lower limit of 1 and an upper limit of 100 on this configuration parameter. Units are number of CFE_PLATFORM_ES_APP_SCAN_RATE cycles.

Definition at line 288 of file example platform cfg.h.

11.3.2.4 CFE_PLATFORM_ES_APP_SCAN_RATE #define CFE_PLATFORM_ES_APP_SCAN_RATE 1000

Purpose Define ES Application Control Scan Rate

Description:

ES Application Control Scan Rate. This parameter controls the speed that ES scans the Application Table looking for App Delete/Restart/Reload requests. All Applications are deleted, restarted, or reloaded by the ES Application. ES will periodically scan for control requests to process. The scan rate is controlled by this parameter, which is given in milliseconds. A value of 1000 means that ES will scan the Application Table once per second. Be careful not to set the value of this too low, because ES will use more CPU cycles scanning the table.

Limits

There is a lower limit of 100 and an upper limit of 20000 on this configuration parameter. millisecond units.

Definition at line 259 of file example platform cfg.h.

11.3.2.5 CFE_PLATFORM_ES_CDS_MAX_BLOCK_SIZE #define CFE_PLATFORM_ES_CDS_MAX_BLOCK_SI ← ZE 80000

Definition at line 830 of file example_platform_cfg.h.

11.3.2.6 CFE_PLATFORM_ES_CDS_MAX_NUM_ENTRIES #define CFE_PLATFORM_ES_CDS_MAX_NUM_ENTRI← ES 512

Purpose Define Maximum Number of Registered CDS Blocks

Description:

Maximum number of registered CDS Blocks

Limits

There is a lower limit of 8. There are no restrictions on the upper limit however, the maximum number of CDS entries is system dependent and should be verified.

Definition at line 720 of file example_platform_cfg.h.

11.3.2.7 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_01 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZ← E_01 8

Purpose Define ES Critical Data Store Memory Pool Block Sizes

Description:

Intermediate ES Critical Data Store Memory Pool Block Sizes

Limits

These sizes MUST be increasing and MUST be an integral multiple of 4.

Definition at line 814 of file example platform cfg.h.

11.3.2.8 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_02 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZ← E 02 16

Definition at line 815 of file example platform cfg.h.

11.3.2.9 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_03 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZ← E_03 32

Definition at line 816 of file example platform cfg.h.

11.3.2.10 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_04 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SI

ZE_04 48

Definition at line 817 of file example_platform_cfg.h.

11.3.2.11 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_05 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SI

ZE_05 64

Definition at line 818 of file example platform cfg.h.

11.3.2.12 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_06 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SI ← ZE_06 96

Definition at line 819 of file example platform cfg.h.

11.3.2.13 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_07 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SI

∠E_07 128

Definition at line 820 of file example platform cfg.h.

11.3.2.14 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_08 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SI ← ZE_08 160

Definition at line 821 of file example_platform_cfg.h.

11.3.2.15 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_09 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SI ← ZE_09 256

Definition at line 822 of file example_platform_cfg.h.

11.3.2.16 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_10 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SI ← ZE_10 512

Definition at line 823 of file example_platform_cfg.h.

11.3.2.17 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_11 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SI ← ZE 11 1024

Definition at line 824 of file example platform cfg.h.

11.3.2.18 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_12 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SI

ZE 12 2048

Definition at line 825 of file example platform cfg.h.

11.3.2.19 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_13 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SI ← ZE_13 4096

Definition at line 826 of file example_platform_cfg.h.

11.3.2.20 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_14 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SI ← ZE_14 8192

Definition at line 827 of file example platform cfg.h.

11.3.2.21 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_15 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SI ← ZE_15 16384

Definition at line 828 of file example_platform_cfg.h.

11.3.2.22 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_16 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SI ← ZE_16 32768

Definition at line 829 of file example platform cfg.h.

11.3.2.23 CFE_PLATFORM_ES_CDS_SIZE #define CFE_PLATFORM_ES_CDS_SIZE (128 * 1024)

Purpose Define Critical Data Store Size

Description:

Defines the Critical Data Store (CDS) area size in bytes size. The CDS is one of four memory areas that are preserved during a processor reset. NOTE: Changing this value changes memory allocation, and may require changes to platform specific values (in CFE_PSP) such as USER_RESERVED_MEM in VxWorks depending on the memory areas being used for preserved data and on OS specific behavior.

Limits

There is a lower limit of 8192 and an upper limit of UINT MAX (4 Gigabytes) on this configuration parameter.

Definition at line 365 of file example platform cfg.h.

11.3.2.24 CFE_PLATFORM_ES_DEFAULT_APP_LOG_FILE #define CFE_PLATFORM_ES_DEFAULT_APP_LOG_FI←
LE "/ram/cfe_es_app_info.log"

Purpose Default Application Information Filename

Description:

The value of this constant defines the filename used to store information pertaining to all of the Applications that are registered with Executive Services. This filename is used only when no filename is specified in the the command to query all system apps.

Limits

The length of each string, including the NULL terminator cannot exceed the OS MAX PATH LEN value.

Definition at line 447 of file example platform cfg.h.

```
11.3.2.25 CFE_PLATFORM_ES_DEFAULT_CDS_REG_DUMP_FILE #define CFE_PLATFORM_ES_DEFAULT_CDS←
__REG_DUMP_FILE "/ram/cfe_cds_reg.log"
```

Purpose Default Critical Data Store Registry Filename

Description:

The value of this constant defines the filename used to store the Critical Data Store Registry. This filename is used only when no filename is specified in the command to stop performance data collecting.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 521 of file example_platform_cfg.h.

```
11.3.2.26 CFE_PLATFORM_ES_DEFAULT_ER_LOG_FILE #define CFE_PLATFORM_ES_DEFAULT_ER_LOG_FI←
LE "/ram/cfe_erlog.log"
```

Purpose Default Exception and Reset (ER) Log Filename

Description:

The value of this constant defines the filename used to store the Exception and Reset (ER) Log. This filename is used only when no filename is specified in the command to dump the ER log. No file specified in the cmd means the first character in the cmd filename is a NULL terminator (zero).

Limits

The length of each string, including the NULL terminator cannot exceed the OS MAX PATH LEN value.

Definition at line 493 of file example_platform_cfg.h.

```
11.3.2.27 CFE_PLATFORM_ES_DEFAULT_PERF_DUMP_FILENAME #define CFE_PLATFORM_ES_DEFAULT_P←
ERF_DUMP_FILENAME "/ram/cfe_es_perf.dat"
```

Purpose Default Performance Data Filename

Description:

The value of this constant defines the filename used to store the Performance Data. This filename is used only when no filename is specified in the command to stop performance data collecting.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 507 of file example platform cfg.h.

11.3.2.28 CFE_PLATFORM_ES_DEFAULT_POR_SYSLOG_MODE #define CFE_PLATFORM_ES_DEFAULT_POR_← SYSLOG MODE 0

Purpose Define Default System Log Mode following Power On Reset

Description:

Defines the default mode for the operation of the ES System log following a power on reset. The log may operate in either Overwrite mode = 0, where once the log becomes full the oldest message in the log will be overwritten, or Discard mode = 1, where once the log becomes full the contents of the log are preserved and the new event is discarded. This constant may hold a value of either 0 or 1 depending on the desired default. Overwrite Mode = 0, Discard Mode = 1.

Limits

There is a lower limit of 0 and an upper limit of 1 on this configuration parameter.

Definition at line 539 of file example_platform_cfg.h.

11.3.2.29 CFE_PLATFORM_ES_DEFAULT_PR_SYSLOG_MODE #define CFE_PLATFORM_ES_DEFAULT_PR_SY SLOG_MODE 1

Purpose Define Default System Log Mode following Processor Reset

Description:

Defines the default mode for the operation of the ES System log following a processor reset. The log may operate in either Overwrite mode = 0, where once the log becomes full the oldest message in the log will be overwritten, or Discard mode = 1, where once the log becomes full the contents of the log are preserved and the new event is discarded. This constant may hold a value of either 0 or 1 depending on the desired default. Overwrite Mode = 0, Discard Mode = 1.

Limits

There is a lower limit of 0 and an upper limit of 1 on this configuration parameter.

Definition at line 557 of file example platform cfg.h.

11.3.2.30 CFE_PLATFORM_ES_DEFAULT_STACK_SIZE #define CFE_PLATFORM_ES_DEFAULT_STACK_SI

ZE 8192

Purpose Define Default Stack Size for an Application

Description:

This parameter defines a default stack size. This parameter is used by the cFE Core Applications.

Limits

There is a lower limit of 2048. There are no restrictions on the upper limit however, the maximum stack size is system dependent and should be verified. Most operating systems provide tools for measuring the amount of stack used by a task during operation. It is always a good idea to verify that no more than 1/2 of the stack is used.

Definition at line 707 of file example platform cfg.h.

11.3.2.31 CFE_PLATFORM_ES_DEFAULT_SYSLOG_FILE #define CFE_PLATFORM_ES_DEFAULT_SYSLOG_FI←
LE "/ram/cfe_es_syslog.log"

Purpose Default System Log Filename

Description:

The value of this constant defines the filename used to store important information (as ASCII text strings) that might not be able to be sent in an Event Message. This filename is used only when no filename is specified in the command to dump the system log. No file specified in the cmd means the first character in the cmd filename is a NULL terminator (zero).

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 478 of file example_platform_cfg.h.

11.3.2.32 CFE_PLATFORM_ES_DEFAULT_TASK_LOG_FILE #define CFE_PLATFORM_ES_DEFAULT_TASK_LOG → _FILE "/ram/cfe_es_taskinfo.log"

Purpose Default Application Information Filename

Description:

The value of this constant defines the filename used to store information pertaining to all of the Applications that are registered with Executive Services. This filename is used only when no filename is specified in the the command to query all system tasks.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 462 of file example_platform_cfg.h.

11.3.2.33 CFE_PLATFORM_ES_ER_LOG_ENTRIES #define CFE_PLATFORM_ES_ER_LOG_ENTRIES 20

Purpose Define Max Number of ER (Exception and Reset) log entries

Description:

Defines the maximum number of ER (Exception and Reset) log entries

Limits

There is a lower limit of 1. There are no restrictions on the upper limit however, the maximum number of log entries is system dependent and should be verified.

Definition at line 186 of file example platform cfg.h.

11.3.2.34 CFE_PLATFORM_ES_ER_LOG_MAX_CONTEXT_SIZE #define CFE_PLATFORM_ES_ER_LOG_MAX_CO↔ NTEXT_SIZE 256

Purpose Maximum size of CPU Context in ES Error Log

Description:

This should be large enough to accommodate the CPU context information supplied by the PSP on the given platform.

Limits:

Must be greater than zero and a multiple of sizeof(uint32). Limited only by the available memory and the number of entries in the error log. Any context information beyond this size will be truncated.

Definition at line 200 of file example_platform_cfg.h.

11.3.2.35 CFE_PLATFORM_ES_MAX_APPLICATIONS #define CFE_PLATFORM_ES_MAX_APPLICATIONS 32

Purpose Define Max Number of Applications

Description:

Defines the maximum number of applications that can be loaded into the system. This number does not include child tasks.

Limits

There is a lower limit of 6. The lower limit corresponds to the cFE internal applications. There are no restrictions on the upper limit however, the maximum number of applications is system dependent and should be verified. ApplDs that are checked against this configuration are defined by a 32 bit data word.

Definition at line 159 of file example_platform_cfg.h.

11.3.2.36 CFE_PLATFORM_ES_MAX_BLOCK_SIZE #define CFE_PLATFORM_ES_MAX_BLOCK_SIZE 80000 Definition at line 803 of file example platform cfg.h.

11.3.2.37 CFE_PLATFORM_ES_MAX_GEN_COUNTERS #define CFE_PLATFORM_ES_MAX_GEN_COUNTERS 8

Purpose Define Max Number of Generic Counters

Description:

Defines the maximum number of Generic Counters that can be registered.

Limits

This parameter has a lower limit of 1 and an upper limit of 65535.

Definition at line 240 of file example platform cfg.h.

11.3.2.38 CFE_PLATFORM_ES_MAX_LIBRARIES #define CFE_PLATFORM_ES_MAX_LIBRARIES 10

Purpose Define Max Number of Shared libraries

Description:

Defines the maximum number of cFE Shared libraries that can be loaded into the system.

Limits

There is a lower limit of 1. There are no restrictions on the upper limit however, the maximum number of libraries is system dependent and should be verified.

Definition at line 173 of file example_platform_cfg.h.

11.3.2.39 CFE_PLATFORM_ES_MAX_MEMORY_POOLS #define CFE_PLATFORM_ES_MAX_MEMORY_POOLS 10

Purpose Maximum number of memory pools

Description:

The upper limit for the number of memory pools that can concurrently exist within the system.

The CFE_SB and CFE_TBL core subsystems each define a memory pool.

Individual applications may also create memory pools, so this value should be set sufficiently high enough to support the applications being used on this platform.

Limits:

Must be at least 2 to support CFE core - SB and TBL pools. No specific upper limit.

Definition at line 768 of file example_platform_cfg.h.

11.3.2.40 CFE_PLATFORM_ES_MAX_PROCESSOR_RESETS #define CFE_PLATFORM_ES_MAX_PROCESSOR_R← ESETS 2

Purpose Define Number of Processor Resets Before a Power On Reset

Description:

Number of Processor Resets before a Power On Reset is called. If set to 2, then 2 processor resets will occur, and the 3rd processor reset will be a power on reset instead.

Limits

There is a lower limit of 0. There are no restrictions on the upper limit however, the maximum number of processor resets may be system dependent and should be verified.

Definition at line 735 of file example platform cfg.h.

11.3.2.41 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01 8

Purpose Define Default ES Memory Pool Block Sizes

Description:

Default Intermediate ES Memory Pool Block Sizes. If an application is using the CFE_ES Memory Pool AP← Is (CFE_ES_PoolCreate, CFE_ES_PoolCreateNoSem, CFE_ES_GetPoolBuf and CFE_ES_PutPoolBuf) but finds these sizes inappropriate for their use, they may wish to use the CFE_ES_PoolCreateEx API to specify their own intermediate block sizes

Limits

These sizes MUST be increasing and MUST be an integral multiple of 4. Also, CFE_PLATFORM_ES_MAX_ ← BLOCK_SIZE must be larger than CFE_MISSION_SB_MAX_SB_MSG_SIZE and both CFE_PLATFORM_TB ← L_MAX_SNGL_TABLE_SIZE and CFE_PLATFORM_TBL_MAX_DBL_TABLE_SIZE. Note that if Table Services have been removed from the CFE, the table size limits are still enforced although the table size definitions may be reduced.

Definition at line 787 of file example_platform_cfg.h.

- 11.3.2.42 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02 16 Definition at line 788 of file example_platform_cfg.h.
- 11.3.2.43 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03 32 Definition at line 789 of file example_platform_cfg.h.
- 11.3.2.44 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04 48 Definition at line 790 of file example platform cfg.h.
- 11.3.2.45 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05 64 Definition at line 791 of file example platform cfg.h.
- **11.3.2.46 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06** #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06 96 Definition at line 792 of file example_platform_cfg.h.
- **11.3.2.47 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07** #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07 128 Definition at line 793 of file example platform cfg.h.
- **11.3.2.48 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_08** #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_08 160 Definition at line 794 of file example_platform_cfg.h.
- **11.3.2.49 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_09** #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_09 256 Definition at line 795 of file example platform cfg.h.

11.3.2.50 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_10 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_10 512 Definition at line 796 of file example platform cfg.h.

11.3.2.51 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11 1024 Definition at line 797 of file example platform cfg.h.

11.3.2.52 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_12 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_12 2048 Definition at line 798 of file example platform cfg.h.

11.3.2.53 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_13 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_13 4096 Definition at line 799 of file example platform cfg.h.

11.3.2.54 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_14 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_14 8192 Definition at line 800 of file example platform cfg.h.

11.3.2.55 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_15 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_←
15 16384

Definition at line 801 of file example_platform_cfg.h.

11.3.2.56 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_16 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_← 16 32768

Definition at line 802 of file example platform cfg.h.

11.3.2.57 CFE_PLATFORM_ES_MEMPOOL_ALIGN_SIZE_MIN #define CFE_PLATFORM_ES_MEMPOOL_ALIGN_S↔ IZE_MIN 4

Purpose Define Memory Pool Alignment Size

Description:

Ensures that buffers obtained from a memory pool are aligned to a certain minimum block size. Note the allocator will always align to the minimum required by the CPU architecture. This may be set greater than the CPU requirement as desired for optimal performance.

For some architectures/applications it may be beneficial to set this to the cache line size of the target CPU, or to use special SIMD instructions that require a more stringent memory alignment.

Limits

This must always be a power of 2, as it is used as a binary address mask.

Definition at line 404 of file example platform cfg.h.

11.3.2.58 CFE_PLATFORM_ES_NONVOL_DISK_MOUNT_STRING #define CFE_PLATFORM_ES_NONVOL_DISK← MOUNT STRING "/cf"

Purpose Default virtual path for persistent storage

Description:

This configures the default location in the virtual file system for persistent/non-volatile storage. Files such as the startup script, app/library dynamic modules, and configuration tables are expected to be stored in this directory.

Definition at line 127 of file example_platform_cfg.h.

11.3.2.59 CFE_PLATFORM_ES_NONVOL_STARTUP_FILE #define CFE_PLATFORM_ES_NONVOL_STARTUP_FI LE "/cf/cfe_es_startup.scr"

Purpose ES Nonvolatile Startup Filename

Description:

The value of this constant defines the path and name of the file that contains a list of modules that will be loaded and started by the cFE after the cFE finishes its startup sequence.

Limits

The length of each string, including the NULL terminator cannot exceed the OS MAX PATH LEN value.

Definition at line 418 of file example platform cfg.h.

11.3.2.60 CFE PLATFORM ES OBJECT TABLE SIZE #define CFE_PLATFORM_ES_OBJECT_TABLE_SIZE 30

Purpose Define Number of entries in the ES Object table

Description:

Defines the number of entries in the ES Object table. This table controls the core cFE startup.

Limits

There is a lower limit of 15. There are no restrictions on the upper limit however, the maximum object table size is system dependent and should be verified.

Definition at line 229 of file example platform cfg.h.

11.3.2.61 CFE_PLATFORM_ES_PERF_CHILD_MS_DELAY #define CFE_PLATFORM_ES_PERF_CHILD_MS_DEL← AY 20

Purpose Define Performance Analyzer Child Task Delay

Description:

This parameter defines the delay time (in milliseconds) between performance data file writes performed by the Executive Services Performance Analyzer Child Task.

Limits

It is recommended this parameter be greater than or equal to 20ms. This parameter is limited by the maximum value allowed by the data type. In this case, the data type is an unsigned 32-bit integer, so the valid range is 0 to 0xFFFFFFF.

Definition at line 681 of file example platform cfg.h.

11.3.2.62 CFE_PLATFORM_ES_PERF_CHILD_PRIORITY #define CFE_PLATFORM_ES_PERF_CHILD_PRIORI← TY 200

Purpose Define Performance Analyzer Child Task Priority

Description:

This parameter defines the priority of the child task spawned by the Executive Services to write performance data to a file. Lower numbers are higher priority, with 1 being the highest priority in the case of a child task.

Limits

Valid range for a child task is 1 to 255 however, the priority cannot be higher (lower number) than the ES parent application priority.

Definition at line 652 of file example platform cfg.h.

11.3.2.63 CFE_PLATFORM_ES_PERF_CHILD_STACK_SIZE #define CFE_PLATFORM_ES_PERF_CHILD_STACK_←
SIZE 4096

Purpose Define Performance Analyzer Child Task Stack Size

Description:

This parameter defines the stack size of the child task spawned by the Executive Services to write performance data to a file.

Limits

It is recommended this parameter be greater than or equal to 4KB. This parameter is limited by the maximum value allowed by the data type. In this case, the data type is an unsigned 32-bit integer, so the valid range is 0 to 0xFFFFFFFF.

Definition at line 666 of file example_platform_cfg.h.

11.3.2.64 CFE_PLATFORM_ES_PERF_DATA_BUFFER_SIZE #define CFE_PLATFORM_ES_PERF_DATA_BUFFER←
_SIZE 10000

Purpose Define Max Size of Performance Data Buffer

Description:

Defines the maximum size of the performance data buffer. Units are number of performance data entries. An entry is defined by a 32 bit data word followed by a 64 bit time stamp.

Limits

There is a lower limit of 1025. There are no restrictions on the upper limit however, the maximum buffer size is system dependent and should be verified. The units are number of entries. An entry is defined by a 32 bit data word followed by a 64 bit time stamp.

Definition at line 573 of file example platform cfg.h.

11.3.2.65 CFE_PLATFORM_ES_PERF_ENTRIES_BTWN_DLYS #define CFE_PLATFORM_ES_PERF_ENTRIES_B

TWN DLYS 50

Purpose Define Performance Analyzer Child Task Number of Entries Between Delay

Description:

This parameter defines the number of performance analyzer entries the Performance Analyzer Child Task will write to the file between delays.

Definition at line 691 of file example platform cfg.h.

11.3.2.66 CFE PLATFORM ES PERF FILTMASK ALL #define CFE PLATFORM ES PERF FILTMASK ALL ~CFE PLATFORM ES PER

Purpose Define Filter Mask Setting for Enabling All Performance Entries

Description:

Defines the filter mask for enabling all performance entries. The value is a bit mask. For each bit, 0 means the corresponding entry is disabled and 1 means it is enabled.

Definition at line 593 of file example platform cfg.h.

11.3.2.67 CFE_PLATFORM_ES_PERF_FILTMASK_INIT #define CFE_PLATFORM_ES_PERF_FILTMASK_IN←
IT CFE_PLATFORM_ES_PERF_FILTMASK_ALL

Purpose Define Default Filter Mask Setting for Performance Data Buffer

Description:

Defines the default filter mask for the performance data buffer. The value is a bit mask. For each bit, 0 means the corresponding entry is disabled and 1 means it is enabled.

Definition at line 604 of file example_platform_cfg.h.

11.3.2.68 CFE PLATFORM ES PERF FILTMASK NONE #define CFE_PLATFORM_ES_PERF_FILTMASK_NONE 0

Purpose Define Filter Mask Setting for Disabling All Performance Entries

Description:

Defines the filter mask for disabling all performance entries. The value is a bit mask. For each bit, 0 means the corresponding entry is disabled and 1 means it is enabled.

Definition at line 583 of file example_platform_cfg.h.

11.3.2.69 CFE_PLATFORM_ES_PERF_TRIGMASK_ALL #define CFE_PLATFORM_ES_PERF_TRIGMASK_A← LL ~CFE_PLATFORM_ES_PERF_TRIGMASK_NONE

Purpose Define Filter Trigger Setting for Enabling All Performance Entries

Description:

Defines the trigger mask for enabling all performance data entries. The value is a bit mask. For each bit, 0 means the trigger for the corresponding entry is disabled and 1 means it is enabled.

Definition at line 626 of file example platform cfg.h.

11.3.2.70 CFE_PLATFORM_ES_PERF_TRIGMASK_INIT #define CFE_PLATFORM_ES_PERF_TRIGMASK_IN

IT CFE PLATFORM ES PERF TRIGMASK NONE

Purpose Define Default Filter Trigger Setting for Performance Data Buffer

Description:

Defines the default trigger mask for the performance data buffer. The value is a 32-bit mask. For each bit, 0 means the trigger for the corresponding entry is disabled and 1 means it is enabled.

Definition at line 637 of file example_platform_cfg.h.

11.3.2.71 CFE_PLATFORM_ES_PERF_TRIGMASK_NONE #define CFE_PLATFORM_ES_PERF_TRIGMASK_NONE 0

Purpose Define Default Filter Trigger Setting for Disabling All Performance Entries

Description:

Defines the default trigger mask for disabling all performance data entries. The value is a bit mask. For each bit, 0 means the trigger for the corresponding entry is disabled and 1 means it is enabled.

Definition at line 615 of file example_platform_cfg.h.

11.3.2.72 CFE_PLATFORM_ES_POOL_MAX_BUCKETS #define CFE_PLATFORM_ES_POOL_MAX_BUCKETS 17

Purpose Maximum number of block sizes in pool structures

Description:

The upper limit for the number of block sizes supported in the generic pool implementation, which in turn implements the memory pools and CDS.

Limits:

Must be at least one. No specific upper limit, but the number is anticipated to be reasonably small (i.e. tens, not hundreds). Large values have not been tested.

The ES and CDS block size lists must correlate with this value Definition at line 750 of file example_platform_cfg.h.

11.3.2.73 CFE_PLATFORM_ES_RAM_DISK_MOUNT_STRING #define CFE_PLATFORM_ES_RAM_DISK_MOUNT_

Purpose Default virtual path for volatile storage

Description:

The CFE_PLATFORM_ES_RAM_DISK_MOUNT_STRING parameter is used to set the cFE mount path for the CFE RAM disk. This is a parameter for missions that do not want to use the default value of "/ram", or for missions that need to have a different value for different CPUs or Spacecraft. Note that the vxWorks OSAL cannot currently handle names that have more than one path separator in it. The names "/ram", "/ramdisk", "/disk123" will all work, but "/disks/ram" will not. Multiple separators can be used with the posix or RTEMS ports.

Definition at line 143 of file example platform cfg.h.

11.3.2.74 CFE_PLATFORM_ES_RAM_DISK_NUM_SECTORS #define CFE_PLATFORM_ES_RAM_DISK_NUM_SEC ← TORS 4096

Purpose ES Ram Disk Number of Sectors

Description:

Defines the ram disk number of sectors. The ram disk is one of four memory areas that are preserved on a processor reset. NOTE: Changing this value changes memory allocation, and may require changes to platform specific values (in CFE_PSP) such as USER_RESERVED_MEM in VxWorks depending on the memory areas being used for preserved data and on OS specific behavior.

Limits

There is a lower limit of 128. There are no restrictions on the upper limit however, the maximum number of RAM sectors is system dependent and should be verified.

Definition at line 324 of file example platform cfg.h.

11.3.2.75 CFE_PLATFORM_ES_RAM_DISK_PERCENT_RESERVED #define CFE_PLATFORM_ES_RAM_DISK_P←
ERCENT_RESERVED 30

Purpose Percentage of Ram Disk Reserved for Decompressing Apps

Description:

The CFE_PLATFORM_ES_RAM_DISK_PERCENT_RESERVED parameter is used to make sure that the Volatile (RAM) Disk has a defined amount of free space during a processor reset. The cFE uses the Volatile disk to decompress cFE applications during system startup. If this Volatile disk happens to get filled with logs and misc files, then a processor reset may not work, because there will be no room to decompress cFE apps. To solve that problem, this parameter sets the "Low Water Mark" for disk space on a Processor reset. It should be set to allow the largest cFE Application to be decompressed. During a Processor reset, if there is not sufficient space left on the disk, it will be re-formatted in order to clear up some space.

This feature can be turned OFF by setting the parameter to 0.

Limits

There is a lower limit of 0 and an upper limit of 75 on this configuration parameter. Units are percentage. A setting of zero will turn this feature off.

Definition at line 348 of file example_platform_cfg.h.

11.3.2.76 CFE_PLATFORM_ES_RAM_DISK_SECTOR_SIZE #define CFE_PLATFORM_ES_RAM_DISK_SECTOR_S↔ IZE 512

Purpose ES Ram Disk Sector Size

Description:

Defines the ram disk sector size. The ram disk is 1 of 4 memory areas that are preserved on a processor reset. NOTE: Changing this value changes memory allocation, and may require changes to platform specific values (in CFE_PSP) such as USER_RESERVED_MEM in VxWorks depending on the memory areas being used for preserved data and on OS specific behavior.

Limits

There is a lower limit of 128. There are no restrictions on the upper limit however, the maximum RAM disk sector size is system dependent and should be verified.

Definition at line 306 of file example_platform_cfg.h.

11.3.2.77 CFE_PLATFORM_ES_START_TASK_PRIORITY #define CFE_PLATFORM_ES_START_TASK_PRIORI← TY 68

Purpose Define ES Task Priority

Description:

Defines the cFE ES Task priority.

Limits

Not Applicable

Definition at line 100 of file example platform cfg.h.

11.3.2.78 CFE_PLATFORM_ES_START_TASK_STACK_SIZE #define CFE_PLATFORM_ES_START_TASK_STACK → SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE

Purpose Define ES Task Stack Size

Description:

Defines the cFE_ES Task Stack Size

Limits

There is a lower limit of 2048 on this configuration parameter. There are no restrictions on the upper limit however, the maximum stack size is system dependent and should be verified. Most operating systems provide tools for measuring the amount of stack used by a task during operation. It is always a good idea to verify that no more than 1/2 of the stack is used.

Definition at line 115 of file example platform cfg.h.

11.3.2.79 CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_MSEC #define CFE_PLATFORM_ES_STARTUP_← SCRIPT_TIMEOUT_MSEC 1000

Purpose Startup script timeout

Description:

The upper limit for the total amount of time that all apps listed in the CFE ES startup script may take to all become ready.

Unlike the "core" app timeout, this is a soft limit; if the allotted time is exceeded, it probably indicates an issue with one of the apps, but does not cause CFE ES to take any additional action other than logging the event to the syslog. Units are in milliseconds

Limits:

Must be defined as an integer value that is greater than or equal to zero.

Definition at line 870 of file example platform cfg.h.

11.3.2.80 CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC #define CFE_PLATFORM_ES_STARTUP_SYNC_P← OLL MSEC 50

Purpose Poll timer for startup sync delay

Description:

During startup, some tasks may need to synchronize their own initialization with the initialization of other applications in the system.

CFE ES implements an API to accomplish this, that performs a task delay (sleep) while polling the overall system state until other tasks are ready.

This value controls the amount of time that the CFE_ES_ApplicationSyncDelay will sleep between each check of the system state. This should be large enough to allow other tasks to run, but not so large as to noticeably delay the startup completion.

Units are in milliseconds

Limits:

Must be defined as an integer value that is greater than or equal to zero.

Definition at line 852 of file example_platform_cfg.h.

11.3.2.81 CFE_PLATFORM_ES_SYSTEM_LOG_SIZE #define CFE_PLATFORM_ES_SYSTEM_LOG_SIZE 3072

Purpose Define Size of the cFE System Log.

Description:

Defines the size in bytes of the cFE system log. The system log holds variable length strings that are terminated by a linefeed and null character.

Limits

There is a lower limit of 512. There are no restrictions on the upper limit however, the maximum system log size is system dependent and should be verified.

Definition at line 215 of file example_platform_cfg.h.

```
11.3.2.82 CFE_PLATFORM_ES_USER_RESERVED_SIZE #define CFE_PLATFORM_ES_USER_RESERVED_SI ← ZE (1024 * 1024)
```

Purpose Define User Reserved Memory Size

Description:

User Reserved Memory Size. This is the size in bytes of the cFE User reserved Memory area. This is a block of memory that is available for cFE application use. The address is obtained by calling CFE_PSP_GetUserReservedArea. The User Reserved Memory is one of four memory areas that are preserved during a processor reset. NOTE: Changing this value changes memory allocation, and may require changes to platform specific values (in CFE_PSP) such as USER_RESERVED_MEM in VxWorks depending on the memory areas being used for preserved data and on OS specific behavior.

Limits

There is a lower limit of 1024 and an upper limit of UINT_MAX (4 Gigabytes) on this configuration parameter.

Definition at line 385 of file example platform cfg.h.

11.3.2.83 CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE #define CFE_PLATFORM_ES_VOLATILE_STARTUP_← FILE "/ram/cfe_es_startup.scr"

Purpose ES Volatile Startup Filename

Description:

The value of this constant defines the path and name of the file that contains a list of modules that will be loaded and started by the cFE after the cFE finishes its startup sequence.

Limits

The length of each string, including the NULL terminator cannot exceed the OS MAX PATH LEN value.

Definition at line 432 of file example platform cfg.h.

11.3.2.84 CFE_PLATFORM_EVS_APP_EVENTS_PER_SEC #define CFE_PLATFORM_EVS_APP_EVENTS_PER_S← EC 15

Purpose Sustained number of event messages per second per app before squelching

Description:

Sustained number of events that may be emitted per app per second.

Limits

This number must be less than or equal to CFE_PLATFORM_EVS_MAX_APP_EVENT_BURST. Values lower than 8 may cause functional and unit test failures.

Definition at line 938 of file example_platform_cfg.h.

11.3.2.85 CFE_PLATFORM_EVS_DEFAULT_APP_DATA_FILE #define CFE_PLATFORM_EVS_DEFAULT_APP_DAT

A_FILE "/ram/cfe_evs_app.dat"

Purpose Default EVS Application Data Filename

Description:

The value of this constant defines the filename used to store the EVS Application Data(event counts/filtering information). This filename is used only when no filename is specified in the command to dump the event log.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 979 of file example platform cfg.h.

11.3.2.86 CFE_PLATFORM_EVS_DEFAULT_LOG_FILE #define CFE_PLATFORM_EVS_DEFAULT_LOG_FILE "/ram/cfe← _evs.log"

Purpose Default Event Log Filename

Description:

The value of this constant defines the filename used to store the Event Services local event log. This filename is used only when no filename is specified in the command to dump the event log.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 952 of file example platform cfg.h.

11.3.2.87 CFE_PLATFORM_EVS_DEFAULT_LOG_MODE #define CFE_PLATFORM_EVS_DEFAULT_LOG_MODE 1

Purpose Default EVS Local Event Log Mode

Description:

Defines a state of overwrite(0) or discard(1) for the operation of the EVS local event log. The log may operate in either Overwrite mode = 0, where once the log becomes full the oldest event in the log will be overwritten, or Discard mode = 1, where once the log becomes full the contents of the log are preserved and the new event is discarded. Overwrite Mode = 0, Discard Mode = 1.

Limits

The valid settings are 0 or 1

Definition at line 1026 of file example platform cfg.h.

11.3.2.88 CFE_PLATFORM_EVS_DEFAULT_MSG_FORMAT_MODE #define CFE_PLATFORM_EVS_DEFAULT_MS← G_FORMAT_MODE CFE_EVS_MsgFormat_LONG

Purpose Default EVS Message Format Mode

Description:

Defines the default message format (long or short) for event messages being sent to the ground. Choose between CFE_EVS_MsgFormat_LONG or CFE_EVS_MsgFormat_SHORT.

Limits

The valid settings are CFE_EVS_MsgFormat_LONG or CFE_EVS_MsgFormat_SHORT

Definition at line 1039 of file example platform cfg.h.

11.3.2.89 CFE_PLATFORM_EVS_DEFAULT_TYPE_FLAG #define CFE_PLATFORM_EVS_DEFAULT_TYPE_FL ↔ AG 0xE

Purpose Default EVS Event Type Filter Mask

Description:

Defines a state of on or off for all four event types. The term event 'type' refers to the criticality level and may be Debug, Informational, Error or Critical. Each event type has a bit position. (bit 0 = Debug, bit 1 = Info, bit 2 = Error, bit 3 = Critical). This is a global setting, meaning it applies to all applications. To filter an event type, set its bit to zero. For example, 0xE means Debug = OFF, Info = ON, Error = ON, Critical = ON

Limits

The valid settings are 0x0 to 0xF.

Definition at line 1010 of file example_platform_cfg.h.

11.3.2.90 CFE PLATFORM EVS LOG MAX #define CFE_PLATFORM_EVS_LOG_MAX 20

Purpose Maximum Number of Events in EVS Local Event Log

Description:

Dictates the EVS local event log capacity. Units are the number of events.

Limits

There are no restrictions on the lower and upper limits however, the maximum log size is system dependent and should be verified.

Definition at line 964 of file example_platform_cfg.h.

11.3.2.91 CFE_PLATFORM_EVS_MAX_APP_EVENT_BURST #define CFE_PLATFORM_EVS_MAX_APP_EVENT_B
URST 32

Purpose Maximum number of event before squelching

Description:

Maximum number of events that may be emitted per app per second. Setting this to 0 will cause events to be unrestricted.

Limits

This number must be less than or equal to INT_MAX/1000

Definition at line 926 of file example platform cfg.h.

11.3.2.92 CFE_PLATFORM_EVS_MAX_EVENT_FILTERS #define CFE_PLATFORM_EVS_MAX_EVENT_FILTERS 8

Purpose Define Maximum Number of Event Filters per Application

Description:

Maximum number of events that may be filtered per application.

Limits

There are no restrictions on the lower and upper limits however, the maximum number of event filters is system dependent and should be verified.

Definition at line 914 of file example_platform_cfg.h.

11.3.2.93 CFE_PLATFORM_EVS_PORT_DEFAULT #define CFE_PLATFORM_EVS_PORT_DEFAULT 0x0001

Purpose Default EVS Output Port State

Description:

Defines the default port state (enabled or disabled) for the four output ports defined within the Event Service. Port 1 is usually the uart output terminal. To enable a port, set the proper bit to a 1. Bit 0 is port 1, bit 1 is port2 etc.

Limits

The valid settings are 0x0 to 0xF.

Definition at line 993 of file example_platform_cfg.h.

11.3.2.94 CFE_PLATFORM_EVS_START_TASK_PRIORITY #define CFE_PLATFORM_EVS_START_TASK_PRIORI←
TY 61

Purpose Define EVS Task Priority

Description:

Defines the cFE_EVS Task priority.

Limits

Not Applicable

Definition at line 886 of file example_platform_cfg.h.

11.3.2.95 CFE_PLATFORM_EVS_START_TASK_STACK_SIZE #define CFE_PLATFORM_EVS_START_TASK_STA← CK_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE

Purpose Define EVS Task Stack Size

Description:

Defines the cFE_EVS Task Stack Size

Limits

There is a lower limit of 2048 on this configuration parameter. There are no restrictions on the upper limit however, the maximum stack size is system dependent and should be verified. Most operating systems provide tools for measuring the amount of stack used by a task during operation. It is always a good idea to verify that no more than 1/2 of the stack is used.

Definition at line 901 of file example platform cfg.h.

11.3.2.96 CFE PLATFORM SB BUF MEMORY BYTES #define CFE_PLATFORM_SB_BUF_MEMORY_BYTES 524288

Purpose Size of the SB buffer memory pool

Description:

Dictates the size of the SB memory pool. For each message the SB sends, the SB dynamically allocates from this memory pool, the memory needed to process the message. The memory needed to process each message is msg size + msg descriptor(CFE_SB_BufferD_t). This memory pool is also used to allocate destination descriptors (CFE_SB_DestinationD_t) during the subscription process. To see the run-time, high-water mark and the current utilization figures regarding this parameter, send an SB command to 'Send Statistics Pkt'. Some memory statistics have been added to the SB housekeeping packet. NOTE: It is important to monitor these statistics to ensure the desired memory margin is met.

Limits

This parameter has a lower limit of 512 and an upper limit of UINT MAX (4 Gigabytes).

Definition at line 1134 of file example_platform_cfg.h.

11.3.2.97 CFE_PLATFORM_SB_DEFAULT_MAP_FILENAME #define CFE_PLATFORM_SB_DEFAULT_MAP_FILEN←
AME "/ram/cfe_sb_msgmap.dat"

Purpose Default Message Map Filename

Description:

The value of this constant defines the filename used to store the software bus message map information. This filename is used only when no filename is specified in the command. The message map is a lookup table (array of 16bit words) that has an element for each possible Msgld value and holds the routing table index for that Msgld. The Msg Map provides fast access to the destinations of a message.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 1205 of file example platform cfg.h.

11.3.2.98 CFE_PLATFORM_SB_DEFAULT_MSG_LIMIT #define CFE_PLATFORM_SB_DEFAULT_MSG_LIMIT 4

Purpose Default Subscription Message Limit

Description:

Dictates the default Message Limit when using the CFE_SB_Subscribe API. This will limit the number of messages with a specific message ID that can be received through a subscription. This only changes the default; other message limits can be set on a per subscription basis using CFE_SB_SubscribeEx.

Limits

This parameter has a lower limit of 4 and an upper limit of 65535.

Definition at line 1112 of file example platform cfg.h.

11.3.2.99 CFE_PLATFORM_SB_DEFAULT_PIPE_FILENAME #define CFE_PLATFORM_SB_DEFAULT_PIPE_FILE \(\to \) NAME "/ram/cfe_sb_pipe.dat"

Purpose Default Pipe Information Filename

Description:

The value of this constant defines the filename used to store the software bus pipe information. This filename is used only when no filename is specified in the command.

Limits

The length of each string, including the NULL terminator cannot exceed the OS MAX PATH LEN value.

Definition at line 1188 of file example_platform_cfg.h.

11.3.2.100 CFE_PLATFORM_SB_DEFAULT_ROUTING_FILENAME #define CFE_PLATFORM_SB_DEFAULT_ROUCTING_FILENAME "/ram/cfe_sb_route.dat"

Purpose Default Routing Information Filename

Description:

The value of this constant defines the filename used to store the software bus routing information. This filename is used only when no filename is specified in the command.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 1174 of file example_platform_cfg.h.

11.3.2.101 CFE_PLATFORM_SB_FILTER_MASK1 #define CFE_PLATFORM_SB_FILTER_MASK1 CFE_EVS_FIRST_4_STOP Definition at line 1223 of file example platform cfg.h.

11.3.2.102 CFE_PLATFORM_SB_FILTER_MASK2 #define CFE_PLATFORM_SB_FILTER_MASK2 CFE_EVS_FIRST_4_STOP Definition at line 1226 of file example platform cfg.h.

11.3.2.103 CFE_PLATFORM_SB_FILTER_MASK3 #define CFE_PLATFORM_SB_FILTER_MASK3 CFE_EVS_FIRST_16_STOP Definition at line 1229 of file example platform cfg.h.

11.3.2.104 CFE_PLATFORM_SB_FILTER_MASK4 #define CFE_PLATFORM_SB_FILTER_MASK4 CFE_EVS_FIRST_16_STOP Definition at line 1232 of file example platform cfg.h.

11.3.2.105 CFE_PLATFORM_SB_FILTER_MASK5 #define CFE_PLATFORM_SB_FILTER_MASK5 CFE_EVS_NO_FILTER Definition at line 1235 of file example platform cfg.h.

11.3.2.106 CFE_PLATFORM_SB_FILTER_MASK6 #define CFE_PLATFORM_SB_FILTER_MASK6 CFE_EVS_NO_FILTER Definition at line 1238 of file example platform cfg.h.

11.3.2.107 CFE_PLATFORM_SB_FILTER_MASK7 #define CFE_PLATFORM_SB_FILTER_MASK7 CFE_EVS_NO_FILTER Definition at line 1241 of file example_platform_cfg.h.

11.3.2.108 CFE_PLATFORM_SB_FILTER_MASK8 #define CFE_PLATFORM_SB_FILTER_MASK8 CFE_EVS_NO_FILTER Definition at line 1244 of file example platform cfg.h.

11.3.2.109 CFE_PLATFORM_SB_FILTERED_EVENT1 #define CFE_PLATFORM_SB_FILTERED_EVENT1 CFE_SB_SEND_NO_SUBS_EID

Purpose SB Event Filtering

Description:

This group of configuration parameters dictates what SB events will be filtered through SB. The filtering will begin after the SB task initializes and stay in effect until a cmd to SB changes it. This allows the operator to set limits on the number of event messages that are sent during system initialization. NOTE: Set all unused event values and mask values to zero

Limits

This filtering applies only to SB events. These parameters have a lower limit of 0 and an upper limit of 65535.

Definition at line 1222 of file example platform cfg.h.

11.3.2.110 CFE_PLATFORM_SB_FILTERED_EVENT2 #define CFE_PLATFORM_SB_FILTERED_EVENT2 CFE_SB_DUP_SUBSCRIP_EID Definition at line 1225 of file example_platform_cfg.h.

11.3.2.111 CFE_PLATFORM_SB_FILTERED_EVENT3 #define CFE_PLATFORM_SB_FILTERED_EVENT3 CFE_SB_MSGID_LIM_ERR_EID Definition at line 1228 of file example platform cfg.h.

11.3.2.112 CFE_PLATFORM_SB_FILTERED_EVENT4 #define CFE_PLATFORM_SB_FILTERED_EVENT4 CFE_SB_O_FULL_ERR_EID Definition at line 1231 of file example_platform_cfg.h.

11.3.2.113 CFE_PLATFORM_SB_FILTERED_EVENT5 #define CFE_PLATFORM_SB_FILTERED_EVENT5 0 Definition at line 1234 of file example platform cfg.h.

11.3.2.114 CFE_PLATFORM_SB_FILTERED_EVENT6 #define CFE_PLATFORM_SB_FILTERED_EVENT6 0 Definition at line 1237 of file example platform cfg.h.

11.3.2.115 CFE_PLATFORM_SB_FILTERED_EVENT7 #define CFE_PLATFORM_SB_FILTERED_EVENT7 0 Definition at line 1240 of file example platform cfg.h.

11.3.2.116 CFE_PLATFORM_SB_FILTERED_EVENT8 #define CFE_PLATFORM_SB_FILTERED_EVENT8 0 Definition at line 1243 of file example_platform_cfg.h.

11.3.2.117 CFE_PLATFORM_SB_HIGHEST_VALID_MSGID #define CFE_PLATFORM_SB_HIGHEST_VALID_MSG←
ID 0x1FFF

Purpose Highest Valid Message Id

Description:

The value of this constant dictates the range of valid message ID's, from 0 to CFE_PLATFORM_SB_HIGHEST — _VALID_MSGID (inclusive).

Although this can be defined differently across platforms, each platform can only publish/subscribe to message ids within their allowable range. Typically this value is set the same across all mission platforms to avoid this complexity.

Limits

CFE_SB_INVALID_MSG is set to the maximum representable number of type CFE_SB_Msgld_t. CFE_PLATF ← ORM SB HIGHEST VALID MSGID lower limit is 1, up to CFE_SB_INVALID MSG_ID - 1.

When using the direct message map implementation for software bus routing, this value is used to size the map where a value of 0x1FFF results in a 16 KBytes map and 0xFFFF is 128 KBytes.

When using the hash implementation for software bus routing, a multiple of the CFE_PLATFORM_SB_MAX_MSG_IDS is used to size the message map. In that case the range selected here does not impact message map memory use, so it's reasonable to use up to the full range supported by the message ID implementation. Definition at line 1160 of file example_platform_cfg.h.

11.3.2.118 CFE_PLATFORM_SB_MAX_BLOCK_SIZE #define CFE_PLATFORM_SB_MAX_BLOCK_SIZE (CFE_MISSION_SB_MAX_SB_MS

Definition at line 1273 of file example platform cfg.h.

11.3.2.119 CFE_PLATFORM_SB_MAX_DEST_PER_PKT #define CFE_PLATFORM_SB_MAX_DEST_PER_PKT 16

Purpose Maximum Number of unique local destinations a single Msgld can have

Description:

Dictates the maximum number of unique local destinations a single Msgld can have.

Limits

This parameter has a lower limit of 1. There are no restrictions on the upper limit however, the maximum number of destinations per packet is system dependent and should be verified. Destination number values that are checked against this configuration are defined by a 16 bit data word.

Definition at line 1097 of file example platform cfg.h.

11.3.2.120 CFE PLATFORM SB MAX MSG IDS #define CFE_PLATFORM_SB_MAX_MSG_IDS 256

Purpose Maximum Number of Unique Message IDs SB Routing Table can hold

Description:

Dictates the maximum number of unique Msglds the SB routing table will hold. This constant has a direct effect on the size of SB's tables and arrays. Keeping this count as low as possible will save memory. To see the runtime, high-water mark and the current utilization figures regarding this parameter, send an SB command to 'Send Statistics Pkt'.

Limits

This must be a power of two if software bus message routing hash implementation is being used. Lower than 64 will cause unit test failures, and telemetry reporting is impacted below 32. There is no hard upper limit, but impacts memory footprint. For software bus message routing search implementation the number of msg ids subscribed to impacts performance.

Definition at line 1064 of file example platform cfg.h.

11.3.2.121 CFE_PLATFORM_SB_MAX_PIPES #define CFE_PLATFORM_SB_MAX_PIPES 64

Purpose Maximum Number of Unique Pipes SB Routing Table can hold

Description:

Dictates the maximum number of unique Pipes the SB routing table will hold. This constant has a direct effect on the size of SB's tables and arrays. Keeping this count as low as possible will save memory. To see the runtime, high-water mark and the current utilization figures regarding this parameter, send an SB command to 'Send Statistics Pkt'.

Limits

This parameter has a lower limit of 1. This parameter must also be less than or equal to OS MAX QUEUES.

Definition at line 1081 of file example platform cfg.h.

11.3.2.122 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_01 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_01 8

Purpose Define SB Memory Pool Block Sizes

Description:

Software Bus Memory Pool Block Sizes

Limits

These sizes MUST be increasing and MUST be an integral multiple of 4. The number of block sizes defined cannot exceed CFE PLATFORM ES POOL MAX BUCKETS

Definition at line 1257 of file example platform cfg.h.

11.3.2.123 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_02 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_02 16 Definition at line 1258 of file example_platform_cfg.h.

11.3.2.124 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_03 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_03 20 Definition at line 1259 of file example_platform_cfg.h.

11.3.2.125 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_04 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_04 36 Definition at line 1260 of file example_platform_cfg.h.

11.3.2.126 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_05 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_05 64 Definition at line 1261 of file example_platform_cfg.h.

11.3.2.127 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_06 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_06 96 Definition at line 1262 of file example_platform_cfg.h.

11.3.2.128 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_07 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_07 128 Definition at line 1263 of file example_platform_cfg.h.

11.3.2.129 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_08 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_08 160 Definition at line 1264 of file example_platform_cfg.h.

11.3.2.130 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_09 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_09 256 Definition at line 1265 of file example_platform_cfg.h.

11.3.2.131 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_10 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_10 512 Definition at line 1266 of file example platform cfg.h.

11.3.2.132 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_11 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_←
11 1024

Definition at line 1267 of file example platform cfg.h.

11.3.2.133 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_12 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_←
12 2048

Definition at line 1268 of file example_platform_cfg.h.

11.3.2.134 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_13 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_← 13 4096

Definition at line 1269 of file example_platform_cfg.h.

11.3.2.135 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_14 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_← 14 8192

Definition at line 1270 of file example platform cfg.h.

11.3.2.136 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_15 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_←
15 16384

Definition at line 1271 of file example_platform_cfg.h.

11.3.2.137 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_16 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_←
16 32768

Definition at line 1272 of file example_platform_cfg.h.

11.3.2.138 CFE_PLATFORM_SB_START_TASK_PRIORITY #define CFE_PLATFORM_SB_START_TASK_PRIORI← TY 64

Purpose Define SB Task Priority

Description:

Defines the cFE SB Task priority.

Limits

Not Applicable

Definition at line 1284 of file example_platform_cfg.h.

11.3.2.139 CFE_PLATFORM_SB_START_TASK_STACK_SIZE #define CFE_PLATFORM_SB_START_TASK_STAC ← K_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE

Purpose Define SB Task Stack Size

Description:

Defines the cFE_SB Task Stack Size

Limits

There is a lower limit of 2048 on this configuration parameter. There are no restrictions on the upper limit however, the maximum stack size is system dependent and should be verified. Most operating systems provide tools for measuring the amount of stack used by a task during operation. It is always a good idea to verify that no more than 1/2 of the stack is used.

Definition at line 1299 of file example platform cfg.h.

11.3.2.140 CFE_PLATFORM_TBL_BUF_MEMORY_BYTES #define CFE_PLATFORM_TBL_BUF_MEMORY_BYT↔ ES 524288

Purpose Size of Table Services Table Memory Pool

Description:

Defines the TOTAL size of the memory pool that cFE Table Services allocates from the system. The size must be large enough to provide memory for each registered table, the inactive buffers for double buffered tables and for the shared inactive buffers for single buffered tables.

Limits

The cFE does not place a limit on the size of this parameter.

Definition at line 1346 of file example_platform_cfg.h.

11.3.2.141 CFE_PLATFORM_TBL_DEFAULT_REG_DUMP_FILE #define CFE_PLATFORM_TBL_DEFAULT_REG_D ← UMP_FILE "/ram/cfe_tbl_reg.log"

Purpose Default Filename for a Table Registry Dump

Description:

Defines the file name used to store the table registry when no filename is specified in the dump registry command.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 1460 of file example_platform_cfg.h.

11.3.2.142 CFE_PLATFORM_TBL_MAX_CRITICAL_TABLES #define CFE_PLATFORM_TBL_MAX_CRITICAL_TA↔
BLES 32

Purpose Maximum Number of Critical Tables that can be Registered

Description:

Defines the maximum number of critical tables supported by this processor's Table Services.

Limits

This number must be less than 32767. It should be recognized that this parameter determines the size of the Critical Table Registry which is maintained in the Critical Data Store. An excessively high number will waste Critical Data Store memory. Therefore, this number must not exceed the value defined in CFE_ES_CDS_MAX CRITICAL TABLES.

Definition at line 1401 of file example_platform_cfg.h.

11.3.2.143 CFE_PLATFORM_TBL_MAX_DBL_TABLE_SIZE #define CFE_PLATFORM_TBL_MAX_DBL_TABLE_SI ← ZE 16384

Purpose Maximum Size Allowed for a Double Buffered Table

Description:

Defines the maximum allowed size (in bytes) of a double buffered table.

Limits

The cFE does not place a limit on the size of this parameter but it must be less than half of CFE_PLATFORM_TBL_BUF_MEMORY_E Definition at line 1358 of file example platform cfg.h.

11.3.2.144 CFE PLATFORM TBL MAX NUM HANDLES #define CFE_PLATFORM_TBL_MAX_NUM_HANDLES 256

Purpose Maximum Number of Table Handles

Description:

Defines the maximum number of Table Handles.

Limits

This number must be less than 32767. This number must be at least as big as the number of tables (CFE_PLATFORM_TBL_MAX_NUM_TABLES) and should be set higher if tables are shared between applications.

Definition at line 1414 of file example_platform_cfg.h.

11.3.2.145 CFE_PLATFORM_TBL_MAX_NUM_TABLES #define CFE_PLATFORM_TBL_MAX_NUM_TABLES 128

Purpose Maximum Number of Tables Allowed to be Registered

Description:

Defines the maximum number of tables supported by this processor's Table Services.

Limits

This number must be less than 32767. It should be recognized that this parameter determines the size of the Table Registry. An excessively high number will waste memory.

Definition at line 1387 of file example platform cfg.h.

11.3.2.146 CFE_PLATFORM_TBL_MAX_NUM_VALIDATIONS #define CFE_PLATFORM_TBL_MAX_NUM_VALIDAT ← IONS 10

Purpose Maximum Number of Simultaneous Table Validations

Description:

Defines the maximum number of pending validations that the Table Services can handle at any one time. When a table has a validation function, a validation request is made of the application to perform that validation. This number determines how many of those requests can be outstanding at any one time.

Limits

This number must be less than 32767. An excessively high number will degrade system performance and waste memory. A number less than 20 is suggested but not required.

Definition at line 1447 of file example platform cfg.h.

11.3.2.147 CFE_PLATFORM_TBL_MAX_SIMULTANEOUS_LOADS #define CFE_PLATFORM_TBL_MAX_SIMULT ↔ ANEOUS_LOADS 4

Purpose Maximum Number of Simultaneous Loads to Support

Description:

Defines the maximum number of single buffered tables that can be loaded simultaneously. This number is used to determine the number of shared buffers to allocate.

Limits

This number must be less than 32767. An excessively high number will degrade system performance and waste memory. A number less than 5 is suggested but not required.

Definition at line 1429 of file example_platform_cfg.h.

11.3.2.148 CFE_PLATFORM_TBL_MAX_SNGL_TABLE_SIZE #define CFE_PLATFORM_TBL_MAX_SNGL_TABLE_←
SIZE 16384

Purpose Maximum Size Allowed for a Single Buffered Table

Description:

Defines the maximum allowed size (in bytes) of a single buffered table. **NOTE:** This size determines the size of all shared table buffers. Therefore, this size will be multiplied by CFE_PLATFORM_TBL_MAX_SIMULTANEOUS_LOADS below when allocating memory for shared tables.

Limits

The cFE does not place a limit on the size of this parameter but it must be small enough to allow for CFE_PLATFORM_TBL_MAX_SIMULTANEOUS_LOADS number of tables to fit into CFE_PLATFORM_TBL_BUF_MEMORY_BYTI

Definition at line 1374 of file example platform cfg.h.

11.3.2.149 CFE_PLATFORM_TBL_START_TASK_PRIORITY #define CFE_PLATFORM_TBL_START_TASK_PRIOR ← LTY 70

Purpose Define TBL Task Priority

Description:

Defines the cFE_TBL Task priority.

Limits

Not Applicable

Definition at line 1315 of file example_platform_cfg.h.

11.3.2.150 CFE_PLATFORM_TBL_START_TASK_STACK_SIZE #define CFE_PLATFORM_TBL_START_TASK_ST← ACK_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE

Purpose Define TBL Task Stack Size

Description:

Defines the cFE_TBL Task Stack Size

Limits

There is a lower limit of 2048 on this configuration parameter. There are no restrictions on the upper limit however, the maximum stack size is system dependent and should be verified. Most operating systems provide tools for measuring the amount of stack used by a task during operation. It is always a good idea to verify that no more than 1/2 of the stack is used.

Definition at line 1330 of file example platform cfg.h.

Definition at line 1482 of file example_platform_cfg.h.

```
11.3.2.152 CFE_PLATFORM_TBL_VALID_PRID_1 #define CFE_PLATFORM_TBL_VALID_PRID_1 (1)
```

Purpose Processor ID values used for table load validation

Description:

Defines the processor ID values used for validating the processor ID field in the table file header. To be valid, the spacecraft ID specified in the table file header must match one of the values defined here.

Limits

This value can be any 32 bit unsigned integer.

Definition at line 1531 of file example platform cfg.h.

11.3.2.153 CFE_PLATFORM_TBL_VALID_PRID_2 #define CFE_PLATFORM_TBL_VALID_PRID_2 (CFE_PLATFORM_TBL_U32FROM4CHAPPED_1, 'c', 'd'))

Definition at line 1532 of file example platform cfg.h.

11.3.2.154 CFE_PLATFORM_TBL_VALID_PRID_3 #define CFE_PLATFORM_TBL_VALID_PRID_3 0 Definition at line 1533 of file example_platform_cfg.h.

11.3.2.155 CFE_PLATFORM_TBL_VALID_PRID_4 #define CFE_PLATFORM_TBL_VALID_PRID_4 0 Definition at line 1534 of file example_platform_cfg.h.

11.3.2.156 CFE_PLATFORM_TBL_VALID_PRID_COUNT #define CFE_PLATFORM_TBL_VALID_PRID_COUNT 0

Purpose Number of Processor ID's specified for validation

Description:

Defines the number of specified processor ID values that are verified during table loads. If the number is zero then no validation of the processor ID field in the table file header is performed when tables are loaded. Non-zero values indicate how many values from the list of processor ID's defined below are compared to the processor ID field in the table file header. The ELF2CFETBL tool may be used to create table files with specified processor ID values.

Limits

This number must be greater than or equal to zero and less than or equal to 4.

Definition at line 1517 of file example_platform_cfg.h.

11.3.2.157 CFE_PLATFORM_TBL_VALID_SCID_1 #define CFE_PLATFORM_TBL_VALID_SCID_1 (0x42)

Purpose Spacecraft ID values used for table load validation

Description:

Defines the spacecraft ID values used for validating the spacecraft ID field in the table file header. To be valid, the spacecraft ID specified in the table file header must match one of the values defined here.

Limits

This value can be any 32 bit unsigned integer.

Definition at line 1497 of file example platform cfg.h.

11.3.2.158 CFE_PLATFORM_TBL_VALID_SCID_2 #define CFE_PLATFORM_TBL_VALID_SCID_2 (CFE_PLATFORM_TBL_U32FROM4CHAPE 'b', 'c', 'd'))

Definition at line 1498 of file example platform cfg.h.

11.3.2.159 CFE_PLATFORM_TBL_VALID_SCID_COUNT #define CFE_PLATFORM_TBL_VALID_SCID_COUNT 0

Purpose Number of Spacecraft ID's specified for validation

Description:

Defines the number of specified spacecraft ID values that are verified during table loads. If the number is zero then no validation of the spacecraft ID field in the table file header is performed when tables are loaded. Non-zero values indicate how many values from the list of spacecraft ID's defined below are compared to the spacecraft ID field in the table file header. The ELF2CFETBL tool may be used to create table files with specified spacecraft ID values.

Limits

This number must be greater than or equal to zero and less than or equal to 2.

Definition at line 1479 of file example_platform_cfg.h.

11.3.2.160 CFE_PLATFORM_TIME_CFG_CLIENT #define CFE_PLATFORM_TIME_CFG_CLIENT false Definition at line 1554 of file example_platform_cfg.h.

11.3.2.161 CFE PLATFORM TIME CFG LATCH FLY #define CFE_PLATFORM_TIME_CFG_LATCH_FLY 8

Purpose Define Periodic Time to Update Local Clock Tone Latch

Description:

Define Periodic Time to Update Local Clock Tone Latch. Applies only when in flywheel mode. This define dictates the period at which the simulated 'last tone' time is updated. Units are seconds.

Limits

Not Applicable

Definition at line 1711 of file example_platform_cfg.h.

11.3.2.162 CFE_PLATFORM_TIME_CFG_SERVER #define CFE_PLATFORM_TIME_CFG_SERVER true

Purpose Time Server or Time Client Selection

Description:

This configuration parameter selects whether the Time task functions as a time "server" or "client". A time server generates the "time at the tone" packet which is received by time clients.

Limits

Enable one, and only one by defining either CFE_PLATFORM_TIME_CFG_SERVER or CFE_PLATFORM_TI

ME CFG CLIENT AS true. The other must be defined as false.

Definition at line 1553 of file example platform cfg.h.

11.3.2.163 CFE_PLATFORM_TIME_CFG_SIGNAL #define CFE_PLATFORM_TIME_CFG_SIGNAL false

Purpose Include or Exclude the Primary/Redundant Tone Selection Cmd

Description:

Depending on the specific hardware system configuration, it may be possible to switch between a primary and redundant tone signal. If supported by hardware, this definition will enable command interfaces to select the active tone signal. Both Time Clients and Time Servers support this feature. Note: Set the CFE_PLATFORM_TIME_

CFG SIGNAL define to true to enable tone signal commands.

Limits

Not Applicable

Definition at line 1601 of file example_platform_cfg.h.

11.3.2.164 CFE PLATFORM TIME CFG SOURCE #define CFE_PLATFORM_TIME_CFG_SOURCE false

Purpose Include or Exclude the Internal/External Time Source Selection Cmd

Description:

By default, Time Servers maintain time using an internal MET which may be a h/w register or software counter, depending on available hardware. The following definition enables command interfaces to switch between an internal MET, or external time data received from one of several supported external time sources. Only a Time Server may be configured to use external time data. Note: Set the CFE_PLATFORM_TIME_CFG_SOURCE define to true to include the Time Source Selection Command (command allows selection between the internal or external time source). Then choose the external source with the CFE_TIME_CFG_SRC_??? define.

Limits

Only applies if CFE_PLATFORM_TIME_CFG_SERVER is set to true.

Definition at line 1621 of file example_platform_cfg.h.

11.3.2.165 CFE_PLATFORM_TIME_CFG_SRC_GPS #define CFE_PLATFORM_TIME_CFG_SRC_GPS false Definition at line 1638 of file example_platform_cfg.h.

11.3.2.166 CFE PLATFORM TIME CFG SRC MET #define CFE_PLATFORM_TIME_CFG_SRC_MET false

Purpose Choose the External Time Source for Server only

Description:

If CFE_PLATFORM_TIME_CFG_SOURCE is set to true, then one of the following external time source types must also be set to true. Do not set any of the external time source types to true unless CFE PLATFORM TIME CFG_SOURCE is set to true.

Limits

- If CFE_PLATFORM_TIME_CFG_SOURCE is set to true then one and only one of the following three external time sources can and must be set true: CFE_PLATFORM_TIME_CFG_SRC_MET, CFE_PLATFORM_TIME_CFG_SRC_GPS, CFE_PLATFORM_TIME_CFG_SRC_TIME
- 2. Only applies if CFE_PLATFORM_TIME_CFG_SERVER is set to true.

Definition at line 1637 of file example platform cfg.h.

11.3.2.167 CFE_PLATFORM_TIME_CFG_SRC_TIME #define CFE_PLATFORM_TIME_CFG_SRC_TIME false Definition at line 1639 of file example platform cfg.h.

11.3.2.168 CFE PLATFORM TIME CFG START FLY #define CFE_PLATFORM_TIME_CFG_START_FLY 2

Purpose Define Time to Start Flywheel Since Last Tone

Description:

Define time to enter flywheel mode (in seconds since last tone data update) Units are microseconds as measured with the local clock.

Limits

Not Applicable

Definition at line 1698 of file example platform cfg.h.

11.3.2.169 CFE PLATFORM TIME CFG TONE LIMIT #define CFE_PLATFORM_TIME_CFG_TONE_LIMIT 20000

Purpose Define Timing Limits From One Tone To The Next

Description:

Defines limits to the timing of the 1Hz tone signal. A tone signal is valid only if it arrives within one second (plus or minus the tone limit) from the previous tone signal. Units are microseconds as measured with the local clock.

Limits

Not Applicable

Definition at line 1686 of file example_platform_cfg.h.

11.3.2.170 CFE_PLATFORM_TIME_CFG_VIRTUAL #define CFE_PLATFORM_TIME_CFG_VIRTUAL true

Purpose Time Tone In Big-Endian Order

Description:

If this configuration parameter is defined, the CFE time server will publish time tones with payloads in big-endian order, and time clients will expect the tones to be in big-endian order. This is useful for mixed-endian environments. This will become obsolete once EDS is available and the CFE time tone message is defined.

Purpose Local MET or Virtual MET Selection for Time Servers

Description:

Depending on the specific hardware system configuration, it may be possible for Time Servers to read the "local" MET from a h/w register rather than having to track the MET as the count of tone signal interrupts (virtual MET)

Time Clients must be defined as using a virtual MET. Also, a Time Server cannot be defined as having both a h/w MET and an external time source (they both cannot synchronize to the same tone).

Note: "disable" this define (set to false) only for Time Servers with local hardware that supports a h/w MET that is synchronized to the tone signal !!!

Limits

Only applies if CFE PLATFORM TIME CFG SERVER is set to true.

Definition at line 1586 of file example platform cfg.h.

11.3.2.171 CFE_PLATFORM_TIME_MAX_DELTA_SECS #define CFE_PLATFORM_TIME_MAX_DELTA_SECS 0

Purpose Define the Max Delta Limits for Time Servers using an Ext Time Source

Description:

If CFE_PLATFORM_TIME_CFG_SOURCE is set to true and one of the external time sources is also set to true, then the delta time limits for range checking is used.

When a new time value is received from an external source, the value is compared against the "expected" time value. If the delta exceeds the following defined amount, then the new time data will be ignored. This range checking is only performed after the clock state has been commanded to "valid". Until then, external time data is accepted unconditionally.

Limits

Applies only if both CFE_PLATFORM_TIME_CFG_SERVER and CFE_PLATFORM_TIME_CFG_SOURCE are set to true.

Definition at line 1658 of file example_platform_cfg.h.

11.3.2.172 CFE_PLATFORM_TIME_MAX_DELTA_SUBS #define CFE_PLATFORM_TIME_MAX_DELTA_SUBS 500000 Definition at line 1659 of file example_platform_cfg.h.

11.3.2.173 CFE_PLATFORM_TIME_MAX_LOCAL_SECS #define CFE_PLATFORM_TIME_MAX_LOCAL_SECS 27

Purpose Define the Local Clock Rollover Value in seconds and subseconds

Description:

Specifies the capability of the local clock. Indicates the time at which the local clock rolls over.

Limits

Not Applicable

Definition at line 1671 of file example platform cfg.h.

11.3.2.174 CFE_PLATFORM_TIME_MAX_LOCAL_SUBS #define CFE_PLATFORM_TIME_MAX_LOCAL_SUBS 0 Definition at line 1672 of file example_platform_cfg.h.

11.3.2.175 CFE_PLATFORM_TIME_ONEHZ_TASK_PRIORITY #define CFE_PLATFORM_TIME_ONEHZ_TASK_PRI↔
ORITY 25

Definition at line 1728 of file example platform cfg.h.

11.3.2.176 CFE_PLATFORM_TIME_ONEHZ_TASK_STACK_SIZE #define CFE_PLATFORM_TIME_ONEHZ_TASK_← STACK_SIZE 8192

Definition at line 1747 of file example platform cfg.h.

11.3.2.177 CFE_PLATFORM_TIME_START_TASK_PRIORITY #define CFE_PLATFORM_TIME_START_TASK_PRI↔ ORITY 60

Purpose Define TIME Task Priorities

Description:

Defines the cFE_TIME Task priority. Defines the cFE_TIME Tone Task priority. Defines the cFE_TIME 1HZ Task priority.

Limits

There is a lower limit of zero and an upper limit of 255 on these configuration parameters. Remember that the meaning of each task priority is inverted – a "lower" number has a "higher" priority.

Definition at line 1726 of file example_platform_cfg.h.

11.3.2.178 CFE_PLATFORM_TIME_START_TASK_STACK_SIZE #define CFE_PLATFORM_TIME_START_TASK_←
STACK_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE

Purpose Define TIME Task Stack Sizes

Description:

Defines the cFE_TIME Main Task Stack Size Defines the cFE_TIME Tone Task Stack Size Defines the cFE_TIME 1HZ Task Stack Size

Limits

There is a lower limit of 2048 on these configuration parameters. There are no restrictions on the upper limit however, the maximum stack size is system dependent and should be verified. Most operating systems provide tools for measuring the amount of stack used by a task during operation. It is always a good idea to verify that no more than 1/2 of the stack is used.

Definition at line 1745 of file example platform cfg.h.

11.3.2.179 CFE_PLATFORM_TIME_TONE_TASK_PRIORITY #define CFE_PLATFORM_TIME_TONE_TASK_PRIOR

ITY 25

Definition at line 1727 of file example platform cfg.h.

11.3.2.180 CFE_PLATFORM_TIME_TONE_TASK_STACK_SIZE #define CFE_PLATFORM_TIME_TONE_TASK_ST↔ ACK_SIZE 4096

Definition at line 1746 of file example_platform_cfg.h.

11.4 sample_perfids.h File Reference

Macros

#define CFE_MISSION_ES_PERF_EXIT_BIT 31
 bit (31) is reserved by the perf utilities

cFE Performance Monitor IDs (Reserved IDs 0-31)

• #define CFE_MISSION_ES_MAIN_PERF_ID 1

Performance ID for Executive Services Task.

#define CFE MISSION EVS MAIN PERF ID 2

Performance ID for Events Services Task.

#define CFE MISSION TBL MAIN PERF ID 3

Performance ID for Table Services Task.

#define CFE_MISSION_SB_MAIN_PERF_ID 4

Performance ID for Software Bus Services Task.

#define CFE MISSION SB MSG LIM PERF ID 5

Performance ID for Software Bus Msg Limit Errors.

#define CFE MISSION SB PIPE OFLOW PERF ID 27

Performance ID for Software Bus Pipe Overflow Errors.

#define CFE MISSION TIME MAIN PERF ID 6

Performance ID for Time Services Task.

• #define CFE MISSION TIME TONE1HZISR PERF ID 7

Performance ID for 1 Hz Tone ISR.

#define CFE_MISSION_TIME_LOCAL1HZISR_PERF_ID 8

Performance ID for 1 Hz Local ISR.

#define CFE_MISSION_TIME_SENDMET_PERF_ID 9

Performance ID for Time ToneSendMET.

#define CFE MISSION TIME LOCAL1HZTASK PERF ID 10

Performance ID for 1 Hz Local Task.

#define CFE_MISSION_TIME_TONE1HZTASK_PERF_ID 11

Performance ID for 1 Hz Tone Task.

11.4.1 Detailed Description

Purpose: This file contains the cFE performance IDs

Design Notes: Each performance id is used to identify something that needs to be measured. Performance ids are limited to the range of 0 to CFE_MISSION_ES_PERF_MAX_IDS - 1. Any performance ids outside of this range will be ignored and will be flagged as an error. Note that performance ids 0-31 are reserved for the cFE Core. References:

11.4.2 Macro Definition Documentation

11.4.2.1 CFE_MISSION_ES_MAIN_PERF_ID #define CFE_MISSION_ES_MAIN_PERF_ID 1

Performance ID for Executive Services Task.

Definition at line 42 of file sample perfids.h.

11.4.2.2 CFE_MISSION_ES_PERF_EXIT_BIT #define CFE_MISSION_ES_PERF_EXIT_BIT 31

bit (31) is reserved by the perf utilities

Definition at line 38 of file sample_perfids.h.

11.4.2.3 CFE_MISSION_EVS_MAIN_PERF_ID #define CFE_MISSION_EVS_MAIN_PERF_ID 2

Performance ID for Events Services Task.

Definition at line 43 of file sample perfids.h.

11.4.2.4 CFE_MISSION_SB_MAIN_PERF_ID #define CFE_MISSION_SB_MAIN_PERF_ID 4

Performance ID for Software Bus Services Task.

Definition at line 45 of file sample perfids.h.

11.4.2.5 CFE_MISSION_SB_MSG_LIM_PERF_ID #define CFE_MISSION_SB_MSG_LIM_PERF_ID 5

Performance ID for Software Bus Msg Limit Errors.

Definition at line 46 of file sample perfids.h.

11.4.2.6 CFE_MISSION_SB_PIPE_OFLOW_PERF_ID #define CFE_MISSION_SB_PIPE_OFLOW_PERF_ID 27

Performance ID for Software Bus Pipe Overflow Errors.

Definition at line 47 of file sample_perfids.h.

11.4.2.7 CFE_MISSION_TBL_MAIN_PERF_ID #define CFE_MISSION_TBL_MAIN_PERF_ID 3

Performance ID for Table Services Task.

Definition at line 44 of file sample_perfids.h.

11.4.2.8 CFE_MISSION_TIME_LOCAL1HZISR_PERF_ID #define CFE_MISSION_TIME_LOCAL1HZISR_PERF_ID 8

Performance ID for 1 Hz Local ISR.

Definition at line 51 of file sample perfids.h.

11.4.2.9 CFE_MISSION_TIME_LOCAL1HZTASK_PERF_ID #define CFE_MISSION_TIME_LOCAL1HZTASK_PERF

_ID 10

Performance ID for 1 Hz Local Task.

Definition at line 54 of file sample perfids.h.

11.4.2.10 CFE_MISSION_TIME_MAIN_PERF_ID #define CFE_MISSION_TIME_MAIN_PERF_ID 6

Performance ID for Time Services Task.

Definition at line 49 of file sample_perfids.h.

11.4.2.11 CFE_MISSION_TIME_SENDMET_PERF_ID #define CFE_MISSION_TIME_SENDMET_PERF_ID 9

Performance ID for Time ToneSendMET.

Definition at line 53 of file sample_perfids.h.

11.4.2.12 CFE_MISSION_TIME_TONE1HZISR_PERF_ID #define CFE_MISSION_TIME_TONE1HZISR_PERF_ID 7

Performance ID for 1 Hz Tone ISR.

Definition at line 50 of file sample perfids.h.

$\textbf{11.4.2.13} \quad \textbf{CFE_MISSION_TIME_TONE1HZTASK_PERF_ID} \quad \texttt{\#define CFE_MISSION_TIME_TONE1HZTASK_PERF_} \leftarrow$

ID 11

Performance ID for 1 Hz Tone Task.

Definition at line 55 of file sample perfids.h.

- 11.5 cfe/docs/src/cfe_api.dox File Reference
- 11.6 cfe/docs/src/cfe_es.dox File Reference
- 11.7 cfe/docs/src/cfe_evs.dox File Reference
- 11.8 cfe/docs/src/cfe_frontpage.dox File Reference
- 11.9 cfe/docs/src/cfe_glossary.dox File Reference
- 11.10 cfe/docs/src/cfe sb.dox File Reference
- 11.11 cfe/docs/src/cfe_tbl.dox File Reference
- 11.12 cfe/docs/src/cfe_time.dox File Reference
- 11.13 cfe/docs/src/cfe_xref.dox File Reference
- 11.14 cfe/docs/src/cfs versions.dox File Reference
- 11.15 cfe/modules/core_api/config/default_cfe_core_api_base_msgids.h File Reference

Macros

- #define CFE_CPU1_CMD_MID_BASE 0x1800
 - Platform command message ID base offset.
- #define CFE_CPU1_TLM_MID_BASE 0x0800
 - Platform telemetry message ID base offset.
- #define CFE GLOBAL CMD MID BASE 0x1860
 - "Global" command message ID base offset
- #define CFE_GLOBAL_TLM_MID_BASE 0x0860
 - "Global" telemetry message ID base offset
- #define CFE_PLATFORM_CMD_TOPICID_TO_MIDV(topic) (CFE_CPU1_CMD_MID_BASE | (topic))
 - Convert a command topic ID to a MsgID value.
- #define CFE_PLATFORM_TLM_TOPICID_TO_MIDV(topic) (CFE_CPU1_TLM_MID_BASE | (topic))
 - Convert a telemetry topic ID to a MsgID value.
- #define CFE_GLOBAL_CMD_TOPICID_TO_MIDV(topic) (CFE_GLOBAL_CMD_MID_BASE | (topic))
 - Convert a "global" command topic ID to a MsgID value.
- #define CFE_GLOBAL_TLM_TOPICID_TO_MIDV(topic) (CFE_GLOBAL_TLM_MID_BASE | (topic))
 - Convert a "global" telemetry topic ID to a MsgID value.

11.15.1 Detailed Description

This header file contains the platform-specific base msg ID values and logic to convert a topic ID to a message ID value.

11.15.2 Macro Definition Documentation

11.15.2.1 CFE_CPU1_CMD_MID_BASE #define CFE_CPU1_CMD_MID_BASE 0x1800

Platform command message ID base offset.

Example mechanism for setting default command bits and deconflicting MIDs across multiple platforms in a mission. For any sufficiently complex mission this method is typically replaced by a centralized message ID management scheme. 0x1800 - Nominal value for default message ID implementation (V1). This sets the command field and the secondary header present field. Typical V1 command MID range is 0x1800-1FFF. Additional cpus can deconflict message IDs by

incrementing this value to provide sub-allocations (0x1900 for example). 0x0080 - Command bit for MISSION_MSGI \leftarrow D_V2 message ID implementation (V2). Although this can be used for the value below due to the relatively small set of MIDs in the framework it will not scale so an alternative method of deconfliction is recommended.

Definition at line 46 of file default cfe core api base msgids.h.

11.15.2.2 CFE_CPU1_TLM_MID_BASE #define CFE_CPU1_TLM_MID_BASE 0x0800

Platform telemetry message ID base offset.

0x0800 - Nominal for message ID V1 0x0000 - Potential value for MISSION_MSGID_V2, but limited to a range of 0x0000-0x007F since the command bit is 0x0080. Alternative method of deconfliction is recommended.

See CFE CPU1 CMD MID BASE for more information

Definition at line 58 of file default cfe core api base msgids.h.

11.15.2.3 CFE GLOBAL CMD MID BASE #define CFE_GLOBAL_CMD_MID_BASE 0x1860

"Global" command message ID base offset

0x1860 - Nominal value for message ID V1 0x00E0 - Potential value for MISSION_MSGID_V2, note command bit is 0x0080. Works in limited cases only, alternative method of deconfliction is recommended. See CFE CPU1 CMD MID BASE for more information

Definition at line 69 of file default cfe core api base msgids.h.

Convert a "global" command topic ID to a MsgID value.

A global command is one that is not specific to an individual instance of CFE, but rather intended to be broadcast to all CFE instances at the same time.

This is otherwise identical to CFE PLATFORM CMD TOPICID TO MIDV

Definition at line 116 of file default_cfe_core_api_base_msgids.h.

11.15.2.5 CFE GLOBAL TLM MID BASE #define CFE_GLOBAL_TLM_MID_BASE 0x0860

"Global" telemetry message ID base offset

0x0860 - Nominal value for message ID V1 0x0060 - Potential value for MISSION_MSGID_V2, note command bit is 0x0080. Works in limited cases only, alternative method of deconfliction is recommended. See CFE CPU1 CMD MID BASE for more information

Definition at line 80 of file default_cfe_core_api_base_msgids.h.

11.15.2.6 CFE_GLOBAL_TLM_TOPICID_TO_MIDV #define CFE_GLOBAL_TLM_TOPICID_TO_MIDV(topic) (CFE_GLOBAL_TLM_MID_BASE | (topic))

Convert a "global" telemetry topic ID to a MsgID value.

A global telemetry is one that is not specific to an individual instance of CFE, but rather intended to be broadcast to all CFE instances at the same time.

This is otherwise identical to CFE_PLATFORM_TLM_TOPICID_TO_MIDV

Definition at line 126 of file default_cfe_core_api_base_msgids.h.

Convert a command topic ID to a MsgID value.

This defines the logic to convert a topic ID value into a message ID value. This operates on integer values and should resolve at compile time such that it can be used in e.g. switch/case statements.

Note

The result of this conversion is a simple integer, thus also needs to go through CFE_SB_ValueToMsgld() to obtain a properly-typed CFE_SB_Msgld_t for interacting with SB APIs.

Definition at line 93 of file default_cfe_core_api_base_msgids.h.

Convert a telemetry topic ID to a MsgID value.

This defines the logic to convert a topic ID value into a message ID value. This operates on integer values and should resolve at compile time such that it can be used in e.g. switch/case statements.

Note

The result of this conversion is a simple integer, thus also needs to go through CFE_SB_ValueToMsgld() to obtain a properly-typed CFE_SB_Msgld t for interacting with SB APIs.

Definition at line 106 of file default cfe core api base msgids.h.

11.16 cfe/modules/core api/config/default cfe core api interface cfg.h File Reference

Macros

- #define CFE MISSION MAX PATH LEN 64
- #define CFE_MISSION_MAX_FILE_LEN 20
- #define CFE MISSION MAX API LEN 20
- #define CFE MISSION MAX NUM FILES 50

11.16.1 Detailed Description

Purpose: This header file contains the mission configuration parameters and typedefs with mission scope.

11.16.2 Macro Definition Documentation

```
11.16.2.1 CFE_MISSION_MAX_API_LEN #define CFE_MISSION_MAX_API_LEN 20
```

Purpose cFE Maximum length for API names within data exchange structures

Description:

The value of this constant dictates the size of filenames within all structures used for external data exchange, such as Software bus messages and table definitions. This is typically the same as OS_MAX_API_LEN but that is OSAL dependent – and as such it definable on a per-processor/OS basis and hence may be different across multiple processors. It is recommended to set this to the value of the largest OS_MAX_API_LEN in use on any CPU on the mission.

This affects only the layout of command/telemetry messages and table definitions; internal allocation may use the platform-specific OS MAX API LEN value.

This length must include an extra character for NULL termination.

Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 108 of file default_cfe_core_api_interface_cfg.h.

11.16.2.2 CFE MISSION MAX FILE LEN #define CFE_MISSION_MAX_FILE_LEN 20

Purpose cFE Maximum length for filenames within data exchange structures

Description:

The value of this constant dictates the size of filenames within all structures used for external data exchange, such as Software bus messages and table definitions. This is typically the same as OS_MAX_FILE_LEN but that is OSAL dependent – and as such it definable on a per-processor/OS basis and hence may be different across multiple processors. It is recommended to set this to the value of the largest OS_MAX_FILE_LEN in use on any CPU on the mission.

This affects only the layout of command/telemetry messages and table definitions; internal allocation may use the platform-specific OS_MAX_FILE_LEN value.

This length must include an extra character for NULL termination.

Limits

All CPUs within the same SB domain (mission) and ground tools must share the same definition. Note this affects the size of messages, so it must not cause any message to exceed the max length.

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 82 of file default cfe core api interface cfg.h.

11.16.2.3 CFE_MISSION_MAX_NUM_FILES #define CFE_MISSION_MAX_NUM_FILES 50

Purpose cFE Maximum number of files in a message/data exchange

Description:

The value of this constant dictates the maximum number of files within all structures used for external data exchange, such as Software bus messages and table definitions. This is typically the same as OS_MAX_NUM_O← PEN_FILES but that is OSAL dependent − and as such it definable on a per-processor/OS basis and hence may be different across multiple processors. It is recommended to set this to the value of the largest OS_MAX_NU← M_OPEN_FILES in use on any CPU on the mission.

This affects only the layout of command/telemetry messages and table definitions; internal allocation may use the platform-specific OS_MAX_NUM_OPEN_FILES value.

Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

Definition at line 130 of file default cfe core api interface cfg.h.

```
11.16.2.4 CFE_MISSION_MAX_PATH_LEN #define CFE_MISSION_MAX_PATH_LEN 64
```

Purpose cFE Maximum length for pathnames within data exchange structures

Description:

The value of this constant dictates the size of pathnames within all structures used for external data exchange, such as Software bus messages and table definitions. This is typically the same as OS_MAX_PATH_LEN but that is OSAL dependent – and as such it definable on a per-processor/OS basis and hence may be different across multiple processors. It is recommended to set this to the value of the largest OS_MAX_PATH_LEN in use on any CPU on the mission.

This affects only the layout of command/telemetry messages and table definitions; internal allocation may use the platform-specific OS MAX PATH LEN value.

This length must include an extra character for NULL termination.

Limits

All CPUs within the same SB domain (mission) and ground tools must share the same definition. Note this affects the size of messages, so it must not cause any message to exceed the max length.

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 55 of file default cfe core api interface cfg.h.

11.17 cfe/modules/core api/config/default cfe mission cfg.h File Reference

```
#include "cfe_core_api_interface_cfg.h"
#include "cfe_es_mission_cfg.h"
#include "cfe_evs_mission_cfg.h"
#include "cfe_sb_mission_cfg.h"
#include "cfe_tbl_mission_cfg.h"
#include "cfe_time_mission_cfg.h"
#include "cfe fs mission cfg.h"
```

11.17.1 Detailed Description

Purpose: This header file contains the mission configuration parameters and typedefs with mission scope.

11.18 cfe/modules/core api/config/default cfe msgids.h File Reference

```
#include "cfe_es_msgids.h"
#include "cfe_evs_msgids.h"
#include "cfe_sb_msgids.h"
#include "cfe_tbl_msgids.h"
#include "cfe_time_msgids.h"
```

11.18.1 Detailed Description

Purpose: This header file contains the Message Id's for messages used by the cFE core.

11.19 cfe/modules/core_api/fsw/inc/cfe.h File Reference

```
#include "common_types.h"
#include "osapi.h"
#include "cfe_mission_cfg.h"
#include "cfe_error.h"
#include "cfe_es.h"
#include "cfe_es.h"
#include "cfe_sb.h"
#include "cfe_time.h"
#include "cfe_tbl.h"
#include "cfe_msg.h"
#include "cfe_resourceid.h"
#include "cfe_psp.h"
```

11.19.1 Detailed Description

Purpose: cFE header file

Author: David Kobe, the Hammers Company, Inc.

Notes: This header file centralizes the includes for all cFE Applications. It includes all header files necessary to com-

pletely define the cFE interface.

11.20 cfe/modules/core_api/fsw/inc/cfe_config.h File Reference

```
#include "common_types.h"
#include "cfe_config_api_typedefs.h"
#include "cfe_config_ids.h"
```

Functions

uint32 CFE_Config_GetValue (CFE_ConfigId_t ConfigId)

Obtain an integer value correlating to an CFE configuration ID.

• const void * CFE_Config_GetObjPointer (CFE_ConfigId_t ConfigId)

Obtain a pointer value correlating to an CFE configuration ID.

• const char * CFE_Config_GetString (CFE_ConfigId_t ConfigId)

Obtain a string value correlating to an CFE configuration ID.

const char * CFE_Config_GetName (CFE_ConfigId_t ConfigId)

Obtain the name of a CFE configuration ID.

CFE_ConfigId_t CFE_Config_GetIdByName (const char *Name)

Obtain the ID value associated with a configuration name.

• void CFE_Config_IterateAll (void *Arg, CFE_Config_Callback_t Callback)

Iterate all known name/ID value pairs.

• void CFE_Config_GetVersionString (char *Buf, size_t Size, const char *Component, const char *SrcVersion, const char *CodeName, const char *LastOffcRel)

Obtain the version string for a cFS component or app.

11.20.1 Detailed Description

Title: cFE Status Code Definition Header File

Purpose: Common source of cFE API return status codes.

Design Notes:

References: Flight Software Branch C Coding Standard Version 1.0a

11.20.2 Function Documentation

Obtain the ID value associated with a configuration name.

Parameters

in <i>Name</i>	The name of the ID to look up
----------------	-------------------------------

Returns

ID associated with name

Return values

_CONFIGID_UNDEFINEL

Obtain the name of a CFE configuration ID.

Retreives the printable name associated with the specified key.

Note

This function does not return NULL.

If the ID is not valid/known, then the implementation returns the special string '[unknown]' rather than NULL, so this function may be more easily used in printf() style calls.

Parameters

in	Config←	Configuration ID/Key to look up
	ld	

Returns

Name associated with key

Obtain a pointer value correlating to an CFE configuration ID. Retreives the pointer value associated with the specified key. If no value has been set, or the key is not valid, this returns NULL.

Parameters

in	Config←	Configuration ID/Key to look up
	ld	

Returns

Value associated with key

Return values

NULL	if key is not defined or not set
------	----------------------------------

Obtain a string value correlating to an CFE configuration ID.

Retreives the string value associated with the specified key.

If no value has been set, or the key is not valid, this returns the special string "UNDEFINED"

Note

This function does not return NULL, so it can be used directly in printf-style calls.

Parameters

in	Config←	Configuration ID/Key to look up
	ld	

Returns

String value associated with key

Obtain an integer value correlating to an CFE configuration ID. Retreives the integer value associated with the specified key.

If no value has been set, or the key is not valid, this returns 0.

Parameters

in	Config←	Configuration ID/Key to look up
	ld	

Returns

Value associated with key

Return values

```
0 if key is not defined or not set
```

Obtain the version string for a cFS component or app.

const char * LastOffcRel)

Assembles a standardized version string associated with the specified component/app.

Parameters

in	Buf	Buffer to place version string in. Will be populated with standard version string containing the provided parameters (i.e.: "cFE DEVELOPMENT BUILD equuleus-rc1+dev0 (Codename equueleus), Last Official Release: cFE 6.7.0"	
in	Size	Size of the provided buffer	
in	Component	Component for which to get version string (i.e. "cFE")	
in	SrcVersion	Source version identifier (i.e. "equuleus-rc1+dev0")	
in	CodeName	Code name for the build (i.e. "equuleus")	
in	LastOffcRel	Last official release (i.e. "6.7.0")	

Iterate all known name/ID value pairs.

Parameters

in	Arg	User-supplied opaque argument to pass to callback
in	Callback	User-supplied callback function to invoke for each ID

11.21 cfe/modules/core_api/fsw/inc/cfe_config_api_typedefs.h File Reference

```
#include "common_types.h"
#include "cfe_resourceid_api_typedefs.h"
```

Macros

- #define CFE_CONFIGID_C(val) ((CFE_ConfigId_t)CFE_RESOURCEID_WRAP(val))
- #define CFE_CONFIGID_UNDEFINED CFE_CONFIGID_C(CFE_RESOURCEID_UNDEFINED)

Typedefs

typedef CFE_RESOURCEID_BASE_TYPE CFE_Configld_t

A type for Configuration IDs.

typedef void(* CFE_Config_Callback_t) (void *Arg, CFE_ConfigId_t Id, const char *Name)

11.21.1 Detailed Description

Title: cFE Status Code Definition Header File

Purpose: Common source of cFE API return status codes.

Design Notes:

References: Flight Software Branch C Coding Standard Version 1.0a

11.21.2 Macro Definition Documentation

```
11.21.2.1 CFE_CONFIGID_C #define CFE_CONFIGID_C(

val ) ((CFE_ConfigId_t)CFE_RESOURCEID_WRAP(val))
```

Definition at line 48 of file cfe_config_api_typedefs.h.

11.21.2.2 CFE_CONFIGID_UNDEFINED #define CFE_CONFIGID_UNDEFINED CFE_CONFIGID_C (CFE_RESOURCEID_UNDEFINED) Definition at line 49 of file cfe config api typedefs.h.

11.21.3 Typedef Documentation

```
11.21.3.1 CFE_Config_Callback_t typedef void(* CFE_Config_Callback_t) (void *Arg, CFE_ConfigId_t Id, const char *Name)
```

Definition at line 51 of file cfe_config_api_typedefs.h.

```
11.21.3.2 CFE ConfigId t typedef CFE_RESOURCEID_BASE_TYPE CFE_ConfigId_t
```

A type for Configuration IDs.

This is the type that is used for any API accepting or returning a configuration key ID Definition at line 46 of file cfe_config_api_typedefs.h.

11.22 cfe/modules/core_api/fsw/inc/cfe_endian.h File Reference

```
#include "common_types.h"
```

Macros

- #define CFE_MAKE_BIG16(n) ((((n)&0x00FF) << 8) | (((n)&0xFF00) >> 8))
- #define CFE_MAKE_BIG32(n) ((((n)&0x000000FF) << 24) | (((n)&0x0000FF00) << 8) | (((n)&0x0FF00000) >> 8) | (((n)&0xFF0000000) >> 24))

11.22.1 Detailed Description

Purpose: Define macros to enforce big-endian/network byte order for 16 and 32 bit integers

11.22.2 Macro Definition Documentation

11.23 cfe/modules/core_api/fsw/inc/cfe_error.h File Reference

```
#include "osapi.h"
```

Macros

#define CFE_STATUS_C(X) ((CFE_Status_t)(X))

cFE Status macro for literal

• #define CFE_STATUS_STRING_LENGTH 11

cFE Status converted to string length limit

#define CFE_SEVERITY_BITMASK ((CFE_Status_t)0xc0000000)

Error Severity Bitmask.

#define CFE_SEVERITY_SUCCESS ((CFE_Status_t)0x00000000)

Severity Success.

#define CFE_SEVERITY_INFO ((CFE_Status_t)0x40000000)

Severity Info.

#define CFE SEVERITY ERROR ((CFE Status t)0xc0000000)

Severity Error.

#define CFE_SERVICE_BITMASK ((CFE_Status_t)0x0e000000)

Error Service Bitmask.

• #define CFE_EVENTS_SERVICE ((CFE_Status_t)0x02000000)

Event Service.

• #define CFE_EXECUTIVE_SERVICE ((CFE_Status_t)0x04000000)

Executive Service.

• #define CFE_FILE_SERVICE ((CFE_Status_t)0x06000000)

File Service.

#define CFE_GENERIC_SERVICE ((CFE_Status_t)0x08000000)

Generic Service.

#define CFE_SOFTWARE_BUS_SERVICE ((CFE_Status_t)0x0a000000)

Software Bus Service.

#define CFE_TABLE_SERVICE ((CFE_Status_t)0x0c000000)

Table Service.

#define CFE_TIME_SERVICE ((CFE_Status_t)0x0e000000)

Time Service.

#define CFE_SUCCESS ((CFE_Status_t)0)

Successful execution.

#define CFE_STATUS_NO_COUNTER_INCREMENT ((CFE_Status_t)0x48000001)

No Counter Increment.

#define CFE_STATUS_WRONG_MSG_LENGTH ((CFE_Status_t)0xc8000002)
 Wrong Message Length.

#define CFE_STATUS_UNKNOWN_MSG_ID ((CFE_Status_t)0xc8000003)

Unknown Message ID.

#define CFE_STATUS_BAD_COMMAND_CODE ((CFE_Status_t)0xc8000004)

Bad Command Code.

#define CFE_STATUS_EXTERNAL_RESOURCE_FAIL ((CFE_Status_t)0xc8000005)

#define CFE_STATUS_REQUEST_ALREADY_PENDING ((int32)0xc8000006)
 Request already pending.

• #define CFE_STATUS_VALIDATION_FAILURE ((int32)0xc8000007)

Request or input value failed basic structural validation.

#define CFE_STATUS_RANGE_ERROR ((int32)0xc8000008)

Request or input value is out of range.

#define CFE_STATUS_INCORRECT_STATE ((int32)0xc8000009)

Cannot process request at this time.

• #define CFE STATUS NOT IMPLEMENTED ((CFE Status t)0xc800ffff)

Not Implemented.

#define CFE_EVS_UNKNOWN_FILTER ((CFE_Status_t)0xc2000001)

Unknown Filter.

#define CFE EVS APP NOT REGISTERED ((CFE Status t)0xc2000002)

Application Not Registered.

#define CFE EVS APP ILLEGAL APP ID ((CFE Status t)0xc2000003)

Illegal Application ID.

#define CFE EVS APP FILTER OVERLOAD ((CFE Status t)0xc2000004)

Application Filter Overload.

#define CFE EVS RESET AREA POINTER ((CFE Status t)0xc2000005)

Reset Area Pointer Failure.

• #define CFE_EVS_EVT_NOT_REGISTERED ((CFE_Status_t)0xc2000006)

Event Not Registered.

#define CFE_EVS_FILE_WRITE_ERROR ((CFE_Status_t)0xc2000007)

File Write Error.

• #define CFE_EVS_INVALID_PARAMETER ((CFE_Status_t)0xc2000008)

Invalid Pointer.

#define CFE_EVS_APP_SQUELCHED ((CFE_Status_t)0xc2000009)

Event squelched.

• #define CFE EVS NOT IMPLEMENTED ((CFE Status t)0xc200ffff)

Not Implemented.

#define CFE_ES_ERR_RESOURCEID_NOT_VALID ((CFE_Status_t)0xc4000001)

Resource ID is not valid.

```
    #define CFE_ES_ERR_NAME_NOT_FOUND ((CFE_Status_t)0xc4000002)

     Resource Name Error.

    #define CFE ES ERR APP CREATE ((CFE Status t)0xc4000004)

     Application Create Error.

    #define CFE ES ERR CHILD TASK CREATE ((CFE Status t)0xc4000005)

     Child Task Create Error.

    #define CFE ES ERR SYS LOG FULL ((CFE Status t)0xc4000006)

     System Log Full.

    #define CFE ES ERR MEM BLOCK SIZE ((CFE Status t)0xc4000008)

     Memory Block Size Error.

    #define CFE_ES_ERR_LOAD_LIB ((CFE_Status_t)0xc4000009)

     Load Library Error.

    #define CFE ES BAD ARGUMENT ((CFE Status t)0xc400000a)

     Bad Argument.

    #define CFE_ES_ERR_CHILD_TASK_REGISTER ((CFE_Status_t)0xc400000b)

     Child Task Register Error.

    #define CFE ES CDS ALREADY EXISTS ((CFE Status t)0x4400000d)

     CDS Already Exists.

    #define CFE_ES_CDS_INSUFFICIENT_MEMORY ((CFE_Status_t)0xc400000e)

     CDS Insufficient Memory.

    #define CFE_ES_CDS_INVALID_NAME ((CFE_Status_t)0xc400000f)

     CDS Invalid Name.

    #define CFE_ES_CDS_INVALID_SIZE ((CFE_Status_t)0xc4000010)

     CDS Invalid Size.

    #define CFE_ES_CDS_INVALID ((CFE_Status_t)0xc4000012)

     CDS Invalid.

    #define CFE_ES_CDS_ACCESS_ERROR ((CFE_Status_t)0xc4000013)

     CDS Access Error.

    #define CFE_ES_FILE_IO_ERR ((CFE_Status_t)0xc4000014)

     File IO Error.

    #define CFE_ES_RST_ACCESS_ERR ((CFE_Status_t)0xc4000015)

     Reset Area Access Error.

    #define CFE_ES_ERR_APP_REGISTER ((CFE_Status_t)0xc4000017)

     Application Register Error.

    #define CFE ES ERR CHILD TASK DELETE ((CFE Status t)0xc4000018)

     Child Task Delete Error.

    #define CFE_ES_ERR_CHILD_TASK_DELETE_MAIN_TASK ((CFE_Status_t)0xc4000019)

     Child Task Delete Passed Main Task.

    #define CFE ES CDS BLOCK CRC ERR ((CFE Status t)0xc400001A)

     CDS Block CRC Error.
• #define CFE_ES_MUT_SEM_DELETE_ERR ((CFE_Status_t)0xc400001B)
     Mutex Semaphore Delete Error.

    #define CFE ES BIN SEM DELETE ERR ((CFE Status t)0xc400001C)

     Binary Semaphore Delete Error.

    #define CFE ES COUNT SEM DELETE ERR ((CFE Status t)0xc400001D)

     Counting Semaphore Delete Error.
```

#define CFE ES QUEUE DELETE ERR ((CFE Status t)0xc400001E)

```
Queue Delete Error.

    #define CFE_ES_FILE_CLOSE_ERR ((CFE_Status_t)0xc400001F)

     File Close Error.

    #define CFE ES CDS WRONG TYPE ERR ((CFE Status t)0xc4000020)

     CDS Wrong Type Error.

    #define CFE_ES_CDS_OWNER_ACTIVE_ERR ((CFE_Status_t)0xc4000022)

     CDS Owner Active Error.
• #define CFE_ES_APP_CLEANUP_ERR ((CFE_Status_t)0xc4000023)
     Application Cleanup Error.

    #define CFE_ES_TIMER_DELETE_ERR ((CFE_Status_t)0xc4000024)

     Timer Delete Error.
#define CFE_ES_BUFFER_NOT_IN_POOL ((CFE_Status_t)0xc4000025)
     Buffer Not In Pool.

    #define CFE_ES_TASK_DELETE_ERR ((CFE_Status_t)0xc4000026)

     Task Delete Error.

    #define CFE_ES_OPERATION_TIMED_OUT ((CFE_Status_t)0xc4000027)

     Operation Timed Out.

    #define CFE_ES_LIB_ALREADY_LOADED ((CFE_Status_t)0x44000028)

     Library Already Loaded.

    #define CFE_ES_ERR_SYS_LOG_TRUNCATED ((CFE_Status_t)0x44000029)

     System Log Message Truncated.
• #define CFE_ES_NO_RESOURCE_IDS_AVAILABLE ((CFE_Status_t)0xc400002B)
     Resource ID is not available.

    #define CFE_ES_POOL_BLOCK_INVALID ((CFE_Status_t)0xc400002C)

     Invalid pool block.

    #define CFE_ES_ERR_DUPLICATE_NAME ((CFE_Status_t)0xc400002E)

     Duplicate Name Error.

    #define CFE_ES_NOT_IMPLEMENTED ((CFE_Status_t)0xc400ffff)

     Not Implemented.

    #define CFE_FS_BAD_ARGUMENT ((CFE_Status_t)0xc6000001)

     Bad Argument.

    #define CFE FS INVALID PATH ((CFE Status t)0xc6000002)

     Invalid Path.

    #define CFE FS FNAME TOO LONG ((CFE Status t)0xc6000003)

     Filename Too Long.

    #define CFE FS NOT IMPLEMENTED ((CFE Status t)0xc600ffff)

     Not Implemented.

    #define CFE SB TIME OUT ((CFE Status t)0xca000001)

     Time Out.

    #define CFE_SB_NO_MESSAGE ((CFE_Status_t)0xca000002)

     No Message.

    #define CFE SB BAD ARGUMENT ((CFE Status t)0xca000003)

     Bad Argument.

    #define CFE_SB_MAX_PIPES_MET ((CFE_Status_t)0xca000004)
```

Max Pipes Met.

Pipe Create Error.

#define CFE SB PIPE CR ERR ((CFE Status t)0xca000005)

```
    #define CFE_SB_PIPE_RD_ERR ((CFE_Status_t)0xca000006)
    Pipe Read Error.
```

#define CFE_SB_MSG_TOO_BIG ((CFE_Status_t)0xca000007)
 Message Too Big.

#define CFE_SB_BUF_ALOC_ERR ((CFE_Status_t)0xca000008)
 Buffer Allocation Error.

- #define CFE_SB_MAX_MSGS_MET ((CFE_Status_t)0xca000009)
 Max Messages Met.
- #define CFE_SB_MAX_DESTS_MET ((CFE_Status_t)0xca00000a)
 Max Destinations Met.
- #define CFE_SB_INTERNAL_ERR ((CFE_Status_t)0xca00000c)
 Internal Error.
- #define CFE_SB_WRONG_MSG_TYPE ((CFE_Status_t)0xca00000d)
 Wrong Message Type.
- #define CFE_SB_BUFFER_INVALID ((CFE_Status_t)0xca00000e)
 Buffer Invalid.
- #define CFE_SB_NOT_IMPLEMENTED ((CFE_Status_t)0xca00ffff)
 Not Implemented.
- #define CFE_TBL_ERR_INVALID_HANDLE ((CFE_Status_t)0xcc000001)
 Invalid Handle.
- #define CFE_TBL_ERR_INVALID_NAME ((CFE_Status_t)0xcc000002)
 Invalid Name.
- #define CFE_TBL_ERR_INVALID_SIZE ((CFE_Status_t)0xcc000003)
 Invalid Size.
- #define CFE_TBL_INFO_UPDATE_PENDING ((CFE_Status_t)0x4c000004)
 Update Pending.
- #define CFE_TBL_ERR_NEVER_LOADED ((CFE_Status_t)0xcc000005)
 Never Loaded.
- #define CFE_TBL_ERR_REGISTRY_FULL ((CFE_Status_t)0xcc000006)
 Registry Full.
- #define CFE_TBL_WARN_DUPLICATE ((CFE_Status_t)0x4c000007)
 Duplicate Warning.
- #define CFE_TBL_ERR_NO_ACCESS ((CFE_Status_t)0xcc000008)
 No Access.
- #define CFE_TBL_ERR_UNREGISTERED ((CFE_Status_t)0xcc000009)
 Unregistered.
- #define CFE_TBL_ERR_HANDLES_FULL ((CFE_Status_t)0xcc00000B)
 Handles Full.
- #define CFE_TBL_ERR_DUPLICATE_DIFF_SIZE ((CFE_Status_t)0xcc00000C)
 Duplicate Table With Different Size.
- #define CFE_TBL_ERR_DUPLICATE_NOT_OWNED ((CFE_Status_t)0xcc00000D)
 Duplicate Table And Not Owned.
- #define CFE_TBL_INFO_UPDATED ((CFE_Status_t)0x4c00000E)
 Updated.
- #define CFE_TBL_ERR_NO_BUFFER_AVAIL ((CFE_Status_t)0xcc00000F)
 No Buffer Available.
- #define CFE_TBL_ERR_DUMP_ONLY ((CFE_Status_t)0xcc000010)

```
Dump Only Error.

    #define CFE_TBL_ERR_ILLEGAL_SRC_TYPE ((CFE_Status_t)0xcc000011)

     Illegal Source Type.

    #define CFE TBL ERR LOAD IN PROGRESS ((CFE Status t)0xcc000012)

     Load In Progress.

    #define CFE TBL ERR FILE TOO LARGE ((CFE Status t)0xcc000014)

     File Too Large.

    #define CFE TBL WARN SHORT FILE ((CFE Status t)0x4c000015)

     Short File Warning.

    #define CFE_TBL_ERR_BAD_CONTENT_ID ((CFE_Status_t)0xcc000016)

     Bad Content ID.

    #define CFE_TBL_INFO_NO_UPDATE_PENDING ((CFE_Status_t)0x4c000017)

     No Update Pending.
• #define CFE TBL INFO TABLE LOCKED ((CFE Status t)0x4c000018)
     Table Locked.

    #define CFE_TBL_INFO_VALIDATION_PENDING ((CFE_Status_t)0x4c000019)

    #define CFE TBL INFO NO VALIDATION PENDING ((CFE Status t)0x4c00001A)

• #define CFE_TBL_ERR_BAD_SUBTYPE_ID ((CFE_Status_t)0xcc00001B)
     Bad Subtype ID.
• #define CFE TBL ERR FILE SIZE INCONSISTENT ((CFE Status t)0xcc00001C)
     File Size Inconsistent.

    #define CFE_TBL_ERR_NO_STD_HEADER ((CFE_Status_t)0xcc00001D)

     No Standard Header.

    #define CFE_TBL_ERR_NO_TBL_HEADER ((CFE_Status_t)0xcc00001E)

     No Table Header.

    #define CFE_TBL_ERR_FILENAME_TOO_LONG ((CFE_Status_t)0xcc00001F)

     Filename Too Long.

    #define CFE TBL ERR FILE FOR WRONG TABLE ((CFE Status t)0xcc000020)

     File For Wrong Table.

    #define CFE TBL ERR LOAD INCOMPLETE ((CFE Status t)0xcc000021)

     Load Incomplete.

    #define CFE TBL WARN PARTIAL LOAD ((CFE Status t)0x4c000022)

     Partial Load Warning.

    #define CFE TBL ERR PARTIAL LOAD ((CFE Status t)0xcc000023)

     Partial Load Error.
• #define CFE TBL INFO DUMP PENDING ((CFE Status t)0x4c000024)
     Dump Pending.

    #define CFE TBL ERR INVALID OPTIONS ((CFE Status t)0xcc000025)

     Invalid Options.
• #define CFE_TBL_WARN_NOT_CRITICAL ((CFE_Status_t)0x4c000026)
     Not Critical Warning.
• #define CFE_TBL_INFO_RECOVERED_TBL ((CFE_Status_t)0x4c000027)
     Recovered Table.
```

• #define CFE_TBL_ERR_BAD_SPACECRAFT_ID ((CFE_Status_t)0xcc000028)

#define CFE_TBL_ERR_BAD_PROCESSOR_ID ((CFE_Status_t)0xcc000029)

Bad Spacecraft ID.

Bad Processor ID.

```
    #define CFE_TBL_MESSAGE_ERROR ((CFE_Status_t)0xcc00002a)
    Message Error.
```

- #define CFE_TBL_ERR_SHORT_FILE ((CFE_Status_t)0xcc00002b)
- #define CFE_TBL_ERR_ACCESS ((CFE_Status_t)0xcc00002c)
- #define CFE_TBL_BAD_ARGUMENT ((CFE_Status_t)0xcc00002d)

Bad Argument.

#define CFE_TBL_NOT_IMPLEMENTED ((CFE_Status_t)0xcc00ffff)

Not Implemented.

#define CFE TIME NOT IMPLEMENTED ((CFE Status t)0xce00ffff)

Not Implemented.

• #define CFE_TIME_INTERNAL_ONLY ((CFE_Status_t)0xce000001)

Internal Only.

• #define CFE TIME OUT OF RANGE ((CFE Status t)0xce000002)

Out Of Range.

#define CFE_TIME_TOO_MANY_SYNCH_CALLBACKS ((CFE_Status_t)0xce000003)

Too Many Sync Callbacks.

#define CFE_TIME_CALLBACK_NOT_REGISTERED ((CFE_Status_t)0xce000004)

Callback Not Registered.

#define CFE_TIME_BAD_ARGUMENT ((CFE_Status_t)0xce000005)

Bad Argument.

Typedefs

typedef int32 CFE Status t

cFE Status type for readability and eventually type safety

typedef char CFE_StatusString_t[CFE_STATUS_STRING_LENGTH]

For the CFE ES StatusToString() function, to ensure everyone is making an array of the same length.

Functions

char * CFE_ES_StatusToString (CFE_Status_t status, CFE_StatusString_t *status_string)
 Convert status to a string.

11.23.1 Detailed Description

Title: cFE Status Code Definition Header File

Purpose: Common source of cFE API return status codes.

Design Notes:

References: Flight Software Branch C Coding Standard Version 1.0a

11.23.2 Macro Definition Documentation

```
11.23.2.1 CFE_EVENTS_SERVICE #define CFE_EVENTS_SERVICE ((CFE_Status_t)0x02000000) Event Service.
```

Definition at line 126 of file cfe error.h.

Definition at line 48 of file cfe error.h.

```
11.23.2.2 CFE_EXECUTIVE_SERVICE #define CFE_EXECUTIVE_SERVICE ((CFE_Status_t) 0x04000000)
Executive Service.
Definition at line 127 of file cfe error.h.
11.23.2.3 CFE_FILE_SERVICE #define CFE_FILE_SERVICE ((CFE_Status_t)0x06000000)
File Service.
Definition at line 128 of file cfe error.h.
11.23.2.4 CFE_GENERIC_SERVICE #define CFE_GENERIC_SERVICE ((CFE_Status_t)0x08000000)
Generic Service.
Definition at line 129 of file cfe error.h.
11.23.2.5 CFE_SERVICE_BITMASK #define CFE_SERVICE_BITMASK ((CFE_Status_t)0x0e000000)
Error Service Bitmask.
Definition at line 124 of file cfe error.h.
11.23.2.6 CFE_SEVERITY_BITMASK #define CFE_SEVERITY_BITMASK ((CFE_Status_t)0xc0000000)
Error Severity Bitmask.
Definition at line 115 of file cfe error.h.
11.23.2.7 CFE_SEVERITY_ERROR #define CFE_SEVERITY_ERROR ((CFE_Status_t)0xc0000000)
Severity Error.
Definition at line 119 of file cfe error.h.
11.23.2.8 CFE_SEVERITY_INFO #define CFE_SEVERITY_INFO ((CFE_Status_t)0x40000000)
Severity Info.
Definition at line 118 of file cfe error.h.
11.23.2.9 CFE_SEVERITY_SUCCESS #define CFE_SEVERITY_SUCCESS ((CFE_Status_t)0x00000000)
Severity Success.
Definition at line 117 of file cfe error.h.
11.23.2.10 CFE_SOFTWARE_BUS_SERVICE #define CFE_SOFTWARE_BUS_SERVICE ((CFE_Status_t)0x0a000000)
Software Bus Service.
Definition at line 130 of file cfe error.h.
11.23.2.11 CFE_STATUS_C #define CFE_STATUS_C(
               X ) ((CFE_Status_t)(X))
cFE Status macro for literal
```

11.23.2.12 CFE_STATUS_STRING_LENGTH #define CFE_STATUS_STRING_LENGTH 11

cFE Status converted to string length limit

Used for sizing CFE_StatusString_t intended for use in printing CFE_Status_t values Sized for 0x%08x and NULL Definition at line 56 of file cfe error.h.

11.23.2.13 CFE_TABLE_SERVICE #define CFE_TABLE_SERVICE ((CFE_Status_t)0x0c000000)

Table Service.

Definition at line 131 of file cfe error.h.

11.23.2.14 CFE_TIME_SERVICE #define CFE_TIME_SERVICE ((CFE_Status_t)0x0e000000)

Time Service.

Definition at line 132 of file cfe error.h.

11.23.3 Typedef Documentation

11.23.3.1 CFE_Status_t typedef int32 CFE_Status_t

cFE Status type for readability and eventually type safety Definition at line 43 of file cfe error.h.

11.23.3.2 CFE_StatusString_t typedef char CFE_StatusString_t[CFE_STATUS_STRING_LENGTH]

For the CFE_ES_StatusToString() function, to ensure everyone is making an array of the same length. Definition at line 62 of file cfe_error.h.

11.23.4 Function Documentation

CFE_StatusString_t * status_string)

Convert status to a string.

Parameters

in	status	Status value to convert
out	status_string	Buffer to store status converted to string

Returns

Passed in string pointer

11.24 cfe/modules/core api/fsw/inc/cfe es.h File Reference

```
#include "common_types.h"
#include "cfe_error.h"
#include "cfe_es_api_typedefs.h"
#include "cfe_resourceid_api_typedefs.h"
```

Macros

- #define OS PRINTF(m, n)
- #define CFE_ES_DBIT(x) (1L << (x)) /* Places a one at bit positions 0 thru 31 */
- #define CFE ES DTEST(i, x) (((i)&CFE ES DBIT(x)) != 0) /* true iff bit x of i is set */
- #define CFE_ES_TEST_LONG_MASK(m, s) (CFE_ES_DTEST(m[(s) / 32], (s) % 32)) /* Test a bit within an array
 of 32-bit integers. */
- #define CFE_ES_PerfLogEntry(id) (CFE_ES_PerfLogAdd(id, 0))

Entry marker for use with Software Performance Analysis Tool.

#define CFE_ES_PerfLogExit(id) (CFE_ES_PerfLogAdd(id, 1))

Exit marker for use with Software Performance Analysis Tool.

Functions

• CFE Status t CFE ES AppID ToIndex (CFE ES AppId t AppID, uint32 *Idx)

Obtain an index value correlating to an ES Application ID.

int32 CFE_ES_LibID_ToIndex (CFE_ES_LibId_t LibId, uint32 *Idx)

Obtain an index value correlating to an ES Library ID.

CFE Status t CFE ES TaskID ToIndex (CFE ES TaskID, uint32 *Idx)

Obtain an index value correlating to an ES Task ID.

CFE Status t CFE ES CounterID ToIndex (CFE ES CounterId t CounterId, uint32 *Idx)

Obtain an index value correlating to an ES Counter ID.

void CFE ES Main (uint32 StartType, uint32 StartSubtype, uint32 Modeld, const char *StartFilePath)

cFE Main Entry Point used by Board Support Package to start cFE

CFE Status t CFE ES ResetCFE (uint32 ResetType)

Reset the cFE Core and all cFE Applications.

CFE Status t CFE ES RestartApp (CFE ES Appld t ApplD)

Restart a single cFE Application.

CFE_Status_t CFE_ES_ReloadApp (CFE_ES_AppId_t AppID, const char *AppFileName)

Reload a single cFE Application.

CFE_Status_t CFE_ES_DeleteApp (CFE_ES_Appld_t ApplD)

Delete a cFE Application.

void CFE_ES_ExitApp (uint32 ExitStatus)

Exit a cFE Application.

• bool CFE ES RunLoop (uint32 *RunStatus)

Check for Exit, Restart, or Reload commands.

CFE Status t CFE ES WaitForSystemState (uint32 MinSystemState, uint32 TimeOutMilliseconds)

Allow an Application to Wait for a minimum global system state.

void CFE_ES_WaitForStartupSync (uint32 TimeOutMilliseconds)

Allow an Application to Wait for the "OPERATIONAL" global system state.

void CFE_ES_IncrementTaskCounter (void)

Increments the execution counter for the calling task.

int32 CFE_ES_GetResetType (uint32 *ResetSubtypePtr)

Return the most recent Reset Type.

• CFE_Status_t CFE_ES_GetAppID (CFE_ES_AppId_t *AppIdPtr)

Get an Application ID for the calling Application.

CFE Status t CFE ES GetTaskID (CFE ES TaskId t *TaskIdPtr)

Get the task ID of the calling context.

CFE Status t CFE ES GetAppIDByName (CFE ES AppId t *AppIdPtr, const char *AppName)

Get an Application ID associated with a specified Application name.

CFE Status t CFE ES GetLibIDByName (CFE ES LibId t *LibIdPtr, const char *LibName)

Get a Library ID associated with a specified Library name.

CFE_Status_t CFE_ES_GetAppName (char *AppName, CFE_ES_AppId_t AppId, size_t BufferLength)

Get an Application name for a specified Application ID.

CFE_Status_t CFE_ES_GetLibName (char *LibName, CFE_ES_LibId_t LibId, size_t BufferLength)

Get a Library name for a specified Library ID.

CFE Status t CFE ES GetAppInfo (CFE ES AppInfo t *AppInfo, CFE ES AppInf t AppInfo, CFE ES AppInfo t *AppInfo, CFE ES AppInfo t *AppInfo t *Ap

Get Application Information given a specified App ID.

CFE Status t CFE ES GetTaskInfo (CFE ES TaskInfo t *TaskInfo, CFE ES TaskId)

Get Task Information given a specified Task ID.

int32 CFE_ES_GetLibInfo (CFE_ES_AppInfo_t *LibInfo, CFE_ES_LibId_t LibId)

Get Library Information given a specified Resource ID.

int32 CFE ES GetModuleInfo (CFE ES AppInfo t *ModuleInfo, CFE ResourceId t ResourceId)

Get Information given a specified Resource ID.

 CFE_Status_t CFE_ES_CreateChildTask (CFE_ES_TaskId_t *TaskIdPtr, const char *TaskName, CFE_ES_ChildTaskMainFuncPtr_ FunctionPtr, CFE_ES_StackPointer_t StackPtr, size_t StackSize, CFE_ES_TaskPriority_Atom_t Priority, uint32 Flags)

Creates a new task under an existing Application.

CFE Status t CFE ES GetTaskIDByName (CFE ES TaskId t *TaskIdPtr, const char *TaskName)

Get a Task ID associated with a specified Task name.

CFE_Status_t CFE_ES_GetTaskName (char *TaskName, CFE_ES_TaskId_t TaskId, size_t BufferLength)

Get a Task name for a specified Task ID.

CFE_Status_t CFE_ES_DeleteChildTask (CFE_ES_TaskId_t TaskId)

Deletes a task under an existing Application.

void CFE_ES_ExitChildTask (void)

Exits a child task.

void CFE_ES_BackgroundWakeup (void)

Wakes up the CFE background task.

• CFE_Status_t CFE_ES_WriteToSysLog (const char *SpecStringPtr,...) OS_PRINTF(1

Write a string to the cFE System Log.

 CFE_Status_t uint32 CFE_ES_CalculateCRC (const void *DataPtr, size_t DataLength, uint32 InputCRC, CFE_ES_CrcType_Enum_t TypeCRC)

Calculate a CRC on a block of memory.

void CFE_ES_ProcessAsyncEvent (void)

Notification that an asynchronous event was detected by the underlying OS/PSP.

CFE_Status_t CFE_ES_RegisterCDS (CFE_ES_CDSHandle_t *CDSHandlePtr, size_t BlockSize, const char *Name)

Reserve space (or re-obtain previously reserved space) in the Critical Data Store (CDS)

CFE_Status_t CFE_ES_GetCDSBlockIDByName (CFE_ES_CDSHandle_t *BlockIdPtr, const char *BlockName)
 Get a CDS Block ID associated with a specified CDS Block name.

CFE_Status_t CFE_ES_GetCDSBlockName (char *BlockName, CFE_ES_CDSHandle_t BlockId, size_t Buffer
 Length)

Get a Block name for a specified Block ID.

CFE_Status_t CFE_ES_CopyToCDS (CFE_ES_CDSHandle_t Handle, const void *DataToCopy)

Save a block of data in the Critical Data Store (CDS)

CFE_Status_t CFE_ES_RestoreFromCDS (void *RestoreToMemory, CFE_ES_CDSHandle_t Handle)

Recover a block of data from the Critical Data Store (CDS)

 $\bullet \ \ \mathsf{CFE_Status_t} \ \mathsf{CFE_ES_PoolCreateNoSem} \ (\mathsf{CFE_ES_MemHandle_t} \ *\mathsf{PoolID}, \ \mathsf{void} \ *\mathsf{MemPtr}, \ \mathsf{size_t} \ \mathsf{Size})$

Initializes a memory pool created by an application without using a semaphore during processing.

CFE_Status_t CFE_ES_PoolCreate (CFE_ES_MemHandle_t *PoolID, void *MemPtr, size_t Size)

Initializes a memory pool created by an application while using a semaphore during processing.

• CFE_Status_t CFE_ES_PoolCreateEx (CFE_ES_MemHandle_t *PoolID, void *MemPtr, size_t Size, uint16 NumBlockSizes, const size_t *BlockSizes, bool UseMutex)

Initializes a memory pool created by an application with application specified block sizes.

int32 CFE_ES_PoolDelete (CFE_ES_MemHandle_t PoolID)

Deletes a memory pool that was previously created.

• int32 CFE_ES_GetPoolBuf (CFE_ES_MemPoolBuf_t *BufPtr, CFE_ES_MemHandle_t Handle, size_t Size)

Gets a buffer from the memory pool created by CFE ES PoolCreate or CFE ES PoolCreateNoSem.

• CFE_Status_t CFE_ES_GetPoolBufInfo (CFE_ES_MemHandle_t Handle, CFE_ES_MemPoolBuf_t BufPtr)

Gets info on a buffer previously allocated via CFE_ES_GetPoolBuf.

• int32 CFE_ES_PutPoolBuf (CFE_ES_MemHandle_t Handle, CFE_ES_MemPoolBuf_t BufPtr)

Releases a buffer from the memory pool that was previously allocated via CFE_ES_GetPoolBuf.

CFE_Status_t CFE_ES_GetMemPoolStats (CFE_ES_MemPoolStats_t *BufPtr, CFE_ES_MemHandle_t Handle)

Extracts the statistics maintained by the memory pool software.

void CFE_ES_PerfLogAdd (uint32 Marker, uint32 EntryExit)

Adds a new entry to the data buffer.

CFE_Status_t CFE_ES_RegisterGenCounter (CFE_ES_CounterId_t *CounterIdPtr, const char *CounterName)
 Register a generic counter.

CFE_Status_t CFE_ES_DeleteGenCounter (CFE_ES_CounterId_t CounterId)

Delete a generic counter.

• CFE_Status_t CFE_ES_IncrementGenCounter (CFE_ES_CounterId_t CounterId)

Increments the specified generic counter.

CFE_Status_t CFE_ES_SetGenCount (CFE_ES_CounterId_t CounterId, uint32 Count)

Set the specified generic counter.

CFE Status t CFE ES GetGenCount (CFE ES Counterld t Counterld, uint32 *Count)

Get the specified generic counter count.

 CFE_Status_t CFE_ES_GetGenCounterIDByName (CFE_ES_CounterId_t *CounterIdPtr, const char *CounterName)

Get the Id associated with a generic counter name.

CFE_Status_t CFE_ES_GetGenCounterName (char *CounterName, CFE_ES_CounterId_t CounterId, size_
 t BufferLength)

Get a Counter name for a specified Counter ID.

11.24.1 Detailed Description

Purpose: Unit specification for Executive Services library functions and macros.

References: Flight Software Branch C Coding Standard Version 1.0a cFE Flight Software Application Developers Guide Notes:

11.24.2 Macro Definition Documentation

```
11.24.2.1 CFE_ES_DBIT #define CFE_ES_DBIT( x ) (1L << (x)) /* Places a one at bit positions 0 thru 31 */ Definition at line 57 of file cfe es.h.
```

11.25 cfe/modules/core_api/fsw/inc/cfe_es_api_typedefs.h File Reference

```
#include "common_types.h"
#include "cfe_es_extern_typedefs.h"
```

Data Structures

• union CFE_ES_PoolAlign

Pool Alignment.

Macros

#define CFE_ES_STATIC_POOL_TYPE(size)

Static Pool Type.

#define CFE ES MEMPOOLBUF C(x) ((CFE ES MemPoolBuf t)(x))

Conversion macro to create buffer pointer from another type.

• #define CFE_ES_NO_MUTEX false

Indicates that the memory pool selection will not use a semaphore.

• #define CFE ES USE MUTEX true

Indicates that the memory pool selection will use a semaphore.

Reset Type extensions

#define CFE_ES_APP_RESTART CFE_PSP_RST_TYPE_MAX

Conversions for ES resource IDs

- #define CFE ES APPID C(val) ((CFE ES Appld t)CFE RESOURCEID WRAP(val))
- #define CFE_ES_TASKID_C(val) ((CFE_ES_TaskId_t)CFE_RESOURCEID_WRAP(val))
- #define CFE_ES_LIBID_C(val) ((CFE_ES_LibId_t)CFE_RESOURCEID_WRAP(val))
- #define CFE_ES_COUNTERID_C(val) ((CFE_ES_CounterId_t)CFE_RESOURCEID_WRAP(val))
- #define CFE_ES_MEMHANDLE_C(val) ((CFE_ES_MemHandle_t)CFE_RESOURCEID_WRAP(val))
- #define CFE ES CDSHANDLE C(val) ((CFE ES CDSHandle t)CFE RESOURCEID WRAP(val))

Type-specific initializers for "undefined" resource IDs

- #define CFE_ES_APPID_UNDEFINED CFE_ES_APPID_C(CFE_RESOURCEID_UNDEFINED)
- #define CFE ES TASKID UNDEFINED CFE ES TASKID C(CFE RESOURCEID UNDEFINED)
- #define CFE_ES_LIBID_UNDEFINED CFE_ES_LIBID_C(CFE_RESOURCEID_UNDEFINED)
- #define CFE_ES_COUNTERID_UNDEFINED CFE_ES_COUNTERID_C(CFE_RESOURCEID_UNDEFINED)
- #define CFE_ES_MEMHANDLE_UNDEFINED CFE_ES_MEMHANDLE_C(CFE_RESOURCEID_UNDEFINED)
- #define CFE_ES_CDS_BAD_HANDLE CFE_ES_CDSHANDLE_C(CFE_RESOURCEID_UNDEFINED)

Task Stack Constants

 #define CFE_ES_TASK_STACK_ALLOCATE NULL /* aka OS_TASK_STACK_ALLOCATE in proposed O← SAL change */

Indicates that the stack for the child task should be dynamically allocated.

Typedefs

typedef void(* CFE_ES_TaskEntryFuncPtr_t) (void)

Required Prototype of Task Main Functions.

typedef int32(* CFE_ES_LibraryEntryFuncPtr_t) (CFE_ES_LibId_t LibId)

Required Prototype of Library Initialization Functions.

typedef CFE ES TaskEntryFuncPtr t CFE ES ChildTaskMainFuncPtr t

Compatible typedef for ES child task entry point.

typedef void * CFE ES StackPointer t

Type for the stack pointer of tasks.

typedef enum CFE ES CrcType Enum CFE ES CrcType Enum t

Checksum/CRC algorithm identifiers.

typedef union CFE ES PoolAlign CFE ES PoolAlign t

Pool Alignment.

typedef void * CFE ES MemPoolBuf t

Pointer type used for memory pool API.

Enumerations

```
    enum CFE_ES_CrcType_Enum {
    CFE_ES_CrcType_NONE = 0, CFE_ES_CrcType_16_ARC = 1, CFE_ES_CrcType_MAX = 2, CFE_ES_CrcType_CRC_16
    = CFE_ES_CrcType_16_ARC,
    CFE_ES_CrcType_CRC_8 = CFE_ES_CrcType_MAX + 1, CFE_ES_CrcType_CRC_32 = CFE_ES_CrcType_↔
    MAX + 2 }
```

Checksum/CRC algorithm identifiers.

11.25.1 Detailed Description

Purpose: Unit specification for Executive Services library functions and macros.

References: Flight Software Branch C Coding Standard Version 1.0a cFE Flight Software Application Developers Guide Notes:

11.25.2 Macro Definition Documentation

```
11.25.2.1 CFE_ES_APP_RESTART #define CFE_ES_APP_RESTART CFE_PSP_RST_TYPE_MAX Application only was reset (extend the PSP enumeration here)

Definition at line 57 of file cfe es api typedefs.h.
```

```
11.25.2.2 CFE_ES_APPID_C #define CFE_ES_APPID_C(

val ) ((CFE_ES_AppId_t)CFE_RESOURCEID_WRAP(val))
```

Definition at line 208 of file cfe_es_api_typedefs.h.

11.25.2.3 CFE_ES_APPID_UNDEFINED #define CFE_ES_APPID_UNDEFINED CFE_ES_APPID_C (CFE_RESOURCEID_UNDEFINED)

Definition at line 220 of file cfe_es_api_typedefs.h.

11.25.2.4 CFE_ES_CDS_BAD_HANDLE #define CFE_ES_CDS_BAD_HANDLE CFE_ES_CDSHANDLE_C (CFE_RESOURCEID_UNDEFINED)
Definition at line 225 of file cfe es api typedefs.h.

```
11.25.2.5 CFE_ES_CDSHANDLE_C #define CFE_ES_CDSHANDLE_C(

val ) ((CFE_ES_CDSHandle_t)CFE_RESOURCEID_WRAP(val))
```

Definition at line 213 of file cfe_es_api_typedefs.h.

```
11.25.2.6 CFE_ES_COUNTERID_C #define CFE_ES_COUNTERID_C(
```

val) ((CFE_ES_CounterId_t)CFE_RESOURCEID_WRAP(val))

Definition at line 211 of file cfe_es_api_typedefs.h.

11.25.2.7 CFE_ES_COUNTERID_UNDEFINED #define CFE_ES_COUNTERID_UNDEFINED CFE_ES_COUNTERID_C (CFE_RESOURCEID_UNDEFINED at line 223 of file cfe_es_api_typedefs.h.

```
11.25.2.8 CFE_ES_LIBID_C #define CFE_ES_LIBID_C(
```

val) ((CFE_ES_LibId_t)CFE_RESOURCEID_WRAP(val))

Definition at line 210 of file cfe_es_api_typedefs.h.

11.25.2.9 CFE_ES_LIBID_UNDEFINED #define CFE_ES_LIBID_UNDEFINED CFE_ES_LIBID_C (CFE_RESOURCEID_UNDEFINED)

Definition at line 222 of file cfe es api typedefs.h.

```
11.25.2.10 CFE_ES_MEMHANDLE_C #define CFE_ES_MEMHANDLE_C(
```

val) ((CFE_ES_MemHandle_t)CFE_RESOURCEID_WRAP(val))

Definition at line 212 of file cfe_es_api_typedefs.h.

11.25.2.11 CFE_ES_MEMHANDLE_UNDEFINED #define CFE_ES_MEMHANDLE_UNDEFINED CFE_ES_MEMHANDLE_C(CFE_RESOURCEID, Definition at line 224 of file cfe_es_api_typedefs.h.

```
11.25.2.12 CFE_ES_MEMPOOLBUF_C #define CFE_ES_MEMPOOLBUF_C(
```

```
x ) ((CFE_ES_MemPoolBuf_t)(x))
```

Conversion macro to create buffer pointer from another type.

In cases where the actual buffer pointer is computed, this macro aids in converting the computed address (typically an OSAL "cpuaddr" type) into a buffer pointer.

Note

Any address calculation needs to take machine alignment requirements into account.

Definition at line 193 of file cfe_es_api_typedefs.h.

11.25.2.13 CFE ES NO MUTEX #define CFE_ES_NO_MUTEX false

Indicates that the memory pool selection will not use a semaphore.

Definition at line 240 of file cfe es api typedefs.h.

11.25.2.14 CFE_ES_STATIC_POOL_TYPE #define CFE_ES_STATIC_POOL_TYPE(

```
size )
```

```
union
{
    CFE_ES_PoolAlign_t Align;
    uint8    Data[size]; \
}
```

Static Pool Type.

A macro to help instantiate static memory pools that are correctly aligned. This resolves to a union type that contains a member called "Data" that will be correctly aligned to be a memory pool and sized according to the argument. Definition at line 160 of file cfe_es_api_typedefs.h.

11.25.2.15 CFE_ES_TASK_STACK_ALLOCATE #define CFE_ES_TASK_STACK_ALLOCATE NULL /* aka OS_TA SK_STACK_ALLOCATE in proposed OSAL change */

Indicates that the stack for the child task should be dynamically allocated.

This value may be supplied as the Stack Pointer argument to CFE_ES_ChildTaskCreate() to indicate that the stack should be dynamically allocated.

Definition at line 237 of file cfe_es_api_typedefs.h.

```
11.25.2.16 CFE_ES_TASKID_C #define CFE_ES_TASKID_C(

val ) ((CFE_ES_TaskId_t)CFE_RESOURCEID_WRAP(val))
```

Definition at line 209 of file cfe_es_api_typedefs.h.

11.25.2.17 CFE_ES_TASKID_UNDEFINED #define CFE_ES_TASKID_UNDEFINED CFE_ES_TASKID_C (CFE_RESOURCEID_UNDEFINED)
Definition at line 221 of file cfe es api typedefs.h.

```
11.25.2.18 CFE_ES_USE_MUTEX #define CFE_ES_USE_MUTEX true
```

Indicates that the memory pool selection will use a semaphore.

Definition at line 241 of file cfe_es_api_typedefs.h.

11.25.3 Typedef Documentation

11.25.3.1 CFE_ES_ChildTaskMainFuncPtr_t typedef CFE_ES_TaskEntryFuncPtr_t CFE_ES_ChildTaskMainFuncPtr_t

Compatible typedef for ES child task entry point.

All ES task functions (main + child) use the same entry point type.

Definition at line 77 of file cfe_es_api_typedefs.h.

11.25.3.2 CFE_ES_CrcType_Enum_t typedef enum CFE_ES_CrcType_Enum CFE_ES_CrcType_Enum_t

Checksum/CRC algorithm identifiers.

Currently only CFE ES CrcType 16 ARC is supported.

All defined CRC algorithms should include a check value, which is the accepted result of computing the CRC across the fixed string "123456789"

11.25.3.3 CFE_ES_LibraryEntryFuncPtr_t typedef int32(* CFE_ES_LibraryEntryFuncPtr_t) (CFE_ES_LibId_t LibId)

Required Prototype of Library Initialization Functions.

Definition at line 69 of file cfe es api typedefs.h.

$\textbf{11.25.3.4} \quad \textbf{CFE_ES_MemPoolBuf_t} \quad \texttt{typedef void*} \quad \texttt{CFE_ES_MemPoolBuf_t}$

Pointer type used for memory pool API.

This is used in the Get/Put API calls to refer to a pool buffer.

This pointer is expected to be type cast to the real object type after getting a new buffer. Using void* allows this type conversion to occur easily.

Note

Older versions of CFE implemented the API using a uint32*, which required explicit type casting everywhere it was called. Although the API type is now void* to make usage easier, the pool buffers are aligned to machine requirements - typically 64 bits.

Definition at line 181 of file cfe es api typedefs.h.

11.25.3.5 CFE_ES_PoolAlign_t typedef union CFE_ES_PoolAlign CFE_ES_PoolAlign_t

Pool Alignment.

Union that can be used for minimum memory alignment of ES memory pools on the target. It contains the longest native data types such that the alignment of this structure should reflect the largest possible alignment requirements for any data on this processor.

11.25.3.6 CFE_ES_StackPointer_t typedef void* CFE_ES_StackPointer_t

Type for the stack pointer of tasks.

This type is used in the CFE ES task API.

Definition at line 84 of file cfe_es_api_typedefs.h.

$\textbf{11.25.3.7} \quad \textbf{CFE_ES_TaskEntryFuncPtr_t} \quad \texttt{typedef void} (* \texttt{CFE_ES_TaskEntryFuncPtr_t}) \quad \texttt{(void)}$

Required Prototype of Task Main Functions.

Definition at line 68 of file cfe_es_api_typedefs.h.

11.25.4 Enumeration Type Documentation

11.25.4.1 CFE_ES_CrcType_Enum enum CFE_ES_CrcType_Enum

Checksum/CRC algorithm identifiers.

Currently only CFE_ES_CrcType_16_ARC is supported.

All defined CRC algorithms should include a check value, which is the accepted result of computing the CRC across the fixed string "123456789"

Enumerator

CFE_ES_CrcType_NONE	Reserved placeholder value. No computation is performed, always returns 0 as a result.
CFE_ES_CrcType_16_ARC	Implementation of CRC-16/ARC.
	Polynomial: 0x8005
	Initialization: 0x0000
	Reflect Input/Output: true
	Check value: 0xbb3d
	XorOut: 0x0000
CFE_ES_CrcType_MAX	Placeholder for end of normal enumeration list This should reflect the number of algorithms defined.
CFE_ES_CrcType_CRC_16	CRC-16 historically implied CRC-16/ARC CRC-8 historically defined but not
	implemented, value must not be 0
CFE_ES_CrcType_CRC_8	CRC-32 historically defined but not implemented, value must not be 0
CFE_ES_CrcType_CRC_32	

Definition at line 94 of file cfe_es_api_typedefs.h.

11.26 cfe/modules/core api/fsw/inc/cfe evs.h File Reference

```
#include "common_types.h"
#include "cfe_error.h"
#include "cfe_evs_api_typedefs.h"
#include "cfe_es_api_typedefs.h"
#include "cfe_time_api_typedefs.h"
```

Macros

- #define CFE_EVS_Send(E, T, ...) CFE_EVS_SendEvent((E), CFE_EVS_EventType_##T, __VA_ARGS__)
- #define CFE_EVS_SendDbg(E, ...) CFE_EVS_Send(E, DEBUG, __VA_ARGS__)
- #define CFE EVS SendInfo(E, ...) CFE EVS Send(E, INFORMATION, VA ARGS)
- #define CFE_EVS_SendErr(E, ...) CFE_EVS_Send(E, ERROR, __VA_ARGS__)
- #define CFE_EVS_SendCrit(E, ...) CFE_EVS_Send(E, CRITICAL, __VA_ARGS__)

Functions

- CFE_Status_t CFE_EVS_Register (const void *Filters, uint16 NumEventFilters, uint16 FilterScheme)

 Register an application for receiving event services.
- CFE_Status_t CFE_EVS_SendEvent (uint16 EventID, uint16 EventType, const char *Spec,...) OS_PRINTF(3
 Generate a software event.
- CFE_Status_t CFE_EVS_SendEventWithAppID (uint16 EventID, uint16 EventType, CFE_ES_AppId_t AppID, const char *Spec,...) OS_PRINTF(4

Generate a software event given the specified Application ID.

• CFE_Status_t CFE_Status_t CFE_Status_t CFE_EVS_SendTimedEvent (CFE_TIME_SysTime_t Time, uint16 EventID, uint16 EventType, const char *Spec,...) OS_PRINTF(4

Generate a software event with a specific time tag.

• CFE_Status_t CFE_EVS_ResetFilter (uint16 EventID)

Resets the calling application's event filter for a single event ID.

CFE Status t CFE EVS ResetAllFilters (void)

Resets all of the calling application's event filters.

11.26.1 Detailed Description

Title: Event Services API Application Library Header File

Purpose: Unit specification for Event services library functions and macros.

Design Notes:

References: Flight Software Branch C Coding Standard Version 1.0a

11.26.2 Macro Definition Documentation

Definition at line 46 of file cfe_evs.h.

Definition at line 50 of file cfe evs.h.

Definition at line 47 of file cfe_evs.h.

```
11.26.2.4 CFE_EVS_SendErr #define CFE_EVS_SendErr(

E,

... ) CFE_EVS_Send(E, ERROR, __VA_ARGS__)
```

Definition at line 49 of file cfe_evs.h.

```
11.26.2.5 CFE_EVS_SendInfo #define CFE_EVS_SendInfo(

E,

... ) CFE_EVS_Send(E, INFORMATION, __VA_ARGS__)
```

Definition at line 48 of file cfe_evs.h.

11.27 cfe/modules/core_api/fsw/inc/cfe_evs_api_typedefs.h File Reference

```
#include "common_types.h"
#include "cfe_evs_extern_typedefs.h"
```

Data Structures

· struct CFE EVS BinFilter

Event message filter definition structure.

Macros

Common Event Filter Mask Values

Message is sent if (previous event count) & MASK == 0

• #define CFE_EVS_NO_FILTER 0x0000

Stops any filtering. All messages are sent.

#define CFE EVS FIRST ONE STOP 0xFFFF

Sends the first event. All remaining messages are filtered.

#define CFE EVS FIRST TWO STOP 0xFFFE

Sends the first 2 events. All remaining messages are filtered.

#define CFE EVS FIRST 4 STOP 0xFFFC

Sends the first 4 events. All remaining messages are filtered.

#define CFE_EVS_FIRST_8_STOP 0xFFF8

Sends the first 8 events. All remaining messages are filtered.

• #define CFE EVS FIRST 16 STOP 0xFFF0

Sends the first 16 events. All remaining messages are filtered.

• #define CFE_EVS_FIRST_32_STOP 0xFFE0

Sends the first 32 events. All remaining messages are filtered.

#define CFE EVS FIRST 64 STOP 0xFFC0

Sends the first 64 events. All remaining messages are filtered.

• #define CFE_EVS_EVERY_OTHER_ONE 0x0001

Sends every other event.

#define CFE_EVS_EVERY_OTHER_TWO 0x0002

Sends two, filters one, sends two, filters one, etc.

• #define CFE_EVS_EVERY_FOURTH_ONE 0x0003

Sends every fourth event message. All others are filtered.

Typedefs

typedef struct CFE_EVS_BinFilter CFE_EVS_BinFilter_t

Event message filter definition structure.

11.27.1 Detailed Description

Title: Event Services API Application Library Header File

Purpose: Unit specification for Event services library functions and macros.

Design Notes:

References: Flight Software Branch C Coding Standard Version 1.0a

11.27.2 Macro Definition Documentation

11.27.2.1 CFE_EVS_EVERY_FOURTH_ONE #define CFE_EVS_EVERY_FOURTH_ONE 0x0003

Sends every fourth event message. All others are filtered.

Definition at line 54 of file cfe_evs_api_typedefs.h.

11.27.2.2 CFE_EVS_EVERY_OTHER_ONE #define CFE_EVS_EVERY_OTHER_ONE 0x0001 Sends every other event.

Definition at line 52 of file cfe_evs_api_typedefs.h.

11.27.2.3 CFE_EVS_EVERY_OTHER_TWO #define CFE_EVS_EVERY_OTHER_TWO 0x0002

Sends two, filters one, sends two, filters one, etc.

Definition at line 53 of file cfe_evs_api_typedefs.h.

11.27.2.4 CFE EVS FIRST 16 STOP #define CFE_EVS_FIRST_16_STOP 0xFFF0

Sends the first 16 events. All remaining messages are filtered.

Definition at line 49 of file cfe_evs_api_typedefs.h.

11.27.2.5 CFE_EVS_FIRST_32_STOP #define CFE_EVS_FIRST_32_STOP 0xFFE0

Sends the first 32 events. All remaining messages are filtered.

Definition at line 50 of file cfe_evs_api_typedefs.h.

11.27.2.6 CFE EVS FIRST 4 STOP #define CFE_EVS_FIRST_4_STOP 0xFFFC

Sends the first 4 events. All remaining messages are filtered.

Definition at line 47 of file cfe_evs_api_typedefs.h.

11.27.2.7 CFE_EVS_FIRST_64_STOP #define CFE_EVS_FIRST_64_STOP 0xFFC0

Sends the first 64 events. All remaining messages are filtered.

Definition at line 51 of file cfe_evs_api_typedefs.h.

11.27.2.8 CFE_EVS_FIRST_8_STOP #define CFE_EVS_FIRST_8_STOP 0xFFF8

Sends the first 8 events. All remaining messages are filtered.

Definition at line 48 of file cfe_evs_api_typedefs.h.

11.27.2.9 CFE_EVS_FIRST_ONE_STOP #define CFE_EVS_FIRST_ONE_STOP 0xFFFF

Sends the first event. All remaining messages are filtered.

Definition at line 45 of file cfe_evs_api_typedefs.h.

11.27.2.10 CFE_EVS_FIRST_TWO_STOP #define CFE_EVS_FIRST_TWO_STOP 0xfffE

Sends the first 2 events. All remaining messages are filtered.

Definition at line 46 of file cfe_evs_api_typedefs.h.

11.27.2.11 CFE_EVS_NO_FILTER #define CFE_EVS_NO_FILTER 0x0000

Stops any filtering. All messages are sent.

Definition at line 44 of file cfe_evs_api_typedefs.h.

11.27.3 Typedef Documentation

11.27.3.1 CFE_EVS_BinFilter_t typedef struct CFE_EVS_BinFilter_CFE_EVS_BinFilter_t Event message filter definition structure.

11.28 cfe/modules/core_api/fsw/inc/cfe_fs.h File Reference

```
#include "common_types.h"
#include "osconfig.h"
#include "cfe_platform_cfg.h"
#include "cfe_error.h"
#include "cfe_fs_api_typedefs.h"
#include "cfe_fs_extern_typedefs.h"
#include "cfe_time_api_typedefs.h"
```

Functions

CFE Status t CFE FS ReadHeader (CFE FS Header t *Hdr, osal id t FileDes)

Read the contents of the Standard cFE File Header.

void CFE_FS_InitHeader (CFE_FS_Header_t *Hdr, const char *Description, uint32 SubType)

Initializes the contents of the Standard cFE File Header.

CFE_Status_t CFE_FS_WriteHeader (osal_id_t FileDes, CFE_FS_Header_t *Hdr)

Write the specified Standard cFE File Header to the specified file.

CFE Status t CFE FS SetTimestamp (osal id t FileDes, CFE TIME SysTime t NewTimestamp)

Modifies the Time Stamp field in the Standard cFE File Header for the specified file.

const char * CFE_FS_GetDefaultMountPoint (CFE_FS_FileCategory_t FileCategory)

Get the default virtual mount point for a file category.

const char * CFE FS GetDefaultExtension (CFE FS FileCategory t FileCategory)

Get the default filename extension for a file category.

int32 CFE_FS_ParseInputFileNameEx (char *OutputBuffer, const char *InputBuffer, size_t OutputBufSize, size
 _t InputBufSize, const char *DefaultInput, const char *DefaultPath, const char *DefaultExtension)

Parse a filename input from an input buffer into a local buffer.

• int32 CFE_FS_ParseInputFileName (char *OutputBuffer, const char *InputName, size_t OutputBufSize, CFE FS FileCategory t FileCategory)

Parse a filename string from the user into a local buffer.

CFE Status t CFE FS ExtractFilenameFromPath (const char *OriginalPath, char *FileNameOnly)

Extracts the filename from a unix style path and filename string.

int32 CFE FS BackgroundFileDumpRequest (CFE FS FileWriteMetaData t *Meta)

Register a background file dump request.

bool CFE_FS_BackgroundFileDumplsPending (const CFE_FS_FileWriteMetaData_t *Meta)

Query if a background file write request is currently pending.

11.28.1 Detailed Description

Purpose: cFE File Services (FS) library API header file

Author: S.Walling/Microtel

11.29 cfe/modules/core api/fsw/inc/cfe fs api typedefs.h File Reference

```
#include "common_types.h"
#include "osconfig.h"
#include "cfe_fs_extern_typedefs.h"
```

Data Structures

struct CFE FS FileWriteMetaData

External Metadata/State object associated with background file writes.

Typedefs

- typedef bool(* CFE FS FileWriteGetData t) (void *Meta, uint32 RecordNum, void **Buffer, size t *BufSize)
- typedef void(* CFE_FS_FileWriteOnEvent_t) (void *Meta, CFE_FS_FileWriteEvent_t Event, int32 Status, uint32 RecordNum, size_t BlockSize, size_t Position)
- typedef struct CFE_FS_FileWriteMetaData CFE_FS_FileWriteMetaData_t

External Metadata/State object associated with background file writes.

Enumerations

```
enum CFE_FS_FileCategory_t {
 CFE FS FileCategory UNKNOWN, CFE FS FileCategory DYNAMIC MODULE, CFE FS FileCategory BINARY DATA DUM
 CFE_FS_FileCategory_TEXT_LOG,
 CFE FS FileCategory SCRIPT, CFE FS FileCategory TEMP, CFE FS FileCategory MAX }
     Generalized file types/categories known to FS.
enum CFE FS FileWriteEvent t {
 CFE FS FileWriteEvent UNDEFINED, CFE FS FileWriteEvent COMPLETE, CFE FS FileWriteEvent CREATE ERROR,
```

CFE FS FileWriteEvent HEADER WRITE ERROR,

CFE_FS_FileWriteEvent_RECORD_WRITE_ERROR, CFE_FS_FileWriteEvent_MAX }

11.29.1 Detailed Description

Purpose: cFE File Services (FS) library API header file

Author: S.Walling/Microtel

11.29.2 Typedef Documentation

```
11.29.2.1 CFE FS FileWriteGetData t typedef bool(* CFE_FS_FileWriteGetData_t) (void *Meta, uint32
RecordNum, void **Buffer, size_t *BufSize)
```

Data Getter routine provided by requester

Outputs a data block. Should return true if the file is complete (last record/EOF), otherwise return false.

Parameters

in,out	Meta	Pointer to the metadata object
in	RecordNum	Incrementing record number counter
out	Buffer	Pointer to buffer data block, should be set by implementation
out	BufSize	Pointer to buffer data size, should be set by implementation

Returns

End of file status

Return values

true	if at last data record, and output file should be closed
false	if not at last record, more data records to write

Note

The implementation of this function must always set the "Buffer" and "BufSize" outputs. If no data is available, they may be set to NULL and 0, respectively.

Definition at line 97 of file cfe_fs_api_typedefs.h.

11.29.2.2 CFE_FS_FileWriteMetaData_t typedef struct CFE_FS_FileWriteMetaData CFE_FS_FileWriteMetaData_t External Metadata/State object associated with background file writes.

Applications intending to schedule background file write jobs should instantiate this object in static/global data memory. This keeps track of the state of the file write request(s).

11.29.2.3 CFE_FS_FileWriteOnEvent_t typedef void(* CFE_FS_FileWriteOnEvent_t) (void *Meta, CFE_FS_FileWriteEvent_Event, int32 Status, uint32 RecordNum, size_t BlockSize, size_t Position)

Event generator routine provided by requester

Invoked from certain points in the file write process. Implementation may invoke CFE_EVS_SendEvent() appropriately to inform of progress.

Parameters

in,out	Meta	Pointer to the metadata object
in	Event	Generalized type of event to report (not actual event ID)
in	Status	Generalized status code (may be from OSAL or CFE)
in	RecordNum	Record number counter at which event occurred
in	BlockSize	Size of record being processed when event occurred (if applicable)
in	Position	File position/size when event occurred

Definition at line 113 of file cfe_fs_api_typedefs.h.

11.29.3 Enumeration Type Documentation

11.29.3.1 CFE_FS_FileCategory_t enum CFE_FS_FileCategory_t

Generalized file types/categories known to FS.

This defines different categories of files, where they may reside in different default locations of the virtualized file system. This is different from, and should not be confused with, the "SubType" field in the FS header. This value is only used at runtime for FS APIs and should not actually appear in any output file or message.

Enumerator

CFE_FS_FileCategory_UNKNOWN	Placeholder, unknown file category
CFE_FS_FileCategory_DYNAMIC_MODULE	Dynamically loadable apps/libraries (e.gso, .o, .dll, etc)
CFE_FS_FileCategory_BINARY_DATA_DUMP	Binary log file generated by various data dump commands
CFE_FS_FileCategory_TEXT_LOG	Text-based log file generated by various commands
CFE_FS_FileCategory_SCRIPT	Text-based Script files (e.g. ES startup script)
CFE_FS_FileCategory_TEMP	Temporary/Ephemeral files
CFE_FS_FileCategory_MAX	Placeholder, keep last

Definition at line 48 of file cfe_fs_api_typedefs.h.

11.29.3.2 CFE_FS_FileWriteEvent_t enum CFE_FS_FileWriteEvent_t

Enumerator

CFE_FS_FileWriteEvent_UNDEFINED	
CFE_FS_FileWriteEvent_COMPLETE	File is completed successfully
CFE_FS_FileWriteEvent_CREATE_ERROR	Unable to create/open file
CFE_FS_FileWriteEvent_HEADER_WRITE_ERROR	Unable to write FS header
CFE_FS_FileWriteEvent_RECORD_WRITE_ERROR	Unable to write data record
CFE_FS_FileWriteEvent_MAX	

Definition at line 68 of file cfe_fs_api_typedefs.h.

11.30 cfe/modules/core_api/fsw/inc/cfe_msg.h File Reference

```
#include "common_types.h"
#include "cfe_error.h"
#include "cfe_msg_hdr.h"
#include "cfe_msg_api_typedefs.h"
#include "cfe_es_api_typedefs.h"
#include "cfe_sb_api_typedefs.h"
#include "cfe_time_api_typedefs.h"
```

Functions

CFE_Status_t CFE_MSG_Init (CFE_MSG_Message_t *MsgPtr, CFE_SB_MsgId_t MsgId, CFE_MSG_Size_t Size)

Initialize a message.

- CFE_Status_t CFE_MSG_GetSize (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_Size_t *Size)

 Gets the total size of a message.
- CFE_Status_t CFE_MSG_SetSize (CFE_MSG_Message_t *MsgPtr, CFE_MSG_Size_t Size)
 Sets the total size of a message.
- CFE_Status_t CFE_MSG_GetType (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_Type_t *Type)
 Gets the message type.
- CFE_Status_t CFE_MSG_SetType (CFE_MSG_Message_t *MsgPtr, CFE_MSG_Type_t Type)

 Sets the message type.
- CFE_Status_t CFE_MSG_GetHeaderVersion (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_HeaderVersion_t *Version)

Gets the message header version.

CFE_Status_t CFE_MSG_SetHeaderVersion (CFE_MSG_Message_t *MsgPtr, CFE_MSG_HeaderVersion_t Version)

Sets the message header version.

 CFE_Status_t CFE_MSG_GetHasSecondaryHeader (const CFE_MSG_Message_t *MsgPtr, bool *Has→ Secondary)

Gets the message secondary header boolean.

- CFE_Status_t CFE_MSG_SetHasSecondaryHeader (CFE_MSG_Message_t *MsgPtr, bool HasSecondary)
 Sets the message secondary header boolean.
- CFE_Status_t CFE_MSG_GetApId (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_ApId_t *ApId)
 Gets the message application ID.

CFE_Status_t CFE_MSG_SetApId (CFE_MSG_Message_t *MsgPtr, CFE_MSG_ApId_t ApId)
 Sets the message application ID.

CFE_Status_t CFE_MSG_GetSegmentationFlag (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_SegmentationFlag_t *SegFlag)

Gets the message segmentation flag.

 CFE_Status_t CFE_MSG_SetSegmentationFlag (CFE_MSG_Message_t *MsgPtr, CFE_MSG_SegmentationFlag_t SegFlag)

Sets the message segmentation flag.

CFE_Status_t CFE_MSG_GetSequenceCount (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_SequenceCount_t *SeqCnt)

Gets the message sequence count.

CFE_Status_t CFE_MSG_SetSequenceCount (CFE_MSG_Message_t *MsgPtr, CFE_MSG_SequenceCount_t SeqCnt)

Sets the message sequence count.

- CFE_MSG_SequenceCount_t CFE_MSG_GetNextSequenceCount (CFE_MSG_SequenceCount_t SeqCnt)
 Gets the next sequence count value (rolls over if appropriate)
- CFE_Status_t CFE_MSG_GetEDSVersion (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_EDSVersion_t *Version)

Gets the message EDS version.

- CFE_Status_t CFE_MSG_SetEDSVersion (CFE_MSG_Message_t *MsgPtr, CFE_MSG_EDSVersion_t Version)

 Sets the message EDS version.
- CFE_Status_t CFE_MSG_GetEndian (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_Endian_t *Endian) Gets the message endian.
- CFE_Status_t CFE_MSG_SetEndian (CFE_MSG_Message_t *MsgPtr, CFE_MSG_Endian_t Endian)

 Sets the message endian.
- CFE_Status_t CFE_MSG_GetPlaybackFlag (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_PlaybackFlag_t *PlayFlag)

Gets the message playback flag.

CFE_Status_t CFE_MSG_SetPlaybackFlag (CFE_MSG_Message_t *MsgPtr, CFE_MSG_PlaybackFlag_t PlayFlag)

Sets the message playback flag.

CFE_Status_t CFE_MSG_GetSubsystem (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_Subsystem_t *Subsystem)

Gets the message subsystem.

CFE_Status_t CFE_MSG_SetSubsystem (CFE_MSG_Message_t *MsgPtr, CFE_MSG_Subsystem_t Subsystem)

Sets the message subsystem.

- CFE_Status_t CFE_MSG_GetSystem (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_System_t *System)
 Gets the message system.
- CFE_Status_t CFE_MSG_SetSystem (CFE_MSG_Message_t *MsgPtr, CFE_MSG_System_t System)
 Sets the message system.
- CFE_Status_t CFE_MSG_GenerateChecksum (CFE_MSG_Message_t *MsgPtr)

Calculates and sets the checksum of a message.

- CFE_Status_t CFE_MSG_ValidateChecksum (const CFE_MSG_Message_t *MsgPtr, bool *IsValid) Validates the checksum of a message.
- CFE_Status_t CFE_MSG_SetFcnCode (CFE_MSG_Message_t *MsgPtr, CFE_MSG_FcnCode_t FcnCode)
 Sets the function code field in a message.
- CFE_Status_t CFE_MSG_GetFcnCode (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_FcnCode_t *Fcn← Code)

Gets the function code field from a message.

- CFE_Status_t CFE_MSG_GetMsgTime (const CFE_MSG_Message_t *MsgPtr, CFE_TIME_SysTime_t *Time)

 Gets the time field from a message.
- CFE_Status_t CFE_MSG_SetMsgTime (CFE_MSG_Message_t *MsgPtr, CFE_TIME_SysTime_t NewTime)
 Sets the time field in a message.
- CFE_Status_t CFE_MSG_GetMsgld (const CFE_MSG_Message_t *MsgPtr, CFE_SB_Msgld_t *Msgld)
 Gets the message id from a message.
- CFE_Status_t CFE_MSG_SetMsgld (CFE_MSG_Message_t *MsgPtr, CFE_SB_Msgld_t Msgld)
 Sets the message id bits in a message.
- CFE_Status_t CFE_MSG_GetTypeFromMsgld (CFE_SB_Msgld_t Msgld, CFE_MSG_Type_t *Type)
 Gets message type using message ID.
- CFE_Status_t CFE_MSG_OriginationAction (CFE_MSG_Message_t *MsgPtr, size_t BufferSize, bool *Is← Acceptable)

Perform any necessary actions on a newly-created message, prior to sending.

CFE_Status_t CFE_MSG_VerificationAction (const CFE_MSG_Message_t *MsgPtr, size_t BufferSize, bool *Is →
Acceptable)

Checks message integrity/acceptability.

11.30.1 Detailed Description

Message access APIs

11.31 cfe/modules/core api/fsw/inc/cfe msg api typedefs.h File Reference

```
#include "common_types.h"
#include "cfe error.h"
```

Macros

- #define CFE MSG BAD ARGUMENT CFE SB BAD ARGUMENT
 - Error bad argument.
- #define CFE_MSG_NOT_IMPLEMENTED CFE_SB_NOT_IMPLEMENTED

Error - not implemented.

#define CFE_MSG_WRONG_MSG_TYPE CFE_SB_WRONG_MSG_TYPE

Error - wrong type.

Typedefs

typedef size t CFE MSG Size t

Message size, note CCSDS maximum is UINT16_MAX+7.

typedef uint32 CFE MSG Checksum t

Message checksum (Oversized to avoid redefine)

typedef uint16 CFE_MSG_FcnCode_t

Message function code.

typedef uint16 CFE MSG HeaderVersion t

Message header version.

typedef uint16 CFE MSG ApId t

Message application ID.

typedef uint16 CFE MSG SequenceCount t

```
Message sequence count.

    typedef uint16 CFE_MSG_EDSVersion_t

         Message EDS version.

    typedef uint16 CFE_MSG_Subsystem_t

        Message subsystem.

    typedef uint16 CFE MSG System t

         Message system.

    typedef enum CFE_MSG_Type CFE_MSG_Type_t

         Message type.
   • typedef enum CFE_MSG_SegmentationFlag CFE_MSG_SegmentationFlag_t
         Segmentation flags.

    typedef enum CFE_MSG_Endian CFE_MSG_Endian_t

         Endian flag.
   • typedef enum CFE_MSG_PlaybackFlag CFE_MSG_PlaybackFlag_t
         Playback flag.

    typedef union CFE MSG Message CFE MSG Message t

         cFS generic base message

    typedef struct CFE MSG CommandHeader CFE MSG CommandHeader t

         cFS command header

    typedef struct CFE_MSG_TelemetryHeader CFE_MSG_TelemetryHeader_t

        cFS telemetry header
Enumerations
   • enum CFE MSG Type { CFE MSG Type Invalid, CFE MSG Type Cmd, CFE MSG Type TIm }
        Message type.
   • enum CFE_MSG_SegmentationFlag {
     CFE_MSG_SegFlag_Invalid, CFE_MSG_SegFlag_Continue, CFE_MSG_SegFlag_First, CFE_MSG_SegFlag_Last,
     CFE_MSG_SegFlag_Unsegmented }
        Segmentation flags.
   • enum CFE MSG Endian { CFE MSG Endian Invalid, CFE MSG Endian Big, CFE MSG Endian Little }

    enum CFE MSG PlaybackFlag { CFE MSG PlayFlag Invalid, CFE MSG PlayFlag Original, CFE MSG PlayFlag Playback

         Playback flag.
11.31.1 Detailed Description
Typedefs for Message API
   · Separate from API so these can be adjusted for custom implementations
11.31.2 Macro Definition Documentation
```

11.31.2.1 CFE_MSG_BAD_ARGUMENT #define CFE_MSG_BAD_ARGUMENT CFE_SB_BAD_ARGUMENT

Error - bad argument.

Definition at line 39 of file cfe msg api typedefs.h.

11.31.2.2 CFE_MSG_NOT_IMPLEMENTED #define CFE_MSG_NOT_IMPLEMENTED CFE_SB_NOT_IMPLEMENTED Error - not implemented.

Definition at line 40 of file cfe msg api typedefs.h.

11.31.2.3 CFE_MSG_WRONG_MSG_TYPE #define CFE_MSG_WRONG_MSG_TYPE CFE_SB_WRONG_MSG_TYPE Error - wrong type.

Definition at line 41 of file cfe msg api typedefs.h.

11.31.3 Typedef Documentation

11.31.3.1 CFE_MSG_ApId_t typedef uint16 CFE_MSG_ApId_t

Message application ID.

Definition at line 50 of file cfe msg api typedefs.h.

11.31.3.2 CFE_MSG_Checksum_t typedef uint32 CFE_MSG_Checksum_t

Message checksum (Oversized to avoid redefine)

Definition at line 47 of file cfe msg api typedefs.h.

11.31.3.3 CFE_MSG_CommandHeader_t typedef struct CFE_MSG_CommandHeader CFE_MSG_CommandHeader_t cFS command header

Definition at line 107 of file cfe msg api typedefs.h.

$\textbf{11.31.3.4} \quad \textbf{CFE_MSG_EDSVersion_t} \quad \texttt{typedef uint16 CFE_MSG_EDSVersion_t}$

Message EDS version.

Definition at line 52 of file cfe_msg_api_typedefs.h.

11.31.3.5 CFE_MSG_Endian_t typedef enum CFE_MSG_Endian_t Endian flag.

11.31.3.6 CFE_MSG_FcnCode_t typedef uint16 CFE_MSG_FcnCode_t

Message function code.

Definition at line 48 of file cfe_msg_api_typedefs.h.

11.31.3.7 CFE_MSG_HeaderVersion_t typedef uint16 CFE_MSG_HeaderVersion_t

Message header version.

Definition at line 49 of file cfe_msg_api_typedefs.h.

11.31.3.8 CFE_MSG_Message_t typedef union CFE_MSG_Message_CFE_MSG_Message_t

cFS generic base message

Definition at line 102 of file cfe msg api typedefs.h.

11.31.3.9 CFE_MSG_PlaybackFlag_t typedef enum CFE_MSG_PlaybackFlag CFE_MSG_PlaybackFlag_t Playback flag.

11.31.3.10 CFE_MSG_SegmentationFlag_t typedef enum CFE_MSG_SegmentationFlag CFE_MSG_SegmentationFlag_t Segmentation flags.

11.31.3.11 CFE_MSG_SequenceCount_t typedef uint16 CFE_MSG_SequenceCount_t

Message sequence count.

Definition at line 51 of file cfe_msg_api_typedefs.h.

11.31.3.12 CFE_MSG_Size_t typedef size_t CFE_MSG_Size_t

Message size, note CCSDS maximum is UINT16_MAX+7.

Definition at line 46 of file cfe_msg_api_typedefs.h.

11.31.3.13 CFE_MSG_Subsystem_t typedef uint16 CFE_MSG_Subsystem_t

Message subsystem.

Definition at line 53 of file cfe_msg_api_typedefs.h.

11.31.3.14 CFE_MSG_System_t typedef uint16 CFE_MSG_System_t

Message system.

Definition at line 54 of file cfe msg api typedefs.h.

11.31.3.15 CFE_MSG_TelemetryHeader_t typedef struct CFE_MSG_TelemetryHeader CFE_MSG_TelemetryHeader_t cFS telemetry header

Definition at line 112 of file cfe_msg_api_typedefs.h.

11.31.3.16 CFE_MSG_Type_t typedef enum CFE_MSG_Type CFE_MSG_Type_t Message type.

11.31.4 Enumeration Type Documentation

11.31.4.1 CFE_MSG_Endian enum CFE_MSG_Endian Endian flag.

Enumerator

CFE_MSG_Endian_Invalid	Invalid endian setting.
CFE_MSG_Endian_Big	Big endian.
CFE_MSG_Endian_Little	Little endian.

Definition at line 75 of file cfe_msg_api_typedefs.h.

11.31.4.2 CFE_MSG_PlaybackFlag enum CFE_MSG_PlaybackFlag Playback flag.

Enumerator

CFE_MSG_PlayFlag_Invalid	Invalid playback setting.
CFE_MSG_PlayFlag_Original	Original.
CFE_MSG_PlayFlag_Playback	Playback.

Definition at line 83 of file cfe msg api typedefs.h.

11.31.4.3 CFE_MSG_SegmentationFlag enum CFE_MSG_SegmentationFlag Segmentation flags.

Enumerator

CFE_MSG_SegFlag_Invalid	Invalid segmentation flag.
CFE_MSG_SegFlag_Continue	Continuation segment of User Data.
CFE_MSG_SegFlag_First	First segment of User Data.
CFE_MSG_SegFlag_Last	Last segment of User Data.
CFE_MSG_SegFlag_Unsegmented	Unsegmented data.

Definition at line 65 of file cfe_msg_api_typedefs.h.

11.31.4.4 CFE_MSG_Type enum CFE_MSG_Type Message type.

Enumerator

CFE_MSG_Type_Invalid	Message type invalid, undefined, not implemented.
CFE_MSG_Type_Cmd	Command message type.
CFE_MSG_Type_TIm	Telemetry message type.

Definition at line 57 of file cfe_msg_api_typedefs.h.

11.32 cfe/modules/core api/fsw/inc/cfe resourceid.h File Reference

#include "cfe_resourceid_api_typedefs.h"

Functions

- uint32 CFE_ResourceId_GetBase (CFE_ResourceId_t ResourceId)
 - Get the Base value (type/category) from a resource ID value.
- uint32 CFE_ResourceId_GetSerial (CFE_ResourceId_t ResourceId)
 - Get the Serial Number (sequential ID) from a resource ID value.
- CFE_ResourceId_t CFE_ResourceId_FindNext (CFE_ResourceId_t StartId, uint32 TableSize, bool(*Check← Func)(CFE_ResourceId_t))

Locate the next resource ID which does not map to an in-use table entry.

• int32 CFE Resourceld ToIndex (CFE Resourceld t Id, uint32 BaseValue, uint32 TableSize, uint32 *Idx)

Internal routine to aid in converting an ES resource ID to an array index.

Resource ID test/conversion macros and inline functions

- #define CFE_RESOURCEID_TO_ULONG(id) CFE_ResourceId_ToInteger(CFE_RESOURCEID_UNWRAP(id))

 Convert a derived (app-specific) ID directly into an "unsigned long".

Determine if a derived (app-specific) ID is defined or not.

Determine if two derived (app-specific) IDs are equal.

static unsigned long CFE_ResourceId_ToInteger (CFE_ResourceId_t id)

Convert a resource ID to an integer.

• static CFE_ResourceId_t CFE_ResourceId_FromInteger (unsigned long Value)

Convert an integer to a resource ID.

static bool CFE Resourceld Equal (CFE Resourceld t id1, CFE Resourceld t id2)

Compare two Resource ID values for equality.

static bool CFE_ResourceId_IsDefined (CFE_ResourceId_t id)

Check if a resource ID value is defined.

11.32.1 Detailed Description

Contains global prototypes and definitions related to resource management and related CFE resource IDs.

A CFE ES Resource ID is a common way to identify CFE-managed resources such as apps, tasks, counters, memory pools, CDS blocks, and other entities.

Simple operations are provided as inline functions, which should alleviate the need to do direct manipulation of resource IDs:

- · Check for undefined ID value
- · Check for equality of two ID values
- · Convert ID to simple integer (typically for printing/logging)
- Convert simple integer to ID (inverse of above)

11.32.2 Macro Definition Documentation

```
11.32.2.1 CFE_RESOURCEID_TEST_DEFINED #define CFE_RESOURCEID_TEST_DEFINED(

id) CFE_ResourceId_IsDefined(CFE_RESOURCEID_UNWRAP(id))
```

Determine if a derived (app-specific) ID is defined or not.

This generic routine is implemented as a macro so it is agnostic to the actual argument type, and it will evaluate correctly so long as the argument type is based on the CFE_RESOURCEID_BASE_TYPE.

Definition at line 70 of file cfe resourceid.h.

```
11.32.2.2 CFE_RESOURCEID_TEST_EQUAL #define CFE_RESOURCEID_TEST_EQUAL(

id1,

id2 ) CFE_ResourceId_Equal(CFE_RESOURCEID_UNWRAP(id1), CFE_RESOURCEID_UNWRAP(id2))
```

Determine if two derived (app-specific) IDs are equal.

This generic routine is implemented as a macro so it is agnostic to the actual argument type, and it will evaluate correctly so long as the argument type is based on the CFE_RESOURCEID_BASE_TYPE.

Definition at line 78 of file cfe resourceid.h.

```
11.32.2.3 CFE_RESOURCEID_TO_ULONG #define CFE_RESOURCEID_TO_ULONG(

id ) CFE_ResourceId_ToInteger(CFE_RESOURCEID_UNWRAP(id))
```

Convert a derived (app-specific) ID directly into an "unsigned long".

This generic routine is implemented as a macro so it is agnostic to the actual argument type, and it will evaluate correctly so long as the argument type is based on the CFE_RESOURCEID_BASE_TYPE.

There is no inverse of this macro, as it depends on the actual derived type desired. Applications needing to recreate an ID from an integer should use CFE_ResourceId_FromInteger() combined with a cast/conversion to the correct/intended derived type, as needed.

Note

This evaluates as an "unsigned long" such that it can be used in printf()-style functions with the "%lx" modifier without extra casting, as this is the most typical use-case for representing an ID as an integer.

Definition at line 62 of file cfe resourceid.h.

11.32.3 Function Documentation

Compare two Resource ID values for equality.

Parameters

in	id1	Resource ID to check
in	id2	Resource ID to check

Returns

true if id1 and id2 are equal, false otherwise.

Definition at line 133 of file cfe_resourceid.h. Referenced by CFE Resourceld IsDefined().

Locate the next resource ID which does not map to an in-use table entry.

This begins searching from StartId which should be the most recently issued ID for the resource category. This will then search for the next ID which does *not* map to a table entry that is in use. That is, it does not alias any valid ID when converted to an array index.

returns an undefined ID value if no open slots are available

Parameters

in	StartId	the last issued ID for the resource category (app, lib, etc).
in	TableSize	the maximum size of the target table
in	CheckFunc	a function to check if the given ID is available

Returns

Next ID value which does not map to a valid entry

Return values

CFE_RESOURCEID_UNDEFINED	if no open slots or bad arguments.
--------------------------	------------------------------------

11.32.3.3 CFE_ResourceId_FromInteger() static CFE_ResourceId_t CFE_ResourceId_FromInteger (unsigned long Value) [inline], [static]

Convert an integer to a resource ID.

This is the inverse of CFE_Resourceld_ToInteger(), and reconstitutes the original CFE_Resourceld_t value from the integer representation.

This may be used, for instance, where an ID value is parsed from a text file or message using C library APIs such as scanf() or strtoul().

See also

CFE_ResourceId_ToInteger()

Parameters

in	Value	Integer value to convert
----	-------	--------------------------

Returns

ID value corresponding to integer

Definition at line 121 of file cfe_resourceid.h.

11.32.3.4 CFE_ResourceId_GetBase() uint32 CFE_ResourceId_GetBase (CFE_ResourceId_t ResourceId)

Get the Base value (type/category) from a resource ID value.

This masks out the ID serial number to obtain the base value, which is different for each resource type.

Note

The value is NOT shifted or otherwise adjusted.

Parameters

in	Resource←	the resource ID to decode
	ld	

Returns

The base value associated with that ID

Get the Serial Number (sequential ID) from a resource ID value.

This masks out the ID base value to obtain the serial number, which is different for each entity created.

Parameters

in	Resource	the resource ID to decode
	ld	

Returns

The serial number associated with that ID

Check if a resource ID value is defined.

The constant CFE_RESOURCEID_UNDEFINED represents an undefined ID value, such that the expression:

```
CFE_ResourceId_IsDefined(CFE_RESOURCEID_UNDEFINED)
```

Always returns false.

Parameters

in	id	Resource ID to check

Returns

True if the ID may refer to a defined entity, false if invalid/undefined.

Definition at line 151 of file cfe resourceid.h.

References CFE_ResourceId_Equal(), and CFE_RESOURCEID_UNDEFINED.

Here is the call graph for this function:



```
uint32 BaseValue,
uint32 TableSize,
uint32 * Idx )
```

Internal routine to aid in converting an ES resource ID to an array index.

Parameters

in	ld	The resource ID
in	BaseValue	The respective ID base value corresponding to the ID type
in	TableSize	The actual size of the internal table (MAX index value + 1)
out	ldx	The output index

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.

Convert a resource ID to an integer.

This is primarily intended for logging purposes, such was writing to debug console, event messages, or log files, using printf-like APIs.

For compatibility with C library APIs, this returns an "unsigned long" type and should be used with the "%lx" format specifier in a printf format string.

Note

No assumptions should be made about the actual integer value, such as its base/range. It may be printed, but should not be modified or tested/compared using other arithmetic ops, and should never be used as the index to an array or table. See the related function CFE_ResourceId_ToIndex() for cases where a zero-based array/table index is needed.

See also

CFE Resourceld FromInteger()

Parameters

in	id	Resource ID to convert
----	----	------------------------

Returns

Integer value corresponding to ID

Definition at line 102 of file cfe resourceid.h.

11.33 cfe/modules/core_api/fsw/inc/cfe_resourceid_api_typedefs.h File Reference

```
#include "cfe_resourceid_typedef.h"
```

Macros

Resource ID predefined values

- #define CFE_RESOURCEID_UNDEFINED ((CFE_ResourceId_t)CFE_RESOURCEID_WRAP(0))
 - A resource ID value that represents an undefined/unused resource.
- #define CFE_RESOURCEID_RESERVED ((CFE_ResourceId_t)CFE_RESOURCEID_WRAP(0xFFFFFFF))

 A resource ID value that represents a reserved entry.

11.33.1 Detailed Description

Contains global prototypes and definitions related to resource management and related CFE resource IDs.

A CFE ES Resource ID is a common way to identify CFE-managed resources such as apps, tasks, counters, memory pools, CDS blocks, and other entities.

Simple operations are provided as inline functions, which should alleviate the need to do direct manipulation of resource IDs:

- · Check for undefined ID value
- · Check for equality of two ID values
- · Convert ID to simple integer (typically for printing/logging)
- · Convert simple integer to ID (inverse of above)

11.33.2 Macro Definition Documentation

```
11.33.2.1 CFE_RESOURCEID_RESERVED #define CFE_RESOURCEID_RESERVED ((CFE_ResourceId_t)CFE_R ∈ SOURCEID_WRAP (0xFFFFFFFF))
```

A resource ID value that represents a reserved entry.

This is not a valid value for any resource type, but is used to mark table entries that are not available for use. For instance, this may be used while setting up an entry initially.

Definition at line 74 of file cfe resourceid api typedefs.h.

```
11.33.2.2 CFE_RESOURCEID_UNDEFINED #define CFE_RESOURCEID_UNDEFINED ((CFE_ResourceId_t)CFE ← _ RESOURCEID_WRAP(0))
```

A resource ID value that represents an undefined/unused resource.

This constant may be used to initialize local variables of the CFE_ResourceId_t type to a safe value that will not alias a valid ID.

By design, this value is also the result of zeroing a CFE_ResourceId_t type via standard functions like memset(), such that objects initialized using this method will also be set to safe values.

Definition at line 65 of file cfe_resourceid_api_typedefs.h.

11.34 cfe/modules/core api/fsw/inc/cfe sb.h File Reference

```
#include "common_types.h"
#include "cfe_error.h"
#include "cfe_sb_api_typedefs.h"
```

```
#include "cfe_es_api_typedefs.h"
```

Macros

#define CFE_BIT(x) (1 << (x))

Places a one at bit positions 0 - 31.

• #define CFE_SET(i, x) ((i) |= CFE_BIT(x))

Sets bit x of i.

#define CFE_CLR(i, x) ((i) &= ~CFE_BIT(x))

Clears bit x of i.

#define CFE TST(i, x) (((i)&CFE BIT(x)) != 0)

true(non zero) if bit x of i is set

Functions

• CFE_Status_t CFE_SB_CreatePipe (CFE_SB_PipeId_t *PipeIdPtr, uint16 Depth, const char *PipeName)

Creates a new software bus pipe.

CFE_Status_t CFE_SB_DeletePipe (CFE_SB_PipeId_t PipeId)

Delete a software bus pipe.

CFE_Status_t CFE_SB_PipeId_ToIndex (CFE_SB_PipeId_t PipeID, uint32 *Idx)

Obtain an index value correlating to an SB Pipe ID.

CFE_Status_t CFE_SB_SetPipeOpts (CFE_SB_PipeId_t PipeId, uint8 Opts)

Set options on a pipe.

• CFE Status t CFE SB GetPipeOpts (CFE SB PipeId t PipeId, uint8 *OptsPtr)

Get options on a pipe.

- CFE_Status_t CFE_SB_GetPipeName (char *PipeNameBuf, size_t PipeNameSize, CFE_SB_PipeId_t PipeId)

 Get the pipe name for a given id.
- CFE_Status_t CFE_SB_GetPipeIdByName (CFE_SB_PipeId_t *PipeIdPtr, const char *PipeName)
 Get pipe id by pipe name.
- CFE_Status_t CFE_SB_SubscribeEx (CFE_SB_Msgld_t Msgld, CFE_SB_Pipeld_t Pipeld, CFE_SB_Qos_t Quality, uint16 MsgLim)

Subscribe to a message on the software bus.

CFE_Status_t CFE_SB_Subscribe (CFE_SB_Msgld_t Msgld, CFE_SB_Pipeld_t Pipeld)

Subscribe to a message on the software bus with default parameters.

CFE_Status_t CFE_SB_SubscribeLocal (CFE_SB_Msgld_t Msgld, CFE_SB_Pipeld_t Pipeld, uint16 MsgLim)

Subscribe to a message while keeping the request local to a cpu.

CFE_Status_t CFE_SB_Unsubscribe (CFE_SB_Msgld_t Msgld, CFE_SB_Pipeld_t Pipeld)

Remove a subscription to a message on the software bus.

• CFE_Status_t CFE_SB_UnsubscribeLocal (CFE_SB_Msgld_t Msgld, CFE_SB_Pipeld_t Pipeld)

Remove a subscription to a message on the software bus on the current CPU.

• CFE Status t CFE SB TransmitMsg (const CFE MSG Message t *MsgPtr, bool IsOrigination)

Transmit a message.

CFE Status t CFE SB ReceiveBuffer (CFE SB Buffer t **BufPtr, CFE SB Pipeld t Pipeld, int32 TimeOut)

Receive a message from a software bus pipe.

CFE_SB_Buffer_t * CFE_SB_AllocateMessageBuffer (size_t MsgSize)

Get a buffer pointer to use for "zero copy" SB sends.

CFE Status t CFE SB ReleaseMessageBuffer (CFE SB Buffer t *BufPtr)

Release an unused "zero copy" buffer pointer.

CFE Status t CFE SB TransmitBuffer (CFE SB Buffer t *BufPtr, bool IsOrigination)

Transmit a buffer.

void CFE SB SetUserDataLength (CFE MSG Message t *MsgPtr, size t DataLength)

Sets the length of user data in a software bus message.

void CFE_SB_TimeStampMsg (CFE_MSG_Message_t *MsgPtr)

Sets the time field in a software bus message with the current spacecraft time.

int32 CFE_SB_MessageStringSet (char *DestStringPtr, const char *SourceStringPtr, size_t DestMaxSize, size
 _t SourceMaxSize)

Copies a string into a software bus message.

void * CFE_SB_GetUserData (CFE_MSG_Message_t *MsgPtr)

Get a pointer to the user data portion of a software bus message.

size t CFE SB GetUserDataLength (const CFE MSG Message t *MsgPtr)

Gets the length of user data in a software bus message.

int32 CFE_SB_MessageStringGet (char *DestStringPtr, const char *SourceStringPtr, const char *DefaultString, size_t DestMaxSize, size_t SourceMaxSize)

Copies a string out of a software bus message.

bool CFE_SB_IsValidMsgId (CFE_SB_MsgId_t MsgId)

Identifies whether a given CFE_SB_Msgld_t is valid.

static bool CFE_SB_Msgld_Equal (CFE_SB_Msgld_t Msgld1, CFE_SB_Msgld_t Msgld2)

Identifies whether two CFE_SB_Msgld_t values are equal.

• static CFE_SB_Msgld_Atom_t CFE_SB_MsgldToValue (CFE_SB_Msgld_t Msgld)

Converts a CFE_SB_Msgld_t to a normal integer.

static CFE SB Msgld t CFE SB ValueToMsgld (CFE SB Msgld Atom t MsgldValue)

Converts a normal integer into a CFE SB Msgld t.

11.34.1 Detailed Description

Purpose: This header file contains all definitions for the cFE Software Bus Application Programmer's Interface.

Author: R.McGraw/SSI

11.34.2 Macro Definition Documentation

Places a one at bit positions 0 - 31.

Definition at line 44 of file cfe_sb.h.

```
11.34.2.2 CFE_CLR #define CFE_CLR( i, x ) ((i) &= \simCFE_BIT(x))
```

Clears bit x of i.

Definition at line 46 of file cfe sb.h.

Sets bit x of i.

Definition at line 45 of file cfe_sb.h.

true(non zero) if bit x of i is set

Definition at line 47 of file cfe_sb.h.

11.35 cfe/modules/core_api/fsw/inc/cfe_sb_api_typedefs.h File Reference

```
#include "common_types.h"
#include "cfe_sb_extern_typedefs.h"
#include "cfe_msg_api_typedefs.h"
#include "cfe_resourceid_api_typedefs.h"
#include "cfe_msg_hdr.h"
```

Data Structures

union CFE SB Msg

Software Bus generic message.

Macros

#define CFE SB POLL 0

Option used with CFE_SB_ReceiveBuffer to request immediate pipe status.

#define CFE SB PEND FOREVER -1

Option used with CFE_SB_ReceiveBuffer to force a wait for next message.

#define CFE_SB_SUBSCRIPTION 0

Subtype specifier used in CFE_SB_SingleSubscriptionTIm_t by SBN App.

#define CFE_SB_UNSUBSCRIPTION 1

Subtype specified used in CFE_SB_SingleSubscriptionTlm_t by SBN App.

• #define CFE_SB_MSGID_WRAP_VALUE(val)

Translation macro to convert from Msgld integer values to opaque/abstract API values.

#define CFE_SB_MSGID_C(val) ((CFE_SB_MsgId_t)CFE_SB_MSGID_WRAP_VALUE(val))

Translation macro to convert to Msgld integer values from a literal.

• #define CFE_SB_MSGID_UNWRAP_VALUE(mid) ((mid).Value)

Translation macro to convert to Msgld integer values from opaque/abstract API values.

#define CFE_SB_MSGID_RESERVED CFE_SB_MSGID_WRAP_VALUE(0)

Reserved value for CFE_SB_Msgld_t that will not match any valid Msgld.

#define CFE_SB_INVALID_MSG_ID CFE_SB_MSGID_C(0)

A literal of the CFE_SB_Msgld_t type representing an invalid ID.

#define CFE_SB_PIPEID_C(val) ((CFE_SB_Pipeld_t)CFE_RESOURCEID_WRAP(val))

Cast/Convert a generic CFE_ResourceId_t to a CFE_SB_PipeId_t.

#define CFE_SB_INVALID_PIPE CFE_SB_PIPEID_C(CFE_RESOURCEID_UNDEFINED)

A CFE_SB_PipeId_t value which is always invalid.

• #define CFE_SB_PIPEOPTS_IGNOREMINE 0x00000001

Messages sent by the app that owns this pipe will not be sent to this pipe.

• #define CFE SB DEFAULT QOS ((CFE SB Qos t) {0})

Default Qos macro.

Typedefs

 typedef union CFE_SB_Msg CFE_SB_Buffer_t Software Bus generic message.

11.35.1 Detailed Description

Purpose: This header file contains all definitions for the cFE Software Bus Application Programmer's Interface.

Author: R.McGraw/SSI

11.35.2 Macro Definition Documentation

```
11.35.2.1 CFE_SB_DEFAULT_QOS #define CFE_SB_DEFAULT_QOS ((CFE_SB_Qos_t) {0}) Default Qos macro.
```

Definition at line 135 of file cfe_sb_api_typedefs.h.

```
11.35.2.2 CFE_SB_INVALID_MSG_ID #define CFE_SB_INVALID_MSG_ID CFE_SB_MSGID_C(0)
```

A literal of the CFE SB Msgld t type representing an invalid ID.

This value should be used for runtime initialization of CFE_SB_Msgld_t values.

Note

This may be a compound literal in a future revision. Per C99, compound literals are Ivalues, not rvalues, so this value should not be used in static/compile-time data initialization. For static data initialization purposes (rvalue), CFE_SB_MSGID_RESERVED should be used instead. However, in the current implementation, they are equivalent

Definition at line 113 of file cfe_sb_api_typedefs.h.

```
11.35.2.3 CFE_SB_INVALID_PIPE #define CFE_SB_INVALID_PIPE CFE_SB_PIPEID_C (CFE_RESOURCEID_UNDEFINED)
```

A CFE SB Pipeld t value which is always invalid.

This may be used as a safe initializer for CFE SB Pipeld t values

Definition at line 125 of file cfe sb api typedefs.h.

```
11.35.2.4 CFE_SB_MSGID_C #define CFE_SB_MSGID_C(

val ) ((CFE_SB_MSgId_t)CFE_SB_MSGID_WRAP_VALUE(val))
```

Translation macro to convert to Msgld integer values from a literal.

This ensures that the literal is interpreted as the CFE_SB_Msgld_t type, rather than the default type associated with that literal (e.g. int/unsigned int).

Note

Due to constraints in C99 this style of initializer can only be used at runtime, not for static/compile-time initializers.

See also

```
CFE SB ValueToMsgld()
```

Definition at line 80 of file cfe_sb_api_typedefs.h.

```
11.35.2.5 CFE SB MSGID RESERVED #define CFE_SB_MSGID_RESERVED CFE_SB_MSGID_WRAP_VALUE(0)
```

Reserved value for CFE SB Msgld t that will not match any valid Msgld.

This rvalue macro can be used for static/compile-time data initialization to ensure that the initialized value does not alias to a valid Msgld object.

Definition at line 100 of file cfe_sb_api_typedefs.h.

Translation macro to convert to Msgld integer values from opaque/abstract API values.

This conversion exists in macro form to allow compile-time evaluation for constants, and should not be used directly in application code.

For applications, use the CFE_SB_MsgldToValue() inline function instead.

See also

```
CFE SB MsgldToValue()
```

Definition at line 92 of file cfe sb api typedefs.h.

```
11.35.2.7 CFE_SB_MSGID_WRAP_VALUE #define CFE_SB_MSGID_WRAP_VALUE(

val )

Value:

\[ \text{val} \text{ \text{val}} \]
```

Translation macro to convert from Msgld integer values to opaque/abstract API values.

This conversion exists in macro form to allow compile-time evaluation for constants, and should not be used directly in application code.

For applications, use the CFE_SB_ValueToMsgld() inline function instead.

See also

```
CFE SB ValueToMsgld()
```

Definition at line 64 of file cfe_sb_api_typedefs.h.

```
11.35.2.8 CFE_SB_PEND_FOREVER #define CFE_SB_PEND_FOREVER -1
```

Option used with CFE_SB_ReceiveBuffer to force a wait for next message.

Definition at line 46 of file cfe_sb_api_typedefs.h.

```
11.35.2.9 CFE_SB_PIPEID_C #define CFE_SB_PIPEID_C(

val ) ((CFE_SB_PipeId_t)CFE_RESOURCEID_WRAP(val))
```

Cast/Convert a generic CFE_ResourceId_t to a CFE_SB_PipeId_t.

Definition at line 118 of file cfe sb api typedefs.h.

```
11.35.2.10 CFE_SB_POLL #define CFE_SB_POLL 0
```

Option used with CFE_SB_ReceiveBuffer to request immediate pipe status. Definition at line 45 of file cfe sb api typedefs.h.

11.35.2.11 CFE_SB_SUBSCRIPTION #define CFE_SB_SUBSCRIPTION 0 Subtype specifier used in CFE_SB_SingleSubscriptionTlm_t by SBN App. Definition at line 47 of file cfe_sb_api_typedefs.h.

11.35.2.12 CFE_SB_UNSUBSCRIPTION #define CFE_SB_UNSUBSCRIPTION 1 Subtype specified used in CFE_SB_SingleSubscriptionTlm_t by SBN App. Definition at line 48 of file cfe_sb_api_typedefs.h.

11.35.3 Typedef Documentation

11.36 cfe/modules/core_api/fsw/inc/cfe_tbl.h File Reference

```
#include "common_types.h"
#include "cfe_error.h"
#include "cfe_tbl_api_typedefs.h"
#include "cfe_sb_api_typedefs.h"
```

Functions

 CFE_Status_t CFE_TBL_Register (CFE_TBL_Handle_t *TblHandlePtr, const char *Name, size_t Size, uint16 TblOptionFlags, CFE_TBL_CallbackFuncPtr_t TblValidationFuncPtr)

Register a table with cFE to obtain Table Management Services.

- CFE_Status_t CFE_TBL_Share (CFE_TBL_Handle_t *TblHandlePtr, const char *TblName)
 - Obtain handle of table registered by another application.
- CFE_Status_t CFE_TBL_Unregister (CFE_TBL_Handle_t TblHandle)

Unregister a table.

 CFE_Status_t CFE_TBL_Load (CFE_TBL_Handle_t TblHandle, CFE_TBL_SrcEnum_t SrcType, const void *SrcDataPtr)

Load a specified table with data from specified source.

• CFE_Status_t CFE_TBL_Update (CFE_TBL_Handle_t TblHandle)

Update contents of a specified table, if an update is pending.

CFE_Status_t CFE_TBL_Validate (CFE_TBL_Handle_t TblHandle)

Perform steps to validate the contents of a table image.

CFE_Status_t CFE_TBL_Manage (CFE_TBL_Handle_t TblHandle)

Perform standard operations to maintain a table.

CFE_Status_t CFE_TBL_DumpToBuffer (CFE_TBL_Handle_t TblHandle)

Copies the contents of a Dump Only Table to a shared buffer.

CFE_Status_t CFE_TBL_Modified (CFE_TBL_Handle_t TblHandle)

Notify cFE Table Services that table contents have been modified by the Application.

• CFE_Status_t CFE_TBL_GetAddress (void **TblPtr, CFE_TBL_Handle_t TblHandle)

Obtain the current address of the contents of the specified table.

CFE Status t CFE TBL ReleaseAddress (CFE TBL Handle t TblHandle)

Release previously obtained pointer to the contents of the specified table.

CFE_Status_t CFE_TBL_GetAddresses (void **TblPtrs[], uint16 NumTables, const CFE_TBL_Handle_t Tbl
 Handles[])

Obtain the current addresses of an array of specified tables.

CFE Status t CFE TBL ReleaseAddresses (uint16 NumTables, const CFE TBL Handle t TblHandles[])

Release the addresses of an array of specified tables.

CFE_Status_t CFE_TBL_GetStatus (CFE_TBL_Handle_t TblHandle)

Obtain current status of pending actions for a table.

CFE_Status_t CFE_TBL_GetInfo (CFE_TBL_Info_t *TbIInfoPtr, const char *TbIName)

Obtain characteristics/information of/about a specified table.

 CFE_Status_t CFE_TBL_NotifyByMessage (CFE_TBL_Handle_t TblHandle, CFE_SB_Msgld_t Msgld, CFE_MSG_FcnCode_t CommandCode, uint32 Parameter)

Instruct cFE Table Services to notify Application via message when table requires management.

11.36.1 Detailed Description

Title: Table Services API Application Library Header File

Purpose: Unit specification for Table services library functions and macros.

Design Notes:

References: Flight Software Branch C Coding Standard Version 1.0a

Notes:

11.37 cfe/modules/core_api/fsw/inc/cfe_tbl_api_typedefs.h File Reference

```
#include "common_types.h"
#include "cfe_mission_cfg.h"
#include "cfe_tbl_extern_typedefs.h"
#include "cfe_time_extern_typedefs.h"
```

Data Structures

struct CFE_TBL_Info

Table Info.

Macros

#define CFE_TBL_OPT_BUFFER_MSK (0x0001)

Table buffer mask.

#define CFE_TBL_OPT_SNGL_BUFFER (0x0000)

Single buffer table.

• #define CFE_TBL_OPT_DBL_BUFFER (0x0001)

Double buffer table.

#define CFE TBL OPT LD DMP MSK (0x0002)

Table load/dump mask.

• #define CFE TBL OPT LOAD DUMP (0x0000)

Load/Dump table.

#define CFE TBL OPT DUMP ONLY (0x0002)

Dump only table.

#define CFE TBL OPT USR DEF MSK (0x0004)

Table user defined mask.

#define CFE_TBL_OPT_NOT_USR_DEF (0x0000)

Not user defined table.

#define CFE_TBL_OPT_USR_DEF_ADDR (0x0006)

User Defined table,.

• #define CFE TBL OPT CRITICAL MSK (0x0008)

Table critical mask.

#define CFE_TBL_OPT_NOT_CRITICAL (0x0000)

Not critical table.

#define CFE TBL OPT CRITICAL (0x0008)

Critical table.

• #define CFE_TBL_OPT_DEFAULT (CFE_TBL_OPT_SNGL_BUFFER | CFE_TBL_OPT_LOAD_DUMP)

Default table options.

#define CFE TBL MAX FULL NAME LEN (CFE MISSION TBL MAX FULL NAME LEN)

Table maximum full name length.

#define CFE_TBL_BAD_TABLE_HANDLE (CFE_TBL_Handle_t)0xFFFF

Bad table handle.

Typedefs

typedef int32(* CFE_TBL_CallbackFuncPtr_t) (void *TblPtr)

Table Callback Function.

• typedef int16 CFE_TBL_Handle_t

Table Handle primitive.

typedef enum CFE_TBL_SrcEnum CFE_TBL_SrcEnum_t

Table Source.

• typedef struct CFE_TBL_Info CFE_TBL_Info_t

Table Info.

Enumerations

• enum CFE_TBL_SrcEnum { CFE_TBL_SRC_FILE = 0, CFE_TBL_SRC_ADDRESS }

Table Source.

11.37.1 Detailed Description

Title: Table Services API Application Library Header File

Purpose: Unit specification for Table services library functions and macros.

Design Notes:

References: Flight Software Branch C Coding Standard Version 1.0a

Notes:

11.37.2 Macro Definition Documentation

11.37.2.1 CFE_TBL_BAD_TABLE_HANDLE #define CFE_TBL_BAD_TABLE_HANDLE (CFE_TBL_Handle_t) 0xFFFF Bad table handle.

Definition at line 79 of file cfe_tbl_api_typedefs.h.

11.37.2.2 CFE_TBL_MAX_FULL_NAME_LEN #define CFE_TBL_MAX_FULL_NAME_LEN (CFE_MISSION_TBL_MAX_FULL_NAME_LEN) Table maximum full name length.

The full length of table names is defined at the mission scope. This is defined here to support applications that depend on cfe tbl.h providing this value.

Definition at line 76 of file cfe tbl api typedefs.h.

11.37.3 Typedef Documentation

11.37.3.1 CFE_TBL_CallbackFuncPtr_t typedef int32(* CFE_TBL_CallbackFuncPtr_t) (void *TblPtr) Table Callback Function.

Definition at line 84 of file cfe_tbl_api_typedefs.h.

11.37.3.2 CFE_TBL_Handle_t typedef int16 CFE_TBL_Handle_t

Table Handle primitive.

Definition at line 87 of file cfe_tbl_api_typedefs.h.

11.37.3.3 CFE_TBL_Info_t typedef struct CFE_TBL_Info CFE_TBL_Info_t Table Info.

11.37.3.4 CFE_TBL_SrcEnum_t typedef enum CFE_TBL_SrcEnum CFE_TBL_SrcEnum_t Table Source.

11.37.4 Enumeration Type Documentation

11.37.4.1 CFE_TBL_SrcEnum enum CFE_TBL_SrcEnum

Table Source.

Enumerator

CFE_TBL_SRC_FILE	File source When this option is selected, the SrcDataPtr will be interpreted as a pointer to a null terminated character string. The string should specify the full path and filename of the file containing the initial data contents of the table.
CFE_TBL_SRC_ADDRESS	Address source When this option is selected, the SrcDataPtr will be interpreted as a pointer to a memory location that is the beginning of the initialization data for loading the table OR, in the case of a "user defined" dump only table, the address of the active table itself. The block of memory is assumed to be of the same size specified in the CFE_TBL_Register function Size parameter.

Definition at line 90 of file cfe tbl api typedefs.h.

11.38 cfe/modules/core_api/fsw/inc/cfe_tbl_filedef.h File Reference

```
#include "cfe_mission_cfg.h"
#include "common_types.h"
#include "cfe_tbl_extern_typedefs.h"
#include "cfe_fs_extern_typedefs.h"
```

Data Structures

· struct CFE TBL FileDef

Table File summary object.

Macros

#define CFE_TBL_FILEDEF(ObjName, TblName, Desc, Filename) CFE_TBL_FileDef_t CFE_TBL_FileDef =
 {#ObjName "\0", #TblName "\0", #Desc "\0", #Filename "\0", sizeof(ObjName)};

Macro to assist in with table definition object declaration.

Typedefs

typedef struct CFE_TBL_FileDef CFE_TBL_FileDef_t
 Table File summary object.

11.38.1 Detailed Description

Title: ELF2CFETBL Utility Header File for Table Images

Purpose: This header file provides a data structure definition and macro definition required in source code that is intended to be compiled into a cFE compatible Table Image file.

Design Notes:

Typically, a user would include this file in a ".c" file that contains nothing but a desired instantiation of values for a table image along with the macro defined below. After compilation, the resultant elf file can be processed using the 'elf2cfetbl' utility to generate a file that can be loaded onto a cFE flight system and successfully loaded into a table using the cFE Table Services.

References: Flight Software Branch C Coding Standard Version 1.0a Notes:

11.38.2 Macro Definition Documentation

Macro to assist in with table definition object declaration.

See notes in the CFE_TBL_FileDef_t structure type about naming conventions and recommended practices for the various fields

The CFE_TBL_FILEDEF macro can be used to simplify the declaration of a table image when using the elf2cfetbl utility. Note that the macro adds a NULL at the end to ensure that it is null-terminated. (C allows a struct to be statically initialized with a string exactly the length of the array, which loses the null terminator.) This means the actual length limit of the fields are the above LEN - 1.

An example of the source code and how this macro would be used is as follows:

```
#include "cfe_tbl_filedef.h"
typedef struct MyTblStruct
{
    int         Int1;
    int         Int2;
    int         Int3;
    char         Char1;
} MyTblStruct_t;
MyTblStruct_t MyTblStruct = { 0x01020304, 0x05060708, 0x090A0B0C, 0x0D };
CFE_TBL_FILEDEF(MyTblStruct, MyApp.TableName, Table Utility Test Table, MyTblDefault.bin )
Definition at line 149 of file cfe_tbl_filedef.h.
```

11.38.3 Typedef Documentation

```
11.38.3.1 CFE_TBL_FileDef_t typedef struct CFE_TBL_FileDef CFE_TBL_FileDef_t Table File summary object.
```

The definition of the file definition metadata that can be used by external tools (e.g. elf2cfetbl) to generate CFE table data files.

11.39 cfe/modules/core_api/fsw/inc/cfe_time.h File Reference

```
#include "common_types.h"
#include "cfe_error.h"
#include "cfe_time_api_typedefs.h"
#include "cfe_es_api_typedefs.h"
```

Macros

#define CFE_TIME_Copy(m, t)
 Time Copy.

Functions

CFE_TIME_SysTime_t CFE_TIME_GetTime (void)

Get the current spacecraft time.

CFE_TIME_SysTime_t CFE_TIME_GetTAI (void)

Get the current TAI (MET + SCTF) time.

CFE_TIME_SysTime_t CFE_TIME_GetUTC (void)

Get the current UTC (MET + SCTF - Leap Seconds) time.

CFE_TIME_SysTime_t CFE_TIME_GetMET (void)

Get the current value of the Mission Elapsed Time (MET).

uint32 CFE TIME GetMETseconds (void)

Get the current seconds count of the mission-elapsed time.

uint32 CFE TIME GetMETsubsecs (void)

Get the current sub-seconds count of the mission-elapsed time.

CFE TIME SysTime t CFE TIME GetSTCF (void)

Get the current value of the spacecraft time correction factor (STCF).

int16 CFE_TIME_GetLeapSeconds (void)

Get the current value of the leap seconds counter.

CFE_TIME_ClockState_Enum_t CFE_TIME_GetClockState (void)

Get the current state of the spacecraft clock.

• uint16 CFE_TIME_GetClockInfo (void)

Provides information about the spacecraft clock.

CFE_TIME_SysTime_t CFE_TIME_Add (CFE_TIME_SysTime_t Time1, CFE_TIME_SysTime_t Time2)

Adds two time values.

- CFE_TIME_SysTime_t CFE_TIME_Subtract (CFE_TIME_SysTime_t Time1, CFE_TIME_SysTime_t Time2)
 Subtracts two time values.
- CFE_TIME_Compare_t CFE_TIME_Compare (CFE_TIME_SysTime_t TimeA, CFE_TIME_SysTime_t TimeB) Compares two time values.
- CFE TIME SysTime t CFE TIME MET2SCTime (CFE TIME SysTime t METTime)

Convert specified MET into Spacecraft Time.

uint32 CFE_TIME_Sub2MicroSecs (uint32 SubSeconds)

Converts a sub-seconds count to an equivalent number of microseconds.

uint32 CFE_TIME_Micro2SubSecs (uint32 MicroSeconds)

Converts a number of microseconds to an equivalent sub-seconds count.

void CFE_TIME_ExternalTone (void)

Provides the 1 Hz signal from an external source.

void CFE_TIME_ExternalMET (CFE_TIME_SysTime_t NewMET)

Provides the Mission Elapsed Time from an external source.

void CFE TIME ExternalGPS (CFE TIME SysTime t NewTime, int16 NewLeaps)

Provide the time from an external source that has data common to GPS receivers.

void CFE_TIME_ExternalTime (CFE_TIME_SysTime_t NewTime)

Provide the time from an external source that measures time relative to a known epoch.

• CFE_Status_t CFE_TIME_RegisterSynchCallback (CFE_TIME_SynchCallbackPtr_t CallbackFuncPtr)

Registers a callback function that is called whenever time synchronization occurs.

CFE_Status_t CFE_TIME_UnregisterSynchCallback (CFE_TIME_SynchCallbackPtr_t CallbackFuncPtr)

Unregisters a callback function that is called whenever time synchronization occurs.

void CFE_TIME_Print (char *PrintBuffer, CFE_TIME_SysTime_t TimeToPrint)

Print a time value as a string.

· void CFE_TIME_Local1HzISR (void)

This function is called via a timer callback set up at initialization of the TIME service.

11.39.1 Detailed Description

Purpose: cFE Time Services (TIME) library API header file

Author: S.Walling/Microtel

Notes:

11.39.2 Macro Definition Documentation

Time Copy.

Macro to copy systime into another systime. Preferred to use this macro as it does not require the two arguments to be exactly the same type, it will work with any two structures that define "Seconds" and "Subseconds" members. Definition at line 48 of file cfe time.h.

11.40 cfe/modules/core_api/fsw/inc/cfe_time_api_typedefs.h File Reference

```
#include "common_types.h"
#include "cfe_time_extern_typedefs.h"
```

Macros

• #define CFE TIME PRINTED STRING SIZE 24

Required size of buffer to be passed into CFE_TIME_Print (includes null terminator)

Typedefs

typedef enum CFE_TIME_Compare CFE_TIME_Compare_t

Enumerated types identifying the relative relationships of two times.

typedef int32(* CFE_TIME_SynchCallbackPtr_t) (void)

Time Synchronization Callback Function Ptr Type.

Enumerations

• enum CFE_TIME_Compare { CFE_TIME_A_LT_B = -1, CFE_TIME_EQUAL = 0, CFE_TIME_A_GT_B = 1 } Enumerated types identifying the relative relationships of two times.

11.40.1 Detailed Description

Purpose: cFE Time Services (TIME) library API header file

Author: S.Walling/Microtel

Notes:

11.40.2 Macro Definition Documentation

11.40.2.1 CFE_TIME_PRINTED_STRING_SIZE #define CFE_TIME_PRINTED_STRING_SIZE 24 Required size of buffer to be passed into CFE_TIME_Print (includes null terminator)

Definition at line 44 of file cfe_time_api_typedefs.h.

11.40.3 Typedef Documentation

11.40.3.1 CFE_TIME_Compare_t typedef enum CFE_TIME_Compare CFE_TIME_Compare_t Enumerated types identifying the relative relationships of two times.

Description

Since time fields contain numbers that are relative to an epoch time, then it is possible for a time value to be "negative". This can lead to some confusion about what relationship exists between two time values. To resolve this confusion, the cFE provides the API CFE_TIME_Compare which returns these enumerated values.

11.40.3.2 CFE_TIME_SynchCallbackPtr_t typedef int32(* CFE_TIME_SynchCallbackPtr_t) (void) Time Synchronization Callback Function Ptr Type.

Description

Applications that wish to get direct notification of the receipt of the cFE Time Synchronization signal (typically a 1 Hz signal), must register a callback function with the following prototype via the CFE_TIME_RegisterSynchCallback API.

Definition at line 75 of file cfe_time_api_typedefs.h.

11.40.4 Enumeration Type Documentation

11.40.4.1 CFE_TIME_Compare enum CFE_TIME_Compare

Enumerated types identifying the relative relationships of two times.

Description

Since time fields contain numbers that are relative to an epoch time, then it is possible for a time value to be "negative". This can lead to some confusion about what relationship exists between two time values. To resolve this confusion, the cFE provides the API CFE_TIME_Compare which returns these enumerated values.

Enumerator

	The first specified time is considered to be before the second specified time.
CFE_TIME_A_LT_B	
CFE_TIME_EQUAL	The two specified times are considered to be equal.
CFE_TIME_A_GT←	The first specified time is considered to be after the second specified time.
_B	

Definition at line 60 of file cfe time api typedefs.h.

11.41 cfe/modules/core_api/fsw/inc/cfe_version.h File Reference

Macros

• #define CFE BUILD NUMBER 79

Development: Number of development git commits since CFE_BUILD_BASELINE.

• #define CFE BUILD BASELINE "equuleus-rc1"

Development: Reference git tag for build number.

• #define CFE_BUILD_DEV_CYCLE "equuleus-rc2"

Development: Release name for current development cycle.

• #define CFE_BUILD_CODENAME "Equuleus"

: Development: Code name for the current build

• #define CFE MAJOR VERSION 6

Major version number.

• #define CFE MINOR VERSION 7

Minor version number.

• #define CFE_REVISION 0

Revision version number. Value of 0 indicates a development version.

• #define CFE_LAST_OFFICIAL "v6.7.0"

Last official release.

• #define CFE MISSION REV 0xFF

Mission revision.

#define CFE STR HELPER(x) #x

Convert argument to string.

#define CFE_STR(x) CFE_STR_HELPER(x)

Expand macro before conversion.

• #define CFE SRC VERSION CFE BUILD BASELINE "+dev" CFE STR(CFE BUILD NUMBER)

Short Build Version String.

#define CFE_CFG_MAX_VERSION_STR_LEN 256

Max Version String length.

11.41.1 Detailed Description

Provide version identifiers for the cFE core. See Version Numbers for further details.

11.41.2 Macro Definition Documentation

11.41.2.1 CFE BUILD BASELINE #define CFE_BUILD_BASELINE "equuleus-rc1"

Development: Reference git tag for build number.

Definition at line 30 of file cfe version.h.

11.41.2.2 CFE_BUILD_CODENAME #define CFE_BUILD_CODENAME "Equuleus"

: Development: Code name for the current build

Definition at line 32 of file cfe_version.h.

11.41.2.3 CFE_BUILD_DEV_CYCLE #define CFE_BUILD_DEV_CYCLE "equuleus-rc2"

Development: Release name for current development cycle.

Definition at line 31 of file cfe version.h.

11.41.2.4 CFE_BUILD_NUMBER #define CFE_BUILD_NUMBER 79

Development: Number of development git commits since CFE_BUILD_BASELINE.

Definition at line 29 of file cfe_version.h.

11.41.2.5 CFE_CFG_MAX_VERSION_STR_LEN #define CFE_CFG_MAX_VERSION_STR_LEN 256

Max Version String length.

Maximum length that a cFE version string can be.

Definition at line 69 of file cfe_version.h.

11.41.2.6 CFE_LAST_OFFICIAL #define CFE_LAST_OFFICIAL "v6.7.0"

Last official release.

Definition at line 42 of file cfe version.h.

11.41.2.7 CFE_MAJOR_VERSION #define CFE_MAJOR_VERSION 6

Major version number.

Definition at line 35 of file cfe_version.h.

11.41.2.8 CFE_MINOR_VERSION #define CFE_MINOR_VERSION 7

Minor version number.

Definition at line 36 of file cfe_version.h.

11.41.2.9 CFE_MISSION_REV #define CFE_MISSION_REV 0xFF

Mission revision.

Values 1-254 are reserved for mission use to denote patches/customizations as needed. NOTE: Reserving 0 and 0xFF for cFS open-source development use (pending resolution of nasa/cFS#440)

Definition at line 51 of file cfe_version.h.

11.41.2.10 CFE_REVISION #define CFE_REVISION 0

Revision version number. Value of 0 indicates a development version.

Definition at line 37 of file cfe version.h.

11.41.2.11 CFE_SRC_VERSION #define CFE_SRC_VERSION CFE_BUILD_BASELINE "+dev" CFE_STR(CFE_BUILD_NUMBER) Short Build Version String.

Short string identifying the build, see Version Numbers for suggested format for development and official releases. Definition at line 62 of file cfe version.h.

11.41.2.12 CFE_STR #define CFE_STR(x) CFE_STR_HELPER(x)

Expand macro before conversion.

Definition at line 54 of file cfe_version.h.

11.41.2.13 CFE_STR_HELPER #define CFE_STR_HELPER(

x) #x

Convert argument to string.

Definition at line 53 of file cfe_version.h.

11.42 cfe/modules/es/config/default cfe es extern typedefs.h File Reference

```
#include "common_types.h"
#include "cfe_resourceid_typedef.h"
#include "cfe_mission_cfg.h"
```

Data Structures

· struct CFE ES AppInfo

Application Information.

struct CFE_ES_TaskInfo

Task Information.

```
• struct CFE_ES_CDSRegDumpRec
```

CDS Register Dump Record.

struct CFE ES BlockStats

Block statistics.

struct CFE_ES_MemPoolStats

Memory Pool Statistics.

Macros

#define CFE ES MEMOFFSET C(x) ((CFE ES MemOffset t)(x))

Memory Offset initializer wrapper.

#define CFE_ES_MEMOFFSET_TO_SIZET(x) ((size_t)(x))

Memory Offset to integer value (size_t) wrapper.

#define CFE_ES_MEMADDRESS_C(x) ((CFE_ES_MemAddress_t)((cpuaddr)(x)&0xFFFFFFF))

Memory Address initializer wrapper.

#define CFE_ES_MEMADDRESS_TO_PTR(x) ((void *)(cpuaddr)(x))

Memory Address to pointer wrapper.

Typedefs

typedef uint8 CFE_ES_LogMode_Enum_t

Identifies handling of log messages after storage is filled.

• typedef uint8 CFE ES ExceptionAction Enum t

Identifies action to take if exception occurs.

• typedef uint8 CFE_ES_AppType_Enum_t

Identifies type of CFE application.

typedef uint32 CFE_ES_RunStatus_Enum_t

Run Status and Exit Status identifiers.

typedef uint32 CFE_ES_SystemState_Enum_t

The overall cFE System State.

typedef uint8 CFE_ES_LogEntryType_Enum_t

Type of entry in the Error and Reset (ER) Log.

typedef uint32 CFE_ES_AppState_Enum_t

Application Run State.

typedef CFE_RESOURCEID_BASE_TYPE CFE_ES_Appld_t

A type for Application IDs.

typedef CFE_RESOURCEID_BASE_TYPE CFE_ES_TaskId_t

A type for Task IDs.

typedef CFE_RESOURCEID_BASE_TYPE CFE_ES_LibId_t

A type for Library IDs.

typedef CFE_RESOURCEID_BASE_TYPE CFE_ES_CounterId_t

A type for Counter IDs.

typedef CFE_RESOURCEID_BASE_TYPE CFE_ES_MemHandle_t

Memory Handle type.

typedef CFE_RESOURCEID_BASE_TYPE CFE_ES_CDSHandle_t

CDS Handle type.

typedef uint16 CFE_ES_TaskPriority_Atom_t

Type used for task priority in CFE ES as including the commands/telemetry messages.

typedef uint32 CFE_ES_MemOffset_t

Type used for memory sizes and offsets in commands and telemetry.

```
    typedef uint32 CFE_ES_MemAddress_t

        Type used for memory addresses in command and telemetry messages.
   • typedef struct CFE ES Applnfo CFE ES Applnfo t
        Application Information.

    typedef struct CFE_ES_TaskInfo CFE_ES_TaskInfo_t

        Task Information.

    typedef struct CFE ES CDSRegDumpRec CFE ES CDSRegDumpRec t

        CDS Register Dump Record.

    typedef struct CFE_ES_BlockStats CFE_ES_BlockStats_t

        Block statistics.

    typedef struct CFE_ES_MemPoolStats CFE_ES_MemPoolStats_t

        Memory Pool Statistics.
Enumerations

    enum CFE_ES_LogMode { CFE_ES_LogMode_OVERWRITE = 0, CFE_ES_LogMode_DISCARD = 1 }

        Label definitions associated with CFE ES LogMode Enum t.

    enum CFE ES ExceptionAction { CFE ES ExceptionAction RESTART APP = 0, CFE ES ExceptionAction PROC RESTART

     = 1 }
        Label definitions associated with CFE ES ExceptionAction Enum t.
   enum CFE_ES_AppType { CFE_ES_AppType_CORE = 1, CFE_ES_AppType_EXTERNAL = 2, CFE_ES_AppType_LIBRARY
     = 3  }
        Label definitions associated with CFE_ES_AppType_Enum_t.
   enum CFE ES RunStatus {
     CFE ES RunStatus UNDEFINED = 0, CFE ES RunStatus APP RUN = 1, CFE ES RunStatus APP EXIT =
     2, CFE_ES_RunStatus_APP_ERROR = 3,
     CFE ES RunStatus SYS EXCEPTION = 4, CFE ES RunStatus SYS RESTART = 5, CFE ES RunStatus SYS RELOAD
     = 6, CFE ES RunStatus SYS DELETE = 7,
     CFE_ES_RunStatus_CORE_APP_INIT_ERROR = 8, CFE_ES_RunStatus_CORE_APP_RUNTIME_ERROR =
     9, CFE ES RunStatus MAX }
        Label definitions associated with CFE_ES_RunStatus_Enum_t.

    enum CFE ES SystemState {

     CFE ES SystemState UNDEFINED = 0, CFE ES SystemState EARLY INIT = 1, CFE ES SystemState CORE STARTUP
     = 2, CFE ES SystemState CORE READY = 3,
     CFE ES SystemState_APPS_INIT = 4, CFE_ES_SystemState_OPERATIONAL = 5, CFE_ES_SystemState_SHUTDOWN
     = 6, CFE_ES_SystemState_MAX }
        Label definitions associated with CFE_ES_SystemState_Enum_t.

    enum CFE ES LogEntryType { CFE ES LogEntryType CORE = 1, CFE ES LogEntryType APPLICATION =

     2 }
        Label definitions associated with CFE_ES_LogEntryType_Enum_t.
   enum CFE_ES_AppState {
     CFE ES AppState UNDEFINED = 0, CFE ES AppState EARLY INIT = 1, CFE ES AppState LATE INIT =
     2, CFE ES AppState RUNNING = 3,
     CFE ES AppState WAITING = 4, CFE ES AppState STOPPED = 5, CFE ES AppState MAX }
        Label definitions associated with CFE_ES_AppState_Enum_t.
11.42.1 Detailed Description
Declarations and prototypes for cfe es extern typedefs module
```

11.42.2 Macro Definition Documentation

11.42.2.1 CFE_ES_MEMADDRESS_C #define CFE_ES_MEMADDRESS_C(x) ((CFE_ES_MemAddress_t)((cpuaddr)(x)&0xFFFFFFFF))

Memory Address initializer wrapper.

A converter macro to use when initializing a CFE_ES_MemAddress_t from a pointer value of a different type. Definition at line 417 of file default cfe es extern typedefs.h.

Memory Address to pointer wrapper.

A converter macro to use when interpreting a CFE_ES_MemAddress_t as a pointer value.

Definition at line 425 of file default cfe es extern typedefs.h.

Memory Offset initializer wrapper.

A converter macro to use when initializing a CFE_ES_MemOffset_t from an integer value of a different type. Definition at line 380 of file default cfe es extern typedefs.h.

Memory Offset to integer value (size t) wrapper.

A converter macro to use when interpreting a CFE_ES_MemOffset_t value as a "size_t" type Definition at line 388 of file default_cfe_es_extern_typedefs.h.

11.42.3 Typedef Documentation

11.42.3.1 CFE_ES_Appld_t typedef CFE_RESOURCEID_BASE_TYPE CFE_ES_Appld_t

A type for Application IDs.

This is the type that is used for any API accepting or returning an App ID

Definition at line 312 of file default_cfe_es_extern_typedefs.h.

11.42.3.2 CFE_ES_AppInfo_t typedef struct CFE_ES_AppInfo CFE_ES_AppInfo_t

Application Information.

Structure that is used to provide information about an app. It is primarily used for the QueryOne and QueryAll Commands.

While this structure is primarily intended for Application info, it can also represent Library information where only a subset of the information applies.

```
11.42.3.3 CFE_ES_AppState_Enum_t typedef uint32 CFE_ES_AppState_Enum_t
```

Application Run State.

The normal progression of APP states: UNDEFINED -> EARLY_INIT -> LATE_INIT -> RUNNING -> WAITING -> STOPPED

Note

These are defined in order so that relational comparisons e.g. if (STATEA < STATEB) are possible

See also

```
enum CFE ES AppState
```

Definition at line 305 of file default_cfe_es_extern_typedefs.h.

 $\textbf{11.42.3.4} \quad \textbf{CFE_ES_AppType_Enum_t} \quad \texttt{typedef uint8 CFE_ES_AppType_Enum_t}$

Identifies type of CFE application.

See also

```
enum CFE ES AppType
```

Definition at line 104 of file default_cfe_es_extern_typedefs.h.

11.42.3.5 CFE_ES_BlockStats_t typedef struct CFE_ES_BlockStats CFE_ES_BlockStats_t

Block statistics.

Sub-Structure that is used to provide information about a specific block size/bucket within a memory pool.

11.42.3.6 CFE_ES_CDSHandle_t typedef CFE_RESOURCEID_BASE_TYPE CFE_ES_CDSHandle_t

CDS Handle type.

Data type used to hold Handles of Critical Data Stores. See CFE ES RegisterCDS

Definition at line 348 of file default cfe es extern typedefs.h.

11.42.3.7 CFE_ES_CDSRegDumpRec_t typedef struct CFE_ES_CDSRegDumpRec_t

CDS Register Dump Record.

Structure that is used to provide information about a critical data store. It is primarily used for the Dump CDS registry (CFE_ES_DUMP_CDS_REGISTRY_CC) command.

Note

There is not currently a telemetry message directly containing this data structure, but it does define the format of the data file generated by the Dump CDS registry command. Therefore it should be considered part of the overall telemetry interface.

11.42.3.8 CFE_ES_CounterId_t typedef CFE_RESOURCEID_BASE_TYPE CFE_ES_CounterId_t

A type for Counter IDs.

This is the type that is used for any API accepting or returning a Counter ID

Definition at line 333 of file default cfe es extern typedefs.h.

11.42.3.9 CFE_ES_ExceptionAction_Enum_t typedef uint8 CFE_ES_ExceptionAction_Enum_t

Identifies action to take if exception occurs.

See also

enum CFE ES ExceptionAction

Definition at line 76 of file default cfe es extern typedefs.h.

11.42.3.10 CFE_ES_LibId_t typedef CFE_RESOURCEID_BASE_TYPE CFE_ES_LibId_t

A type for Library IDs.

This is the type that is used for any API accepting or returning a Lib ID

Definition at line 326 of file default cfe es extern typedefs.h.

11.42.3.11 CFE ES LogEntryType Enum t typedef uint8 CFE_ES_LogEntryType_Enum_t

Type of entry in the Error and Reset (ER) Log.

See also

enum CFE ES LogEntryType

Definition at line 252 of file default cfe es extern typedefs.h.

11.42.3.12 CFE_ES_LogMode_Enum_t typedef uint8 CFE_ES_LogMode_Enum_t

Identifies handling of log messages after storage is filled.

See also

enum CFE ES LogMode

Definition at line 53 of file default cfe es extern typedefs.h.

11.42.3.13 CFE_ES_MemAddress_t typedef uint32 CFE_ES_MemAddress_t

Type used for memory addresses in command and telemetry messages.

For backward compatibility with existing CFE code this should be uint32, but if running on a 64-bit platform, addresses in telemetry will be truncated to 32 bits and therefore will not be valid.

On 64-bit platforms this can be a 64-bit address which will allow the full memory address in commands and telemetry, but this will break compatibility with existing control systems, and may also change the alignment/padding of messages. In either case this must be an unsigned type.

FSW code should access this value via the macros provided, which converts to the native "cpuaddr" type provided by OSAL. This macro provides independence between the message representation and local representation of a memory address.

Definition at line 409 of file default cfe es extern typedefs.h.

11.42.3.14 CFE_ES_MemHandle_t typedef CFE_RESOURCEID_BASE_TYPE CFE_ES_MemHandle_t

Memory Handle type.

Data type used to hold Handles of Memory Pools created via CFE_ES_PoolCreate and CFE_ES_PoolCreateNoSem Definition at line 341 of file default_cfe_es_extern_typedefs.h.

11.42.3.15 CFE_ES_MemOffset_t typedef uint32 CFE_ES_MemOffset_t

Type used for memory sizes and offsets in commands and telemetry.

For backward compatibility with existing CFE code this should be uint32, but all telemetry information will be limited to 4GB in size as a result.

On 64-bit platforms this can be a 64-bit value which will allow larger memory objects, but this will break compatibility with existing control systems, and may also change the alignment/padding of messages.

In either case this must be an unsigned type.

Definition at line 372 of file default cfe es extern typedefs.h.

11.42.3.16 CFE_ES_MemPoolStats_t typedef struct CFE_ES_MemPoolStats CFE_ES_MemPoolStats_t Memory Pool Statistics.

Structure that is used to provide information about a memory pool. Used by the Memory Pool Stats telemetry message. See also

CFE ES SEND MEM POOL STATS CC

11.42.3.17 CFE ES RunStatus Enum t typedef uint32 CFE_ES_RunStatus_Enum_t

Run Status and Exit Status identifiers.

See also

enum CFE ES RunStatus

Definition at line 172 of file default_cfe_es_extern_typedefs.h.

11.42.3.18 CFE_ES_SystemState_Enum_t typedef uint32 CFE_ES_SystemState_Enum_t

The overall cFE System State.

These values are used with the CFE_ES_WaitForSystemState API call to synchronize application startup. Note

These are defined in order so that relational comparisons e.g. if (STATEA < STATEB) are possible

See also

enum CFE_ES_SystemState

Definition at line 229 of file default_cfe_es_extern_typedefs.h.

11.42.3.19 CFE_ES_TaskId_t typedef CFE_RESOURCEID_BASE_TYPE CFE_ES_TaskId_t

A type for Task IDs.

This is the type that is used for any API accepting or returning a Task ID

Definition at line 319 of file default_cfe_es_extern_typedefs.h.

11.42.3.20 CFE_ES_TaskInfo_t typedef struct CFE_ES_TaskInfo CFE_ES_TaskInfo_t

Task Information.

Structure that is used to provide information about a task. It is primarily used for the Query All Tasks (CFE_ES_QUERY_ALL_TASKS_CC) command.

Note

There is not currently a telemetry message directly containing this data structure, but it does define the format of the data file generated by the Query All Tasks command. Therefore it should be considered part of the overall telemetry interface.

11.42.3.21 CFE_ES_TaskPriority_Atom_t typedef uint16 CFE_ES_TaskPriority_Atom_t

Type used for task priority in CFE ES as including the commands/telemetry messages.

Note

the valid range is only 0-255 (same as OSAL) but a wider type is used for backward compatibility in binary formats of messages.

Definition at line 358 of file default cfe es extern typedefs.h.

11.42.4 Enumeration Type Documentation

11.42.4.1 CFE_ES_AppState enum CFE_ES_AppState

Label definitions associated with CFE_ES_AppState_Enum_t.

Enumerator

CFE_ES_AppState_UNDEFINED	Initial state before app thread is started.	
CFE_ES_AppState_EARLY_INIT	App thread has started, app performing early initialization of its own data.	
CFE_ES_AppState_LATE_INIT	Early/Local initialization is complete. First sync point.	
CFE_ES_AppState_RUNNING	All initialization is complete. Second sync point.	
CFE_ES_AppState_WAITING	Application is waiting on a Restart/Reload/Delete request.	
CFE_ES_AppState_STOPPED	PED Application is stopped.	
CFE_ES_AppState_MAX	Reserved entry, marker for the maximum state.	

Definition at line 257 of file default_cfe_es_extern_typedefs.h.

11.42.4.2 CFE_ES_AppType enum CFE_ES_AppType

Label definitions associated with CFE_ES_AppType_Enum_t.

Enumerator

CFE_ES_AppType_CORE	CFE core application.
CFE_ES_AppType_EXTERNAL	CFE external application.
CFE_ES_AppType_LIBRARY	CFE library.

Definition at line 81 of file default_cfe_es_extern_typedefs.h.

11.42.4.3 CFE_ES_ExceptionAction enum CFE_ES_ExceptionAction

Label definitions associated with CFE_ES_ExceptionAction_Enum_t.

Enumerator

CFE_ES_ExceptionAction_RESTART_APP	Restart application if exception occurs.
CFE_ES_ExceptionAction_PROC_RESTART	Restart processor if exception occurs.

Definition at line 58 of file default_cfe_es_extern_typedefs.h.

11.42.4.4 CFE_ES_LogEntryType enum CFE_ES_LogEntryType

Label definitions associated with CFE_ES_LogEntryType_Enum_t.

Enumerator

CFE_ES_LogEntryType_CORE	Log entry from a core subsystem.
CFE_ES_LogEntryType_APPLICATION	Log entry from an application.

Definition at line 234 of file default_cfe_es_extern_typedefs.h.

11.42.4.5 CFE_ES_LogMode enum CFE_ES_LogMode

Label definitions associated with CFE_ES_LogMode_Enum_t.

Enumerator

CFE_ES_LogMode_OVERWRITE	Overwrite Log Mode.
CFE_ES_LogMode_DISCARD	Discard Log Mode.

Definition at line 35 of file default_cfe_es_extern_typedefs.h.

11.42.4.6 CFE_ES_RunStatus enum CFE_ES_RunStatus

Label definitions associated with CFE_ES_RunStatus_Enum_t.

Enumerator

Definition at line 109 of file default_cfe_es_extern_typedefs.h.

11.42.4.7 CFE_ES_SystemState enum CFE_ES_SystemState

Label definitions associated with CFE_ES_SystemState_Enum_t.

Enumerator

CFE_ES_SystemState_UNDEFINED	reserved
CFE_ES_SystemState_EARLY_INIT	single threaded mode while setting up CFE itself
CFE_ES_SystemState_CORE_STARTUP	core apps (CFE_ES_ObjectTable) are starting (multi-threaded)
CFE_ES_SystemState_CORE_READY	core is ready, starting other external apps/libraries (if any)
CFE_ES_SystemState_APPS_INIT	startup apps have all completed their early init, but not necessarily operational yet
CFE_ES_SystemState_OPERATIONAL	normal operation mode; all apps are RUNNING
CFE_ES_SystemState_SHUTDOWN	reserved for future use, all apps would be STOPPED
CFE_ES_SystemState_MAX	Reserved value, marker for the maximum state.

Definition at line 177 of file default_cfe_es_extern_typedefs.h.

11.43 cfe/modules/es/config/default_cfe_es_fcncodes.h File Reference

Macros

Executive Services Command Codes

- #define CFE ES NOOP CC 0
- #define CFE_ES_RESET_COUNTERS_CC 1
- #define CFE ES RESTART CC 2
- #define CFE ES START APP CC 4
- #define CFE ES STOP APP CC 5
- #define CFE_ES_RESTART_APP_CC 6
- #define CFE_ES_RELOAD_APP_CC 7
- #define CFE_ES_QUERY_ONE_CC 8
- #define CFE ES QUERY ALL CC 9
- #define CFE_ES_CLEAR_SYSLOG_CC 10
- #define CFE_ES_WRITE_SYSLOG_CC 11
- #define CFE_ES_CLEAR_ER_LOG_CC 12
- #define CFE ES WRITE ER LOG CC 13
- #define CFE ES START PERF DATA CC 14
- #define CFE ES STOP PERF DATA CC 15
- #define CFE ES SET PERF FILTER MASK CC 16
- #define CFE ES SET PERF TRIGGER MASK CC 17
- #define CFE ES OVER WRITE SYSLOG CC 18
- #define CFE_ES_RESET_PR_COUNT_CC 19
- #define CFE_ES_SET_MAX_PR_COUNT_CC 20
- #define CFE ES DELETE CDS CC 21
- #define CFE ES SEND MEM POOL STATS CC 22
- #define CFE ES DUMP CDS REGISTRY CC 23
- #define CFE_ES_QUERY_ALL_TASKS_CC 24

11.43.1 Detailed Description

Specification for the CFE Executive Services (CFE ES) command function codes

Note

This file should be strictly limited to the command/function code (CC) macro definitions. Other definitions such as enums, typedefs, or other macros should be placed in the msgdefs.h or msg.h files.

11.43.2 Macro Definition Documentation

```
11.43.2.1 CFE_ES_CLEAR_ER_LOG_CC #define CFE_ES_CLEAR_ER_LOG_CC 12
```

Name Clears the contents of the Exception and Reset Log

Description

This command causes the contents of the Executive Services Exception and Reset Log to be cleared.

Command Mnemonic(s) \$sc_\$cpu_ES_ClearERLog

Command Structure

```
CFE_ES_ClearERLogCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE ES ERLOG1 INF EID informational event message will be generated.
- \$sc_\$cpu_ES_ERLOGINDEX Index into Exception Reset Log goes to zero

Error Conditions

There are no error conditions for this command. If the Executive Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

This command is not dangerous. However, any previously logged data will be lost.

See also

```
CFE_ES_CLEAR_SYSLOG_CC, CFE_ES_WRITE_SYSLOG_CC, CFE_ES_WRITE_ER_LOG_CC
```

Definition at line 540 of file default cfe es fcncodes.h.

```
11.43.2.2 CFE_ES_CLEAR_SYSLOG_CC #define CFE_ES_CLEAR_SYSLOG_CC 10
```

Name Clear Executive Services System Log

Description

This command clears the contents of the Executive Services System Log.

Command Mnemonic(s) \$sc_\$cpu_ES_ClearSysLog

Command Structure

```
CFE_ES_ClearSysLogCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu ES CMDPC command execution counter will increment
- The CFE_ES_SYSLOG1_INF_EID informational event message will be generated.
- \$sc_\$cpu_ES_SYSLOGBYTEUSED System Log Bytes Used will go to zero
- \$sc_\$cpu_ES_SYSLOGENTRIES Number of System Log Entries will go to zero

Error Conditions

There are no error conditions for this command. If the Executive Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

This command is not dangerous. However, any previously logged data will be lost.

See also

CFE_ES_WRITE_SYSLOG_CC, CFE_ES_CLEAR_ER_LOG_CC, CFE_ES_WRITE_ER_LOG_CC, CFE_ES_OVER_WRITE_SYS

Definition at line 463 of file default cfe es fcncodes.h.

11.43.2.3 CFE_ES_DELETE_CDS_CC #define CFE_ES_DELETE_CDS_CC 21

Name Delete Critical Data Store

Description

This command allows the user to delete a Critical Data Store that was created by an Application that is now no longer executing.

Command Mnemonic(s) \$sc_\$cpu_ES_DeleteCDS

Command Structure

CFE_ES_DeleteCDSCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu ES CMDPC command execution counter will increment
- The CFE ES CDS DELETED INFO EID informational event message will be generated.
- The specified CDS should no longer appear in a CDS Registry dump generated upon receipt of the CFE ES DUMP CDS REGISTRY CC command

Error Conditions

This command may fail for the following reason(s):

- The specified CDS is the CDS portion of a Critical Table
- · The specified CDS is not found in the CDS Registry
- · The specified CDS is associated with an Application that is still active
- · An error occurred while accessing the CDS memory (see the System Log for more details)

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases

Criticality

This command is not critical because it is not possible to delete a CDS that is associated with an active application. However, deleting a CDS does eliminate any "history" that an application may be wishing to keep.

See also

CFE_ES_DUMP_CDS_REGISTRY_CC, CFE_TBL_DELETE_CDS_CC

Definition at line 909 of file default cfe es fcncodes.h.

```
11.43.2.4 CFE_ES_DUMP_CDS_REGISTRY_CC #define CFE_ES_DUMP_CDS_REGISTRY_CC 23
```

Name Dump Critical Data Store Registry to a File

Description

This command allows the user to dump the Critical Data Store Registry to an onboard file.

Command Mnemonic(s) \$sc_\$cpu_ES_WriteCDS2File

Command Structure

```
CFE_ES_DumpCDSRegistryCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE ES CDS REG DUMP INF EID debug event message will be generated.
- The file specified in the command (or the default specified by the CFE_PLATFORM_ES_DEFAULT_CDS_REG_DUMP_FILE configuration parameter) will be updated with the latest information.

Error Conditions

This command may fail for the following reason(s):

- The file name specified could not be parsed
- · Error occurred while creating or writing to the dump file

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

This command is not inherently dangerous. It will create a new file in the file system (or overwrite an existing one) and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

See also

```
CFE ES DELETE CDS CC, CFE TBL DELETE CDS CC
```

Definition at line 990 of file default_cfe_es_fcncodes.h.

```
11.43.2.5 CFE_ES_NOOP_CC #define CFE_ES_NOOP_CC 0
```

Name Executive Services No-Op

Description

This command performs no other function than to increment the command execution counter. The command may be used to verify general aliveness of the Executive Services task.

Command Mnemonic(s) \$sc_\$cpu_ES_NOOP

Command Structure

```
CFE ES NoopCmd t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_BUILD_INF_EID informational event message will be generated
- The CFE_ES_NOOP_INF_EID informational event message will be generated

Error Conditions

This command may fail for the following reason(s):

· The command packet length is incorrect

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- the CFE_ES_LEN_ERR_EID error event message will be generated

Criticality

None

See also

Definition at line 73 of file default_cfe_es_fcncodes.h.

```
11.43.2.6 CFE_ES_OVER_WRITE_SYSLOG_CC #define CFE_ES_OVER_WRITE_SYSLOG_CC 18
```

Name Set Executive Services System Log Mode to Discard/Overwrite

Description

This command allows the user to configure the Executive Services to either discard new System Log messages when it is full or to overwrite the oldest messages.

Command Mnemonic(s) \$sc_\$cpu_ES_OverwriteSysLogMode

Command Structure

```
CFE_ES_OverWriteSysLogCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- $\bullet \ \$sc_\$cpu_ES_CMDPC command \ execution \ counter \ will \ increment$
- \$sc_\$cpu_ES_SYSLOGMODE Current System Log Mode should reflect the commanded value
- The CFE_ES_SYSLOGMODE_EID debug event message will be generated.

Error Conditions

This command may fail for the following reason(s):

• The desired mode is neither CFE ES LogMode OVERWRITE or CFE ES LogMode DISCARD

Evidence of failure may be found in the following telemetry:

- \$sc \$cpu ES CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

None. (It should be noted that "Overwrite" mode would allow a message identifying the cause of a problem to be lost by a subsequent flood of additional messages).

See also

```
CFE_ES_CLEAR_SYSLOG_CC, CFE_ES_WRITE_SYSLOG_CC
```

Definition at line 792 of file default_cfe_es_fcncodes.h.

```
11.43.2.7 CFE_ES_QUERY_ALL_CC #define CFE_ES_QUERY_ALL_CC 9
```

Name Writes all Executive Services Information on all loaded modules to a File

Description

This command takes the information kept by Executive Services on all of the registered applications and libraries and writes it to the specified file.

Command Mnemonic(s) \$sc_\$cpu_ES_WriteAppInfo2File

Command Structure

```
CFE_ES_QueryAllCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_ALL_APPS_EID debug event message will be generated.
- The file specified in the command (or the default specified by the CFE_PLATFORM_ES_DEFAULT_APP_LOG_FILE configuration parameter) will be updated with the latest information.

Error Conditions

This command may fail for the following reason(s):

- · The specified FileName cannot be parsed
- · An Error occurs while trying to write to the file

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

This command is not inherently dangerous. It will create a new file in the file system (or overwrite an existing one) and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

See also

```
CFE ES QUERY ONE CC, CFE ES QUERY ALL TASKS CC
```

Definition at line 428 of file default cfe es fcncodes.h.

11.43.2.8 CFE_ES_QUERY_ALL_TASKS_CC #define CFE_ES_QUERY_ALL_TASKS_CC 24

Name Writes a list of All Executive Services Tasks to a File

Description

This command takes the information kept by Executive Services on all of the registered tasks and writes it to the specified file.

Command Mnemonic(s) \$sc \$cpu ES WriteTaskInfo2File

Command Structure

CFE_ES_QueryAllTasksCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu ES CMDPC command execution counter will increment
- The CFE ES TASKINFO EID debug event message will be generated.
- The file specified in the command (or the default specified by the CFE_PLATFORM_ES_DEFAULT_TASK_LOG_FILE configuration parameter) will be updated with the latest information.

Error Conditions

This command may fail for the following reason(s):

- · The file name specified could not be parsed
- · An Error occurs while trying to write to the file

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

This command is not inherently dangerous. It will create a new file in the file system (or overwrite an existing one) and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

See also

CFE_ES_QUERY_ALL_CC, CFE_ES_QUERY_ONE_CC

Definition at line 1032 of file default cfe es fcncodes.h.

```
11.43.2.9 CFE_ES_QUERY_ONE_CC #define CFE_ES_QUERY_ONE_CC 8
```

Name Request Executive Services Information on a specified module

Description

This command takes the information kept by Executive Services on the specified application or library and telemeters it to the ground.

Command Mnemonic(s) \$sc \$cpu ES QueryApp

Command Structure

```
CFE ES QueryOneCmd t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_ONE_APP_EID debug event message will be generated.
- Receipt of the CFE ES OneAppTlm t telemetry packet

Error Conditions

This command may fail for the following reason(s):

· The specified name is not recognized as an active application or library

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

None

See also

```
CFE_ES_QUERY_ALL_CC, CFE_ES_QUERY_ALL_TASKS_CC
```

Definition at line 386 of file default_cfe_es_fcncodes.h.

```
11.43.2.10 CFE_ES_RELOAD_APP_CC #define CFE_ES_RELOAD_APP_CC 7
```

Name Stops, Unloads, Loads from the command specified File and Restarts an Application

Description

This command halts and removes the specified Application from the system. Then it immediately loads the Application from the command specified file and restarts it. This command is especially useful for restarting a Command Ingest Application since once it has been stopped, no further commands can come in to restart it.

Command Mnemonic(s) \$sc_\$cpu_ES_ReloadApp

Command Structure

CFE ES ReloadAppCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_RELOAD_APP_DBG_EID debug event message will be generated. NOTE: This event message only identifies that the reload process has been initiated, not that it has completed.

Error Conditions

This command may fail for the following reason(s):

- The specified application filename string cannot be parsed
- · The specified application name is not recognized as an active application
- The specified application is one of the cFE's Core applications (ES, EVS, SB, TBL, TIME)

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases
- Additional information on the reason for command failure may be found in the System Log

Criticality

This command is not inherently dangerous, however the restarting of certain applications (e.g. - Spacecraft Attitude and Control) may have a detrimental effect on the spacecraft.

See also

```
CFE_ES_START_APP_CC, CFE_ES_STOP_APP_CC, CFE_ES_RESTART_APP_CC
```

Definition at line 350 of file default_cfe_es_fcncodes.h.

```
11.43.2.11 CFE_ES_RESET_COUNTERS_CC #define CFE_ES_RESET_COUNTERS_CC 1
```

Name Executive Services Reset Counters

Description

This command resets the following counters within the Executive Services housekeeping telemetry:

- · Command Execution Counter
- · Command Error Counter

Command Mnemonic(s) \$sc_\$cpu_ES_ResetCtrs

Command Structure

CFE ES ResetCountersCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter and error counter will be reset to zero
- The CFE_ES_RESET_INF_EID informational event message will be generated

Error Conditions

There are no error conditions for this command. If the Executive Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

This command is not inherently dangerous. However, it is possible for ground systems and on-board safing procedures to be designed such that they react to changes in the counter values that are reset by this command.

See also

```
CFE_ES_RESET_PR_COUNT_CC
```

Definition at line 110 of file default cfe es fcncodes.h.

11.43.2.12 CFE_ES_RESET_PR_COUNT_CC #define CFE_ES_RESET_PR_COUNT_CC 19

Name Resets the Processor Reset Counter to Zero

Description

This command allows the user to reset the Processor Reset Counter to zero. The Processor Reset Counter counts the number of Processor Resets that have occurred so as to identify when a Processor Reset should automatically be upgraded to a full Power-On Reset.

Command Mnemonic(s) \$sc \$cpu ES ResetPRCnt

Command Structure

```
CFE ES ResetPRCountCmd t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu ES CMDPC command execution counter will increment
- \$sc_\$cpu_ES_ProcResetCnt Current number of processor resets will go to zero
- The CFE_ES_RESET_PR_COUNT_EID informational event message will be generated.

Error Conditions

There are no error conditions for this command. If the Executive Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

This command is not critical. The only impact would be that the system would have to have more processor resets before an automatic power-on reset occurred.

See also

```
CFE_ES_SET_MAX_PR_COUNT_CC, CFE_ES_RESET_COUNTERS_CC
```

Definition at line 829 of file default cfe es fcncodes.h.

11.43.2.13 CFE_ES_RESTART_APP_CC #define CFE_ES_RESTART_APP_CC 6

Name Stops, Unloads, Loads using the previous File name, and Restarts an Application

Description

This command halts and removes the specified Application from the system. Then it immediately loads the Application from the same filename last used to start. This command is especially useful for restarting a Command Ingest Application since once it has been stopped, no further commands can come in to restart it.

Command Mnemonic(s) \$sc_\$cpu_ES_ResetApp

Command Structure

CFE_ES_RestartAppCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_RESTART_APP_DBG_EID debug event message will be generated. NOTE: This event message only identifies that the restart process has been initiated, not that it has completed.

Error Conditions

This command may fail for the following reason(s):

- · The original file is missing
- · The specified application name is not recognized as an active application
- The specified application is one of the cFE's Core applications (ES, EVS, SB, TBL, TIME)

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases
- · Additional information on the reason for command failure may be found in the System Log

Criticality

This command is not inherently dangerous, however the restarting of certain applications (e.g. - Spacecraft Attitude and Control) may have a detrimental effect on the spacecraft.

See also

CFE_ES_START_APP_CC, CFE_ES_STOP_APP_CC, CFE_ES_RELOAD_APP_CC

Definition at line 304 of file default cfe es fcncodes.h.

11.43.2.14 CFE_ES_RESTART_CC #define CFE_ES_RESTART_CC 2

Name Executive Services Processor / Power-On Reset

Description

This command restarts the cFE in one of two modes. The Power-On Reset will cause the cFE to restart as though the power were first applied to the processor. The Processor Reset will attempt to retain the contents of the volatile disk and the contents of the Critical Data Store. NOTE: If a requested Processor Reset should cause the Processor Reset Counter (\$sc_\$cpu_ES_ProcResetCnt) to exceed OR EQUAL the limit CFE_PLATFORM_ES_MAX_PROCESSOR_RESETS (which is reported in housekeeping telemetry as \$sc_\cup \$cpu_ES_MaxProcResets), the command is AUTOMATICALLY upgraded to a Power-On Reset.

Command Mnemonic(s) \$sc_\$cpu_ES_ProcessorReset, \$sc_\$cpu_ES_PowerOnReset

Command Structure

CFE ES RestartCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_ProcResetCnt processor reset counter will increment (processor reset) or reset to zero (power-on reset)
- \$sc_\$cpu_ES_ResetType processor reset type will be updated
- \$sc_\$cpu_ES_ResetSubtype processor reset subtype will be updated
- New entries in the Exception Reset Log and System Log can be found NOTE: Verification of a Power-On Reset is shown through the loss of data nominally retained through a Processor Reset

NOTE: Since the reset of the processor resets the command execution counter (\$sc_\$cpu_ES_CMDPC), this counter CANNOT be used to verify command execution.

Error Conditions

This command may fail for the following reason(s):

• The Restart Type was not a recognized value.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- the CFE ES BOOT ERR EID error event message will be generated

Criticality

This command is, by definition, dangerous. Significant loss of data will occur. All processes and the cFE itself will be stopped and restarted. With the Power-On reset option, all data on the volatile disk and the contents of the Critical Data Store will be lost.

See also

CFE_ES_RESET_PR_COUNT_CC, CFE_ES_SET_MAX_PR_COUNT_CC

Definition at line 162 of file default cfe es fcncodes.h.

11.43.2.15 CFE_ES_SEND_MEM_POOL_STATS_CC #define CFE_ES_SEND_MEM_POOL_STATS_CC 22

Name Telemeter Memory Pool Statistics

Description

This command allows the user to obtain a snapshot of the statistics maintained for a specified memory pool.

Command Mnemonic(s) \$sc \$cpu ES PoolStats

Command Structure

CFE_ES_SendMemPoolStatsCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_TLM_POOL_STATS_INFO_EID debug event message will be generated.
- The Memory Pool Statistics Telemetry Packet is produced

Error Conditions

This command may fail for the following reason(s):

· The specified handle is not associated with a known memory pool

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

An incorrect Memory Pool Handle value can cause a system crash. Extreme care should be taken to ensure the memory handle value used in the command is correct.

See also

Definition at line 948 of file default cfe es fcncodes.h.

11.43.2.16 CFE_ES_SET_MAX_PR_COUNT_CC #define CFE_ES_SET_MAX_PR_COUNT_CC 20

Name Configure the Maximum Number of Processor Resets before a Power-On Reset

Description

This command allows the user to specify the number of Processor Resets that are allowed before the next Processor Reset is upgraded to a Power-On Reset.

Command Mnemonic(s) \$sc \$cpu ES SetMaxPRCnt

Command Structure

CFE ES SetMaxPRCountCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu ES CMDPC command execution counter will increment
- \$sc_\$cpu_ES_MaxProcResets Current maximum number of processor resets before an automatic power-on reset will go to the command specified value.
- The CFE ES SET MAX PR COUNT EID informational event message will be generated.

Error Conditions

There are no error conditions for this command. If the Executive Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

If the operator were to set the Maximum Processor Reset Count to too high a value, the processor would require an inordinate number of consecutive processor resets before an automatic power-on reset would occur. This could potentially leave the spacecraft without any control for a significant amount of time if a processor reset fails to clear a problem.

See also

```
CFE_ES_RESET_PR_COUNT_CC
```

Definition at line 867 of file default_cfe_es_fcncodes.h.

```
11.43.2.17 CFE_ES_SET_PERF_FILTER_MASK_CC #define CFE_ES_SET_PERF_FILTER_MASK_CC 16
```

Name Set Performance Analyzer's Filter Masks

Description

This command sets the Performance Analyzer's Filter Masks.

Command Mnemonic(s) \$sc \$cpu ES LAFilterMask

Command Structure

```
CFE_ES_SetPerfFilterMaskCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu ES CMDPC command execution counter will increment
- \$sc_\$cpu_ES_PerfF1trMask[MaskCnt] the current performance filter mask value(s) should reflect
 the commanded value
- The CFE ES PERF FILTMSKCMD EID debug event message will be generated.

Error Conditions

This command may fail for the following reason(s):

The Filter Mask ID number is out of range

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

Changing the filter masks may cause a small change in the Performance Analyzer's CPU utilization.

See also

CFE_ES_START_PERF_DATA_CC, CFE_ES_STOP_PERF_DATA_CC, CFE_ES_SET_PERF_TRIGGER_MASK_CC Definition at line 715 of file default cfe es fcncodes.h.

11.43.2.18 CFE_ES_SET_PERF_TRIGGER_MASK_CC #define CFE_ES_SET_PERF_TRIGGER_MASK_CC 17

Name Set Performance Analyzer's Trigger Masks

Description

This command sets the Performance Analyzer's Trigger Masks.

Command Mnemonic(s) \$sc_\$cpu_ES_LATriggerMask

Command Structure

CFE_ES_SetPerfTriggerMaskCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- \$sc_\$cpu_ES_PerfTrigMask[MaskCnt] the current performance trigger mask value(s) should reflect the commanded value
- The CFE_ES_PERF_TRIGMSKCMD_EID debug event message will be generated.

Error Conditions

This command may fail for the following reason(s):

The Trigger Mask ID number is out of range

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases

Criticality

Changing the trigger masks may cause a small change in the Performance Analyzer's CPU utilization.

See also

CFE_ES_START_PERF_DATA_CC, CFE_ES_STOP_PERF_DATA_CC, CFE_ES_SET_PERF_FILTER_MASK_CC Definition at line 752 of file default cfe es fcncodes.h.

```
11.43.2.19 CFE_ES_START_APP_CC #define CFE_ES_START_APP_CC 4
```

Name Load and Start an Application

Description

This command starts the specified application with the specified start address, stack size, etc options.

Command Mnemonic(s) \$sc_\$cpu_ES_StartApp

Command Structure

```
CFE_ES_StartAppCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_START_INF_EID informational event message will be generated

Error Conditions

This command may fail for the following reason(s):

- The specified application filename string cannot be parsed
- · The specified application entry point is an empty string
- · The specified application name is an empty string
- · The specified priority is greater than 255
- The specified exception action is neither CFE_ES_ExceptionAction_RESTART_APP (0) or CFE_ES_ExceptionAction_PROC_
 (1)
- The Operating System was unable to load the specified application file

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

This command is not inherently dangerous although system resources could be taxed beyond their limits with the starting of erroneous or invalid applications.

See also

```
CFE_ES_STOP_APP_CC, CFE_ES_RESTART_APP_CC, CFE_ES_RELOAD_APP_CC
```

Definition at line 205 of file default cfe es fcncodes.h.

11.43.2.20 CFE_ES_START_PERF_DATA_CC #define CFE_ES_START_PERF_DATA_CC 14

Name Start Performance Analyzer

Description

This command causes the Performance Analyzer to begin collecting data using the specified trigger mode.

Command Mnemonic(s) \$sc \$cpu ES StartLAData

Command Structure

CFE ES StartPerfDataCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- \$sc_\$cpu_ES_PerfState Current performance analyzer state will change to either WAITING FOR TRIGGER or, if conditions are appropriate fast enough, TRIGGERED.
- \$sc_\$cpu_ES_PerfMode Performance Analyzer Mode will change to the commanded trigger mode (TRIGGER START, TRIGGER CENTER, or TRIGGER END).
- \$sc_\$cpu_ES_PerfTrigCnt Performance Trigger Count will go to zero
- \$sc_\$cpu_ES_PerfDataStart Data Start Index will go to zero
- \$sc_\$cpu_ES_PerfDataEnd Data End Index will go to zero
- \$sc_\$cpu_ES_PerfDataCnt Performance Data Counter will go to zero
- The CFE_ES_PERF_STARTCMD_EID debug event message will be generated.

Error Conditions

This command may fail for the following reason(s):

- A previous CFE_ES_STOP_PERF_DATA_CC command has not completely finished.
- · An invalid trigger mode is requested.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases

Criticality

This command is not inherently dangerous but may cause a small increase in CPU utilization as the performance analyzer data is collected.

See also

CFE_ES_STOP_PERF_DATA_CC, CFE_ES_SET_PERF_FILTER_MASK_CC, CFE_ES_SET_PERF_TRIGGER_MASK_CC

Definition at line 628 of file default cfe es fcncodes.h.

11.43.2.21 CFE_ES_STOP_APP_CC #define CFE_ES_STOP_APP_CC 5

Name Stop and Unload Application

Description

This command halts and removes the specified Application from the system. **NOTE:** This command should never be used on the Command Ingest application. This would prevent further commands from entering the system. If Command Ingest needs to be stopped and restarted, use CFE_ES_RESTART_APP_CC or CFE_ES_RELOAD_APP_CC.

Command Mnemonic(s) \$sc_\$cpu_ES_StopApp

Command Structure

CFE ES StopAppCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_STOP_DBG_EID debug event message will be generated. NOTE: This event message only identifies that the stop request has been initiated, not that it has completed.
- Once the stop has successfully completed, the list of Applications and Tasks created in response to
 the \$sc_\$cpu_ES_WriteAppInfo2File, \$sc_\$cpu_ES_WriteTaskInfo2File should no
 longer contain the specified application.
- \$sc_\$cpu_ES_RegTasks number of tasks will decrease after tasks associated with app (main task and any child tasks) are stopped
- \$sc_\$cpu_ES_RegExtApps external application counter will decrement after app is cleaned up

Error Conditions

This command may fail for the following reason(s):

- · The specified application name is not recognized as an active application
- The specified application is one of the cFE's Core applications (ES, EVS, SB, TBL, TIME)

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases
- · Additional information on the reason for command failure may be found in the System Log

Criticality

This command is not inherently dangerous, however the removal of certain applications (e.g. - Spacecraft Attitude and Control) may have a detrimental effect on the spacecraft.

See also

CFE ES START APP CC, CFE ES RESTART APP CC, CFE ES RELOAD APP CC

Definition at line 258 of file default cfe es fcncodes.h.

11.43.2.22 CFE_ES_STOP_PERF_DATA_CC #define CFE_ES_STOP_PERF_DATA_CC 15

Name Stop Performance Analyzer and write data file

Description

This command stops the Performance Analyzer from collecting any more data, and writes all previously collected performance data to a log file.

Command Mnemonic(s) \$sc_\$cpu_ES_StopLAData

Command Structure

CFE ES StopPerfDataCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- \$sc_\$cpu_ES_PerfState Current performance analyzer state will change to IDLE.
- The CFE_ES_PERF_STOPCMD_EID debug event message will be generated to indicate that data collection has been stopped. NOTE: Performance log data is written to the file as a background job. This event indicates that the file write process is initiated, not that it has completed.
- The file specified in the command (or the default specified by the CFE_PLATFORM_ES_DEFAULT_PERF_DUMP_FILENAME configuration parameter) will be updated with the latest information.

Error Conditions

This command may fail for the following reason(s):

- The file name specified could not be parsed
- · Log data from a previous Stop Performance Analyzer command is still being written to a file.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

NOTE: The performance analyzer data collection will still be stopped in the event of an error parsing the log file name or writing the log file.

Criticality

This command is not inherently dangerous. However, depending on configuration, performance data log files may be large in size and thus may fill the available storage.

See also

CFE_ES_START_PERF_DATA_CC, CFE_ES_SET_PERF_FILTER_MASK_CC, CFE_ES_SET_PERF_TRIGGER_MASK_CC

Definition at line 678 of file default cfe es fcncodes.h.

11.43.2.23 CFE_ES_WRITE_ER_LOG_CC #define CFE_ES_WRITE_ER_LOG_CC 13

Name Writes Exception and Reset Log to a File

Description

This command causes the contents of the Executive Services Exception and Reset Log to be written to the specified file.

Command Mnemonic(s) \$sc_\$cpu_ES_WriteERLog2File

Command Structure

CFE_ES_WriteERLogCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_ERLOG2_EID debug event message will be generated.
- The file specified in the command (or the default specified by the CFE_PLATFORM_ES_DEFAULT_ER_LOG_FILE configuration parameter) will be updated with the latest information.

Error Conditions

This command may fail for the following reason(s):

- · A previous request to write the ER log has not yet completed
- · The specified FileName cannot be parsed
- · An Error occurs while trying to write to the file

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

This command is not inherently dangerous. It will create a new file in the file system (or overwrite an existing one) and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

See also

CFE_ES_CLEAR_SYSLOG_CC, CFE_ES_WRITE_SYSLOG_CC, CFE_ES_CLEAR_ER_LOG_CC

Definition at line 583 of file default cfe es fcncodes.h.

11.43.2.24 CFE_ES_WRITE_SYSLOG_CC #define CFE_ES_WRITE_SYSLOG_CC 11

Name Writes contents of Executive Services System Log to a File

Description

This command causes the contents of the Executive Services System Log to be written to a log file.

Command Mnemonic(s) \$sc_\$cpu_ES_WriteSysLog2File

Command Structure

CFE_ES_WriteSysLogCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu ES CMDPC command execution counter will increment
- The CFE ES SYSLOG2 EID debug event message will be generated.
- The file specified in the command (or the default specified by the CFE_PLATFORM_ES_DEFAULT_SYSLOG_FILE configuration parameter) will be updated with the latest information.

Error Conditions

This command may fail for the following reason(s):

- · The specified FileName cannot be parsed
- · An Error occurs while trying to write to the file

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases

Criticality

This command is not inherently dangerous. It will create a new file in the file system (or overwrite an existing one) and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

See also

CFE_ES_CLEAR_SYSLOG_CC, CFE_ES_CLEAR_ER_LOG_CC, CFE_ES_WRITE_ER_LOG_CC, CFE_ES_OVER_WRITE_SYS

Definition at line 506 of file default_cfe_es_fcncodes.h.

11.44 cfe/modules/es/config/default_cfe_es_interface_cfg.h File Reference

Macros

- #define CFE MISSION ES MAX APPLICATIONS 16
- #define CFE MISSION ES PERF MAX IDS 128
- #define CFE MISSION ES POOL MAX BUCKETS 17
- #define CFE MISSION ES CDS MAX NAME LENGTH 16
- #define CFE_MISSION_ES_DEFAULT_CRC CFE_ES_CrcType_16_ARC
- #define CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN (CFE_MISSION_ES_CDS_MAX_NAME_LENGTH + CFE_MISSION_MAX_API_LEN + 4)

Checksum/CRC algorithm identifiers

- #define CFE_MISSION_ES_CRC_8 CFE_ES_CrcType_CRC_8
- #define CFE_MISSION_ES_CRC_16 CFE_ES_CrcType_CRC_16
- #define CFE_MISSION_ES_CRC_32 CFE_ES_CrcType_CRC_32

11.44.1 Detailed Description

CFE Executive Services (CFE ES) Application Public Definitions

This provides default values for configurable items that affect the interface(s) of this module. This includes the CMD/TLM message interface, tables definitions, and any other data products that serve to exchange information with other entities.

Note

This file may be overridden/superceded by mission-provided definitions either by overriding this header or by generating definitions from a command/data dictionary tool.

11.44.2 Macro Definition Documentation

11.44.2.1 CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN #define CFE_MISSION_ES_CDS_MAX_FULL_NAME_←
LEN (CFE_MISSION_ES_CDS_MAX_NAME_LENGTH + CFE_MISSION_MAX_API_LEN + 4)

Purpose Maximum Length of Full CDS Name in messages

Description:

Indicates the maximum length (in characters) of the entire CDS name of the following form: "ApplicationName. ← CDSName"

This affects the layout of command/telemetry messages but does not affect run time behavior or internal allocation.

Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 143 of file default_cfe_es_interface_cfg.h.

11.44.2.2 CFE MISSION ES CDS MAX NAME LENGTH #define CFE_MISSION_ES_CDS_MAX_NAME_LENGTH 16

Purpose Maximum Length of CDS Name

Description:

Indicates the maximum length (in characters) of the CDS name ('CDSName') portion of a Full CDS Name of the following form: "ApplicationName.CDSName"

This length does not need to include an extra character for NULL termination.

Limits

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 109 of file default_cfe_es_interface_cfg.h.

11.44.2.3 CFE_MISSION_ES_CRC_16 #define CFE_MISSION_ES_CRC_16 CFE_ES_CrcType_CRC_16 Definition at line 151 of file default cfe es interface cfg.h.

11.44.2.4 CFE_MISSION_ES_CRC_32 #define CFE_MISSION_ES_CRC_32 CFE_ES_CrcType_CRC_32 Definition at line 152 of file default cfe es interface cfg.h.

11.44.2.5 CFE_MISSION_ES_CRC_8 #define CFE_MISSION_ES_CRC_8 CFE_ES_CrcType_CRC_8 Definition at line 150 of file default cfe es interface cfg.h.

11.44.2.6 CFE_MISSION_ES_DEFAULT_CRC #define CFE_MISSION_ES_DEFAULT_CRC CFE_ES_CrcType_16_ARC

Purpose Mission Default CRC algorithm

Description:

Indicates the which CRC algorithm should be used as the default for verifying the contents of Critical Data Stores and when calculating Table Image data integrity values.

Limits

Currently only CFE_ES_CrcType_16_ARC is supported (see brief in CFE_ES_CrcType_Enum definition in cfe_es_api_typedefs.h)

Definition at line 123 of file default_cfe_es_interface_cfg.h.

11.44.2.7 CFE MISSION ES MAX APPLICATIONS #define CFE_MISSION_ES_MAX_APPLICATIONS 16

Purpose Mission Max Apps in a message

Description:

Indicates the maximum number of apps in a telemetry housekeeping message

This affects the layout of command/telemetry messages but does not affect run time behavior or internal allocation. Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

Definition at line 49 of file default cfe es interface cfg.h.

11.44.2.8 CFE_MISSION_ES_PERF_MAX_IDS #define CFE_MISSION_ES_PERF_MAX_IDS 128

Purpose Define Max Number of Performance IDs for messages

Description:

Defines the maximum number of perf ids allowed.

Each performance id is used to identify something that needs to be measured. Performance ids are limited to the range of 0 to CFE_MISSION_ES_PERF_MAX_IDS - 1. Any performance ids outside of this range will be ignored and will be flagged as an error.

This affects the layout of telemetry messages but does not affect run time behavior or internal allocation.

Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

Definition at line 71 of file default cfe es interface cfg.h.

11.44.2.9 CFE_MISSION_ES_POOL_MAX_BUCKETS #define CFE_MISSION_ES_POOL_MAX_BUCKETS 17

Purpose Maximum number of block sizes in pool structures

Description:

The upper limit for the number of block sizes supported in the generic pool implementation, which in turn implements the memory pools and CDS. This definition is used as the array size with the pool stats structure, and therefore should be consistent across all CPUs in a mission, as well as with the ground station.

There is also a platform-specific limit which may be fewer than this value.

Limits:

Must be at least one. No specific upper limit, but the number is anticipated to be reasonably small (i.e. tens, not hundreds). Large values have not been tested.

Definition at line 92 of file default_cfe_es_interface_cfg.h.

11.45 cfe/modules/es/config/default cfe es internal cfg.h File Reference

Macros

- #define CFE PLATFORM ES START TASK PRIORITY 68
- #define CFE_PLATFORM_ES_START_TASK_STACK_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE
- #define CFE_PLATFORM_ES_NONVOL_DISK_MOUNT_STRING "/cf"
- #define CFE PLATFORM ES RAM DISK MOUNT STRING "/ram"
- #define CFE PLATFORM ES MAX APPLICATIONS 32
- #define CFE PLATFORM ES MAX LIBRARIES 10
- #define CFE PLATFORM ES ER LOG ENTRIES 20
- #define CFE_PLATFORM_ES_ER_LOG_MAX_CONTEXT_SIZE 256
- #define CFE PLATFORM ES SYSTEM LOG SIZE 3072
- #define CFE PLATFORM ES OBJECT TABLE SIZE 30
- #define CFE PLATFORM ES MAX GEN COUNTERS 8
- #define CFE_PLATFORM_ES_APP_SCAN_RATE 1000
- #define CFE PLATFORM ES APP KILL TIMEOUT 5
- #define CFE PLATFORM ES RAM DISK SECTOR SIZE 512
- #define CFE PLATFORM ES RAM DISK NUM SECTORS 4096
- #define CFE PLATFORM ES RAM DISK PERCENT RESERVED 30
- #define CFE_PLATFORM_ES_CDS_SIZE (128 * 1024)
- #define CFE_PLATFORM_ES_USER_RESERVED_SIZE (1024 * 1024)
- #define CFE_PLATFORM_ES_MEMPOOL_ALIGN_SIZE_MIN 4
- #define CFE PLATFORM ES NONVOL STARTUP FILE "/cf/cfe es startup.scr"
- #define CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE "/ram/cfe_es_startup.scr"
- #define CFE_PLATFORM_ES_DEFAULT_APP_LOG_FILE "/ram/cfe_es_app_info.log"
- #define CFE_PLATFORM_ES_DEFAULT_TASK_LOG_FILE "/ram/cfe_es_taskinfo.log"
- #define CFE_PLATFORM_ES_DEFAULT_SYSLOG_FILE "/ram/cfe_es_syslog.log"
- #define CFE PLATFORM ES DEFAULT ER LOG FILE "/ram/cfe erlog.log"
- #define CFE_PLATFORM_ES_DEFAULT_PERF_DUMP_FILENAME "/ram/cfe_es_perf.dat"
- #define CFE PLATFORM ES DEFAULT CDS REG DUMP FILE "/ram/cfe cds reg.log"
- #define CFE_PLATFORM_ES_DEFAULT_POR_SYSLOG_MODE 0
- #define CFE_PLATFORM_ES_DEFAULT_PR_SYSLOG_MODE 1
- #define CFE PLATFORM ES PERF DATA BUFFER SIZE 10000
- #define CFE_PLATFORM_ES_PERF_FILTMASK_NONE 0

- #define CFE_PLATFORM_ES_PERF_FILTMASK_ALL ~CFE_PLATFORM_ES_PERF_FILTMASK_NONE
- #define CFE_PLATFORM_ES_PERF_FILTMASK_INIT CFE_PLATFORM_ES_PERF_FILTMASK_ALL
- #define CFE_PLATFORM_ES_PERF_TRIGMASK_NONE 0
- #define CFE_PLATFORM_ES_PERF_TRIGMASK_ALL ~CFE_PLATFORM_ES_PERF_TRIGMASK_NONE
- #define CFE PLATFORM ES PERF TRIGMASK INIT CFE PLATFORM ES PERF TRIGMASK NONE
- #define CFE_PLATFORM_ES_PERF_CHILD_PRIORITY 200
- #define CFE_PLATFORM_ES_PERF_CHILD_STACK_SIZE 4096
- #define CFE_PLATFORM_ES_PERF_CHILD_MS_DELAY 20
- #define CFE PLATFORM ES PERF ENTRIES BTWN DLYS 50
- #define CFE PLATFORM ES DEFAULT STACK SIZE 8192
- #define CFE_PLATFORM_ES_CDS_MAX_NUM_ENTRIES 512
- #define CFE_PLATFORM_ES_MAX_PROCESSOR_RESETS 2
- #define CFE_PLATFORM_ES_POOL_MAX_BUCKETS 17
- #define CFE_PLATFORM_ES_MAX_MEMORY_POOLS 10
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01 8
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02 16
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03 32
- #define CFE PLATFORM ES MEM BLOCK SIZE 04 48
- #define CFE PLATFORM ES MEM BLOCK SIZE 05 64
- #define CFE PLATFORM ES MEM BLOCK SIZE 06 96
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07 128
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_08 160
- #define CFE PLATFORM ES MEM BLOCK SIZE 09 256
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_10 512
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11 1024
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_12 2048
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_13 4096
- #define CFE PLATFORM ES MEM BLOCK SIZE 14 8192
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_15 16384
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_16 32768
- #define CFE_PLATFORM_ES_MAX_BLOCK_SIZE 80000
- #define CFE PLATFORM ES CDS MEM BLOCK SIZE 01 8
- #define CFE PLATFORM ES CDS MEM BLOCK SIZE 02 16
- #define CFE PLATFORM ES CDS MEM BLOCK SIZE 03 32
- #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_04 48
- #define CFE PLATFORM ES CDS MEM BLOCK SIZE 05 64
- #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_06 96
- #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_07 128
- #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_08 160
- #define CFE PLATFORM ES CDS MEM BLOCK SIZE 09 256
- #define CFE PLATFORM ES CDS MEM BLOCK SIZE 10 512
- #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_11 1024
- #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_12 2048
- #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_13 4096
- #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_14 8192
- #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_15 16384
- #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_16 32768
- #define CFE_PLATFORM_ES_CDS_MAX_BLOCK_SIZE 80000
- #define CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC 50
- #define CFE PLATFORM ES STARTUP SCRIPT TIMEOUT MSEC 1000

11.45.1 Detailed Description

CFE Executive Services (CFE_ES) Application Private Config Definitions

This provides default values for configurable items that are internal to this module and do NOT affect the interface(s) of this module. Changes to items in this file only affect the local module and will be transparent to external entities that are using the public interface(s).

Note

This file may be overridden/superceded by mission-provided definitions either by overriding this header or by generating definitions from a command/data dictionary tool.

11.45.2 Macro Definition Documentation

11.45.2.1 CFE_PLATFORM_ES_APP_KILL_TIMEOUT #define CFE_PLATFORM_ES_APP_KILL_TIMEOUT 5

Purpose Define ES Application Kill Timeout

Description:

ES Application Kill Timeout. This parameter controls the number of "scan periods" that ES will wait for an application to Exit after getting the signal Delete, Reload or Restart. The sequence works as follows:

- 1. ES will set the control request for an App to Delete/Restart/Reload and set this kill timer to the value in this parameter.
- If the App is responding and Calls it's RunLoop function, it will drop out of it's main loop and call CFE_ES
 _ExitApp. Once it calls Exit App, then ES can delete, restart, or reload the app the next time it scans the app table.
- 3. If the App is not responding, the ES App will decrement this Kill Timeout value each time it runs. If the timeout value reaches zero, ES will kill the app.

The Kill timeout value depends on the CFE_PLATFORM_ES_APP_SCAN_RATE. If the Scan Rate is 1000, or 1 second, and this CFE_PLATFORM_ES_APP_KILL_TIMEOUT is set to 5, then it will take 5 seconds to kill a non-responding App. If the Scan Rate is 250, or 1/4 second, and the CFE_PLATFORM_ES_APP_KILL_TIMEOUT is set to 2, then it will take 1/2 second to time out.

Limits

There is a lower limit of 1 and an upper limit of 100 on this configuration parameter. Units are number of CFE_PLATFORM_ES_APP_SCAN_RATE cycles.

Definition at line 232 of file default cfe es internal cfg.h.

11.45.2.2 CFE_PLATFORM_ES_APP_SCAN_RATE #define CFE_PLATFORM_ES_APP_SCAN_RATE 1000

Purpose Define ES Application Control Scan Rate

Description:

ES Application Control Scan Rate. This parameter controls the speed that ES scans the Application Table looking for App Delete/Restart/Reload requests. All Applications are deleted, restarted, or reloaded by the ES Application. ES will periodically scan for control requests to process. The scan rate is controlled by this parameter, which is given in milliseconds. A value of 1000 means that ES will scan the Application Table once per second. Be careful not to set the value of this too low, because ES will use more CPU cycles scanning the table.

Limits

There is a lower limit of 100 and an upper limit of 20000 on this configuration parameter. millisecond units.

Definition at line 203 of file default_cfe_es_internal_cfg.h.

11.45.2.3 CFE_PLATFORM_ES_CDS_MAX_BLOCK_SIZE #define CFE_PLATFORM_ES_CDS_MAX_BLOCK_SI

ZE 80000

Definition at line 774 of file default cfe es internal cfg.h.

11.45.2.4 CFE_PLATFORM_ES_CDS_MAX_NUM_ENTRIES #define CFE_PLATFORM_ES_CDS_MAX_NUM_ENTRI← ES 512

Purpose Define Maximum Number of Registered CDS Blocks

Description:

Maximum number of registered CDS Blocks

Limits

There is a lower limit of 8. There are no restrictions on the upper limit however, the maximum number of CDS entries is system dependent and should be verified.

Definition at line 664 of file default_cfe_es_internal_cfg.h.

11.45.2.5 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_01 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SI

ZE_01 8

Purpose Define ES Critical Data Store Memory Pool Block Sizes

Description:

Intermediate ES Critical Data Store Memory Pool Block Sizes

Limits

These sizes MUST be increasing and MUST be an integral multiple of 4.

Definition at line 758 of file default_cfe_es_internal_cfg.h.

11.45.2.6 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_02 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SI

ZE_02 16

Definition at line 759 of file default_cfe_es_internal_cfg.h.

11.45.2.7 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_03 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SI

ZE_03 32

Definition at line 760 of file default cfe es internal cfg.h.

11.45.2.8 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_04 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SI ← ZE 04 48

Definition at line 761 of file default_cfe_es_internal_cfg.h.

11.45.2.9 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_05 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SI ← ZE_05 64

Definition at line 762 of file default cfe es internal cfg.h.

11.45.2.10 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_06 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_S↔ IZE_06 96

Definition at line 763 of file default_cfe_es_internal_cfg.h.

11.45.2.11 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_07 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_S↔ IZE_07 128

Definition at line 764 of file default cfe es internal cfg.h.

11.45.2.12 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_08 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_S↔ IZE_08 160

Definition at line 765 of file default cfe es internal cfg.h.

11.45.2.13 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_09 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_S ← IZE_09 256

Definition at line 766 of file default cfe es internal cfg.h.

11.45.2.14 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_10 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_S↔ IZE_10 512

Definition at line 767 of file default_cfe_es_internal_cfg.h.

11.45.2.15 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_11 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_S↔ IZE_11 1024

Definition at line 768 of file default_cfe_es_internal_cfg.h.

11.45.2.16 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_12 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_S↔ IZE_12 2048

Definition at line 769 of file default_cfe_es_internal_cfg.h.

11.45.2.17 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_13 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_S ← IZE 13 4096

Definition at line 770 of file default cfe es internal cfg.h.

11.45.2.18 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_14 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_S↔ IZE 14 8192

Definition at line 771 of file default_cfe_es_internal_cfg.h.

11.45.2.19 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_15 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_S↔ IZE_15 16384

Definition at line 772 of file default cfe es internal cfg.h.

11.45.2.20 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_16 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_S ← IZE_16 32768

Definition at line 773 of file default_cfe_es_internal_cfg.h.

11.45.2.21 CFE_PLATFORM_ES_CDS_SIZE #define CFE_PLATFORM_ES_CDS_SIZE (128 * 1024)

Purpose Define Critical Data Store Size

Description:

Defines the Critical Data Store (CDS) area size in bytes size. The CDS is one of four memory areas that are preserved during a processor reset. NOTE: Changing this value changes memory allocation, and may require changes to platform specific values (in CFE_PSP) such as USER_RESERVED_MEM in VxWorks depending on the memory areas being used for preserved data and on OS specific behavior.

Limits

There is a lower limit of 8192 and an upper limit of UINT MAX (4 Gigabytes) on this configuration parameter.

Definition at line 309 of file default_cfe_es_internal_cfg.h.

11.45.2.22 CFE_PLATFORM_ES_DEFAULT_APP_LOG_FILE #define CFE_PLATFORM_ES_DEFAULT_APP_LOG_← FILE "/ram/cfe_es_app_info.log"

Purpose Default Application Information Filename

Description:

The value of this constant defines the filename used to store information pertaining to all of the Applications that are registered with Executive Services. This filename is used only when no filename is specified in the the command to query all system apps.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 391 of file default cfe es internal cfg.h.

11.45.2.23 CFE_PLATFORM_ES_DEFAULT_CDS_REG_DUMP_FILE #define CFE_PLATFORM_ES_DEFAULT_CD← S_REG_DUMP_FILE "/ram/cfe_cds_reg.log"

Purpose Default Critical Data Store Registry Filename

Description:

The value of this constant defines the filename used to store the Critical Data Store Registry. This filename is used only when no filename is specified in the command to stop performance data collecting.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 465 of file default cfe es internal cfg.h.

11.45.2.24 CFE_PLATFORM_ES_DEFAULT_ER_LOG_FILE #define CFE_PLATFORM_ES_DEFAULT_ER_LOG_FI←
LE "/ram/cfe_erlog.log"

Purpose Default Exception and Reset (ER) Log Filename

Description:

The value of this constant defines the filename used to store the Exception and Reset (ER) Log. This filename is used only when no filename is specified in the command to dump the ER log. No file specified in the cmd means the first character in the cmd filename is a NULL terminator (zero).

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 437 of file default cfe es internal cfg.h.

11.45.2.25 CFE_PLATFORM_ES_DEFAULT_PERF_DUMP_FILENAME #define CFE_PLATFORM_ES_DEFAULT_←
PERF_DUMP_FILENAME "/ram/cfe_es_perf.dat"

Purpose Default Performance Data Filename

Description:

The value of this constant defines the filename used to store the Performance Data. This filename is used only when no filename is specified in the command to stop performance data collecting.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 451 of file default cfe es internal cfg.h.

11.45.2.26 CFE_PLATFORM_ES_DEFAULT_POR_SYSLOG_MODE #define CFE_PLATFORM_ES_DEFAULT_POR← SYSLOG MODE 0

Purpose Define Default System Log Mode following Power On Reset

Description:

Defines the default mode for the operation of the ES System log following a power on reset. The log may operate in either Overwrite mode = 0, where once the log becomes full the oldest message in the log will be overwritten, or Discard mode = 1, where once the log becomes full the contents of the log are preserved and the new event is discarded. This constant may hold a value of either 0 or 1 depending on the desired default. Overwrite Mode = 0, Discard Mode = 1.

Limits

There is a lower limit of 0 and an upper limit of 1 on this configuration parameter.

Definition at line 483 of file default_cfe_es_internal_cfg.h.

11.45.2.27 CFE_PLATFORM_ES_DEFAULT_PR_SYSLOG_MODE #define CFE_PLATFORM_ES_DEFAULT_PR_S↔ YSLOG_MODE 1

Purpose Define Default System Log Mode following Processor Reset

Description:

Defines the default mode for the operation of the ES System log following a processor reset. The log may operate in either Overwrite mode = 0, where once the log becomes full the oldest message in the log will be overwritten, or Discard mode = 1, where once the log becomes full the contents of the log are preserved and the new event is discarded. This constant may hold a value of either 0 or 1 depending on the desired default. Overwrite Mode = 0, Discard Mode = 1.

Limits

There is a lower limit of 0 and an upper limit of 1 on this configuration parameter.

Definition at line 501 of file default cfe es internal cfg.h.

11.45.2.28 CFE_PLATFORM_ES_DEFAULT_STACK_SIZE #define CFE_PLATFORM_ES_DEFAULT_STACK_SI

ZE 8192

Purpose Define Default Stack Size for an Application

Description:

This parameter defines a default stack size. This parameter is used by the cFE Core Applications.

Limits

There is a lower limit of 2048. There are no restrictions on the upper limit however, the maximum stack size is system dependent and should be verified. Most operating systems provide tools for measuring the amount of stack used by a task during operation. It is always a good idea to verify that no more than 1/2 of the stack is used.

Definition at line 651 of file default cfe es internal cfg.h.

11.45.2.29 CFE_PLATFORM_ES_DEFAULT_SYSLOG_FILE #define CFE_PLATFORM_ES_DEFAULT_SYSLOG_FI←
LE "/ram/cfe_es_syslog.log"

Purpose Default System Log Filename

Description:

The value of this constant defines the filename used to store important information (as ASCII text strings) that might not be able to be sent in an Event Message. This filename is used only when no filename is specified in the command to dump the system log. No file specified in the cmd means the first character in the cmd filename is a NULL terminator (zero).

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 422 of file default_cfe_es_internal_cfg.h.

11.45.2.30 CFE_PLATFORM_ES_DEFAULT_TASK_LOG_FILE #define CFE_PLATFORM_ES_DEFAULT_TASK_LO← G_FILE "/ram/cfe_es_taskinfo.log"

Purpose Default Application Information Filename

Description:

The value of this constant defines the filename used to store information pertaining to all of the Applications that are registered with Executive Services. This filename is used only when no filename is specified in the the command to query all system tasks.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 406 of file default_cfe_es_internal_cfg.h.

11.45.2.31 CFE_PLATFORM_ES_ER_LOG_ENTRIES #define CFE_PLATFORM_ES_ER_LOG_ENTRIES 20

Purpose Define Max Number of ER (Exception and Reset) log entries

Description:

Defines the maximum number of ER (Exception and Reset) log entries

Limits

There is a lower limit of 1. There are no restrictions on the upper limit however, the maximum number of log entries is system dependent and should be verified.

Definition at line 130 of file default cfe es internal cfg.h.

11.45.2.32 CFE_PLATFORM_ES_ER_LOG_MAX_CONTEXT_SIZE #define CFE_PLATFORM_ES_ER_LOG_MAX_C↔ ONTEXT_SIZE 256

Purpose Maximum size of CPU Context in ES Error Log

Description:

This should be large enough to accommodate the CPU context information supplied by the PSP on the given platform.

Limits:

Must be greater than zero and a multiple of sizeof(uint32). Limited only by the available memory and the number of entries in the error log. Any context information beyond this size will be truncated.

Definition at line 144 of file default cfe es internal cfg.h.

11.45.2.33 CFE_PLATFORM_ES_MAX_APPLICATIONS #define CFE_PLATFORM_ES_MAX_APPLICATIONS 32

Purpose Define Max Number of Applications

Description:

Defines the maximum number of applications that can be loaded into the system. This number does not include child tasks.

Limits

There is a lower limit of 6. The lower limit corresponds to the cFE internal applications. There are no restrictions on the upper limit however, the maximum number of applications is system dependent and should be verified. AppIDs that are checked against this configuration are defined by a 32 bit data word.

Definition at line 103 of file default_cfe_es_internal_cfg.h.

11.45.2.34 CFE_PLATFORM_ES_MAX_BLOCK_SIZE #define CFE_PLATFORM_ES_MAX_BLOCK_SIZE 80000 Definition at line 747 of file default cfe es internal cfg.h.

11.45.2.35 CFE PLATFORM ES MAX GEN COUNTERS #define CFE_PLATFORM_ES_MAX_GEN_COUNTERS 8

Purpose Define Max Number of Generic Counters

Description:

Defines the maximum number of Generic Counters that can be registered.

Limits

This parameter has a lower limit of 1 and an upper limit of 65535.

Definition at line 184 of file default cfe es internal cfg.h.

11.45.2.36 CFE_PLATFORM_ES_MAX_LIBRARIES #define CFE_PLATFORM_ES_MAX_LIBRARIES 10

Purpose Define Max Number of Shared libraries

Description:

Defines the maximum number of cFE Shared libraries that can be loaded into the system.

Limits

There is a lower limit of 1. There are no restrictions on the upper limit however, the maximum number of libraries is system dependent and should be verified.

Definition at line 117 of file default_cfe_es_internal_cfg.h.

11.45.2.37 CFE_PLATFORM_ES_MAX_MEMORY_POOLS #define CFE_PLATFORM_ES_MAX_MEMORY_POOLS 10

Purpose Maximum number of memory pools

Description:

The upper limit for the number of memory pools that can concurrently exist within the system.

The CFE_SB and CFE_TBL core subsystems each define a memory pool.

Individual applications may also create memory pools, so this value should be set sufficiently high enough to support the applications being used on this platform.

Limits:

Must be at least 2 to support CFE core - SB and TBL pools. No specific upper limit.

Definition at line 712 of file default_cfe_es_internal_cfg.h.

11.45.2.38 CFE_PLATFORM_ES_MAX_PROCESSOR_RESETS #define CFE_PLATFORM_ES_MAX_PROCESSOR_← RESETS 2

Purpose Define Number of Processor Resets Before a Power On Reset

Description:

Number of Processor Resets before a Power On Reset is called. If set to 2, then 2 processor resets will occur, and the 3rd processor reset will be a power on reset instead.

Limits

There is a lower limit of 0. There are no restrictions on the upper limit however, the maximum number of processor resets may be system dependent and should be verified.

Definition at line 679 of file default cfe es internal cfg.h.

11.45.2.39 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01 8

Purpose Define Default ES Memory Pool Block Sizes

Description:

Default Intermediate ES Memory Pool Block Sizes. If an application is using the CFE_ES Memory Pool AP← Is (CFE_ES_PoolCreate, CFE_ES_PoolCreateNoSem, CFE_ES_GetPoolBuf and CFE_ES_PutPoolBuf) but finds these sizes inappropriate for their use, they may wish to use the CFE_ES_PoolCreateEx API to specify their own intermediate block sizes

Limits

These sizes MUST be increasing and MUST be an integral multiple of 4. Also, CFE_PLATFORM_ES_MAX_ ← BLOCK_SIZE must be larger than CFE_MISSION_SB_MAX_SB_MSG_SIZE and both CFE_PLATFORM_TB ← L_MAX_SNGL_TABLE_SIZE and CFE_PLATFORM_TBL_MAX_DBL_TABLE_SIZE. Note that if Table Services have been removed from the CFE, the table size limits are still enforced although the table size definitions may be reduced.

Definition at line 731 of file default_cfe_es_internal_cfg.h.

11.45.2.40 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02 16 Definition at line 732 of file default_cfe_es_internal_cfg.h.

11.45.2.41 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03 32 Definition at line 733 of file default_cfe_es_internal_cfg.h.

11.45.2.42 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04 48 Definition at line 734 of file default_cfe_es_internal_cfg.h.

11.45.2.43 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05 64 Definition at line 735 of file default_cfe_es_internal_cfg.h.

11.45.2.44 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06 96 Definition at line 736 of file default_cfe_es_internal_cfg.h.

11.45.2.45 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07 128 Definition at line 737 of file default cfe es internal cfg.h.

11.45.2.46 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_08 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_08 160 Definition at line 738 of file default_cfe_es_internal_cfg.h.

11.45.2.47 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_09 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_09 256 Definition at line 739 of file default cfe es internal cfg.h.

11.45.2.48 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_10 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_10 512 Definition at line 740 of file default cfe es internal cfg.h.

11.45.2.49 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_←
11 1024

Definition at line 741 of file default cfe es internal cfg.h.

11.45.2.50 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_12 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_← 12 2048

Definition at line 742 of file default cfe es internal cfg.h.

11.45.2.51 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_13 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_← 13 4096

Definition at line 743 of file default_cfe_es_internal_cfg.h.

11.45.2.52 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_14 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_←
14 8192

Definition at line 744 of file default_cfe_es_internal_cfg.h.

11.45.2.53 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_15 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_

Definition at line 745 of file default_cfe_es_internal_cfg.h.

11.45.2.54 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_16 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_← 16 32768

Definition at line 746 of file default_cfe_es_internal_cfg.h.

11.45.2.55 CFE_PLATFORM_ES_MEMPOOL_ALIGN_SIZE_MIN #define CFE_PLATFORM_ES_MEMPOOL_ALIGN_← SIZE_MIN 4

Purpose Define Memory Pool Alignment Size

Description:

Ensures that buffers obtained from a memory pool are aligned to a certain minimum block size. Note the allocator will always align to the minimum required by the CPU architecture. This may be set greater than the CPU requirement as desired for optimal performance.

For some architectures/applications it may be beneficial to set this to the cache line size of the target CPU, or to use special SIMD instructions that require a more stringent memory alignment.

Limits

This must always be a power of 2, as it is used as a binary address mask.

Definition at line 348 of file default cfe es internal cfg.h.

11.45.2.56 CFE_PLATFORM_ES_NONVOL_DISK_MOUNT_STRING #define CFE_PLATFORM_ES_NONVOL_DIS← K MOUNT STRING "/cf"

Purpose Default virtual path for persistent storage

Description:

This configures the default location in the virtual file system for persistent/non-volatile storage. Files such as the startup script, app/library dynamic modules, and configuration tables are expected to be stored in this directory.

Definition at line 71 of file default_cfe_es_internal_cfg.h.

11.45.2.57 CFE_PLATFORM_ES_NONVOL_STARTUP_FILE #define CFE_PLATFORM_ES_NONVOL_STARTUP_FI← LE "/cf/cfe_es_startup.scr"

Purpose ES Nonvolatile Startup Filename

Description:

The value of this constant defines the path and name of the file that contains a list of modules that will be loaded and started by the cFE after the cFE finishes its startup sequence.

Limits

The length of each string, including the NULL terminator cannot exceed the OS MAX PATH LEN value.

Definition at line 362 of file default cfe es internal cfg.h.

11.45.2.58 CFE_PLATFORM_ES_OBJECT_TABLE_SIZE #define CFE_PLATFORM_ES_OBJECT_TABLE_SIZE 30

Purpose Define Number of entries in the ES Object table

Description:

Defines the number of entries in the ES Object table. This table controls the core cFE startup.

Limits

There is a lower limit of 15. There are no restrictions on the upper limit however, the maximum object table size is system dependent and should be verified.

Definition at line 173 of file default cfe es internal cfg.h.

11.45.2.59 CFE_PLATFORM_ES_PERF_CHILD_MS_DELAY #define CFE_PLATFORM_ES_PERF_CHILD_MS_DEL← AY 20

Purpose Define Performance Analyzer Child Task Delay

Description:

This parameter defines the delay time (in milliseconds) between performance data file writes performed by the Executive Services Performance Analyzer Child Task.

Limits

It is recommended this parameter be greater than or equal to 20ms. This parameter is limited by the maximum value allowed by the data type. In this case, the data type is an unsigned 32-bit integer, so the valid range is 0 to 0xFFFFFFF.

Definition at line 625 of file default cfe es internal cfg.h.

11.45.2.60 CFE_PLATFORM_ES_PERF_CHILD_PRIORITY #define CFE_PLATFORM_ES_PERF_CHILD_PRIORI←
TY 200

Purpose Define Performance Analyzer Child Task Priority

Description:

This parameter defines the priority of the child task spawned by the Executive Services to write performance data to a file. Lower numbers are higher priority, with 1 being the highest priority in the case of a child task.

Limits

Valid range for a child task is 1 to 255 however, the priority cannot be higher (lower number) than the ES parent application priority.

Definition at line 596 of file default cfe es internal cfg.h.

11.45.2.61 CFE_PLATFORM_ES_PERF_CHILD_STACK_SIZE #define CFE_PLATFORM_ES_PERF_CHILD_STACK←
_SIZE 4096

Purpose Define Performance Analyzer Child Task Stack Size

Description:

This parameter defines the stack size of the child task spawned by the Executive Services to write performance data to a file.

Limits

It is recommended this parameter be greater than or equal to 4KB. This parameter is limited by the maximum value allowed by the data type. In this case, the data type is an unsigned 32-bit integer, so the valid range is 0 to 0xFFFFFFFF.

Definition at line 610 of file default_cfe_es_internal_cfg.h.

11.45.2.62 CFE_PLATFORM_ES_PERF_DATA_BUFFER_SIZE #define CFE_PLATFORM_ES_PERF_DATA_BUFFE← R_SIZE 10000

Purpose Define Max Size of Performance Data Buffer

Description:

Defines the maximum size of the performance data buffer. Units are number of performance data entries. An entry is defined by a 32 bit data word followed by a 64 bit time stamp.

Limits

There is a lower limit of 1025. There are no restrictions on the upper limit however, the maximum buffer size is system dependent and should be verified. The units are number of entries. An entry is defined by a 32 bit data word followed by a 64 bit time stamp.

Definition at line 517 of file default_cfe_es_internal_cfg.h.

11.45.2.63 CFE_PLATFORM_ES_PERF_ENTRIES_BTWN_DLYS #define CFE_PLATFORM_ES_PERF_ENTRIES_←
BTWN DLYS 50

Purpose Define Performance Analyzer Child Task Number of Entries Between Delay

Description:

This parameter defines the number of performance analyzer entries the Performance Analyzer Child Task will write to the file between delays.

Definition at line 635 of file default cfe es internal cfg.h.

11.45.2.64 CFE_PLATFORM_ES_PERF_FILTMASK_ALL #define CFE_PLATFORM_ES_PERF_FILTMASK_A← LL ~CFE_PLATFORM_ES_PERF_FILTMASK_NONE

Purpose Define Filter Mask Setting for Enabling All Performance Entries

Description:

Defines the filter mask for enabling all performance entries. The value is a bit mask. For each bit, 0 means the corresponding entry is disabled and 1 means it is enabled.

Definition at line 537 of file default cfe es internal cfg.h.

11.45.2.65 CFE_PLATFORM_ES_PERF_FILTMASK_INIT #define CFE_PLATFORM_ES_PERF_FILTMASK_IN

IT CFE_PLATFORM_ES_PERF_FILTMASK_ALL

Purpose Define Default Filter Mask Setting for Performance Data Buffer

Description:

Defines the default filter mask for the performance data buffer. The value is a bit mask. For each bit, 0 means the corresponding entry is disabled and 1 means it is enabled.

Definition at line 548 of file default_cfe_es_internal_cfg.h.

11.45.2.66 CFE_PLATFORM_ES_PERF_FILTMASK_NONE #define CFE_PLATFORM_ES_PERF_FILTMASK_NONE 0

Purpose Define Filter Mask Setting for Disabling All Performance Entries

Description:

Defines the filter mask for disabling all performance entries. The value is a bit mask. For each bit, 0 means the corresponding entry is disabled and 1 means it is enabled.

Definition at line 527 of file default cfe es internal cfg.h.

11.45.2.67 CFE_PLATFORM_ES_PERF_TRIGMASK_ALL #define CFE_PLATFORM_ES_PERF_TRIGMASK_A← LL ~CFE_PLATFORM_ES_PERF_TRIGMASK_NONE

Purpose Define Filter Trigger Setting for Enabling All Performance Entries

Description:

Defines the trigger mask for enabling all performance data entries. The value is a bit mask. For each bit, 0 means the trigger for the corresponding entry is disabled and 1 means it is enabled.

Definition at line 570 of file default_cfe_es_internal_cfg.h.

11.45.2.68 CFE_PLATFORM_ES_PERF_TRIGMASK_INIT #define CFE_PLATFORM_ES_PERF_TRIGMASK_IN←
IT CFE_PLATFORM_ES_PERF_TRIGMASK_NONE

Purpose Define Default Filter Trigger Setting for Performance Data Buffer

Description:

Defines the default trigger mask for the performance data buffer. The value is a 32-bit mask. For each bit, 0 means the trigger for the corresponding entry is disabled and 1 means it is enabled.

Definition at line 581 of file default cfe es internal cfg.h.

11.45.2.69 CFE_PLATFORM_ES_PERF_TRIGMASK_NONE #define CFE_PLATFORM_ES_PERF_TRIGMASK_NO↔ NE 0

Purpose Define Default Filter Trigger Setting for Disabling All Performance Entries

Description:

Defines the default trigger mask for disabling all performance data entries. The value is a bit mask. For each bit, 0 means the trigger for the corresponding entry is disabled and 1 means it is enabled.

Definition at line 559 of file default_cfe_es_internal_cfg.h.

11.45.2.70 CFE PLATFORM ES POOL MAX BUCKETS #define CFE_PLATFORM_ES_POOL_MAX_BUCKETS 17

Purpose Maximum number of block sizes in pool structures

Description:

The upper limit for the number of block sizes supported in the generic pool implementation, which in turn implements the memory pools and CDS.

Limits:

Must be at least one. No specific upper limit, but the number is anticipated to be reasonably small (i.e. tens, not hundreds). Large values have not been tested.

The ES and CDS block size lists must correlate with this value Definition at line 694 of file default cfe es internal cfg.h.

11.45.2.71 CFE_PLATFORM_ES_RAM_DISK_MOUNT_STRING #define CFE_PLATFORM_ES_RAM_DISK_MOUNT ↔ STRING "/ram"

Purpose Default virtual path for volatile storage

Description:

The CFE_PLATFORM_ES_RAM_DISK_MOUNT_STRING parameter is used to set the cFE mount path for the CFE RAM disk. This is a parameter for missions that do not want to use the default value of "/ram", or for missions that need to have a different value for different CPUs or Spacecraft. Note that the vxWorks OSAL cannot currently handle names that have more than one path separator in it. The names "/ram", "/ramdisk", "/disk123" will all work, but "/disks/ram" will not. Multiple separators can be used with the posix or RTEMS ports.

Definition at line 87 of file default_cfe_es_internal_cfg.h.

11.45.2.72 CFE_PLATFORM_ES_RAM_DISK_NUM_SECTORS #define CFE_PLATFORM_ES_RAM_DISK_NUM_SE ← CTORS 4096

Purpose ES Ram Disk Number of Sectors

Description:

Defines the ram disk number of sectors. The ram disk is one of four memory areas that are preserved on a processor reset. NOTE: Changing this value changes memory allocation, and may require changes to platform specific values (in CFE_PSP) such as USER_RESERVED_MEM in VxWorks depending on the memory areas being used for preserved data and on OS specific behavior.

Limits

There is a lower limit of 128. There are no restrictions on the upper limit however, the maximum number of RAM sectors is system dependent and should be verified.

Definition at line 268 of file default_cfe_es_internal_cfg.h.

11.45.2.73 CFE_PLATFORM_ES_RAM_DISK_PERCENT_RESERVED #define CFE_PLATFORM_ES_RAM_DISK_←
PERCENT_RESERVED 30

Purpose Percentage of Ram Disk Reserved for Decompressing Apps

Description:

The CFE_PLATFORM_ES_RAM_DISK_PERCENT_RESERVED parameter is used to make sure that the Volatile (RAM) Disk has a defined amount of free space during a processor reset. The cFE uses the Volatile disk to decompress cFE applications during system startup. If this Volatile disk happens to get filled with logs and misc files, then a processor reset may not work, because there will be no room to decompress cFE apps. To solve that problem, this parameter sets the "Low Water Mark" for disk space on a Processor reset. It should be set to allow the largest cFE Application to be decompressed. During a Processor reset, if there is not sufficient space left on the disk, it will be re-formatted in order to clear up some space.

This feature can be turned OFF by setting the parameter to 0.

Limits

There is a lower limit of 0 and an upper limit of 75 on this configuration parameter. Units are percentage. A setting of zero will turn this feature off.

Definition at line 292 of file default cfe es internal cfg.h.

11.45.2.74 CFE_PLATFORM_ES_RAM_DISK_SECTOR_SIZE #define CFE_PLATFORM_ES_RAM_DISK_SECTOR_← SIZE 512

Purpose ES Ram Disk Sector Size

Description:

Defines the ram disk sector size. The ram disk is 1 of 4 memory areas that are preserved on a processor reset. NOTE: Changing this value changes memory allocation, and may require changes to platform specific values (in CFE_PSP) such as USER_RESERVED_MEM in VxWorks depending on the memory areas being used for preserved data and on OS specific behavior.

Limits

There is a lower limit of 128. There are no restrictions on the upper limit however, the maximum RAM disk sector size is system dependent and should be verified.

Definition at line 250 of file default_cfe_es_internal_cfg.h.

11.45.2.75 CFE_PLATFORM_ES_START_TASK_PRIORITY #define CFE_PLATFORM_ES_START_TASK_PRIORI ← TY 68

Purpose Define ES Task Priority

Description:

Defines the cFE ES Task priority.

Limits

Not Applicable

Definition at line 44 of file default_cfe_es_internal_cfg.h.

11.45.2.76 CFE_PLATFORM_ES_START_TASK_STACK_SIZE #define CFE_PLATFORM_ES_START_TASK_STAC ← K_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE

Purpose Define ES Task Stack Size

Description:

Defines the cFE ES Task Stack Size

Limits

There is a lower limit of 2048 on this configuration parameter. There are no restrictions on the upper limit however, the maximum stack size is system dependent and should be verified. Most operating systems provide tools for measuring the amount of stack used by a task during operation. It is always a good idea to verify that no more than 1/2 of the stack is used.

Definition at line 59 of file default cfe es internal cfg.h.

11.45.2.77 CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_MSEC #define CFE_PLATFORM_ES_STARTUP ← _SCRIPT_TIMEOUT_MSEC 1000

Purpose Startup script timeout

Description:

The upper limit for the total amount of time that all apps listed in the CFE ES startup script may take to all become ready.

Unlike the "core" app timeout, this is a soft limit; if the allotted time is exceeded, it probably indicates an issue with one of the apps, but does not cause CFE ES to take any additional action other than logging the event to the syslog. Units are in milliseconds

Limits:

Must be defined as an integer value that is greater than or equal to zero.

Definition at line 814 of file default cfe es internal cfg.h.

11.45.2.78 CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC #define CFE_PLATFORM_ES_STARTUP_SYNC_↔ POLL MSEC 50

Purpose Poll timer for startup sync delay

Description:

During startup, some tasks may need to synchronize their own initialization with the initialization of other applications in the system.

CFE ES implements an API to accomplish this, that performs a task delay (sleep) while polling the overall system state until other tasks are ready.

This value controls the amount of time that the CFE_ES_ApplicationSyncDelay will sleep between each check of the system state. This should be large enough to allow other tasks to run, but not so large as to noticeably delay the startup completion.

Units are in milliseconds

Limits:

Must be defined as an integer value that is greater than or equal to zero.

Definition at line 796 of file default_cfe_es_internal_cfg.h.

11.45.2.79 CFE PLATFORM ES SYSTEM LOG SIZE #define CFE_PLATFORM_ES_SYSTEM_LOG_SIZE 3072

Purpose Define Size of the cFE System Log.

Description:

Defines the size in bytes of the cFE system log. The system log holds variable length strings that are terminated by a linefeed and null character.

Limits

There is a lower limit of 512. There are no restrictions on the upper limit however, the maximum system log size is system dependent and should be verified.

Definition at line 159 of file default cfe es internal cfg.h.

```
11.45.2.80 CFE_PLATFORM_ES_USER_RESERVED_SIZE #define CFE_PLATFORM_ES_USER_RESERVED_SI ← ZE (1024 * 1024)
```

Purpose Define User Reserved Memory Size

Description:

User Reserved Memory Size. This is the size in bytes of the cFE User reserved Memory area. This is a block of memory that is available for cFE application use. The address is obtained by calling CFE_PSP_GetUserReservedArea. The User Reserved Memory is one of four memory areas that are preserved during a processor reset. NOTE: Changing this value changes memory allocation, and may require changes to platform specific values (in CFE_PSP) such as USER_RESERVED_MEM in VxWorks depending on the memory areas being used for preserved data and on OS specific behavior.

Limits

There is a lower limit of 1024 and an upper limit of UINT MAX (4 Gigabytes) on this configuration parameter.

Definition at line 329 of file default cfe es internal cfg.h.

```
11.45.2.81 CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE #define CFE_PLATFORM_ES_VOLATILE_STARTUP ←
_FILE "/ram/cfe_es_startup.scr"
```

Purpose ES Volatile Startup Filename

Description:

The value of this constant defines the path and name of the file that contains a list of modules that will be loaded and started by the cFE after the cFE finishes its startup sequence.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 376 of file default cfe es internal cfg.h.

11.46 cfe/modules/es/config/default cfe es mission cfg.h File Reference

```
#include "cfe_es_interface_cfg.h"
```

11.46.1 Detailed Description

CFE Executive Services (CFE ES) Application Mission Configuration Header File

This is a compatibility header for the "mission_cfg.h" file that has traditionally provided public config definitions for each CFS app.

Note

This file may be overridden/superceded by mission-provided defintions either by overriding this header or by generating definitions from a command/data dictionary tool.

11.47 cfe/modules/es/config/default cfe es msg.h File Reference

```
#include "cfe_mission_cfg.h"
#include "cfe_es_msgdefs.h"
#include "cfe_es_msgstruct.h"
```

11.47.1 Detailed Description

Specification for the CFE Executive Services (CFE ES) command and telemetry message data types.

This is a compatibility header for the "cfe_es_msg.h" file that has traditionally provided the message definitions for cFS apps.

Note

This file may be overridden/superceded by mission-provided definitions either by overriding this header or by generating definitions from a command/data dictionary tool.

11.48 cfe/modules/es/config/default_cfe_es_msgdefs.h File Reference

```
#include "common_types.h"
#include "cfe_mission_cfg.h"
#include "cfe_es_extern_typedefs.h"
#include "cfe_es_fcncodes.h"
```

Data Structures

· struct CFE ES RestartCmd Payload

Restart cFE Command Payload.

struct CFE ES FileNameCmd Payload

Generic file name command payload.

struct CFE_ES_OverWriteSysLogCmd_Payload

Overwrite/Discard System Log Configuration Command Payload.

struct CFE ES StartAppCmd Payload

Start Application Command Payload.

struct CFE_ES_AppNameCmd_Payload

Generic application name command payload.

• struct CFE_ES_AppReloadCmd_Payload

Reload Application Command Payload.

struct CFE ES SetMaxPRCountCmd Payload

Set Maximum Processor Reset Count Command Payload.

struct CFE ES DeleteCDSCmd Payload

Delete Critical Data Store Command Payload.

struct CFE_ES_StartPerfCmd_Payload

Start Performance Analyzer Command Payload.

struct CFE_ES_StopPerfCmd_Payload

Stop Performance Analyzer Command Payload.

struct CFE_ES_SetPerfFilterMaskCmd_Payload

Set Performance Analyzer Filter Mask Command Payload.

struct CFE_ES_SetPerfTrigMaskCmd_Payload

Set Performance Analyzer Trigger Mask Command Payload.

struct CFE_ES_SendMemPoolStatsCmd_Payload

Send Memory Pool Statistics Command Payload.

struct CFE_ES_DumpCDSRegistryCmd_Payload

Dump CDS Registry Command Payload.

- struct CFE_ES_OneAppTIm_Payload
- struct CFE ES PoolStatsTlm Payload
- struct CFE ES HousekeepingTlm Payload

Typedefs

- typedef struct CFE_ES_RestartCmd_Payload CFE_ES_RestartCmd_Payload_t
 Restart cFE Command Payload.
- typedef struct CFE_ES_FileNameCmd_Payload CFE_ES_FileNameCmd_Payload_t Generic file name command payload.
- typedef struct CFE_ES_OverWriteSysLogCmd_Payload CFE_ES_OverWriteSysLogCmd_Payload_t
 Overwrite/Discard System Log Configuration Command Payload.
- typedef struct CFE_ES_StartAppCmd_Payload CFE_ES_StartAppCmd_Payload_t
 Start Application Command Payload.
- typedef struct CFE_ES_AppNameCmd_Payload CFE_ES_AppNameCmd_Payload_t
 Generic application name command payload.
- typedef struct CFE_ES_AppReloadCmd_Payload CFE_ES_AppReloadCmd_Payload_t
 Reload Application Command Payload.
- typedef struct CFE_ES_SetMaxPRCountCmd_Payload CFE_ES_SetMaxPRCountCmd_Payload_t
 Set Maximum Processor Reset Count Command Payload.
- typedef struct CFE_ES_DeleteCDSCmd_Payload CFE_ES_DeleteCDSCmd_Payload_t
 Delete Critical Data Store Command Payload.
- typedef uint32 CFE ES PerfMode Enum t
- typedef struct CFE_ES_StartPerfCmd_Payload CFE_ES_StartPerfCmd_Payload_t

Start Performance Analyzer Command Payload.

- typedef struct CFE_ES_StopPerfCmd_Payload CFE_ES_StopPerfCmd_Payload_t Stop Performance Analyzer Command Payload.
- typedef struct CFE_ES_SetPerfFilterMaskCmd_Payload CFE_ES_SetPerfFilterMaskCmd_Payload_t
 Set Performance Analyzer Filter Mask Command Payload.
- typedef struct CFE_ES_SetPerfTrigMaskCmd_Payload CFE_ES_SetPerfTrigMaskCmd_Payload_t
 Set Performance Analyzer Trigger Mask Command Payload.
- typedef struct CFE_ES_SendMemPoolStatsCmd_Payload CFE_ES_SendMemPoolStatsCmd_Payload_t Send Memory Pool Statistics Command Payload.
- typedef struct CFE_ES_DumpCDSRegistryCmd_Payload CFE_ES_DumpCDSRegistryCmd_Payload_t
 Dump CDS Registry Command Payload.
- typedef struct CFE_ES_OneAppTIm_Payload CFE_ES_OneAppTIm_Payload_t
- typedef struct CFE ES PoolStatsTlm Payload CFE ES PoolStatsTlm Payload t
- typedef struct CFE_ES_HousekeepingTlm_Payload CFE_ES_HousekeepingTlm_Payload_t

Enumerations

 enum CFE_ES_PerfMode { CFE_ES_PERF_TRIGGER_START = 0, CFE_ES_PERF_TRIGGER_CENTER, CFE_ES_PERF_TRIGGER_END, CFE_ES_PERF_MAX_MODES }

Labels for values to use in CFE_ES_StartPerfCmd_Payload.TriggerMode.

11.48.1 Detailed Description

Specification for the CFE Executive Services (CFE_ES) command and telemetry message constant definitions. For CFE_ES this is only the function/command code definitions

11.48.2 Typedef Documentation

11.48.2.1 CFE_ES_AppNameCmd_Payload_t typedef struct CFE_ES_AppNameCmd_Payload CFE_ES_AppNameCmd_Payload_t Generic application name command payload.

For command details, see CFE ES STOP APP CC, CFE ES RESTART APP CC, CFE ES QUERY ONE CC

11.48.2.2 CFE_ES_AppReloadCmd_Payload_t typedef struct CFE_ES_AppReloadCmd_Payload CFE_ES_AppReloadCmd_Payload Reload Application Command Payload.

For command details, see CFE_ES_RELOAD_APP_CC

11.48.2.3 CFE_ES_DeleteCDSCmd_Payload_t typedef struct CFE_ES_DeleteCDSCmd_Payload CFE_ES_DeleteCDSCmd_Payload Delete Critical Data Store Command Payload.

For command details, see CFE ES DELETE CDS CC

 $\textbf{11.48.2.4} \quad \textbf{CFE_ES_DumpCDSRegistryCmd_Payload_t} \quad \texttt{typedef struct CFE_ES_DumpCDSRegistryCmd_Payload_t}$

CFE_ES_DumpCDSRegistryCmd_Payload_t

Dump CDS Registry Command Payload.

For command details, see CFE_ES_DUMP_CDS_REGISTRY_CC

11.48.2.5 CFE_ES_FileNameCmd_Payload_t typedef struct CFE_ES_FileNameCmd_Payload CFE_ES_FileNameCmd_Payload_t Generic file name command payload.

This format is shared by several executive services commands. For command details, see CFE_ES_QUERY_ALL_CC, CFE_ES_QUERY_ALL_TASKS_CC, CFE_ES_WRITE_SYSLOG_CC, and CFE_ES_WRITE_ER_LOG_CC

11.48.2.6 CFE_ES_HousekeepingTlm_Payload_t typedef struct CFE_ES_HousekeepingTlm_Payload CFE_ES_HousekeepingTlr

Name Executive Services Housekeeping Packet

11.48.2.7 CFE_ES_OneAppTIm_Payload_t typedef struct CFE_ES_OneAppTlm_Payload CFE_ES_OneAppTlm_Payload_t

Name Single Application Information Packet

 $\textbf{11.48.2.8} \quad \textbf{CFE_ES_OverWriteSysLogCmd_Payload_t} \quad \texttt{typedef struct CFE_ES_OverWriteSysLogCmd_Payload_t}$

CFE_ES_OverWriteSysLogCmd_Payload_t

Overwrite/Discard System Log Configuration Command Payload.

For command details, see CFE_ES_OVER_WRITE_SYSLOG_CC

11.48.2.9 CFE ES PerfMode Enum t typedef uint32 CFE_ES_PerfMode_Enum_t

Definition at line 158 of file default_cfe_es_msgdefs.h.

11.48.2.10 CFE_ES_PoolStatsTlm_Payload_t typedef struct CFE_ES_PoolStatsTlm_Payload CFE_ES_PoolStatsTlm_Payload_

Name Memory Pool Statistics Packet

 $\textbf{11.48.2.11} \quad \textbf{CFE_ES_RestartCmd_Payload_t} \quad \texttt{typedef struct CFE_ES_RestartCmd_Payload_CFE_ES_RestartCmd_Payload_t}$

Restart cFE Command Payload.

For command details, see CFE ES RESTART CC

11.48.2.12 CFE_ES_SendMemPoolStatsCmd_Payload_t typedef struct CFE_ES_SendMemPoolStatsCmd_Payload CFE ES SendMemPoolStatsCmd Payload t

Send Memory Pool Statistics Command Payload.

For command details, see CFE ES SEND MEM POOL STATS CC

11.48.2.13 CFE_ES_SetMaxPRCountCmd_Payload_t typedef struct CFE_ES_SetMaxPRCountCmd_Payload

CFE_ES_SetMaxPRCountCmd_Payload_t

Set Maximum Processor Reset Count Command Payload.

For command details, see CFE ES SET MAX PR COUNT CC

$\textbf{11.48.2.14} \quad \textbf{CFE_ES_SetPerfFilterMaskCmd_Payload_t} \quad \texttt{typedef struct CFE_ES_SetPerfFilterMaskCmd_Payload_t}$

CFE_ES_SetPerfFilterMaskCmd_Payload_t

Set Performance Analyzer Filter Mask Command Payload.

For command details, see CFE_ES_SET_PERF_FILTER_MASK_CC

11.48.2.15 CFE_ES_SetPerfTrigMaskCmd_Payload_t typedef struct CFE_ES_SetPerfTrigMaskCmd_Payload

CFE_ES_SetPerfTrigMaskCmd_Payload_t

Set Performance Analyzer Trigger Mask Command Payload.

For command details, see CFE_ES_SET_PERF_TRIGGER_MASK_CC

11.48.2.16 CFE_ES_StartAppCmd_Payload_t typedef struct CFE_ES_StartAppCmd_Payload_CFE_ES_StartAppCmd_Payload_t

Start Application Command Payload.

For command details, see CFE_ES_START_APP_CC

$\textbf{11.48.2.17} \quad \textbf{CFE_ES_StartPerfCmd_Payload_t} \quad \texttt{typedef struct CFE_ES_StartPerfCmd_Payload_CFE_ES_StartPerfCmd_Payload_t}$

Start Performance Analyzer Command Payload.

For command details, see CFE_ES_START_PERF_DATA_CC

11.48.2.18 CFE_ES_StopPerfCmd_Payload_t typedef struct CFE_ES_StopPerfCmd_Payload CFE_ES_StopPerfCmd_Payload_t

Stop Performance Analyzer Command Payload.

For command details, see CFE_ES_STOP_PERF_DATA_CC

11.48.3 Enumeration Type Documentation

11.48.3.1 CFE ES PerfMode enum CFE_ES_PerfMode

Labels for values to use in CFE ES StartPerfCmd Payload.TriggerMode.

See also

CFE_ES_StartPerfCmd_Payload

Enumerator

CFE_ES_PERF_TRIGGER_START	
CFE_ES_PERF_TRIGGER_CENTER	
CFE_ES_PERF_TRIGGER_END	
CFE_ES_PERF_MAX_MODES	

Definition at line 150 of file default cfe es msgdefs.h.

11.49 cfe/modules/es/config/default_cfe_es_msgids.h File Reference

```
#include "cfe_core_api_base_msgids.h"
#include "cfe_es_topicids.h"
```

Macros

- #define CFE_ES_CMD_MID CFE_PLATFORM_CMD_TOPICID_TO_MIDV(CFE_MISSION_ES_CMD_TOPICID)
 /* 0x1806 */
- #define CFE_ES_SEND_HK_MID CFE_PLATFORM_CMD_TOPICID_TO_MIDV(CFE_MISSION_ES_SEND_HK_TOPICID)
 /* 0x1808 */
- #define CFE_ES_HK_TLM_MID CFE_PLATFORM_TLM_TOPICID_TO_MIDV(CFE_MISSION_ES_HK_TLM_TOPICID)
 /* 0x0800 */
- #define CFE_ES_APP_TLM_MID CFE_PLATFORM_TLM_TOPICID_TO_MIDV(CFE_MISSION_ES_APP_TLM_TOPICID)
 /* 0x080B */
- #define CFE_ES_MEMSTATS_TLM_MID CFE_PLATFORM_TLM_TOPICID_TO_MIDV(CFE_MISSION_ES_MEMSTATS_TLM_T /* 0x0810 */

11.49.1 Detailed Description

CFE Executive Services (CFE ES) Application Message IDs

11.49.2 Macro Definition Documentation

11.49.2.1 CFE_ES_APP_TLM_MID #define CFE_ES_APP_TLM_MID CFE_PLATFORM_TLM_TOPICID_TO_MIDV(CFE_MISSION_ES_APP_T /* 0x080B */

Definition at line 39 of file default_cfe_es_msgids.h.

11.49.2.2 CFE_ES_CMD_MID #define CFE_ES_CMD_MID CFE_PLATFORM_CMD_TOPICID_TO_MIDV(CFE_MISSION_ES_CMD_TOPICID)
/* 0x1806 */

Definition at line 32 of file default_cfe_es_msgids.h.

11.49.2.3 CFE_ES_HK_TLM_MID #define CFE_ES_HK_TLM_MID CFE_PLATFORM_TLM_TOPICID_TO_MIDV(CFE_MISSION_ES_HK_TLM_'
/* 0x0800 */

Definition at line 38 of file default_cfe_es_msgids.h.

11.49.2.4 CFE_ES_MEMSTATS_TLM_MID #define CFE_ES_MEMSTATS_TLM_MID CFE_PLATFORM_TLM_TOPICID_TO_MIDV(CFE_MISSI /* 0x0810 */

Definition at line 40 of file default cfe es msgids.h.

11.49.2.5 CFE_ES_SEND_HK_MID #define CFE_ES_SEND_HK_MID CFE_PLATFORM_CMD_TOPICID_TO_MIDV(CFE_MISSION_ES_SEND_/* 0x1808 */

Definition at line 33 of file default cfe es msgids.h.

11.50 cfe/modules/es/config/default_cfe_es_msgstruct.h File Reference

```
#include "cfe_es_msgdefs.h"
#include "cfe_msg_hdr.h"
#include "cfe_mission_cfg.h"
```

Data Structures

- struct CFE_ES_NoopCmd
- struct CFE_ES_ResetCountersCmd
- struct CFE ES ClearSysLogCmd
- struct CFE ES ClearERLogCmd
- struct CFE ES ResetPRCountCmd
- struct CFE_ES_SendHkCmd
- struct CFE_ES_RestartCmd

Restart cFE Command.

• struct CFE_ES_FileNameCmd

Generic file name command.

- struct CFE ES QueryAllCmd
- struct CFE_ES_QueryAllTasksCmd
- struct CFE_ES_WriteSysLogCmd
- struct CFE ES WriteERLogCmd
- struct CFE_ES_OverWriteSysLogCmd

Overwrite/Discard System Log Configuration Command Payload.

struct CFE ES StartApp

Start Application Command.

- struct CFE ES StopAppCmd
- struct CFE ES RestartAppCmd
- struct CFE ES QueryOneCmd
- struct CFE_ES_ReloadAppCmd

Reload Application Command.

struct CFE ES SetMaxPRCountCmd

Set Maximum Processor Reset Count Command.

struct CFE_ES_DeleteCDSCmd

Delete Critical Data Store Command.

struct CFE_ES_StartPerfDataCmd

Start Performance Analyzer Command.

struct CFE ES StopPerfDataCmd

Stop Performance Analyzer Command.

• struct CFE ES SetPerfFilterMaskCmd

Set Performance Analyzer Filter Mask Command.

struct CFE_ES_SetPerfTriggerMaskCmd

Set Performance Analyzer Trigger Mask Command.

struct CFE_ES_SendMemPoolStatsCmd

Send Memory Pool Statistics Command.

• struct CFE_ES_DumpCDSRegistryCmd

Dump CDS Registry Command.

- struct CFE_ES_OneAppTIm
- struct CFE ES MemStatsTlm
- struct CFE ES HousekeepingTlm

Typedefs

```
    typedef struct CFE ES NoopCmd CFE ES NoopCmd t
```

- typedef struct CFE_ES_ResetCountersCmd CFE_ES_ResetCountersCmd_t
- typedef struct CFE ES ClearSysLogCmd CFE ES ClearSysLogCmd t
- typedef struct CFE_ES_ClearERLogCmd CFE_ES_ClearERLogCmd_t
- typedef struct CFE_ES_ResetPRCountCmd CFE_ES_ResetPRCountCmd_t
- typedef struct CFE ES SendHkCmd CFE ES SendHkCmd t
- typedef struct CFE ES RestartCmd CFE ES RestartCmd t

Restart cFE Command.

• typedef struct CFE_ES_FileNameCmd CFE_ES_FileNameCmd_t

Generic file name command.

- typedef struct CFE ES QueryAllCmd CFE ES QueryAllCmd t
- typedef struct CFE ES QueryAllTasksCmd CFE ES QueryAllTasksCmd t
- typedef struct CFE ES WriteSysLogCmd CFE ES WriteSysLogCmd t
- typedef struct CFE ES WriteERLogCmd CFE ES WriteERLogCmd t
- typedef struct CFE_ES_OverWriteSysLogCmd CFE_ES_OverWriteSysLogCmd_t

Overwrite/Discard System Log Configuration Command Payload.

typedef struct CFE_ES_StartApp CFE_ES_StartAppCmd_t

Start Application Command.

- typedef struct CFE_ES_StopAppCmd_t
- typedef struct CFE ES RestartAppCmd CFE ES RestartAppCmd t
- typedef struct CFE_ES_QueryOneCmd CFE_ES_QueryOneCmd_t
- typedef struct CFE_ES_ReloadAppCmd CFE_ES_ReloadAppCmd_t

Reload Application Command.

typedef struct CFE_ES_SetMaxPRCountCmd CFE_ES_SetMaxPRCountCmd_t

Set Maximum Processor Reset Count Command.

typedef struct CFE_ES_DeleteCDSCmd CFE_ES_DeleteCDSCmd_t

Delete Critical Data Store Command.

typedef struct CFE ES StartPerfDataCmd CFE ES StartPerfDataCmd t

Start Performance Analyzer Command.

typedef struct CFE_ES_StopPerfDataCmd CFE_ES_StopPerfDataCmd_t

Stop Performance Analyzer Command.

typedef struct CFE_ES_SetPerfFilterMaskCmd CFE_ES_SetPerfFilterMaskCmd_t

Set Performance Analyzer Filter Mask Command.

typedef struct CFE_ES_SetPerfTriggerMaskCmd CFE_ES_SetPerfTriggerMaskCmd_t

Set Performance Analyzer Trigger Mask Command.

typedef struct CFE_ES_SendMemPoolStatsCmd CFE_ES_SendMemPoolStatsCmd_t

Send Memory Pool Statistics Command.

typedef struct CFE_ES_DumpCDSRegistryCmd CFE_ES_DumpCDSRegistryCmd_t

Dump CDS Registry Command.

- typedef struct CFE_ES_OneAppTIm CFE_ES_OneAppTIm_t
- typedef struct CFE ES MemStatsTlm CFE ES MemStatsTlm t
- typedef struct CFE_ES_HousekeepingTlm CFE_ES_HousekeepingTlm_t

11.50.1 Detailed Description

Purpose: cFE Executive Services (ES) Command and Telemetry packet definition file.

References: Flight Software Branch C Coding Standard Version 1.0a cFE Flight Software Application Developers Guide Notes:

```
11.50.2 Typedef Documentation
```

```
11.50.2.1 CFE_ES_ClearERLogCmd_t typedef struct CFE_ES_ClearERLogCmd CFE_ES_ClearERLogCmd_t
```

 $\textbf{11.50.2.2} \quad \textbf{CFE_ES_ClearSysLogCmd_t} \quad \texttt{typedef} \quad \texttt{struct} \quad \texttt{CFE_ES_ClearSysLogCmd_t}$

11.50.2.3 CFE_ES_DeleteCDSCmd_t typedef struct CFE_ES_DeleteCDSCmd_CFE_ES_DeleteCDSCmd_t Delete Critical Data Store Command.

11.50.2.4 CFE_ES_DumpCDSRegistryCmd_t typedef struct CFE_ES_DumpCDSRegistryCmd CFE_ES_DumpCDSRegistryCmd_t Dump CDS Registry Command.

11.50.2.5 CFE_ES_FileNameCmd_t typedef struct CFE_ES_FileNameCmd CFE_ES_FileNameCmd_t Generic file name command.

11.50.2.6 CFE ES HousekeepingTlm t typedef struct CFE_ES_HousekeepingTlm CFE_ES_HousekeepingTlm_t

Name Executive Services Housekeeping Packet

11.50.2.7 CFE_ES_MemStatsTIm_t typedef struct CFE_ES_MemStatsTlm_t CFE_ES_MemStatsTlm_t

Name Memory Pool Statistics Packet

11.50.2.8 CFE_ES_NoopCmd_t typedef struct CFE_ES_NoopCmd CFE_ES_NoopCmd_t

11.50.2.9 CFE_ES_OneAppTIm_t typedef struct CFE_ES_OneAppTlm CFE_ES_OneAppTlm_t

Name Single Application Information Packet

11.50.2.10 CFE_ES_OverWriteSysLogCmd_t typedef struct CFE_ES_OverWriteSysLogCmd CFE_ES_OverWriteSysLogCmd_t Overwrite/Discard System Log Configuration Command Payload.

 $\textbf{11.50.2.11} \quad \textbf{CFE_ES_QueryAllCmd_t} \quad \texttt{typedef struct CFE_ES_QueryAllCmd_CFE_ES_QueryAllCmd_t}$

11.50.2.12 CFE_ES_QueryAllTasksCmd_t typedef struct CFE_ES_QueryAllTasksCmd CFE_ES_QueryAllTasksCmd_t

 $\textbf{11.50.2.13} \quad \textbf{CFE_ES_QueryOneCmd_t} \quad \textbf{typedef struct CFE_ES_QueryOneCmd_t}$

11.50.2.14 CFE_ES_ReloadAppCmd_t typedef struct CFE_ES_ReloadAppCmd_t Reload Application Command.

11.50.2.15 CFE_ES_ResetCountersCmd_t typedef struct CFE_ES_ResetCountersCmd CFE_ES_ResetCountersCmd_t

11.50.2.16 CFE_ES_ResetPRCountCmd_t typedef struct CFE_ES_ResetPRCountCmd CFE_ES_ResetPRCountCmd_t

11.50.2.17 CFE ES RestartAppCmd t typedef struct CFE_ES_RestartAppCmd CFE_ES_RestartAppCmd_t

11.50.2.18 CFE_ES_RestartCmd_t typedef struct CFE_ES_RestartCmd_t Restart cFE Command.

11.50.2.19 CFE ES SendHkCmd t typedef struct CFE_ES_SendHkCmd CFE_ES_SendHkCmd_t

11.50.2.20 CFE_ES_SendMemPoolStatsCmd_t typedef struct CFE_ES_SendMemPoolStatsCmd CFE_ES_SendMemPoolStatsCmd_ Send Memory Pool Statistics Command.

11.50.2.21 CFE_ES_SetMaxPRCountCmd_t typedef struct CFE_ES_SetMaxPRCountCmd CFE_ES_SetMaxPRCountCmd_t Set Maximum Processor Reset Count Command.

11.50.2.22 CFE_ES_SetPerfFilterMaskCmd_t typedef struct CFE_ES_SetPerfFilterMaskCmd CFE_ES_SetPerfFilterMaskCmd_Set Performance Analyzer Filter Mask Command.

11.50.2.23 CFE_ES_SetPerfTriggerMaskCmd_t typedef struct CFE_ES_SetPerfTriggerMaskCmd CFE_ES_SetPerfTriggerMask Set Performance Analyzer Trigger Mask Command.

11.50.2.24 CFE_ES_StartAppCmd_t typedef struct CFE_ES_StartApp CFE_ES_StartAppCmd_t Start Application Command.

11.50.2.25 CFE_ES_StartPerfDataCmd_t typedef struct CFE_ES_StartPerfDataCmd CFE_ES_StartPerfDataCmd_t Start Performance Analyzer Command.

11.50.2.26 CFE ES StopAppCmd t typedef struct CFE_ES_StopAppCmd CFE_ES_StopAppCmd_t

11.50.2.27 CFE_ES_StopPerfDataCmd_t typedef struct CFE_ES_StopPerfDataCmd CFE_ES_StopPerfDataCmd_t Stop Performance Analyzer Command.

```
11.50.2.28 CFE ES WriteERLogCmd t typedef struct CFE_ES_WriteERLogCmd CFE_ES_WriteERLogCmd_t
```

11.50.2.29 CFE_ES_WriteSysLogCmd_t typedef struct CFE_ES_WriteSysLogCmd CFE_ES_WriteSysLogCmd_t

11.51 cfe/modules/es/config/default cfe es platform cfg.h File Reference

```
#include "cfe_es_mission_cfg.h"
#include "cfe_es_internal_cfg.h"
```

11.51.1 Detailed Description

CFE Executive Services (CFE_ES) Application Platform Configuration Header File

This is a compatibility header for the "platform_cfg.h" file that has traditionally provided both public and private config definitions for each CFS app.

These definitions are now provided in two separate files, one for the public/mission scope and one for internal scope.

Note

This file may be overridden/superceded by mission-provided definitions either by overriding this header or by generating definitions from a command/data dictionary tool.

11.52 cfe/modules/es/config/default cfe es topicids.h File Reference

Macros

- #define CFE_MISSION_ES_CMD_TOPICID 6
- #define CFE MISSION ES SEND HK TOPICID 8
- #define CFE MISSION ES HK TLM TOPICID 0
- #define CFE_MISSION_ES_APP_TLM_TOPICID 11
- #define CFE MISSION ES MEMSTATS TLM TOPICID 16

11.52.1 Detailed Description

CFE Executive Services (CFE ES) Application Topic IDs

11.52.2 Macro Definition Documentation

11.52.2.1 CFE_MISSION_ES_APP_TLM_TOPICID #define CFE_MISSION_ES_APP_TLM_TOPICID 11 Definition at line 48 of file default_cfe_es_topicids.h.

```
11.52.2.2 CFE_MISSION_ES_CMD_TOPICID #define CFE_MISSION_ES_CMD_TOPICID 6
```

Purpose cFE Portable Message Numbers for Commands

Description:

Portable message numbers for the cFE ES command messages

Limits

Not Applicable

Definition at line 35 of file default cfe es topicids.h.

11.52.2.3 CFE_MISSION_ES_HK_TLM_TOPICID #define CFE_MISSION_ES_HK_TLM_TOPICID 0

Purpose cFE Portable Message Numbers for Telemetry

Description:

Portable message numbers for the cFE ES telemetry messages

Limits

Not Applicable

Definition at line 47 of file default_cfe_es_topicids.h.

11.52.2.4 CFE_MISSION_ES_MEMSTATS_TLM_TOPICID #define CFE_MISSION_ES_MEMSTATS_TLM_TOPICID 16 Definition at line 49 of file default_cfe_es_topicids.h.

11.52.2.5 CFE_MISSION_ES_SEND_HK_TOPICID #define CFE_MISSION_ES_SEND_HK_TOPICID 8 Definition at line 36 of file default_cfe_es_topicids.h.

11.53 cfe/modules/es/fsw/inc/cfe es eventids.h File Reference

Macros

ES event IDs

• #define CFE_ES_INIT_INF_EID 1

ES Initialization Event ID.

#define CFE_ES_INITSTATS_INF_EID 2

ES Initialization Statistics Information Event ID.

#define CFE_ES_NOOP_INF_EID 3

ES No-op Command Success Event ID.

#define CFE_ES_RESET_INF_EID 4

ES Reset Counters Command Success Event ID.

• #define CFE_ES_START_INF_EID 6

ES Start Application Command Success Event ID.

• #define CFE_ES_STOP_DBG_EID 7

ES Stop Application Command Request Success Event ID.

• #define CFE_ES_STOP_INF_EID 8

ES Stop Application Completed Event ID.

• #define CFE ES RESTART APP DBG EID 9

ES Restart Application Command Request Success Event ID.

#define CFE ES RESTART APP INF EID 10

```
ES Restart Application Completed Event ID.
• #define CFE_ES_RELOAD_APP_DBG_EID 11
     ES Reload Application Command Request Success Event ID.
• #define CFE ES RELOAD APP INF EID 12
     ES Reload Application Complete Event ID.

    #define CFE ES EXIT APP INF EID 13

     ES Nominal Exit Application Complete Event ID.
• #define CFE_ES_ERREXIT_APP_INF_EID 14
     ES Error Exit Application Complete Event ID.
• #define CFE ES ONE APP EID 15
     ES Query One Application Command Success Event ID.
• #define CFE ES ALL APPS EID 16
     ES Query All Applications Command Success Event ID.
• #define CFE ES SYSLOG1 INF EID 17
     ES Clear System Log Command Success Event ID.

    #define CFE ES SYSLOG2 EID 18

     ES Write System Log Command Success Event ID.

    #define CFE ES ERLOG1 INF EID 19

     ES Clear Exception Reset Log Command Success Event ID.
• #define CFE ES ERLOG2 EID 20
     ES Write Exception Reset Log Complete Event ID.
• #define CFE ES MID ERR EID 21
     ES Invalid Message ID Received Event ID.

    #define CFE ES CC1 ERR EID 22

     ES Invalid Command Code Received Event ID.

    #define CFE ES LEN ERR EID 23

     ES Invalid Command Length Event ID.

    #define CFE ES BOOT ERR EID 24

     ES Restart Command Invalid Restart Type Event ID.

    #define CFE ES START ERR EID 26

     ES Start Application Command Application Creation Failed Event ID.

    #define CFE ES START INVALID FILENAME ERR EID 27

     ES Start Application Command Invalid Filename Event ID.

    #define CFE ES START INVALID ENTRY POINT ERR EID 28

     ES Start Application Command Entry Point NULL Event ID.

    #define CFE ES START NULL APP NAME ERR EID 29

     ES Start Application Command App Name NULL Event ID.

    #define CFE ES START PRIORITY ERR EID 31

     ES Start Application Command Priority Too Large Event ID.
• #define CFE ES START EXC ACTION ERR EID 32
     ES Start Application Command Exception Action Invalid Event ID.

    #define CFE_ES_ERREXIT_APP_ERR_EID 33

     ES Error Exit Application Cleanup Failed Event ID.
• #define CFE ES STOP ERR1 EID 35
     ES Stop Application Command Request Failed Event ID.
• #define CFE ES STOP ERR2 EID 36
     ES Stop Application Command Get ApplD By Name Failed Event ID.
• #define CFE ES STOP ERR3 EID 37
     ES Stop Application Cleanup Failed Event ID.
• #define CFE ES RESTART APP ERR1 EID 38
     ES Restart Application Command Request Failed Event ID.
• #define CFE ES RESTART APP ERR2 EID 39
     ES Restart Application Command Get ApplD By Name Failed Event ID.
• #define CFE_ES_RESTART_APP_ERR3_EID 40
```

ES Restart Application Startup Failed Event ID.

```
    #define CFE_ES_RESTART_APP_ERR4_EID 41

     ES Restart Application Cleanup Failed Event ID.

    #define CFE ES RELOAD APP ERR1 EID 42

     ES Reload Application Command Request Failed Event ID.

    #define CFE_ES_RELOAD_APP_ERR2_EID 43

     ES Reload Application Command Get ApplD By Name Failed Event ID.
• #define CFE ES RELOAD APP ERR3 EID 44
     ES Reload Application Startup Failed Event ID.
• #define CFE ES RELOAD APP ERR4 EID 45
     ES Reload Application Cleanup Failed Event ID.

    #define CFE_ES_EXIT_APP_ERR_EID 46

     ES Exit Application Cleanup Failed Event ID.

    #define CFE ES PCR ERR1 EID 47

     ES Process Control Invalid Exception State Event ID.

    #define CFE ES PCR ERR2 EID 48

     ES Process Control Unknown State Event ID.

    #define CFE ES ONE ERR EID 49

     ES Query One Application Data Command Transmit Message Failed Event ID.
• #define CFE_ES_ONE_APPID_ERR_EID 50
     ES Query One Application Data Command Get ApplD By Name Failed Event ID.

    #define CFE ES OSCREATE ERR EID 51

     ES Query All Application Data Command File Creation Failed Event ID.

    #define CFE ES WRHDR ERR EID 52

     ES Query All Application Data Command File Write Header Failed Event ID.

    #define CFE ES TASKWR ERR EID 53

     ES Query All Application Data Command File Write App Data Failed Event ID.
• #define CFE ES SYSLOG2 ERR EID 55
     ES Write System Log Command Filename Parse or File Creation Failed Event ID.

    #define CFE ES ERLOG2 ERR EID 56

     ES Write Exception Reset Log Command Request or File Creation Failed Event ID.

    #define CFE_ES_PERF_STARTCMD_EID 57

     ES Start Performance Analyzer Data Collection Command Success Event ID.

    #define CFE ES PERF STARTCMD ERR EID 58

     ES Start Performance Analyzer Data Collection Command Idle Check Failed Event ID.

    #define CFE ES PERF STARTCMD TRIG ERR EID 59

     ES Start Performance Analyzer Data Collection Command Invalid Trigger Event ID.

    #define CFE ES PERF STOPCMD EID 60

     ES Stop Performance Analyzer Data Collection Command Request Success Event ID.

    #define CFE ES PERF STOPCMD ERR2 EID 62

     ES Stop Performance Analyzer Data Collection Command Request Idle Check Failed Event ID.

    #define CFE ES PERF FILTMSKCMD EID 63

     ES Set Performance Analyzer Filter Mask Command Success Event ID.

    #define CFE ES PERF FILTMSKERR EID 64

     ES Set Performance Analyzer Filter Mask Command Invalid Index Event ID.

    #define CFE ES PERF TRIGMSKCMD EID 65

     ES Set Performance Analyzer Trigger Mask Command Success Event ID.

    #define CFE ES PERF TRIGMSKERR EID 66

     ES Set Performance Analyzer Trigger Mask Command Invalid Mask Event ID.

    #define CFE ES PERF LOG ERR EID 67

     ES Stop Performance Analyzer Data Collection Command Filename Parse or File Create Failed Event ID.

    #define CFE_ES_PERF_DATAWRITTEN_EID 68

     Performance Log Write Success Event ID.

    #define CFE ES CDS REGISTER ERR EID 69

     ES Register CDS API Failed Event ID.

    #define CFE ES SYSLOGMODE EID 70
```

```
ES Set System Log Overwrite Mode Command Success Event ID.

    #define CFE ES ERR SYSLOGMODE EID 71

     ES Set System Log Overwrite Mode Command Failed Event ID.
• #define CFE ES RESET PR COUNT EID 72
     ES Set Processor Reset Counter to Zero Command Success Event ID.

    #define CFE ES SET MAX PR COUNT EID 73

     ES Set Maximum Processor Reset Limit Command Success Event ID.

    #define CFE ES FILEWRITE ERR EID 74

     ES File Write Failed Event ID.

    #define CFE ES CDS DELETE ERR EID 76

     ES Delete CDS Command Delete Failed Event ID.

    #define CFE ES CDS NAME ERR EID 77

     ES Delete CDS Command Lookup CDS Failed Event ID.

    #define CFE ES CDS DELETED INFO EID 78

     ES Delete CDS Command Success Event ID.

    #define CFE_ES_CDS_DELETE_TBL_ERR_EID 79

     ES Delete CDS Command For Critical Table Event ID.

    #define CFE ES CDS OWNER ACTIVE EID 80

     ES Delete CDS Command With Active Owner Event ID.

    #define CFE ES TLM POOL STATS INFO EID 81

     ES Telemeter Memory Statistics Command Success Event ID.
• #define CFE ES INVALID POOL HANDLE ERR EID 82
     ES Telemeter Memory Statistics Command Invalid Handle Event ID.

    #define CFE ES CDS REG DUMP INF EID 83

     ES Write Critical Data Store Registry Command Success Event ID.
• #define CFE ES CDS DUMP ERR EID 84
     ES Write Critical Data Store Registry Command Record Write Failed Event ID.

    #define CFE ES WRITE CFE HDR ERR EID 85

     ES Write Critical Data Store Registry Command Header Write Failed Event ID.

    #define CFE_ES_CREATING_CDS_DUMP_ERR_EID 86

     ES Write Critical Data Store Registry Command Filename Parse or File Create Failed Event ID.

    #define CFE ES TASKINFO EID 87

     ES Write All Task Data Command Success Event ID.

    #define CFE_ES_TASKINFO_OSCREATE_ERR_EID 88

     ES Write All Task Data Command Filename Parse or File Create Failed Event ID.

    #define CFE ES TASKINFO WRHDR ERR EID 89

     ES Write All Task Data Command Write Header Failed Event ID.

    #define CFE_ES_TASKINFO_WR_ERR_EID 90

     ES Write All Task Data Command Write Data Failed Event ID.

    #define CFE ES VERSION INF EID 91

     cFS Version Information Event ID

    #define CFE ES BUILD INF EID 92

     cFS Build Information Event ID

    #define CFE ES ERLOG PENDING ERR EID 93
```

ES Write Exception Reset Log Command Already In Progress Event ID.

11.53.1 Detailed Description

cFE Executive Services Event IDs

11.53.2 Macro Definition Documentation

11.53.2.1 CFE_ES_ALL_APPS_EID #define CFE_ES_ALL_APPS_EID 16
ES Query All Applications Command Success Event ID.

Type: DEBUG

Cause:

ES Query All Applications Command success.
Definition at line 206 of file cfe_es_eventids.h.

ES Restart Command Invalid Restart Type Event ID.

Type: ERROR

Cause:

ES cFE Restart Command failure due to invalid restart type. Definition at line 294 of file cfe_es_eventids.h.

11.53.2.3 CFE_ES_BUILD_INF_EID #define CFE_ES_BUILD_INF_EID 92

Type: INFORMATION

cFS Build Information Event ID

Cause:

ES Initialization complete and response to ES NO-OP Command .

The Build field identifies the build date, time, hostname and user identifier of the build host machine for the current running binary. The first string is the build date/time, and the second string is formatted as "user@hostname"

This additionally reports the configuration name that was selected by the user, which may affect various platform/mission limits.

By default, if not specified/overridden, the default values of these variables will be: BUILDDATE ==> the output of "date +%Y%m%d%H%M" HOSTNAME ==> the output of "hostname" USER ==> the output of "whoami"

The values can be overridden by setting an environment variable with the names above to the value desired for the field when running "make".

Definition at line 1047 of file cfe_es_eventids.h.

11.53.2.4 CFE_ES_CC1_ERR_EID #define CFE_ES_CC1_ERR_EID 22

ES Invalid Command Code Received Event ID.

Type: ERROR
Cause:
Invalid command code for message ID CFE_ES_CMD_MID received on the ES message pipe. Definition at line 272 of file cfe_es_eventids.h.
11.53.2.5 CFE_ES_CDS_DELETE_ERR_EID #define CFE_ES_CDS_DELETE_ERR_EID 76 ES Delete CDS Command Delete Failed Event ID.
Type: ERROR
Cause:
ES Delete CDS Command failed while deleting, see reported status code or system log for details. Definition at line 834 of file cfe_es_eventids.h.
11.53.2.6 CFE_ES_CDS_DELETE_TBL_ERR_EID #define CFE_ES_CDS_DELETE_TBL_ERR_EID 79 ES Delete CDS Command For Critical Table Event ID.
Type: ERROR
Cause:
Delete CDS Command failure due to the specified CDS name being a critical table. Critical Table images can only be deleted via a Table Services command, CFE_TBL_DELETE_CDS_CC. Definition at line 871 of file cfe_es_eventids.h.
11.53.2.7 CFE_ES_CDS_DELETED_INFO_EID #define CFE_ES_CDS_DELETED_INFO_EID 78 ES Delete CDS Command Success Event ID.
Type: INFORMATION
Cause:
ES Delete CDS Command success. Definition at line 857 of file cfe_es_eventids.h.

11.53.2.8 CFE_ES_CDS_DUMP_ERR_EID #define CFE_ES_CDS_DUMP_ERR_EID 84 ES Write Critical Data Store Registry Command Record Write Failed Event ID.
Type: ERROR
Cause:
TC Write Critical Data Stare Deviator Command failed to unite CDC record
ES Write Critical Data Store Registry Command failed to write CDS record. Definition at line 929 of file cfe_es_eventids.h.
11.53.2.9 CFE_ES_CDS_NAME_ERR_EID #define CFE_ES_CDS_NAME_ERR_EID 77 ES Delete CDS Command Lookup CDS Failed Event ID.
Type: ERROR
Cause:
ES Delete CDS Command failed due to the specified CDS name not found in the CDS Registry.
Definition at line 846 of file cfe_es_eventids.h.
44 50 0 40 OFF FO ODG OWNED ACTIVE FID. WAS ALL AND AL
11.53.2.10 CFE_ES_CDS_OWNER_ACTIVE_EID #define CFE_ES_CDS_OWNER_ACTIVE_EID 80 ES Delete CDS Command With Active Owner Event ID.
Type: ERROR
Cause:
ES Delete CDS Command failure due to the specifies CDS name is registered to an active application.
Definition at line 883 of file cfe_es_eventids.h.
11.53.2.11 CFE_ES_CDS_REG_DUMP_INF_EID #define CFE_ES_CDS_REG_DUMP_INF_EID 83
ES Write Critical Data Store Registry Command Success Event ID.
Type: DEBUG
Cause:
ES Write Critical Data Store Registry Command success.

Definition at line 917 of file cfe_es_eventids.h.

11.53.2.12 CFE_ES_CDS_REGISTER_ERR_EID #define CFE_ES_CDS_REGISTER_ERR_EID 69 ES Register CDS API Failed Event ID.
Type: ERROR
Cause:
CFE_ES_RegisterCDS API failure, see reported status code or system log for details. Definition at line 766 of file cfe_es_eventids.h.
11.53.2.13 CFE_ES_CREATING_CDS_DUMP_ERR_EID #define CFE_ES_CREATING_CDS_DUMP_ERR_EID 86 ES Write Critical Data Store Registry Command Filename Parse or File Create Failed Event ID.
Type: ERROR
Cause:
ES Write Critical Data Store Registry Command failed to parse filename or open/create the file. OVERLOADED Definition at line 953 of file cfe_es_eventids.h.
11.53.2.14 CFE_ES_ERLOG1_INF_EID #define CFE_ES_ERLOG1_INF_EID 19 ES Clear Exception Reset Log Command Success Event ID.
Type: INFORMATION
Cause:
ES Clear Exception Reset Log Command success. Definition at line 239 of file cfe_es_eventids.h.
11.53.2.15 CFE_ES_ERLOG2_EID #define CFE_ES_ERLOG2_EID 20 ES Write Exception Reset Log Complete Event ID.
Type: DEBUG
Cause:
Request to write the Exception Reset log successfully completed. Definition at line 250 of file cfe_es_eventids.h.

11.53.2.16 CFE_ES_ERLOG2_ERR_EID #define CFE_ES_ERLOG2_ERR_EID 56 ES Write Exception Reset Log Command Request or File Creation Failed Event ID.
Type: ERROR
Cause:
ES Write Exception Reset Log Command request failed or file creation failed. OVERLOADED Definition at line 626 of file cfe_es_eventids.h.
11.53.2.17 CFE_ES_ERLOG_PENDING_ERR_EID #define CFE_ES_ERLOG_PENDING_ERR_EID 93 ES Write Exception Reset Log Command Already In Progress Event ID.
Type: ERROR
Cause:
EC Write Evention Boot Log Command failure due to a write already being in progress
ES Write Exception Reset Log Command failure due to a write already being in progress. Definition at line 1059 of file cfe_es_eventids.h.
11.53.2.18 CFE_ES_ERR_SYSLOGMODE_EID #define CFE_ES_ERR_SYSLOGMODE_EID 71 ES Set System Log Overwrite Mode Command Failed Event ID.
Type: ERROR
Cause:
ES Set System Log Overwrite Mode Command failed due to invalid mode requested. Definition at line 789 of file cfe_es_eventids.h.
11.53.2.19 CFE_ES_ERREXIT_APP_ERR_EID #define CFE_ES_ERREXIT_APP_ERR_EID 33 ES Error Exit Application Cleanup Failed Event ID.
Type: ERROR
Cause:
Error request to exit an application failed during application cleanup. Application and related resources will be in unde-
fined state.
Definition at line 379 of file cfe_es_eventids.h.

11.53.2.20 CFE_ES_ERREXIT_APP_INF_EID #define CFE_ES_ERREXIT_APP_INF_EID 14 ES Error Exit Application Complete Event ID.
Type: INFORMATION
Cause:
Error request to exit an application successfully completed. This event indicates the Application exited due to an erro condition. The details of the error that occurred should be given by the Application through an event message, System Log entry, or both. Definition at line 184 of file cfe_es_eventids.h.
11.53.2.21 CFE_ES_EXIT_APP_ERR_EID #define CFE_ES_EXIT_APP_ERR_EID 46 ES Exit Application Cleanup Failed Event ID. Type: ERROR
Cause:
Nominal request to exit an application failed during application cleanup. Application and related resources will be in undefined state. Definition at line 522 of file cfe_es_eventids.h.
11.53.2.22 CFE_ES_EXIT_APP_INF_EID #define CFE_ES_EXIT_APP_INF_EID 13 ES Nominal Exit Application Complete Event ID. Type: INFORMATION
Cause:
Nominal request to exit an application successfully completed. This event indicates the Application exited due to a nominal exit condition. Definition at line 170 of file cfe_es_eventids.h.
11.53.2.23 CFE_ES_FILEWRITE_ERR_EID #define CFE_ES_FILEWRITE_ERR_EID 74 ES File Write Failed Event ID. Type: ERROR
Cause:

ES File Write failure writing data to file. OVERLOADED Definition at line 822 of file cfe_es_eventids.h.

11.53.2.24 CFE_ES_INIT_INF_EID #define CFE_ES_INIT_INF_EID 1 ES Initialization Event ID.
Type: INFORMATION
Cause:
Executive Services Task initialization complete. Definition at line 42 of file cfe_es_eventids.h.
11.53.2.25 CFE_ES_INITSTATS_INF_EID #define CFE_ES_INITSTATS_INF_EID 2 ES Initialization Statistics Information Event ID.
Type: INFORMATION
Cause:
Executive Services Task initialization complete. Definition at line 53 of file cfe_es_eventids.h.
11.53.2.26 CFE_ES_INVALID_POOL_HANDLE_ERR_EID #define CFE_ES_INVALID_POOL_HANDLE_ERR_EID 82 ES Telemeter Memory Statistics Command Invalid Handle Event ID.
Type: ERROR
Cause:
ES Telemeter Memory Statistics Command failure due to an invalid memory handle. Definition at line 906 of file cfe_es_eventids.h.
11.53.2.27 CFE_ES_LEN_ERR_EID #define CFE_ES_LEN_ERR_EID 23 ES Invalid Command Length Event ID.
Type: ERROR
Cause:
Invalid length for the command code in message ID CFE_ES_CMD_MID received on the ES message pipe. Definition at line 283 of file cfe_es_eventids.h.

11.53.2.28 CFE_ES_MID_ERR_EID #define CFE_ES_MID_ERR_EID 21 ES Invalid Message ID Received Event ID.
Type: ERROR
Cause:
Invalid message ID received on the ES message pipe. Definition at line 261 of file cfe_es_eventids.h.
11.53.2.29 CFE_ES_NOOP_INF_EID #define CFE_ES_NOOP_INF_EID 3 ES No-op Command Success Event ID.
Type: INFORMATION
Cause:
ES No-op Command success. Definition at line 64 of file cfe_es_eventids.h.
11.53.2.30 CFE_ES_ONE_APP_EID #define CFE_ES_ONE_APP_EID 15 ES Query One Application Command Success Event ID.
Type: DEBUG
Cause:
ES Query One Application Command success. Definition at line 195 of file cfe_es_eventids.h.
11.53.2.31 CFE_ES_ONE_APPID_ERR_EID #define CFE_ES_ONE_APPID_ERR_EID 50 ES Query One Application Data Command Get AppID By Name Failed Event ID.
Type: ERROR
Cause:
ES Query One Application Data Command failed to get application ID from application name. Message will not be sent.

Definition at line 569 of file cfe_es_eventids.h.

11.53.2.32 CFE_ES_ONE_ERR_EID #define CFE_ES_ONE_ERR_EID 49 ES Query One Application Data Command Transmit Message Failed Event ID.
Type: ERROR
Cause:
ES Query One Application Data Command failed during message transmission. Definition at line 557 of file cfe_es_eventids.h.
11.53.2.33 CFE_ES_OSCREATE_ERR_EID #define CFE_ES_OSCREATE_ERR_EID 51 ES Query All Application Data Command File Creation Failed Event ID.
Type: ERROR
Cause:
ES Query All Application Data Command failed to create file. Definition at line 580 of file cfe_es_eventids.h.
11.53.2.34 CFE_ES_PCR_ERR1_EID #define CFE_ES_PCR_ERR1_EID 47 ES Process Control Invalid Exception State Event ID.
Type: ERROR
Cause:
Invalid Exception state encountered when processing requests for application state changes. Exceptions are processed immediately, so this state should never occur during routine processing. Definition at line 534 of file cfe_es_eventids.h.
11.53.2.35 CFE_ES_PCR_ERR2_EID #define CFE_ES_PCR_ERR2_EID 48 ES Process Control Unknown State Event ID.
Type: ERROR
Cause:
Unknown state encountered when processing requests for application state changes.

Definition at line 545 of file cfe_es_eventids.h.

11.53.2.36 CFE_ES_PERF_DATAWRITTEN_EID #define CFE_ES_PERF_DATAWRITTEN_EID 68 Performance Log Write Success Event ID.
Type: DEBUG
Cause:
Request to write the performance log successfully completed. Definition at line 755 of file cfe_es_eventids.h.
11.53.2.37 CFE_ES_PERF_FILTMSKCMD_EID #define CFE_ES_PERF_FILTMSKCMD_EID 63 ES Set Performance Analyzer Filter Mask Command Success Event ID.
Type: DEBUG
Type: BEBOO
Cause:
ES Set Performance Analyzer Filter Mask Command success.
Definition at line 697 of file cfe_es_eventids.h.
11.53.2.38 CFE_ES_PERF_FILTMSKERR_EID #define CFE_ES_PERF_FILTMSKERR_EID 64 ES Set Performance Analyzer Filter Mask Command Invalid Index Event ID.
Type: ERROR
Cause:
ES Set Performance Analyzer Filter Mask Command failed filter index range check.
Definition at line 709 of file cfe_es_eventids.h.
11.53.2.39 CFE_ES_PERF_LOG_ERR_EID #define CFE_ES_PERF_LOG_ERR_EID 67 ES Stop Performance Analyzer Data Collection Command Filename Parse or File Create Failed Event ID.
Type: ERROR
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Cause:
EO Otas Parfermana Analysis Data Callesti Communication of the City City City City City City City City
ES Stop Performance Analyzer Data Collection Command failed either parsing the file name or during open/creation of the file. OVERLOADED
Definition at line 744 of file cfe_es_eventids.h.

11.53.2.40 CFE_ES_PERF_STARTCMD_EID #define CFE_ES_PERF_STARTCMD_EID 57 ES Start Performance Analyzer Data Collection Command Success Event ID.
Type: DEBUG
Cause:
ES Start Performance Analyzer Data Collection Command success. Definition at line 637 of file cfe_es_eventids.h.
11.53.2.41 CFE_ES_PERF_STARTCMD_ERR_EID #define CFE_ES_PERF_STARTCMD_ERR_EID 58 ES Start Performance Analyzer Data Collection Command Idle Check Failed Event ID.
Type: ERROR
Cause:
ES Start Performance Analyzer Data Collection Command failed due to already being started. Definition at line 649 of file cfe_es_eventids.h.
11.53.2.42 CFE_ES_PERF_STARTCMD_TRIG_ERR_EID #define CFE_ES_PERF_STARTCMD_TRIG_ERR_EID 59 ES Start Performance Analyzer Data Collection Command Invalid Trigger Event ID.
Type: ERROR
Cause:
ES Start Performance Analyzer Data Collection Command failed due to invalid trigger mode. Definition at line 661 of file cfe_es_eventids.h.
11.53.2.43 CFE_ES_PERF_STOPCMD_EID #define CFE_ES_PERF_STOPCMD_EID 60 ES Stop Performance Analyzer Data Collection Command Request Success Event ID.
Type: DEBUG
Cause:
ES Stop Performance Analyzer Data Collection Command success. Note this event signifies the request to stop and write the performance data has been successfully submitted. The successful completion will generate a CFE_ES_PERF_DATAWRITTEN_EID event.

Definition at line 674 of file cfe_es_eventids.h.

11.53.2.44 CFE_ES_PERF_STOPCMD_ERR2_EID #define CFE_ES_PERF_STOPCMD_ERR2_EID 62 ES Stop Performance Analyzer Data Collection Command Request Idle Check Failed Event ID.
Type: ERROR
Cause:
ES Stop Performance Analyzer Data Collection Command failed due to a write already in progress. Definition at line 686 of file cfe_es_eventids.h.
11.53.2.45 CFE_ES_PERF_TRIGMSKCMD_EID #define CFE_ES_PERF_TRIGMSKCMD_EID 65 ES Set Performance Analyzer Trigger Mask Command Success Event ID.
Type: DEBUG
Cause:
ES Set Performance Analyzer Trigger Mask Command success. Definition at line 720 of file cfe_es_eventids.h.
11.53.2.46 CFE_ES_PERF_TRIGMSKERR_EID #define CFE_ES_PERF_TRIGMSKERR_EID 66 ES Set Performance Analyzer Trigger Mask Command Invalid Mask Event ID. Type: ERROR
Cause:
ES Set Performance Analyzer Trigger Mask Command failed the mask range check. Definition at line 732 of file cfe_es_eventids.h.
11.53.2.47 CFE_ES_RELOAD_APP_DBG_EID #define CFE_ES_RELOAD_APP_DBG_EID 11 ES Reload Application Command Request Success Event ID.
Type: DEBUG
Cause:
ES Reload Application Command success. Note this event signifies the request to reload the application has been successfully submitted. The successful completion will generate a CFE_ES_RELOAD_APP_INF_EID event. Definition at line 147 of file cfe_es_eventids.h.

11.53.2.48 CFE_ES_RELOAD_APP_ERR1_EID #define CFE_ES_RELOAD_APP_ERR1_EID 42 ES Reload Application Command Request Failed Event ID. Type: ERROR
Cause:
ES Reload Application Command request failed. Definition at line 473 of file cfe_es_eventids.h.
11.53.2.49 CFE_ES_RELOAD_APP_ERR2_EID #define CFE_ES_RELOAD_APP_ERR2_EID 43 ES Reload Application Command Get ApplD By Name Failed Event ID.
Type: ERROR
Cause:
ES Reload Application Command failed to get application ID from application name. The application will not be reloaded. Definition at line 485 of file cfe_es_eventids.h.
11.53.2.50 CFE_ES_RELOAD_APP_ERR3_EID #define CFE_ES_RELOAD_APP_ERR3_EID 44 ES Reload Application Startup Failed Event ID. Type: ERROR
Cause:
Request to reload an application failed during application startup. The application will not be reloaded. Definition at line 497 of file cfe_es_eventids.h.
11.53.2.51 CFE_ES_RELOAD_APP_ERR4_EID #define CFE_ES_RELOAD_APP_ERR4_EID 45 ES Reload Application Cleanup Failed Event ID.
Type: ERROR
Cause:

Request to reload an application failed during application cleanup. The application will not be reloaded and will be in an

Generated by Doxygen

undefined state along with it's associated resources. Definition at line 510 of file cfe_es_eventids.h.

11.53.2.52 CFE_ES_RELOAD_APP_INF_EID #define CFE_ES_RELOAD_APP_INF_EID 12 ES Reload Application Complete Event ID.
Type: INFORMATION
Cause:
Request to reload an application successfully completed. Definition at line 158 of file cfe_es_eventids.h.
11.53.2.53 CFE_ES_RESET_INF_EID #define CFE_ES_RESET_INF_EID 4 ES Reset Counters Command Success Event ID.
Type: INFORMATION
Cause:
ES Reset Counters Command success.
Definition at line 75 of file cfe_es_eventids.h.
11.53.2.54 CFE_ES_RESET_PR_COUNT_EID #define CFE_ES_RESET_PR_COUNT_EID 72 ES Set Processor Reset Counter to Zero Command Success Event ID.
Type: INFORMATION
Cause:
ES Set Processor Reset Counter to Zero Command success.
Definition at line 800 of file cfe_es_eventids.h.
11.53.2.55 CFE_ES_RESTART_APP_DBG_EID #define CFE_ES_RESTART_APP_DBG_EID 9
ES Restart Application Command Request Success Event ID.
Type: DEBUG
Cause:
ES Restart Application Command success. Note this event signifies the request to restart the application has been
successfully submitted. The successful completion will generate a CFE_ES_RESTART_APP_INF_EID event. Definition at line 123 of file cfe_es_eventids.h.

11.53.2.56 CFE_ES_RESTART_APP_ERR1_EID #define CFE_ES_RESTART_APP_ERR1_EID 38 ES Restart Application Command Request Failed Event ID.
Type: ERROR
Cause:
ES Restart Application Command request failed. Definition at line 425 of file cfe_es_eventids.h.
11.53.2.57 CFE_ES_RESTART_APP_ERR2_EID #define CFE_ES_RESTART_APP_ERR2_EID 39 ES Restart Application Command Get AppID By Name Failed Event ID. Type: ERROR
Cause:
ES Restart Application Command failed to get application ID from application name. The application will not be restarted. Definition at line 437 of file cfe_es_eventids.h.
11.53.2.58 CFE_ES_RESTART_APP_ERR3_EID #define CFE_ES_RESTART_APP_ERR3_EID 40 ES Restart Application Startup Failed Event ID. Type: ERROR
Cause:
Request to restart an application failed during application startup. The application will not be restarted. Definition at line 449 of file cfe_es_eventids.h.
11.53.2.59 CFE_ES_RESTART_APP_ERR4_EID #define CFE_ES_RESTART_APP_ERR4_EID 41 ES Restart Application Cleanup Failed Event ID. Type: ERROR
Cause:
Request to restart an application failed during application cleanup. The application will not be restarted and will be in an undefined state along with it's associated resources.

Definition at line 462 of file cfe_es_eventids.h.

11.53.2.60 CFE_ES_RESTART_APP_INF_EID #define CFE_ES_RESTART_APP_INF_EID 10 ES Restart Application Completed Event ID.
Type: INFORMATION
Cause:
Request to restart an application successfully completed.
Definition at line 134 of file cfe_es_eventids.h.
44 50 0 C4 OFF FO OFT MAY DD COUNT FID
11.53.2.61 CFE_ES_SET_MAX_PR_COUNT_EID #define CFE_ES_SET_MAX_PR_COUNT_EID 73 ES Set Maximum Processor Reset Limit Command Success Event ID.
Type: INFORMATION
Cause:
ES Set Maximum Processor Reset Limit Command success.
Definition at line 811 of file cfe_es_eventids.h.
11.53.2.62 CFE_ES_START_ERR_EID #define CFE_ES_START_ERR_EID 26
ES Start Application Command Application Creation Failed Event ID. Type: ERROR
Type. Emilon
Cause:
ES Start Application Command failure during application creation after successful parameter validation. Definition at line 306 of file cfe_es_eventids.h.
11.53.2.63 CFE_ES_START_EXC_ACTION_ERR_EID #define CFE_ES_START_EXC_ACTION_ERR_EID 32 ES Start Application Command Exception Action Invalid Event ID.
Type: ERROR
Cause:
ES Start Application Command failure due to invalid application exception action.
Definition at line 367 of file cfe_es_eventids.h.

11.53.2.64 CFE_ES_START_INF_EID #define CFE_ES_START_INF_EID 6 ES Start Application Command Success Event ID.
Type: INFORMATION
Cause:
ES Start Application Command success. Definition at line 86 of file cfe_es_eventids.h.
11.53.2.65 CFE_ES_START_INVALID_ENTRY_POINT_ERR_EID #define CFE_ES_START_INVALID_ENTRY_POICENTERR_EID 28
ES Start Application Command Entry Point NULL Event ID. Type: ERROR
Cause:
ES Start Application Command failure due to a NULL Application Entry Point. Definition at line 330 of file cfe_es_eventids.h.
11.53.2.66 CFE_ES_START_INVALID_FILENAME_ERR_EID #define CFE_ES_START_INVALID_FILENAME_ERR _EID 27 ES Start Application Command Invalid Filename Event ID. Type: ERROR
Cause:
ES Start Application Command failure due to invalid filename. Definition at line 318 of file cfe_es_eventids.h.
11.53.2.67 CFE_ES_START_NULL_APP_NAME_ERR_EID #define CFE_ES_START_NULL_APP_NAME_ERR_E↔ ID 29 ES Start Application Command App Name NULL Event ID. Type: ERROR
Cause:
ES Start Application Command failure due to NULL Application Name. Definition at line 342 of file cfe. es, eventids h

11.53.2.68 CFE_ES_START_PRIORITY_ERR_EID #define CFE_ES_START_PRIORITY_ERR_EID 31 ES Start Application Command Priority Too Large Event ID. Type: ERROR Cause: ES Start Application Command failure due to a requested application priority greater than the maximum priority allowed for tasks as defined by the OS Abstraction Layer (OS MAX PRIORITY). Definition at line 355 of file cfe es eventids.h. 11.53.2.69 CFE ES STOP DBG EID #define CFE_ES_STOP_DBG_EID 7 ES Stop Application Command Request Success Event ID. Type: DEBUG Cause: ES Stop Application Command success. Note this event signifies the request to delete the application has been successfully submitted. The successful completion will generate a CFE_ES_STOP_INF_EID event. Definition at line 99 of file cfe_es_eventids.h. 11.53.2.70 CFE_ES_STOP_ERR1_EID #define CFE_ES_STOP_ERR1_EID 35 ES Stop Application Command Request Failed Event ID. Type: ERROR Cause: ES Stop Application Command request failed. Definition at line 390 of file cfe_es_eventids.h. 11.53.2.71 CFE_ES_STOP_ERR2_EID #define CFE_ES_STOP_ERR2_EID 36 ES Stop Application Command Get AppID By Name Failed Event ID. Type: ERROR Cause:

ES Stop Application Command failed to get application ID from application name. The application will not be deleted.

Definition at line 402 of file cfe_es_eventids.h.

11.53.2.72 CFE_ES_STOP_ERR3_EID #define CFE_ES_STOP_ERR3_EID 37 ES Stop Application Cleanup Failed Event ID.
Type: ERROR
Course
Cause:
Request to delete an application failed during application cleanup. Application and related resources will be in undefined state.
Definition at line 414 of file cfe_es_eventids.h.
11.53.2.73 CFE_ES_STOP_INF_EID #define CFE_ES_STOP_INF_EID 8
ES Stop Application Completed Event ID.
Type: INFORMATION
Cause:
Request to delete an application successfully completed.
Definition at line 110 of file cfe_es_eventids.h.
11.53.2.74 CFE_ES_SYSLOG1_INF_EID #define CFE_ES_SYSLOG1_INF_EID 17
ES Clear System Log Command Success Event ID.
Type: INFORMATION
Cause:
ES Clear System Log Command success.
Definition at line 217 of file cfe_es_eventids.h.
11.53.2.75 CFE_ES_SYSLOG2_EID #define CFE_ES_SYSLOG2_EID 18
ES Write System Log Command Success Event ID.
Type: DEBUG
Cause:
ES Write System Los Command augusts
ES Write System Log Command success.

Definition at line 228 of file cfe_es_eventids.h.

11.53.2.76 CFE_ES_SYSLOG2_ERR_EID #define CFE_ES_SYSLOG2_ERR_EID 55 ES Write System Log Command Filename Parse or File Creation Failed Event ID.
Type: ERROR
Cause:
ES Write System Log Command failed parsing file name or creating the file. OVERLOADED Definition at line 614 of file cfe_es_eventids.h.
11.53.2.77 CFE_ES_SYSLOGMODE_EID #define CFE_ES_SYSLOGMODE_EID 70 ES Set System Log Overwrite Mode Command Success Event ID.
Type: DEBUG
Cause:
ES Set System Log Overwrite Mode Command success. Definition at line 777 of file cfe_es_eventids.h.
11.53.2.78 CFE_ES_TASKINFO_EID #define CFE_ES_TASKINFO_EID 87 ES Write All Task Data Command Success Event ID.
Type: DEBUG
Cause:
ES Write All Task Data Command success. Definition at line 964 of file cfe_es_eventids.h.
11.53.2.79 CFE_ES_TASKINFO_OSCREATE_ERR_EID #define CFE_ES_TASKINFO_OSCREATE_ERR_EID 88 ES Write All Task Data Command Filename Parse or File Create Failed Event ID.
Type: ERROR
Cause:
ES Write All Task Data Command failed to parse the filename or open/create the file. Definition at line 976 of file cfe_es_eventids.h.

11.53.2.80 CFE_ES_TASKINFO_WR_ERR_EID #define CFE_ES_TASKINFO_WR_ERR_EID 90 ES Write All Task Data Command Write Data Failed Event ID.
Type: ERROR
Cause:
ES Write All Task Data Command failed to write task data to file. Definition at line 1000 of file cfe_es_eventids.h.
11.53.2.81 CFE_ES_TASKINFO_WRHDR_ERR_EID #define CFE_ES_TASKINFO_WRHDR_ERR_EID 89 ES Write All Task Data Command Write Header Failed Event ID.
Type: ERROR
Cause:
ES Write All Task Data Command failed to write file header. Definition at line 988 of file cfe_es_eventids.h.
11.53.2.82 CFE_ES_TASKWR_ERR_EID #define CFE_ES_TASKWR_ERR_EID 53 ES Query All Application Data Command File Write App Data Failed Event ID.
Type: ERROR
Cause:
ES Query All Application Data Command failed to write file application data. Definition at line 602 of file cfe_es_eventids.h.
11.53.2.83 CFE_ES_TLM_POOL_STATS_INFO_EID #define CFE_ES_TLM_POOL_STATS_INFO_EID 81 ES Telemeter Memory Statistics Command Success Event ID.
Type: DEBUG
Cause:
ES Telemeter Memory Statistics Command success. Definition at line 894 of file cfe_es_eventids.h.

11.53.2.84 CFE_ES_VERSION_INF_EID #define CFE_ES_VERSION_INF_EID 91 cFS Version Information Event ID
Type: INFORMATION
Cause:
Gause.
ES Initialization complete and response to ES NO OR Command
ES Initialization complete and response to ES NO-OP Command. A separate version info event will be generated for every module which is statically linked into the CFE core executable
(e.g. OSAL, PSP, MSG, SBR, etc). The version information reported in this event is derived from the source revision control system at build time, as
opposed to manually-assigned semantic version numbers. It is intended to uniquely identify the actual source code that is currently running, to the extent this is possible.
The Mission version information also identifies the build configuration name, if available. Definition at line 1021 of file cfe es eventids.h.
11.53.2.85 CFE_ES_WRHDR_ERR_EID #define CFE_ES_WRHDR_ERR_EID 52
ES Query All Application Data Command File Write Header Failed Event ID.
Type: ERROR
Cause:
ES Query All Application Data Command failed to write file header.
Definition at line 591 of file cfe_es_eventids.h.
11.53.2.86 CFE_ES_WRITE_CFE_HDR_ERR_EID #define CFE_ES_WRITE_CFE_HDR_ERR_EID 85 ES Write Critical Data Store Registry Command Header Write Failed Event ID.
Type: ERROR
Type. Ennon
Cause:
ES Write Critical Data Store Registry Command failed to write header.

11.54 cfe/modules/evs/config/default_cfe_evs_extern_typedefs.h File Reference

#include "common_types.h"

Definition at line 941 of file cfe_es_eventids.h.

Typedefs

```
    typedef uint8 CFE_EVS_MsgFormat_Enum_t
```

Identifies format of log messages.

typedef uint8 CFE EVS LogMode Enum t

Identifies handling of log messages after storage is filled.

typedef uint16 CFE_EVS_EventType_Enum_t

Identifies type of event message.

typedef uint8 CFE EVS EventFilter Enum t

Identifies event filter schemes.

typedef uint8 CFE EVS EventOutput Enum t

Identifies event output port.

Enumerations

```
    enum CFE_EVS_MsgFormat { CFE_EVS_MsgFormat_SHORT = 0, CFE_EVS_MsgFormat_LONG = 1 }
    Label definitions associated with CFE_EVS_MsgFormat_Enum_t.
```

• enum CFE_EVS_LogMode { CFE_EVS_LogMode_OVERWRITE = 0, CFE_EVS_LogMode_DISCARD = 1 } Label definitions associated with CFE_EVS_LogMode_Enum_t.

 enum CFE_EVS_EventType { CFE_EVS_EventType_DEBUG = 1, CFE_EVS_EventType_INFORMATION = 2, CFE_EVS_EventType_ERROR = 3, CFE_EVS_EventType_CRITICAL = 4 }

Label definitions associated with CFE_EVS_EventType_Enum_t.

enum CFE_EVS_EventFilter { CFE_EVS_EventFilter_BINARY = 0 }

Label definitions associated with CFE EVS EventFilter Enum t.

enum CFE_EVS_EventOutput { CFE_EVS_EventOutput_PORT1 = 1, CFE_EVS_EventOutput_PORT2 = 2, CFE_EVS_EventOutput_PORT3 = 3, CFE_EVS_EventOutput_PORT4 = 4 }

Label definitions associated with CFE_EVS_EventOutput_Enum_t.

11.54.1 Detailed Description

Declarations and prototypes for cfe_evs_extern_typedefs module

11.54.2 Typedef Documentation

11.54.2.1 CFE_EVS_EventFilter_Enum_t typedef uint8 CFE_EVS_EventFilter_Enum_t

Identifies event filter schemes.

See also

```
enum CFE EVS EventFilter
```

Definition at line 125 of file default_cfe_evs_extern_typedefs.h.

11.54.2.2 CFE_EVS_EventOutput_Enum_t typedef uint8 CFE_EVS_EventOutput_Enum_t Identifies event output port.

See also

```
enum CFE EVS EventOutput
```

Definition at line 158 of file default cfe evs extern typedefs.h.

11.54.2.3 CFE_EVS_EventType_Enum_t typedef uint16 CFE_EVS_EventType_Enum_t Identifies type of event message.

See also

enum CFE_EVS_EventType

Definition at line 107 of file default_cfe_evs_extern_typedefs.h.

11.54.2.4 CFE_EVS_LogMode_Enum_t typedef uint8 CFE_EVS_LogMode_Enum_t Identifies handling of log messages after storage is filled.

See also

enum CFE_EVS_LogMode

Definition at line 74 of file default cfe evs extern typedefs.h.

11.54.2.5 CFE_EVS_MsgFormat_Enum_t typedef uint8 CFE_EVS_MsgFormat_Enum_t Identifies format of log messages.

See also

enum CFE EVS MsgFormat

Definition at line 51 of file default_cfe_evs_extern_typedefs.h.

11.54.3 Enumeration Type Documentation

11.54.3.1 CFE_EVS_EventFilter enum CFE_EVS_EventFilter Label definitions associated with CFE_EVS_EventFilter_Enum_t.

Enumerator

CFE_EVS_EventFilter_BINARY | Binary event filter.

Definition at line 112 of file default_cfe_evs_extern_typedefs.h.

11.54.3.2 CFE_EVS_EventOutput enum CFE_EVS_EventOutput Label definitions associated with CFE_EVS_EventOutput_Enum_t.

Enumerator

CFE_EVS_EventOutput_PORT1	Output Port 1.
CFE_EVS_EventOutput_PORT2	Output Port 2.
CFE_EVS_EventOutput_PORT3	Output Port 3.
CFE_EVS_EventOutput_PORT4	Output Port 4.

Definition at line 130 of file default_cfe_evs_extern_typedefs.h.

11.54.3.3 CFE_EVS_EventType enum CFE_EVS_EventType

Label definitions associated with CFE EVS EventType Enum t.

Enumerator

CFE_EVS_EventType_DEBUG	Events that are intended only for debugging, not nominal operations.	
CFE_EVS_EventType_INFORMATION	Events that identify a state change or action that is not an error.	
CFE_EVS_EventType_ERROR	Events that identify an error but are not catastrophic (e.g bad command.	
CFE_EVS_EventType_CRITICAL	Events that identify errors that are unrecoverable autonomously.	

Definition at line 79 of file default_cfe_evs_extern_typedefs.h.

11.54.3.4 CFE_EVS_LogMode enum CFE_EVS_LogMode

Label definitions associated with CFE EVS LogMode Enum t.

Enumerator

CFE_EVS_LogMode_OVERWRITE	Overwrite Log Mode.
CFE_EVS_LogMode_DISCARD	Discard Log Mode.

Definition at line 56 of file default_cfe_evs_extern_typedefs.h.

11.54.3.5 CFE_EVS_MsgFormat enum CFE_EVS_MsgFormat

Label definitions associated with CFE EVS MsgFormat Enum t.

Enumerator

CFE_EVS_MsgFormat_SHORT	Short Format Messages.
CFE_EVS_MsgFormat_LONG	Long Format Messages.

Definition at line 33 of file default_cfe_evs_extern_typedefs.h.

11.55 cfe/modules/evs/config/default_cfe_evs_fcncodes.h File Reference

Macros

Event Services Command Codes

- #define CFE EVS NOOP CC 0
- #define CFE_EVS_RESET_COUNTERS_CC 1
- #define CFE EVS ENABLE EVENT TYPE CC 2
- #define CFE_EVS_DISABLE_EVENT_TYPE_CC 3
- #define CFE EVS SET EVENT FORMAT MODE CC 4
- #define CFE_EVS_ENABLE_APP_EVENT_TYPE_CC 5
- #define CFE EVS DISABLE APP EVENT TYPE CC 6
- #define CFE EVS ENABLE APP EVENTS CC 7
- #define CFE_EVS_DISABLE_APP_EVENTS_CC 8
- #define CFE_EVS_RESET_APP_COUNTER_CC 9
- #define CFE_EVS_SET_FILTER_CC 10
- #define CFE EVS ENABLE PORTS CC 11
- #define CFE EVS DISABLE PORTS CC 12

- #define CFE_EVS_RESET_FILTER_CC 13
- #define CFE_EVS_RESET_ALL_FILTERS_CC 14
- #define CFE_EVS_ADD_EVENT_FILTER_CC 15
- #define CFE_EVS_DELETE_EVENT_FILTER_CC 16
- #define CFE EVS WRITE APP DATA FILE CC 17
- #define CFE_EVS_WRITE_LOG_DATA_FILE_CC 18
- #define CFE_EVS_SET_LOG_MODE_CC 19
- #define CFE_EVS_CLEAR_LOG_CC 20

11.55.1 Detailed Description

Specification for the CFE Event Services (CFE EVS) command function codes

Note

This file should be strictly limited to the command/function code (CC) macro definitions. Other definitions such as enums, typedefs, or other macros should be placed in the msgdefs.h or msg.h files.

11.55.2 Macro Definition Documentation

```
11.55.2.1 CFE_EVS_ADD_EVENT_FILTER_CC #define CFE_EVS_ADD_EVENT_FILTER_CC 15
```

Name Add Application Event Filter

Description

This command adds the given filter for the given application identifier and event identifier. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc_\$cpu_EVS_AddEvtFltr

Command Structure

CFE EVS AddEventFilterCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE EVS ADDFILTER EID debug event message

Error Conditions

This command may fail for the following reason(s):

- · Application name is not valid or not registered with event services
- · Specified event ID is already added to the application event filter
- · Maximum number of event IDs already added to filter

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

None.

See also

CFE_EVS_SET_FILTER_CC, CFE_EVS_RESET_FILTER_CC, CFE_EVS_RESET_ALL_FILTERS_CC, CFE_EVS_DELETE_EVENT_FILTER_CC

Definition at line 693 of file default_cfe_evs_fcncodes.h.

11.55.2.2 CFE_EVS_CLEAR_LOG_CC #define CFE_EVS_CLEAR_LOG_CC 20

Name Clear Event Log

Description

This command clears the contents of the local event log.

Command Mnemonic(s) \$sc_\$cpu_EVS_ClrLog

Command Structure

CFE_EVS_ClearLogCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- \$sc_\$cpu_EVS_LOGFULL The LogFullFlag in the Housekeeping telemetry will be cleared
- \$sc_\$cpu_EVS_LOGOVERFLOWC The LogOverflowCounter in the Housekeeping telemetry will be reset to 0

Error Conditions

There are no error conditions for this command. If the Event Services receives the command, the log is cleared.

Criticality

Clearing the local event log is not particularly hazardous, as the result may be making available space to record valuable event data. However, inappropriately clearing the local event log could result in a loss of critical information. Note: the event log is a back-up log to the on-board recorder.

See also

CFE_EVS_WRITE_LOG_DATA_FILE_CC, CFE_EVS_SET_LOG_MODE_CC

Definition at line 873 of file default cfe evs fcncodes.h.

11.55.2.3 CFE_EVS_DELETE_EVENT_FILTER_CC #define CFE_EVS_DELETE_EVENT_FILTER_CC 16

Name Delete Application Event Filter

Description

This command removes the given filter for the given application identifier and event identifier. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc_\$cpu_EVS_DelEvtFltr

Command Structure

```
CFE EVS DeleteEventFilterCmd t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_DELFILTER_EID debug event message

Error Conditions

This command may fail for the following reason(s):

- · Application name is not valid or not registered with event services
- · Specified event ID is not found in the application event filter

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

None.

See also

```
CFE_EVS_SET_FILTER_CC, CFE_EVS_RESET_FILTER_CC, CFE_EVS_RESET_ALL_FILTERS_CC, CFE_EVS_ADD_EVENT_FILTER_CC
```

Definition at line 728 of file default_cfe_evs_fcncodes.h.

```
11.55.2.4 CFE_EVS_DISABLE_APP_EVENT_TYPE_CC #define CFE_EVS_DISABLE_APP_EVENT_TYPE_CC 6
```

Name Disable Application Event Type

Description

This command disables the command specified event type for the command specified application, preventing the application from sending event messages of the command specified event type through Event Service. An Event Type is defined to be a classification of an Event Message such as debug, informational, critical, and error. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc_\$cpu_EVS_DisAppEvtType, \$sc_\$cpu_EVS_DisAppEvtTypeMask

Command Structure

CFE_EVS_DisableAppEventTypeCmd_t The following bit positions apply to structure member named 'BitMask'. Bit 0 - Debug Bit 1 - Informational Bit 2 - Error Bit 3 - Critical A one in a bit position means the event type will be disabled (or filtered) for the specified application. A zero in a bit position means the filtering state is unchanged for the specified application.

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_DISAPPENTTYPE_EID debug event message
- The clearing of the Event Type Active Flag in The Event Type Active Flag in EVS App Data File

Error Conditions

This command may fail for the following reason(s):

- BitMask field invalid mask cannot be zero, and only bits 0-3 may be set
- Application name is not valid or not registered with event services

Evidence of failure may be found in the following telemetry:

- \$sc \$cpu EVS CMDEC command error counter will increment
- · An Error specific event message

Criticality

Disabling an application's event type is not particularly hazardous, as the result may be shutting off unnecessary event messages and possible event flooding of the system. However, inappropriately disabling an application's event type could result in a loss of critical information and missed behavior for the ground system.

See also

CFE_EVS_ENABLE_EVENT_TYPE_CC, CFE_EVS_DISABLE_EVENT_TYPE_CC, CFE_EVS_ENABLE_APP_EVENT_TYPE_CC
CFE_EVS_ENABLE_APP_EVENTS_CC, CFE_EVS_DISABLE_APP_EVENTS_CC

Definition at line 353 of file default_cfe_evs_fcncodes.h.

11.55.2.5 CFE EVS DISABLE APP EVENTS CC #define CFE_EVS_DISABLE_APP_EVENTS_CC 8

Name Disable Event Services for an Application

Description

This command disables the command specified application from sending events through Event Service. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc_\$cpu_EVS_DisAppEvGen

Command Structure

CFE EVS DisableAppEventsCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE EVS DISAPPEVT EID debug event message

Error Conditions

This command may fail for the following reason(s):

Application name is not valid or not registered with event services

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

Disabling an application's events is not particularly hazardous, as the result may be shutting off unnecessary event messages and possible event flooding of the system. However, inappropriately disabling an application's events could result in a loss of critical information and missed behavior for the ground system.

See also

CFE_EVS_ENABLE_EVENT_TYPE_CC, CFE_EVS_DISABLE_EVENT_TYPE_CC, CFE_EVS_ENABLE_APP_EVENT_TYPE_CC
CFE_EVS_DISABLE_APP_EVENT_TYPE_CC, CFE_EVS_ENABLE_APP_EVENTS_CC

Definition at line 431 of file default_cfe_evs_fcncodes.h.

11.55.2.6 CFE EVS DISABLE EVENT_TYPE CC #define CFE_EVS_DISABLE_EVENT_TYPE_CC 3

Name Disable Event Type

Description

This command disables the command specified Event Type preventing event messages of this type to be sent through Event Service. An Event Type is defined to be a classification of an Event Message such as debug, informational, error and critical. This command is a global disable of a particular event type, it applies to all applications.

Command Mnemonic(s) \$sc_\$cpu_EVS_DisEventType, \$sc_\$cpu_EVS_DisEventTypeMask

Command Structure

CFE_EVS_DisableEventTypeCmd_t The following bit positions apply to structure member named 'BitMask'. Bit 0 - Debug Bit 1 - Informational Bit 2 - Error Bit 3 - Critical A one in a bit position means the event type will be disabled (or filtered). A zero in a bit position means the filtering state is unchanged.

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_DISEVTTYPE_EID debug message

Error Conditions

This command may fail for the following reason(s):

· BitMask field invalid - mask cannot be zero, and only bits 0-3 may be set

Evidence of failure may be found in the following telemetry:

- \$sc \$cpu EVS CMDEC command error counter will increment
- · An Error specific event message

Criticality

Disabling an event type is not particularly hazardous, as the result may be shutting off unnecessary event messages and possible event flooding of the system. However, inappropriately disabling an event type could result in a loss of critical information and missed behavior for the ground system.

See also

CFE_EVS_ENABLE_EVENT_TYPE_CC, CFE_EVS_ENABLE_APP_EVENT_TYPE_CC, CFE_EVS_DISABLE_APP_EVENT_TYFCFE_EVS_ENABLE_APP_EVENTS_CC, CFE_EVS_DISABLE_APP_EVENTS_CC

Definition at line 201 of file default_cfe_evs_fcncodes.h.

11.55.2.7 CFE EVS DISABLE PORTS CC #define CFE_EVS_DISABLE_PORTS_CC 12

Name Disable Event Services Output Ports

Description

This command disables the specified port from outputting event messages.

Command Mnemonic(s) \$sc_\$cpu_EVS_DisPort, \$sc_\$cpu_EVS_DisPortMask

Command Structure

CFE_EVS_DisablePortsCmd_t The following bit positions apply to structure member named 'BitMask'. Bit 0 - Port 1 Bit 1 - Port 2 Bit 2 - Port 3 Bit 3 - Port 4 A one in a bit position means the port will be disabled. A zero in a bit position means the port state is unchanged.

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_DISPORT_EID debug event message

Error Conditions

This command may fail for the following reason(s):

· BitMask field invalid - mask cannot be zero, and only bits 0-3 may be set

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

None.

See also

```
CFE_EVS_ENABLE_PORTS_CC
```

Definition at line 587 of file default cfe evs fcncodes.h.

11.55.2.8 CFE EVS ENABLE APP EVENT TYPE CC #define CFE_EVS_ENABLE_APP_EVENT_TYPE_CC 5

Name Enable Application Event Type

Description

This command enables the command specified event type for the command specified application, allowing the application to send event messages of the command specified event type through Event Service. An Event Type is defined to be a classification of an Event Message such as debug, informational, critical, and error. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc \$cpu EVS EnaAppEvtType, \$sc \$cpu EVS EnaAppEvtTypeMask

Command Structure

CFE_EVS_EnableAppEventTypeCmd_t The following bit positions apply to structure member named 'BitMask'. Bit 0 - Debug Bit 1 - Informational Bit 2 - Error Bit 3 - Critical A one in a bit position means the event type will be enabled (or unfiltered) for the specified application. A zero in a bit position means the filtering state is unchanged for the specified application.

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu EVS CMDPC command execution counter will increment
- The generation of CFE_EVS_ENAAPPEVTTYPE_EID debug event message

Error Conditions

This command may fail for the following reason(s):

- BitMask field invalid mask cannot be zero, and only bits 0-3 may be set
- Application name is not valid or not registered with event services

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

Enabling an application event type is not particularly hazardous, as the result may be turning on necessary event messages and communication to the ground system. However, inappropriately enabling an application's event type could result in flooding of the ground system.

See also

CFE_EVS_ENABLE_EVENT_TYPE_CC, CFE_EVS_DISABLE_EVENT_TYPE_CC, CFE_EVS_DISABLE_APP_EVENTS_CC CFE_EVS_DISABLE_APP_EVENTS_CC

Definition at line 300 of file default_cfe_evs_fcncodes.h.

11.55.2.9 CFE_EVS_ENABLE_APP_EVENTS_CC #define CFE_EVS_ENABLE_APP_EVENTS_CC 7

Name Enable Event Services for an Application

Description

This command enables the command specified application to send events through the Event Service. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc_\$cpu_EVS_EnaAppEvGen

Command Structure

CFE EVS EnableAppEventsCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE EVS ENAAPPEVT EID debug event message
- · The setting of the Active Flag in The Active Flag in EVS App Data File

Error Conditions

This command may fail for the following reason(s):

Application name is not valid or not registered with event services

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

Enabling an application events is not particularly hazardous, as the result may be turning on necessary event messages and communication to the ground system. However, inappropriately enabling an application's events could result in flooding of the ground system.

See also

CFE_EVS_ENABLE_EVENT_TYPE_CC, CFE_EVS_DISABLE_EVENT_TYPE_CC, CFE_EVS_ENABLE_APP_EVENT_TYPE_CC
CFE_EVS_DISABLE_APP_EVENT_TYPE_CC
CFE_EVS_DISABLE_APP_EVENTS_CC

Definition at line 392 of file default cfe evs fcncodes.h.

11.55.2.10 CFE_EVS_ENABLE_EVENT_TYPE_CC #define CFE_EVS_ENABLE_EVENT_TYPE_CC 2

Name Enable Event Type

Description

This command enables the command specified Event Type allowing event messages of this type to be sent through Event Service. An Event Type is defined to be a classification of an Event Message such as debug, informational, error and critical. This command is a global enable of a particular event type, it applies to all applications.

Command Mnemonic(s) \$sc_\$cpu_EVS_EnaEventType, \$sc_\$cpu_EVS_EnaEventTypeMask

Command Structure

CFE_EVS_EnableEventTypeCmd_t The following bit positions apply to structure member named 'BitMask'. Bit 0 - Debug Bit 1 - Informational Bit 2 - Error Bit 3 - Critical A one in a bit position means the event type will be enabled (or unfiltered). A zero in a bit position means the filtering state is unchanged.

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_ENAEVTTYPE_EID debug message

Error Conditions

This command may fail for the following reason(s):

• BitMask field invalid - mask cannot be zero, and only bits 0-3 may be set

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- An Error specific event message

Criticality

Enabling an event type is not particularly hazardous, as the result may be turning on necessary event messages and communication to the ground system. However, inappropriately enabling an event type could result in flooding of the system.

See also

CFE_EVS_DISABLE_EVENT_TYPE_CC, CFE_EVS_ENABLE_APP_EVENT_TYPE_CC, CFE_EVS_DISABLE_APP_EVENT_TY CFE_EVS_ENABLE_APP_EVENTS_CC, CFE_EVS_DISABLE_APP_EVENTS_CC

Definition at line 152 of file default_cfe_evs_fcncodes.h.

11.55.2.11 CFE_EVS_ENABLE_PORTS_CC #define CFE_EVS_ENABLE_PORTS_CC 11

Name Enable Event Services Output Ports

Description

This command enables the command specified port to output event messages

Command Mnemonic(s) \$sc_\$cpu_EVS_EnaPort, \$sc_\$cpu_EVS_EnaPortMask

Command Structure

CFE_EVS_EnablePortsCmd_t The following bit positions apply to structure member named 'BitMask'. Bit 0 - Port 1 Bit 1 - Port 2 Bit 2 - Port 3 Bit 3 - Port 4 A one in a bit position means the port will be enabled. A zero in a bit position means the port state is unchanged.

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_ENAPORT_EID debug event message

Error Conditions

This command may fail for the following reason(s):

• BitMask field invalid - mask cannot be zero, and only bits 0-3 may be set

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

None.

See also

```
CFE_EVS_DISABLE_PORTS_CC
```

Definition at line 548 of file default cfe evs fcncodes.h.

```
11.55.2.12 CFE_EVS_NOOP_CC #define CFE_EVS_NOOP_CC 0
```

Name Event Services No-Op

Description

This command performs no other function than to increment the command execution counter. The command may be used to verify general aliveness of the Event Services task.

Command Mnemonic(s) \$sc_\$cpu_EVS_NOOP

Command Structure

```
CFE EVS NoopCmd t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The CFE EVS NOOP EID informational event message will be generated

Error Conditions

There are no error conditions for this command. If the Event Services receives the command, the event is sent (although it may be filtered by EVS itself) and the counter is incremented unconditionally.

Criticality

None

See also

Definition at line 65 of file default_cfe_evs_fcncodes.h.

11.55.2.13 CFE_EVS_RESET_ALL_FILTERS_CC #define CFE_EVS_RESET_ALL_FILTERS_CC 14

Name Reset All Event Filters for an Application

Description

This command resets all of the command specified applications event filters. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc \$cpu EVS RstAllFltrs

Command Structure

CFE_EVS_ResetAllFiltersCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu EVS CMDPC command execution counter will increment
- The generation of CFE_EVS_RSTALLFILTER_EID debug event message

Error Conditions

This command may fail for the following reason(s):

· Application name is not valid or not registered with event services

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

None.

See also

```
CFE_EVS_SET_FILTER_CC, CFE_EVS_RESET_FILTER_CC, CFE_EVS_ADD_EVENT_FILTER_CC, CFE_EVS_DELETE_EVENT_FILTER_CC
```

Definition at line 657 of file default cfe evs fcncodes.h.

11.55.2.14 CFE_EVS_RESET_APP_COUNTER_CC #define CFE_EVS_RESET_APP_COUNTER_CC 9

Name Reset Application Event Counters

Description

This command sets the command specified application's event counter to zero. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc_\$cpu_EVS_RstAppCtrs

Command Structure

CFE_EVS_ResetAppCounterCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_RSTEVTCNT_EID debug event message

Error Conditions

This command may fail for the following reason(s):

Application name is not valid or not registered with event services

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

This command is not inherently dangerous. However, it is possible for ground systems and on-board safing procedures to be designed such that they react to changes in the counter value that is reset by this command.

See also

```
CFE_EVS_RESET_COUNTERS_CC
```

Definition at line 467 of file default cfe evs fcncodes.h.

11.55.2.15 CFE_EVS_RESET_COUNTERS_CC #define CFE_EVS_RESET_COUNTERS_CC 1

Name Event Services Reset Counters

Description

This command resets the following counters within the Event Services housekeeping telemetry:

- Command Execution Counter (\$sc_\$cpu_EVS_CMDPC)
- Command Error Counter (\$sc_\$cpu_EVS_CMDEC)

Command Mnemonic(s) \$sc_\$cpu_EVS_ResetCtrs

Command Structure

```
CFE EVS ResetCountersCmd t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will be reset to 0
- \$sc \$cpu EVS CMDEC command error counter will be reset to 0
- The CFE_EVS_RSTCNT_EID debug event message will be generated

Error Conditions

There are no error conditions for this command. If the Event Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

This command is not inherently dangerous. However, it is possible for ground systems and on-board safing procedures to be designed such that they react to changes in the counter values that are reset by this command.

See also

```
CFE_EVS_RESET_APP_COUNTER_CC
```

Definition at line 104 of file default_cfe_evs_fcncodes.h.

```
11.55.2.16 CFE EVS RESET FILTER CC #define CFE_EVS_RESET_FILTER_CC 13
```

Name Reset an Event Filter for an Application

Description

This command resets the command specified application's event filter for the command specified event ID. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc_\$cpu_EVS_RstBinFltrCtr

Command Structure

```
CFE EVS ResetFilterCmd t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE EVS RSTFILTER EID debug event message

Error Conditions

This command may fail for the following reason(s):

- Application name is not valid or not registered with event services
- Specified event ID is not found in the application event filter

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

None.

See also

CFE_EVS_SET_FILTER_CC, CFE_EVS_RESET_ALL_FILTERS_CC, CFE_EVS_ADD_EVENT_FILTER_CC, CFE_EVS_DELETE_EVENT_FILTER_CC

Definition at line 623 of file default cfe evs fcncodes.h.

11.55.2.17 CFE EVS SET EVENT FORMAT MODE CC #define CFE_EVS_SET_EVENT_FORMAT_MODE_CC 4

Name Set Event Format Mode

Description

This command sets the event format mode to the command specified value. The event format mode may be either short or long. A short event format detaches the Event Data from the event message and only includes the following information in the event packet: Processor ID, Application ID, Event ID, and Event Type. Refer to section 5.3.3.4 for a description of the Event Service event packet contents. Event Data is defined to be data describing an Event that is supplied to the cFE Event Service. ASCII text strings are used as the primary format for Event Data because heritage ground systems use string compares as the basis for their automated alert systems. Two systems, ANSR and SERS were looked at for interface definitions. The short event format is used to accommodate experiences with limited telemetry bandwidth. The long event format includes all event information included within the short format along with the Event Data.

Command Mnemonic(s) \$sc \$cpu EVS SetEvtFmt

Command Structure

CFE_EVS_SetEventFormatModeCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE EVS SETEVTFMTMOD EID debug message

Error Conditions

This command may fail for the following reason(s):

· Invalid MsgFormat mode selection

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

Setting the event format mode is not particularly hazardous, as the result may be saving necessary bandwidth. However, inappropriately setting the event format mode could result in a loss of information and missed behavior for the ground system

See also

Definition at line 248 of file default_cfe_evs_fcncodes.h.

```
11.55.2.18 CFE_EVS_SET_FILTER_CC #define CFE_EVS_SET_FILTER_CC 10
```

Name Set Application Event Filter

Description

This command sets the command specified application's event filter mask to the command specified value for the command specified event. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc_\$cpu_EVS_SetBinFltrMask

Command Structure

```
CFE_EVS_SetFilterCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_SETFILTERMSK_EID debug event message

Error Conditions

This command may fail for the following reason(s):

- · Application name is not valid or not registered with event services
- · Specified event ID is not found in the application event filter

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

Setting an application event filter mask is not particularly hazardous, as the result may be shutting off unnecessary event messages and possible event flooding of the system. However, inappropriately setting an application's event filter mask could result in a loss of critical information and missed behavior for the ground system or flooding of the ground system.

See also

CFE_EVS_RESET_FILTER_CC, CFE_EVS_RESET_ALL_FILTERS_CC, CFE_EVS_ADD_EVENT_FILTER_CC, CFE_EVS_DELETE_EVENT_FILTER_CC

Definition at line 509 of file default cfe evs fcncodes.h.

11.55.2.19 CFE EVS SET LOG MODE CC #define CFE_EVS_SET_LOG_MODE_CC 19

Name Set Logging Mode

Description

This command sets the logging mode to the command specified value.

Command Mnemonic(s) \$sc_\$cpu_EVS_SetLogMode

Command Structure

CFE_EVS_SetLogModeCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_LOGMODE_EID debug event message

Error Conditions

This command may fail for the following reason(s):

Invalid LogMode selected - must be either CFE_EVS_LogMode_OVERWRITE or CFE_EVS_LogMode_DISCARD

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- An Error specific event message

Criticality

Setting the event logging mode is not particularly hazardous, as the result may be saving valuable event data. However, inappropriately setting the log mode could result in a loss of critical information. Note: the event log is a back-up log to the on-board recorder.

See also

CFE EVS WRITE LOG DATA FILE CC, CFE EVS CLEAR LOG CC

Definition at line 838 of file default cfe evs fcncodes.h.

11.55.2.20 CFE_EVS_WRITE_APP_DATA_FILE_CC #define CFE_EVS_WRITE_APP_DATA_FILE_CC 17

Name Write Event Services Application Information to File

Description

This command writes all application data to a file for all applications that have registered with the EVS. The application data includes the Application ID, Active Flag, Event Count, Event Types Active Flag, and Filter Data.

Command Mnemonic(s) \$sc_\$cpu_EVS_WriteAppData2File

Command Structure

CFE EVS WriteAppDataFileCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE EVS WRDAT EID debug event message
- The file specified in the command (or the default specified by the CFE_PLATFORM_EVS_DEFAULT_APP_DATA_FILE configuration parameter) will be updated with the latest information.

Error Conditions

This command may fail for the following reason(s):

- · The specified FileName cannot be parsed
- · An Error occurs while trying to write to the file

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

Writing a file is not particularly hazardous, but if proper file management is not taken, then the file system can fill up if this command is used repeatedly.

See also

```
CFE_EVS_WRITE_LOG_DATA_FILE_CC, CFE_EVS_SET_LOG_MODE_CC
```

Definition at line 767 of file default cfe evs fcncodes.h.

11.55.2.21 CFE_EVS_WRITE_LOG_DATA_FILE_CC #define CFE_EVS_WRITE_LOG_DATA_FILE_CC 18

Name Write Event Log to File

Description

This command requests the Event Service to generate a file containing the contents of the local event log.

Command Mnemonic(s) \$sc_\$cpu_EVS_WriteLog2File

Command Structure

CFE_EVS_WriteLogDataFileCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu EVS CMDPC command execution counter will increment
- The generation of CFE_EVS_WRLOG_EID debug event message

Error Conditions

This command may fail for the following reason(s):

- The specified FileName cannot be parsed
- · An Error occurs while trying to write to the file

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

Writing a file is not particularly hazardous, but if proper file management is not taken, then the file system can fill up if this command is used repeatedly.

See also

CFE_EVS_WRITE_APP_DATA_FILE_CC, CFE_EVS_SET_LOG_MODE_CC, CFE_EVS_CLEAR_LOG_CC

Definition at line 802 of file default cfe evs fcncodes.h.

11.56 cfe/modules/evs/config/default cfe evs interface cfg.h File Reference

Macros

#define CFE_MISSION_EVS_MAX_MESSAGE_LENGTH 122

11.56.1 Detailed Description

CFE Event Services (CFE EVS) Application Public Definitions

This provides default values for configurable items that affect the interface(s) of this module. This includes the CMD/TLM message interface, tables definitions, and any other data products that serve to exchange information with other entities.

Note

This file may be overridden/superceded by mission-provided defintions either by overriding this header or by generating definitions from a command/data dictionary tool.

11.56.2 Macro Definition Documentation

11.56.2.1 CFE_MISSION_EVS_MAX_MESSAGE_LENGTH #define CFE_MISSION_EVS_MAX_MESSAGE_LENG←
TH 122

Purpose Maximum Event Message Length

Description:

Indicates the maximum length (in characters) of the formatted text string portion of an event message

This length does not need to include an extra character for NULL termination.

Limits

Not Applicable

Definition at line 47 of file default cfe evs interface cfg.h.

11.57 cfe/modules/evs/config/default_cfe_evs_internal_cfg.h File Reference

Macros

- #define CFE PLATFORM EVS START TASK PRIORITY 61
- #define CFE_PLATFORM_EVS_START_TASK_STACK_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE
- #define CFE PLATFORM EVS MAX EVENT FILTERS 8
- #define CFE_PLATFORM_EVS_MAX_APP_EVENT_BURST 32
- #define CFE PLATFORM EVS APP EVENTS PER SEC 15
- #define CFE_PLATFORM_EVS_DEFAULT_LOG_FILE "/ram/cfe_evs.log"
- #define CFE_PLATFORM_EVS_LOG_MAX 20
- #define CFE_PLATFORM_EVS_DEFAULT_APP_DATA_FILE "/ram/cfe_evs_app.dat"
- #define CFE PLATFORM EVS PORT DEFAULT 0x0001
- #define CFE PLATFORM EVS DEFAULT TYPE FLAG 0xE
- #define CFE PLATFORM EVS DEFAULT LOG MODE 1
- #define CFE_PLATFORM_EVS_DEFAULT_MSG_FORMAT_MODE CFE_EVS_MsgFormat_LONG

11.57.1 Detailed Description

CFE Event Services (CFE_EVS) Application Private Config Definitions

This provides default values for configurable items that are internal to this module and do NOT affect the interface(s) of this module. Changes to items in this file only affect the local module and will be transparent to external entities that are using the public interface(s).

Note

This file may be overridden/superceded by mission-provided defintions either by overriding this header or by generating definitions from a command/data dictionary tool.

11.57.2 Macro Definition Documentation

11.57.2.1 CFE_PLATFORM_EVS_APP_EVENTS_PER_SEC #define CFE_PLATFORM_EVS_APP_EVENTS_PER_S← EC 15

Purpose Sustained number of event messages per second per app before squelching

Description:

Sustained number of events that may be emitted per app per second.

Limits

This number must be less than or equal to CFE_PLATFORM_EVS_MAX_APP_EVENT_BURST. Values lower than 8 may cause functional and unit test failures.

Definition at line 96 of file default cfe evs internal cfg.h.

11.57.2.2 CFE_PLATFORM_EVS_DEFAULT_APP_DATA_FILE #define CFE_PLATFORM_EVS_DEFAULT_APP_DAT← A_FILE "/ram/cfe_evs_app.dat"

Purpose Default EVS Application Data Filename

Description:

The value of this constant defines the filename used to store the EVS Application Data(event counts/filtering information). This filename is used only when no filename is specified in the command to dump the event log.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 137 of file default_cfe_evs_internal_cfg.h.

11.57.2.3 CFE_PLATFORM_EVS_DEFAULT_LOG_FILE #define CFE_PLATFORM_EVS_DEFAULT_LOG_FILE "/ram/cfe← _evs.log"

Purpose Default Event Log Filename

Description:

The value of this constant defines the filename used to store the Event Services local event log. This filename is used only when no filename is specified in the command to dump the event log.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 110 of file default cfe evs internal cfg.h.

11.57.2.4 CFE_PLATFORM_EVS_DEFAULT_LOG_MODE #define CFE_PLATFORM_EVS_DEFAULT_LOG_MODE 1

Purpose Default EVS Local Event Log Mode

Description:

Defines a state of overwrite(0) or discard(1) for the operation of the EVS local event log. The log may operate in either Overwrite mode = 0, where once the log becomes full the oldest event in the log will be overwritten, or Discard mode = 1, where once the log becomes full the contents of the log are preserved and the new event is discarded. Overwrite Mode = 0, Discard Mode = 1.

Limits

The valid settings are 0 or 1

Definition at line 184 of file default cfe evs internal cfg.h.

11.57.2.5 CFE_PLATFORM_EVS_DEFAULT_MSG_FORMAT_MODE #define CFE_PLATFORM_EVS_DEFAULT_MS← G_FORMAT_MODE CFE_EVS_MsgFormat_LONG

Purpose Default EVS Message Format Mode

Description:

Defines the default message format (long or short) for event messages being sent to the ground. Choose between CFE_EVS_MsgFormat_LONG or CFE_EVS_MsgFormat_SHORT.

Limits

The valid settings are CFE_EVS_MsgFormat_LONG or CFE_EVS_MsgFormat_SHORT

Definition at line 197 of file default_cfe_evs_internal_cfg.h.

11.57.2.6 CFE_PLATFORM_EVS_DEFAULT_TYPE_FLAG #define CFE_PLATFORM_EVS_DEFAULT_TYPE_FL← AG 0xE

Purpose Default EVS Event Type Filter Mask

Description:

Defines a state of on or off for all four event types. The term event 'type' refers to the criticality level and may be Debug, Informational, Error or Critical. Each event type has a bit position. (bit 0 = Debug, bit 1 = Info, bit 2 = Error, bit 3 = Critical). This is a global setting, meaning it applies to all applications. To filter an event type, set its bit to zero. For example, 0xE means Debug = OFF, Info = ON, Error = ON, Critical = ON

Limits

The valid settings are 0x0 to 0xF.

Definition at line 168 of file default cfe evs internal cfg.h.

11.57.2.7 CFE_PLATFORM_EVS_LOG_MAX #define CFE_PLATFORM_EVS_LOG_MAX 20

Purpose Maximum Number of Events in EVS Local Event Log

Description:

Dictates the EVS local event log capacity. Units are the number of events.

Limits

There are no restrictions on the lower and upper limits however, the maximum log size is system dependent and should be verified.

Definition at line 122 of file default_cfe_evs_internal_cfg.h.

11.57.2.8 CFE_PLATFORM_EVS_MAX_APP_EVENT_BURST #define CFE_PLATFORM_EVS_MAX_APP_EVENT_B
URST 32

Purpose Maximum number of event before squelching

Description:

Maximum number of events that may be emitted per app per second. Setting this to 0 will cause events to be unrestricted.

Limits

This number must be less than or equal to INT_MAX/1000

Definition at line 84 of file default_cfe_evs_internal_cfg.h.

11.57.2.9 CFE_PLATFORM_EVS_MAX_EVENT_FILTERS #define CFE_PLATFORM_EVS_MAX_EVENT_FILTERS 8

Purpose Define Maximum Number of Event Filters per Application

Description:

Maximum number of events that may be filtered per application.

Limits

There are no restrictions on the lower and upper limits however, the maximum number of event filters is system dependent and should be verified.

Definition at line 72 of file default_cfe_evs_internal_cfg.h.

11.57.2.10 CFE_PLATFORM_EVS_PORT_DEFAULT #define CFE_PLATFORM_EVS_PORT_DEFAULT 0x0001

Purpose Default EVS Output Port State

Description:

Defines the default port state (enabled or disabled) for the four output ports defined within the Event Service. Port 1 is usually the uart output terminal. To enable a port, set the proper bit to a 1. Bit 0 is port 1, bit 1 is port2 etc.

Limits

The valid settings are 0x0 to 0xF.

Definition at line 151 of file default cfe evs internal cfg.h.

11.57.2.11 CFE_PLATFORM_EVS_START_TASK_PRIORITY #define CFE_PLATFORM_EVS_START_TASK_PRIOR ← LTY 61

Purpose Define EVS Task Priority

Description:

Defines the cFE_EVS Task priority.

Limits

Not Applicable

Definition at line 44 of file default cfe evs internal cfg.h.

11.57.2.12 CFE_PLATFORM_EVS_START_TASK_STACK_SIZE #define CFE_PLATFORM_EVS_START_TASK_ST↔ ACK_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE

Purpose Define EVS Task Stack Size

Description:

Defines the cFE EVS Task Stack Size

Limits

There is a lower limit of 2048 on this configuration parameter. There are no restrictions on the upper limit however, the maximum stack size is system dependent and should be verified. Most operating systems provide tools for measuring the amount of stack used by a task during operation. It is always a good idea to verify that no more than 1/2 of the stack is used.

Definition at line 59 of file default_cfe_evs_internal_cfg.h.

11.58 cfe/modules/evs/config/default_cfe_evs_mission_cfg.h File Reference

```
#include "cfe_evs_interface_cfg.h"
```

11.58.1 Detailed Description

CFE Event Services (CFE_EVS) Application Mission Configuration Header File

This is a compatibility header for the "mission_cfg.h" file that has traditionally provided public config definitions for each CFS app.

Note

This file may be overridden/superceded by mission-provided defintions either by overriding this header or by generating definitions from a command/data dictionary tool.

11.59 cfe/modules/evs/config/default cfe evs msg.h File Reference

```
#include "cfe_mission_cfg.h"
#include "cfe_evs_fcncodes.h"
#include "cfe_evs_msgstruct.h"
```

11.59.1 Detailed Description

Specification for the CFE Event Services (CFE_EVS) command and telemetry message data types.

This is a compatibility header for the "cfe_evs_msg.h" file that has traditionally provided the message definitions for cFS apps.

Note

This file may be overridden/superceded by mission-provided definitions either by overriding this header or by generating definitions from a command/data dictionary tool.

11.60 cfe/modules/evs/config/default cfe evs msgdefs.h File Reference

```
#include "common_types.h"
#include "cfe_mission_cfg.h"
#include "cfe_es_extern_typedefs.h"
#include "cfe_evs_extern_typedefs.h"
#include "cfe_evs_fcncodes.h"
```

Data Structures

• struct CFE_EVS_LogFileCmd_Payload

Write Event Log to File Command Payload.

struct CFE_EVS_AppDataCmd_Payload

Write Event Services Application Information to File Command Payload.

struct CFE_EVS_SetLogMode_Payload

Set Log Mode Command Payload.

• struct CFE_EVS_SetEventFormatCode_Payload

Set Event Format Mode Command Payload.

struct CFE_EVS_BitMaskCmd_Payload

Generic Bitmask Command Payload.

struct CFE_EVS_AppNameCmd_Payload

Generic App Name Command Payload.

struct CFE_EVS_AppNameEventIDCmd_Payload

Generic App Name and Event ID Command Payload.

struct CFE_EVS_AppNameBitMaskCmd_Payload

Generic App Name and Bitmask Command Payload.

struct CFE EVS AppNameEventIDMaskCmd Payload

Generic App Name, Event ID, Mask Command Payload.

- struct CFE_EVS_AppTImData
- struct CFE EVS HousekeepingTlm Payload
- struct CFE_EVS_PacketID
- struct CFE EVS LongEventTlm Payload
- · struct CFE_EVS_ShortEventTlm_Payload

Macros

- #define CFE EVS DEBUG BIT 0x0001
- #define CFE_EVS_INFORMATION_BIT 0x0002
- #define CFE_EVS_ERROR_BIT 0x0004
- #define CFE EVS CRITICAL BIT 0x0008

- #define CFE_EVS_PORT1_BIT 0x0001
- #define CFE EVS PORT2 BIT 0x0002
- #define CFE EVS PORT3 BIT 0x0004
- #define CFE_EVS_PORT4_BIT 0x0008

Typedefs

- typedef struct CFE_EVS_LogFileCmd_Payload CFE_EVS_LogFileCmd_Payload_t Write Event Log to File Command Payload.
- typedef struct CFE_EVS_AppDataCmd_Payload CFE_EVS_AppDataCmd_Payload_t
 Write Event Services Application Information to File Command Payload.
- typedef struct CFE_EVS_SetLogMode_Payload CFE_EVS_SetLogMode_Payload_t
 Set Log Mode Command Payload.
- typedef struct CFE_EVS_SetEventFormatCode_Payload CFE_EVS_SetEventFormatMode_Payload_t
 Set Event Format Mode Command Payload.
- typedef struct CFE_EVS_BitMaskCmd_Payload CFE_EVS_BitMaskCmd_Payload_t
 Generic Bitmask Command Payload.
- typedef struct CFE_EVS_AppNameCmd_Payload CFE_EVS_AppNameCmd_Payload_t
 Generic App Name Command Payload.
- typedef struct CFE_EVS_AppNameEventIDCmd_Payload CFE_EVS_AppNameEventIDCmd_Payload_t
 Generic App Name and Event ID Command Payload.
- typedef struct CFE_EVS_AppNameBitMaskCmd_Payload CFE_EVS_AppNameBitMaskCmd_Payload_t
 Generic App Name and Bitmask Command Payload.
- typedef struct CFE_EVS_AppNameEventIDMaskCmd_Payload CFE_EVS_AppNameEventIDMaskCmd_Payload_t
 Generic App Name, Event ID, Mask Command Payload.
- typedef struct CFE_EVS_AppTImData CFE_EVS_AppTImData_t
- typedef struct CFE_EVS_HousekeepingTlm_Payload CFE_EVS_HousekeepingTlm_Payload_t
- typedef struct CFE_EVS_PacketID_t
- typedef struct CFE EVS LongEventTlm Payload CFE EVS LongEventTlm Payload t
- typedef struct CFE_EVS_ShortEventTIm_Payload CFE_EVS_ShortEventTIm_Payload_t

11.60.1 Detailed Description

Specification for the CFE Event Services (CFE_EVS) command and telemetry message constant definitions. For CFE_EVS this is only the function/command code definitions

11.60.2 Macro Definition Documentation

11.60.2.1 CFE_EVS_CRITICAL_BIT #define CFE_EVS_CRITICAL_BIT 0x0008 Definition at line 39 of file default cfe evs msgdefs.h.

11.60.2.2 CFE_EVS_DEBUG_BIT #define CFE_EVS_DEBUG_BIT 0x0001 Definition at line 36 of file default cfe evs msgdefs.h.

11.60.2.3 CFE_EVS_ERROR_BIT #define CFE_EVS_ERROR_BIT 0×0004 Definition at line 38 of file default_cfe_evs_msgdefs.h.

11.60.2.4 CFE_EVS_INFORMATION_BIT #define CFE_EVS_INFORMATION_BIT 0x0002 Definition at line 37 of file default cfe evs msqdefs.h.

11.60.2.5 CFE_EVS_PORT1_BIT #define CFE_EVS_PORT1_BIT 0x0001 Definition at line 42 of file default_cfe_evs_msgdefs.h.

11.60.2.6 CFE_EVS_PORT2_BIT #define CFE_EVS_PORT2_BIT 0x0002 Definition at line 43 of file default cfe evs msgdefs.h.

11.60.2.7 CFE_EVS_PORT3_BIT #define CFE_EVS_PORT3_BIT 0x0004 Definition at line 44 of file default_cfe_evs_msgdefs.h.

11.60.2.8 CFE_EVS_PORT4_BIT #define CFE_EVS_PORT4_BIT 0x0008 Definition at line 45 of file default_cfe_evs_msgdefs.h.

11.60.3 Typedef Documentation

11.60.3.1 CFE_EVS_AppDataCmd_Payload_t typedef struct CFE_EVS_AppDataCmd_Payload CFE_EVS_AppDataCmd_Payload_t Write Event Services Application Information to File Command Payload.

For command details, see CFE_EVS_WRITE_APP_DATA_FILE_CC

11.60.3.2 CFE_EVS_AppNameBitMaskCmd_Payload_t typedef struct CFE_EVS_AppNameBitMaskCmd_Payload CFE_EVS_AppNameBitMaskCmd_Payload_t

Generic App Name and Bitmask Command Payload.

For command details, see CFE_EVS_ENABLE_APP_EVENT_TYPE_CC and/or CFE_EVS_DISABLE_APP_EVENT_TYPE_CC

 $\textbf{11.60.3.3} \quad \textbf{CFE_EVS_AppNameCmd_Payload_t} \quad \texttt{typedef struct CFE_EVS_AppNameCmd_Payload_CFE_EVS_AppNameCmd_Payload_t} \\ \text{Generic App Name Command Payload}.$

For command details, see CFE_EVS_ENABLE_APP_EVENTS_CC, CFE_EVS_DISABLE_APP_EVENTS_CC, CFE_EVS_RESET_APP_COUNTER_CC and/or CFE_EVS_RESET_ALL_FILTERS_CC

11.60.3.4 CFE_EVS_AppNameEventIDCmd_Payload_t typedef struct CFE_EVS_AppNameEventIDCmd_Payload CFE_EVS_AppNameEventIDCmd_Payload_t

Generic App Name and Event ID Command Payload.

For command details, see CFE EVS RESET FILTER CC and CFE EVS DELETE EVENT FILTER CC

11.60.3.5 CFE_EVS_AppNameEventIDMaskCmd_Payload_t typedef struct CFE_EVS_AppNameEventIDMaskCmd_Payload CFE_EVS_AppNameEventIDMaskCmd_Payload_t

Generic App Name, Event ID, Mask Command Payload.

For command details, see CFE_EVS_SET_FILTER_CC, CFE_EVS_ADD_EVENT_FILTER_CC and/or CFE_EVS_DELETE_EVENT_FIL

11.60.3.6 CFE EVS AppTImData t typedef struct CFE_EVS_AppTlmData CFE_EVS_AppTlmData_t

11.60.3.7 CFE_EVS_BitMaskCmd_Payload_t typedef struct CFE_EVS_BitMaskCmd_Payload CFE_EVS_BitMaskCmd_Payload_t Generic Bitmask Command Payload.

For command details, see CFE_EVS_ENABLE_EVENT_TYPE_CC, CFE_EVS_DISABLE_EVENT_TYPE_CC, CFE_EVS_ENABLE_EVENT_TYPE_CC, CFE_EVS_ENABLE_EVENT_TYPE_CC, CFE_EVS_DISABLE_EVENT_TYPE_CC, CFE_EVS_D

11.60.3.8 CFE_EVS_HousekeepingTlm_Payload_t typedef struct CFE_EVS_HousekeepingTlm_Payload CFE_EVS_HousekeepingTlm_Payload_t

Name Event Services Housekeeping Telemetry Packet

11.60.3.9 CFE_EVS_LogFileCmd_Payload_t typedef struct CFE_EVS_LogFileCmd_Payload CFE_EVS_LogFileCmd_Payload_t Write Event Log to File Command Payload.

For command details, see CFE_EVS_WRITE_LOG_DATA_FILE_CC

11.60.3.10 CFE_EVS_LongEventTlm_Payload_t typedef struct CFE_EVS_LongEventTlm_Payload CFE_EVS_LongEventTlm_Pay.

Name Event Message Telemetry Packet (Long format)

11.60.3.11 CFE_EVS_PacketID_t typedef struct CFE_EVS_PacketID_t Telemetry packet structures

11.60.3.12 CFE_EVS_SetEventFormatMode_Payload_t typedef struct CFE_EVS_SetEventFormatCode_Payload CFE_EVS_SetEventFormatMode_Payload_t

Set Event Format Mode Command Payload.

For command details, see CFE_EVS_SET_EVENT_FORMAT_MODE_CC

11.60.3.13 CFE_EVS_SetLogMode_Payload_t typedef struct CFE_EVS_SetLogMode_Payload CFE_EVS_SetLogMode_Payload_t Set Log Mode Command Payload.

For command details, see CFE EVS SET LOG MODE CC

11.60.3.14 CFE_EVS_ShortEventTlm_Payload_t typedef struct CFE_EVS_ShortEventTlm_Payload CFE_EVS_ShortEventTlm_P

Name Event Message Telemetry Packet (Short format)

11.61 cfe/modules/evs/config/default cfe evs msgids.h File Reference

```
#include "cfe_core_api_base_msgids.h"
#include "cfe_evs_topicids.h"
```

Macros

- #define CFE_EVS_CMD_MID CFE_PLATFORM_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID)
 /* 0x1801 */
- #define CFE_EVS_SEND_HK_MID CFE_PLATFORM_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_SEND_HK_TOPICID)
 /* 0x1809 */
- #define CFE_EVS_HK_TLM_MID CFE_PLATFORM_TLM_TOPICID_TO_MIDV(CFE_MISSION_EVS_HK_TLM_TOPICID)
 /* 0x0801 */
- #define CFE_EVS_LONG_EVENT_MSG_MID
- #define CFE_EVS_SHORT_EVENT_MSG_MID CFE_PLATFORM_TLM_TOPICID_TO_MIDV(CFE_MISSION_EVS_SHORT_EVE
 /* 0x0809 */

11.61.1 Detailed Description

CFE Event Services (CFE_EVS) Application Message IDs

11.61.2 Macro Definition Documentation

```
11.61.2.1 CFE_EVS_CMD_MID #define CFE_EVS_CMD_MID CFE_PLATFORM_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TOPICID_TOPICID_TOPICID_TOPICID_TO_MIDV(CFE_MISSION_EVS_CMD_TOPICID_TOPICID_TOPICID_TOPICID_TOPICID_TOPICID_TOPICID_TOPICID_TOPICID_TOPICID_TOPICID_TOPICID_TOPICID
```

Definition at line 32 of file default cfe evs msgids.h.

```
11.61.2.2 CFE_EVS_HK_TLM_MID #define CFE_EVS_HK_TLM_MID CFE_PLATFORM_TLM_TOPICID_TO_MIDV(CFE_MISSION_EVS_HK_T /* 0x0801 */
```

Definition at line 38 of file default_cfe_evs_msgids.h.

```
11.61.2.3 CFE_EVS_LONG_EVENT_MSG_MID #define CFE_EVS_LONG_EVENT_MSG_MID Value:
```

```
CFE_PLATFORM_TLM_TOPICID_TO_MIDV(CFE_MISSION_EVS_LONG_EVENT_MSG_TOPICID) /* 0x0808 \
```

Definition at line 39 of file default_cfe_evs_msgids.h.

```
11.61.2.4 CFE_EVS_SEND_HK_MID #define CFE_EVS_SEND_HK_MID CFE_PLATFORM_CMD_TOPICID_TO_MIDV(CFE_MISSION_EVS_SE /* 0x1809 */
```

Definition at line 33 of file default_cfe_evs_msgids.h.

```
11.61.2.5 CFE_EVS_SHORT_EVENT_MSG_MID #define CFE_EVS_SHORT_EVENT_MSG_MID CFE_PLATFORM_TLM_TOPICID_TO_MIDV /* 0x0809 */
```

Definition at line 41 of file default_cfe_evs_msgids.h.

11.62 cfe/modules/evs/config/default_cfe_evs_msgstruct.h File Reference

```
#include "common_types.h"
#include "cfe_evs_msgdefs.h"
#include "cfe_evs_extern_typedefs.h"
#include "cfe_msg_hdr.h"
```

Data Structures

- struct CFE_EVS_NoopCmd
- struct CFE_EVS_ResetCountersCmd
- struct CFE_EVS_ClearLogCmd
- struct CFE_EVS_SendHkCmd
- struct CFE_EVS_WriteLogDataFileCmd

Write Event Log to File Command.

struct CFE_EVS_WriteAppDataFileCmd

Write Event Services Application Information to File Command.

struct CFE EVS SetLogModeCmd

Set Log Mode Command.

struct CFE EVS SetEventFormatModeCmd

Set Event Format Mode Command.

- struct CFE EVS EnablePortsCmd
- struct CFE EVS DisablePortsCmd
- struct CFE EVS EnableEventTypeCmd
- struct CFE_EVS_DisableEventTypeCmd
- struct CFE_EVS_EnableAppEventsCmd
- struct CFE EVS DisableAppEventsCmd
- struct CFE EVS ResetAppCounterCmd
- struct CFE EVS ResetAllFiltersCmd
- struct CFE EVS ResetFilterCmd
- struct CFE EVS DeleteEventFilterCmd
- struct CFE_EVS_EnableAppEventTypeCmd
- struct CFE EVS DisableAppEventTypeCmd
- struct CFE EVS AddEventFilterCmd
- struct CFE EVS SetFilterCmd
- struct CFE_EVS_HousekeepingTlm
- struct CFE EVS LongEventTIm
- struct CFE EVS ShortEventTlm

Typedefs

- typedef struct CFE_EVS_NoopCmd CFE_EVS_NoopCmd_t
- typedef struct CFE_EVS_ResetCountersCmd CFE_EVS_ResetCountersCmd_t
- typedef struct CFE_EVS_ClearLogCmd CFE_EVS_ClearLogCmd_t
- typedef struct CFE EVS SendHkCmd CFE EVS SendHkCmd t
- typedef struct CFE_EVS_WriteLogDataFileCmd CFE_EVS_WriteLogDataFileCmd_t
 Write Event Log to File Command.
- typedef struct CFE_EVS_WriteAppDataFileCmd CFE_EVS_WriteAppDataFileCmd_t

Write Event Services Application Information to File Command.

- typedef struct CFE_EVS_SetLogModeCmd CFE_EVS_SetLogModeCmd_t
 - Set Log Mode Command.
- typedef struct CFE_EVS_SetEventFormatModeCmd CFE_EVS_SetEventFormatModeCmd_t

Set Event Format Mode Command.

- typedef struct CFE_EVS_EnablePortsCmd CFE_EVS_EnablePortsCmd_t
- typedef struct CFE_EVS_DisablePortsCmd CFE_EVS_DisablePortsCmd_t
- typedef struct CFE_EVS_EnableEventTypeCmd CFE_EVS_EnableEventTypeCmd_t
- typedef struct CFE_EVS_DisableEventTypeCmd CFE_EVS_DisableEventTypeCmd_t
- $\hbox{ typedef struct CFE_EVS_EnableAppEventsCmd\ CFE_EVS_EnableAppEventsCmd_t}\\$
- $\bullet \ \ typedef \ struct \ CFE_EVS_Disable App Events Cmd \ CFE_EVS_Disable App Events Cmd_t$
- typedef struct CFE_EVS_ResetAppCounterCmd CFE_EVS_ResetAppCounterCmd_t
- typedef struct CFE_EVS_ResetAllFiltersCmd CFE_EVS_ResetAllFiltersCmd_t
- typedef struct CFE EVS ResetFilterCmd CFE EVS ResetFilterCmd t
- typedef struct CFE EVS DeleteEventFilterCmd CFE EVS DeleteEventFilterCmd t
- typedef struct CFE_EVS_EnableAppEventTypeCmd_CFE_EVS_EnableAppEventTypeCmd_t
- typedef struct CFE EVS DisableAppEventTypeCmd CFE EVS DisableAppEventTypeCmd t
- typedef struct CFE EVS AddEventFilterCmd CFE EVS AddEventFilterCmd t
- typedef struct CFE EVS SetFilterCmd CFE EVS SetFilterCmd t
- typedef struct CFE EVS HousekeepingTlm CFE EVS HousekeepingTlm t
- typedef struct CFE EVS LongEventTlm CFE EVS LongEventTlm t
- typedef struct CFE EVS ShortEventTlm CFE EVS ShortEventTlm t

11.62.1 Detailed Description

Purpose: cFE Executive Services (EVS) Command and Telemetry packet definition file.

References: Flight Software Branch C Coding Standard Version 1.0a cFE Flight Software Application Developers Guide Notes:

11.62.2 Typedef Documentation

11.62.2.1 CFE EVS AddEventFilterCmd t typedef struct CFE_EVS_AddEventFilterCmd CFE_EVS_AddEventFilterCmd_t 11.62.2.2 CFE_EVS_ClearLogCmd_t typedef struct CFE_EVS_ClearLogCmd CFE_EVS_ClearLogCmd_t 11.62.2.3 CFE_EVS_DeleteEventFilterCmd_t typedef struct CFE_EVS_DeleteEventFilterCmd CFE_EVS_DeleteEventFilterCmd 11.62.2.4 CFE_EVS_DisableAppEventsCmd_t typedef struct CFE_EVS_DisableAppEventsCmd CFE_EVS_DisableAppEventsCmd 11.62.2.5 CFE_EVS_DisableAppEventTypeCmd_t typedef struct CFE_EVS_DisableAppEventTypeCmd CFE_EVS_DisableAppEventTypeCmd_t 11.62.2.6 CFE_EVS_DisableEventTypeCmd_t typedef struct CFE_EVS_DisableEventTypeCmd CFE_EVS_DisableEventTypeCmd 11.62.2.7 CFE EVS DisablePortsCmd t typedef struct CFE_EVS_DisablePortsCmd CFE_EVS_DisablePortsCmd_t 11.62.2.8 CFE EVS EnableAppEventsCmd t typedef struct CFE_EVS_EnableAppEventsCmd CFE_EVS_EnableAppEventsCmd_t 11.62.2.9 CFE_EVS_EnableAppEventTypeCmd_t typedef struct CFE_EVS_EnableAppEventTypeCmd CFE_EVS_EnableAppEvent 11.62.2.10 CFE EVS EnableEventTypeCmd t typedef struct CFE_EVS_EnableEventTypeCmd CFE_EVS_EnableEventTypeCmd_t 11.62.2.11 CFE_EVS_EnablePortsCmd_t typedef struct CFE_EVS_EnablePortsCmd CFE_EVS_EnablePortsCmd_t 11.62.2.12 CFE_EVS_HousekeepingTlm_t typedef struct CFE_EVS_HousekeepingTlm CFE_EVS_HousekeepingTlm_t $\textbf{11.62.2.13} \quad \textbf{CFE_EVS_LongEventTlm_t} \quad \texttt{typedef struct CFE_EVS_LongEventTlm_t}$ $\textbf{11.62.2.14} \quad \textbf{CFE_EVS_NoopCmd_t} \quad \texttt{typedef struct CFE_EVS_NoopCmd_t}$

```
\textbf{11.62.2.15} \quad \textbf{CFE\_EVS\_ResetAllFiltersCmd\_t} \quad \texttt{typedef struct CFE\_EVS\_ResetAllFiltersCmd\_t} \\
```

```
11.62.2.16 CFE_EVS_ResetAppCounterCmd_t typedef struct CFE_EVS_ResetAppCounterCmd_t
```

```
11.62.2.17 CFE EVS ResetCountersCmd t typedef struct CFE_EVS_ResetCountersCmd_t
```

```
11.62.2.18 CFE EVS ResetFilterCmd t typedef struct CFE_EVS_ResetFilterCmd_t
```

```
11.62.2.19 CFE_EVS_SendHkCmd_t typedef struct CFE_EVS_SendHkCmd CFE_EVS_SendHkCmd_t
```

11.62.2.20 CFE_EVS_SetEventFormatModeCmd_t typedef struct CFE_EVS_SetEventFormatModeCmd CFE_EVS_

```
11.62.2.21 CFE_EVS_SetFilterCmd_t typedef struct CFE_EVS_SetFilterCmd_CFE_EVS_SetFilterCmd_t
```

11.62.2.22 CFE_EVS_SetLogModeCmd_t typedef struct CFE_EVS_SetLogModeCmd CFE_EVS_SetLogModeCmd_t Set Log Mode Command.

```
11.62.2.23 CFE EVS ShortEventTim t typedef struct CFE_EVS_ShortEventTlm CFE_EVS_ShortEventTlm_t
```

11.62.2.24 CFE_EVS_WriteAppDataFileCmd_t typedef struct CFE_EVS_WriteAppDataFileCmd CFE_EVS_WriteAppDataFileCmd Write Event Services Application Information to File Command.

11.62.2.25 CFE_EVS_WriteLogDataFileCmd_t typedef struct CFE_EVS_WriteLogDataFileCmd CFE_EVS_WriteLogDataFileCmd Write Event Log to File Command.

11.63 cfe/modules/evs/config/default_cfe_evs_platform_cfg.h File Reference

```
#include "cfe_evs_mission_cfg.h"
#include "cfe_evs_internal_cfg.h"
```

11.63.1 Detailed Description

CFE Event Services (CFE_EVS) Application Platform Configuration Header File

This is a compatibility header for the "platform_cfg.h" file that has traditionally provided both public and private config definitions for each CFS app.

These definitions are now provided in two separate files, one for the public/mission scope and one for internal scope.

Note

This file may be overridden/superceded by mission-provided definitions either by overriding this header or by generating definitions from a command/data dictionary tool.

11.64 cfe/modules/evs/config/default_cfe_evs_topicids.h File Reference

Macros

- #define CFE MISSION EVS CMD TOPICID 1
- #define CFE MISSION EVS SEND HK TOPICID 9
- #define CFE_MISSION_EVS_HK_TLM_TOPICID 1
- #define CFE_MISSION_EVS_LONG_EVENT_MSG_TOPICID 8
- #define CFE MISSION EVS SHORT EVENT MSG TOPICID 9

11.64.1 Detailed Description

CFE Event Services (CFE_EVS) Application Topic IDs

11.64.2 Macro Definition Documentation

```
11.64.2.1 CFE_MISSION_EVS_CMD_TOPICID #define CFE_MISSION_EVS_CMD_TOPICID 1
```

Purpose cFE Portable Message Numbers for Commands

Description:

Portable message numbers for the cFE EVS command messages

Limits

Not Applicable

Definition at line 35 of file default_cfe_evs_topicids.h.

11.64.2.2 CFE MISSION EVS HK TLM TOPICID #define CFE_MISSION_EVS_HK_TLM_TOPICID 1

Purpose cFE Portable Message Numbers for Telemetry

Description:

Portable message numbers for the cFE EVS telemetry messages

Limits

Not Applicable

Definition at line 47 of file default_cfe_evs_topicids.h.

11.64.2.3 CFE_MISSION_EVS_LONG_EVENT_MSG_TOPICID #define CFE_MISSION_EVS_LONG_EVENT_MSG_← TOPICID 8

Definition at line 48 of file default_cfe_evs_topicids.h.

11.64.2.4 CFE_MISSION_EVS_SEND_HK_TOPICID #define CFE_MISSION_EVS_SEND_HK_TOPICID 9 Definition at line 36 of file default cfe evs topicids.h.

11.64.2.5 CFE_MISSION_EVS_SHORT_EVENT_MSG_TOPICID #define CFE_MISSION_EVS_SHORT_EVENT_MS← G TOPICID 9

Definition at line 49 of file default_cfe_evs_topicids.h.

11.65 cfe/modules/evs/fsw/inc/cfe evs eventids.h File Reference

Macros

EVS event IDs

• #define CFE_EVS_NOOP_EID 0

EVS No-op Command Success Event ID.

• #define CFE_EVS_STARTUP_EID 1

EVS Initialization Event ID.

• #define CFE EVS ERR WRLOGFILE EID 2

EVS Write Event Log Command File Write Entry Failed Event ID.

• #define CFE EVS ERR CRLOGFILE EID 3

EVS Write Event Log Command Filename Parse or File Create Failed Event ID.

#define CFE EVS ERR MSGID EID 5

EVS Invalid Message ID Received Event ID.

#define CFE EVS ERR EVTIDNOREGS EID 6

EVS Command Event Not Registered For Filtering Event ID.

#define CFE EVS ERR APPNOREGS EID 7

EVS Command Application Not Registered With EVS Event ID.

• #define CFE EVS ERR ILLAPPIDRANGE EID 8

EVS Command Get Application Data Failure Event ID.

#define CFE EVS ERR NOAPPIDFOUND EID 9

EVS Command Get Application ID Failure Event ID.

• #define CFE_EVS_ERR_ILLEGALFMTMOD_EID 10

EVS Set Event Format Command Invalid Format Event ID.

#define CFE EVS ERR MAXREGSFILTER EID 11

EVS Add Filter Command Max Filters Exceeded Event ID.

#define CFE_EVS_ERR_WRDATFILE_EID 12

EVS Write Application Data Command Write Data Failure Event ID.

#define CFE_EVS_ERR_CRDATFILE_EID 13

EVS Write Application Data Command Filename Parse or File Create Failed Event ID.

• #define CFE EVS WRITE HEADER ERR EID 14

EVS Write File Header to Log File Failure Event ID.

• #define CFE_EVS_ERR_CC_EID 15

EVS Invalid Command Code Received Event ID.

#define CFE_EVS_RSTCNT_EID 16

EVS Reset Counters Command Success Event ID.

#define CFE_EVS_SETFILTERMSK_EID 17

EVS Set Filter Command Success Event ID.

#define CFE_EVS_ENAPORT_EID 18

EVS Enable Ports Command Success Event ID.

#define CFE EVS DISPORT EID 19

EVS Disable Ports Command Success Event ID.

• #define CFE_EVS_ENAEVTTYPE_EID 20

EVS Enable Event Type Command Success Event ID.

#define CFE_EVS_DISEVTTYPE_EID 21

EVS Disable Event Type Command Success Event ID.

• #define CFE EVS SETEVTFMTMOD EID 22

EVS Set Event Format Mode Command Success Event ID.

#define CFE EVS ENAAPPEVTTYPE EID 23

EVS Enable App Event Type Command Success Event ID. #define CFE EVS DISAPPENTTYPE EID 24 EVS Disable App Event Type Command Success Event ID. #define CFE_EVS_ENAAPPEVT_EID 25 EVS Enable App Events Command Success Event ID. • #define CFE_EVS_DISAPPEVT_EID 26 EVS Disable App Events Command Success Event ID. • #define CFE_EVS_RSTEVTCNT_EID 27 EVS Reset App Event Counter Command Success Event ID. #define CFE EVS RSTFILTER EID 28 EVS Reset App Event Filter Command Success Event ID. #define CFE_EVS_RSTALLFILTER_EID 29 EVS Reset All Filters Command Success Event ID. #define CFE EVS ADDFILTER EID 30 EVS Add Event Filter Command Success Event ID. #define CFE EVS DELFILTER EID 31 EVS Delete Event Filter Command Success Event ID. #define CFE EVS WRDAT EID 32 EVS Write Application Data Command Success Event ID. #define CFE EVS WRLOG EID 33 EVS Write Event Log Command Success Event ID. #define CFE_EVS_EVT_FILTERED_EID 37 EVS Add Filter Command Duplicate Registration Event ID. #define CFE EVS LOGMODE EID 38 EVS Set Log Mode Command Success Event ID. #define CFE EVS ERR LOGMODE EID 39 EVS Set Log Mode Command Invalid Mode Event ID. #define CFE EVS ERR INVALID BITMASK EID 40 EVS Port Or Event Type Bitmask Invalid Event ID.

#define CFE EVS ERR_UNREGISTERED_EVS_APP 41

EVS Send Event API App Not Registered With EVS Event ID.

#define CFE EVS FILTER MAX EID 42

EVS Filter Max Count Reached Event ID.

#define CFE EVS LEN ERR EID 43

EVS Invalid Command Length Event ID.

#define CFE EVS SQUELCHED ERR EID 44

EVS Events Squelched Error Event ID.

11.65.1 Detailed Description

cFE Event Services Event IDs

11.65.2 Macro Definition Documentation

11.65.2.1 CFE_EVS_ADDFILTER_EID #define CFE_EVS_ADDFILTER_EID 30

EVS Add Event Filter Command Success Event ID.

Type: DEBUG

Cause:

EVS Add Event Filter Command success.

Definition at line 367 of file cfe evs eventids.h.

11.65.2.2 CFE_EVS_DELFILTER_EID #define CFE_EVS_DELFILTER_EID 31 EVS Delete Event Filter Command Success Event ID.
Type: DEBUG
Cause:
EVS Delete Event Filter Command success. Definition at line 378 of file cfe_evs_eventids.h.
11.65.2.3 CFE_EVS_DISAPPENTTYPE_EID #define CFE_EVS_DISAPPENTTYPE_EID 24 EVS Disable App Event Type Command Success Event ID.
Type: DEBUG
Cause:
EVS Disable App Event Type Command success. Definition at line 301 of file cfe_evs_eventids.h.
11.65.2.4 CFE_EVS_DISAPPEVT_EID #define CFE_EVS_DISAPPEVT_EID 26 EVS Disable App Events Command Success Event ID.
Type: DEBUG
Cause:
EVS Disable App Events Command success. Definition at line 323 of file cfe_evs_eventids.h.
11.65.2.5 CFE_EVS_DISEVTTYPE_EID #define CFE_EVS_DISEVTTYPE_EID 21 EVS Disable Event Type Command Success Event ID.
Type: DEBUG
Cause:
EVS Disable Event Type Command success.

Definition at line 268 of file cfe_evs_eventids.h.

11.65.2.6 CFE_EVS_DISPORT_EID #define CFE_EVS_DISPORT_EID 19 EVS Disable Ports Command Success Event ID.
Type: DEBUG
Cause:
EVS Disable Ports Command success. Definition at line 246 of file cfe_evs_eventids.h.
11.65.2.7 CFE_EVS_ENAAPPEVT_EID #define CFE_EVS_ENAAPPEVT_EID 25 EVS Enable App Events Command Success Event ID.
Type: DEBUG
Cause:
EVS Enable App Events Command success. Definition at line 312 of file cfe_evs_eventids.h.
11.65.2.8 CFE_EVS_ENAAPPEVTTYPE_EID #define CFE_EVS_ENAAPPEVTTYPE_EID 23 EVS Enable App Event Type Command Success Event ID.
Type: DEBUG
Cause:
EVS Enable App Event Type Command success. Definition at line 290 of file cfe_evs_eventids.h.
11.65.2.9 CFE_EVS_ENAEVTTYPE_EID #define CFE_EVS_ENAEVTTYPE_EID 20 EVS Enable Event Type Command Success Event ID.
Type: DEBUG
Cause:
EVS Enable Event Type Command, success

Definition at line 257 of file cfe_evs_eventids.h.

11.65.2.10 CFE_EVS_ENAPORT_EID #define CFE_EVS_ENAPORT_EID 18 EVS Enable Ports Command Success Event ID.
Type: DEBUG
Cause:
EVS Enable Ports Command success.
Definition at line 235 of file cfe_evs_eventids.h.
11.65.2.11 CFE_EVS_ERR_APPNOREGS_EID #define CFE_EVS_ERR_APPNOREGS_EID 7 EVS Command Application Not Registered With EVS Event ID.
Type: ERROR
Cause:
An EVS command handler failure due to the referenced application not being registered with EVS. OVERLOADED Definition at line 110 of file cfe_evs_eventids.h.
11.65.2.12 CFE_EVS_ERR_CC_EID #define CFE_EVS_ERR_CC_EID 15 EVS Invalid Command Code Received Event ID.
Type: ERROR
Cause:
Invalid command code for message ID CFE_EVS_CMD_MID received on the EVS message pipe. Definition at line 202 of file cfe_evs_eventids.h.
11.65.2.13 CFE_EVS_ERR_CRDATFILE_EID #define CFE_EVS_ERR_CRDATFILE_EID 13 EVS Write Application Data Command Filename Parse or File Create Failed Event ID.
Type: ERROR
Cause:
Write Application Data Command failed to parse the filename or open/create the file. OVERLOADED

Definition at line 180 of file cfe_evs_eventids.h.

11.65.2.14 CFE_EVS_ERR_CRLOGFILE_EID #define CFE_EVS_ERR_CRLOGFILE_EID 3 EVS Write Event Log Command Filename Parse or File Create Failed Event ID.				
Type: ERROR				
Cause:				
EVS Write Event Log Command failure parsing the file name or during open/creation of the file. OVERLOADED Definition at line 77 of file cfe_evs_eventids.h.				
11.65.2.15 CFE_EVS_ERR_EVTIDNOREGS_EID #define CFE_EVS_ERR_EVTIDNOREGS_EID 6 EVS Command Event Not Registered For Filtering Event ID.				
Type: ERROR				
Cause:				
An EVS command handler failure due to the event not being registered for filtering. OVERLOADED Definition at line 99 of file cfe_evs_eventids.h.				
11.65.2.16 CFE_EVS_ERR_ILLAPPIDRANGE_EID #define CFE_EVS_ERR_ILLAPPIDRANGE_EID 8 EVS Command Get Application Data Failure Event ID.				
Type: ERROR				
Cause:				
An EVS command handler failure retrieving the application data. OVERLOADED Definition at line 121 of file cfe_evs_eventids.h.				
11.65.2.17 CFE_EVS_ERR_ILLEGALFMTMOD_EID #define CFE_EVS_ERR_ILLEGALFMTMOD_EID 10 EVS Set Event Format Command Invalid Format Event ID.				
Type: ERROR				
Cause:				
EVS Set Event Format Command, failure due to invalid format argument				

Definition at line 144 of file cfe_evs_eventids.h.

11.65.2.18 CFE_EVS_ERR_INVALID_BITMASK_EID #define CFE_EVS_ERR_INVALID_BITMASK_EID 40 EVS Port Or Event Type Bitmask Invalid Event ID.
Type: ERROR
Cause:
Invalid bitmask for EVS port or event type. OVERLOADED Definition at line 446 of file cfe_evs_eventids.h.
11.65.2.19 CFE_EVS_ERR_LOGMODE_EID #define CFE_EVS_ERR_LOGMODE_EID 39 EVS Set Log Mode Command Invalid Mode Event ID.
Type: ERROR
Cause:
EVS Set Log Mode Command failure due to invalid log mode. Definition at line 435 of file cfe_evs_eventids.h.
11.65.2.20 CFE_EVS_ERR_MAXREGSFILTER_EID #define CFE_EVS_ERR_MAXREGSFILTER_EID 11 EVS Add Filter Command Max Filters Exceeded Event ID.
Type: ERROR
Cause:
EVS Add Filter Command failure due to exceeding the maximum number of filters.
Definition at line 156 of file cfe_evs_eventids.h.
11.65.2.21 CFE_EVS_ERR_MSGID_EID #define CFE_EVS_ERR_MSGID_EID 5 EVS Invalid Message ID Received Event ID.
Type: ERROR
Cause:
Invalid message ID received on the EVS message pipe. Definition at line 88 of file cfe. evs. eventids.h.

11.65.2.22 CFE_EVS_ERR_NOAPPIDFOUND_EID #define CFE_EVS_ERR_NOAPPIDFOUND_EID 9 EVS Command Get Application ID Failure Event ID.
Type: ERROR
Cause:
An EVS command handler failure retrieving the application ID. OVERLOADED Definition at line 132 of file cfe_evs_eventids.h.
11.65.2.23 CFE_EVS_ERR_UNREGISTERED_EVS_APP #define CFE_EVS_ERR_UNREGISTERED_EVS_APP 41 EVS Send Event API App Not Registered With EVS Event ID.
Type: ERROR
Cause:
An EVS Send Event API called for application not registered with EVS. Definition at line 457 of file cfe_evs_eventids.h.
11.65.2.24 CFE_EVS_ERR_WRDATFILE_EID #define CFE_EVS_ERR_WRDATFILE_EID 12 EVS Write Application Data Command Write Data Failure Event ID.
Type: ERROR
Cause:
Write Application Data Command failure to write application EVS data. Definition at line 168 of file cfe_evs_eventids.h.
11.65.2.25 CFE_EVS_ERR_WRLOGFILE_EID #define CFE_EVS_ERR_WRLOGFILE_EID 2 EVS Write Event Log Command File Write Entry Failed Event ID.
Type: ERROR
Cause:
EVS Write Event Log Command failure writing data to the file.

Definition at line 65 of file cfe_evs_eventids.h.

11.65.2.26 CFE_EVS_EVT_FILTERED_EID #define CFE_EVS_EVT_FILTERED_EID 37 EVS Add Filter Command Duplicate Registration Event ID.
Type: ERROR
Cause:
EVS Add Filter Command failure due to event already being registered for filtering. Definition at line 412 of file cfe_evs_eventids.h.
11.65.2.27 CFE_EVS_FILTER_MAX_EID #define CFE_EVS_FILTER_MAX_EID 42 EVS Filter Max Count Reached Event ID. Type: INFORMATIONAL
Cause:
Filter count for the event reached CFE_EVS_MAX_FILTER_COUNT and is latched until filter is reset. Definition at line 468 of file cfe_evs_eventids.h.
11.65.2.28 CFE_EVS_LEN_ERR_EID #define CFE_EVS_LEN_ERR_EID 43 EVS Invalid Command Length Event ID.
Type: ERROR
Cause:
Invalid length for the command code in message ID CFE_EVS_CMD_MID received on the EVS message pipe. Definition at line 479 of file cfe_evs_eventids.h.
11.65.2.29 CFE_EVS_LOGMODE_EID #define CFE_EVS_LOGMODE_EID 38 EVS Set Log Mode Command Success Event ID.
Type: DEBUG
Cause:
EVS Set Log Mode Command success.

Definition at line 423 of file cfe_evs_eventids.h.

11.65.2.30 CFE_EVS_NOOP_EID #define CFE_EVS_NOOP_EID 0 EVS No-op Command Success Event ID.
Type: INFORMATION
Cause:
EVS NO-OP command success. Definition at line 42 of file cfe_evs_eventids.h.
11.65.2.31 CFE_EVS_RSTALLFILTER_EID #define CFE_EVS_RSTALLFILTER_EID 29 EVS Reset All Filters Command Success Event ID.
Type: DEBUG
Cause:
EVS Reset All Filters Command success. Definition at line 356 of file cfe_evs_eventids.h.
11.65.2.32 CFE_EVS_RSTCNT_EID #define CFE_EVS_RSTCNT_EID 16 EVS Reset Counters Command Success Event ID.
Type: DEBUG
Cause:
EVS Reset Counters Command success. Definition at line 213 of file cfe_evs_eventids.h.
11.65.2.33 CFE_EVS_RSTEVTCNT_EID #define CFE_EVS_RSTEVTCNT_EID 27 EVS Reset App Event Counter Command Success Event ID.
Type: DEBUG
Cause:
EVS Reset Ann Event Counter Command, success

Definition at line 334 of file cfe_evs_eventids.h.

11.65.2.34 CFE_EVS_RSTFILTER_EID #define CFE_EVS_RSTFILTER_EID 28 EVS Reset App Event Filter Command Success Event ID.
Type: DEBUG
Cause:
EVS Reset App Event Filter Command success. Definition at line 345 of file cfe_evs_eventids.h.
11.65.2.35 CFE_EVS_SETEVTFMTMOD_EID #define CFE_EVS_SETEVTFMTMOD_EID 22 EVS Set Event Format Mode Command Success Event ID.
Type: DEBUG
Cause:
EVS Set Event Format Mode Command success. Definition at line 279 of file cfe_evs_eventids.h.
11.65.2.36 CFE_EVS_SETFILTERMSK_EID #define CFE_EVS_SETFILTERMSK_EID 17 EVS Set Filter Command Success Event ID.
Type: DEBUG
Cause:
EVS Set Filter Command success. Definition at line 224 of file cfe_evs_eventids.h.
11.65.2.37 CFE_EVS_SQUELCHED_ERR_EID #define CFE_EVS_SQUELCHED_ERR_EID 44 EVS Events Squelched Error Event ID.
Type: ERROR
Cause:
Events generated in app at a rate in excess of CFE_PLATFORM_EVS_MAX_APP_EVENT_BURST in one moment or CFE_PLATFORM_EVS_MAX_APP_EVENTS_BER_SEC_custained

Definition at line 492 of file cfe_evs_eventids.h.

11.65.2.38 CFE_EVS_STARTUP_EID #define CFE_EVS_STARTUP_EID 1 EVS Initialization Event ID.
Type: INFORMATION
Course.
Cause:
Event Services Task initialization complete. Definition at line 53 of file cfe_evs_eventids.h.
11.65.2.39 CFE_EVS_WRDAT_EID #define CFE_EVS_WRDAT_EID 32 EVS Write Application Data Command Success Event ID.
Type: DEBUG
Cause:
EVS Write Application Data Command success. Definition at line 389 of file cfe_evs_eventids.h.
11.65.2.40 CFE_EVS_WRITE_HEADER_ERR_EID #define CFE_EVS_WRITE_HEADER_ERR_EID 14 EVS Write File Header to Log File Failure Event ID.
Type: ERROR
Cause:
Bytes written during Write File Header to Log File was not equal to the expected header size. Definition at line 191 of file cfe_evs_eventids.h.
11.65.2.41 CFE_EVS_WRLOG_EID #define CFE_EVS_WRLOG_EID 33 EVS Write Event Log Command Success Event ID.
Type: DEBUG
Cause:

Generated by Doxygen

EVS Write Event Log Command success.

Definition at line 400 of file cfe_evs_eventids.h.

11.66 cfe/modules/fs/config/default_cfe_fs_extern_typedefs.h File Reference

```
#include "cfe_mission_cfg.h"
#include "cfe_fs_filedef.h"
```

11.66.1 Detailed Description

Declarations and prototypes for cfe_fs_extern_typedefs module

11.67 cfe/modules/fs/config/default_cfe_fs_filedef.h File Reference

```
#include "common_types.h"
#include "cfe_fs_interface_cfg.h"
```

Data Structures

· struct CFE FS Header

Standard cFE File header structure definition.

Typedefs

typedef uint32 CFE_FS_SubType_Enum_t

Content descriptor for File Headers.

• typedef struct CFE_FS_Header CFE_FS_Header_t

Standard cFE File header structure definition.

Enumerations

```
    enum CFE_FS_SubType {
    CFE_FS_SubType_ES_ERLOG = 1, CFE_FS_SubType_ES_SYSLOG = 2, CFE_FS_SubType_ES_QUERYALL
    = 3, CFE_FS_SubType_ES_PERFDATA = 4,
    CFE_FS_SubType_ES_CDS_REG = 6, CFE_FS_SubType_TBL_REG = 9, CFE_FS_SubType_TBL_IMG = 8,
    CFE_FS_SubType_EVS_APPDATA = 15,
    CFE_FS_SubType_EVS_EVENTLOG = 16, CFE_FS_SubType_SB_PIPEDATA = 20, CFE_FS_SubType_SB_ROUTEDATA
    = 21, CFE_FS_SubType_SB_MAPDATA = 22,
    CFE_FS_SubType_ES_QUERYALLTASKS = 23 }
```

File subtypes used within cFE.

11.67.1 Detailed Description

Declarations and prototypes for cfe fs extern typedefs module

11.67.2 Typedef Documentation

```
11.67.2.1 CFE_FS_Header_t typedef struct CFE_FS_Header_t Standard cFE File header structure definition.
```

11.67.2.2 CFE_FS_SubType_Enum_t typedef uint32 CFE_FS_SubType_Enum_t Content descriptor for File Headers.

See also

enum CFE_FS_SubType

Definition at line 176 of file default_cfe_fs_filedef.h.

11.67.3 Enumeration Type Documentation

11.67.3.1 CFE_FS_SubType enum CFE_FS_SubType

File subtypes used within cFE.

This defines all the file subtypes used by cFE. Note apps can extend as needed but need to avoid conflicts (app context not currently included in the file header).

Enumerator

CFE_FS_SubType_ES_ERLOG	Executive Services Exception/Reset Log Type. Executive Services Exception/Reset Log File which is generated in response to a \$sc_\$cpu_ES_WriteERLog2File command.
CFE_FS_SubType_ES_SYSLOG	Executive Services System Log Type. Executive Services System Log File which is generated in response to a \$sc_\$cpu_ES_WriteSysLog2File command.
CFE_FS_SubType_ES_QUERYALL	Executive Services Information on All Applications File. Executive Services Information on All Applications File which is generated in response to a \$sc_\$cpu_ES_WriteAppInfo2File command.
CFE_FS_SubType_ES_PERFDATA	Executive Services Performance Data File. Executive Services Performance Analyzer Data File which is generated in response to a \$sc_\$cpu_ES_StopLAData command.
CFE_FS_SubType_ES_CDS_REG	Executive Services Critical Data Store Registry Dump File. Executive Services Critical Data Store Registry Dump File which is generated in response to a \$sc_\$cpu_ES_WriteCDS2File command.
CFE_FS_SubType_TBL_REG	Table Services Registry Dump File. Table Services Registry Dump File which is generated in response to a \$sc_\$cpu_TBL_WriteReg2File command.
CFE_FS_SubType_TBL_IMG	Table Services Table Image File. Table Services Table Image File which is generated either on the ground or in response to a \$sc_\$cpu_TBL_DUMP command.
CFE_FS_SubType_EVS_APPDATA	Event Services Application Data Dump File. Event Services Application Data Dump File which is generated in response to a \$sc_\$cpu_EVS_WriteAppData2File command.
CFE_FS_SubType_EVS_EVENTLOG	Event Services Local Event Log Dump File. Event Services Local Event Log Dump File which is generated in response to a \$sc_\$cpu_EVS_WriteLog2File command.
CFE_FS_SubType_SB_PIPEDATA	Software Bus Pipe Data Dump File. Software Bus Pipe Data Dump File which is generated in response to a \$sc_\$cpu_SB_WritePipe2File command.
CFE_FS_SubType_SB_ROUTEDATA	Software Bus Message Routing Data Dump File. Software Bus Message Routing Data Dump File which is generated in response to a \$sc_\$cpu_SB_WriteRouting2File command.

Enumerator

CFE_FS_SubType_SB_MAPDATA	Software Bus Message Mapping Data Dump File. Software Bus Message Mapping Data Dump File which is generated in response to a \$sc_\$cpu_SB_WriteMap2File command.
CFE_FS_SubType_ES_QUERYALLTASKS	Executive Services Query All Tasks Data File. Executive Services Query All Tasks Data File which is generated in response to a \$sc_\$cpu_ES_WriteTaskInfo2File command.

Definition at line 39 of file default cfe fs filedef.h.

11.68 cfe/modules/fs/config/default cfe fs interface cfg.h File Reference

Macros

• #define CFE FS HDR DESC MAX LEN 32

Max length of description field in a standard cFE File Header.

• #define CFE FS FILE CONTENT ID 0x63464531

Magic Number for cFE compliant files (= 'cFE1')

11.68.1 Detailed Description

Declarations and prototypes for cfe_fs_extern_typedefs module

11.68.2 Macro Definition Documentation

11.68.2.1 CFE_FS_FILE_CONTENT_ID #define CFE_FS_FILE_CONTENT_ID 0x63464531 Magic Number for cFE compliant files (= 'cFE1')

Definition at line 39 of file default cfe fs interface cfg.h.

11.68.2.2 CFE_FS_HDR_DESC_MAX_LEN #define CFE_FS_HDR_DESC_MAX_LEN 32 Max length of description field in a standard cFE File Header.

Definition at line 37 of file default_cfe_fs_interface_cfg.h.

11.69 cfe/modules/fs/config/default_cfe_fs_mission_cfg.h File Reference

#include "cfe_fs_interface_cfg.h"

11.69.1 Detailed Description

CFE File Services (CFE_FS) Application Mission Configuration Header File

This is a compatibility header for the "mission_cfg.h" file that has traditionally provided public config definitions for each CFS app.

Note

This file may be overridden/superceded by mission-provided defintions either by overriding this header or by generating definitions from a command/data dictionary tool.

11.70 cfe/modules/msg/fsw/inc/ccsds_hdr.h File Reference

```
#include "common_types.h"
```

Data Structures

• struct CCSDS_PrimaryHeader

CCSDS packet primary header.

struct CCSDS_ExtendedHeader

CCSDS packet extended header.

Typedefs

typedef struct CCSDS_PrimaryHeader CCSDS_PrimaryHeader_t

CCSDS packet primary header.

typedef struct CCSDS_ExtendedHeader CCSDS_ExtendedHeader_t

CCSDS packet extended header.

11.70.1 Detailed Description

Define CCSDS packet header types

- · Avoid direct access for portability, use APIs
- · Used to construct message structures

11.70.2 Typedef Documentation

11.70.2.1 CCSDS_ExtendedHeader_t typedef struct CCSDS_ExtendedHeader CCSDS_ExtendedHeader_t CCSDS packet extended header.

11.70.2.2 CCSDS_PrimaryHeader_t typedef struct CCSDS_PrimaryHeader CCSDS_PrimaryHeader_t CCSDS packet primary header.

11.71 cfe/modules/resourceid/fsw/inc/cfe_core_resourceid_basevalues.h File Reference

```
#include "cfe_resourceid_basevalue.h"
```

Enumerations

```
    enum {
        CFE_RESOURCEID_ES_TASKID_BASE_OFFSET = OS_OBJECT_TYPE_OS_TASK, CFE_RESOURCEID_ES_APPID_BASE_OFFSET = OS_OBJECT_TYPE_USER + 1, CFE_RESOURCEID_ES_LIBID_BASE_OFFSET = OS_OBJECT_TYPE_←
    USER + 2, CFE_RESOURCEID_ES_COUNTID_BASE_OFFSET = OS_OBJECT_TYPE_USER + 3,
    CFE_RESOURCEID_ES_POOLID_BASE_OFFSET = OS_OBJECT_TYPE_USER + 4, CFE_RESOURCEID_ES_CDSBLOCKID_
    = OS_OBJECT_TYPE_USER + 5, CFE_RESOURCEID_SB_PIPEID_RESOURCE_BASE_OFFSET = OS_O←
    BJECT_TYPE_USER + 6, CFE_RESOURCEID_CONFIGID_BASE_OFFSET = OS_OBJECT_TYPE_USER + 7
    }
```

enum {

CFE_ES_TASKID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOURCEID_ES_TASKID_BASE_O ← FFSET), CFE_ES_APPID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOURCEID_ES_APPID_BA ← SE_OFFSET), CFE_ES_LIBID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOURCEID_ES_LIBID ← BASE_OFFSET), CFE_ES_COUNTID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOURCEID_E ← S_COUNTID_BASE_OFFSET),

CFE_ES_POOLID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOURCEID_ES_POOLID_BASE_O ← FFSET), CFE_ES_CDSBLOCKID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOURCEID_ES_CD ← SBLOCKID_BASE_OFFSET), CFE_SB_PIPEID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOURCEID_MAKE_BASE(CFE_RESOURCEID_MAKE_B ← ASE(CFE_RESOURCEID_CONFIGID_BASE_OFFSET) }

11.71.1 Detailed Description

Contains CFE internal prototypes and definitions related to resource management and related CFE resource IDs. A CFE ES Resource ID is a common way to identify CFE-managed resources such as apps, tasks, counters, memory pools, CDS blocks, and other entities.

11.72 cfe/modules/resourceid/fsw/inc/cfe resourceid basevalue.h File Reference

```
#include "cfe_resourceid_typedef.h"
#include "osapi-idmap.h"
```

Macros

- #define CFE RESOURCEID SHIFT OS OBJECT TYPE SHIFT
- #define CFE_RESOURCEID_MAX OS_OBJECT_INDEX_MASK
- #define CFE_RESOURCEID_MAKE_BASE(offset) (CFE_RESOURCEID_MARK | ((offset) << CFE_RESOURCEID_SHIFT))

A macro to generate a CFE resource ID base value from an offset.

11.72.1 Detailed Description

An implementation of CFE resource ID base values/limits that will be compatible with OSAL IDs. This is intended as a transitional tool to provide runtime value uniqueness, particularly when the "simple" (compatible) resource ID implementation is used. In this mode, compiler type checking is disabled, and so OSAL IDs can be silently interchanged with CFE IDs.

However, by ensuring uniqueness in the runtime values, any ID handling errors may at least be detectable at runtime. This still works fine with the "strict" resource ID option, but is less important as the compiler type checking should prevent this type of error before the code even runs.

The downside to this implementation is that it has a dependency on the OSAL ID structure.

11.72.2 Macro Definition Documentation

A macro to generate a CFE resource ID base value from an offset.

Each CFE ID range is effectively an extension of OSAL ID ranges by starting at OS_OBJECT_TYPE_USER. Definition at line 73 of file cfe resourceid basevalue.h.

11.72.2.2 CFE_RESOURCEID_MAX #define CFE_RESOURCEID_MAX OS_OBJECT_INDEX_MASK Definition at line 65 of file cfe resourceid basevalue.h.

11.72.2.3 CFE_RESOURCEID_SHIFT #define CFE_RESOURCEID_SHIFT OS_OBJECT_TYPE_SHIFT Definition at line 64 of file cfe resourceid basevalue.h.

11.73 cfe/modules/sb/config/default cfe sb extern typedefs.h File Reference

```
#include "common_types.h"
#include "cfe_mission_cfg.h"
#include "cfe_resourceid_typedef.h"
```

Data Structures

• struct CFE_SB_Msgld_t

CFE_SB_Msgld_t type definition.

• struct CFE_SB_Qos_t

Quality Of Service Type Definition.

Macros

• #define CFE_SB_SUB_ENTRIES_PER_PKT 20

Configuration parameter used by SBN App.

Typedefs

typedef uint8 CFE_SB_QosPriority_Enum_t

Selects the priority level for message routing.

typedef uint8 CFE_SB_QosReliability_Enum_t

Selects the reliability level for message routing.

typedef uint16 CFE_SB_Routeld_Atom_t

An integer type that should be used for indexing into the Routing Table.

typedef uint32 CFE_SB_Msgld_Atom_t

CFE_SB_Msgld_Atom_t primitive type definition.

typedef CFE_RESOURCEID_BASE_TYPE CFE_SB_PipeId_t

CFE_SB_PipeId_t to primitive type definition.

Enumerations

```
• enum CFE_SB_QosPriority { CFE_SB_QosPriority_LOW = 0, CFE_SB_QosPriority_HIGH = 1 } Label definitions associated with CFE_SB_QosPriority_Enum_t.
```

enum CFE_SB_QosReliability { CFE_SB_QosReliability_LOW = 0, CFE_SB_QosReliability_HIGH = 1 }
 Label definitions associated with CFE_SB_QosReliability_Enum_t.

11.73.1 Detailed Description

Declarations and prototypes for cfe sb extern typedefs module

11.73.2 Macro Definition Documentation

11.73.2.1 CFE_SB_SUB_ENTRIES_PER_PKT #define CFE_SB_SUB_ENTRIES_PER_PKT 20

Configuration parameter used by SBN App.

Definition at line 32 of file default_cfe_sb_extern_typedefs.h.

11.73.3 Typedef Documentation

11.73.3.1 CFE_SB_Msgld_Atom_t typedef uint32 CFE_SB_MsgId_Atom_t

CFE SB Msgld Atom t primitive type definition.

This is an integer type capable of holding any Message ID value Note: This value is limited via CFE_PLATFORM_SB_HIGHEST_VALID_M Definition at line 91 of file default_cfe_sb_extern_typedefs.h.

11.73.3.2 CFE_SB_Pipeld_t typedef CFE_RESOURCEID_BASE_TYPE CFE_SB_PipeId_t

CFE_SB_Pipeld_t to primitive type definition.

Software Bus pipe identifier used in many SB APIs, as well as SB Telemetry messages and data files.

Definition at line 114 of file default_cfe_sb_extern_typedefs.h.

$\textbf{11.73.3.3} \quad \textbf{CFE_SB_QosPriority_Enum_t} \quad \texttt{typedef uint8 CFE_SB_QosPriority_Enum_t}$

Selects the priority level for message routing.

See also

enum CFE_SB_QosPriority

Definition at line 55 of file default_cfe_sb_extern_typedefs.h.

11.73.3.4 CFE_SB_QosReliability_Enum_t typedef uint8 CFE_SB_QosReliability_Enum_t

Selects the reliability level for message routing.

See also

enum CFE_SB_QosReliability

Definition at line 78 of file default_cfe_sb_extern_typedefs.h.

11.73.3.5 CFE_SB_RouteId_Atom_t typedef uint16 CFE_SB_RouteId_Atom_t

An integer type that should be used for indexing into the Routing Table.

Definition at line 83 of file default_cfe_sb_extern_typedefs.h.

11.73.4 Enumeration Type Documentation

11.73.4.1 CFE_SB_QosPriority enum CFE_SB_QosPriority

Label definitions associated with CFE_SB_QosPriority_Enum_t.

Enumerator

CFE_SB_QosPriority_LOW	Normal priority level.
CFE_SB_QosPriority_HIGH	High priority.

Definition at line 37 of file default_cfe_sb_extern_typedefs.h.

11.73.4.2 CFE_SB_QosReliability enum CFE_SB_QosReliability

Label definitions associated with CFE SB QosReliability Enum t.

Enumerator

CFE_SB_QosReliability_LOW	Normal (best-effort) reliability.
CFE_SB_QosReliability_HIGH	High reliability.

Definition at line 60 of file default_cfe_sb_extern_typedefs.h.

11.74 cfe/modules/sb/config/default cfe sb fcncodes.h File Reference

Macros

- #define CFE_SB_NOOP_CC 0
- #define CFE_SB_RESET_COUNTERS_CC 1
- #define CFE_SB_SEND_SB_STATS_CC 2
- #define CFE_SB_WRITE_ROUTING_INFO_CC 3
- #define CFE_SB_ENABLE_ROUTE_CC 4
- #define CFE_SB_DISABLE_ROUTE_CC 5
- #define CFE_SB_WRITE_PIPE_INFO_CC 7
- #define CFE SB WRITE MAP INFO CC 8
- #define CFE SB ENABLE SUB REPORTING CC 9
- #define CFE_SB_DISABLE_SUB_REPORTING_CC 10
- #define CFE_SB_SEND_PREV_SUBS_CC 11

11.74.1 Detailed Description

Specification for the CFE Event Services (CFE SB) command function codes

Note

This file should be strictly limited to the command/function code (CC) macro definitions. Other definitions such as enums, typedefs, or other macros should be placed in the msgdefs.h or msg.h files.

11.74.2 Macro Definition Documentation

11.74.2.1 CFE_SB_DISABLE_ROUTE_CC #define CFE_SB_DISABLE_ROUTE_CC 5

Name Disable Software Bus Route

Description

This command will disable a particular destination. The destination is specified in terms of MsgID and PipeID. The MsgId and PipeID are parameters in the command. All destinations are enabled by default.

Command Mnemonic(s) \$sc_\$cpu_SB_DisRoute

Command Structure

CFE SB DisableRouteCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_SB_CMDPC command execution counter will increment
- View routing information CFE SB WRITE ROUTING INFO CC to verify enable/disable state change
- The CFE_SB_DSBL_RTE2_EID debug event message will be generated
- · Destination will stop receiving messages

Error Conditions

This command may fail for the following reason(s):

- the Msgld or Pipeld parameters do not pass validation
- · the destination does not exist.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_SB_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases. See CFE_SB_DSBL_RTE1_EID or CFE_SB_DSBL_RTE3_EID

Criticality

This command is not intended to be used in nominal conditions. It is possible to get into a state where a destination cannot be re-enabled without resetting the processor. For instance, sending this command with CFE_SB_CMD_MID and the SB_Cmd_Pipe would inhibit any ground commanding to the software bus until the processor was reset. There are similar problems that may occur when using this command.

Definition at line 271 of file default_cfe_sb_fcncodes.h.

11.74.2.2 CFE_SB_DISABLE_SUB_REPORTING_CC #define CFE_SB_DISABLE_SUB_REPORTING_CC 10

Name Disable Subscription Reporting Command

Description

This command will disable subscription reporting and is intended to be used only by the CFS SBN (Software Bus Networking) Application. It is not intended to be sent from the ground or used by operations. When subscription reporting is enabled, SB will generate and send a software bus packet for each subscription received. The software bus packet that is sent contains the information received in the subscription API. This subscription report is needed by SBN if offboard routing is required.

Command Mnemonic(s) \$sc_\$cpu_SB_DisSubRptg

Command Structure

CFE_SB_DisableSubReportingCmd_t

Command Verification

Successful execution of this command will result in the suppression of packets (with the CFE_SB_ONESUB_TLM_MID Msgld) for each subscription received by SB through the subscription APIs.

Error Conditions

None

Criticality

None

See also

CFE_SB_SingleSubscriptionTIm_t, CFE_SB_ENABLE_SUB_REPORTING_CC, CFE_SB_SEND_PREV_SUBS_CC Definition at line 428 of file default cfe sb fcncodes.h.

```
11.74.2.3 CFE_SB_ENABLE_ROUTE_CC #define CFE_SB_ENABLE_ROUTE_CC 4
```

Name Enable Software Bus Route

Description

This command will enable a particular destination. The destination is specified in terms of MsgID and PipeID. The MsgId and PipeID are parameters in the command. All destinations are enabled by default. This command is needed only after a CFE_SB_DISABLE_ROUTE_CC command is used.

Command Mnemonic(s) \$sc_\$cpu_SB_EnaRoute

Command Structure

CFE_SB_EnableRouteCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_SB_CMDPC command execution counter will increment
- View routing information CFE_SB_WRITE_ROUTING_INFO_CC to verify enable/disable state change
- The CFE SB ENBL RTE2 EID debug event message will be generated
- · Destination will begin receiving messages

Error Conditions

This command may fail for the following reason(s):

- the Msgld or Pipeld parameters do not pass validation
- · the destination does not exist.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_SB_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases. See CFE_SB_ENBL_RTE1_EID or CFE_SB_ENBL_RTE3_EID

Criticality

This command is not inherently dangerous.

Definition at line 230 of file default cfe sb fcncodes.h.

11.74.2.4 CFE_SB_ENABLE_SUB_REPORTING_CC #define CFE_SB_ENABLE_SUB_REPORTING_CC 9

Name Enable Subscription Reporting Command

Description

This command will enable subscription reporting and is intended to be used only by the CFS SBN (Software Bus Networking) Application. It is not intended to be sent from the ground or used by operations. When subscription reporting is enabled, SB will generate and send a software bus packet for each subscription received. The software bus packet that is sent contains the information received in the subscription API. This subscription report is needed by SBN if offboard routing is required.

Command Mnemonic(s) \$sc \$cpu SB EnaSubRptg

Command Structure

CFE_SB_EnableSubReportingCmd_t

Command Verification

Successful execution of this command will result in the sending of a packet (with the CFE_SB_ONESUB_TLM_MID Msgld) for each subscription received by SB through the subscription APIs.

Error Conditions

None

Criticality

None

See also

CFE_SB_SingleSubscriptionTlm_t, CFE_SB_DISABLE_SUB_REPORTING_CC, CFE_SB_SEND_PREV_SUBS_CC

Definition at line 395 of file default cfe sb fcncodes.h.

11.74.2.5 CFE_SB_NOOP_CC #define CFE_SB_NOOP_CC 0

Name Software Bus No-Op

Description

This command performs no other function than to increment the command execution counter. The command may be used to verify general aliveness of the Software Bus task.

Command Mnemonic(s) \$sc_\$cpu_SB_NOOP

Command Structure

CFE_SB_NoopCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_SB_CMDPC command execution counter will increment
- The CFE_SB_CMD0_RCVD_EID informational event message will be generated

Error Conditions

There are no error conditions for this command. If the Software Bus receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

None

See also

Definition at line 66 of file default_cfe_sb_fcncodes.h.

11.74.2.6 CFE_SB_RESET_COUNTERS_CC #define CFE_SB_RESET_COUNTERS_CC 1

Name Software Bus Reset Counters

Description

This command resets the following counters within the Software Bus housekeeping telemetry:

- Command Execution Counter (\$sc_\$cpu_SB_CMDPC)
- Command Error Counter (\$sc_\$cpu_SB_CMDEC)
- No Subscribers Counter (\$sc \$cpu SB NoSubEC)
- Duplicate Subscriptions Counter (\$sc \$cpu SB DupSubCnt)
- Msg Send Error Counter (\$sc_\$cpu_SB_MsgSndEC)
- Msg Receive Error Counter (\$sc_\$cpu_SB_MsgRecEC)
- Internal Error Counter (\$sc_\$cpu_SB_InternalEC)
- Create Pipe Error Counter (\$sc_\$cpu_SB_NewPipeEC)
- Subscribe Error Counter (\$sc_\$cpu_SB_SubscrEC)
- Pipe Overflow Error Counter (\$sc_\$cpu_SB_PipeOvrEC)
- Msg Limit Error Counter (\$sc_\$cpu_SB_MsgLimEC)

Command Mnemonic(s) \$sc_\$cpu_SB_ResetCtrs

Command Structure

CFE_SB_ResetCountersCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_SB_CMDPC command execution counter will be reset to 0
- · All other counters listed in description will be reset to 0
- The CFE_SB_CMD1_RCVD_EID informational event message will be generated

Error Conditions

There are no error conditions for this command. If the Software Bus receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

This command is not inherently dangerous. However, it is possible for ground systems and on-board safing procedures to be designed such that they react to changes in the counter values that are reset by this command.

See also

Definition at line 113 of file default cfe sb fcncodes.h.

```
11.74.2.7 CFE_SB_SEND_PREV_SUBS_CC #define CFE_SB_SEND_PREV_SUBS_CC 11
```

Name Send Previous Subscriptions Command

This command generates a series of packets that contain information

regarding all subscriptions previously received by SB. This command is intended to be used only by the CFS SBN(Software Bus Networking) Application. It is not intended to be sent from the ground or used by operations. When this command is received the software bus will generate and send a series of packets containing information about all subscription previously received.

Command Mnemonic(s) \$sc \$cpu SB SendPrevSubs

Command Structure

CFE_SB_SendPrevSubsCmd_t

Command Verification

Successful execution of this command will result in a series of packets (with the CFE_SB_ALLSUBS_TLM_MID Msqld) being sent on the software bus.

Error Conditions

None

Criticality

None

See also

CFE_SB_AllSubscriptionsTIm_t, CFE_SB_ENABLE_SUB_REPORTING_CC, CFE_SB_DISABLE_SUB_REPORTING_CC Definition at line 460 of file default cfe sb fcncodes.h.

11.74.2.8 CFE_SB_SEND_SB_STATS_CC #define CFE_SB_SEND_SB_STATS_CC 2

Name Send Software Bus Statistics

Description

This command will cause the SB task to send a statistics packet containing current utilization figures and high water marks which may be useful for checking the margin of the SB platform configuration settings.

Command Mnemonic(s) \$sc_\$cpu_SB_DumpStats

Command Structure

CFE SB SendSbStatsCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_SB_CMDPC command execution counter will increment
- Receipt of statistics packet with Msgld CFE_SB_STATS_TLM_MID
- The CFE SB SND STATS EID debug event message will be generated

Error Conditions

There are no error conditions for this command. If the Software Bus receives the command, the debug event is sent and the counter is incremented unconditionally.

Criticality

This command is not inherently dangerous. It will create and send a message on the software bus. If performed repeatedly, it is possible that receiver pipes may overflow.

See also

Definition at line 147 of file default_cfe_sb_fcncodes.h.

11.74.2.9 CFE SB WRITE MAP INFO CC #define CFE_SB_WRITE_MAP_INFO_CC 8

Name Write Map Info to a File

This command will create a file containing the software bus message

map information. The message map is a lookup table (an array of uint16s)that allows fast access to the correct routing table element during a software bus send operation. This is diagnostic information that may be needed due to the dynamic nature of the cFE software bus. An absolute path and filename may be specified in the command. If this command field contains an empty string (NULL terminator as the first character) the default file path and name is used. The default file path and name is defined in the platform configuration file as CFE_PLATFORM_SB_DEFAULT_MAP_FILENAME.

Command Mnemonic(s) \$sc_\$cpu_SB_WriteMap2File

Command Structure

CFE SB WriteMapInfoCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_SB_CMDPC command execution counter will increment. NOTE: the command counter is incremented when the request is accepted, before writing the file, which is performed as a background task.
- The file specified in the command (or the default specified by the CFE_PLATFORM_SB_DEFAULT_MAP_FILENAME configuration parameter) will be updated with the latest information.
- The CFE SB SND RTG EID debug event message will be generated

Error Conditions

This command may fail for the following reason(s):

- · A previous request to write a software bus information file has not yet completed
- · The specified FileName cannot be parsed

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_SB_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases. See CFE_SB_SND_RTG_ERR1_EID and CFE_SB_FILEWRITE_ERR_EID

Criticality

This command is not inherently dangerous. It will create a new file in the file system and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

Definition at line 362 of file default_cfe_sb_fcncodes.h.

```
11.74.2.10 CFE SB WRITE PIPE INFO CC #define CFE_SB_WRITE_PIPE_INFO_CC 7
```

Name Write Pipe Info to a File

Description

This command will create a file containing the software bus pipe information. The pipe information contains information about every pipe that has been created through the CFE_SB_CreatePipe API. An absolute path and filename may be specified in the command. If this command field contains an empty string (NULL terminator as the first character) the default file path and name is used. The default file path and name is defined in the platform configuration file as CFE_PLATFORM_SB_DEFAULT_PIPE_FILENAME.

Command Mnemonic(s) \$sc_\$cpu_SB_WritePipe2File

Command Structure

CFE SB WritePipeInfoCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_SB_CMDPC command execution counter will increment. NOTE: the command counter is incremented when the request is accepted, before writing the file, which is performed as a background task.
- The file specified in the command (or the default specified by the CFE_PLATFORM_SB_DEFAULT_PIPE_FILENAME configuration parameter) will be updated with the latest information.
- The CFE_SB_SND_RTG_EID debug event message will be generated

Error Conditions

This command may fail for the following reason(s):

- · A previous request to write a software bus information file has not yet completed
- · The specified FileName cannot be parsed

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_SB_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases. See CFE_SB_SND_RTG_ERR1_EID and CFE_SB_FILEWRITE_ERR_EID

Criticality

This command is not inherently dangerous. It will create a new file in the file system and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

Definition at line 316 of file default_cfe_sb_fcncodes.h.

```
11.74.2.11 CFE_SB_WRITE_ROUTING_INFO_CC #define CFE_SB_WRITE_ROUTING_INFO_CC 3
```

Name Write Software Bus Routing Info to a File

Description

This command will create a file containing the software bus routing information. The routing information contains information about every subscription that has been received through the SB subscription APIs. An absolute path and filename may be specified in the command. If this command field contains an empty string (NULL terminator as the first character) the default file path and name is used. The default file path and name is defined in the platform configuration file as CFE PLATFORM SB DEFAULT ROUTING FILENAME.

Command Mnemonic(s) \$sc \$cpu SB WriteRouting2File

Command Structure

CFE_SB_WriteRoutingInfoCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_SB_CMDPC command execution counter will increment. NOTE: the command counter is incremented when the request is accepted, before writing the file, which is performed as a background task.
- The file specified in the command (or the default specified by the CFE_PLATFORM_SB_DEFAULT_ROUTING_FILENAME configuration parameter) will be updated with the latest information.
- The CFE_SB_SND_RTG_EID debug event message will be generated

Error Conditions

This command may fail for the following reason(s):

- A previous request to write a software bus information file has not yet completed
- · The specified FileName cannot be parsed

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_SB_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases. See CFE_SB_SND_RTG_ERR1_EID and CFE_SB_FILEWRITE_ERR_EID

Criticality

This command is not inherently dangerous. It will create a new file in the file system and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

Definition at line 192 of file default cfe sb fcncodes.h.

11.75 cfe/modules/sb/config/default cfe sb interface cfg.h File Reference

Macros

- #define CFE MISSION SB MAX SB MSG SIZE 32768
- #define CFE MISSION SB MAX PIPES 64

11.75.1 Detailed Description

CFE Software Bus (CFE SB) Application Public Definitions

This provides default values for configurable items that affect the interface(s) of this module. This includes the CMD/TLM message interface, tables definitions, and any other data products that serve to exchange information with other entities.

Note

This file may be overridden/superceded by mission-provided defintions either by overriding this header or by generating definitions from a command/data dictionary tool.

11.75.2 Macro Definition Documentation

```
11.75.2.1 CFE_MISSION_SB_MAX_PIPES #define CFE_MISSION_SB_MAX_PIPES 64
```

Purpose Maximum Number of pipes that SB command/telemetry messages may hold

Description:

Dictates the maximum number of unique Pipes the SB message definitions will hold.

This affects the layout of command/telemetry messages but does not affect run time behavior or internal allocation.

Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

Definition at line 67 of file default cfe sb interface cfg.h.

11.75.2.2 CFE_MISSION_SB_MAX_SB_MSG_SIZE #define CFE_MISSION_SB_MAX_SB_MSG_SIZE 32768

Purpose Maximum SB Message Size

Description:

The following definition dictates the maximum message size allowed on the software bus. SB checks the pkt length field in the header of all messages sent. If the pkt length field indicates the message is larger than this define, SB sends an event and rejects the send.

Limits

This parameter has a lower limit of 6 (CCSDS primary header size). There are no restrictions on the upper limit however, the maximum message size is system dependent and should be verified. Total message size values that are checked against this configuration are defined by a 16 bit data word.

Definition at line 50 of file default_cfe_sb_interface_cfg.h.

11.76 cfe/modules/sb/config/default cfe sb internal cfg.h File Reference

Macros

- #define CFE PLATFORM SB MAX MSG IDS 256
- #define CFE PLATFORM SB MAX PIPES 64
- #define CFE_PLATFORM_SB_MAX_DEST_PER_PKT 16
- #define CFE PLATFORM SB DEFAULT MSG LIMIT 4
- #define CFE PLATFORM SB BUF MEMORY BYTES 524288
- #define CFE PLATFORM SB HIGHEST VALID MSGID 0x1FFF
- #define CFE PLATFORM SB DEFAULT ROUTING FILENAME "/ram/cfe sb route.dat"
- #define CFE_PLATFORM_SB_DEFAULT_PIPE_FILENAME "/ram/cfe_sb_pipe.dat"
- #define CFE PLATFORM SB DEFAULT MAP FILENAME "/ram/cfe sb msgmap.dat"
- #define CFE PLATFORM SB FILTERED EVENT1 CFE SB SEND NO SUBS EID
- #define CFE_PLATFORM_SB_FILTER_MASK1 CFE_EVS_FIRST_4_STOP
- #define CFE_PLATFORM_SB_FILTERED_EVENT2 CFE_SB_DUP_SUBSCRIP_EID
- #define CFE PLATFORM SB FILTER MASK2 CFE EVS FIRST 4 STOP
- #define CFE PLATFORM SB FILTERED EVENT3 CFE SB MSGID LIM ERR EID
- #define CFE PLATFORM SB FILTER MASK3 CFE EVS FIRST 16 STOP
- #define CFE PLATFORM SB FILTERED EVENT4 CFE SB Q FULL ERR EID
- #define CFE_PLATFORM_SB_FILTER_MASK4 CFE_EVS_FIRST_16 STOP
- #define CFE_PLATFORM_SB_FILTERED_EVENT5 0
- #define CFE PLATFORM SB FILTER MASK5 CFE EVS NO FILTER
- #define CFE_PLATFORM_SB_FILTERED_EVENT6 0
- #define CFE_PLATFORM_SB_FILTER_MASK6 CFE_EVS_NO_FILTER
- #define CFE PLATFORM SB FILTERED EVENT7 0
- #define CFE_PLATFORM_SB_FILTER_MASK7 CFE_EVS_NO_FILTER
- #define CFE_PLATFORM_SB_FILTERED_EVENT8 0
- #define CFE PLATFORM SB FILTER MASK8 CFE EVS NO FILTER
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_01 8
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_02 16
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_03 20
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_04 36
- #define CFE PLATFORM_SB_MEM_BLOCK_SIZE_05 64
- #define CFE PLATFORM SB MEM BLOCK SIZE 06 96

- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_07 128
- #define CFE PLATFORM SB MEM BLOCK SIZE 08 160
- #define CFE PLATFORM SB MEM BLOCK SIZE 09 256
- #define CFE PLATFORM SB MEM BLOCK SIZE 10 512
- #define CFE PLATFORM SB MEM BLOCK SIZE 11 1024
- #define CFE PLATFORM SB MEM BLOCK SIZE 12 2048
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_13 4096
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_14 8192
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_15 16384
- #define CFE PLATFORM SB MEM BLOCK SIZE 16 32768
- #define CFE_PLATFORM_SB_MAX_BLOCK_SIZE (CFE_MISSION_SB_MAX_SB_MSG_SIZE + 128)
- #define CFE PLATFORM SB START TASK PRIORITY 64
- #define CFE_PLATFORM_SB_START_TASK_STACK_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE

11.76.1 Detailed Description

CFE Software Bus (CFE SB) Application Private Config Definitions

This provides default values for configurable items that are internal to this module and do NOT affect the interface(s) of this module. Changes to items in this file only affect the local module and will be transparent to external entities that are using the public interface(s).

Note

This file may be overridden/superceded by mission-provided definitions either by overriding this header or by generating definitions from a command/data dictionary tool.

11.76.2 Macro Definition Documentation

11.76.2.1 CFE PLATFORM SB BUF MEMORY BYTES #define CFE_PLATFORM_SB_BUF_MEMORY_BYTES 524288

Purpose Size of the SB buffer memory pool

Description:

Dictates the size of the SB memory pool. For each message the SB sends, the SB dynamically allocates from this memory pool, the memory needed to process the message. The memory needed to process each message is msg size + msg descriptor(CFE_SB_BufferD_t). This memory pool is also used to allocate destination descriptors (CFE_SB_DestinationD_t) during the subscription process. To see the run-time, high-water mark and the current utilization figures regarding this parameter, send an SB command to 'Send Statistics Pkt'. Some memory statistics have been added to the SB housekeeping packet. NOTE: It is important to monitor these statistics to ensure the desired memory margin is met.

Limits

This parameter has a lower limit of 512 and an upper limit of UINT MAX (4 Gigabytes).

Definition at line 123 of file default cfe sb internal cfg.h.

11.76.2.2 CFE_PLATFORM_SB_DEFAULT_MAP_FILENAME #define CFE_PLATFORM_SB_DEFAULT_MAP_FILEN←
AME "/ram/cfe_sb_msgmap.dat"

Purpose Default Message Map Filename

Description:

The value of this constant defines the filename used to store the software bus message map information. This filename is used only when no filename is specified in the command. The message map is a lookup table (array of 16bit words) that has an element for each possible Msgld value and holds the routing table index for that Msgld. The Msg Map provides fast access to the destinations of a message.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 194 of file default_cfe_sb_internal_cfg.h.

11.76.2.3 CFE_PLATFORM_SB_DEFAULT_MSG_LIMIT #define CFE_PLATFORM_SB_DEFAULT_MSG_LIMIT 4

Purpose Default Subscription Message Limit

Description:

Dictates the default Message Limit when using the CFE_SB_Subscribe API. This will limit the number of messages with a specific message ID that can be received through a subscription. This only changes the default; other message limits can be set on a per subscription basis using CFE_SB_SubscribeEx.

Limits

This parameter has a lower limit of 4 and an upper limit of 65535.

Definition at line 101 of file default_cfe_sb_internal_cfg.h.

11.76.2.4 CFE_PLATFORM_SB_DEFAULT_PIPE_FILENAME #define CFE_PLATFORM_SB_DEFAULT_PIPE_FILE↔
NAME "/ram/cfe_sb_pipe.dat"

Purpose Default Pipe Information Filename

Description:

The value of this constant defines the filename used to store the software bus pipe information. This filename is used only when no filename is specified in the command.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 177 of file default cfe sb internal cfg.h.

11.76.2.5 CFE_PLATFORM_SB_DEFAULT_ROUTING_FILENAME #define CFE_PLATFORM_SB_DEFAULT_ROUT ← ING_FILENAME "/ram/cfe_sb_route.dat"

Purpose Default Routing Information Filename

Description:

The value of this constant defines the filename used to store the software bus routing information. This filename is used only when no filename is specified in the command.

Limits

The length of each string, including the NULL terminator cannot exceed the OS MAX PATH LEN value.

Definition at line 163 of file default cfe sb internal cfg.h.

11.76.2.6 CFE_PLATFORM_SB_FILTER_MASK1 #define CFE_PLATFORM_SB_FILTER_MASK1 CFE_EVS_FIRST_4_STOP Definition at line 212 of file default cfe sb internal cfg.h.

11.76.2.7 CFE_PLATFORM_SB_FILTER_MASK2 #define CFE_PLATFORM_SB_FILTER_MASK2 CFE_EVS_FIRST_4_STOP Definition at line 215 of file default cfe sb internal cfg.h.

11.76.2.8 CFE_PLATFORM_SB_FILTER_MASK3 #define CFE_PLATFORM_SB_FILTER_MASK3 CFE_EVS_FIRST_16_STOP Definition at line 218 of file default cfe sb internal cfg.h.

11.76.2.9 CFE_PLATFORM_SB_FILTER_MASK4 #define CFE_PLATFORM_SB_FILTER_MASK4 CFE_EVS_FIRST_16_STOP Definition at line 221 of file default cfe sb internal cfg.h.

11.76.2.10 CFE_PLATFORM_SB_FILTER_MASK5 #define CFE_PLATFORM_SB_FILTER_MASK5 CFE_EVS_NO_FILTER Definition at line 224 of file default_cfe_sb_internal_cfg.h.

11.76.2.11 CFE_PLATFORM_SB_FILTER_MASK6 #define CFE_PLATFORM_SB_FILTER_MASK6 CFE_EVS_NO_FILTER Definition at line 227 of file default_cfe_sb_internal_cfg.h.

11.76.2.12 CFE_PLATFORM_SB_FILTER_MASK7 #define CFE_PLATFORM_SB_FILTER_MASK7 CFE_EVS_NO_FILTER Definition at line 230 of file default cfe sb internal cfg.h.

11.76.2.13 CFE_PLATFORM_SB_FILTER_MASK8 #define CFE_PLATFORM_SB_FILTER_MASK8 CFE_EVS_NO_FILTER Definition at line 233 of file default cfe sb internal cfg.h.

11.76.2.14 CFE_PLATFORM_SB_FILTERED_EVENT1 #define CFE_PLATFORM_SB_FILTERED_EVENT1 CFE_SB_SEND_NO_SUBS_EID

Purpose SB Event Filtering

Description:

This group of configuration parameters dictates what SB events will be filtered through SB. The filtering will begin after the SB task initializes and stay in effect until a cmd to SB changes it. This allows the operator to set limits on the number of event messages that are sent during system initialization. NOTE: Set all unused event values and mask values to zero

Limits

This filtering applies only to SB events. These parameters have a lower limit of 0 and an upper limit of 65535.

Definition at line 211 of file default cfe sb internal cfg.h.

11.76.2.15 CFE_PLATFORM_SB_FILTERED_EVENT2 #define CFE_PLATFORM_SB_FILTERED_EVENT2 CFE_SB_DUP_SUBSCRIP_EID Definition at line 214 of file default_cfe_sb_internal_cfg.h.

11.76.2.16 CFE_PLATFORM_SB_FILTERED_EVENT3 #define CFE_PLATFORM_SB_FILTERED_EVENT3 CFE_SB_MSGID_LIM_ERR_EID Definition at line 217 of file default cfe sb internal cfg.h.

11.76.2.17 CFE_PLATFORM_SB_FILTERED_EVENT4 #define CFE_PLATFORM_SB_FILTERED_EVENT4 CFE_SB_Q_FULL_ERR_EID Definition at line 220 of file default_cfe_sb_internal_cfg.h.

11.76.2.18 CFE_PLATFORM_SB_FILTERED_EVENT5 #define CFE_PLATFORM_SB_FILTERED_EVENT5 0 Definition at line 223 of file default cfe sb internal cfg.h.

11.76.2.19 CFE_PLATFORM_SB_FILTERED_EVENT6 #define CFE_PLATFORM_SB_FILTERED_EVENT6 0 Definition at line 226 of file default_cfe_sb_internal_cfg.h.

11.76.2.20 CFE_PLATFORM_SB_FILTERED_EVENT7 #define CFE_PLATFORM_SB_FILTERED_EVENT7 0 Definition at line 229 of file default_cfe_sb_internal_cfg.h.

11.76.2.21 CFE_PLATFORM_SB_FILTERED_EVENT8 #define CFE_PLATFORM_SB_FILTERED_EVENT8 0 Definition at line 232 of file default_cfe_sb_internal_cfg.h.

11.76.2.22 CFE_PLATFORM_SB_HIGHEST_VALID_MSGID #define CFE_PLATFORM_SB_HIGHEST_VALID_MSG↔
ID 0x1FFF

Purpose Highest Valid Message Id

Description:

The value of this constant dictates the range of valid message ID's, from 0 to CFE_PLATFORM_SB_HIGHEST ∨ VALID MSGID (inclusive).

Although this can be defined differently across platforms, each platform can only publish/subscribe to message ids within their allowable range. Typically this value is set the same across all mission platforms to avoid this complexity.

Limits

CFE_SB_INVALID_MSG is set to the maximum representable number of type CFE_SB_Msgld_t. CFE_PLATF
ORM_SB_HIGHEST_VALID_MSGID lower limit is 1, up to CFE_SB_INVALID_MSG_ID - 1.

When using the direct message map implementation for software bus routing, this value is used to size the map where a value of 0x1FFF results in a 16 KBytes map and 0xFFFF is 128 KBytes.

When using the hash implementation for software bus routing, a multiple of the CFE_PLATFORM_SB_MAX_MSG_IDS is used to size the message map. In that case the range selected here does not impact message map memory use, so it's reasonable to use up to the full range supported by the message ID implementation. Definition at line 149 of file default cfe sb internal cfg.h.

11.76.2.23 CFE_PLATFORM_SB_MAX_BLOCK_SIZE #define CFE_PLATFORM_SB_MAX_BLOCK_SIZE (CFE_MISSION_SB_MAX_SB_MS + 128)

Definition at line 262 of file default cfe sb internal cfg.h.

11.76.2.24 CFE PLATFORM SB MAX DEST PER PKT #define CFE_PLATFORM_SB_MAX_DEST_PER_PKT 16

Purpose Maximum Number of unique local destinations a single Msgld can have

Description:

Dictates the maximum number of unique local destinations a single Msgld can have.

Limits

This parameter has a lower limit of 1. There are no restrictions on the upper limit however, the maximum number of destinations per packet is system dependent and should be verified. Destination number values that are checked against this configuration are defined by a 16 bit data word.

Definition at line 86 of file default_cfe_sb_internal_cfg.h.

11.76.2.25 CFE_PLATFORM_SB_MAX_MSG_IDS #define CFE_PLATFORM_SB_MAX_MSG_IDS 256

Purpose Maximum Number of Unique Message IDs SB Routing Table can hold

Description:

Dictates the maximum number of unique Msglds the SB routing table will hold. This constant has a direct effect on the size of SB's tables and arrays. Keeping this count as low as possible will save memory. To see the runtime, high-water mark and the current utilization figures regarding this parameter, send an SB command to 'Send Statistics Pkt'.

Limits

This must be a power of two if software bus message routing hash implementation is being used. Lower than 64 will cause unit test failures, and telemetry reporting is impacted below 32. There is no hard upper limit, but impacts memory footprint. For software bus message routing search implementation the number of msg ids subscribed to impacts performance.

Definition at line 53 of file default cfe sb internal cfg.h.

11.76.2.26 CFE PLATFORM SB MAX PIPES #define CFE PLATFORM SB MAX PIPES 64

Purpose Maximum Number of Unique Pipes SB Routing Table can hold

Description:

Dictates the maximum number of unique Pipes the SB routing table will hold. This constant has a direct effect on the size of SB's tables and arrays. Keeping this count as low as possible will save memory. To see the runtime, high-water mark and the current utilization figures regarding this parameter, send an SB command to 'Send Statistics Pkt'.

Limits

This parameter has a lower limit of 1. This parameter must also be less than or equal to OS MAX QUEUES.

Definition at line 70 of file default_cfe_sb_internal_cfg.h.

11.76.2.27 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_01 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_01 8

Purpose Define SB Memory Pool Block Sizes

Description:

Software Bus Memory Pool Block Sizes

Limits

These sizes MUST be increasing and MUST be an integral multiple of 4. The number of block sizes defined cannot exceed CFE_PLATFORM_ES_POOL_MAX_BUCKETS

Definition at line 246 of file default_cfe_sb_internal_cfg.h.

11.76.2.28 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_02 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_02 16 Definition at line 247 of file default cfe sb internal cfg.h.

11.76.2.29 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_03 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_03 20 Definition at line 248 of file default_cfe_sb_internal_cfg.h.

11.76.2.30 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_04 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_04 36 Definition at line 249 of file default cfe sb internal cfg.h.

11.76.2.31 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_05 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_05 64 Definition at line 250 of file default cfe sb internal cfg.h.

11.76.2.32 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_06 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_06 96 Definition at line 251 of file default cfe sb internal cfg.h.

11.76.2.33 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_07 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_07 128 Definition at line 252 of file default cfe sb internal cfg.h.

11.76.2.34 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_08 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_08 160 Definition at line 253 of file default cfe sb internal cfg.h.

11.76.2.35 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_09 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_09 256 Definition at line 254 of file default cfe sb internal cfg.h.

11.76.2.36 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_10 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_10 512 Definition at line 255 of file default_cfe_sb_internal_cfg.h.

11.76.2.37 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_11 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_ \leftrightarrow 11 1024

Definition at line 256 of file default_cfe_sb_internal_cfg.h.

11.76.2.38 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_12 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_←
12 2048

Definition at line 257 of file default cfe sb internal cfg.h.

11.76.2.39 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_13 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_ ← 13 4096

Definition at line 258 of file default_cfe_sb_internal_cfg.h.

11.76.2.40 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_14 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_← 14 8192

Definition at line 259 of file default_cfe_sb_internal_cfg.h.

11.76.2.41 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_15 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_←
15 16384

Definition at line 260 of file default_cfe_sb_internal_cfg.h.

11.76.2.42 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_16 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_←
16 32768

Definition at line 261 of file default_cfe_sb_internal_cfg.h.

11.76.2.43 CFE_PLATFORM_SB_START_TASK_PRIORITY #define CFE_PLATFORM_SB_START_TASK_PRIORI← TY 64

Purpose Define SB Task Priority

Description:

Defines the cFE SB Task priority.

Limits

Not Applicable

Definition at line 273 of file default cfe sb internal cfg.h.

11.76.2.44 CFE_PLATFORM_SB_START_TASK_STACK_SIZE #define CFE_PLATFORM_SB_START_TASK_STAC←
K_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE

Purpose Define SB Task Stack Size

Description:

Defines the cFE_SB Task Stack Size

Limits

There is a lower limit of 2048 on this configuration parameter. There are no restrictions on the upper limit however, the maximum stack size is system dependent and should be verified. Most operating systems provide tools for measuring the amount of stack used by a task during operation. It is always a good idea to verify that no more than 1/2 of the stack is used.

Definition at line 288 of file default_cfe_sb_internal_cfg.h.

11.77 cfe/modules/sb/config/default_cfe_sb_mission_cfg.h File Reference

#include "cfe_sb_interface_cfg.h"

11.77.1 Detailed Description

CFE Event Services (CFE_SB) Application Mission Configuration Header File

This is a compatibility header for the "mission_cfg.h" file that has traditionally provided public config definitions for each CFS app.

Note

This file may be overridden/superceded by mission-provided defintions either by overriding this header or by generating definitions from a command/data dictionary tool.

11.78 cfe/modules/sb/config/default_cfe_sb_msg.h File Reference

```
#include "cfe_mission_cfg.h"
#include "cfe_sb_msgdefs.h"
#include "cfe_sb_msgstruct.h"
```

11.78.1 Detailed Description

Specification for the CFE Event Services (CFE_SB) command and telemetry message data types.

This is a compatibility header for the "cfe_sb_msg.h" file that has traditionally provided the message definitions for cFS apps.

Note

This file may be overridden/superceded by mission-provided defintions either by overriding this header or by generating definitions from a command/data dictionary tool.

11.79 cfe/modules/sb/config/default_cfe_sb_msgdefs.h File Reference

```
#include "common_types.h"
#include "cfe_mission_cfg.h"
#include "cfe_es_extern_typedefs.h"
#include "cfe_sb_extern_typedefs.h"
#include "cfe sb fcncodes.h"
```

Data Structures

• struct CFE_SB_WriteFileInfoCmd_Payload

Write File Info Command Payload.

struct CFE_SB_RouteCmd_Payload

Enable/Disable Route Command Payload.

- struct CFE_SB_HousekeepingTlm_Payload
- struct CFE_SB_PipeDepthStats

SB Pipe Depth Statistics.

struct CFE_SB_PipeInfoEntry

SB Pipe Information File Entry.

- struct CFE SB StatsTlm Payload
- struct CFE SB RoutingFileEntry

SB Routing File Entry.

• struct CFE_SB_MsgMapFileEntry

SB Map File Entry.

- struct CFE_SB_SingleSubscriptionTlm_Payload
- struct CFE_SB_SubEntries

SB Previous Subscriptions Entry.

struct CFE_SB_AllSubscriptionsTlm_Payload

Typedefs

- typedef struct CFE_SB_WriteFileInfoCmd_Payload CFE_SB_WriteFileInfoCmd_Payload_t
 Write File Info Command Payload.
- typedef struct CFE SB RouteCmd Payload CFE SB RouteCmd Payload t

Enable/Disable Route Command Payload.

- typedef struct CFE SB HousekeepingTlm Payload CFE SB HousekeepingTlm Payload t
- typedef struct CFE_SB_PipeDepthStats CFE_SB_PipeDepthStats_t

SB Pipe Depth Statistics.

• typedef struct CFE_SB_PipeInfoEntry CFE_SB_PipeInfoEntry_t

SB Pipe Information File Entry.

- typedef struct CFE SB StatsTlm Payload CFE SB StatsTlm Payload t
- typedef struct CFE SB RoutingFileEntry CFE SB RoutingFileEntry t

SB Routing File Entry.

typedef struct CFE SB MsgMapFileEntry CFE SB MsgMapFileEntry t

SB Map File Entry.

- typedef struct CFE SB SingleSubscriptionTlm Payload CFE SB SingleSubscriptionTlm Payload t
- typedef struct CFE_SB_SubEntries CFE_SB_SubEntries_t

SB Previous Subscriptions Entry.

typedef struct CFE_SB_AllSubscriptionsTlm_Payload CFE_SB_AllSubscriptionsTlm_Payload_t

11.79.1 Detailed Description

Specification for the CFE Event Services (CFE_SB) command and telemetry message constant definitions. For CFE_SB this is only the function/command code definitions

11.79.2 Typedef Documentation

```
11.79.2.1 CFE_SB_AllSubscriptionsTlm_Payload_t typedef struct CFE_SB_AllSubscriptionsTlm_Payload_CFE_SB_AllSubscriptionsTlm_Payload_t
```

Name SB Previous Subscriptions Packet

This structure defines the pkt(s) sent by SB that contains a list of all current subscriptions. This pkt is generated on cmd and intended to be used primarily by the Software Bus Networking Application (SBN). Typically, when the cmd is received there are more subscriptions than can fit in one pkt. The complete list of subscriptions is sent via a series of segmented pkts.

```
11.79.2.2 CFE_SB_HousekeepingTlm_Payload_t typedef struct CFE_SB_HousekeepingTlm_Payload CFE_SB_HousekeepingTlr
```

Name Software Bus task housekeeping Packet

```
11.79.2.3 CFE_SB_MsgMapFileEntry_t typedef struct CFE_SB_MsgMapFileEntry_CFE_SB_MsgMapFileEntry_t SB Map File Entry.
```

Structure of one element of the map information in response to CFE SB WRITE MAP INFO CC

```
11.79.2.4 CFE_SB_PipeDepthStats_t typedef struct CFE_SB_PipeDepthStats CFE_SB_PipeDepthStats_t SB Pipe Depth Statistics.
```

Used in SB Statistics Telemetry Packet CFE SB StatsTlm t

11.79.2.5 CFE_SB_PipeInfoEntry_t typedef struct CFE_SB_PipeInfoEntry_CFE_SB_PipeInfoEntry_t SB Pipe Information File Entry.

This statistics structure is output as part of the CFE SB "Send Pipe Info" command (CFE_SB_SEND_PIPE_INFO_CC). Previous versions of CFE simply wrote the internal CFE_SB_PipeD_t object to the file, but this also contains information such as pointers which are not relevant outside the running CFE process.

By defining the pipe info structure separately, it also provides some independence, such that the internal CFE_SB_ \leftarrow PipeD_t definition can evolve without changing the binary format of the information file.

11.79.2.6 CFE_SB_RouteCmd_Payload_t typedef struct CFE_SB_RouteCmd_Payload CFE_SB_RouteCmd_Payload_t Enable/Disable Route Command Payload.

This structure contains a definition used by two SB commands, 'Enable Route' CFE_SB_ENABLE_ROUTE_CC and 'Disable Route' CFE_SB_DISABLE_ROUTE_CC. A route is the destination pipe for a particular message and is therefore defined as a Msgld and Pipeld combination.

11.79.2.7 CFE_SB_RoutingFileEntry_t typedef struct CFE_SB_RoutingFileEntry_CFE_SB_RoutingFileEntry_t SB Routing File Entry.

Structure of one element of the routing information in response to CFE_SB_WRITE_ROUTING_INFO_CC

11.79.2.8 CFE_SB_SingleSubscriptionTlm_Payload_t typedef struct CFE_SB_SingleSubscriptionTlm_Payload_CFE_SB_SingleSubscriptionTlm_Payload_t

Name SB Subscription Report Packet

This structure defines the pkt sent by SB when a subscription or a request to unsubscribe is received while subscription reporting is enabled. By default subscription reporting is disabled. This feature is intended to be used primarily by Software Bus Networking Application (SBN)

See also

CFE_SB_ENABLE_SUB_REPORTING_CC, CFE_SB_DISABLE_SUB_REPORTING_CC

11.79.2.9 CFE_SB_StatsTlm_Payload_t typedef struct CFE_SB_StatsTlm_Payload CFE_SB_StatsTlm_Payload_t

Name SB Statistics Telemetry Packet

SB Statistics packet sent in response to CFE_SB_SEND_SB_STATS_CC

 $\textbf{11.79.2.10} \quad \textbf{CFE_SB_SubEntries_t} \quad \textbf{typedef struct CFE_SB_SubEntries_t}$

SB Previous Subscriptions Entry.

This structure defines an entry used in the CFE_SB_PrevSubsPkt_t Intended to be used primarily by Software Bus Networking Application (SBN)

Used in structure definition CFE_SB_AllSubscriptionsTIm_t

11.79.2.11 CFE_SB_WriteFileInfoCmd_Payload_t typedef struct CFE_SB_WriteFileInfoCmd_Payload CFE_SB_WriteFileInfo Write File Info Command Payload.

This structure contains a generic definition used by SB commands that write to a file

11.80 cfe/modules/sb/config/default_cfe_sb_msgids.h File Reference

```
#include "cfe_core_api_base_msgids.h"
#include "cfe_sb_topicids.h"
```

Macros

- #define CFE_SB_CMD_MID CFE_PLATFORM_CMD_TOPICID_TO_MIDV(CFE_MISSION_SB_CMD_TOPICID)
 /* 0x1803 */
- #define CFE_SB_SEND_HK_MID CFE_PLATFORM_CMD_TOPICID_TO_MIDV(CFE_MISSION_SB_SEND_HK_TOPICID)
 /* 0x180B */
- #define CFE_SB_SUB_RPT_CTRL_MID CFE_PLATFORM_CMD_TOPICID_TO_MIDV(CFE_MISSION_SB_SUB_RPT_CTRL_TC /* 0x180E */
- #define CFE_SB_HK_TLM_MID CFE_PLATFORM_TLM_TOPICID_TO_MIDV(CFE_MISSION_SB_HK_TLM_TOPICID)
 /* 0x0803 */
- #define CFE_SB_STATS_TLM_MID CFE_PLATFORM_TLM_TOPICID_TO_MIDV(CFE_MISSION_SB_STATS_TLM_TOPICID)
 /* 0x080A */
- #define CFE_SB_ALLSUBS_TLM_MID CFE_PLATFORM_TLM_TOPICID_TO_MIDV(CFE_MISSION_SB_ALLSUBS_TLM_TOPIC /* 0x080D */
- #define CFE_SB_ONESUB_TLM_MID CFE_PLATFORM_TLM_TOPICID_TO_MIDV(CFE_MISSION_SB_ONESUB_TLM_TOPICID_ /* 0x080E */

11.80.1 Detailed Description

CFE Event Services (CFE SB) Application Message IDs

11.80.2 Macro Definition Documentation

11.80.2.1 CFE_SB_ALLSUBS_TLM_MID #define CFE_SB_ALLSUBS_TLM_MID CFE_PLATFORM_TLM_TOPICID_TO_MIDV(CFE_MISSION /* 0x080D */

Definition at line 41 of file default_cfe_sb_msgids.h.

11.80.2.2 CFE_SB_CMD_MID #define CFE_SB_CMD_MID CFE_PLATFORM_CMD_TOPICID_TO_MIDV(CFE_MISSION_SB_CMD_TOPICID)
/* 0x1803 */

Definition at line 32 of file default_cfe_sb_msgids.h.

11.80.2.3 CFE_SB_HK_TLM_MID #define CFE_SB_HK_TLM_MID CFE_PLATFORM_TLM_TOPICID_TO_MIDV(CFE_MISSION_SB_HK_TLM_/* 0x0803 */

Definition at line 39 of file default_cfe_sb_msgids.h.

11.80.2.4 CFE_SB_ONESUB_TLM_MID #define CFE_SB_ONESUB_TLM_MID CFE_PLATFORM_TLM_TOPICID_TO_MIDV(CFE_MISSION_S /* 0x080E */

Definition at line 42 of file default cfe sb msgids.h.

11.80.2.5 CFE_SB_SEND_HK_MID #define CFE_SB_SEND_HK_MID CFE_PLATFORM_CMD_TOPICID_TO_MIDV(CFE_MISSION_SB_SEND_/* 0x180B */

Definition at line 33 of file default cfe sb msgids.h.

11.80.2.6 CFE_SB_STATS_TLM_MID #define CFE_SB_STATS_TLM_MID CFE_PLATFORM_TLM_TOPICID_TO_MIDV(CFE_MISSION_SB_S /* 0x080A */

Definition at line 40 of file default cfe sb msgids.h.

11.80.2.7 CFE_SB_SUB_RPT_CTRL_MID #define CFE_SB_SUB_RPT_CTRL_MID CFE_PLATFORM_CMD_TOPICID_TO_MIDV(CFE_MISSI /* 0x180E */

Definition at line 34 of file default_cfe_sb_msgids.h.

11.81 cfe/modules/sb/config/default cfe sb msgstruct.h File Reference

```
#include "cfe_sb_msgdefs.h"
#include "cfe_msg_hdr.h"
```

Data Structures

- struct CFE_SB_NoopCmd
- struct CFE SB ResetCountersCmd
- struct CFE SB EnableSubReportingCmd
- · struct CFE_SB_DisableSubReportingCmd
- struct CFE SB SendSbStatsCmd
- struct CFE_SB_SendPrevSubsCmd
- struct CFE_SB_SendHkCmd
- struct CFE SB WriteRoutingInfoCmd
- struct CFE SB WritePipeInfoCmd
- struct CFE_SB_WriteMapInfoCmd
- struct CFE_SB_EnableRouteCmd
- struct CFE SB DisableRouteCmd
- struct CFE SB HousekeepingTlm
- struct CFE SB StatsTIm
- struct CFE_SB_SingleSubscriptionTIm
- struct CFE_SB_AllSubscriptionsTlm

Typedefs

- typedef struct CFE_SB_NoopCmd CFE_SB_NoopCmd_t
- typedef struct CFE_SB_ResetCountersCmd CFE_SB_ResetCountersCmd_t
- typedef struct CFE_SB_EnableSubReportingCmd CFE_SB_EnableSubReportingCmd_t
- typedef struct CFE_SB_DisableSubReportingCmd CFE_SB_DisableSubReportingCmd_t
- typedef struct CFE SB SendSbStatsCmd CFE SB SendSbStatsCmd t
- typedef struct CFE SB SendPrevSubsCmd CFE SB SendPrevSubsCmd t
- typedef struct CFE SB SendHkCmd CFE SB SendHkCmd t
- typedef struct CFE_SB_WriteRoutingInfoCmd CFE_SB_WriteRoutingInfoCmd_t
- typedef struct CFE SB WritePipeInfoCmd CFE SB WritePipeInfoCmd t
- typedef struct CFE SB WriteMapInfoCmd CFE SB WriteMapInfoCmd t
- typedef struct CFE SB EnableRouteCmd CFE SB EnableRouteCmd t
- typedef struct CFE SB DisableRouteCmd CFE SB DisableRouteCmd t
- typedef struct CFE SB HousekeepingTlm CFE SB HousekeepingTlm t
- typedef struct CFE SB StatsTlm CFE SB StatsTlm t
- typedef struct CFE SB SingleSubscriptionTlm CFE SB SingleSubscriptionTlm t
- typedef struct CFE_SB_AllSubscriptionsTlm CFE_SB_AllSubscriptionsTlm_t

11.81.1 Detailed Description

Purpose: cFE Executive Services (SB) Command and Telemetry packet definition file.

References: Flight Software Branch C Coding Standard Version 1.0a cFE Flight Software Application Developers Guide Notes:

11.81.2 Typedef Documentation

- 11.81.2.1 CFE_SB_AllSubscriptionsTlm_t typedef struct CFE_SB_AllSubscriptionsTlm CFE_SB_AllSubscriptionsTlm_t
- 11.81.2.2 CFE_SB_DisableRouteCmd_t typedef struct CFE_SB_DisableRouteCmd_t typedef struct CFE_SB_DisableRouteCmd_t
- $\textbf{11.81.2.3} \quad \textbf{CFE_SB_DisableSubReportingCmd_t} \quad \texttt{typedef struct CFE_SB_DisableSubReportingCmd} \quad \texttt{CFE_SB_DisableSubReportingCmd_t}$
- 11.81.2.4 CFE SB EnableRouteCmd t typedef struct CFE_SB_EnableRouteCmd CFE_SB_EnableRouteCmd_t
- 11.81.2.5 CFE_SB_EnableSubReportingCmd_t typedef struct CFE_SB_EnableSubReportingCmd CFE_SB_EnableSubReporting
- 11.81.2.6 CFE_SB_HousekeepingTlm_t typedef struct CFE_SB_HousekeepingTlm CFE_SB_HousekeepingTlm_t
- $\textbf{11.81.2.7} \quad \textbf{CFE_SB_NoopCmd_t} \quad \texttt{typedef} \ \, \texttt{struct} \ \, \texttt{CFE_SB_NoopCmd_t}$
- 11.81.2.8 CFE_SB_ResetCountersCmd_t typedef struct CFE_SB_ResetCountersCmd_t typedef struct CFE_SB_ResetCountersCmd_t
- 11.81.2.9 CFE_SB_SendHkCmd_t typedef struct CFE_SB_SendHkCmd_t typedef struct CFE_SB_SendHkCmd_t
- 11.81.2.10 CFE SB SendPrevSubsCmd t typedef struct CFE_SB_SendPrevSubsCmd_t
- 11.81.2.11 CFE SB SendSbStatsCmd t typedef struct CFE_SB_sendSbStatsCmd CFE_SB_sendSbStatsCmd_t
- 11.81.2.12 CFE_SB_SingleSubscriptionTlm_t typedef struct CFE_SB_SingleSubscriptionTlm CFE_SB_SingleSubscriptionT
- 11.81.2.13 CFE_SB_StatsTlm_t typedef struct CFE_SB_StatsTlm_CFE_SB_StatsTlm_t
- 11.81.2.14 CFE_SB_WriteMapInfoCmd_t typedef struct CFE_SB_WriteMapInfoCmd CFE_SB_WriteMapInfoCmd_t
- 11.81.2.15 CFE SB WritePipeInfoCmd t typedef struct CFE_SB_WritePipeInfoCmd CFE_SB_WritePipeInfoCmd_t
- 11.81.2.16 CFE_SB_WriteRoutingInfoCmd_t typedef struct CFE_SB_WriteRoutingInfoCmd CFE_SB_WriteRoutingInfoCmd_t

11.82 cfe/modules/sb/config/default_cfe_sb_platform_cfg.h File Reference

```
#include "cfe_sb_mission_cfg.h"
#include "cfe_sb_internal_cfg.h"
```

11.82.1 Detailed Description

CFE Software Bus (CFE SB) Application Platform Configuration Header File

This is a compatibility header for the "platform_cfg.h" file that has traditionally provided both public and private config definitions for each CFS app.

These definitions are now provided in two separate files, one for the public/mission scope and one for internal scope.

Note

This file may be overridden/superceded by mission-provided definitions either by overriding this header or by generating definitions from a command/data dictionary tool.

11.83 cfe/modules/sb/config/default_cfe_sb_topicids.h File Reference

Macros

- #define CFE_MISSION_SB_CMD_TOPICID 3
- #define CFE_MISSION_SB_SEND_HK_TOPICID 11
- #define CFE MISSION SB SUB RPT CTRL TOPICID 14
- #define CFE_MISSION_SB_HK_TLM_TOPICID 3
- #define CFE MISSION SB STATS TLM TOPICID 10
- #define CFE_MISSION_SB_ALLSUBS_TLM_TOPICID 13
- #define CFE MISSION SB ONESUB TLM TOPICID 14

11.83.1 Detailed Description

CFE Software Bus (CFE_SB) Application Topic IDs

11.83.2 Macro Definition Documentation

11.83.2.1 CFE_MISSION_SB_ALLSUBS_TLM_TOPICID #define CFE_MISSION_SB_ALLSUBS_TLM_TOPICID 13 Definition at line 50 of file default_cfe_sb_topicids.h.

```
11.83.2.2 CFE_MISSION_SB_CMD_TOPICID #define CFE_MISSION_SB_CMD_TOPICID 3
```

Purpose cFE Portable Message Numbers for Commands

Description:

Portable message numbers for the cFE command messages

Limits

Not Applicable

Definition at line 35 of file default cfe sb topicids.h.

11.83.2.3 CFE_MISSION_SB_HK_TLM_TOPICID #define CFE_MISSION_SB_HK_TLM_TOPICID 3

Purpose cFE Portable Message Numbers for Telemetry

Description:

Portable message numbers for the cFE telemetry messages

Limits

Not Applicable

Definition at line 48 of file default cfe sb topicids.h.

11.83.2.4 CFE_MISSION_SB_ONESUB_TLM_TOPICID #define CFE_MISSION_SB_ONESUB_TLM_TOPICID 14 Definition at line 51 of file default_cfe_sb_topicids.h.

11.83.2.5 CFE_MISSION_SB_SEND_HK_TOPICID #define CFE_MISSION_SB_SEND_HK_TOPICID 11 Definition at line 36 of file default cfe sb topicids.h.

11.83.2.6 CFE_MISSION_SB_STATS_TLM_TOPICID #define CFE_MISSION_SB_STATS_TLM_TOPICID 10 Definition at line 49 of file default cfe sb topicids.h.

11.83.2.7 CFE_MISSION_SB_SUB_RPT_CTRL_TOPICID #define CFE_MISSION_SB_SUB_RPT_CTRL_TOPICID 14 Definition at line 37 of file default cfe sb topicids.h.

11.84 cfe/modules/sb/fsw/inc/cfe_sb_eventids.h File Reference

Macros

SB event IDs

• #define CFE_SB_INIT_EID 1

SB Initialization Event ID.

• #define CFE_SB_CR_PIPE_BAD_ARG_EID 2

SB Create Pipe API Bad Argument Event ID.

• #define CFE SB MAX PIPES MET EID 3

SB Create Pipe API Max Pipes Exceeded Event ID.

• #define CFE_SB_CR_PIPE_ERR_EID 4

SB Create Pipe API Queue Create Failure Event ID.

#define CFE SB PIPE ADDED EID 5

SB Create Pipe API Success Event ID.

#define CFE_SB_SUB_ARG_ERR_EID 6

SB Subscribe API Bad Argument Event ID.

#define CFE_SB_DUP_SUBSCRIP_EID 7

SB Subscribe API Duplicate Msgld Subscription Event ID.

#define CFE_SB_MAX_MSGS_MET_EID 8

SB Subscribe API Max Subscriptions Exceeded Event ID.

#define CFE_SB_MAX_DESTS_MET_EID 9

SB Subscribe API Max Destinations Exceeded Event ID.

#define CFE SB SUBSCRIPTION RCVD EID 10

```
SB Subscribe API Success Event ID.

    #define CFE_SB_UNSUB_ARG_ERR_EID 11

     SB Unsubscribe API Bad Argument Event ID.
• #define CFE SB UNSUB NO SUBS EID 12
     SB Unsubscribe API No Msgld Subscription Event ID.

    #define CFE SB SEND BAD ARG EID 13

     SB Transmit API Bad Argument Event ID.

    #define CFE_SB_SEND_NO_SUBS_EID 14

     SB Transmit API No Msgld Subscribers Event ID.

    #define CFE SB MSG TOO BIG EID 15

     SB Transmit API Message Size Limit Exceeded Event ID.

    #define CFE SB GET BUF ERR EID 16

     SB Transmit API Buffer Request Failure Event ID.

    #define CFE_SB_MSGID_LIM_ERR_EID 17

     SB Transmit API Msgld Pipe Limit Exceeded Event ID.

    #define CFE SB RCV BAD ARG EID 18

     SB Receive Buffer API Bad Argument Event ID.

    #define CFE_SB_BAD_PIPEID_EID 19

     SB Receive Buffer API Invalid Pipe Event ID.

    #define CFE_SB_DEST_BLK_ERR_EID 20

     SB Subscribe API Get Destination Block Failure Event ID.

    #define CFE SB SEND INV MSGID EID 21

     SB Transmit API Invalid Msqld Event ID.
• #define CFE_SB_SUBSCRIPTION_RPT_EID 22
     SB Subscription Report Sent Event ID.
• #define CFE SB HASHCOLLISION EID 23
     SB Subscribe API Message Table Hash Collision Event ID.

    #define CFE_SB_Q_FULL_ERR_EID 25

     SB Transmit API Pipe Overflow Event ID.

    #define CFE_SB_Q_WR_ERR_EID 26

     SB Transmit API Queue Write Failure Event ID.

    #define CFE_SB_Q_RD_ERR_EID 27

     SB Transmit API Queue Read Failure Event ID.

    #define CFE_SB_CMD0_RCVD_EID 28

     SB No-op Command Success Event ID.

    #define CFE SB CMD1 RCVD EID 29

     SB Reset Counters Command Success Event ID.

    #define CFE_SB_SND_STATS_EID 32

     SB Send Statistics Command Success Event ID.

    #define CFE_SB_ENBL_RTE1_EID 33

     SB Enable Route Command Invalid Msqld/PipeID Pair Event ID.

    #define CFE SB ENBL RTE2 EID 34

     SB Enable Route Command Success Event ID.

    #define CFE_SB_ENBL_RTE3_EID 35

     SB Enable Route Command Invalid Msgld or Pipe Event ID.

    #define CFE SB DSBL RTE1 EID 36

     SB Disable Route Command Invalid Msgld/Pipeld Pair Event ID.

    #define CFE SB DSBL RTE2 EID 37

     SB Disable Route Command Success Event ID.

    #define CFE SB DSBL RTE3 EID 38

     SB Disable Route Command Invalid Msgld or Pipe Event ID.
• #define CFE SB SND RTG EID 39
     SB File Write Success Event ID.

    #define CFE_SB_SND_RTG_ERR1_EID 40
```

SB File Write Create File Failure Event ID.

```
    #define CFE_SB_BAD_CMD_CODE_EID 42

     SB Invalid Command Code Received Event ID.

    #define CFE SB BAD MSGID EID 43

     SB Invalid Message ID Received Event ID.

    #define CFE_SB_FULL_SUB_PKT_EID 44

     SB Send Previous Subscriptions Command Full Packet Sent Event ID.

    #define CFE_SB_PART_SUB_PKT_EID 45

     SB Send Previous Subscriptions Command Partial Packet Sent Event ID.

    #define CFE SB DEL PIPE ERR1 EID 46

     SB Pipe Delete API Bad Argument Event ID.

    #define CFE_SB_PIPE_DELETED_EID 47

     SB Pipe Delete API Success Event ID.

    #define CFE_SB_SUBSCRIPTION_REMOVED_EID 48

     SB Unsubscribe API Success Event ID.

    #define CFE SB FILEWRITE ERR EID 49

     SB File Write Failed Event ID.

    #define CFE_SB_SUB_INV_PIPE_EID 50

     SB Subscribe API Invalid Pipe Event ID.

    #define CFE_SB_SUB_INV_CALLER_EID 51

     SB Subscribe API Not Owner Event ID.

    #define CFE_SB_UNSUB_INV_PIPE_EID 52

     SB Unsubscribe API Invalid Pipe Event ID.

    #define CFE SB UNSUB INV CALLER EID 53

     SB Unsubscribe API Not Owner Event ID.

    #define CFE SB DEL PIPE ERR2 EID 54

     SB Delete Pipe API Not Owner Event ID.

    #define CFE SB SETPIPEOPTS ID ERR EID 55

     SB Set Pipe Opts API Invalid Pipe Event ID.

    #define CFE SB SETPIPEOPTS OWNER ERR EID 56

     SB Set Pipe Opts API Not Owner Event ID.

    #define CFE_SB_SETPIPEOPTS_EID 57

     SB Set Pipe Opts API Success Event ID.

    #define CFE SB GETPIPEOPTS ID ERR EID 58

     SB Get Pipe Opts API Invalid Pipe Event ID.

    #define CFE SB GETPIPEOPTS PTR ERR EID 59

     SB Get Pipe Opts API Invalid Pointer Event ID.

    #define CFE SB GETPIPEOPTS EID 60

     SB Get Pipe Opts API Success Event ID.

    #define CFE_SB_GETPIPENAME_EID 62

     SB Get Pipe Name API Success Event ID.

    #define CFE SB GETPIPENAME NULL PTR EID 63

     SB Get Pipe Name API Invalid Pointer Event ID.

    #define CFE_SB_GETPIPENAME_ID_ERR_EID 64

     SB Get Pipe Name API Invalid Pipe or Resource Event ID.

    #define CFE SB GETPIPEIDBYNAME EID 65

     SB Get Pipe ID By Name API Success Event ID.

    #define CFE SB GETPIPEIDBYNAME NULL ERR EID 66

     SB Get Pipe ID By Name API Invalid Pointer Event ID.

    #define CFE SB GETPIPEIDBYNAME NAME ERR EID 67

     SB Get Pipe ID By Name API Name Not Found Or ID Not Matched Event ID.

    #define CFE_SB_LEN_ERR_EID 68

     SB Invalid Command Length Event ID.

    #define CFE SB CR PIPE NAME TAKEN EID 69

     SB Create Pipe API Name Taken Event ID.

    #define CFE SB CR PIPE NO FREE EID 70
```

SB Create Pipe API Queues Exhausted Event ID.

• #define CFE_SB_SEND_MESSAGE_INTEGRITY_FAIL_EID 71

SB integrity actions on transmit message failure event.

#define CFE_SB_RCV_MESSAGE_INTEGRITY_FAIL_EID 72

SB validation of received message failure event.

11.84.1 Detailed Description

cFE Software Bus Services Event IDs

11.84.2 Macro Definition Documentation

11.84.2.1 CFE_SB_BAD_CMD_CODE_EID #define CFE_SB_BAD_CMD_CODE_EID 42

SB Invalid Command Code Received Event ID.

Type: ERROR

Cause:

Invalid command code for message ID CFE_SB_CMD_MID or CFE_SB_SUB_RPT_CTRL_MID received on the SB message pipe. OVERLOADED

Definition at line 461 of file cfe_sb_eventids.h.

11.84.2.2 CFE_SB_BAD_MSGID_EID #define CFE_SB_BAD_MSGID_EID 43

SB Invalid Message ID Received Event ID.

Type: ERROR

Cause:

Invalid message ID received on the SB message pipe.

Definition at line 472 of file cfe_sb_eventids.h.

11.84.2.3 CFE_SB_BAD_PIPEID_EID #define CFE_SB_BAD_PIPEID_EID 19

SB Receive Buffer API Invalid Pipe Event ID.

Type: ERROR

Cause:

CFE SB ReceiveBuffer API failure due to an invalid Pipe ID.

Definition at line 244 of file cfe_sb_eventids.h.

11.84.2.4 CFE_SB_CMD0_RCVD_EID #define CFE_SB_CMD0_RCVD_EID 28 SB No-op Command Success Event ID.
Type: INFORMATION
Cause:
SB NO-OP Command success. Definition at line 335 of file cfe_sb_eventids.h.
11.84.2.5 CFE_SB_CMD1_RCVD_EID #define CFE_SB_CMD1_RCVD_EID 29 SB Reset Counters Command Success Event ID.
Type: DEBUG
Cause:
SB Reset Counters Command success. Definition at line 346 of file cfe_sb_eventids.h.
11.84.2.6 CFE_SB_CR_PIPE_BAD_ARG_EID #define CFE_SB_CR_PIPE_BAD_ARG_EID 2 SB Create Pipe API Bad Argument Event ID.
Type: ERROR
Cause:
CFE_SB_CreatePipe API failure due to a bad input argument. Definition at line 53 of file cfe_sb_eventids.h.
11.84.2.7 CFE_SB_CR_PIPE_ERR_EID #define CFE_SB_CR_PIPE_ERR_EID 4 SB Create Pipe API Queue Create Failure Event ID.
Type: ERROR
Cause:
CFE_SB_CreatePipe API failure creating the queue.

Definition at line 75 of file cfe_sb_eventids.h.

11.84.2.8 CFE_SB_CR_PIPE_NAME_TAKEN_EID #define CFE_SB_CR_PIPE_NAME_TAKEN_EID 69 SB Create Pipe API Name Taken Event ID.
Type: ERROR
Cause:
CFE_SB_CreatePipe API failure due to pipe name taken. Definition at line 750 of file cfe_sb_eventids.h.
11.84.2.9 CFE_SB_CR_PIPE_NO_FREE_EID #define CFE_SB_CR_PIPE_NO_FREE_EID 70 SB Create Pipe API Queues Exhausted Event ID.
Type: ERROR
Cause:
CFE_SB_CreatePipe API failure due to no free queues. Definition at line 761 of file cfe_sb_eventids.h.
11.84.2.10 CFE_SB_DEL_PIPE_ERR1_EID #define CFE_SB_DEL_PIPE_ERR1_EID 46 SB Pipe Delete API Bad Argument Event ID.
Type: ERROR
Cause:
An SB Delete Pipe API failed due to an invalid input argument. Definition at line 507 of file cfe_sb_eventids.h.
11.84.2.11 CFE_SB_DEL_PIPE_ERR2_EID #define CFE_SB_DEL_PIPE_ERR2_EID 54 SB Delete Pipe API Not Owner Event ID.
Type: ERROR
Cause:
An SB Delete Pipe API failed due to not being the pipe owner.

Definition at line 595 of file cfe_sb_eventids.h.

11.84.2.12 CFE_SB_DEST_BLK_ERR_EID #define CFE_SB_DEST_BLK_ERR_EID 20 SB Subscribe API Get Destination Block Failure Event ID. Type: ERROR
Cause:
An SB Subscribe API call failed to get a destination block. Definition at line 255 of file cfe_sb_eventids.h.
11.84.2.13 CFE_SB_DSBL_RTE1_EID #define CFE_SB_DSBL_RTE1_EID 36 SB Disable Route Command Invalid Msgld/Pipeld Pair Event ID. Type: ERROR
Cause:
SB Disable Route Command failure due to the Message ID not being subscribed to the pipe. Definition at line 404 of file cfe_sb_eventids.h.
11.84.2.14 CFE_SB_DSBL_RTE2_EID #define CFE_SB_DSBL_RTE2_EID 37 SB Disable Route Command Success Event ID. Type: DEBUG
Cause:
SB Disable Route Command success. Definition at line 415 of file cfe_sb_eventids.h.
11.84.2.15 CFE_SB_DSBL_RTE3_EID #define CFE_SB_DSBL_RTE3_EID 38 SB Disable Route Command Invalid Msgld or Pipe Event ID. Type: ERROR
Cause:

Generated by Doxygen

SB Disable Route Command failure due to an invalid Msgld or Pipe.

Definition at line 427 of file cfe_sb_eventids.h.

11.84.2.16 CFE_SB_DUP_SUBSCRIP_EID #define CFE_SB_DUP_SUBSCRIP_EID 7 SB Subscribe API Duplicate Msgld Subscription Event ID.
Type: INFORMATION
Cause:
An SB Subscribe API was called with a Message ID that was already subscribed on the pipe on the pipe. Definition at line 109 of file cfe_sb_eventids.h.
11.84.2.17 CFE_SB_ENBL_RTE1_EID #define CFE_SB_ENBL_RTE1_EID 33 SB Enable Route Command Invalid Msgld/PipeID Pair Event ID.
Type: ERROR
Cause:
SB Enable Route Command failure due to the Message ID not being subscribed to the pipe. Definition at line 369 of file cfe_sb_eventids.h.
11.84.2.18 CFE_SB_ENBL_RTE2_EID #define CFE_SB_ENBL_RTE2_EID 34 SB Enable Route Command Success Event ID. Type: DEBUG
Cause:
SB Enable Route Command success. Definition at line 380 of file cfe_sb_eventids.h.
11.84.2.19 CFE_SB_ENBL_RTE3_EID #define CFE_SB_ENBL_RTE3_EID 35 SB Enable Route Command Invalid Msgld or Pipe Event ID.
Type: ERROR
Cause:
SB Enable Route Command failure due to an invalid Msgld or Pipe. Definition at line 392 of file cfe_sb_eventids.h.

11.84.2.20 CFE_SB_FILEWRITE_ERR_EID #define CFE_SB_FILEWRITE_ERR_EID 49 SB File Write Failed Event ID.
Type: ERROR
Cause:
An SB file write failure encountered when writing to the file. Definition at line 540 of file cfe_sb_eventids.h.
11.84.2.21 CFE_SB_FULL_SUB_PKT_EID #define CFE_SB_FULL_SUB_PKT_EID 44 SB Send Previous Subscriptions Command Full Packet Sent Event ID.
Type: DEBUG
Cause:
SB Send Previous Subscriptions Command processing sent a full subscription packet. Definition at line 484 of file cfe_sb_eventids.h.
11.84.2.22 CFE_SB_GET_BUF_ERR_EID #define CFE_SB_GET_BUF_ERR_EID 16 SB Transmit API Buffer Request Failure Event ID.
Type: ERROR
Cause:
An SB Transmit API call buffer request failed.
Definition at line 210 of file cfe_sb_eventids.h.
11.84.2.23 CFE_SB_GETPIPEIDBYNAME_EID #define CFE_SB_GETPIPEIDBYNAME_EID 65
SB Get Pipe ID By Name API Success Event ID.
Type: DEBUG
Cause:
CEE_SB_GetPineIdBvName success

Definition at line 705 of file cfe_sb_eventids.h.

11.84.2.24 CFE_SB_GETPIPEIDBYNAME_NAME_ERR_EID #define CFE_SB_GETPIPEIDBYNAME_NAME_ERR_E
SB Get Pipe ID By Name API Name Not Found Or ID Not Matched Event ID.
Type: ERROR
Cause:
CFE_SB_GetPipeldByName failure due to name not found or ID mismatch. OVERLOADED Definition at line 727 of file cfe_sb_eventids.h.
11.84.2.25 CFE_SB_GETPIPEIDBYNAME_NULL_ERR_EID #define CFE_SB_GETPIPEIDBYNAME_NULL_ERR_E↔
SB Get Pipe ID By Name API Invalid Pointer Event ID.
Type: ERROR
Cause:
CFE_SB_GetPipeldByName failure due to invalid pointer.
Definition at line 716 of file cfe_sb_eventids.h.
11.84.2.26 CFE_SB_GETPIPENAME_EID #define CFE_SB_GETPIPENAME_EID 62
SB Get Pipe Name API Success Event ID.
Type: DEBUG
Cause:
CFE_SB_GetPipeName success. Definition at line 672 of file cfe_sb_eventids.h.
11.84.2.27 CFE_SB_GETPIPENAME_ID_ERR_EID #define CFE_SB_GETPIPENAME_ID_ERR_EID 64
SB Get Pipe Name API Invalid Pipe or Resource Event ID.
Type: ERROR
Cause:
CEE_SB_GetPineName failure due to invalid nine ID or failure in retrieving resource name_OVERLOADED

Definition at line 694 of file cfe_sb_eventids.h.


11.84.2.28 CFE_SB_GETPIPENAME_NULL_PTR_EID #define CFE_SB_GETPIPENAME_NULL_PTR_EID 63 SB Get Pipe Name API Invalid Pointer Event ID.
Type: ERROR
Cause:
CFE_SB_GetPipeName failure due to invalid pointer. Definition at line 683 of file cfe_sb_eventids.h.
11.84.2.29 CFE_SB_GETPIPEOPTS_EID #define CFE_SB_GETPIPEOPTS_EID 60 SB Get Pipe Opts API Success Event ID.
Type: DEBUG
Cause:
CFE_SB_GetPipeOpts success. Definition at line 661 of file cfe_sb_eventids.h.
11.84.2.30 CFE_SB_GETPIPEOPTS_ID_ERR_EID #define CFE_SB_GETPIPEOPTS_ID_ERR_EID 58 SB Get Pipe Opts API Invalid Pipe Event ID.
Type: ERROR
Cause:
CFE_SB_GetPipeOpts failure due to invalid pipe ID. Definition at line 639 of file cfe_sb_eventids.h.
11.84.2.31 CFE_SB_GETPIPEOPTS_PTR_ERR_EID #define CFE_SB_GETPIPEOPTS_PTR_ERR_EID 59 SB Get Pipe Opts API Invalid Pointer Event ID.
Type: ERROR
Cause:
CFE_SB_GetPipeOpts failure due to invalid pointer. Definition at line 650 of file cfe_sb_eventids.h.

11.84.2.32 CFE_SB_HASHCOLLISION_EID #define CFE_SB_HASHCOLLISION_EID 23 SB Subscribe API Message Table Hash Collision Event ID.
Type: DEBUG
Cause:
An SB Subscribe API call caused a message table hash collision, which will impact message transmission performance. This can be resolved by deconflicting Msgld values or increasing CFE_PLATFORM_SB_MAX_MSG_IDS. Definition at line 290 of file cfe_sb_eventids.h.
11.84.2.33 CFE_SB_INIT_EID #define CFE_SB_INIT_EID 1 SB Initialization Event ID.
Type: INFORMATION
Cause:
Software Bus Services Task initialization complete. Definition at line 42 of file cfe_sb_eventids.h.
11.84.2.34 CFE_SB_LEN_ERR_EID #define CFE_SB_LEN_ERR_EID 68 SB Invalid Command Length Event ID.
Type: ERROR
Cause:
Invalid length for the command code in message ID CFE_SB_CMD_MID or CFE_SB_SUB_RPT_CTRL_MID received on the SB message pipe.
Definition at line 739 of file cfe_sb_eventids.h.
11.84.2.35 CFE_SB_MAX_DESTS_MET_EID #define CFE_SB_MAX_DESTS_MET_EID 9
SB Subscribe API Max Destinations Exceeded Event ID.
Type: ERROR
Cause:
An SB Subscribe API was called with a message id that already has the maximum allowed number of destinations.

Definition at line 133 of file cfe_sb_eventids.h.

11.84.2.36 CFE_SB_MAX_MSGS_MET_EID #define CFE_SB_MAX_MSGS_MET_EID 8 SB Subscribe API Max Subscriptions Exceeded Event ID.
Type: ERROR
Cause:
An SB Subscribe API was called on a pipe that already has the maximum allowed number of subscriptions. Definition at line 121 of file cfe_sb_eventids.h.
11.84.2.37 CFE_SB_MAX_PIPES_MET_EID #define CFE_SB_MAX_PIPES_MET_EID 3 SB Create Pipe API Max Pipes Exceeded Event ID.
Type: ERROR
Cause:
CFE_SB_CreatePipe API failure to do maximum number of pipes being exceeded. Definition at line 64 of file cfe_sb_eventids.h.
11.84.2.38 CFE_SB_MSG_TOO_BIG_EID #define CFE_SB_MSG_TOO_BIG_EID 15 SB Transmit API Message Size Limit Exceeded Event ID.
Type: ERROR
Cause:
An SB Transmit API was called with a message that is too big. Definition at line 199 of file cfe_sb_eventids.h.
11.84.2.39 CFE_SB_MSGID_LIM_ERR_EID #define CFE_SB_MSGID_LIM_ERR_EID 17 SB Transmit API Msgld Pipe Limit Exceeded Event ID.
Type: ERROR
Cause:
An SB Transmit API call failed to deliver the Msgld to a pipe due to the limit for the number of messages with that Msgld

for that pipe being exceeded. Definition at line 222 of file cfe_sb_eventids.h.



11.84.2.44 CFE_SB_Q_RD_ERR_EID #define CFE_SB_Q_RD_ERR_EID 27 SB Transmit API Queue Read Failure Event ID.
Type: ERROR
Cause:
An SB Transmit API called failed due to a pipe queue read failure. Definition at line 324 of file cfe_sb_eventids.h.
11.84.2.45 CFE_SB_Q_WR_ERR_EID #define CFE_SB_Q_WR_ERR_EID 26 SB Transmit API Queue Write Failure Event ID. Type: ERROR
Cause:
An SB Transmit API call failed due to a pipe queue write failure. Definition at line 313 of file cfe_sb_eventids.h.
11.84.2.46 CFE_SB_RCV_BAD_ARG_EID #define CFE_SB_RCV_BAD_ARG_EID 18 SB Receive Buffer API Bad Argument Event ID.
Type: ERROR
Cause:
CFE_SB_ReceiveBuffer API failure due to a bad input argument. Definition at line 233 of file cfe_sb_eventids.h.
11.84.2.47 CFE_SB_RCV_MESSAGE_INTEGRITY_FAIL_EID #define CFE_SB_RCV_MESSAGE_INTEGRITY_FAIL = LEID 72
SB validation of received message failure event.
Type: ERROR
Cause:
A CFE SB receive transaction has rejected a message due to failure of the associated message integrity action(s).

Definition at line 785 of file cfe_sb_eventids.h.

11.84.2.48 CFE_SB_SEND_BAD_ARG_EID #define CFE_SB_SEND_BAD_ARG_EID 13 SB Transmit API Bad Argument Event ID.
Type: ERROR
Cause:
Cause.
An SB Transmit API failed due to an invalid input argument. Definition at line 177 of file cfe_sb_eventids.h.
11.84.2.49 CFE_SB_SEND_INV_MSGID_EID #define CFE_SB_SEND_INV_MSGID_EID 21 SB Transmit API Invalid Msgld Event ID.
Type: ERROR
Cause:
An SB Transmit API was called with an invalid message ID. Definition at line 266 of file cfe_sb_eventids.h.
11.84.2.50 CFE_SB_SEND_MESSAGE_INTEGRITY_FAIL_EID #define CFE_SB_SEND_MESSAGE_INTEGRITY_F↔ AIL_EID 71 SB integrity actions on transmit message failure event. Type: ERROR
Cause:
A CFE SB transmit transaction has rejected a message due to failure of the associated message integrity action(s). Definition at line 773 of file cfe_sb_eventids.h.
11.84.2.51 CFE_SB_SEND_NO_SUBS_EID #define CFE_SB_SEND_NO_SUBS_EID 14 SB Transmit API No Msgld Subscribers Event ID. Type: INFORMATION
Cause:
An SB Transmit API was called with a Message ID with no subscriptions. Definition at line 188 of file cfe_sb_eventids.h.

11.84.2.52 CFE_SB_SETPIPEOPTS_EID #define CFE_SB_SETPIPEOPTS_EID 57 SB Set Pipe Opts API Success Event ID.
Type: DEBUG
Cause:
CFE_SB_SetPipeOpts success. Definition at line 628 of file cfe_sb_eventids.h.
11.84.2.53 CFE_SB_SETPIPEOPTS_ID_ERR_EID #define CFE_SB_SETPIPEOPTS_ID_ERR_EID 55 SB Set Pipe Opts API Invalid Pipe Event ID.
Type: ERROR
Cause:
CFE_SB_SetPipeOpts API failure due to an invalid pipe ID Definition at line 606 of file cfe_sb_eventids.h.
11.84.2.54 CFE_SB_SETPIPEOPTS_OWNER_ERR_EID #define CFE_SB_SETPIPEOPTS_OWNER_ERR_EID 56 SB Set Pipe Opts API Not Owner Event ID.
Type: ERROR
Cause:
CFE_SB_SetPipeOpts API failure due to not being the pipe owner. Definition at line 617 of file cfe_sb_eventids.h.
11.84.2.55 CFE_SB_SND_RTG_EID #define CFE_SB_SND_RTG_EID 39 SB File Write Success Event ID.
Type: DEBUG
Cause:
An SB file write successfully completed. OVERLOADED Definition at line 438 of file cfe_sb_eventids.h.

11.84.2.56 CFE_SB_SND_RTG_ERR1_EID #define CFE_SB_SND_RTG_ERR1_EID 40 SB File Write Create File Failure Event ID.
Type: ERROR
Cause:
An SB file write failure due to file creation error. OVERLOADED Definition at line 449 of file cfe_sb_eventids.h.
11.84.2.57 CFE_SB_SND_STATS_EID #define CFE_SB_SND_STATS_EID 32 SB Send Statistics Command Success Event ID. Type: DEBUG
туре. ВЕВОО
Cause:
SB Send Statistics Command success. Definition at line 357 of file cfe_sb_eventids.h.
11.84.2.58 CFE_SB_SUB_ARG_ERR_EID #define CFE_SB_SUB_ARG_ERR_EID 6 SB Subscribe API Bad Argument Event ID.
Type: ERROR
Cause:
An SB Subscribe API failed due to an invalid input argument. Definition at line 97 of file cfe_sb_eventids.h.
11.84.2.59 CFE_SB_SUB_INV_CALLER_EID #define CFE_SB_SUB_INV_CALLER_EID 51 SB Subscribe API Not Owner Event ID.
Type: ERROR
Cause:
An SB Subscribe API failed due to not being the pipe owner.

Definition at line 562 of file cfe_sb_eventids.h.

11.84.2.60 CFE_SB_SUB_INV_PIPE_EID #define CFE_SB_SUB_INV_PIPE_EID 50 SB Subscribe API Invalid Pipe Event ID.
Type: ERROR
Cause:
An SB Subscribe API failed due to an invalid pipe ID. Definition at line 551 of file cfe_sb_eventids.h.
11.84.2.61 CFE_SB_SUBSCRIPTION_RCVD_EID #define CFE_SB_SUBSCRIPTION_RCVD_EID 10 SB Subscribe API Success Event ID.
Type: DEBUG
Cause:
An SB Subscribe API completed successfully. Definition at line 144 of file cfe_sb_eventids.h.
11.84.2.62 CFE_SB_SUBSCRIPTION_REMOVED_EID #define CFE_SB_SUBSCRIPTION_REMOVED_EID 48 SB Unsubscribe API Success Event ID.
Type: DEBUG
Cause:
An SB Unsubscribe API successfully completed. Definition at line 529 of file cfe_sb_eventids.h.
11.84.2.63 CFE_SB_SUBSCRIPTION_RPT_EID #define CFE_SB_SUBSCRIPTION_RPT_EID 22 SB Subscription Report Sent Event ID.
Type: DEBUG
Cause:
SB Subscription Report sent in response to a successful subscription. Definition at line 277 of file cfe_sb_eventids.h.

11.84.2.64 CFE_SB_UNSUB_ARG_ERR_EID #define CFE_SB_UNSUB_ARG_ERR_EID 11 SB Unsubscribe API Bad Argument Event ID.
Type: ERROR
Cause:
An SB Unsubscribe API failed due to an invalid input argument. Definition at line 155 of file cfe_sb_eventids.h.
11.84.2.65 CFE_SB_UNSUB_INV_CALLER_EID #define CFE_SB_UNSUB_INV_CALLER_EID 53 SB Unsubscribe API Not Owner Event ID. Type: ERROR
Cause:
An SB Unsubscribe API failed due to not being the pipe owner. Definition at line 584 of file cfe_sb_eventids.h.
11.84.2.66 CFE_SB_UNSUB_INV_PIPE_EID #define CFE_SB_UNSUB_INV_PIPE_EID 52 SB Unsubscribe API Invalid Pipe Event ID.
Type: ERROR
Cause:
An SB Unsubscribe API failed due to an invalid pipe ID. Definition at line 573 of file cfe_sb_eventids.h.
11.84.2.67 CFE_SB_UNSUB_NO_SUBS_EID #define CFE_SB_UNSUB_NO_SUBS_EID 12 SB Unsubscribe API No Msgld Subscription Event ID.
Type: INFORMATION
Cause:
An SB Unsubscribe API was called with a Message ID that wasn't subscribed on the pipe

Definition at line 166 of file cfe_sb_eventids.h.

11.85 cfe/modules/tbl/config/default_cfe_tbl_extern_typedefs.h File Reference

```
#include "common_types.h"
#include "cfe_es_extern_typedefs.h"
#include "cfe_mission_cfg.h"
```

Data Structures

• struct CFE_TBL_File_Hdr

The definition of the header fields that are included in CFE Table Data files.

Typedefs

typedef uint16 CFE_TBL_BufferSelect_Enum_t

Selects the buffer to operate on for validate or dump commands.

• typedef struct CFE TBL File Hdr CFE TBL File Hdr t

The definition of the header fields that are included in CFE Table Data files.

Enumerations

enum CFE_TBL_BufferSelect { CFE_TBL_BufferSelect_INACTIVE = 0, CFE_TBL_BufferSelect_ACTIVE = 1 }
 Label definitions associated with CFE_TBL_BufferSelect_Enum_t.

11.85.1 Detailed Description

Declarations and prototypes for cfe tbl extern typedefs module

11.85.2 Typedef Documentation

```
11.85.2.1 CFE_TBL_BufferSelect_Enum_t typedef uint16 CFE_TBL_BufferSelect_Enum_t Selects the buffer to operate on for validate or dump commands.
```

See also

```
enum CFE_TBL_BufferSelect
```

Definition at line 53 of file default_cfe_tbl_extern_typedefs.h.

```
11.85.2.2 CFE_TBL_File_Hdr_t typedef struct CFE_TBL_File_Hdr CFE_TBL_File_Hdr_t
```

The definition of the header fields that are included in CFE Table Data files.

This header follows the CFE_FS header and precedes the actual table data.

Note

The Offset and NumBytes fields in the table header are to 32 bits for backward compatibility with existing CFE versions. This means that even on 64-bit CPUs, individual table files will be limited to 4GiB in size.

11.85.3 Enumeration Type Documentation

```
11.85.3.1 CFE_TBL_BufferSelect enum CFE_TBL_BufferSelect
```

Label definitions associated with CFE_TBL_BufferSelect_Enum_t.

Enumerator

CFE_TBL_BufferSelect_INACTIVE	Select the Inactive buffer for validate or dump.
CFE_TBL_BufferSelect_ACTIVE	Select the Active buffer for validate or dump.

Definition at line 35 of file default_cfe_tbl_extern_typedefs.h.

11.86 cfe/modules/tbl/config/default cfe tbl fcncodes.h File Reference

Macros

Table Services Command Codes

- #define CFE TBL NOOP CC 0
- #define CFE TBL RESET COUNTERS CC 1
- #define CFE_TBL_LOAD_CC 2
- #define CFE_TBL_DUMP_CC 3
- #define CFE_TBL_VALIDATE_CC 4
- #define CFE_TBL_ACTIVATE_CC 5
- #define CFE_TBL_DUMP_REGISTRY_CC 6
- #define CFE TBL SEND REGISTRY CC 7
- #define CFE TBL DELETE CDS CC 8
- #define CFE_TBL_ABORT_LOAD_CC 9

11.86.1 Detailed Description

Specification for the CFE Event Services (CFE TBL) command function codes

Note

This file should be strictly limited to the command/function code (CC) macro definitions. Other definitions such as enums, typedefs, or other macros should be placed in the msgdefs.h or msg.h files.

11.86.2 Macro Definition Documentation

```
11.86.2.1 CFE TBL ABORT LOAD CC #define CFE_TBL_ABORT_LOAD_CC 9
```

Name Abort Table Load

Description

This command will cause Table Services to discard the contents of a table buffer that was previously loaded with the data in a file as specified by a Table Load command. For single buffered tables, the allocated shared working buffer is freed and becomes available for other Table Load commands.

Command Mnemonic(s) \$sc_\$cpu_TBL_LOADABORT

Command Structure

CFE_TBL_AbortLoadCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TBL_CMDPC command execution counter will increment
- The CFE TBL LOAD ABORT INF EID informational event message is generated
- If the load was aborted for a single buffered table, the \$sc_\$cpu_TBL_NumFreeShrBuf telemetry
 point should increment

Error Conditions

This command may fail for the following reason(s):

- The specified table name was not found in the table registry.
- The specified table did not have a load in progress to be aborted.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_TBL_CMDEC command error counter will increment
- · Error specific event message

Criticality

This command will cause the loss of data put into an inactive table buffer.

See also

```
CFE TBL LOAD CC, CFE TBL DUMP CC, CFE TBL VALIDATE CC, CFE TBL ACTIVATE CC
```

Definition at line 461 of file default cfe tbl fcncodes.h.

```
11.86.2.2 CFE TBL ACTIVATE CC #define CFE_TBL_ACTIVATE_CC 5
```

Name Activate Table

Description

This command will cause Table Services to notify a table's owner that an update is pending. The owning application will then update the contents of the active table buffer with the contents of the associated inactive table buffer at a time of their convenience.

Command Mnemonic(s) \$sc \$cpu TBL ACTIVATE

Command Structure

```
CFE_TBL_ActivateCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TBL_CMDPC command execution counter will increment
- The CFE_TBL_UPDATE_SUCCESS_INF_EID informational event message will be generated

Error Conditions

This command may fail for the following reason(s):

- · The specified table name was not found in the table registry.
- · The table was registered as a "dump only" type and thus cannot be activated
- The table buffer has not been validated.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_TBL_CMDEC command error counter will increment
- · Command specific error event message are issued for all error cases

Criticality

This command will cause the contents of the specified table to be updated with the contents in the inactive table buffer.

See also

```
CFE_TBL_LOAD_CC, CFE_TBL_DUMP_CC, CFE_TBL_VALIDATE_CC, CFE_TBL_ABORT_LOAD_CC
```

Definition at line 299 of file default cfe tbl fcncodes.h.

```
11.86.2.3 CFE_TBL_DELETE_CDS_CC #define CFE_TBL_DELETE_CDS_CC 8
```

Name Delete Critical Table from Critical Data Store

Description

This command will delete the Critical Data Store (CDS) associated with the specified Critical Table. Note that any table still present in the Table Registry is unable to be deleted from the Critical Data Store. All Applications that are accessing the critical table must release and unregister their access before the CDS can be deleted.

Command Mnemonic(s) \$sc \$cpu TBL DeleteCDS

Command Structure

```
CFE_TBL_DeleteCDSCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu TBL CMDPC command execution counter will increment
- The CFE TBL CDS DELETED INFO EID informational event message will be generated

Error Conditions

This command may fail for the following reason(s):

- · The specified table name was not found in the critical data store registry
- The specified table name WAS found in the table registry (all registrations/sharing of the table must be unregistered before the table's CDS can be deleted)
- · The table's owning application is still active

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_TBL_CMDEC command error counter will increment
- Error specific event message

Criticality

This command will cause the loss of the specified table's contents before the owning Application was terminated.

See also

```
CFE_ES_DUMP_CDS_REGISTRY_CC, CFE_ES_DELETE_CDS_CC
```

Definition at line 422 of file default_cfe_tbl_fcncodes.h.

11.86.2.4 CFE_TBL_DUMP_CC #define CFE_TBL_DUMP_CC 3

Name Dump Table

Description

This command will cause the Table Services to put the contents of the specified table buffer into the command specified file.

Command Mnemonic(s) \$sc \$cpu TBL DUMP

Command Structure

```
CFE_TBL_DumpCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TBL_CMDPC command execution counter will increment
- Either the CFE_TBL_OVERWRITE_DUMP_INF_EID OR the CFE_TBL_WRITE_DUMP_INF_EID informational event message will be generated

Error Conditions

This command may fail for the following reason(s):

- A single buffered table's inactive buffer was requested to be dumped and no such buffer is currently allocated.
- Error occurred during write operation to file. Possible causes might be insufficient space in the file system or the filename or file path is improperly specified.
- · The specified table name was not found in the table registry.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_TBL_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases

Criticality

This command is not inherently dangerous. It will create a new file in the file system and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

See also

```
CFE_TBL_LOAD_CC, CFE_TBL_VALIDATE_CC, CFE_TBL_ACTIVATE_CC, CFE_TBL_ABORT_LOAD_CC
```

Definition at line 202 of file default cfe tbl fcncodes.h.

11.86.2.5 CFE_TBL_DUMP_REGISTRY_CC #define CFE_TBL_DUMP_REGISTRY_CC 6

Name Dump Table Registry

Description

This command will cause Table Services to write some of the contents of the Table Registry to the command specified file. This allows the operator to see the current state and configuration of all tables that have been registered with the cFE.

Command Mnemonic(s) \$sc_\$cpu_TBL_WriteReg2File

Command Structure

CFE TBL DumpRegistryCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TBL_CMDPC command execution counter will increment
- The generation of either CFE_TBL_OVERWRITE_REG_DUMP_INF_EID or CFE_TBL_WRITE_REG_DUMP_INF_EID debug event messages
- The specified file should appear (or be updated) at the specified location in the file system

Error Conditions

This command may fail for the following reason(s):

- · A table registry dump is already in progress, not yet completed
- The specified DumpFilename could not be parsed
- Error occurred during write operation to file. Possible causes might be insufficient space in the file system or the filename or file path is improperly specified.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_TBL_CMDEC command error counter will increment
- · An Error specific event message

Criticality

This command is not inherently dangerous. It will create a new file in the file system and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

See also

CFE_TBL_SEND_REGISTRY_CC

Definition at line 343 of file default cfe tbl fcncodes.h.

11.86.2.6 CFE_TBL_LOAD_CC #define CFE_TBL_LOAD_CC 2

Name Load Table

Description

This command loads the contents of the specified file into an inactive buffer for the table specified within the file.

Command Mnemonic(s) \$sc_\$cpu_TBL_Load

Command Structure

```
CFE TBL LoadCmd t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TBL_CMDPC command execution counter will increment
- The CFE_TBL_FILE_LOADED_INF_EID informational event message will be generated

Error Conditions

This command can fail for the following reasons:

- Table name found in table image file's table header is not found in table registry (ie The table associated with the table image in the file has not been registered by an application).
- The table image file has an invalid or incorrect size. The size of the image file must match the size field within in the header, and must also match the expected size of the table indicated in the registry.
- No working buffers are available for the load. This would indicate that too many single-buffered table loads are in progress at the same time.
- · An attempt is being made to load an uninitialized table with a file containing only a partial table image.
- The table image file was unable to be opened. Either the file does not exist at the specified location, the filename is in error, or the file system has been corrupted.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_TBL_CMDEC command error counter will increment
- · Command specific error event messages are issued for all error cases

Criticality

This command is not inherently dangerous. It is performing the first step of loading a table and can be aborted (using the Abort Table Load command described below) without affecting the contents of the active table image.

See also

CFE_TBL_DUMP_CC, CFE_TBL_VALIDATE_CC, CFE_TBL_ACTIVATE_CC, CFE_TBL_ABORT_LOAD_CC

Definition at line 159 of file default cfe tbl fcncodes.h.

```
11.86.2.7 CFE_TBL_NOOP_CC #define CFE_TBL_NOOP_CC 0
```

Name Table No-Op

Description

This command performs no other function than to increment the command execution counter. The command may be used to verify general aliveness of the Table Services task.

Command Mnemonic(s) \$sc_\$cpu_TBL_NOOP

Command Structure

```
CFE_TBL_NoopCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TBL_CMDPC command execution counter will increment
- The CFE_TBL_NOOP_INF_EID informational event message will be generated

Error Conditions

There are no error conditions for this command. If the Table Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

None

See also

Definition at line 68 of file default cfe tbl fcncodes.h.

```
11.86.2.8 CFE TBL RESET COUNTERS CC #define CFE_TBL_RESET_COUNTERS_CC 1
```

Name Table Reset Counters

Description

This command resets the following counters within the Table Services housekeeping telemetry:

- Command Execution Counter (\$sc \$cpu TBL CMDPC)
- Command Error Counter (\$sc_\$cpu_TBL_CMDEC)
- Successful Table Validations Counter (\$sc_\$cpu_TBL_ValSuccessCtr)
- Failed Table Validations Counter (\$sc_\$cpu_TBL_ValFailedCtr)
- Number of Table Validations Requested (\$sc_\$cpu_TBL_ValReqCtr)
- Number of completed table validations (\$sc_\$cpu_TBL_ValCompltdCtr)

Command Mnemonic(s) \$sc_\$cpu_TBL_ResetCtrs

Command Structure

CFE_TBL_ResetCountersCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TBL_CMDPC command execution counter will be reset to 0
- The CFE_TBL_RESET_INF_EID debug event message will be generated

Error Conditions

There are no error conditions for this command. If the Table Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

This command is not inherently dangerous. However, it is possible for ground systems and on-board safing procedures to be designed such that they react to changes in the counter values that are reset by this command.

See also

Definition at line 109 of file default_cfe_tbl_fcncodes.h.

```
11.86.2.9 CFE TBL SEND REGISTRY CC #define CFE_TBL_SEND_REGISTRY_CC 7
```

Name Telemeter One Table Registry Entry

Description

This command will cause Table Services to telemeter the contents of the Table Registry for the command specified table.

Command Mnemonic(s) \$sc \$cpu TBL TLMReg

Command Structure

CFE_TBL_SendRegistryCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TBL_CMDPC command execution counter will increment
- Receipt of a Table Registry Info Packet (see CFE_TBL_TableRegistryTIm_t)
- The CFE_TBL_TLM_REG_CMD_INF_EID debug event message will be generated

Error Conditions

This command may fail for the following reason(s):

• The specified table name was not found in the table registry.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_TBL_CMDEC command error counter will increment
- · Error specific event message

Criticality

This command is not inherently dangerous. It will generate additional telemetry.

See also

```
CFE TBL DUMP REGISTRY CC
```

Definition at line 378 of file default_cfe_tbl_fcncodes.h.

```
11.86.2.10 CFE TBL VALIDATE CC #define CFE_TBL_VALIDATE_CC 4
```

Name Validate Table

Description

This command will cause Table Services to calculate the Data Integrity Value for the specified table and to notify the owning application that the table's validation function should be executed. The results of both the Data Integrity Value computation and the validation function are reported in Table Services Housekeeping Telemetry.

Command Mnemonic(s) \$sc \$cpu TBL VALIDATE

Command Structure

```
CFE_TBL_ValidateCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TBL_CMDPC command execution counter will increment
- \$sc_\$cpu_TBL_ValReqCtr table validation request counter will increment
- \$sc_\$cpu_TBL_LastValCRC calculated data integrity value will be updated
- The CFE_TBL_VAL_REQ_MADE_INF_EID debug event message (indicating the application is being notified of a validation request)

If the specified table has an associated validation function, then the following telemetry will also change:

- Either \$sc_\$cpu_TBL_ValSuccessCtr OR \$sc_\$cpu_TBL_ValFailedCtr will increment
- \$sc_\$cpu_TBL_ValCompltdCtr table validations performed counter will increment
- \$sc_\$cpu_TBl_LastValS table validation function return status will update
- The CFE_TBL_VALIDATION_INF_EID informational event message (indicating the validation function return status) will be generated

Error Conditions

This command may fail for the following reason(s):

- A single buffered table's inactive buffer was requested to be validated and no such buffer is currently allocated.
- Too many validations have been requested simultaneously. The operator must wait for one or more applications to perform their table validation functions before trying again.
- The specified table name was not found in the table registry.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_TBL_CMDEC command error counter will increment
- · Command specific error event message are issued for all error cases

Criticality

The success or failure of a table validation does not have any immediate impact on table contents. The results are sent to the operator in telemetry and the operator must determine whether the results are acceptable and send a command to activate the validated table image.

See also

```
CFE TBL LOAD CC, CFE TBL DUMP CC, CFE TBL ACTIVATE CC, CFE TBL ABORT LOAD CC
```

Definition at line 259 of file default_cfe_tbl_fcncodes.h.

11.87 cfe/modules/tbl/config/default_cfe_tbl_interface_cfg.h File Reference

Macros

- #define CFE MISSION TBL MAX NAME LENGTH 16
- #define CFE_MISSION_TBL_MAX_FULL_NAME_LEN (CFE_MISSION_TBL_MAX_NAME_LENGTH + CFE_MISSION_MAX_API_LEN + 4)

11.87.1 Detailed Description

CFE Table Services (CFE_TBL) Application Public Definitions

This provides default values for configurable items that affect the interface(s) of this module. This includes the CMD/TLM message interface, tables definitions, and any other data products that serve to exchange information with other entities.

Note

This file may be overridden/superceded by mission-provided definitions either by overriding this header or by generating definitions from a command/data dictionary tool.

11.87.2 Macro Definition Documentation

```
11.87.2.1 CFE_MISSION_TBL_MAX_FULL_NAME_LEN #define CFE_MISSION_TBL_MAX_FULL_NAME_LEN (CFE_MISSION_TBL_MAX + CFE_MISSION_MAX_API_LEN + 4)
```

Purpose Maximum Length of Full Table Name in messages

Description:

Indicates the maximum length (in characters) of the entire table name within software bus messages, in "App← Name. TableName" notation.

This affects the layout of command/telemetry messages but does not affect run time behavior or internal allocation.

Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 69 of file default_cfe_tbl_interface_cfg.h.

11.87.2.2 CFE MISSION TBL MAX NAME LENGTH #define CFE_MISSION_TBL_MAX_NAME_LENGTH 16

Purpose Maximum Table Name Length

Description:

Indicates the maximum length (in characters) of the table name ('TblName') portion of a Full Table Name of the following form: "ApplicationName.TblName"

This length does not need to include an extra character for NULL termination.

Limits

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 49 of file default cfe tbl interface cfg.h.

11.88 cfe/modules/tbl/config/default cfe tbl internal cfg.h File Reference

Macros

- #define CFE_PLATFORM_TBL_START_TASK_PRIORITY 70
- #define CFE PLATFORM TBL START TASK STACK SIZE CFE PLATFORM ES DEFAULT STACK SIZE
- #define CFE PLATFORM TBL BUF MEMORY BYTES 524288
- #define CFE PLATFORM TBL MAX DBL TABLE SIZE 16384
- #define CFE_PLATFORM_TBL_MAX_SNGL_TABLE_SIZE 16384
- #define CFE_PLATFORM_TBL_MAX_NUM_TABLES 128
- #define CFE_PLATFORM_TBL_MAX_CRITICAL_TABLES 32
- #define CFE PLATFORM TBL MAX NUM HANDLES 256
- #define CFE_PLATFORM_TBL_MAX_SIMULTANEOUS_LOADS 4
- #define CFE PLATFORM TBL MAX NUM VALIDATIONS 10
- #define CFE_PLATFORM_TBL_DEFAULT_REG_DUMP_FILE "/ram/cfe_tbl_reg.log"
- #define CFE_PLATFORM_TBL_VALID_SCID_COUNT 0
- #define CFE_PLATFORM_TBL_U32FROM4CHARS(_C1, _C2, _C3, _C4) ((uint32)(_C1) << 24 | (uint32)(_C2) << 16 | (uint32)(_C3) << 8 | (uint32)(_C4))
- #define CFE PLATFORM_TBL_VALID_SCID_1 (0x42)
- #define CFE PLATFORM TBL VALID SCID 2 (CFE PLATFORM TBL U32FROM4CHARS('a', 'b', 'c', 'd'))
- #define CFE_PLATFORM_TBL_VALID_PRID_COUNT 0
- #define CFE PLATFORM TBL VALID PRID 1 (1)
- #define CFE_PLATFORM_TBL_VALID_PRID_2 (CFE_PLATFORM_TBL_U32FROM4CHARS('a', 'b', 'c', 'd'))
- #define CFE PLATFORM TBL VALID PRID 3 0
- #define CFE PLATFORM TBL VALID PRID 40

11.88.1 Detailed Description

CFE Table Services (CFE_TBL) Application Private Config Definitions

This provides default values for configurable items that are internal to this module and do NOT affect the interface(s) of this module. Changes to items in this file only affect the local module and will be transparent to external entities that are using the public interface(s).

Note

This file may be overridden/superceded by mission-provided definitions either by overriding this header or by generating definitions from a command/data dictionary tool.

11.88.2 Macro Definition Documentation

11.88.2.1 CFE_PLATFORM_TBL_BUF_MEMORY_BYTES #define CFE_PLATFORM_TBL_BUF_MEMORY_BYT← ES 524288

Purpose Size of Table Services Table Memory Pool

Description:

Defines the TOTAL size of the memory pool that cFE Table Services allocates from the system. The size must be large enough to provide memory for each registered table, the inactive buffers for double buffered tables and for the shared inactive buffers for single buffered tables.

Limits

The cFE does not place a limit on the size of this parameter.

Definition at line 75 of file default_cfe_tbl_internal_cfg.h.

11.88.2.2 CFE_PLATFORM_TBL_DEFAULT_REG_DUMP_FILE #define CFE_PLATFORM_TBL_DEFAULT_REG_DU MP_FILE "/ram/cfe_tbl_reg.log"

Purpose Default Filename for a Table Registry Dump

Description:

Defines the file name used to store the table registry when no filename is specified in the dump registry command.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 189 of file default cfe tbl internal cfg.h.

11.88.2.3 CFE_PLATFORM_TBL_MAX_CRITICAL_TABLES #define CFE_PLATFORM_TBL_MAX_CRITICAL_TABL← ES 32

Purpose Maximum Number of Critical Tables that can be Registered

Description:

Defines the maximum number of critical tables supported by this processor's Table Services.

Limits

This number must be less than 32767. It should be recognized that this parameter determines the size of the Critical Table Registry which is maintained in the Critical Data Store. An excessively high number will waste Critical Data Store memory. Therefore, this number must not exceed the value defined in CFE_ES_CDS_MAX
__CRITICAL_TABLES.

Definition at line 130 of file default cfe tbl internal cfg.h.

11.88.2.4 CFE_PLATFORM_TBL_MAX_DBL_TABLE_SIZE #define CFE_PLATFORM_TBL_MAX_DBL_TABLE_SI ← ZE 16384

Purpose Maximum Size Allowed for a Double Buffered Table

Description:

Defines the maximum allowed size (in bytes) of a double buffered table.

Limits

The cFE does not place a limit on the size of this parameter but it must be less than half of CFE_PLATFORM_TBL_BUF_MEMORY_E Definition at line 87 of file default_cfe_tbl_internal_cfg.h.

11.88.2.5 CFE_PLATFORM_TBL_MAX_NUM_HANDLES #define CFE_PLATFORM_TBL_MAX_NUM_HANDLES 256

Purpose Maximum Number of Table Handles

Description:

Defines the maximum number of Table Handles.

Limits

This number must be less than 32767. This number must be at least as big as the number of tables (CFE_PLATFORM_TBL_MAX_NUM_TABLES) and should be set higher if tables are shared between applications.

Definition at line 143 of file default_cfe_tbl_internal_cfg.h.

11.88.2.6 CFE PLATFORM TBL MAX NUM TABLES #define CFE_PLATFORM_TBL_MAX_NUM_TABLES 128

Purpose Maximum Number of Tables Allowed to be Registered

Description:

Defines the maximum number of tables supported by this processor's Table Services.

Limits

This number must be less than 32767. It should be recognized that this parameter determines the size of the Table Registry. An excessively high number will waste memory.

Definition at line 116 of file default cfe tbl internal cfg.h.

11.88.2.7 CFE_PLATFORM_TBL_MAX_NUM_VALIDATIONS #define CFE_PLATFORM_TBL_MAX_NUM_VALIDATI ↔ ONS 10

Purpose Maximum Number of Simultaneous Table Validations

Description:

Defines the maximum number of pending validations that the Table Services can handle at any one time. When a table has a validation function, a validation request is made of the application to perform that validation. This number determines how many of those requests can be outstanding at any one time.

Limits

This number must be less than 32767. An excessively high number will degrade system performance and waste memory. A number less than 20 is suggested but not required.

Definition at line 176 of file default cfe tbl internal cfg.h.

11.88.2.8 CFE_PLATFORM_TBL_MAX_SIMULTANEOUS_LOADS #define CFE_PLATFORM_TBL_MAX_SIMULTA← NEOUS_LOADS 4

Purpose Maximum Number of Simultaneous Loads to Support

Description:

Defines the maximum number of single buffered tables that can be loaded simultaneously. This number is used to determine the number of shared buffers to allocate.

Limits

This number must be less than 32767. An excessively high number will degrade system performance and waste memory. A number less than 5 is suggested but not required.

Definition at line 158 of file default_cfe_tbl_internal_cfg.h.

11.88.2.9 CFE_PLATFORM_TBL_MAX_SNGL_TABLE_SIZE #define CFE_PLATFORM_TBL_MAX_SNGL_TABLE_S↔ IZE 16384

Purpose Maximum Size Allowed for a Single Buffered Table

Description:

Defines the maximum allowed size (in bytes) of a single buffered table. **NOTE:** This size determines the size of all shared table buffers. Therefore, this size will be multiplied by CFE_PLATFORM_TBL_MAX_SIMULTANEOUS_LOADS below when allocating memory for shared tables.

Limits

The cFE does not place a limit on the size of this parameter but it must be small enough to allow for CFE_PLATFORM_TBL_MAX_SIMULTANEOUS_LOADS number of tables to fit into CFE_PLATFORM_TBL_BUF_MEMORY_BYTI

Definition at line 103 of file default cfe tbl internal cfg.h.

11.88.2.10 CFE_PLATFORM_TBL_START_TASK_PRIORITY #define CFE_PLATFORM_TBL_START_TASK_PRIOR ← LTY 70

Purpose Define TBL Task Priority

Description:

Defines the cFE_TBL Task priority.

Limits

Not Applicable

Definition at line 44 of file default_cfe_tbl_internal_cfg.h.

11.88.2.11 CFE_PLATFORM_TBL_START_TASK_STACK_SIZE #define CFE_PLATFORM_TBL_START_TASK_ST↔ ACK_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE

Purpose Define TBL Task Stack Size

Description:

Defines the cFE_TBL Task Stack Size

Limits

There is a lower limit of 2048 on this configuration parameter. There are no restrictions on the upper limit however, the maximum stack size is system dependent and should be verified. Most operating systems provide tools for measuring the amount of stack used by a task during operation. It is always a good idea to verify that no more than 1/2 of the stack is used.

Definition at line 59 of file default cfe tbl internal cfg.h.

Definition at line 211 of file default_cfe_tbl_internal_cfg.h.

```
11.88.2.13 CFE_PLATFORM_TBL_VALID_PRID_1 #define CFE_PLATFORM_TBL_VALID_PRID_1 (1)
```

Purpose Processor ID values used for table load validation

Description:

Defines the processor ID values used for validating the processor ID field in the table file header. To be valid, the spacecraft ID specified in the table file header must match one of the values defined here.

Limits

This value can be any 32 bit unsigned integer.

Definition at line 260 of file default cfe tbl internal cfg.h.

11.88.2.14 CFE_PLATFORM_TBL_VALID_PRID_2 #define CFE_PLATFORM_TBL_VALID_PRID_2 (CFE_PLATFORM_TBL_U32FROM4CHA'b', 'c', 'd'))

Definition at line 261 of file default_cfe_tbl_internal_cfg.h.

11.88.2.15 CFE_PLATFORM_TBL_VALID_PRID_3 #define CFE_PLATFORM_TBL_VALID_PRID_3 0 Definition at line 262 of file default_cfe_tbl_internal_cfg.h.

11.88.2.16 CFE_PLATFORM_TBL_VALID_PRID_4 #define CFE_PLATFORM_TBL_VALID_PRID_4 0 Definition at line 263 of file default_cfe_tbl_internal_cfg.h.

11.88.2.17 CFE_PLATFORM_TBL_VALID_PRID_COUNT #define CFE_PLATFORM_TBL_VALID_PRID_COUNT 0

Purpose Number of Processor ID's specified for validation

Description:

Defines the number of specified processor ID values that are verified during table loads. If the number is zero then no validation of the processor ID field in the table file header is performed when tables are loaded. Non-zero values indicate how many values from the list of processor ID's defined below are compared to the processor ID field in the table file header. The ELF2CFETBL tool may be used to create table files with specified processor ID values.

Limits

This number must be greater than or equal to zero and less than or equal to 4.

Definition at line 246 of file default_cfe_tbl_internal_cfg.h.

11.88.2.18 CFE_PLATFORM_TBL_VALID_SCID_1 #define CFE_PLATFORM_TBL_VALID_SCID_1 (0x42)

Purpose Spacecraft ID values used for table load validation

Description:

Defines the spacecraft ID values used for validating the spacecraft ID field in the table file header. To be valid, the spacecraft ID specified in the table file header must match one of the values defined here.

Limits

This value can be any 32 bit unsigned integer.

Definition at line 226 of file default cfe tbl internal cfg.h.

11.88.2.19 CFE_PLATFORM_TBL_VALID_SCID_2 #define CFE_PLATFORM_TBL_VALID_SCID_2 (CFE_PLATFORM_TBL_U32FROM4CHAPE 'b', 'c', 'd'))

Definition at line 227 of file default cfe tbl internal cfg.h.

11.88.2.20 CFE_PLATFORM_TBL_VALID_SCID_COUNT #define CFE_PLATFORM_TBL_VALID_SCID_COUNT 0

Purpose Number of Spacecraft ID's specified for validation

Description:

Defines the number of specified spacecraft ID values that are verified during table loads. If the number is zero then no validation of the spacecraft ID field in the table file header is performed when tables are loaded. Non-zero values indicate how many values from the list of spacecraft ID's defined below are compared to the spacecraft ID field in the table file header. The ELF2CFETBL tool may be used to create table files with specified spacecraft ID values.

Limits

This number must be greater than or equal to zero and less than or equal to 2.

Definition at line 208 of file default cfe tbl internal cfg.h.

11.89 cfe/modules/tbl/config/default_cfe_tbl_mission_cfg.h File Reference

```
#include "cfe_tbl_interface_cfq.h"
```

11.89.1 Detailed Description

CFE Event Services (CFE_TBL) Application Mission Configuration Header File

This is a compatibility header for the "mission_cfg.h" file that has traditionally provided public config definitions for each CFS app.

Note

This file may be overridden/superceded by mission-provided defintions either by overriding this header or by generating definitions from a command/data dictionary tool.

11.90 cfe/modules/tbl/config/default_cfe_tbl_msg.h File Reference

```
#include "cfe_mission_cfg.h"
#include "cfe_tbl_msgdefs.h"
#include "cfe_tbl_msgstruct.h"
```

11.90.1 Detailed Description

Specification for the CFE Event Services (CFE TBL) command and telemetry message data types.

This is a compatibility header for the "cfe_tbl_msg.h" file that has traditionally provided the message definitions for cFS apps.

Note

This file may be overridden/superceded by mission-provided defintions either by overriding this header or by generating definitions from a command/data dictionary tool.

11.91 cfe/modules/tbl/config/default_cfe_tbl_msgdefs.h File Reference

```
#include "common_types.h"
#include "cfe_mission_cfg.h"
#include "cfe_es_extern_typedefs.h"
#include "cfe_time_extern_typedefs.h"
#include "cfe_tbl_fcncodes.h"
```

Data Structures

struct CFE TBL LoadCmd Payload

Load Table Command Payload.

struct CFE TBL DumpCmd Payload

Dump Table Command Payload.

struct CFE_TBL_ValidateCmd_Payload

Validate Table Command Payload.

struct CFE_TBL_ActivateCmd_Payload

Activate Table Command Payload.

struct CFE_TBL_DumpRegistryCmd_Payload

Dump Registry Command Payload.

struct CFE TBL SendRegistryCmd Payload

Send Table Registry Command Payload.

struct CFE_TBL_DelCDSCmd_Payload

Delete Critical Table CDS Command Payload.

struct CFE TBL AbortLoadCmd Payload

Abort Load Command Payload.

struct CFE TBL NotifyCmd Payload

Table Management Notification Command Payload.

- struct CFE_TBL_HousekeepingTlm_Payload
- struct CFE_TBL_TblRegPacket_Payload

Typedefs

- typedef struct CFE_TBL_LoadCmd_Payload CFE_TBL_LoadCmd_Payload_t
 Load Table Command Payload.
- $\bullet \ \ typedef \ struct \ CFE_TBL_DumpCmd_Payload \ CFE_TBL_DumpCmd_Payload_t \\$

Dump Table Command Payload.

typedef struct CFE_TBL_ValidateCmd_Payload CFE_TBL_ValidateCmd_Payload_t

Validate Table Command Payload.

typedef struct CFE_TBL_ActivateCmd_Payload CFE_TBL_ActivateCmd_Payload_t

Activate Table Command Payload.

- typedef struct CFE_TBL_DumpRegistryCmd_Payload CFE_TBL_DumpRegistryCmd_Payload_t
 Dump Registry Command Payload.
- typedef struct CFE_TBL_SendRegistryCmd_Payload CFE_TBL_SendRegistryCmd_Payload_t
 Send Table Registry Command Payload.
- $\bullet \ \ typedef \ struct \ CFE_TBL_DelCDSCmd_Payload \ CFE_TBL_DelCDSCmd_Payload_t \\$

Delete Critical Table CDS Command Payload.

• typedef struct CFE_TBL_AbortLoadCmd_Payload CFE_TBL_AbortLoadCmd_Payload_t

Abort Load Command Pavload.

typedef struct CFE_TBL_NotifyCmd_Payload CFE_TBL_NotifyCmd_Payload_t

Table Management Notification Command Payload.

- typedef struct CFE_TBL_HousekeepingTIm_Payload CFE_TBL_HousekeepingTIm_Payload_t
- typedef struct CFE_TBL_TblRegPacket_Payload CFE_TBL_TblRegPacket_Payload_t

11.91.1 Detailed Description

Specification for the CFE Event Services (CFE_TBL) command and telemetry message constant definitions. For CFE TBL this is only the function/command code definitions

11.91.2 Typedef Documentation

11.91.2.1 CFE_TBL_AbortLoadCmd_Payload_t typedef struct CFE_TBL_AbortLoadCmd_Payload CFE_TBL_AbortLoadCmd_Payload.

Abort Load Command Payload.

For command details, see CFE TBL ABORT LOAD CC

11.91.2.2 CFE_TBL_ActivateCmd_Payload_t typedef struct CFE_TBL_ActivateCmd_Payload CFE_TBL_ActivateCmd_Payload_ Activate Table Command Payload.

For command details, see CFE TBL ACTIVATE CC

11.91.2.3 CFE_TBL_DelCDSCmd_Payload_t typedef struct CFE_TBL_DelCDSCmd_Payload CFE_TBL_DelCDSCmd_Payload_t Delete Critical Table CDS Command Payload.

For command details, see CFE_TBL_DELETE_CDS_CC

11.91.2.4 CFE_TBL_DumpCmd_Payload_t typedef struct CFE_TBL_DumpCmd_Payload CFE_TBL_DumpCmd_Payload_t Dump Table Command Payload.

For command details, see CFE_TBL_DUMP_CC

 $\textbf{11.91.2.5} \quad \textbf{CFE_TBL_DumpRegistryCmd_Payload_t} \quad \texttt{typedef struct CFE_TBL_DumpRegistryCmd_Payload}$

CFE_TBL_DumpRegistryCmd_Payload_t

Dump Registry Command Payload.

For command details, see CFE_TBL_DUMP_REGISTRY_CC

 $\textbf{11.91.2.6} \quad \textbf{CFE_TBL_HousekeepingTlm_Payload_t} \quad \texttt{typedef struct CFE_TBL_HousekeepingTlm_Payload_t}$

CFE_TBL_HousekeepingTlm_Payload_t

Name Table Services Housekeeping Packet

11.91.2.7 CFE_TBL_LoadCmd_Payload_t typedef struct CFE_TBL_LoadCmd_Payload CFE_TBL_LoadCmd_Payload_t

Load Table Command Payload.

For command details, see CFE_TBL_LOAD_CC

 $\textbf{11.91.2.8} \quad \textbf{CFE_TBL_NotifyCmd_Payload_t} \quad \texttt{typedef struct CFE_TBL_NotifyCmd_Payload_t}$

Table Management Notification Command Payload.

Description

Whenever an application that owns a table calls the CFE_TBL_NotifyByMessage API following the table registration, Table services will generate the following command message with the application specified message ID, command code and parameter whenever the table requires management (e.g. - loads and validations).

11.91.2.9 CFE_TBL_SendRegistryCmd_Payload_t typedef struct CFE_TBL_SendRegistryCmd_Payload

CFE_TBL_SendRegistryCmd_Payload_t

Send Table Registry Command Payload.

For command details, see CFE TBL SEND REGISTRY CC

 $\textbf{11.91.2.10} \quad \textbf{CFE_TBL_TblRegPacket_Payload_t} \quad \texttt{typedef struct CFE_TBL_TblRegPacket_Payload CFE_TBL_TblRegPacket_Payload} \quad \texttt{typedef struct CFE_TBL_TblRegPacket_Payload} \quad \texttt{t$

Name Table Registry Info Packet

11.91.2.11 CFE_TBL_ValidateCmd_Payload_t typedef struct CFE_TBL_ValidateCmd_Payload CFE_TBL_ValidateCmd_Payload Validate Table Command Payload.

For command details, see CFE TBL VALIDATE CC

11.92 cfe/modules/tbl/config/default_cfe_tbl_msgids.h File Reference

```
#include "cfe_core_api_base_msgids.h"
#include "cfe_tbl_topicids.h"
```

Macros

- #define CFE_TBL_CMD_MID CFE_PLATFORM_CMD_TOPICID_TO_MIDV(CFE_MISSION_TBL_CMD_TOPICID)
 /* 0x1804 */
- #define CFE_TBL_SEND_HK_MID CFE_PLATFORM_CMD_TOPICID_TO_MIDV(CFE_MISSION_TBL_SEND_HK_TOPICID)
 /* 0x180C */
- #define CFE_TBL_HK_TLM_MID CFE_PLATFORM_TLM_TOPICID_TO_MIDV(CFE_MISSION_TBL_HK_TLM_TOPICID)
 /* 0x0804 */
- #define CFE_TBL_REG_TLM_MID CFE_PLATFORM_TLM_TOPICID_TO_MIDV(CFE_MISSION_TBL_REG_TLM_TOPICID)
 /* 0x080C */

11.92.1 Detailed Description

CFE Event Services (CFE_TBL) Application Message IDs

11.92.2 Macro Definition Documentation

11.92.2.1 CFE_TBL_CMD_MID #define CFE_TBL_CMD_MID CFE_PLATFORM_CMD_TOPICID_TO_MIDV(CFE_MISSION_TBL_CMD_TOPICID_/* 0x1804 */

Definition at line 32 of file default_cfe_tbl_msgids.h.

11.92.2.2 CFE_TBL_HK_TLM_MID #define CFE_TBL_HK_TLM_MID CFE_PLATFORM_TLM_TOPICID_TO_MIDV(CFE_MISSION_TBL_HK_T /* 0x0804 */

Definition at line 38 of file default_cfe_tbl_msgids.h.

11.92.2.3 CFE_TBL_REG_TLM_MID #define CFE_TBL_REG_TLM_MID CFE_PLATFORM_TLM_TOPICID_TO_MIDV(CFE_MISSION_TBL_RE /* 0x080C */

Definition at line 39 of file default_cfe_tbl_msgids.h.

11.92.2.4 CFE_TBL_SEND_HK_MID #define CFE_TBL_SEND_HK_MID CFE_PLATFORM_CMD_TOPICID_TO_MIDV(CFE_MISSION_TBL_SE /* 0x180C */

Definition at line 33 of file default cfe tbl msgids.h.

11.93 cfe/modules/tbl/config/default_cfe_tbl_msgstruct.h File Reference

```
#include "cfe_tbl_msgdefs.h"
#include "cfe_msg_hdr.h"
```

Data Structures

- struct CFE TBL NoopCmd
- struct CFE TBL ResetCountersCmd
- struct CFE TBL SendHkCmd
- struct CFE_TBL_LoadCmd

Load Table Command.

- struct CFE TBL DumpCmd
- struct CFE TBL ValidateCmd

Validate Table Command.

• struct CFE TBL ActivateCmd

Activate Table Command.

struct CFE_TBL_DumpRegistryCmd

Dump Registry Command.

struct CFE_TBL_SendRegistryCmd

Send Table Registry Command.

• struct CFE TBL DeleteCDSCmd

Delete Critical Table CDS Command.

struct CFE_TBL_AbortLoadCmd

Abort Load Command.

- struct CFE_TBL_NotifyCmd
- struct CFE_TBL_HousekeepingTlm
- struct CFE_TBL_TableRegistryTIm

Typedefs

- typedef struct CFE TBL NoopCmd CFE TBL NoopCmd t
- typedef struct CFE TBL ResetCountersCmd CFE TBL ResetCountersCmd t
- typedef struct CFE TBL SendHkCmd CFE TBL SendHkCmd t
- typedef struct CFE_TBL_LoadCmd CFE_TBL_LoadCmd_t

Load Table Command.

- typedef struct CFE_TBL_DumpCmd CFE_TBL_DumpCmd_t
- typedef struct CFE_TBL_ValidateCmd CFE_TBL_ValidateCmd_t

Validate Table Command.

typedef struct CFE TBL ActivateCmd CFE TBL ActivateCmd t

Activate Table Command.

typedef struct CFE_TBL_DumpRegistryCmd CFE_TBL_DumpRegistryCmd_t

Dump Registry Command.

 $\bullet \ \ typedef \ struct \ CFE_TBL_SendRegistryCmd \ CFE_TBL_SendRegistryCmd_t \\$

Send Table Registry Command.

• typedef struct CFE_TBL_DeleteCDSCmd CFE_TBL_DeleteCDSCmd_t

Delete Critical Table CDS Command.

typedef struct CFE_TBL_AbortLoadCmd CFE_TBL_AbortLoadCmd_t

Abort Load Command.

- typedef struct CFE TBL NotifyCmd CFE TBL NotifyCmd t
- typedef struct CFE TBL HousekeepingTlm CFE TBL HousekeepingTlm t
- typedef struct CFE TBL TableRegistryTlm CFE TBL TableRegistryTlm t

11.93.1 Detailed Description

Purpose: cFE Executive Services (TBL) Command and Telemetry packet definition file.

References: Flight Software Branch C Coding Standard Version 1.0a cFE Flight Software Application Developers Guide Notes:

11.93.2 Typedef Documentation

11.93.2.1 CFE_TBL_AbortLoadCmd_t typedef struct CFE_TBL_AbortLoadCmd CFE_TBL_AbortLoadCmd_t Abort Load Command.

11.93.2.2 CFE_TBL_ActivateCmd_t typedef struct CFE_TBL_ActivateCmd CFE_TBL_ActivateCmd_t Activate Table Command.

11.93.2.3 CFE_TBL_DeleteCDSCmd_t typedef struct CFE_TBL_DeleteCDSCmd CFE_TBL_DeleteCDSCmd_t Delete Critical Table CDS Command.

11.93.2.4 CFE_TBL_DumpCmd_t typedef struct CFE_TBL_DumpCmd CFE_TBL_DumpCmd_t /brief Dump Table Command

11.93.2.5 CFE_TBL_DumpRegistryCmd_t typedef struct CFE_TBL_DumpRegistryCmd CFE_TBL_DumpRegistryCmd_t Dump Registry Command.

11.93.2.6 CFE TBL HousekeepingTlm t typedef struct CFE_TBL_HousekeepingTlm_t

11.93.2.7 CFE_TBL_LoadCmd_t typedef struct CFE_TBL_LoadCmd CFE_TBL_LoadCmd_t Load Table Command.

11.93.2.8 CFE_TBL_NoopCmd_t typedef struct CFE_TBL_NoopCmd_CFE_TBL_NoopCmd_t

11.93.2.9 CFE_TBL_NotifyCmd_t typedef struct CFE_TBL_NotifyCmd_t /brief Table Management Notification Command

11.93.2.10 CFE_TBL_ResetCountersCmd_t typedef struct CFE_TBL_ResetCountersCmd CFE_TBL_ResetCountersCmd_t

11.93.2.11 CFE_TBL_SendHkCmd_t typedef struct CFE_TBL_SendHkCmd_t typedef struct CFE_TBL_SendHkCmd_t

11.93.2.12 CFE_TBL_SendRegistryCmd_t typedef struct CFE_TBL_SendRegistryCmd CFE_TBL_SendRegistryCmd_t Send Table Registry Command.

11.93.2.13 CFE_TBL_TableRegistryTlm_t typedef struct CFE_TBL_TableRegistryTlm CFE_TBL_TableRegistryTlm_t

11.93.2.14 CFE_TBL_ValidateCmd_t typedef struct CFE_TBL_ValidateCmd_CFE_TBL_ValidateCmd_t Validate Table Command.

11.94 cfe/modules/tbl/config/default_cfe_tbl_platform_cfg.h File Reference

```
#include "cfe_tbl_mission_cfg.h"
#include "cfe_tbl_internal_cfg.h"
```

11.94.1 Detailed Description

CFE Table Services (CFE_TBL) Application Platform Configuration Header File

This is a compatibility header for the "platform_cfg.h" file that has traditionally provided both public and private config definitions for each CFS app.

These definitions are now provided in two separate files, one for the public/mission scope and one for internal scope.

Note

This file may be overridden/superceded by mission-provided definitions either by overriding this header or by generating definitions from a command/data dictionary tool.

11.95 cfe/modules/tbl/config/default cfe tbl topicids.h File Reference

Macros

- #define CFE MISSION TBL CMD TOPICID 4
- #define CFE_MISSION_TBL_SEND_HK_TOPICID 12
- #define CFE_MISSION_TBL_HK_TLM_TOPICID 4
- #define CFE_MISSION_TBL_REG_TLM_TOPICID 12

11.95.1 Detailed Description

CFE Table Services (CFE_TBL) Application Topic IDs

11.95.2 Macro Definition Documentation

```
11.95.2.1 CFE MISSION TBL CMD TOPICID #define CFE_MISSION_TBL_CMD_TOPICID 4
```

Purpose cFE Portable Message Numbers for Commands

Description:

Portable message numbers for the cFE command messages

Limits

Not Applicable

Definition at line 35 of file default cfe tbl topicids.h.

11.95.2.2 CFE_MISSION_TBL_HK_TLM_TOPICID #define CFE_MISSION_TBL_HK_TLM_TOPICID 4

Purpose cFE Portable Message Numbers for Telemetry

Description:

Portable message numbers for the cFE telemetry messages

Limits

Not Applicable

Definition at line 47 of file default cfe tbl topicids.h.

11.95.2.3 CFE_MISSION_TBL_REG_TLM_TOPICID #define CFE_MISSION_TBL_REG_TLM_TOPICID 12 Definition at line 48 of file default_cfe_tbl_topicids.h.

11.95.2.4 CFE_MISSION_TBL_SEND_HK_TOPICID #define CFE_MISSION_TBL_SEND_HK_TOPICID 12 Definition at line 36 of file default_cfe_tbl_topicids.h.

11.96 cfe/modules/tbl/fsw/inc/cfe tbl eventids.h File Reference

Macros

TBL event IDs

#define CFE TBL INIT INF EID 1

TB Initialization Event ID.

• #define CFE TBL NOOP INF EID 10

TBL No-op Command Success Event ID.

• #define CFE_TBL_RESET_INF_EID 11

TBL Reset Counters Command Success Event ID.

#define CFE TBL FILE LOADED INF EID 12

TBL Load Table Command Success Event ID.

#define CFE_TBL_OVERWRITE_DUMP_INF_EID 13

TBL Write Table To Existing File Success Event ID.

• #define CFE TBL WRITE DUMP INF EID 14

TBL Write Table To New File Success Event ID.

#define CFE TBL OVERWRITE REG DUMP INF EID 15

TBL Write Table Registry To Existing File Success Event ID.

#define CFE TBL VAL REQ MADE INF EID 16

TBL Validate Table Request Success Event ID.

#define CFE_TBL_LOAD_PEND_REQ_INF_EID 17

TBL Load Table Pending Notification Success Event ID.

• #define CFE TBL TLM REG CMD INF EID 18

TBL Telemeter Table Registry Entry Command Success Event ID.

#define CFE TBL LOAD ABORT INF EID 21

TBL Abort Table Load Success Event ID.

#define CFE_TBL_WRITE_REG_DUMP_INF_EID 22

TBL Write Table Registry To New File Success Event ID.

• #define CFE TBL ASSUMED VALID INF EID 23

TBL Validate Table Valid Due To No Validation Function Event ID.

#define CFE TBL LOAD SUCCESS INF EID 35

```
TBL Load Table API Success Event ID.
• #define CFE_TBL_VALIDATION_INF_EID 36
     TBL Validate Table Success Event ID.

    #define CFE TBL UPDATE SUCCESS INF EID 37

     TBL Update Table Success Event ID.

    #define CFE TBL CDS DELETED INFO EID 38

     TBL Delete Table CDS Command Success Event ID.

    #define CFE_TBL_MID_ERR_EID 50

     TBL Invalid Message ID Received Event ID.

    #define CFE TBL CC1 ERR EID 51

     TBL Invalid Command Code Received Event ID.

    #define CFE TBL LEN ERR EID 52

     TBL Invalid Command Length Event ID.

    #define CFE_TBL_FILE_ACCESS_ERR_EID 53

     TBL Load Table File Open Failure Event ID.

    #define CFE TBL FILE STD HDR ERR EID 54

     TBL Load Table File Read Standard Header Failure Event ID.

    #define CFE_TBL_FILE_TBL_HDR_ERR_EID 55

     TBL Load Table File Read Table Header Failure Event ID.
• #define CFE_TBL_FAIL_HK_SEND_ERR_EID 56
     TBL Send Housekeeping Command Transmit Failure Event ID.

    #define CFE TBL NO SUCH TABLE ERR EID 57

     TBL Table Name Not Found Event ID.

    #define CFE_TBL_FILE_TYPE_ERR_EID 58

     TBL Load Table Invalid File Content ID Event ID.
• #define CFE_TBL_FILE_SUBTYPE_ERR_EID 59
     TBL Load Table Invalid File Subtype Event ID.

    #define CFE_TBL_NO_WORK_BUFFERS_ERR_EID 60

     TBL Load Or Dump Table No Working Buffers Available Event ID.
• #define CFE_TBL_CREATING_DUMP_FILE_ERR_ EID 62
     TBL Write File Creation Failure Event ID.
• #define CFE TBL WRITE CFE HDR ERR EID 63
     TBL Write Standard File Header Failure Event ID.

    #define CFE_TBL_WRITE_TBL_HDR_ERR_EID 64

     TBL Write Table File Header Failure Event ID.

    #define CFE TBL WRITE TBL IMG ERR EID 65

     TBL Write Table File Data Failure Event ID.

    #define CFE TBL NO INACTIVE BUFFER ERR EID 66

     TBL Validate Or Write Table Command No Inactive Buffer Event ID.

    #define CFE_TBL_TOO_MANY_VALIDATIONS_ERR_EID 67

     TBL Validate Table Command Result Storage Exceeded Event ID.

    #define CFE TBL WRITE TBL REG ERR EID 68

     TBL Write Table Registry File Data Failure Event ID.

    #define CFE_TBL_LOAD_ABORT_ERR_EID 69

     TBL Abort Table Load No Load Started Event ID.

    #define CFE TBL ACTIVATE ERR EID 70

     TBL Activate Table Command No Inactive Buffer Event ID.

    #define CFE TBL FILE INCOMPLETE ERR EID 71

     TBL Load Table Incomplete Load Event ID.

    #define CFE TBL LOAD EXCEEDS SIZE ERR EID 72

     TBL Load Table File Exceeds Table Size Event ID.

    #define CFE_TBL_ZERO_LENGTH_LOAD_ERR_EID 73

     TBL Load Table File Zero Length Event ID.

    #define CFE_TBL_PARTIAL_LOAD_ERR_EID 74
```

TBL Load Table Uninitialized Partial Load Event ID.

```
    #define CFE_TBL_FILE_TOO_BIG_ERR_EID 75

     TBL Load Table File Excess Data Event ID.

    #define CFE TBL TOO MANY DUMPS ERR EID 76

     TBL Write Table Command Dump Only Control Blocks Exceeded Event ID.

    #define CFE TBL DUMP PENDING ERR EID 77

     TBL Write Table Command Already In Progress Event ID.

    #define CFE TBL ACTIVATE DUMP ONLY ERR EID 78

     TBL Activate Table Command For Dump Only Table Event ID.

    #define CFE TBL LOADING A DUMP ONLY ERR EID 79

     TBL Load Table For Dump Only Table Event ID.
• #define CFE TBL ILLEGAL BUFF PARAM ERR EID 80
     TBL Validate Or Write Table Command Invalid Buffer Event ID.

    #define CFE TBL UNVALIDATED ERR EID 81

     TBL Activate Table Command Inactive Image Not Validated Event ID.

    #define CFE TBL IN REGISTRY ERR EID 82

     TBL Delete Table CDS Command For Registered Table Event ID.

    #define CFE TBL NOT CRITICAL TBL ERR EID 83

     TBL Delete Table CDS Command Invalid CDS Type Event ID.

    #define CFE TBL NOT IN CRIT REG ERR EID 84

     TBL Delete Table CDS Command Not In Critical Table Registry Event ID.
• #define CFE TBL CDS NOT FOUND ERR EID 85
     TBL Delete Table CDS Command Not In CDS Registry Event ID.

    #define CFE TBL CDS DELETE ERR EID 86

     TBL Delete Table CDS Command Internal Error Event ID.

    #define CFE TBL CDS OWNER ACTIVE ERR EID 87

     TBL Delete Table CDS Command App Active Event ID.

    #define CFE TBL LOADING PENDING ERR EID 88

     TBL Load Table Command Load Pending Event ID.

    #define CFE TBL FAIL NOTIFY SEND ERR EID 89

     TBL Send Notification Transmit Failed Event ID.

    #define CFE TBL REGISTER ERR EID 90

     TBL Register Table Failed Event ID.

    #define CFE TBL SHARE ERR EID 91

     TBL Share Table Failed Event ID.

    #define CFE TBL UNREGISTER ERR EID 92

     TBL Unregister Table Failed Event ID.

    #define CFE TBL LOAD VAL ERR EID 93

     TBL Validation Function Invalid Return Code Event ID.
• #define CFE_TBL_LOAD_TYPE_ERR_EID 94
     TBL Load Table API Invalid Source Type Event ID.
• #define CFE TBL UPDATE ERR EID 95
     TBL Update Table Failed Event ID.
• #define CFE_TBL_VALIDATION_ERR_EID 96
     TBL Validate Table Validation Failed Event ID.

    #define CFE TBL SPACECRAFT ID ERR EID 97

     TBL Read Header Invalid Spacecraft ID Event ID.

    #define CFE TBL PROCESSOR ID ERR EID 98

     TBL Read Header Invalid Processor ID Event ID.

    #define CFE TBL LOAD IN PROGRESS ERR EID 100

     TBL Load Table API Load Already In Progress Event ID.
• #define CFE TBL LOAD FILENAME LONG ERR EID 101
     TBL Load Table Filename Too Long Event ID.

    #define CFE_TBL_LOAD_TBLNAME_MISMATCH_ERR_EID 102

     TBL Load Table Name Mismatch Event ID.

    #define CFE TBL HANDLE ACCESS ERR EID 103

     TBL Load Table API Access Violation Event ID.
```

11.96.1 Detailed Description

CFE Table Services Event IDS
11.96.2 Macro Definition Documentation
11.96.2.1 CFE_TBL_ACTIVATE_DUMP_ONLY_ERR_EID #define CFE_TBL_ACTIVATE_DUMP_ONLY_ERR_EID 78 TBL Activate Table Command For Dump Only Table Event ID. Type: ERROR
Cause:
TBL Activate Table Command failure due to table being dump only. Definition at line 544 of file cfe_tbl_eventids.h.
11.96.2.2 CFE_TBL_ACTIVATE_ERR_EID #define CFE_TBL_ACTIVATE_ERR_EID 70 TBL Activate Table Command No Inactive Buffer Event ID. Type: ERROR
Cause:
TBL Activate Table Command failure due to no associated inactive buffer. Definition at line 450 of file cfe_tbl_eventids.h.
11.96.2.3 CFE_TBL_ASSUMED_VALID_INF_EID #define CFE_TBL_ASSUMED_VALID_INF_EID 23 TBL Validate Table Valid Due To No Validation Function Event ID.
Type: INFORMATION
Cause:

TBL Validate Table Command marking table as valid due to no validation function being registered.

Definition at line 180 of file cfe_tbl_eventids.h.

11.96.2.4 CFE_TBL_CC1_ERR_EID #define CFE_TBL_CC1_ERR_EID 51 TBL Invalid Command Code Received Event ID.
Type: ERROR
Cause:
Invalid command code for message ID CFE_TBL_CMD_MID received on the TBL message pipe. Definition at line 246 of file cfe_tbl_eventids.h.
11.96.2.5 CFE_TBL_CDS_DELETE_ERR_EID #define CFE_TBL_CDS_DELETE_ERR_EID 86 TBL Delete Table CDS Command Internal Error Event ID.
Type: ERROR
Cause:
TBL Delete Table CDS Command failure due to an internal error. See the system log for more information. Definition at line 640 of file cfe_tbl_eventids.h.
11.96.2.6 CFE_TBL_CDS_DELETED_INFO_EID #define CFE_TBL_CDS_DELETED_INFO_EID 38 TBL Delete Table CDS Command Success Event ID.
Type: INFORMATION
Cause:
TBL Delete Table CDS Command success. Definition at line 224 of file cfe_tbl_eventids.h.
11.96.2.7 CFE_TBL_CDS_NOT_FOUND_ERR_EID #define CFE_TBL_CDS_NOT_FOUND_ERR_EID 85 TBL Delete Table CDS Command Not In CDS Registry Event ID.
Type: ERROR
Cause:
TBL Delete Table CDS Command failure due to the table name not found in the CDS registry.

Definition at line 628 of file cfe_tbl_eventids.h.

11.96.2.8 CFE_TBL_CDS_OWNER_ACTIVE_ERR_EID #define CFE_TBL_CDS_OWNER_ACTIVE_ERR_EID 87 TBL Delete Table CDS Command App Active Event ID.
Type: ERROR
Cause:
TBL Delete Table CDS Command failure due to the owning application being active. Definition at line 652 of file cfe_tbl_eventids.h.
11.96.2.9 CFE_TBL_CREATING_DUMP_FILE_ERR_EID #define CFE_TBL_CREATING_DUMP_FILE_ERR_EID 62 TBL Write File Creation Failure Event ID.
Type: ERROR
Cause:
TBL Write Table or Table Registry File failed to create file. OVERLOADED Definition at line 357 of file cfe_tbl_eventids.h.
11.96.2.10 CFE_TBL_DUMP_PENDING_ERR_EID #define CFE_TBL_DUMP_PENDING_ERR_EID 77 TBL Write Table Command Already In Progress Event ID.
Type: ERROR
Cause:
TBL Write Table Command failure due to a dump already in progress for the same table. Definition at line 532 of file cfe_tbl_eventids.h.
11.96.2.11 CFE_TBL_FAIL_HK_SEND_ERR_EID #define CFE_TBL_FAIL_HK_SEND_ERR_EID 56 TBL Send Housekeeping Command Transmit Failure Event ID.
Type: ERROR
Cause:
TBL Send Housekeeping Command failure transmitting the housekeeping message. Definition at line 302 of file cfe, the eventids h

11.96.2.12 CFE_TBL_FAIL_NOTIFY_SEND_ERR_EID #define CFE_TBL_FAIL_NOTIFY_SEND_ERR_EID 89 TBL Send Notification Transmit Failed Event ID.
Type: ERROR
Cause:
TBL send notification transmit message failure. Definition at line 674 of file cfe_tbl_eventids.h.
11.96.2.13 CFE_TBL_FILE_ACCESS_ERR_EID #define CFE_TBL_FILE_ACCESS_ERR_EID 53 TBL Load Table File Open Failure Event ID.
Type: ERROR
Cause:
Load Table failure opening the file. OVERLOADED Definition at line 268 of file cfe_tbl_eventids.h.
11.96.2.14 CFE_TBL_FILE_INCOMPLETE_ERR_EID #define CFE_TBL_FILE_INCOMPLETE_ERR_EID 71 TBL Load Table Incomplete Load Event ID.
Type: ERROR
Cause:
TBL Load Table failure due to inability to read the size of data specified in the table header from file. OVERLOADED Definition at line 462 of file cfe_tbl_eventids.h.
11.96.2.15 CFE_TBL_FILE_LOADED_INF_EID #define CFE_TBL_FILE_LOADED_INF_EID 12 TBL Load Table Command Success Event ID.
Type: INFORMATION
Cause:
TDI Local Table Command accessfully local title and the local title and titl
TBL Load Table Command successfully loaded the new table data to the working buffer.

Definition at line 76 of file cfe_tbl_eventids.h.

11.96.2.16 CFE_TBL_FILE_STD_HDR_ERR_EID #define CFE_TBL_FILE_STD_HDR_ERR_EID 54 TBL Load Table File Read Standard Header Failure Event ID.
Type: ERROR
Cause:
Load Table failure reading the file standard header.
Definition at line 279 of file cfe_tbl_eventids.h.
11.96.2.17 CFE_TBL_FILE_SUBTYPE_ERR_EID #define CFE_TBL_FILE_SUBTYPE_ERR_EID 59
TBL Load Table Invalid File Subtype Event ID.
Type: ERROR
Type. Ention
Cause:
TBL Load Table Failure due to invalid file subtype. Definition at line 335 of file cfe_tbl_eventids.h.
11.96.2.18 CFE_TBL_FILE_TBL_HDR_ERR_EID #define CFE_TBL_FILE_TBL_HDR_ERR_EID 55 TBL Load Table File Read Table Header Failure Event ID.
Type: ERROR
Cause:
Load Table failure reading the file table header. Definition at line 290 of file cfe_tbl_eventids.h.
Definition at time 250 of the de_tbl_eventids.n.
11.96.2.19 CFE_TBL_FILE_TOO_BIG_ERR_EID #define CFE_TBL_FILE_TOO_BIG_ERR_EID 75 TBL Load Table File Excess Data Event ID.
Type: ERROR
Cause:
TDL Load Table failure due to the file booder appoified aims of data being appalled they the patriol data actual data accused in the
TBL Load Table failure due to the file header specified size of data being smaller than the actual data contained in the file. OVERLOADED
Definition at line 508 of file cfe, the eventids h

11.96.2.20 CFE_TBL_FILE_TYPE_ERR_EID #define CFE_TBL_FILE_TYPE_ERR_EID 58 TBL Load Table Invalid File Content ID Event ID.
Type: ERROR
Cause:
TBL Load Table failure due to invalid file content ID. Definition at line 324 of file cfe_tbl_eventids.h.
11.96.2.21 CFE_TBL_HANDLE_ACCESS_ERR_EID #define CFE_TBL_HANDLE_ACCESS_ERR_EID 103 TBL Load Table API Access Violation Event ID.
Type: ERROR
Cause:
CFE_TBL_Load API failure due to the application not owning the table. Definition at line 817 of file cfe_tbl_eventids.h.
11.96.2.22 CFE_TBL_ILLEGAL_BUFF_PARAM_ERR_EID #define CFE_TBL_ILLEGAL_BUFF_PARAM_ERR_EID 80 TBL Validate Or Write Table Command Invalid Buffer Event ID.
Type: ERROR
Cause:
TBL Validate Table Command or TBL Write Table Command failure due to an invalid buffer selection. OVERLOADED Definition at line 568 of file cfe_tbl_eventids.h.
11.96.2.23 CFE_TBL_IN_REGISTRY_ERR_EID #define CFE_TBL_IN_REGISTRY_ERR_EID 82 TBL Delete Table CDS Command For Registered Table Event ID.
Type: ERROR
Cause:
TBL Delete Table CDS Command failure due to the table being currently registered. Definition at line 592 of file cfe tbl eventids.h.

11.96.2.24 CFE_TBL_INIT_INF_EID #define CFE_TBL_INIT_INF_EID 1 TB Initialization Event ID.
Type: INFORMATION
Cause:
Cause:
Table Services Task initialization complete. Definition at line 42 of file cfe_tbl_eventids.h.
11.96.2.25 CFE_TBL_LEN_ERR_EID #define CFE_TBL_LEN_ERR_EID 52 TBL Invalid Command Length Event ID.
Type: ERROR
Cause:
localid locath for the green and Donal account of a decreasing day the TDI account of
Invalid length for the message ID and command code received on the TBL message pipe. Definition at line 257 of file cfe_tbl_eventids.h.
11.96.2.26 CFE_TBL_LOAD_ABORT_ERR_EID #define CFE_TBL_LOAD_ABORT_ERR_EID 69 TBL Abort Table Load No Load Started Event ID.
Type: ERROR
Cause:
TBL Abort Table Load Command failure due to no load in progress. Definition at line 438 of file cfe_tbl_eventids.h.
11.96.2.27 CFE_TBL_LOAD_ABORT_INF_EID #define CFE_TBL_LOAD_ABORT_INF_EID 21 TBL Abort Table Load Success Event ID.
Type: INFORMATION
Cause:
TBL Abort Table Load Command success.

Definition at line 157 of file cfe_tbl_eventids.h.

11.96.2.28 CFE_TBL_LOAD_EXCEEDS_SIZE_ERR_EID #define CFE_TBL_LOAD_EXCEEDS_SIZE_ERR_EID 72 TBL Load Table File Exceeds Table Size Event ID.
Type: ERROR
Cause:
TBL Load Table failure due to the file header specified offset and/or size of data exceeding the table size. OVERLOADED Definition at line 474 of file cfe_tbl_eventids.h.
11.96.2.29 CFE_TBL_LOAD_FILENAME_LONG_ERR_EID #define CFE_TBL_LOAD_FILENAME_LONG_ERR_E↔
TBL Load Table Filename Too Long Event ID.
Type: ERROR
Cause:
Load table filename too long. Definition at line 795 of file cfe_tbl_eventids.h.
11.96.2.30 CFE_TBL_LOAD_IN_PROGRESS_ERR_EID #define CFE_TBL_LOAD_IN_PROGRESS_ERR_EID 100 TBL Load Table API Load Already In Progress Event ID.
Type: ERROR
Cause:
CFE_TBL_Load API failure due to load already in progress. Definition at line 784 of file cfe_tbl_eventids.h.
11.96.2.31 CFE_TBL_LOAD_PEND_REQ_INF_EID #define CFE_TBL_LOAD_PEND_REQ_INF_EID 17 TBL Load Table Pending Notification Success Event ID.
Type: DEBUG
Cause:
TBL load table pending notification successfully sent. Definition at line 134 of file cfe tbl eventids.h.

11.96.2.32 CFE_TBL_LOAD_SUCCESS_INF_EID #define CFE_TBL_LOAD_SUCCESS_INF_EID 35 TBL Load Table API Success Event ID.
Type: DEBUG (the first time) and INFORMATION (normally)
Cause:
CFE_TBL_Load API success for dump only or normal table. OVERLOADED Definition at line 191 of file cfe_tbl_eventids.h.
11.96.2.33 CFE_TBL_LOAD_TBLNAME_MISMATCH_ERR_EID #define CFE_TBL_LOAD_TBLNAME_MISMATCH_E
RR_EID 102 TBL Load Table Name Mismatch Event ID.
Type: ERROR
Cause:
Load table name in the table file header does not match the specified table name. Definition at line 806 of file cfe_tbl_eventids.h.
11.96.2.34 CFE_TBL_LOAD_TYPE_ERR_EID #define CFE_TBL_LOAD_TYPE_ERR_EID 94 TBL Load Table API Invalid Source Type Event ID.
Type: ERROR
Cause:
CFE_TBL_Load API valid due to invalid source type. Definition at line 729 of file cfe_tbl_eventids.h.
11.96.2.35 CFE_TBL_LOAD_VAL_ERR_EID #define CFE_TBL_LOAD_VAL_ERR_EID 93 TBL Validation Function Invalid Return Code Event ID. Type: ERROR
Cause:
Invalid table validation function return code. Definition at line 718 of file cfe_tbl_eventids.h.

11.96.2.36 CFE_TBL_LOADING_A_DUMP_ONLY_ERR_EID #define CFE_TBL_LOADING_A_DUMP_ONLY_ERR_E + ID 79
TBL Load Table For Dump Only Table Event ID.
Type: ERROR
Cause:
TBL Load Table failure due to table being dump only. OVERLOADED Definition at line 555 of file cfe_tbl_eventids.h.
11.96.2.37 CFE_TBL_LOADING_PENDING_ERR_EID #define CFE_TBL_LOADING_PENDING_ERR_EID 88 TBL Load Table Command Load Pending Event ID.
Type: ERROR
Cause:
TBL Load Table Command failed due to a load already pending. Definition at line 663 of file cfe_tbl_eventids.h.
11.96.2.38 CFE_TBL_MID_ERR_EID #define CFE_TBL_MID_ERR_EID 50 TBL Invalid Message ID Received Event ID.
Type: ERROR
Cause:
Invalid message ID received on the TBL message pipe. Definition at line 235 of file cfe_tbl_eventids.h.
11.96.2.39 CFE_TBL_NO_INACTIVE_BUFFER_ERR_EID #define CFE_TBL_NO_INACTIVE_BUFFER_ERR_EID 60 TBL Validate Or Write Table Command No Inactive Buffer Event ID.
Type: ERROR
Cause:
TBL Validate Table Command or TBL Write Table Command failure due to requesting non-existent inactive buffer. O

Definition at line 403 of file cfe_tbl_eventids.h.

11.96.2.40 CFE_TBL_NO_SUCH_TABLE_ERR_EID #define CFE_TBL_NO_SUCH_TABLE_ERR_EID 57 TBL Table Name Not Found Event ID.
Type: ERROR
Cause:
TBL command handler unable to find table name. OVERLOADED Definition at line 313 of file cfe_tbl_eventids.h.
11.96.2.41 CFE_TBL_NO_WORK_BUFFERS_ERR_EID #define CFE_TBL_NO_WORK_BUFFERS_ERR_EID 60 TBL Load Or Dump Table No Working Buffers Available Event ID.
Type: ERROR
Cause:
TBL Load or Dump failure due to no working buffers available or internal error. OVERLOADED Definition at line 346 of file cfe_tbl_eventids.h.
11.96.2.42 CFE_TBL_NOOP_INF_EID #define CFE_TBL_NOOP_INF_EID 10 TBL No-op Command Success Event ID.
Type: INFORMATION
Cause:
NO-OP TBL No-op Command success. Definition at line 53 of file cfe_tbl_eventids.h.
11.96.2.43 CFE_TBL_NOT_CRITICAL_TBL_ERR_EID #define CFE_TBL_NOT_CRITICAL_TBL_ERR_EID 83 TBL Delete Table CDS Command Invalid CDS Type Event ID.
Type: ERROR
Cause:
TBI Delete Table CDS Command, failure due to CDS being in the table registry but not registered as a table within F

Definition at line 604 of file cfe_tbl_eventids.h.

11.96.2.44 CFE_TBL_NOT_IN_CRIT_REG_ERR_EID #define CFE_TBL_NOT_IN_CRIT_REG_ERR_EID 84 TBL Delete Table CDS Command Not In Critical Table Registry Event ID.
Type: ERROR
Cause:
TBL Delete Table CDS Command failure due to the table not being in the critical table registry. Definition at line 616 of file cfe_tbl_eventids.h.
11.96.2.45 CFE_TBL_OVERWRITE_DUMP_INF_EID #define CFE_TBL_OVERWRITE_DUMP_INF_EID 13 TBL Write Table To Existing File Success Event ID.
Type: INFORMATION
Cause:
TBL write table to an existing file success.
Definition at line 87 of file cfe_tbl_eventids.h.
11.96.2.46 CFE_TBL_OVERWRITE_REG_DUMP_INF_EID #define CFE_TBL_OVERWRITE_REG_DUMP_INF_EID 15
TBL Write Table Registry To Existing File Success Event ID.
Type: DEBUG
Cause:
TBL Write Table Registry to an existing file completed successfully. Definition at line 109 of file cfe_tbl_eventids.h.
11.96.2.47 CFE_TBL_PARTIAL_LOAD_ERR_EID #define CFE_TBL_PARTIAL_LOAD_ERR_EID 74 TBL Load Table Uninitialized Partial Load Event ID.
Type: ERROR
Cause:
TBL Load Table failure due to attempting a partial load to an uninitialized table. OVERLOADED Definition at line 496 of file cfe_tbl_eventids.h.

11.96.2.48 CFE_TBL_PROCESSOR_ID_ERR_EID #define CFE_TBL_PROCESSOR_ID_ERR_EID 98 TBL Read Header Invalid Processor ID Event ID.
Type: ERROR
Cause:
Invalid processor ID in table file header. Definition at line 773 of file cfe_tbl_eventids.h.
11.96.2.49 CFE_TBL_REGISTER_ERR_EID #define CFE_TBL_REGISTER_ERR_EID 90 TBL Register Table Failed Event ID.
Type: ERROR
Cause:
TDI table as sistentian failure. One sentent lander many information
TBL table registration failure. See system log for more information. Definition at line 685 of file cfe_tbl_eventids.h.
11.96.2.50 CFE_TBL_RESET_INF_EID #define CFE_TBL_RESET_INF_EID 11 TBL Reset Counters Command Success Event ID.
Type: DEBUG
Cause:
TBL Reset Counters Command success. Definition at line 64 of file cfe_tbl_eventids.h.
11.96.2.51 CFE_TBL_SHARE_ERR_EID #define CFE_TBL_SHARE_ERR_EID 91 TBL Share Table Failed Event ID.
Type: ERROR
Cause:
TBL share table failure. See system log for more information.

Definition at line 696 of file cfe_tbl_eventids.h.

11.96.2.52 CFE_TBL_SPACECRAFT_ID_ERR_EID #define CFE_TBL_SPACECRAFT_ID_ERR_EID 97 TBL Read Header Invalid Spacecraft ID Event ID.
Type: ERROR
Cause:
Invalid spacecraft ID in table file header.
Definition at line 762 of file cfe_tbl_eventids.h.
11.06.2.52 CEE TRI TIM DEC CMD INE EID HARGE OPE TRY DEC CMD THE DED 10
11.96.2.53 CFE_TBL_TLM_REG_CMD_INF_EID #define CFE_TBL_TLM_REG_CMD_INF_EID 18 TBL Telemeter Table Registry Entry Command Success Event ID.
Type: DEBUG
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Cause:
TBL Telemeter Table Registry Entry command successfully set the table registry index to telemeter in the next house
keeping packet.
Definition at line 146 of file cfe_tbl_eventids.h.
11 06 2 54 CEE TRI TOO MANY DUMPS EDD EID HA CLAR GEE TRY TOO MANY DUMPS EDD EID
11.96.2.54 CFE_TBL_TOO_MANY_DUMPS_ERR_EID #define CFE_TBL_TOO_MANY_DUMPS_ERR_EID 76 TBL Write Table Command Dump Only Control Blocks Exceeded Event ID.
Type: ERROR
Type. Emilian
Cause:
TBL Write Table Command failure due to exceeding the allocated number of control blocks available to write a dump
only table.
Definition at line 520 of file cfe_tbl_eventids.h.
11.96.2.55 CFE_TBL_TOO_MANY_VALIDATIONS_ERR_EID #define CFE_TBL_TOO_MANY_VALIDATIONS_ERR_
EID 67
TBL Validate Table Command Result Storage Exceeded Event ID.
Type: ERROR
Cause:
TBL Validate Table Command failure due to exceeding result storage.

Definition at line 415 of file cfe_tbl_eventids.h.

11.96.2.56 CFE_TBL_UNREGISTER_ERR_EID #define CFE_TBL_UNREGISTER_ERR_EID 92 TBL Unregister Table Failed Event ID.
Type: ERROR
Cause:
TBL unregister table failure. See system log for more information. Definition at line 707 of file cfe_tbl_eventids.h.
11.96.2.57 CFE_TBL_UNVALIDATED_ERR_EID #define CFE_TBL_UNVALIDATED_ERR_EID 81 TBL Activate Table Command Inactive Image Not Validated Event ID.
Type: ERROR
Cause:
TBL Activate Table Command failure due to the inactive image not being validated. Definition at line 580 of file cfe_tbl_eventids.h.
11.96.2.58 CFE_TBL_UPDATE_ERR_EID #define CFE_TBL_UPDATE_ERR_EID 95 TBL Update Table Failed Event ID.
Type: ERROR
Cause:
TBL update table failure due to an internal error. OVERLOADED Definition at line 740 of file cfe_tbl_eventids.h.
11.96.2.59 CFE_TBL_UPDATE_SUCCESS_INF_EID #define CFE_TBL_UPDATE_SUCCESS_INF_EID 37 TBL Update Table Success Event ID.
Type: INFORMATION
Cause:
Table update successfully completed. Definition at line 213 of file cfe, the eventids h

11.96.2.60 CFE_TBL_VAL_REQ_MADE_INF_EID #define CFE_TBL_VAL_REQ_MADE_INF_EID 16 TBL Validate Table Request Success Event ID.
Type: DEBUG
Cause:
TBL Validate Table Command success. Note this event signifies the request to validate the table has been successfully submitted. Completion will generate a CFE_TBL_VALIDATION_INF_EID or CFE_TBL_VALIDATION_ERR_EID event messages. Definition at line 123 of file cfe_tbl_eventids.h.
11.96.2.61 CFE_TBL_VALIDATION_ERR_EID #define CFE_TBL_VALIDATION_ERR_EID 96 TBL Validate Table Validation Failed Event ID. Type: ERROR
Cause:
TBL validate table function indicates validation failed. OVERLOADED Definition at line 751 of file cfe_tbl_eventids.h.
11.96.2.62 CFE_TBL_VALIDATION_INF_EID #define CFE_TBL_VALIDATION_INF_EID 36 TBL Validate Table Success Event ID. Type: INFORMATION
Cause:
Table active or inactive image successfully validated by the registered validation function. OVERLOADED Definition at line 202 of file cfe_tbl_eventids.h.
11.96.2.63 CFE_TBL_WRITE_CFE_HDR_ERR_EID #define CFE_TBL_WRITE_CFE_HDR_ERR_EID 63 TBL Write Standard File Header Failure Event ID. Type: ERROR
Cause:

TBL Write Table or Table Registry File failure writing the standard file header. OVERLOADED

Generated by Doxygen

Definition at line 368 of file cfe_tbl_eventids.h.

11.96.2.64 CFE_TBL_WRITE_DUMP_INF_EID #define CFE_TBL_WRITE_DUMP_INF_EID 14 TBL Write Table To New File Success Event ID. Type: INFORMATION
Cause:
TBL write table to a new file success. Definition at line 98 of file cfe_tbl_eventids.h.
11.96.2.65 CFE_TBL_WRITE_REG_DUMP_INF_EID #define CFE_TBL_WRITE_REG_DUMP_INF_EID 22 TBL Write Table Registry To New File Success Event ID. Type: DEBUG
Cause:
TBL Write Table Registry to a new file completed successfully. Definition at line 168 of file cfe_tbl_eventids.h.
11.96.2.66 CFE_TBL_WRITE_TBL_HDR_ERR_EID #define CFE_TBL_WRITE_TBL_HDR_ERR_EID 64 TBL Write Table File Header Failure Event ID. Type: ERROR
Cause:
TBL Write Table failure writing the table image file header. Definition at line 379 of file cfe_tbl_eventids.h.
11.96.2.67 CFE_TBL_WRITE_TBL_IMG_ERR_EID #define CFE_TBL_WRITE_TBL_IMG_ERR_EID 65 TBL Write Table File Data Failure Event ID. Type: ERROR
Cause:
TBL Write Table failure writing the table data. Definition at line 390 of file cfe_tbl_eventids.h.

11.96.2.68 CFE_TBL_WRITE_TBL_REG_ERR_EID #define CFE_TBL_WRITE_TBL_REG_ERR_EID 68 TBL Write Table Registry File Data Failure Event ID.

Type: ERROR

Cause:

TB Write Table Registry failure writing file data. Definition at line 426 of file cfe tbl eventids.h.

11.96.2.69 CFE_TBL_ZERO_LENGTH_LOAD_ERR_EID #define CFE_TBL_ZERO_LENGTH_LOAD_ERR_EID 73 TBL Load Table File Zero Length Event ID.

Type: ERROR

Cause:

TBL Load Table failure due to the file header specified size of data being zero. Definition at line 485 of file cfe_tbl_eventids.h.

11.97 cfe/modules/time/config/default_cfe_time_extern_typedefs.h File Reference

#include "common_types.h"

Data Structures

struct CFE_TIME_SysTime

Data structure used to hold system time values.

Typedefs

typedef struct CFE_TIME_SysTime CFE_TIME_SysTime_t

Data structure used to hold system time values.

typedef uint8 CFE_TIME_FlagBit_Enum_t

Bit positions of the various clock state flags.

typedef int16 CFE_TIME_ClockState_Enum_t

Enumerated types identifying the quality of the current time.

typedef uint8 CFE_TIME_SourceSelect_Enum_t

Clock Source Selection Parameters.

typedef uint8 CFE_TIME_ToneSignalSelect_Enum_t

Tone Signal Selection Parameters.

typedef uint8 CFE TIME AdjustDirection Enum t

STCF adjustment direction (for both one-time and 1Hz adjustments)

typedef uint8 CFE_TIME_FlywheelState_Enum_t

Fly-wheel status values.

typedef uint8 CFE_TIME_SetState_Enum_t

Clock status values (has the clock been set to correct time)

Enumerations

```
enum CFE TIME FlagBit {
     CFE_TIME_FlagBit_CLKSET = 0, CFE_TIME_FlagBit_FLYING = 1, CFE_TIME_FlagBit_SRCINT = 2,
     CFE TIME FlagBit SIGPRI = 3,
     CFE TIME FlagBit SRVFLY = 4, CFE TIME FlagBit CMDFLY = 5, CFE TIME FlagBit ADDADJ = 6,
     CFE TIME FlagBit ADD1HZ = 7.
     CFE TIME FlagBit ADDTCL = 8, CFE TIME FlagBit SERVER = 9, CFE TIME FlagBit GDTONE = 10 }
        Label definitions associated with CFE_TIME_FlagBit_Enum_t.
   • enum CFE TIME ClockState { CFE TIME ClockState INVALID = -1, CFE TIME ClockState VALID = 0,
     CFE TIME ClockState FLYWHEEL = 1 }
        Label definitions associated with CFE TIME ClockState Enum t.
   • enum CFE_TIME_SourceSelect { CFE_TIME_SourceSelect_INTERNAL = 1, CFE_TIME_SourceSelect_EXTERNAL
     = 2 }
        Label definitions associated with CFE_TIME_SourceSelect_Enum_t.

    enum CFE_TIME_ToneSignalSelect_REDUNDANT

     = 2 }
        Label definitions associated with CFE_TIME_ToneSignalSelect_Enum_t.

    enum CFE TIME AdjustDirection { CFE TIME AdjustDirection ADD = 1, CFE TIME AdjustDirection SUBTRACT

     = 2 }
        Label definitions associated with CFE_TIME_AdjustDirection_Enum_t.
   • enum CFE TIME FlywheelState { CFE TIME FlywheelState NO FLY = 0, CFE TIME FlywheelState IS FLY
        Label definitions associated with CFE TIME FlywheelState Enum t.
   • enum CFE TIME SetState { CFE TIME SetState NOT SET = 0, CFE TIME SetState WAS SET = 1 }
        Label definitions associated with CFE_TIME_SetState_Enum_t.
11.97.1 Detailed Description
Declarations and prototypes for cfe_time_extern_typedefs module
11.97.2 Typedef Documentation
11.97.2.1 CFE_TIME_AdjustDirection_Enum_t typedef uint8 CFE_TIME_AdjustDirection_Enum_t
STCF adjustment direction (for both one-time and 1Hz adjustments)
See also
     enum CFE TIME AdjustDirection
Definition at line 234 of file default cfe time extern typedefs.h.
```

11.97.2.2 CFE_TIME_ClockState_Enum_t typedef int16 CFE_TIME_ClockState_Enum_t Enumerated types identifying the quality of the current time.

Description

The CFE_TIME_ClockState_Enum_t enumerations identify the three recognized states of the current time. If the clock has never been successfully synchronized with the primary onboard clock source, the time is considered to be CFE_TIME_ClockState_INVALID. If the time is currently synchronized (i.e. - the primary synchronization mechanism has not been dropped for any significant amount of time), then the current time is considered to be CFE_TIME_ClockState_VALID. If the time had, at some point in the past, been synchronized, but the synchronization with the primary onboard clock has since been lost, then the time is considered to be CFE_TIME_ClockState_FLYWHEEL. Since different clocks drift at different rates from one another, the accuracy of the time while in CFE_TIME_ClockState_FLYWHEEL is dependent upon the time spent in that state.

See also

```
enum CFE TIME ClockState
```

Definition at line 165 of file default cfe time extern typedefs.h.

11.97.2.3 CFE_TIME_FlagBit_Enum_t typedef uint8 CFE_TIME_FlagBit_Enum_t Bit positions of the various clock state flags.

See also

```
enum CFE_TIME_FlagBit
```

Definition at line 113 of file default cfe time extern typedefs.h.

11.97.2.4 CFE_TIME_FlywheelState_Enum_t typedef uint8 CFE_TIME_FlywheelState_Enum_t Fly-wheel status values.

See also

```
enum CFE TIME FlywheelState
```

Definition at line 257 of file default_cfe_time_extern_typedefs.h.

11.97.2.5 CFE_TIME_SetState_Enum_t typedef uint8 CFE_TIME_SetState_Enum_t Clock status values (has the clock been set to correct time)

See also

```
enum CFE TIME SetState
```

Definition at line 280 of file default_cfe_time_extern_typedefs.h.

11.97.2.6 CFE_TIME_SourceSelect_Enum_t typedef uint8 CFE_TIME_SourceSelect_Enum_t Clock Source Selection Parameters.

See also

```
enum CFE_TIME_SourceSelect
```

Definition at line 188 of file default cfe time extern typedefs.h.

11.97.2.7 CFE_TIME_SysTime_t typedef struct CFE_TIME_SysTime CFE_TIME_SysTime_t Data structure used to hold system time values.

Description

The CFE_TIME_SysTime_t data structure is used to hold time values. Time is referred to as the elapsed time (in seconds and subseconds) since a specified epoch time. The subseconds field contains the number of $2^{(-32)}$ second intervals that have elapsed since the epoch.

11.97.2.8 CFE_TIME_ToneSignalSelect_Enum_t typedef uint8 CFE_TIME_ToneSignalSelect_Enum_t Tone Signal Selection Parameters.

See also

enum CFE_TIME_ToneSignalSelect

Definition at line 211 of file default_cfe_time_extern_typedefs.h.

11.97.3 Enumeration Type Documentation

11.97.3.1 CFE_TIME_AdjustDirection enum CFE_TIME_AdjustDirection Label definitions associated with CFE_TIME_AdjustDirection Enum t.

Enumerator

CFE_TIME_AdjustDirection_ADD	Add time adjustment.
CFE_TIME_AdjustDirection_SUBTRACT	Subtract time adjustment.

Definition at line 216 of file default_cfe_time_extern_typedefs.h.

11.97.3.2 CFE_TIME_ClockState enum CFE_TIME_ClockState Label definitions associated with CFE_TIME_ClockState_Enum_t.

Enumerator

CFE_TIME_ClockState_INVALID	The spacecraft time has not been set since the last clock reset. Times returned by clock routines have no relationship to any ground-based time reference.
CFE_TIME_ClockState_VALID	The spacecraft time has been set at least once since the last clock reset, and it is synchronized with the primary on-board time base. Times returned by clock routines can be trusted.
CFE_TIME_ClockState_FLYWHEEL	The spacecraft time has been set at least once since the last clock reset, but it is not currently synchronized with the primary on-board time base. Times returned by clock routines are a "best guess" based on a non-optimal oscillator.

Definition at line 118 of file default_cfe_time_extern_typedefs.h.

11.97.3.3 CFE_TIME_FlagBit enum CFE_TIME_FlagBit Label definitions associated with CFE_TIME_FlagBit_Enum_t.

Enumerator

CFE_TIME_FlagBit_CLKSET	The spacecraft time has been set.
CFE_TIME_FlagBit_FLYING	This instance of Time Services is flywheeling.
CFE_TIME_FlagBit_SRCINT	The clock source is set to internal.
CFE_TIME_FlagBit_SIGPRI	The clock signal is set to primary.
CFE_TIME_FlagBit_SRVFLY	The Time Server is in flywheel mode.
CFE_TIME_FlagBit_CMDFLY	This instance of Time Services was commanded into flywheel mode.
CFE_TIME_FlagBit_ADDADJ	One time STCF Adjustment is to be done in positive direction.
CFE_TIME_FlagBit_ADD1HZ	1 Hz STCF Adjustment is to be done in a positive direction
CFE_TIME_FlagBit_ADDTCL	Time Client Latency is applied in a positive direction.
CFE_TIME_FlagBit_SERVER	This instance of Time Services is a Time Server.
CFE_TIME_FlagBit_GDTONE	The tone received is good compared to the last tone received.

Definition at line 50 of file default_cfe_time_extern_typedefs.h.

$\begin{array}{lll} \textbf{11.97.3.4} & \textbf{CFE_TIME_FlywheelState} & \texttt{enum CFE_TIME_FlywheelState} \\ \textbf{Label definitions associated with CFE_TIME_FlywheelState_Enum_t}. \end{array}$

Enumerator

CFE_TIME_FlywheelState_NO_FLY	Not in flywheel state.
CFE_TIME_FlywheelState_IS_FLY	In flywheel state.

Definition at line 239 of file default_cfe_time_extern_typedefs.h.

Enumerator

CFE_TIME_SetState_NOT_SET	Spacecraft time has not been set.
CFE_TIME_SetState_WAS_SET	Spacecraft time has been set.

Definition at line 262 of file default_cfe_time_extern_typedefs.h.

11.97.3.6 CFE_TIME_SourceSelect enum CFE_TIME_SourceSelect Label definitions associated with CFE_TIME_SourceSelect_Enum_t.

Enumerator

CFE_TIME_SourceSelect_INTERNAL	Use Internal Source.
CFE_TIME_SourceSelect_EXTERNAL	Use External Source.

Definition at line 170 of file default_cfe_time_extern_typedefs.h.

11.97.3.7 CFE TIME ToneSignalSelect enum CFE_TIME_ToneSignalSelect

Label definitions associated with CFE TIME ToneSignalSelect Enum t.

Enumerator

CFE_TIME_ToneSignalSelect_PRIMARY	Primary Source.
CFE_TIME_ToneSignalSelect_REDUNDANT	Redundant Source.

Definition at line 193 of file default cfe time extern typedefs.h.

cfe/modules/time/config/default cfe time fcncodes.h File Reference

Macros

Time Services Command Codes

- #define CFE_TIME_NOOP_CC 0 /* no-op command */
- #define CFE TIME RESET COUNTERS CC 1 /* reset counters */
- #define CFE_TIME_SEND_DIAGNOSTIC_TLM_CC 2 /* request diagnostic hk telemetry */
- #define CFE_TIME_SET_SOURCE_CC 3 /* set clock source (int vs ext) */
- #define CFE TIME SET STATE CC 4 /* set clock state */
- #define CFE TIME ADD DELAY CC 5 /* add tone delay value */
- #define CFE_TIME_SUB_DELAY_CC 6 /* sub tone delay value */
- #define CFE_TIME_SET_TIME_CC 7 /* set time */
- #define CFE TIME SET MET CC 8 /* set MET */
- #define CFE TIME SET STCF CC 9 /* set STCF */
- #define CFE_TIME_SET_LEAP_SECONDS_CC 10 /* set Leap Seconds */
- #define CFE TIME ADD ADJUST CC 11 /* add one time STCF adjustment */
- #define CFE TIME SUB ADJUST CC 12 /* subtract one time STCF adjustment */
- #define CFE_TIME_ADD_ONEHZ_ADJUSTMENT_CC 13 /* add 1Hz STCF adjustment */
- #define CFE_TIME_SUB_ONEHZ_ADJUSTMENT_CC 14 /* subtract 1Hz STCF adjustment */
- #define CFE_TIME_SET_SIGNAL_CC 15 /* set clock signal (pri vs red) */

11.98.1 Detailed Description

Specification for the CFE Time Services (CFE TIME) command function codes

Note

This file should be strictly limited to the command/function code (CC) macro definitions. Other definitions such as enums, typedefs, or other macros should be placed in the msgdefs.h or msg.h files.

11.98.2 Macro Definition Documentation

```
11.98.2.1 CFE TIME ADD ADJUST CC #define CFE_TIME_ADD_ADJUST_CC 11 /* add one time STCF adjustment
```

Name Add Delta to Spacecraft Time Correlation Factor

Description

This command adjusts the Spacecraft Time Correlation Factor (STCF) by adding the specified value. The new STCF takes effect immediately upon execution of this command.

Command Mnemonic(s) \$sc_\$cpu_TIME_AddSTCFAdj

Command Structure

CFE TIME AddAdjustCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_STCFSecs Housekeeping Telemetry point indicating new STCF seconds value
- \$sc_\$cpu_TIME_STCFSubsecs Housekeeping Telemetry point indicating new STCF subseconds value
- The CFE_TIME_DELTA_EID informational event message will be generated

Error Conditions

- An invalid number of microseconds was specified (must be less than 1 million)
- Platform receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc \$cpu TIME CMDEC command error counter will increment
- Error specific event messages will be issued (CFE TIME DELTA ERR EID or CFE TIME DELTA CFG EID)

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

CFE_TIME_ADD_ADJUST_CC, CFE_TIME_SUB_ADJUST_CC, CFE_TIME_ADD_ONEHZ_ADJUSTMENT_CC, CFE_TIME_SUB_ONEHZ_ADJUSTMENT_CC

Definition at line 521 of file default_cfe_time_fcncodes.h.

11.98.2.2 CFE_TIME_ADD_DELAY_CC #define CFE_TIME_ADD_DELAY_CC 5 /* add tone delay value */

Name Add Time to Tone Time Delay

Description

This command is used to factor out a known, predictable latency between the Time Server and a particular Time Client. The correction is applied (added) to the current time calculation for Time Clients, so this command has no meaning for Time Servers. Each Time Client can have a unique latency setting. The latency value is a positive number of seconds and microseconds that represent the deviation from the time maintained by the Time Server.

Command Mnemonic(s) \$sc_\$cpu_TIME_AddClockLat

Command Structure

```
CFE TIME AddDelayCmd t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_DLatentS, \$sc_\$cpu_TIME_DLatentSs Housekeeping Telemetry point indicating command specified values
- \$sc_\$cpu_TIME_DLatentDir Diagnostic Telemetry point indicating commanded latency direction
- The CFE TIME DELAY EID informational event message will be generated

Error Conditions

- An invalid number of microseconds was specified (must be less than 1 million)
- · Platform receiving the command is not a Time Client

Evidence of Failure may be found in the following telemetry:

- \$sc_\$cpu_TIME_CMDEC command error counter will increment
- Error specific event messages will be issued (CFE_TIME_DELAY_CFG_EID or CFE_TIME_DELAY_ERR_EID)

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

```
CFE_TIME_SUB_DELAY_CC
```

Definition at line 290 of file default cfe time fcncodes.h.

```
11.98.2.3 CFE_TIME_ADD_ONEHZ_ADJUSTMENT_CC #define CFE_TIME_ADD_ONEHZ_ADJUSTMENT_CC 13 /* add 1Hz STCF adjustment */
```

Name Add Delta to Spacecraft Time Correlation Factor each 1Hz

Description

This command has been updated to take actual sub-seconds (1/2³² seconds) rather than micro-seconds as an input argument. This change occurred after the determination was made that one micro-second is too large an increment for a constant 1Hz adjustment.

This command continuously adjusts the Spacecraft Time Correlation Factor (STCF) every second, by adding the specified value. The adjustment to the STCF is applied in the Time Service local 1Hz interrupt handler. As the local 1Hz interrupt is not synchronized to the tone signal, one cannot say when the adjustment will occur, other than once a second, at about the same time relative to the tone.

There was some debate about whether the maximum 1Hz clock drift correction factor would ever need to exceed some small fraction of a second. But, the decision was made to provide the capability to make 1Hz adjustments greater than one second and leave it to the ground system to provide mission specific limits.

Command Mnemonic(s) \$sc_\$cpu_TIME_Add1HzSTCF

Command Structure

CFE TIME Add1HZAdjustmentCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_STCFSecs Housekeeping Telemetry point indicating new STCF seconds value
- \$sc_\$cpu_TIME_STCFSubsecs Housekeeping Telemetry point indicating new STCF subseconds value
- The CFE_TIME_ONEHZ_EID informational event message will be generated

Error Conditions

Platform receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc \$cpu TIME CMDEC command error counter will increment
- Error specific event message will be issued (CFE_TIME_ONEHZ_CFG_EID)

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

CFE_TIME_ADD_ADJUST_CC, CFE_TIME_SUB_ADJUST_CC, CFE_TIME_SUB_ONEHZ_ADJUSTMENT_CC

Definition at line 601 of file default_cfe_time_fcncodes.h.

```
11.98.2.4 CFE TIME NOOP CC #define CFE_TIME_NOOP_CC 0 /* no-op command */
```

Name Time No-Op

Description

This command performs no other function than to increment the command execution counter. The command may be used to verify general aliveness of the Time Services task.

Command Mnemonic(s) \$sc_\$cpu_TIME_NOOP

Command Structure

```
CFE_TIME_NoopCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- The CFE TIME NOOP EID informational event message will be generated

Error Conditions

There are no error conditions for this command. If the Time Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

None

See also

Definition at line 66 of file default cfe time fcncodes.h.

```
11.98.2.5 CFE_TIME_RESET_COUNTERS_CC #define CFE_TIME_RESET_COUNTERS_CC 1 /* reset counters */
```

Name Time Reset Counters

Description

This command resets the following counters within the Time Services Housekeeping Telemetry:

- Command Execution Counter (\$sc_\$cpu_TIME_CMDPC)
- Command Error Counter (\$sc_\$cpu_TIME_CMDEC) This command also resets the following counters within the Time Services Diagnostic Telemetry :
- Tone Signal Detected Software Bus Message Counter (\$sc_\$cpu_TIME_DTSDetCNT)
- Time at the Tone Data Software Bus Message Counter (\$sc_\$cpu_TIME_DTatTCNT)
- Tone Signal/Data Verify Counter (\$sc_\$cpu_TIME_DVerifyCNT)
- Tone Signal/Data Error Counter (\$sc_\$cpu_TIME_DVerifyER)
- Tone Signal Interrupt Counter (\$sc_\$cpu_TIME_DTsISRCNT)
- Tone Signal Interrupt Error Counter (\$sc_\$cpu_TIME_DTsISRERR)
- Tone Signal Task Counter (\$sc_\$cpu_TIME_DTsTaskCNT)
- Local 1 Hz Interrupt Counter (\$sc_\$cpu_TIME_D1HzISRCNT)
- Local 1 Hz Task Counter (\$sc_\$cpu_TIME_D1HzTaskCNT)
- Reference Time Version Counter (\$sc_\$cpu_TIME_DVersionCNT)

Command Mnemonic(s) \$sc \$cpu TIME ResetCtrs

Command Structure

```
CFE_TIME_ResetCountersCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will reset to 0
- \$sc_\$cpu_TIME_CMDEC command error counter will reset to 0
- The CFE TIME RESET EID informational event message will be generated

Error Conditions

There are no error conditions for this command. If the Time Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is reset unconditionally.

Criticality

None

See also

Definition at line 111 of file default cfe time fcncodes.h.

11.98.2.6 CFE_TIME_SEND_DIAGNOSTIC_TLM_CC #define CFE_TIME_SEND_DIAGNOSTIC_TLM_CC 2 /* request diagnostic hk telemetry */

Name Request TIME Diagnostic Telemetry

Description

This command requests that the Time Service generate a message containing various data values not included in the normal Time Service housekeeping message. The command requests only a single copy of the diagnostic message. Refer to CFE_TIME_DiagnosticTIm_t for a description of the Time Service diagnostic message contents

Command Mnemonic(s) \$sc \$cpu TIME RequestDiag

Command Structure

CFE_TIME_SendDiagnosticCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- Sequence Counter for CFE_TIME_DiagnosticTIm_t will increment
- The CFE TIME DIAG EID debug event message will be generated

Error Conditions

There are no error conditions for this command. If the Time Services receives the command, the event and telemetry is sent (although one or both may be filtered by EVS and TO) and the counter is incremented unconditionally.

Criticality

None

See also

Definition at line 145 of file default cfe time fcncodes.h.

11.98.2.7 CFE_TIME_SET_LEAP_SECONDS_CC #define CFE_TIME_SET_LEAP_SECONDS_CC 10 /* set Leap Seconds */

Name Set Leap Seconds

Description

This command sets the spacecraft Leap Seconds to the specified value. Leap Seconds may be positive or negative, and there is no limit to the value except, of course, the limit imposed by the 16 bit signed integer data type. The new Leap Seconds value takes effect immediately upon execution of this command.

Command Mnemonic(s) \$sc_\$cpu_TIME_SetClockLeap

Command Structure

CFE_TIME_SetLeapSecondsCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_LeapSecs Housekeeping Telemetry point indicating new Leap seconds value
- The CFE_TIME_LEAPS_EID informational event message will be generated

Error Conditions

· Platform receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc_\$cpu_TIME_CMDEC command error counter will increment
- Error specific event messages will be issued (CFE_TIME_LEAPS_CFG_EID)

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

```
CFE_TIME_SET_TIME_CC, CFE_TIME_SET_MET_CC, CFE_TIME_SET_STCF_CC
```

Definition at line 485 of file default_cfe_time_fcncodes.h.

```
11.98.2.8 CFE TIME SET MET CC #define CFE_TIME_SET_MET_CC 8 /* set MET */
```

Name Set Mission Elapsed Time

Description

This command sets the Mission Elapsed Timer (MET) to the specified value.

Note that the MET (as implemented for cFE Time Service) is a logical representation and not a physical timer. Thus, setting the MET is not dependent on whether the hardware supports a MET register that can be written to.

Note also that Time Service "assumes" that during normal operation, the MET is synchronized to the tone signal. Therefore, unless operating in FLYWHEEL mode, the sub-seconds portion of the MET will be set to zero at the next tone signal interrupt.

The new MET takes effect immediately upon execution of this command.

Command Mnemonic(s) \$sc_\$cpu_TIME_SetClockMET

Command Structure

CFE_TIME_SetMETCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_METSecs Housekeeping Telemetry point indicating new MET seconds value
- \$sc_\$cpu_TIME_METSubsecs Housekeeping Telemetry point indicating new MET subseconds value
- The CFE_TIME_MET_EID informational event message will be generated

Error Conditions

- An invalid number of microseconds was specified (must be less than 1 million)
- Platform receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc_\$cpu_TIME_CMDEC command error counter will increment
- Error specific event messages will be issued (CFE_TIME_MET_CFG_EID or CFE_TIME_MET_ERR_EID)

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

CFE_TIME_SET_TIME_CC, CFE_TIME_SET_STCF_CC, CFE_TIME_SET_LEAP_SECONDS_CC

Definition at line 413 of file default cfe time fcncodes.h.

11.98.2.9 CFE_TIME_SET_SIGNAL_CC #define CFE_TIME_SET_SIGNAL_CC 15 /* set clock signal (pri vs red) */

Name Set Tone Signal Source

Description

This command selects the Time Service tone signal source. Although the list of potential tone signal sources is mission specific, a common choice is the selection of primary or redundant tone signal. The selection may be available to both the Time Server and Time Clients, depending on hardware configuration.

Notes:

• This command is only valid when the CFE_PLATFORM_TIME_CFG_SIGNAL configuration parameter in the cfe platform cfg.h file has been set to true.

Command Mnemonic(s) \$sc_\$cpu_TIME_SetSignal

Command Structure

CFE TIME SetSignalCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_DSignal Diagnostic Telemetry point will indicate the command specified value
- The CFE TIME SIGNAL EID informational event message will be generated

Error Conditions

- Invalid Signal selection (a value other than CFE_TIME_ToneSignalSelect_PRIMARY or CFE_TIME_ToneSignalSelect_REDUN was specified)
- · Multiple Tone Signal Sources not available on this platform

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_TIME_CMDEC Command Error counter will increment
- Error specific event message (either CFE_TIME_SIGNAL_CFG_EID or CFE_TIME_SIGNAL_ERR_EID)

Criticality

Although tone signal source selection is important, this command is not critical

See also

CFE_TIME_SET_STATE_CC, CFE_TIME_SET_SOURCE_CC

Definition at line 691 of file default cfe time fcncodes.h.

11.98.2.10 CFE_TIME_SET_SOURCE_CC #define CFE_TIME_SET_SOURCE_CC 3 /* set clock source (int vs ext) */

Name Set Time Source

Description

This command selects the Time Service clock source. Although the list of potential clock sources is mission specific and defined via configuration parameters, this command provides a common method for switching between the local processor clock and an external source for time data.

When commanded to accept external time data (GPS, MET, spacecraft time, etc.), the Time Server will enable input via an API function specific to the configuration definitions for the particular source. When commanded to use internal time data, the Time Server will ignore the external data. However, the Time Server will continue to use the API function as the trigger to generate a "time at the tone" command packet regardless of the internal/external command selection.

Notes:

- Operating in FLYWHEEL mode is not considered a choice related to clock source, but rather an element of the clock state. See below for a description of the CFE_TIME_SET_STATE_CC command.
- This command is only valid when the CFE_PLATFORM_TIME_CFG_SOURCE configuration parameter in the cfe_platform_cfg.h file has been set to true.

Command Mnemonic(s) \$sc_\$cpu_TIME_SetSource

Command Structure

CFE_TIME_SetSourceCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu TIME CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_DSource Diagnostic Telemetry point will indicate the command specified value
- The CFE_TIME_SOURCE_EID informational event message will be generated

Error Conditions

- Invalid Source selection (a value other than CFE_TIME_SourceSelect_INTERNAL or CFE_TIME_SourceSelect_EXTERNAL was specified)
- · Time source selection not allowed on this platform

Evidence of failure may be found in the following telemetry:

- \$sc \$cpu TIME CMDEC Command Error counter will increment
- Error specific event message (either CFE TIME SOURCE CFG EID or CFE TIME SOURCE ERR EID)

Criticality

Although clock source selection is important, this command is not critical.

See also

```
CFE_TIME_SET_STATE_CC, CFE_TIME_SET_SIGNAL_CC
```

Definition at line 195 of file default cfe time fcncodes.h.

11.98.2.11 CFE_TIME_SET_STATE_CC #define CFE_TIME_SET_STATE_CC 4 /* set clock state */

Name Set Time State

Description

This command indirectly affects the Time Service on-board determination of clock state. Clock state is a combination of factors, most significantly whether the spacecraft time has been accurately set, and whether Time Service is operating in FLYWHEEL mode.

This command may be used to notify the Time Server that spacecraft time is now correct, or that time is no longer correct. This information will be distributed to Time Clients, and in turn, to any interested sub-systems.

Also, this command may be used to force a Time Server or Time Client into FLYWHEEL mode. Use of F← LYWHEEL mode is mainly for debug purposes although in extreme circumstances, it may be of value to force Time Service not to rely on normal time updates. Note that when commanded into FLYWHEEL mode, the Time Service will remain so until receipt of another "set state" command setting the state into a mode other than FLYWHEEL.

Note also that setting the clock state to VALID or INVALID on a Time Client that is currently getting time updates from the Time Server will have very limited effect. As soon as the Time Client receives the next time update, the VALID/INVALID selection will be set to that of the Time Server. However, setting a Time Client to FLYWHEEL cannot be overridden by the Time Server since the Time Client will ignore time updates from the Time Server while in FLYWHEEL mode.

Command Mnemonic(s) \$sc \$cpu TIME SetState

Command Structure

CFE_TIME_SetStateCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_StateF1g, \$sc_\$cpu_TIME_FlagSet, \$sc_\$cpu_TIME_FlagFly, \$sc_\$cpu_TIME_←
 FlagSrc, \$sc_\$cpu_TIME_FlagPri, \$sc_\$cpu_TIME_FlagSfly, \$sc_\$cpu_TIME_FlagCfly, \$sc_\$cpu_TIME
 FlagAdjd, \$sc_\$cpu_TIME_Flag1Hzd, \$sc_\$cpu_TIME_FlagClat, \$sc_\$cpu_TIME_FlagSorC, \$sc_\$cpu←
 TIME_FlagNIU Housekeeping Telemetry point "may" indicate the command specified value (see above)
- The CFE_TIME_STATE_EID informational event message will be generated

Error Conditions

- Invalid State selection (a value other than CFE_TIME_ClockState_INVALID, CFE_TIME_ClockState_VALID or CFE_TIME_ClockState_FLYWHEEL was specified)
- · Time source selection not allowed on this platform

Evidence of failure may be found in the following telemetry:

- \$sc \$cpu TIME CMDEC Command Error counter will increment
- Error specific event message (CFE_TIME_STATE_ERR_EID)

Criticality

Setting Time Service into FLYWHEEL mode is not particularly hazardous, as the result may be that the calculation of spacecraft time is done using a less than optimal timer. However, inappropriately setting the clock state to $V \leftarrow$ ALID (indicating that spacecraft time is accurate) may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

```
CFE_TIME_SET_SOURCE_CC, CFE_TIME_SET_SIGNAL_CC
```

Definition at line 252 of file default cfe time fcncodes.h.

```
11.98.2.12 CFE_TIME_SET_STCF_CC #define CFE_TIME_SET_STCF_CC 9 /* set STCF */
```

Name Set Spacecraft Time Correlation Factor

Description

This command sets the Spacecraft Time Correlation Factor (STCF) to the specified value. This command differs from the previously described SET CLOCK in the nature of the command argument. This command sets the STCF value directly, rather than extracting the STCF from a value representing the total of MET, STCF and optionally, Leap Seconds. The new STCF takes effect immediately upon execution of this command.

Command Mnemonic(s) \$sc_\$cpu_TIME_SetClockSTCF

Command Structure

```
CFE TIME SetSTCFCmd t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_STCFSecs Housekeeping Telemetry point indicating new STCF seconds value
- \$sc_\$cpu_TIME_STCFSubsecs Housekeeping Telemetry point indicating new STCF subseconds value
- The CFE_TIME_STCF_EID informational event message will be generated

Error Conditions

- · An invalid number of microseconds was specified (must be less than 1 million)
- · Platform receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc_\$cpu_TIME_CMDEC command error counter will increment
- Error specific event messages will be issued (CFE_TIME_STCF_CFG_EID or CFE_TIME_STCF_ERR_EID)

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

```
CFE_TIME_SET_TIME_CC, CFE_TIME_SET_MET_CC, CFE_TIME_SET_LEAP_SECONDS_CC
```

Definition at line 450 of file default cfe time fcncodes.h.

```
11.98.2.13 CFE_TIME_SET_TIME_CC #define CFE_TIME_SET_TIME_CC 7 /* set time */
```

Name Set Spacecraft Time

Description

This command sets the spacecraft clock to a new value, regardless of the current setting (time jam). The new time value represents the desired offset from the mission-defined time epoch and takes effect immediately upon execution of this command. Time Service will calculate a new STCF value based on the current MET and the desired new time using one of the following:

If Time Service is configured to compute current time as TAI

- STCF = (new time) (current MET)
- (current time) = (current MET) + STCF

If Time Service is configured to compute current time as UTC

- STCF = ((new time) (current MET)) + (Leap Seconds)
- (current time) = ((current MET) + STCF) (Leap Seconds)

Command Mnemonic(s) \$sc_\$cpu_TIME_SetClock

Command Structure

```
CFE TIME_SetTimeCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_STCFSecs Housekeeping Telemetry point indicating newly calculated STCF seconds value
- \$sc_\$cpu_TIME_STCFSubsecs Housekeeping Telemetry point indicating newly calculated STCF subseconds value
- The CFE_TIME_TIME_EID informational event message will be generated

Error Conditions

- An invalid number of microseconds was specified (must be less than 1 million)
- · Platform receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc_\$cpu_TIME_CMDEC command error counter will increment
- Error specific event messages will be issued (CFE TIME TIME CFG EID or CFE TIME TIME ERR EID)

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

```
CFE_TIME_SET_MET_CC, CFE_TIME_SET_STCF_CC, CFE_TIME_SET_LEAP_SECONDS_CC
```

Definition at line 373 of file default cfe time fcncodes.h.

11.98.2.14 CFE_TIME_SUB_ADJUST_CC #define CFE_TIME_SUB_ADJUST_CC 12 /* subtract one time STCF adjustment */

Name Subtract Delta from Spacecraft Time Correlation Factor

Description

This command adjusts the Spacecraft Time Correlation Factor (STCF) by subtracting the specified value. The new STCF takes effect immediately upon execution of this command.

Command Mnemonic(s) \$sc_\$cpu_TIME_SubSTCFAdj

Command Structure

CFE TIME SubAdjustCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu TIME CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_STCFSecs Housekeeping Telemetry point indicating new STCF seconds value
- \$sc_\$cpu_TIME_STCFSubsecs Housekeeping Telemetry point indicating new STCF subseconds value
- The CFE_TIME_DELTA_EID informational event message will be generated

Error Conditions

- An invalid number of microseconds was specified (must be less than 1 million)
- · Platform receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc_\$cpu_TIME_CMDEC command error counter will increment
- Error specific event messages will be issued (CFE TIME DELTA ERR EID or CFE TIME DELTA CFG EID)

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

CFE_TIME_ADD_ADJUST_CC, CFE_TIME_ADD_ONEHZ_ADJUSTMENT_CC, CFE_TIME_SUB_ONEHZ_ADJUSTMENT_CC

Definition at line 555 of file default_cfe_time_fcncodes.h.

11.98.2.15 CFE TIME SUB DELAY CC #define CFE_TIME_SUB_DELAY_CC 6 /* sub tone delay value */

Name Subtract Time from Tone Time Delay

Description

This command is used to factor out a known, predictable latency between the Time Server and a particular Time Client. The correction is applied (subtracted) to the current time calculation for Time Clients, so this command has no meaning for Time Servers. Each Time Client can have a unique latency setting. The latency value is a positive number of seconds and microseconds that represent the deviation from the time maintained by the Time Server.

Note that it is unimaginable that the seconds value will ever be anything but zero.

Command Mnemonic(s) \$sc_\$cpu_TIME_SubClockLat

Command Structure

```
CFE_TIME_SubDelayCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_DLatentS, \$sc_\$cpu_TIME_DLatentSs Housekeeping Telemetry point indicating command specified values
- \$sc_\$cpu_TIME_DLatentDir Diagnostic Telemetry point indicating commanded latency direction
- The CFE_TIME_DELAY_EID informational event message will be generated

Error Conditions

- An invalid number of microseconds was specified (must be less than 1 million)
- · Platform receiving the command is not a Time Client

Evidence of Failure may be found in the following telemetry:

- \$sc \$cpu TIME CMDEC command error counter will increment
- Error specific event messages will be issued (CFE TIME DELAY CFG EID or CFE TIME DELAY ERR EID)

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

```
CFE_TIME_ADD_DELAY_CC
```

Definition at line 328 of file default_cfe_time_fcncodes.h.

```
11.98.2.16 CFE_TIME_SUB_ONEHZ_ADJUSTMENT_CC #define CFE_TIME_SUB_ONEHZ_ADJUSTMENT_CC 14 /* subtract 1Hz STCF adjustment */
```

Name Subtract Delta from Spacecraft Time Correlation Factor each 1Hz

Description

This command has been updated to take actual sub-seconds ($1/2^3$ 2 seconds) rather than micro-seconds as an input argument. This change occurred after the determination was made that one micro-second is too large an increment for a constant 1Hz adjustment.

This command continuously adjusts the Spacecraft Time Correlation Factor (STCF) every second, by subtracting the specified value. The adjustment to the STCF is applied in the Time Service local 1Hz interrupt handler. As the local 1Hz interrupt is not synchronized to the tone signal, one cannot say when the adjustment will occur, other than once a second, at about the same time relative to the tone.

There was some debate about whether the maximum 1Hz clock drift correction factor would ever need to exceed some small fraction of a second. But, the decision was made to provide the capability to make 1Hz adjustments greater than one second and leave it to the ground system to provide mission specific limits.

Command Mnemonic(s) \$sc_\$cpu_TIME_Sub1HzSTCF

Command Structure

CFE TIME Sub1HZAdjustmentCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry: Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu TIME CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_STCFSecs Housekeeping Telemetry point indicating new STCF seconds value
- \$sc_\$cpu_TIME_STCFSubsecs Housekeeping Telemetry point indicating new STCF subseconds value
- The CFE_TIME_ONEHZ_EID informational event message will be generated

Error Conditions

· Platform receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc_\$cpu_TIME_CMDEC command error counter will increment
- Error specific event message will be issued (CFE_TIME_ONEHZ_CFG_EID)

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

CFE_TIME_ADD_ADJUST_CC, CFE_TIME_SUB_ADJUST_CC, CFE_TIME_ADD_ONEHZ_ADJUSTMENT_CC

Definition at line 649 of file default cfe time fcncodes.h.

11.99 cfe/modules/time/config/default_cfe_time_interface_cfg.h File Reference

Macros

- #define CFE MISSION TIME CFG DEFAULT TAI true
- #define CFE MISSION TIME CFG DEFAULT UTC false
- #define CFE MISSION TIME CFG FAKE TONE true
- #define CFE_MISSION_TIME_AT_TONE_WAS true
- #define CFE_MISSION_TIME_AT_TONE_WILL_BE false
- #define CFE MISSION TIME MIN ELAPSED 0
- #define CFE MISSION TIME MAX ELAPSED 200000
- #define CFE_MISSION_TIME_DEF_MET_SECS 1000
- #define CFE MISSION TIME DEF MET SUBS 0
- #define CFE_MISSION_TIME_DEF_STCF_SECS 1000000
- #define CFE MISSION TIME DEF STCF SUBS 0
- #define CFE MISSION TIME DEF LEAPS 37
- #define CFE MISSION TIME DEF DELAY SECS 0
- #define CFE MISSION TIME DEF DELAY SUBS 1000
- #define CFE_MISSION_TIME_EPOCH_YEAR 1980
- #define CFE MISSION TIME EPOCH DAY 1
- #define CFE_MISSION_TIME_EPOCH_HOUR 0
- #define CFE MISSION TIME EPOCH MINUTE 0
- #define CFE MISSION TIME EPOCH SECOND 0
- #define CFE_MISSION_TIME_EPOCH_MICROS 0
- #define CFE MISSION TIME FS FACTOR 789004800

11.99.1 Detailed Description

CFE Time Services (CFE_TIME) Application Public Definitions

This provides default values for configurable items that affect the interface(s) of this module. This includes the CMD/TLM message interface, tables definitions, and any other data products that serve to exchange information with other entities. Note

This file may be overridden/superceded by mission-provided defintions either by overriding this header or by generating definitions from a command/data dictionary tool.

11.99.2 Macro Definition Documentation

11.99.2.1 CFE MISSION TIME AT TONE WAS #define CFE_MISSION_TIME_AT_TONE_WAS true

Purpose Default Time and Tone Order

Description:

Time Services may be configured to expect the time at the tone data packet to either precede or follow the tone signal. If the time at the tone data packet follows the tone signal, then the data within the packet describes what the time "was" at the tone. If the time at the tone data packet precedes the tone signal, then the data within the packet describes what the time "will be" at the tone. One, and only one, of the following symbols must be set to true:

- CFE_MISSION_TIME_AT_TONE_WAS
- CFE_MISSION_TIME_AT_TONE_WILL_BE Note: If Time Services is defined as using a simulated tone signal (see CFE_MISSION_TIME_CFG_FAKE_TONE above), then the tone data packet must follow the tone signal.

Limits

Either CFE_MISSION_TIME_AT_TONE_WAS or CFE_MISSION_TIME_AT_TONE_WILL_BE must be set to true. They may not both be true and they may not both be false.

Definition at line 88 of file default_cfe_time_interface_cfg.h.

11.99.2.2 CFE_MISSION_TIME_AT_TONE_WILL_BE #define CFE_MISSION_TIME_AT_TONE_WILL_BE false Definition at line 89 of file default_cfe_time_interface_cfg.h.

11.99.2.3 CFE_MISSION_TIME_CFG_DEFAULT_TAI #define CFE_MISSION_TIME_CFG_DEFAULT_TAI true

Purpose Default Time Format

Description:

The following definitions select either UTC or TAI as the default (mission specific) time format. Although it is possible for an application to request time in a specific format, most callers should use CFE_TIME_GetTime(), which returns time in the default format. This avoids having to modify each individual caller when the default choice is changed.

Limits

if CFE_MISSION_TIME_CFG_DEFAULT_TAI is defined as true then CFE_MISSION_TIME_CFG_DEFAULT_ ← UTC must be defined as false. if CFE_MISSION_TIME_CFG_DEFAULT_TAI is defined as false then CFE_MI ← SSION_TIME_CFG_DEFAULT_UTC must be defined as true.

Definition at line 52 of file default_cfe_time_interface_cfg.h.

11.99.2.4 CFE_MISSION_TIME_CFG_DEFAULT_UTC #define CFE_MISSION_TIME_CFG_DEFAULT_UTC false Definition at line 53 of file default_cfe_time_interface_cfg.h.

11.99.2.5 CFE_MISSION_TIME_CFG_FAKE_TONE #define CFE_MISSION_TIME_CFG_FAKE_TONE true

Purpose Default Time Format

Description:

The following definition enables the use of a simulated time at the tone signal using a software bus message.

Limits

Not Applicable

Definition at line 65 of file default cfe time interface cfg.h.

11.99.2.6 CFE_MISSION_TIME_DEF_DELAY_SECS #define CFE_MISSION_TIME_DEF_DELAY_SECS 0 Definition at line 147 of file default cfe time interface cfg.h.

11.99.2.7 CFE_MISSION_TIME_DEF_DELAY_SUBS #define CFE_MISSION_TIME_DEF_DELAY_SUBS 1000 Definition at line 148 of file default cfe time interface cfg.h.

11.99.2.8 CFE_MISSION_TIME_DEF_LEAPS #define CFE_MISSION_TIME_DEF_LEAPS 37 Definition at line 145 of file default_cfe_time_interface_cfg.h.

11.99.2.9 CFE_MISSION_TIME_DEF_MET_SECS #define CFE_MISSION_TIME_DEF_MET_SECS 1000

Purpose Default Time Values

Description:

Default time values are provided to avoid problems due to time calculations performed after startup but before commands can be processed. For example, if the default time format is UTC then it is important that the sum of MET and STCF always exceed the value of Leap Seconds to prevent the UTC time calculation (time = MET + STCF - Leap Seconds) from resulting in a negative (very large) number.

Some past missions have also created known (albeit wrong) default timestamps. For example, assume the epoch is defined as Jan 1, 1970 and further assume the default time values are set to create a timestamp of Jan 1, 2000. Even though the year 2000 timestamps are wrong, it may be of value to keep the time within some sort of bounds acceptable to the software.

Note: Sub-second units are in micro-seconds (0 to 999,999) and all values must be defined

Limits

Not Applicable

Definition at line 139 of file default cfe time interface cfg.h.

11.99.2.10 CFE_MISSION_TIME_DEF_MET_SUBS #define CFE_MISSION_TIME_DEF_MET_SUBS 0 Definition at line 140 of file default_cfe_time_interface_cfg.h.

11.99.2.11 CFE_MISSION_TIME_DEF_STCF_SECS #define CFE_MISSION_TIME_DEF_STCF_SECS 1000000 Definition at line 142 of file default_cfe_time_interface_cfg.h.

11.99.2.12 CFE_MISSION_TIME_DEF_STCF_SUBS #define CFE_MISSION_TIME_DEF_STCF_SUBS 0 Definition at line 143 of file default_cfe_time_interface_cfg.h.

11.99.2.13 CFE_MISSION_TIME_EPOCH_DAY #define CFE_MISSION_TIME_EPOCH_DAY 1 Definition at line 166 of file default_cfe_time_interface_cfg.h.

11.99.2.14 CFE_MISSION_TIME_EPOCH_HOUR #define CFE_MISSION_TIME_EPOCH_HOUR 0 Definition at line 167 of file default cfe time interface cfg.h.

11.99.2.15 CFE_MISSION_TIME_EPOCH_MICROS #define CFE_MISSION_TIME_EPOCH_MICROS 0 Definition at line 170 of file default cfe time interface cfg.h.

11.99.2.16 CFE_MISSION_TIME_EPOCH_MINUTE #define CFE_MISSION_TIME_EPOCH_MINUTE 0 Definition at line 168 of file default cfe time interface cfg.h.

11.99.2.17 CFE_MISSION_TIME_EPOCH_SECOND #define CFE_MISSION_TIME_EPOCH_SECOND 0 Definition at line 169 of file default_cfe_time_interface_cfg.h.

11.99.2.18 CFE_MISSION_TIME_EPOCH_YEAR #define CFE_MISSION_TIME_EPOCH_YEAR 1980

Purpose Default EPOCH Values

Description:

Default ground time epoch values Note: these values are used only by the CFE TIME Print() API function

Limits

Year - must be within 136 years Day - Jan 1 = 1, Feb 1 = 32, etc. Hour - 0 to 23 Minute - 0 to 59 Second - 0 to 59 Micros - 0 to 999999

Definition at line 165 of file default cfe time interface cfg.h.

11.99.2.19 CFE MISSION TIME FS FACTOR #define CFE_MISSION_TIME_FS_FACTOR 789004800

Purpose Time File System Factor

Description:

Define the s/c vs file system time conversion constant...

Note: this value is intended for use only by CFE TIME API functions to convert time values based on the ground system epoch (s/c time) to and from time values based on the file system epoch (fs time).

FS time = S/C time + factor S/C time = FS time - factor

Worksheet:

S/C epoch = Jan 1, 2005 (LRO ground system epoch) FS epoch = Jan 1, 1980 (vxWorks DOS file system epoch)

Delta = 25 years, 0 days, 0 hours, 0 minutes, 0 seconds

Leap years = 1980, 1984, 1988, 1992, 1996, 2000, 2004 (divisible by 4 - except if by 100 - unless also by 400)

1 year = 31,536,000 seconds 1 day = 86,400 seconds 1 hour = 3,600 seconds 1 minute = 60 seconds

25 years = 788,400,000 seconds 7 extra leap days = 604,800 seconds

total delta = 789,004,800 seconds

Limits

Not Applicable

Definition at line 208 of file default_cfe_time_interface_cfg.h.

11.99.2.20 CFE_MISSION_TIME_MAX_ELAPSED #define CFE_MISSION_TIME_MAX_ELAPSED 200000 Definition at line 114 of file default cfe time interface cfg.h.

11.99.2.21 CFE_MISSION_TIME_MIN_ELAPSED #define CFE_MISSION_TIME_MIN_ELAPSED 0

Purpose Min and Max Time Elapsed

Description:

Based on the definition of Time and Tone Order (CFE_MISSION_TIME_AT_TONE_WAS/WILL_BE) either the "time at the tone" signal or data packet will follow the other. This definition sets the valid window of time for the second of the pair to lag behind the first. Time Services will invalidate both the tone and packet if the second does not arrive within this window following the first.

For example, if the data packet follows the tone, it might be valid for the data packet to arrive between zero and 100,000 micro-seconds after the tone. But, if the tone follows the packet, it might be valid only if the packet arrived between 200,000 and 700,000 micro-seconds before the tone.

Note: units are in micro-seconds

Limits

0 to 999,999 decimal

Definition at line 113 of file default cfe time interface cfg.h.

11.100 cfe/modules/time/config/default_cfe_time_internal_cfg.h File Reference

Macros

- #define CFE PLATFORM TIME CFG SERVER true
- #define CFE PLATFORM TIME CFG CLIENT false
- #define CFE PLATFORM TIME CFG VIRTUAL true
- #define CFE PLATFORM TIME CFG SIGNAL false
- #define CFE PLATFORM TIME CFG SOURCE false
- #define CFE_PLATFORM_TIME_CFG_SRC_MET false
- #define CFE_PLATFORM_TIME_CFG_SRC_GPS false
- #define CFE_PLATFORM_TIME_CFG_SRC_TIME false
- #define CFE_PLATFORM_TIME_MAX_DELTA_SECS 0
- #define CFE_PLATFORM_TIME_MAX_DELTA_SUBS 500000
- #define CFE PLATFORM TIME MAX LOCAL SECS 27
- #define CFE PLATFORM TIME MAX LOCAL SUBS 0
- #define CFE PLATFORM TIME CFG TONE LIMIT 20000
- #define CFE PLATFORM TIME CFG START FLY 2
- #define CFE PLATFORM TIME CFG LATCH FLY 8
- #define CFE PLATFORM TIME START TASK PRIORITY 60
- #define CFE PLATFORM TIME TONE TASK PRIORITY 25
- #define CFE PLATFORM TIME ONEHZ TASK PRIORITY 25
- #define CFE_PLATFORM_TIME_START_TASK_STACK_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE
- #define CFE PLATFORM TIME TONE TASK STACK SIZE 4096
- #define CFE PLATFORM TIME ONEHZ TASK STACK SIZE 8192

11.100.1 Detailed Description

CFE Time Service (CFE_TIME) Application Private Config Definitions

This provides default values for configurable items that are internal to this module and do NOT affect the interface(s) of this module. Changes to items in this file only affect the local module and will be transparent to external entities that are using the public interface(s).

Note

This file may be overridden/superceded by mission-provided defintions either by overriding this header or by generating definitions from a command/data dictionary tool.

11.100.2 Macro Definition Documentation

11.100.2.1 CFE_PLATFORM_TIME_CFG_CLIENT #define CFE_PLATFORM_TIME_CFG_CLIENT false Definition at line 48 of file default_cfe_time_internal_cfg.h.

11.100.2.2 CFE_PLATFORM_TIME_CFG_LATCH_FLY #define CFE_PLATFORM_TIME_CFG_LATCH_FLY 8

Purpose Define Periodic Time to Update Local Clock Tone Latch

Description:

Define Periodic Time to Update Local Clock Tone Latch. Applies only when in flywheel mode. This define dictates the period at which the simulated 'last tone' time is updated. Units are seconds.

Limits

Not Applicable

Definition at line 205 of file default cfe time internal cfg.h.

11.100.2.3 CFE_PLATFORM_TIME_CFG_SERVER #define CFE_PLATFORM_TIME_CFG_SERVER true

Purpose Time Server or Time Client Selection

Description:

This configuration parameter selects whether the Time task functions as a time "server" or "client". A time server generates the "time at the tone" packet which is received by time clients.

Limits

Enable one, and only one by defining either CFE_PLATFORM_TIME_CFG_SERVER or CFE_PLATFORM_TI ← ME_CFG_CLIENT AS true. The other must be defined as false.

Definition at line 47 of file default_cfe_time_internal_cfg.h.

11.100.2.4 CFE_PLATFORM_TIME_CFG_SIGNAL #define CFE_PLATFORM_TIME_CFG_SIGNAL false

Purpose Include or Exclude the Primary/Redundant Tone Selection Cmd

Description:

Depending on the specific hardware system configuration, it may be possible to switch between a primary and redundant tone signal. If supported by hardware, this definition will enable command interfaces to select the active tone signal. Both Time Clients and Time Servers support this feature. Note: Set the CFE_PLATFORM_TIME_ \leftarrow CFG_SIGNAL define to true to enable tone signal commands.

Limits

Not Applicable

Definition at line 95 of file default cfe time internal cfg.h.

11.100.2.5 CFE_PLATFORM_TIME_CFG_SOURCE #define CFE_PLATFORM_TIME_CFG_SOURCE false

Purpose Include or Exclude the Internal/External Time Source Selection Cmd

Description:

By default, Time Servers maintain time using an internal MET which may be a h/w register or software counter, depending on available hardware. The following definition enables command interfaces to switch between an internal MET, or external time data received from one of several supported external time sources. Only a Time Server may be configured to use external time data. Note: Set the CFE_PLATFORM_TIME_CFG_SOURCE define to true to include the Time Source Selection Command (command allows selection between the internal or external time source). Then choose the external source with the CFE_TIME_CFG_SRC_??? define.

Limits

Only applies if CFE_PLATFORM_TIME_CFG_SERVER is set to true.

Definition at line 115 of file default cfe time internal cfg.h.

11.100.2.6 CFE_PLATFORM_TIME_CFG_SRC_GPS #define CFE_PLATFORM_TIME_CFG_SRC_GPS false Definition at line 132 of file default_cfe_time_internal_cfg.h.

11.100.2.7 CFE_PLATFORM_TIME_CFG_SRC_MET #define CFE_PLATFORM_TIME_CFG_SRC_MET false

Purpose Choose the External Time Source for Server only

Description:

If CFE_PLATFORM_TIME_CFG_SOURCE is set to true, then one of the following external time source types must also be set to true. Do not set any of the external time source types to true unless CFE_PLATFORM_TIME_CFG_SOURCE is set to true.

Limits

- 1. If CFE_PLATFORM_TIME_CFG_SOURCE is set to true then one and only one of the following three external time sources can and must be set true: CFE_PLATFORM_TIME_CFG_SRC_MET, CFE_PLATFORM_TIME_CFG_SRC_GPS, CFE_PLATFORM_TIME_CFG_SRC_TIME
- 2. Only applies if CFE PLATFORM TIME CFG SERVER is set to true.

Definition at line 131 of file default_cfe_time_internal_cfg.h.

11.100.2.8 CFE_PLATFORM_TIME_CFG_SRC_TIME #define CFE_PLATFORM_TIME_CFG_SRC_TIME false Definition at line 133 of file default_cfe_time_internal_cfg.h.

11.100.2.9 CFE_PLATFORM_TIME_CFG_START_FLY #define CFE_PLATFORM_TIME_CFG_START_FLY 2

Purpose Define Time to Start Flywheel Since Last Tone

Description:

Define time to enter flywheel mode (in seconds since last tone data update) Units are microseconds as measured with the local clock.

Limits

Not Applicable

Definition at line 192 of file default_cfe_time_internal_cfg.h.

11.100.2.10 CFE_PLATFORM_TIME_CFG_TONE_LIMIT #define CFE_PLATFORM_TIME_CFG_TONE_LIMIT 20000

Purpose Define Timing Limits From One Tone To The Next

Description:

Defines limits to the timing of the 1Hz tone signal. A tone signal is valid only if it arrives within one second (plus or minus the tone limit) from the previous tone signal. Units are microseconds as measured with the local clock.

Limits

Not Applicable

Definition at line 180 of file default_cfe_time_internal_cfg.h.

11.100.2.11 CFE_PLATFORM_TIME_CFG_VIRTUAL #define CFE_PLATFORM_TIME_CFG_VIRTUAL true

Purpose Time Tone In Big-Endian Order

Description:

If this configuration parameter is defined, the CFE time server will publish time tones with payloads in big-endian order, and time clients will expect the tones to be in big-endian order. This is useful for mixed-endian environments. This will become obsolete once EDS is available and the CFE time tone message is defined.

Purpose Local MET or Virtual MET Selection for Time Servers

Description:

Depending on the specific hardware system configuration, it may be possible for Time Servers to read the "local" MET from a h/w register rather than having to track the MET as the count of tone signal interrupts (virtual MET)

Time Clients must be defined as using a virtual MET. Also, a Time Server cannot be defined as having both a h/w MET and an external time source (they both cannot synchronize to the same tone).

Note: "disable" this define (set to false) only for Time Servers with local hardware that supports a h/w MET that is synchronized to the tone signal !!!

Limits

Only applies if CFE_PLATFORM_TIME_CFG_SERVER is set to true.

Definition at line 80 of file default cfe time internal cfg.h.

11.100.2.12 CFE_PLATFORM_TIME_MAX_DELTA_SECS #define CFE_PLATFORM_TIME_MAX_DELTA_SECS 0

Purpose Define the Max Delta Limits for Time Servers using an Ext Time Source

Description:

If CFE_PLATFORM_TIME_CFG_SOURCE is set to true and one of the external time sources is also set to true, then the delta time limits for range checking is used.

When a new time value is received from an external source, the value is compared against the "expected" time value. If the delta exceeds the following defined amount, then the new time data will be ignored. This range checking is only performed after the clock state has been commanded to "valid". Until then, external time data is accepted unconditionally.

Limits

Applies only if both CFE_PLATFORM_TIME_CFG_SERVER and CFE_PLATFORM_TIME_CFG_SOURCE are set to true.

Definition at line 152 of file default_cfe_time_internal_cfg.h.

11.100.2.13 CFE_PLATFORM_TIME_MAX_DELTA_SUBS #define CFE_PLATFORM_TIME_MAX_DELTA_SU↔
BS 500000

Definition at line 153 of file default_cfe_time_internal_cfg.h.

11.100.2.14 CFE_PLATFORM_TIME_MAX_LOCAL_SECS #define CFE_PLATFORM_TIME_MAX_LOCAL_SECS 27

Purpose Define the Local Clock Rollover Value in seconds and subseconds

Description:

Specifies the capability of the local clock. Indicates the time at which the local clock rolls over.

Limits

Not Applicable

Definition at line 165 of file default_cfe_time_internal_cfg.h.

11.100.2.15 CFE_PLATFORM_TIME_MAX_LOCAL_SUBS #define CFE_PLATFORM_TIME_MAX_LOCAL_SUBS 0 Definition at line 166 of file default cfe time internal cfg.h.

11.100.2.16 CFE_PLATFORM_TIME_ONEHZ_TASK_PRIORITY #define CFE_PLATFORM_TIME_ONEHZ_TASK_P← RIORITY 25

Definition at line 222 of file default_cfe_time_internal_cfg.h.

11.100.2.17 CFE_PLATFORM_TIME_ONEHZ_TASK_STACK_SIZE #define CFE_PLATFORM_TIME_ONEHZ_TASK ← _ STACK_SIZE 8192

Definition at line 241 of file default cfe time internal cfg.h.

11.100.2.18 CFE_PLATFORM_TIME_START_TASK_PRIORITY #define CFE_PLATFORM_TIME_START_TASK_PR

IORITY 60

Purpose Define TIME Task Priorities

Description:

Defines the cFE_TIME Task priority. Defines the cFE_TIME Tone Task priority. Defines the cFE_TIME 1HZ Task priority.

Limits

There is a lower limit of zero and an upper limit of 255 on these configuration parameters. Remember that the meaning of each task priority is inverted – a "lower" number has a "higher" priority.

Definition at line 220 of file default cfe time internal cfg.h.

11.100.2.19 CFE_PLATFORM_TIME_START_TASK_STACK_SIZE #define CFE_PLATFORM_TIME_START_TASK _STACK_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE

Purpose Define TIME Task Stack Sizes

Description:

Defines the cFE_TIME Main Task Stack Size Defines the cFE_TIME Tone Task Stack Size Defines the cFE_TIME 1HZ Task Stack Size

Limits

There is a lower limit of 2048 on these configuration parameters. There are no restrictions on the upper limit however, the maximum stack size is system dependent and should be verified. Most operating systems provide tools for measuring the amount of stack used by a task during operation. It is always a good idea to verify that no more than 1/2 of the stack is used.

Definition at line 239 of file default cfe time internal cfg.h.

11.100.2.20 CFE_PLATFORM_TIME_TONE_TASK_PRIORITY #define CFE_PLATFORM_TIME_TONE_TASK_PRIO←
RITY 25

Definition at line 221 of file default_cfe_time_internal_cfg.h.

11.100.2.21 CFE_PLATFORM_TIME_TONE_TASK_STACK_SIZE #define CFE_PLATFORM_TIME_TONE_TASK_S ← TACK_SIZE 4096

Definition at line 240 of file default_cfe_time_internal_cfg.h.

11.101 cfe/modules/time/config/default cfe time mission cfg.h File Reference

#include "cfe_time_interface_cfg.h"

11.101.1 Detailed Description

CFE Time Services (CFE_TIME) Application Mission Configuration Header File

This is a compatibility header for the "mission_cfg.h" file that has traditionally provided public config definitions for each CFS app.

Note

This file may be overridden/superceded by mission-provided definitions either by overriding this header or by generating definitions from a command/data dictionary tool.

11.102 cfe/modules/time/config/default_cfe_time_msg.h File Reference

```
#include "cfe_mission_cfg.h"
#include "cfe_time_msgdefs.h"
#include "cfe_time_msgstruct.h"
```

11.102.1 Detailed Description

Specification for the CFE Time Services (CFE_TIME) command and telemetry message data types.

This is a compatibility header for the "cfe_time_msg.h" file that has traditionally provided the message definitions for cFS apps.

Note

This file may be overridden/superceded by mission-provided definitions either by overriding this header or by generating definitions from a command/data dictionary tool.

11.103 cfe/modules/time/config/default cfe time msgdefs.h File Reference

```
#include "common_types.h"
#include "cfe_mission_cfg.h"
#include "cfe_time_extern_typedefs.h"
#include "cfe_time_fcncodes.h"
```

Data Structures

struct CFE_TIME_LeapsCmd_Payload

Set leap seconds command payload.

struct CFE_TIME_StateCmd_Payload

Set clock state command payload.

struct CFE TIME SourceCmd Payload

Set time data source command payload.

struct CFE_TIME_SignalCmd_Payload

Set tone signal source command payload.

· struct CFE TIME TimeCmd Payload

Generic seconds, microseconds command payload.

struct CFE TIME OneHzAdjustmentCmd Payload

Generic seconds, subseconds command payload.

struct CFE TIME ToneDataCmd Payload

Time at tone data command payload.

- struct CFE TIME HousekeepingTlm Payload
- struct CFE TIME DiagnosticTlm Payload

Macros

• #define CFE TIME FLAG CLKSET 0x8000

The spacecraft time has been set.

#define CFE_TIME_FLAG_FLYING 0x4000

This instance of Time Services is flywheeling.

#define CFE_TIME_FLAG_SRCINT 0x2000

The clock source is set to "internal".

#define CFE_TIME_FLAG_SIGPRI 0x1000

The clock signal is set to "primary".

• #define CFE_TIME_FLAG_SRVFLY 0x0800

The Time Server is in flywheel mode.

#define CFE TIME FLAG CMDFLY 0x0400

This instance of Time Services was commanded into flywheel mode.

#define CFE_TIME_FLAG_ADDADJ 0x0200

One time STCF Adjustment is to be done in positive direction.

#define CFE_TIME_FLAG_ADD1HZ 0x0100

1 Hz STCF Adjustment is to be done in a positive direction

#define CFE TIME FLAG ADDTCL 0x0080

Time Client Latency is applied in a positive direction.

#define CFE TIME FLAG SERVER 0x0040

This instance of Time Services is a Time Server.

#define CFE_TIME_FLAG_GDTONE 0x0020

The tone received is good compared to the last tone received.

• #define CFE_TIME_FLAG_REFERR 0x0010

GetReference read error, will be set if unable to get a consistent ref value.

#define CFE_TIME_FLAG_UNUSED 0x000F

Reserved flags - should be zero.

Typedefs

- typedef struct CFE_TIME_LeapsCmd_Payload CFE_TIME_LeapsCmd_Payload_t
- typedef struct CFE_TIME_StateCmd_Payload CFE_TIME_StateCmd_Payload_t

Set clock state command payload.

Set leap seconds command payload.

typedef struct CFE_TIME_SourceCmd_Payload CFE_TIME_SourceCmd_Payload_t

Set time data source command payload.

typedef struct CFE_TIME_SignalCmd_Payload CFE_TIME_SignalCmd_Payload_t

Set tone signal source command payload.

typedef struct CFE_TIME_TimeCmd_Payload CFE_TIME_TimeCmd_Payload_t

Generic seconds, microseconds command payload.

typedef struct CFE_TIME_OneHzAdjustmentCmd_Payload CFE_TIME_OneHzAdjustmentCmd_Payload_t
 Generic seconds, subseconds command payload.

typedef struct CFE_TIME_ToneDataCmd_Payload CFE_TIME_ToneDataCmd_Payload_t

Time at tone data command payload.

- typedef struct CFE_TIME_HousekeepingTIm_Payload CFE_TIME_HousekeepingTIm_Payload_t
- typedef struct CFE TIME DiagnosticTlm Payload CFE TIME DiagnosticTlm Payload t

11.103.1 Detailed Description

Specification for the CFE Time Services (CFE_TIME) command and telemetry message constant definitions. For CFE_TIME this is only the function/command code definitions

11.103.2 Typedef Documentation

11.103.2.1 CFE_TIME_DiagnosticTIm_Payload_t typedef struct CFE_TIME_DiagnosticTlm_Payload CFE_TIME_DiagnosticTlm
Name Time Services Diagnostics Packet

11.103.2.2 CFE_TIME_HousekeepingTIm_Payload_t typedef struct CFE_TIME_HousekeepingTlm_Payload CFE_TIME_HousekeepingTlm_Payload_t

Name Time Services Housekeeping Packet

11.103.2.3 CFE_TIME_LeapsCmd_Payload_t typedef struct CFE_TIME_LeapsCmd_Payload CFE_TIME_LeapsCmd_Payload_t Set leap seconds command payload.

11.103.2.4 CFE_TIME_OneHzAdjustmentCmd_Payload_t typedef struct CFE_TIME_OneHzAdjustmentCmd_Payload CFE_TIME_OneHzAdjustmentCmd_Payload_t

Generic seconds, subseconds command payload.

11.103.2.5 CFE_TIME_SignalCmd_Payload_t typedef struct CFE_TIME_SignalCmd_Payload CFE_TIME_SignalCmd_Payload_t Set tone signal source command payload.

11.103.2.6 CFE_TIME_SourceCmd_Payload_t typedef struct CFE_TIME_SourceCmd_Payload CFE_TIME_SourceCmd_Payload_t Set time data source command payload.

11.103.2.7 CFE_TIME_StateCmd_Payload_t typedef struct CFE_TIME_StateCmd_Payload CFE_TIME_StateCmd_Payload_t Set clock state command payload.

11.103.2.8 CFE_TIME_TimeCmd_Payload_t typedef struct CFE_TIME_TimeCmd_Payload CFE_TIME_TimeCmd_Payload_t Generic seconds, microseconds command payload.

11.103.2.9 CFE_TIME_ToneDataCmd_Payload_t typedef struct CFE_TIME_ToneDataCmd_Payload CFE_TIME_ToneDataCmd_Payload.

Time at tone data command payload.

11.104 cfe/modules/time/config/default cfe time msgids.h File Reference

```
#include "cfe_core_api_base_msgids.h"
#include "cfe_time_topicids.h"
```

Macros

- #define CFE_TIME_CMD_MID CFE_PLATFORM_CMD_TOPICID_TO_MIDV(CFE_MISSION_TIME_CMD_TOPICID)
 /* 0x1805 */
- #define CFE_TIME_SEND_HK_MID CFE_PLATFORM_CMD_TOPICID_TO_MIDV(CFE_MISSION_TIME_SEND_HK_TOPICID)
 /* 0x180D */
- #define CFE_TIME_TONE_CMD_MID CFE_PLATFORM_CMD_TOPICID_TO_MIDV(CFE_MISSION_TIME_TONE_CMD_TOPIC
 /* 0x1810 */
- #define CFE_TIME_ONEHZ_CMD_MID CFE_PLATFORM_CMD_TOPICID_TO_MIDV(CFE_MISSION_TIME_ONEHZ_CMD_TOPIC_
- #define CFE_TIME_DATA_CMD_MID CFE_GLOBAL_CMD_TOPICID_TO_MIDV(CFE_MISSION_TIME_DATA_CMD_TOPICID)
 /* 0x1860 */
- #define CFE_TIME_SEND_CMD_MID CFE_GLOBAL_CMD_TOPICID_TO_MIDV(CFE_MISSION_TIME_SEND_CMD_TOPICID)
 /* 0x1862 */
- #define CFE_TIME_HK_TLM_MID CFE_PLATFORM_TLM_TOPICID_TO_MIDV(CFE_MISSION_TIME_HK_TLM_TOPICID)
 /* 0x0805 */
- #define CFE_TIME_DIAG_TLM_MID CFE_PLATFORM_TLM_TOPICID_TO_MIDV(CFE_MISSION_TIME_DIAG_TLM_TOPICID)
 /* 0x0806 */
- #define CFE_TIME_1HZ_CMD_MID CFE_TIME_ONEHZ_CMD_MID

11.104.1 Detailed Description

CFE Time Services (CFE_TIME) Application Message IDs

11.104.2 Macro Definition Documentation

11.104.2.1 CFE_TIME_1HZ_CMD_MID #define CFE_TIME_1HZ_CMD_MID CFE_TIME_ONEHZ_CMD_MID Definition at line 55 of file default_cfe_time_msgids.h.

11.104.2.2 CFE_TIME_CMD_MID #define CFE_TIME_CMD_MID CFE_PLATFORM_CMD_TOPICID_TO_MIDV(CFE_MISSION_TIME_CMD_TOPIC_TOPIC_TO_MIDV(CFE_MISSION_TIME_CMD_TOPIC

Definition at line 32 of file default_cfe_time_msgids.h.

11.104.2.3 CFE_TIME_DATA_CMD_MID #define CFE_TIME_DATA_CMD_MID CFE_GLOBAL_CMD_TOPICID_TO_MIDV(CFE_MISSION_TIM /* 0x1860 */

Definition at line 40 of file default cfe time msgids.h.

11.104.2.4 CFE_TIME_DIAG_TLM_MID #define CFE_TIME_DIAG_TLM_MID CFE_PLATFORM_TLM_TOPICID_TO_MIDV(CFE_MISSION_T: /* 0x0806 */

Definition at line 47 of file default cfe time msgids.h.

11.104.2.5 CFE_TIME_HK_TLM_MID #define CFE_TIME_HK_TLM_MID CFE_PLATFORM_TLM_TOPICID_TO_MIDV(CFE_MISSION_TIME_I /* 0x0805 */

Definition at line 46 of file default cfe time msgids.h.

11.104.2.6 CFE_TIME_ONEHZ_CMD_MID #define CFE_TIME_ONEHZ_CMD_MID CFE_PLATFORM_CMD_TOPICID_TO_MIDV(CFE_MISSIO /* 0x1811 */

Definition at line 35 of file default cfe time msgids.h.

11.104.2.7 CFE_TIME_SEND_CMD_MID #define CFE_TIME_SEND_CMD_MID CFE_GLOBAL_CMD_TOPICID_TO_MIDV(CFE_MISSION_TIME_
/* 0x1862 */

Definition at line 41 of file default_cfe_time_msgids.h.

11.104.2.8 CFE_TIME_SEND_HK_MID #define CFE_TIME_SEND_HK_MID CFE_PLATFORM_CMD_TOPICID_TO_MIDV(CFE_MISSION_TIME /* 0x180D */

Definition at line 33 of file default_cfe_time_msgids.h.

11.104.2.9 CFE_TIME_TONE_CMD_MID #define CFE_TIME_TONE_CMD_MID CFE_PLATFORM_CMD_TOPICID_TO_MIDV(CFE_MISSION_: /* 0x1810 */

Definition at line 34 of file default_cfe_time_msgids.h.

11.105 cfe/modules/time/config/default_cfe_time_msgstruct.h File Reference

```
#include "cfe_time_msgdefs.h"
#include "cfe_msg_hdr.h"
```

Data Structures

- struct CFE_TIME_NoopCmd
- struct CFE_TIME_ResetCountersCmd
- struct CFE_TIME_SendDiagnosticCmd
- struct CFE_TIME_1HzCmd
- struct CFE_TIME_ToneSignalCmd
- struct CFE TIME FakeToneCmd
- struct CFE TIME SendHkCmd
- struct CFE TIME SetLeapSecondsCmd

Set leap seconds command.

struct CFE TIME SetStateCmd

Set clock state command.

struct CFE_TIME_SetSourceCmd

Set time data source command.

struct CFE TIME SetSignalCmd

Set tone signal source command.

- struct CFE TIME AddDelayCmd
- struct CFE_TIME_SubDelayCmd
- struct CFE_TIME_SetMETCmd
- struct CFE_TIME_SetSTCFCmd
- struct CFE_TIME_AddAdjustCmd
- struct CFE TIME SubAdjustCmd
- struct CFE_TIME_SetTimeCmd
- struct CFE_TIME_Add1HZAdjustmentCmd
- struct CFE TIME Sub1HZAdjustmentCmd

```
    struct CFE_TIME_ToneDataCmd
    Time at tone data command.
```

- struct CFE TIME HousekeepingTlm
- struct CFE TIME DiagnosticTlm

Typedefs

- typedef struct CFE_TIME_NoopCmd CFE_TIME_NoopCmd_t
- typedef struct CFE_TIME_ResetCountersCmd_CFE_TIME_ResetCountersCmd_t
- typedef struct CFE_TIME_SendDiagnosticCmd CFE_TIME_SendDiagnosticCmd_t
- typedef struct CFE TIME 1HzCmd CFE TIME 1HzCmd t
- typedef struct CFE_TIME_ToneSignalCmd CFE_TIME_ToneSignalCmd_t
- typedef struct CFE TIME FakeToneCmd CFE TIME FakeToneCmd t
- typedef struct CFE_TIME_SendHkCmd CFE_TIME_SendHkCmd_t
- typedef struct CFE_TIME_SetLeapSecondsCmd CFE_TIME_SetLeapSecondsCmd_t
 Set leap seconds command.
- typedef struct CFE_TIME_SetStateCmd CFE_TIME_SetStateCmd_t

Set clock state command.

typedef struct CFE_TIME_SetSourceCmd CFE_TIME_SetSourceCmd_t

Set time data source command.

- typedef struct CFE_TIME_SetSignalCmd CFE_TIME_SetSignalCmd_t
 - Set tone signal source command.
- typedef struct CFE TIME AddDelayCmd CFE TIME AddDelayCmd t
- typedef struct CFE_TIME_SubDelayCmd CFE_TIME_SubDelayCmd_t
- typedef struct CFE TIME SetMETCmd CFE TIME SetMETCmd t
- typedef struct CFE_TIME_SetSTCFCmd CFE_TIME_SetSTCFCmd_t
- typedef struct CFE_TIME_AddAdjustCmd CFE_TIME_AddAdjustCmd_t
- typedef struct CFE_TIME_SubAdjustCmd CFE_TIME_SubAdjustCmd_t
- typedef struct CFE_TIME_SetTimeCmd CFE_TIME_SetTimeCmd_t
- typedef struct CFE_TIME_Add1HZAdjustmentCmd CFE_TIME_Add1HZAdjustmentCmd_t
- typedef struct CFE_TIME_Sub1HZAdjustmentCmd CFE_TIME_Sub1HZAdjustmentCmd_t
- typedef struct CFE TIME ToneDataCmd CFE TIME ToneDataCmd t

Time at tone data command.

- typedef struct CFE_TIME_HousekeepingTlm CFE_TIME_HousekeepingTlm_t
- typedef struct CFE_TIME_DiagnosticTlm CFE_TIME_DiagnosticTlm_t

11.105.1 Detailed Description

Purpose: cFE Executive Services (TIME) Command and Telemetry packet definition file.

References: Flight Software Branch C Coding Standard Version 1.0a cFE Flight Software Application Developers Guide Notes:

11.105.2 Typedef Documentation

```
11.105.2.1 CFE_TIME_1HzCmd_t typedef struct CFE_TIME_1HzCmd_CFE_TIME_1HzCmd_t
```

11.105.2.2 CFE TIME Add1HZAdjustmentCmd t typedef struct CFE_TIME_Add1HZAdjustmentCmd CFE_TIME_Add1HZAdjustme

11.105.2.3 CFE_TIME_AddAdjustCmd_t typedef struct CFE_TIME_AddAdjustCmd CFE_TIME_AddAdjustCmd_t $\textbf{11.105.2.4} \quad \textbf{CFE_TIME_AddDelayCmd_t} \quad \texttt{typedef struct CFE_TIME_AddDelayCmd_CFE_TIME_AddDelayCmd_t}$ 11.105.2.5 CFE TIME DiagnosticTlm t typedef struct CFE_TIME_DiagnosticTlm CFE_TIME_DiagnosticTlm_t $\textbf{11.105.2.6} \quad \textbf{CFE_TIME_FakeToneCmd_t} \quad \texttt{typedef struct CFE_TIME_FakeToneCmd_t}$ 11.105.2.7 CFE TIME HousekeepingTlm t typedef struct CFE_TIME_HousekeepingTlm CFE_TIME_HousekeepingTlm_t 11.105.2.8 CFE TIME NoopCmd t typedef struct CFE_TIME_NoopCmd_t $\textbf{11.105.2.9} \quad \textbf{CFE_TIME_ResetCountersCmd_t} \quad \texttt{typedef struct CFE_TIME_ResetCountersCmd_t}$ 11.105.2.10 CFE TIME SendDiagnosticCmd t typedef struct CFE_TIME_SendDiagnosticCmd CFE_TIME_SendDiagnosticCmd_t 11.105.2.11 CFE TIME SendHkCmd t typedef struct CFE_TIME_SendHkCmd CFE_TIME_SendHkCmd_t 11.105.2.12 CFE_TIME_SetLeapSecondsCmd_t typedef struct CFE_TIME_SetLeapSecondsCmd CFE_TIME_SetLeapSecondsCmd Set leap seconds command. $\textbf{11.105.2.13} \quad \textbf{CFE_TIME_SetMETCmd_t} \quad \texttt{typedef struct CFE_TIME_SetMETCmd_t}$ 11.105.2.14 CFE_TIME_SetSignalCmd_t typedef struct CFE_TIME_SetSignalCmd CFE_TIME_SetSignalCmd_t Set tone signal source command. 11.105.2.15 CFE_TIME_SetSourceCmd_t typedef struct CFE_TIME_SetSourceCmd_t typedef struct CFE_TIME_SetSourceCmd_t Set time data source command. $\textbf{11.105.2.16} \quad \textbf{CFE_TIME_SetStateCmd_t} \quad \texttt{typedef struct CFE_TIME_SetStateCmd_t}$ Set clock state command. 11.105.2.17 CFE TIME SetSTCFCmd t typedef struct CFE_TIME_SetSTCFCmd_t 11.105.2.18 CFE TIME SetTimeCmd t typedef struct CFE_TIME_SetTimeCmd_t

```
11.105.2.19 CFE_TIME_Sub1HZAdjustmentCmd_t typedef struct CFE_TIME_Sub1HZAdjustmentCmd CFE_TIME_Sub1HZAdjustm
```

```
11.105.2.20 CFE_TIME_SubAdjustCmd_t typedef struct CFE_TIME_SubAdjustCmd CFE_TIME_SubAdjustCmd_t
```

```
11.105.2.21 CFE_TIME_SubDelayCmd_t typedef struct CFE_TIME_SubDelayCmd_t
```

11.105.2.22 CFE_TIME_ToneDataCmd_t typedef struct CFE_TIME_ToneDataCmd_t Time at tone data command.

```
\textbf{11.105.2.23} \quad \textbf{CFE\_TIME\_ToneSignalCmd\_t} \quad \texttt{typedef struct CFE\_TIME\_ToneSignalCmd\_t}
```

11.106 cfe/modules/time/config/default_cfe_time_platform_cfg.h File Reference

```
#include "cfe_time_mission_cfg.h"
#include "cfe_time_internal_cfg.h"
```

11.106.1 Detailed Description

CFE Time Services (CFE_TIME) Application Platform Configuration Header File

This is a compatibility header for the "platform_cfg.h" file that has traditionally provided both public and private config definitions for each CFS app.

These definitions are now provided in two separate files, one for the public/mission scope and one for internal scope.

Note

This file may be overridden/superceded by mission-provided defintions either by overriding this header or by generating definitions from a command/data dictionary tool.

11.107 cfe/modules/time/config/default cfe time topicids.h File Reference

Macros

- #define CFE_MISSION_TIME_CMD_TOPICID 5
- #define CFE MISSION TIME SEND HK TOPICID 13
- #define CFE_MISSION_TIME_TONE_CMD_TOPICID 16
- #define CFE_MISSION_TIME_ONEHZ_CMD_TOPICID 17
- #define CFE_MISSION_TIME_DATA_CMD_TOPICID 0
- #define CFE_MISSION_TIME_SEND_CMD_TOPICID 2
- #define CFE_MISSION_TIME_HK_TLM_TOPICID 5
- #define CFE_MISSION_TIME_DIAG_TLM_TOPICID 6

11.107.1 Detailed Description

CFE Time Services (CFE_TIME) Application Topic IDs

11.107.2 Macro Definition Documentation

11.107.2.1 CFE_MISSION_TIME_CMD_TOPICID #define CFE_MISSION_TIME_CMD_TOPICID 5

Purpose cFE Portable Message Numbers for Commands

Description:

Portable message numbers for the cFE command messages

Limits

Not Applicable

Definition at line 35 of file default cfe time topicids.h.

11.107.2.2 CFE_MISSION_TIME_DATA_CMD_TOPICID #define CFE_MISSION_TIME_DATA_CMD_TOPICID 0

Purpose cFE Portable Message Numbers for Global Messages

Description:

Portable message numbers for the cFE global messages

Limits

Not Applicable

Definition at line 49 of file default cfe time topicids.h.

11.107.2.3 CFE_MISSION_TIME_DIAG_TLM_TOPICID #define CFE_MISSION_TIME_DIAG_TLM_TOPICID 6 Definition at line 62 of file default cfe time topicids.h.

11.107.2.4 CFE_MISSION_TIME_HK_TLM_TOPICID #define CFE_MISSION_TIME_HK_TLM_TOPICID 5

Purpose cFE Portable Message Numbers for Telemetry

Description:

Portable message numbers for the cFE telemetry messages

Limits

Not Applicable

Definition at line 61 of file default_cfe_time_topicids.h.

11.107.2.5 CFE_MISSION_TIME_ONEHZ_CMD_TOPICID #define CFE_MISSION_TIME_ONEHZ_CMD_TOPICID 17 Definition at line 38 of file default_cfe_time_topicids.h.

11.107.2.6 CFE_MISSION_TIME_SEND_CMD_TOPICID #define CFE_MISSION_TIME_SEND_CMD_TOPICID 2 Definition at line 50 of file default cfe time topicids.h.

11.107.2.7 CFE_MISSION_TIME_SEND_HK_TOPICID #define CFE_MISSION_TIME_SEND_HK_TOPICID 13 Definition at line 36 of file default cfe time topicids.h.

11.107.2.8 CFE_MISSION_TIME_TONE_CMD_TOPICID #define CFE_MISSION_TIME_TONE_CMD_TOPICID 16 Definition at line 37 of file default cfe time topicids.h.

11.108 cfe/modules/time/fsw/inc/cfe time eventids.h File Reference

Macros

TIME event IDs

```
• #define CFE TIME INIT EID 1
```

TIME Initialization Event ID.

#define CFE_TIME_NOOP_EID 4

TIME No-op Command Success Event ID.

#define CFE TIME RESET EID 5

TIME Reset Counters Command Success Event ID.

• #define CFE_TIME_DIAG_EID 6

TIME Request Diagnostics Command Success Event ID.

#define CFE TIME STATE EID 7

TIME Set Time State Command Success Event ID.

#define CFE TIME SOURCE EID 8

TIME Set Time Source Command Success Event ID.

• #define CFE_TIME_SIGNAL EID 9

TIME Set Tone Source Command Success Event ID.

#define CFE_TIME_DELAY_EID 11

TIME Add or Subtract Delay Command Success Event ID.

• #define CFE TIME TIME EID 12

TIME Set Time Command Success Event ID.

• #define CFE_TIME_MET_EID 13

TIME Set Mission Elapsed Time Command Success Event ID.

• #define CFE TIME STCF EID 14

TIME Set Spacecraft Time Correlation Factor Command Success Event ID.

#define CFE_TIME_DELTA_EID 15

TIME Add or Subtract Single STCF Adjustment Command Success Event ID.

#define CFE_TIME_ONEHZ_EID 16

TIME Add or Subtract STCF Adjustment Each Second Command Success Event ID.

#define CFE TIME LEAPS EID 17

TIME Set Leap Seconds Command Success Event ID.

#define CFE_TIME_FLY_ON_EID 20

TIME Entered FLYWHEEL Mode Event ID.

#define CFE_TIME_FLY_OFF_EID 21

TIME Exited FLYWHEEL Mode Event ID.

#define CFE_TIME_ID_ERR_EID 26

TIME Invalid Message ID Received Event ID.

#define CFE_TIME_CC_ERR_EID 27
 #define CFE_TIME_CC_ERR_EID 27

TIME Invalid Command Code Received Event ID.

#define CFE TIME STATE ERR EID 30

TIME Out Objects Outstand Investigation

TIME Set Clock State Command Invalid State Event ID.

#define CFE_TIME_SOURCE_ERR_EID 31

TIME Set Clock Source Command Invalid Source Event ID.

#define CFE_TIME_SIGNAL_ERR_EID 32

TIME Set Clock Tone Source Command Invalid Source Event ID.

#define CFE_TIME_DELAY_ERR_EID 33

#define CFE TIME TIME ERR EID 34

#define CFE TIME MET ERR EID 35

TIME Add or Subtract Tone Delay Command Invalid Time Value Event ID.

TIME Set Spacecraft Time Command Invalid Time Value Event ID.

```
TIME Set Mission Elapsed Time Command Invalid Time Value Event ID.

    #define CFE TIME STCF ERR EID 36

            TIME Set Spacecraft Time Correlation Factor Command Invalid Time Value Event ID.

    #define CFE TIME DELTA ERR EID 37

            TIME Add or Subtract Single STCF Adjustment Command Invalid Time Value Event ID.

    #define CFE TIME SOURCE CFG EID 40

            TIME Set Clock Source Command Incompatible Mode Event ID.

    #define CFE TIME SIGNAL CFG EID 41

            TIME Set Clock Signal Command Incompatible Mode Event ID.

    #define CFE TIME DELAY CFG EID 42

            TIME Add or Subtract Tone Delay Command Incompatible Mode Event ID.

    #define CFE_TIME_TIME_CFG_EID 43

            TIME Set Spacecraft Time Command Incompatible Mode Event ID.

    #define CFE TIME MET CFG EID 44

            TIME Set Mission Elapsed Time Command Incompatible Mode Event ID.

    #define CFE_TIME_STCF_CFG_EID 45

            TIME Set Spacecraft Time Correlation Factor Command Incompatible Mode Event ID.

    #define CFE TIME LEAPS CFG EID 46

            TIME Set Leap Seconds Command Incompatible Mode Event ID.
      • #define CFE TIME DELTA CFG EID 47
            TIME Add or Subtract Single STCF Adjustment Command Incompatible Mode Event ID.

    #define CFE TIME ONEHZ CFG EID 48

            TIME Add or Subtract STCF Adjustment Each Second Command Incompatible Mode Event ID.
      • #define CFE_TIME_LEN_ERR_EID 49
            TIME Invalid Command Length Event ID.
11.108.1 Detailed Description
cFE Time Services Event IDs
11.108.2 Macro Definition Documentation
11.108.2.1 CFE TIME CC ERR EID #define CFE_TIME_CC_ERR_EID 27
TIME Invalid Command Code Received Event ID.
Type: ERROR
Cause:
Invalid command code for message ID CFE TIME CMD MID received on the TIME message pipe.
Definition at line 232 of file cfe time eventids.h.
```

11.108.2.2 CFE_TIME_DELAY_CFG_EID #define CFE_TIME_DELAY_CFG_EID 42 TIME Add or Subtract Tone Delay Command Incompatible Mode Event ID.				
Type: ERROR				
Cause:				
Cause.				
TIME Add Tone Delay Command OR TIME Subtract Tone Delay Command failure due to being in an incompatible mode.				
Definition at line 364 of file cfe_time_eventids.h.				
11.108.2.3 CFE_TIME_DELAY_EID #define CFE_TIME_DELAY_EID 11				
TIME Add or Subtract Delay Command Success Event ID.				
Type: INFORMATION				
Cause:				
Cause.				
TIME Add Time Delay Command OR a Subtract Time Delay Command success. Definition at line 120 of file cfe_time_eventids.h.				
11.108.2.4 CFE_TIME_DELAY_ERR_EID #define CFE_TIME_DELAY_ERR_EID 33				
TIME Add or Subtract Tone Delay Command Invalid Time Value Event ID.				
Type: ERROR				
Cause:				
TIME Add Tone Delay Command OR TIME Subtract Tone Delay Command failure due to an invalid time value. Definition at line 278 of file cfe time eventids.h.				
Definition at time 270 of the die_unite_eventions.ii.				
11.108.2.5 CFE_TIME_DELTA_CFG_EID #define CFE_TIME_DELTA_CFG_EID 47 TIME Add or Subtract Single STCF Adjustment Command Incompatible Mode Event ID.				
Type: ERROR				
Cause:				
TIME Add Single STCF Adjustment Command OR TIME Subtract Single STCF Adjustment Command failure due to being in an incompatible mode.				
being in an incompatible mode.				

Definition at line 425 of file cfe_time_eventids.h.

11.108.2.6 CFE_TIME_DELTA_EID #define CFE_TIME_DELTA_EID 15 TIME Add or Subtract Single STCF Adjustment Command Success Event ID.
Type: INFORMATION
Cause:
TIME Add Single STCF Adjustment Command OR TIME Subtract Single STCF Adjustment Command success. Definition at line 165 of file cfe_time_eventids.h.
11.108.2.7 CFE_TIME_DELTA_ERR_EID #define CFE_TIME_DELTA_ERR_EID 37 TIME Add or Subtract Single STCF Adjustment Command Invalid Time Value Event ID.
Type: ERROR
Cause:
TIME Add Single STCF Adjustment Command OR TIME Subtract Single STCF Adjustment Command failure due to
an invalid time value. Definition at line 327 of file cfe_time_eventids.h.
11.108.2.8 CFE_TIME_DIAG_EID #define CFE_TIME_DIAG_EID 6
TIME Request Diagnostics Command Success Event ID. Type: DEBUG
1,56. 52564
On the second se
Cause:
TIME Request Diagnostics Command success.
Definition at line 75 of file cfe_time_eventids.h.
11.108.2.9 CFE_TIME_FLY_OFF_EID #define CFE_TIME_FLY_OFF_EID 21 TIME Exited FLYWHEEL Mode Event ID.
Type: INFORMATION
Cause:
TIME Exited FLYWHEEL Mode.
Definition at line 210 of file cfe_time_eventids.h.

11.108.2.10 CFE_TIME_FLY_ON_EID #define CFE_TIME_FLY_ON_EID 20 TIME Entered FLYWHEEL Mode Event ID. Type: INFORMATION
Cause:
TIME Entered FLYWHEEL Mode. Definition at line 199 of file cfe_time_eventids.h.
11.108.2.11 CFE_TIME_ID_ERR_EID #define CFE_TIME_ID_ERR_EID 26 TIME Invalid Message ID Received Event ID. Type: ERROR
Cause:
Invalid message ID received on the TIME message pipe. Definition at line 221 of file cfe_time_eventids.h.
11.108.2.12 CFE_TIME_INIT_EID #define CFE_TIME_INIT_EID 1 TIME Initialization Event ID. Type: INFORMATION
Cause:
Time Services Task Initialization complete. Definition at line 42 of file cfe_time_eventids.h.
11.108.2.13 CFE_TIME_LEAPS_CFG_EID #define CFE_TIME_LEAPS_CFG_EID 46 TIME Set Leap Seconds Command Incompatible Mode Event ID.
Type: ERROR
Cause:

Generated by Doxygen

Definition at line 412 of file cfe_time_eventids.h.

TIME Set Leap Seconds Command failure due to being in an incompatible mode.

11.108.2.14 CFE_TIME_LEAPS_EID #define CFE_TIME_LEAPS_EID 17 TIME Set Leap Seconds Command Success Event ID.
Type: INFORMATION
Cause:
TIME Cat Lean Casanda Cammand auscess
TIME Set Leap Seconds Command success. Definition at line 188 of file cfe_time_eventids.h.
11.108.2.15 CFE_TIME_LEN_ERR_EID #define CFE_TIME_LEN_ERR_EID 49 TIME Invalid Command Length Event ID.
Type: ERROR
Cause:
Invalid length for the command code in message ID CFE_TIME_CMD_MID received on the TIME message pipe.
Definition at line 450 of file cfe_time_eventids.h.
11.108.2.16 CFE_TIME_MET_CFG_EID #define CFE_TIME_MET_CFG_EID 44
TIME Set Mission Elapsed Time Command Incompatible Mode Event ID. Type: ERROR
Cause:
TIME Set Mission Elapsed Time Command failure due to being in an incompatible mode. Definition at line 388 of file cfe_time_eventids.h.
11.108.2.17 CFE_TIME_MET_EID #define CFE_TIME_MET_EID 13 TIME Set Mission Elapsed Time Command Success Event ID.
Type: INFORMATION
Cause:
TIME Set Mission Elapsed Time Command success.

Definition at line 142 of file cfe_time_eventids.h.

11.108.2.18 CFE_TIME_MET_ERR_EID #define CFE_TIME_MET_ERR_EID 35 TIME Set Mission Elapsed Time Command Invalid Time Value Event ID.
Type: ERROR
Cause:
TIME Set Mission Elapsed Time Command failure due to an invalid time value. Definition at line 302 of file cfe_time_eventids.h.
11.108.2.19 CFE_TIME_NOOP_EID #define CFE_TIME_NOOP_EID 4 TIME No-op Command Success Event ID.
Type: INFORMATION
Cause:
TIME NO-OP Command success. Definition at line 53 of file cfe_time_eventids.h.
11.108.2.20 CFE_TIME_ONEHZ_CFG_EID #define CFE_TIME_ONEHZ_CFG_EID 48 TIME Add or Subtract STCF Adjustment Each Second Command Incompatible Mode Event ID. Type: ERROR
Cause:
TIME Add STCF Adjustment Each Second Command OR TIME Subtract STCF Adjustment Each Second Command failure due to being in an incompatible mode. Definition at line 438 of file cfe_time_eventids.h.
11.108.2.21 CFE_TIME_ONEHZ_EID #define CFE_TIME_ONEHZ_EID 16 TIME Add or Subtract STCF Adjustment Each Second Command Success Event ID.
Type: INFORMATION
Cause:
TIME Add STCF Adjustment Each Second Command OR TIME Subtract STCF Adjustment Each Second Command

Definition at line 177 of file cfe_time_eventids.h.

11.108.2.22 CFE_TIME_RESET_EID #define CFE_TIME_RESET_EID 5 TIME Reset Counters Command Success Event ID.
Type: DEBUG
Cause:
TIME Death Countage Command access
TIME Reset Counters Command success. Definition at line 64 of file cfe_time_eventids.h.
11.108.2.23 CFE_TIME_SIGNAL_CFG_EID #define CFE_TIME_SIGNAL_CFG_EID 41 TIME Set Clock Signal Command Incompatible Mode Event ID.
Type: ERROR
Cause:
TIME Set Clock Signal Command failure due to being in an incompatible mode. Definition at line 351 of file cfe_time_eventids.h.
11.108.2.24 CFE_TIME_SIGNAL_EID #define CFE_TIME_SIGNAL_EID 9 TIME Set Tone Source Command Success Event ID.
Type: INFORMATION
Cause:
TIME Set Clock Tone Source Command augusts
TIME Set Clock Tone Source Command success. Definition at line 108 of file cfe_time_eventids.h.
11.108.2.25 CFE_TIME_SIGNAL_ERR_EID #define CFE_TIME_SIGNAL_ERR_EID 32 TIME Set Clock Tone Source Command Invalid Source Event ID.
Type: ERROR
Cause:
Set Clock Tone Source Command, failed due to invalid source requested

Definition at line 265 of file cfe_time_eventids.h.

11.108.2.26 CFE_TIME_SOURCE_CFG_EID #define CFE_TIME_SOURCE_CFG_EID 40 TIME Set Clock Source Command Incompatible Mode Event ID.
Type: ERROR
Cause:
TIME Set Clock Source Command failure due to being in an incompatible mode. Definition at line 339 of file cfe_time_eventids.h.
11.108.2.27 CFE_TIME_SOURCE_EID #define CFE_TIME_SOURCE_EID 8 TIME Set Time Source Command Success Event ID.
Type: INFORMATION
Cause:
TIME Set Time Source Command success. Definition at line 97 of file cfe_time_eventids.h.
11.108.2.28 CFE_TIME_SOURCE_ERR_EID #define CFE_TIME_SOURCE_ERR_EID 31 TIME Set Clock Source Command Invalid Source Event ID. Type: ERROR
Cause:
TIME Set Clock Source Command failed due to invalid source requested. Definition at line 254 of file cfe_time_eventids.h.
11.108.2.29 CFE_TIME_STATE_EID #define CFE_TIME_STATE_EID 7 TIME Set Time State Command Success Event ID.
Type: INFORMATION
Cause:
TIME Set Time State Command success.

Definition at line 86 of file cfe_time_eventids.h.

11.108.2.30 CFE_TIME_STATE_ERR_EID #define CFE_TIME_STATE_ERR_EID 30 TIME Set Clock State Command Invalid State Event ID.
Type: ERROR
Cause:
TIME Set Clock State Command failed due to invalid state requested. Definition at line 243 of file cfe_time_eventids.h.
11.108.2.31 CFE_TIME_STCF_CFG_EID #define CFE_TIME_STCF_CFG_EID 45 TIME Set Spacecraft Time Correlation Factor Command Incompatible Mode Event ID. Type: ERROR
Cause:
TIME Set Spacecraft Time Correlation Factor Command failure due to being in an incompatible mode. Definition at line 400 of file cfe_time_eventids.h.
11.108.2.32 CFE_TIME_STCF_EID #define CFE_TIME_STCF_EID 14 TIME Set Spacecraft Time Correlation Factor Command Success Event ID.
Type: INFORMATION
Cause:
TIME Set Spacecraft Time Correlation Factor Command success. Definition at line 153 of file cfe_time_eventids.h.
11.108.2.33 CFE_TIME_STCF_ERR_EID #define CFE_TIME_STCF_ERR_EID 36 TIME Set Spacecraft Time Correlation Factor Command Invalid Time Value Event ID.
Type: ERROR
Cause:
TIME Set Spacecraft Time Correlation Factor Command failure due to an invalid time value.

Definition at line 314 of file cfe_time_eventids.h.

11.108.2.34 CFE_TIME_TIME_CFG_EID #define CFE_TIME_TIME_CFG_EID 43 TIME Set Spacecraft Time Command Incompatible Mode Event ID. Type: ERROR Cause: TIME Set Spacecraft Time Command failure due to being in an incompatible mode. Definition at line 376 of file cfe_time_eventids.h. 11.108.2.35 CFE TIME TIME EID #define CFE_TIME_TIME_EID 12 TIME Set Time Command Success Event ID. Type: INFORMATION Cause: TIME Set Time Command success. Definition at line 131 of file cfe_time_eventids.h. 11.108.2.36 CFE_TIME_TIME_ERR_EID #define CFE_TIME_TIME_ERR_EID 34 TIME Set Spacecraft Time Command Invalid Time Value Event ID. Type: ERROR Cause: TIME Set Spacecraft Time Command failure due to an invalid time value. Definition at line 290 of file cfe_time_eventids.h.

- 11.109 osal/docs/src/osal_frontpage.dox File Reference
- 11.110 osal/docs/src/osal fs.dox File Reference
- 11.111 osal/docs/src/osal_timer.dox File Reference
- 11.112 osal/src/os/inc/common_types.h File Reference

```
#include <stdint.h>
#include <stddef.h>
#include <stdbool.h>
```

Macros

- #define CompileTimeAssert(Condition, Message) typedef char Message[(Condition) ? 1 : -1]
- #define EXTENSION
- #define OS USED
- #define OS_PRINTF(n, m)
- #define OSAL_SIZE_C(X) ((size_t)(X))
- #define OSAL_BLOCKCOUNT_C(X) ((osal_blockcount_t)(X))
- #define OSAL INDEX C(X) ((osal index t)(X))
- #define OSAL OBJTYPE C(X) ((osal objtype t)(X))
- #define OSAL STATUS C(X) ((osal status t)(X))

Typedefs

- typedef int8 t int8
- typedef int16_t int16
- typedef int32_t int32
- · typedef int64 t int64
- typedef uint8 t uint8
- typedef uint16 t uint16
- typedef uint32_t uint32
- typedef uint64_t uint64
- typedef intptr_t intptr
- typedef uintptr_t cpuaddr
- · typedef size t cpusize
- typedef ptrdiff_t cpudiff
- typedef uint32 osal_id_t
- typedef size_t osal_blockcount_t
- typedef uint32 osal_index_t
- typedef uint32 osal objtype t
- typedef int32 osal_status_t
- typedef void(* OS ArgCallback t) (osal id t object id, void *arg)

General purpose OSAL callback function.

Functions

- CompileTimeAssert (sizeof(uint8)==1, TypeUint8WrongSize)
- CompileTimeAssert (sizeof(uint16)==2, TypeUint16WrongSize)
- CompileTimeAssert (sizeof(uint32)==4, TypeUint32WrongSize)
- CompileTimeAssert (sizeof(uint64)==8, TypeUint64WrongSize)
- CompileTimeAssert (sizeof(int8)==1, Typeint8WrongSize)
- CompileTimeAssert (sizeof(int16)==2, Typeint16WrongSize)
- CompileTimeAssert (sizeof(int32)==4, Typeint32WrongSize)
- CompileTimeAssert (sizeof(int64)==8, Typeint64WrongSize)
- CompileTimeAssert (sizeof(cpuaddr) >=sizeof(void *), TypePtrWrongSize)

11.112.1 Detailed Description

Purpose: Unit specification for common types.

Design Notes: Assumes make file has defined processor family

11.112.2 Macro Definition Documentation

```
11.112.2.1 _EXTENSION_ #define _EXTENSION_
```

Definition at line 65 of file common types.h.

11.112.2.2 CompileTimeAssert #define CompileTimeAssert (

Condition,

Message) typedef char Message[(Condition) ? 1 : -1]

Definition at line 48 of file common_types.h.

11.112.2.3 OS_PRINTF #define OS_PRINTF(

m)

Definition at line 67 of file common_types.h.

11.112.2.4 OS USED #define OS_USED

Definition at line 66 of file common_types.h.

11.112.2.5 OSAL_BLOCKCOUNT_C #define OSAL_BLOCKCOUNT_C(

X) ((osal_blockcount_t)(X))

Definition at line 172 of file common_types.h.

11.112.2.6 OSAL_INDEX_C #define OSAL_INDEX_C(

X) ((osal_index_t)(X))

Definition at line 173 of file common_types.h.

11.112.2.7 OSAL_OBJTYPE_C #define OSAL_OBJTYPE_C(

X) ((osal_objtype_t)(X))

Definition at line 174 of file common_types.h.

11.112.2.8 OSAL_SIZE_C #define OSAL_SIZE_C(

X) ((size_t)(X))

Definition at line 171 of file common_types.h.

11.112.2.9 OSAL_STATUS_C #define OSAL_STATUS_C(

X) ((osal_status_t)(X))

Definition at line 175 of file common_types.h.

11.112.3 Typedef Documentation

11.112.3.1 cpuaddr typedef uintptr_t cpuaddr Definition at line 88 of file common types.h.

11.112.3.2 cpudiff typedef ptrdiff_t cpudiff Definition at line 90 of file common types.h.

11.112.3.3 cpusize typedef size_t cpusize Definition at line 89 of file common_types.h.

11.112.3.4 int16 typedef int16_t int16 Definition at line 80 of file common types.h.

11.112.3.5 int32 typedef int32_t int32 Definition at line 81 of file common_types.h.

11.112.3.6 int64 typedef int64_t int64 Definition at line 82 of file common_types.h.

11.112.3.7 int8 typedef int8_t int8 Definition at line 79 of file common types.h.

11.112.3.8 intptr typedef intptr_t intptr Definition at line 87 of file common_types.h.

11.112.3.9 OS_ArgCallback_t typedef void(* OS_ArgCallback_t) (osal_id_t object_id, void *arg) General purpose OSAL callback function.

This may be used by multiple APIS

Definition at line 143 of file common_types.h.

11.112.3.10 osal_blockcount_t typedef size_t osal_blockcount_t

A type used to represent a number of blocks or buffers

This is used with file system and queue implementations.

Definition at line 116 of file common_types.h.

11.112.3.11 osal_id_t typedef uint32 osal_id_t

A type to be used for OSAL resource identifiers. This typedef is backward compatible with the IDs from older versions of OSAL

Definition at line 108 of file common_types.h.

11.112.3.12 osal_index_t typedef uint32 osal_index_t

A type used to represent an index into a table structure

This is used when referring directly to a table index as opposed to an object ID. It is primarily intended for internal use, but is also output from public APIs such as OS_ObjectIdToArrayIndex().

Definition at line 126 of file common_types.h.

11.112.3.13 osal_objtype_t typedef uint32 osal_objtype_t

A type used to represent the runtime type or category of an OSAL object Definition at line 131 of file common_types.h.

11.112.3.14 osal_status_t typedef int32 osal_status_t

The preferred type to represent OSAL status codes defined in osapi-error.h Definition at line 136 of file common_types.h.

11.112.3.15 uint16 typedef uint16_t uint16

Definition at line 84 of file common types.h.

11.112.3.16 uint32 typedef uint32_t uint32

Definition at line 85 of file common_types.h.

11.112.3.17 uint64 typedef uint64_t uint64

Definition at line 86 of file common_types.h.

11.112.3.18 uint8 typedef uint8_t uint8

Definition at line 83 of file common_types.h.

11.112.4 Function Documentation

11.112.4.1 CompileTimeAssert() [1/9] CompileTimeAssert (

```
sizeof(cpuaddr) >=sizeof(void *) ,
TypePtrWrongSize )
```

$\textbf{11.112.4.2} \quad \textbf{CompileTimeAssert() [2/9]} \quad \texttt{CompileTimeAssert ()}$

```
sizeof(int16) = =2,
Typeint16WrongSize )
```

11.112.4.3 CompileTimeAssert() [3/9] CompileTimeAssert (

```
sizeof(int32) = =4,
Typeint32WrongSize )
```

```
11.112.4.4 CompileTimeAssert() [4/9] CompileTimeAssert (
            sizeof(int64) = =8,
            Typeint64WrongSize )
11.112.4.5 CompileTimeAssert() [5/9] CompileTimeAssert (
            sizeof(int8) = =1,
            Typeint8WrongSize )
11.112.4.6 CompileTimeAssert() [6/9] CompileTimeAssert (
            sizeof(uint16) = =2,
            TypeUint16WrongSize )
11.112.4.7 CompileTimeAssert() [7/9] CompileTimeAssert (
            sizeof(uint32) = =4,
            TypeUint32WrongSize )
11.112.4.8 CompileTimeAssert() [8/9] CompileTimeAssert (
            sizeof(uint64) = =8,
            TypeUint64WrongSize )
11.112.4.9 CompileTimeAssert() [9/9] CompileTimeAssert (
            sizeof(uint8) = =1,
            TypeUint8WrongSize )
11.113 osal/src/os/inc/osapi-binsem.h File Reference
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

struct OS_bin_sem_prop_t
 OSAL binary semaphore properties.

Macros

• #define OS_SEM_FULL 1

Semaphore full state.

#define OS SEM EMPTY 0

Semaphore empty state.

Functions

- int32 OS_BinSemCreate (osal_id_t *sem_id, const char *sem_name, uint32 sem_initial_value, uint32 options)

 Creates a binary semaphore.
- int32 OS_BinSemFlush (osal_id_t sem_id)

Unblock all tasks pending on the specified semaphore.

int32 OS BinSemGive (osal id t sem id)

Increment the semaphore value.

int32 OS_BinSemTake (osal_id_t sem_id)

Decrement the semaphore value.

int32 OS BinSemTimedWait (osal id t sem id, uint32 msecs)

Decrement the semaphore value with a timeout.

int32 OS_BinSemDelete (osal_id_t sem_id)

Deletes the specified Binary Semaphore.

int32 OS BinSemGetIdByName (osal id t *sem id, const char *sem name)

Find an existing semaphore ID by name.

int32 OS_BinSemGetInfo (osal_id_t sem_id, OS_bin_sem_prop_t *bin_prop)

Fill a property object buffer with details regarding the resource.

11.113.1 Detailed Description

Declarations and prototypes for binary semaphores

11.114 osal/src/os/inc/osapi-bsp.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Functions

- void OS_BSP_SetResourceTypeConfig (uint32 ResourceType, uint32 ConfigOptionValue)
- uint32 OS_BSP_GetResourceTypeConfig (uint32 ResourceType)
- uint32 OS BSP GetArgC (void)
- char *const * OS BSP GetArgV (void)
- void OS_BSP_SetExitCode (int32 code)

11.114.1 Detailed Description

Declarations and prototypes for OSAL BSP

11.115 osal/src/os/inc/osapi-clock.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

struct OS time t

OSAL time interval structure.

Enumerations

enum { OS_TIME_TICK_RESOLUTION_NS = 100, OS_TIME_TICKS_PER_SECOND = 1000000000 / OS_TI

 ME_TICK_RESOLUTION_NS, OS_TIME_TICKS_PER_MSEC = 1000000 / OS_TIME_TICK_RESOLUTION_
 NS, OS_TIME_TICKS_PER_USEC = 1000 / OS_TIME_TICK_RESOLUTION_NS }

Multipliers/divisors to convert ticks into standardized units.

Functions

```
    int32 OS GetLocalTime (OS time t *time struct)
```

Get the local time.

int32 OS_SetLocalTime (const OS_time_t *time_struct)

Set the local time.

static int64 OS TimeGetTotalSeconds (OS time t tm)

Get interval from an OS time t object normalized to whole number of seconds.

static OS_time_t OS_TimeFromTotalSeconds (int64 tm)

Get an OS_time_t interval object from an integer number of seconds.

static int64 OS_TimeGetTotalMilliseconds (OS_time_t tm)

Get interval from an OS_time_t object normalized to millisecond units.

static OS_time_t OS_TimeFromTotalMilliseconds (int64 tm)

Get an OS_time_t interval object from a integer number of milliseconds.

static int64 OS_TimeGetTotalMicroseconds (OS_time_t tm)

Get interval from an OS_time_t object normalized to microsecond units.

static OS_time_t OS_TimeFromTotalMicroseconds (int64 tm)

Get an OS_time_t interval object from a integer number of microseconds.

static int64 OS TimeGetTotalNanoseconds (OS time t tm)

Get interval from an OS_time_t object normalized to nanosecond units.

static OS time t OS TimeFromTotalNanoseconds (int64 tm)

Get an OS_time_t interval object from a integer number of nanoseconds.

static int64 OS TimeGetFractionalPart (OS time t tm)

Get subseconds portion (fractional part only) from an OS_time_t object.

static uint32 OS_TimeGetSubsecondsPart (OS_time_t tm)

Get 32-bit normalized subseconds (fractional part only) from an OS_time_t object.

static uint32 OS_TimeGetMillisecondsPart (OS_time_t tm)

Get milliseconds portion (fractional part only) from an OS_time_t object.

static uint32 OS TimeGetMicrosecondsPart (OS time t tm)

Get microseconds portion (fractional part only) from an OS_time_t object.

static uint32 OS_TimeGetNanosecondsPart (OS_time_t tm)

Get nanoseconds portion (fractional part only) from an OS_time_t object.

static OS_time_t OS_TimeAssembleFromNanoseconds (int64 seconds, uint32 nanoseconds)

Assemble/Convert a number of seconds + nanoseconds into an OS_time_t interval.

static OS_time_t OS_TimeAssembleFromMicroseconds (int64 seconds, uint32 microseconds)

Assemble/Convert a number of seconds + microseconds into an OS_time_t interval.

static OS_time_t OS_TimeAssembleFromMilliseconds (int64 seconds, uint32 milliseconds)

Assemble/Convert a number of seconds + milliseconds into an OS_time_t interval.

static OS time t OS TimeAssembleFromSubseconds (int64 seconds, uint32 subseconds)

Assemble/Convert a number of seconds + subseconds into an OS_time_t interval.

static OS time t OS TimeAdd (OS time t time1, OS time t time2)

Computes the sum of two time intervals.

static OS time t OS TimeSubtract (OS time t time1, OS time t time2)

Computes the difference between two time intervals.

11.115.1 Detailed Description

Declarations and prototypes for osapi-clock module

11.115.2 Enumeration Type Documentation

11.115.2.1 anonymous enum anonymous enum

Multipliers/divisors to convert ticks into standardized units.

Various fixed conversion factor constants used by the conversion routines

A 100ns tick time allows max intervals of about +/- 14000 years in a 64-bit signed integer value.

Note

Applications should not directly use these values, but rather use conversion routines below to obtain standardized units (seconds/microseconds/etc).

Enumerator

OS_TIME_TICK_RESOLUTION_NS	
OS_TIME_TICKS_PER_SECOND	
OS_TIME_TICKS_PER_MSEC	
OS_TIME_TICKS_PER_USEC	

Definition at line 61 of file osapi-clock.h.

11.116 osal/src/os/inc/osapi-common.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Typedefs

• typedef int32(* OS_EventHandler_t) (OS_Event_t event, osal_id_t object_id, void *data)

A callback routine for event handling.

Enumerations

enum OS_Event_t {
 OS_EVENT_RESERVED = 0, OS_EVENT_RESOURCE_ALLOCATED, OS_EVENT_RESOURCE_CREATED,
 OS_EVENT_RESOURCE_DELETED,
 OS_EVENT_TASK_STARTUP, OS_EVENT_MAX }

A set of events that can be used with BSP event callback routines.

Functions

• void OS_Application_Startup (void)

Application startup.

void OS_Application_Run (void)

Application run.

int32 OS_API_Init (void)

Initialization of API.

void OS_API_Teardown (void)

Teardown/de-initialization of OSAL API.

• void OS_IdleLoop (void)

Background thread implementation - waits forever for events to occur.

void OS_DeleteAllObjects (void)

delete all resources created in OSAL.

void OS_ApplicationShutdown (uint8 flag)

Initiate orderly shutdown.

void OS_ApplicationExit (int32 Status)

Exit/Abort the application.

• int32 OS RegisterEventHandler (OS EventHandler t handler)

Callback routine registration.

11.116.1 Detailed Description

Declarations and prototypes for general OSAL functions that are not part of a subsystem

11.116.2 Typedef Documentation

11.116.2.1 OS_EventHandler_t typedef int32(* OS_EventHandler_t) (OS_Event_t event, osal_id_t object_id, void *data)

A callback routine for event handling.

Parameters

in	event	The event that occurred
in	object⊷	The associated object_id, or 0 if not associated with an object
	_id	
in,out	data	An abstract data/context object associated with the event, or NULL.

Returns

status Execution status, see OSAL Return Code Defines.

Definition at line 98 of file osapi-common.h.

11.116.3 Enumeration Type Documentation

$\textbf{11.116.3.1} \quad \textbf{OS_Event_t} \quad \texttt{enum OS_Event_t}$

A set of events that can be used with BSP event callback routines.

Enumerator

OS_EVENT_RESERVED	no-op/reserved event id value
OS_EVENT_RESOURCE_ALLOCATED	resource/id has been newly allocated but not yet created.
	This event is invoked from WITHIN the locked region, in the context of
	the task which is allocating the resource.
	If the handler returns non-success, the error will be returned to the
	caller and the creation process is aborted.

Enumerator

OS_EVENT_RESOURCE_CREATED	resource/id has been fully created/finalized. Invoked outside locked region, in the context of the task which created the resource. Data object is not used, passed as NULL. Return value is ignored - this is for information purposes only.
OS_EVENT_RESOURCE_DELETED	resource/id has been deleted. Invoked outside locked region, in the context of the task which deleted the resource. Data object is not used, passed as NULL. Return value is ignored - this is for information purposes only.
OS_EVENT_TASK_STARTUP	New task is starting. Invoked outside locked region, in the context of the task which is currently starting, before the entry point is called. Data object is not used, passed as NULL. If the handler returns non-success, task startup is aborted and the entry point is not called.
OS_EVENT_MAX	placeholder for end of enum, not used

Definition at line 34 of file osapi-common.h.

11.117 osal/src/os/inc/osapi-condvar.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
#include "osapi-clock.h"
```

Data Structures

struct OS_condvar_prop_t

OSAL condition variable properties.

Functions

• int32 OS_CondVarCreate (osal_id_t *var_id, const char *var_name, uint32 options)

Creates a condition variable resource.

int32 OS_CondVarLock (osal_id_t var_id)

Locks/Acquires the underlying mutex associated with a condition variable.

int32 OS_CondVarUnlock (osal_id_t var_id)

Unlocks/Releases the underlying mutex associated with a condition variable.

int32 OS_CondVarSignal (osal_id_t var_id)

Signals the condition variable resource referenced by var_id.

int32 OS_CondVarBroadcast (osal_id_t var_id)

Broadcasts the condition variable resource referenced by var_id.

int32 OS CondVarWait (osal id t var id)

Waits on the condition variable object referenced by var_id.

int32 OS_CondVarTimedWait (osal_id_t var_id, const OS_time_t *abs_wakeup_time)

Time-limited wait on the condition variable object referenced by var_id.

int32 OS CondVarDelete (osal id t var id)

Deletes the specified condition variable.

• int32 OS_CondVarGetIdByName (osal_id_t *var_id, const char *var_name)

Find an existing condition variable ID by name.

int32 OS_CondVarGetInfo (osal_id_t var_id, OS_condvar_prop_t *condvar_prop)

Fill a property object buffer with details regarding the resource.

11.117.1 Detailed Description

Declarations and prototypes for condition variables

11.118 osal/src/os/inc/osapi-constants.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Macros

- #define OS PEND (-1)
- #define OS CHECK (0)
- #define OS_OBJECT_ID_UNDEFINED ((osal_id_t) {0})

Initializer for the osal_id_t type which will not match any valid value.

#define OS_OBJECT_CREATOR_ANY OS_OBJECT_ID_UNDEFINED

Constant that may be passed to OS_ForEachObject()/OS_ForEachObjectOfType() to match any creator (i.e. get all objects)

#define OS_MAX_LOCAL_PATH_LEN (OS_MAX_PATH_LEN + OS_FS_PHYS_NAME_LEN)

Maximum length of a local/native path name string.

11.118.1 Detailed Description

General constants for OSAL that are shared across subsystems

11.118.2 Macro Definition Documentation

```
11.118.2.1 OS_CHECK #define OS_CHECK (0)
```

Definition at line 35 of file osapi-constants.h.

11.118.2.2 OS_MAX_LOCAL_PATH_LEN #define OS_MAX_LOCAL_PATH_LEN (OS_MAX_PATH_LEN + OS_FS_PHYS_NAME_LEN)

Maximum length of a local/native path name string.

This is a concatenation of the OSAL virtual path with the system mount point or device name Definition at line 54 of file osapi-constants.h.

```
11.118.2.3 OS_OBJECT_CREATOR_ANY #define OS_OBJECT_CREATOR_ANY OS_OBJECT_ID_UNDEFINED
```

Constant that may be passed to OS_ForEachObject()/OS_ForEachObjectOfType() to match any creator (i.e. get all objects)

Definition at line 46 of file osapi-constants.h.

```
11.118.2.4 OS_OBJECT_ID_UNDEFINED #define OS_OBJECT_ID_UNDEFINED ((osal_id_t) {0}) Initializer for the osal_id_t type which will not match any valid value.

Definition at line 40 of file osapi-constants.h.
```

```
11.118.2.5 OS_PEND #define OS_PEND (-1)
```

Definition at line 34 of file osapi-constants.h.

11.119 osal/src/os/inc/osapi-countsem.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

struct OS_count_sem_prop_t

OSAL counting semaphore properties.

Functions

- int32 OS_CountSemCreate (osal_id_t *sem_id, const char *sem_name, uint32 sem_initial_value, uint32 options)

 Creates a counting semaphore.
- int32 OS_CountSemGive (osal_id_t sem_id)

Increment the semaphore value.

int32 OS_CountSemTake (osal_id_t sem_id)

Decrement the semaphore value.

• int32 OS_CountSemTimedWait (osal_id_t sem_id, uint32 msecs)

Decrement the semaphore value with timeout.

• int32 OS CountSemDelete (osal id t sem id)

Deletes the specified counting Semaphore.

• int32 OS_CountSemGetIdByName (osal_id_t *sem_id, const char *sem_name)

Find an existing semaphore ID by name.

• int32 OS_CountSemGetInfo (osal_id_t sem_id, OS_count_sem_prop_t *count_prop)

Fill a property object buffer with details regarding the resource.

11.119.1 Detailed Description

Declarations and prototypes for counting semaphores

11.120 osal/src/os/inc/osapi-dir.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

· struct os dirent t

Directory entry.

Macros

• #define OS_DIRENTRY_NAME(x) ((x).FileName)

Access filename part of the dirent structure.

Functions

• int32 OS_DirectoryOpen (osal_id_t *dir_id, const char *path)

Opens a directory.

int32 OS_DirectoryClose (osal_id_t dir_id)

Closes an open directory.

int32 OS_DirectoryRewind (osal_id_t dir_id)

Rewinds an open directory.

int32 OS_DirectoryRead (osal_id_t dir_id, os_dirent_t *dirent)

Reads the next name in the directory.

int32 OS mkdir (const char *path, uint32 access)

Makes a new directory.

int32 OS_rmdir (const char *path)

Removes a directory from the file system.

11.120.1 Detailed Description

Declarations and prototypes for directories

11.120.2 Macro Definition Documentation

Access filename part of the dirent structure.

Definition at line 38 of file osapi-dir.h.

11.121 osal/src/os/inc/osapi-error.h File Reference

```
#include "common_types.h"
```

Macros

• #define OS_ERROR_NAME_LENGTH 35

Error string name length.

• #define OS_STATUS_STRING_LENGTH 12

Status converted to string length limit.

• #define OS_SUCCESS (0)

Successful execution.

• #define OS ERROR (-1)

Failed execution.

#define OS_INVALID_POINTER (-2)

Invalid pointer.

#define OS ERROR ADDRESS MISALIGNED (-3)

```
Address misalignment.

    #define OS_ERROR_TIMEOUT (-4)

     Error timeout.

    #define OS INVALID INT NUM (-5)

     Invalid Interrupt number.

    #define OS_SEM_FAILURE (-6)

     Semaphore failure.

    #define OS_SEM_TIMEOUT (-7)

     Semaphore timeout.

    #define OS_QUEUE_EMPTY (-8)

     Queue empty.
• #define OS_QUEUE_FULL (-9)
     Queue full.

    #define OS_QUEUE_TIMEOUT (-10)

     Queue timeout.
• #define OS_QUEUE_INVALID_SIZE (-11)
     Queue invalid size.

    #define OS_QUEUE_ID_ERROR (-12)

     Queue ID error.

    #define OS_ERR_NAME_TOO_LONG (-13)

     name length including null terminator greater than OS_MAX_API_NAME

    #define OS_ERR_NO_FREE_IDS (-14)

     No free IDs.
• #define OS ERR NAME TAKEN (-15)
     Name taken.

    #define OS ERR INVALID ID (-16)

     Invalid ID.

    #define OS_ERR_NAME_NOT_FOUND (-17)

     Name not found.

    #define OS ERR SEM NOT FULL (-18)

     Semaphore not full.

    #define OS ERR INVALID PRIORITY (-19)

     Invalid priority.

    #define OS_INVALID_SEM_VALUE (-20)

     Invalid semaphore value.

    #define OS_ERR_FILE (-27)

     File error.

    #define OS_ERR_NOT_IMPLEMENTED (-28)

     Not implemented.

    #define OS_TIMER_ERR_INVALID_ARGS (-29)

     Timer invalid arguments.

    #define OS_TIMER_ERR_TIMER_ID (-30)

     Timer ID error.

    #define OS_TIMER_ERR_UNAVAILABLE (-31)

     Timer unavailable.
• #define OS_TIMER_ERR_INTERNAL (-32)
```

Timer internal error.

```
    #define OS_ERR_OBJECT_IN_USE (-33)

         Object in use.

    #define OS ERR BAD ADDRESS (-34)

         Bad address.

    #define OS ERR INCORRECT OBJ STATE (-35)

         Incorrect object state.
    • #define OS ERR INCORRECT OBJ TYPE (-36)
         Incorrect object type.

    #define OS ERR STREAM DISCONNECTED (-37)

         Stream disconnected.

    #define OS ERR OPERATION NOT SUPPORTED (-38)

         Requested operation not support on supplied object(s)

    #define OS ERR INVALID SIZE (-40)

         Invalid Size.

    #define OS_ERR_OUTPUT_TOO_LARGE (-41)

         Size of output exceeds limit

    #define OS ERR INVALID ARGUMENT (-42)

         Invalid argument value (other than ID or size)

    #define OS_FS_ERR_PATH_TOO_LONG (-103)

         FS path too long.
    • #define OS_FS_ERR_NAME_TOO_LONG (-104)
         FS name too long.
    • #define OS_FS_ERR_DRIVE_NOT_CREATED (-106)
         FS drive not created.

    #define OS_FS_ERR_DEVICE_NOT_FREE (-107)

         FS device not free.

    #define OS_FS_ERR_PATH_INVALID (-108)

         FS path invalid.
Typedefs

    typedef char os_err_name_t[OS_ERROR_NAME_LENGTH]

         For the OS_GetErrorName() function, to ensure everyone is making an array of the same length.

    typedef char os_status_string_t[OS_STATUS_STRING_LENGTH]

         For the OS_StatusToString() function, to ensure everyone is making an array of the same length.
Functions

    static long OS StatusToInteger (osal status t Status)

         Convert a status code to a native "long" type.

    int32 OS_GetErrorName (int32 error_num, os_err_name_t *err_name)

         Convert an error number to a string.
```

char * OS StatusToString (osal status t status, os status string t *status string)

11.121.1 Detailed Description

Convert status to a string.

OSAL error code definitions

11.121.2 Macro Definition Documentation

11.121.2.1 OS_ERROR_NAME_LENGTH #define OS_ERROR_NAME_LENGTH 35

Error string name length.

The sizes of strings in OSAL functions are built with this limit in mind. Always check the uses of os_err_name_t when changing this value.

Definition at line 35 of file osapi-error.h.

11.121.2.2 OS STATUS STRING LENGTH #define OS_STATUS_STRING_LENGTH 12

Status converted to string length limit.

Used for sizing os_status_string_t intended for use in printing osal_status_t values Sized to fit LONG_MIN including NULL termination

Definition at line 55 of file osapi-error.h.

11.121.3 Typedef Documentation

```
11.121.3.1 os_err_name_t typedef char os_err_name_t[OS_ERROR_NAME_LENGTH]
```

For the OS_GetErrorName() function, to ensure everyone is making an array of the same length.

Implementation note for developers:

The sizes of strings in OSAL functions are built with this OS_ERROR_NAME_LENGTH limit in mind. Always check the uses of os_err_name_t when changing this value.

Definition at line 47 of file osapi-error.h.

```
11.121.3.2 os_status_string_t typedef char os_status_string_t[OS_STATUS_STRING_LENGTH]
```

For the OS_StatusToString() function, to ensure everyone is making an array of the same length.

Definition at line 61 of file osapi-error.h.

11.122 osal/src/os/inc/osapi-file.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
#include "osapi-clock.h"
```

Data Structures

struct OS_file_prop_t

OSAL file properties.

· struct os fstat t

File system status.

Macros

- #define OS READ ONLY 0
- #define OS WRITE ONLY 1
- #define OS_READ_WRITE 2
- #define OS SEEK SET 0

- #define OS_SEEK_CUR 1
- #define OS SEEK END 2
- #define OS_FILESTAT_MODE(x) ((x).FileModeBits)

Access file stat mode bits.

• #define OS_FILESTAT_ISDIR(x) ((x).FileModeBits & OS_FILESTAT_MODE_DIR)

File stat is directory logical.

• #define OS FILESTAT EXEC(x) ((x).FileModeBits & OS FILESTAT MODE EXEC)

File stat is executable logical.

• #define OS FILESTAT WRITE(x) ((x).FileModeBits & OS FILESTAT MODE WRITE)

File stat is write enabled logical.

#define OS FILESTAT READ(x) ((x).FileModeBits & OS FILESTAT MODE READ)

File stat is read enabled logical.

• #define OS_FILESTAT_SIZE(x) ((x).FileSize)

Access file stat size field.

#define OS_FILESTAT_TIME(x) (OS_TimeGetTotalSeconds((x).FileTime))

Access file stat time field as a whole number of seconds.

Enumerations

enum { OS_FILESTAT_MODE_EXEC = 0x00001, OS_FILESTAT_MODE_WRITE = 0x00002, OS_FILESTAT_MODE_READ = 0x00004, OS_FILESTAT_MODE_DIR = 0x10000 }

File stat mode bits.

enum OS_file_flag_t { OS_FILE_FLAG_NONE = 0x00, OS_FILE_FLAG_CREATE = 0x01, OS_FILE_FLAG_TRUNCATE = 0x02 }

Flags that can be used with opening of a file (bitmask)

Functions

• int32 OS OpenCreate (osal id t *filedes, const char *path, int32 flags, int32 access mode)

Open or create a file.

int32 OS_close (osal_id_t filedes)

Closes an open file handle.

int32 OS_read (osal_id_t filedes, void *buffer, size_t nbytes)

Read from a file handle.

int32 OS_write (osal_id_t filedes, const void *buffer, size_t nbytes)

Write to a file handle.

int32 OS_TimedRead (osal_id_t filedes, void *buffer, size_t nbytes, int32 timeout)

File/Stream input read with a timeout.

• int32 OS TimedWrite (osal id t filedes, const void *buffer, size t nbytes, int32 timeout)

File/Stream output write with a timeout.

int32 OS_chmod (const char *path, uint32 access_mode)

Changes the permissions of a file.

• int32 OS_stat (const char *path, os_fstat_t *filestats)

Obtain information about a file or directory.

int32 OS Iseek (osal id t filedes, int32 offset, uint32 whence)

Seeks to the specified position of an open file.

int32 OS remove (const char *path)

Removes a file from the file system.

• int32 OS rename (const char *old filename, const char *new filename)

Renames a file.

• int32 OS_cp (const char *src, const char *dest)

Copies a single file from src to dest.

int32 OS_mv (const char *src, const char *dest)

Move a single file from src to dest.

int32 OS FDGetInfo (osal id t filedes, OS file prop t *fd prop)

Obtain information about an open file.

int32 OS_FileOpenCheck (const char *Filename)

Checks to see if a file is open.

• int32 OS_CloseAllFiles (void)

Close all open files.

int32 OS CloseFileByName (const char *Filename)

Close a file by filename.

11.122.1 Detailed Description

Declarations and prototypes for file objects

11.122.2 Macro Definition Documentation

```
11.122.2.1 OS_FILESTAT_EXEC #define OS_FILESTAT_EXEC(
```

x) ((x).FileModeBits & OS_FILESTAT_MODE_EXEC)

File stat is executable logical.

Definition at line 92 of file osapi-file.h.

```
11.122.2.2 OS_FILESTAT_ISDIR #define OS_FILESTAT_ISDIR(
```

```
x ) ((x).FileModeBits & OS_FILESTAT_MODE_DIR)
```

File stat is directory logical.

Definition at line 90 of file osapi-file.h.

11.122.2.3 OS_FILESTAT_MODE #define OS_FILESTAT_MODE(

```
x ) ((x).FileModeBits)
```

Access file stat mode bits.

Definition at line 88 of file osapi-file.h.

11.122.2.4 OS_FILESTAT_READ #define OS_FILESTAT_READ(

```
x ) ((x).FileModeBits & OS_FILESTAT_MODE_READ)
```

File stat is read enabled logical.

Definition at line 96 of file osapi-file.h.

11.122.2.5 OS_FILESTAT_SIZE #define OS_FILESTAT_SIZE(

```
x ) ((x).FileSize)
```

Access file stat size field.

Definition at line 98 of file osapi-file.h.

Access file stat time field as a whole number of seconds.

Definition at line 100 of file osapi-file.h.

File stat is write enabled logical.

Definition at line 94 of file osapi-file.h.

11.122.3 Enumeration Type Documentation

11.122.3.1 anonymous enum anonymous enum

File stat mode bits.

We must also define replacements for the stat structure's mode bits. This is currently just a small subset since the OSAL just presents a very simplified view of the filesystem to the upper layers. And since not all OS'es are POSIX, the more POSIX-specific bits are not relevant anyway.

Enumerator

OS_FILESTAT_MODE_EXEC	
OS_FILESTAT_MODE_WRITE	
OS_FILESTAT_MODE_READ	
OS_FILESTAT_MODE_DIR	

Definition at line 79 of file osapi-file.h.

$\textbf{11.122.3.2} \quad \textbf{OS_file_flag_t} \quad \texttt{enum OS_file_flag_t}$

Flags that can be used with opening of a file (bitmask)

Enumerator

OS_FILE_FLAG_NONE	
OS_FILE_FLAG_CREATE	
OS FILE FLAG TRUNCATE	

Definition at line 105 of file osapi-file.h.

11.123 osal/src/os/inc/osapi-filesys.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

struct os_fsinfo_t

OSAL file system info.

· struct OS_statvfs_t

Macros

- #define OS_CHK_ONLY 0
- #define OS_REPAIR 1

Functions

• int32 OS FileSysAddFixedMap (osal id t *filesys id, const char *phys path, const char *virt path)

Create a fixed mapping between an existing directory and a virtual OSAL mount point.

 int32 OS_mkfs (char *address, const char *devname, const char *volname, size_t blocksize, osal_blockcount_t numblocks)

Makes a file system on the target.

• int32 OS mount (const char *devname, const char *mountpoint)

Mounts a file system.

int32 OS_initfs (char *address, const char *devname, const char *volname, size_t blocksize, osal_blockcount_t numblocks)

Initializes an existing file system.

int32 OS_rmfs (const char *devname)

Removes a file system.

int32 OS_unmount (const char *mountpoint)

Unmounts a mounted file system.

int32 OS_FileSysStatVolume (const char *name, OS_statvfs_t *statbuf)

Obtains information about size and free space in a volume.

int32 OS_chkfs (const char *name, bool repair)

Checks the health of a file system and repairs it if necessary.

int32 OS_FS_GetPhysDriveName (char *PhysDriveName, const char *MountPoint)

Obtains the physical drive name associated with a mount point.

• int32 OS_TranslatePath (const char *VirtualPath, char *LocalPath)

Translates an OSAL Virtual file system path to a host Local path.

int32 OS_GetFsInfo (os_fsinfo_t *filesys_info)

Returns information about the file system.

11.123.1 Detailed Description

Declarations and prototypes for file systems

11.123.2 Macro Definition Documentation

11.123.2.1 OS_CHK_ONLY #define OS_CHK_ONLY 0

Unused, API takes bool

Definition at line 31 of file osapi-filesys.h.

11.123.2.2 OS REPAIR #define OS_REPAIR 1

Unused, API takes bool

Definition at line 32 of file osapi-filesys.h.

11.124 osal/src/os/inc/osapi-heap.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

struct OS_heap_prop_t
 OSAL heap properties.

Functions

• int32 OS_HeapGetInfo (OS_heap_prop_t *heap_prop)

Return current info on the heap.

11.124.1 Detailed Description

Declarations and prototypes for heap functions

11.125 osal/src/os/inc/osapi-idmap.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Macros

- #define OS OBJECT INDEX MASK 0xFFFF
 - Object index mask.
- #define OS_OBJECT_TYPE_SHIFT 16
 - Object type shift.
- #define OS_OBJECT_TYPE_UNDEFINED 0x00
 - Object type undefined.
- #define OS_OBJECT_TYPE_OS_TASK 0x01
 - Object task type.
- #define OS_OBJECT_TYPE_OS_QUEUE 0x02
 - Object queue type.
- #define OS_OBJECT_TYPE_OS_COUNTSEM 0x03
 - Object counting semaphore type.
- #define OS_OBJECT_TYPE_OS_BINSEM 0x04
 - Object binary semaphore type.
- #define OS_OBJECT_TYPE_OS_MUTEX 0x05
 - Object mutex type.
- #define OS_OBJECT_TYPE_OS_STREAM 0x06
 - Object stream type.
- #define OS OBJECT TYPE OS DIR 0x07
 - Object directory type.
- #define OS_OBJECT_TYPE_OS_TIMEBASE 0x08
 - Object timebase type.
- #define OS OBJECT TYPE OS TIMECB 0x09

Object timer callback type.

#define OS_OBJECT_TYPE_OS_MODULE 0x0A

Object module type.

• #define OS_OBJECT_TYPE_OS_FILESYS 0x0B

Object file system type.

#define OS_OBJECT_TYPE_OS_CONSOLE 0x0C

Object console type.

#define OS_OBJECT_TYPE_OS_CONDVAR 0x0D

Object condition variable type.

#define OS_OBJECT_TYPE_USER 0x10

Object user type.

Functions

static unsigned long OS_ObjectIdToInteger (osal_id_t object_id)

Obtain an integer value corresponding to an object ID.

• static osal_id_t OS_ObjectIdFromInteger (unsigned long value)

Obtain an osal ID corresponding to an integer value.

static bool OS_ObjectIdEqual (osal_id_t object_id1, osal_id_t object_id2)

Check two OSAL object ID values for equality.

static bool OS_ObjectIdDefined (osal_id_t object_id)

Check if an object ID is defined.

• int32 OS_GetResourceName (osal_id_t object_id, char *buffer, size_t buffer_size)

Obtain the name of an object given an arbitrary object ID.

osal_objtype_t OS_IdentifyObject (osal_id_t object_id)

Obtain the type of an object given an arbitrary object ID.

• int32 OS_ConvertToArrayIndex (osal_id_t object_id, osal_index_t *ArrayIndex)

Converts an abstract ID into a number suitable for use as an array index.

int32 OS_ObjectIdToArrayIndex (osal_objtype_t idtype, osal_id_t object_id, osal_index_t *ArrayIndex)

Converts an abstract ID into a number suitable for use as an array index.

void OS_ForEachObject (osal_id_t creator_id, OS_ArgCallback_t callback_ptr, void *callback_arg)

call the supplied callback function for all valid object IDs

void OS_ForEachObjectOfType (osal_objtype_t objtype, osal_id_t creator_id, OS_ArgCallback_t callback_ptr, void *callback_arg)

call the supplied callback function for valid object IDs of a specific type

11.125.1 Detailed Description

Declarations and prototypes for object IDs

11.125.2 Macro Definition Documentation

11.125.2.1 OS_OBJECT_INDEX_MASK #define OS_OBJECT_INDEX_MASK 0xffff

Object index mask.

Definition at line 32 of file osapi-idmap.h.

11.125.2.2 OS_OBJECT_TYPE_SHIFT #define OS_OBJECT_TYPE_SHIFT 16

Object type shift.

Definition at line 33 of file osapi-idmap.h.

11.126 osal/src/os/inc/osapi-macros.h File Reference

```
#include <stdio.h>
#include <stdlib.h>
#include <string.h>
#include "osconfig.h"
#include "common_types.h"
#include "osapi-printf.h"
```

Macros

- #define BUGREPORT(...) OS_printf(__VA_ARGS___)
- #define BUGCHECK(cond, errcode)

Basic Bug-Checking macro.

• #define ARGCHECK(cond, errcode)

Generic argument checking macro for non-critical values.

• #define LENGTHCHECK(str, len, errcode) ARGCHECK(memchr(str, "\0', len), errcode)

String length limit check macro.

• #define BUGCHECK_VOID(cond) BUGCHECK(cond,)

Bug-Check macro for void functions.

11.126.1 Detailed Description

Macro definitions that are used across all OSAL subsystems

11.126.2 Macro Definition Documentation

Generic argument checking macro for non-critical values.

This macro checks a conditional that is expected to be true, and return a value if it evaluates false.

ARGCHECK can be used to check for out of range or other invalid argument conditions which may (validly) occur at runtime and do not necessarily indicate bugs in the application.

These argument checks are NOT considered fatal errors. The application continues to run normally. This does not report the error on the console.

As such, ARGCHECK actions are always compiled in - not selectable at compile-time.

See also

BUGCHECK for checking critical values that indicate bugs

Definition at line 131 of file osapi-macros.h.

11.126.2.2 BUGCHECK #define BUGCHECK(

```
cond,
errcode )

Value:
    if (!(cond))
{
        BUGREPORT("\n**BUG** %s():%d:check \'%s\' FAILED --> %s\n\n", __func__, __LINE__, #cond, #errcode); \
        return errcode; \
}
```

Basic Bug-Checking macro.

This macro checks a conditional, and if it is FALSE, then it generates a report - which may in turn contain additional actions

BUGCHECK should only be used for conditions which are critical and must always be true. If such a condition is ever false then it indicates a bug in the application which must be resolved. It may or may not be possible to continue operation if a bugcheck fails.

See also

ARGCHECK for checking non-critical values

Definition at line 105 of file osapi-macros.h.

```
11.126.2.3 BUGCHECK_VOID #define BUGCHECK_VOID(

cond ) BUGCHECK(cond, )
```

Bug-Check macro for void functions.

The basic BUGCHECK macro returns a value, which needs to be empty for functions that do not have a return value. In this case the second argument (errcode) is intentionally left blank.

Definition at line 155 of file osapi-macros.h.

```
11.126.2.4 BUGREPORT #define BUGREPORT(
... ) OS_printf(__VA_ARGS__)
```

Definition at line 88 of file osapi-macros.h.

11.126.2.5 LENGTHCHECK #define LENGTHCHECK(

```
str,
len,
errcode ) ARGCHECK(memchr(str, '\0', len), errcode)
```

String length limit check macro.

This macro is a specialized version of ARGCHECK that confirms a string will fit into a buffer of the specified length, and return an error code if it will not.

Note

this uses ARGCHECK, thus treating a string too long as a normal runtime (i.e. non-bug) error condition with a typical error return to the caller.

Definition at line 146 of file osapi-macros.h.

11.127 osal/src/os/inc/osapi-module.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

· struct OS module address t

OSAL module address properties.

struct OS_module_prop_t

OSAL module properties.

struct OS_static_symbol_record_t

Associates a single symbol name with a memory address.

Macros

• #define OS MODULE FLAG GLOBAL SYMBOLS 0x00

Requests OS_ModuleLoad() to add the symbols to the global symbol table.

#define OS_MODULE_FLAG_LOCAL_SYMBOLS 0x01

Requests OS_ModuleLoad() to keep the symbols local/private to this module.

Functions

int32 OS_SymbolLookup (cpuaddr *symbol_address, const char *symbol_name)

Find the Address of a Symbol.

int32 OS_ModuleSymbolLookup (osal_id_t module_id, cpuaddr *symbol_address, const char *symbol_name)

Find the Address of a Symbol within a module.

int32 OS_SymbolTableDump (const char *filename, size_t size_limit)

Dumps the system symbol table to a file.

• int32 OS_ModuleLoad (osal_id_t *module_id, const char *module_name, const char *filename, uint32 flags)

Loads an object file.

• int32 OS ModuleUnload (osal id t module id)

Unloads the module file.

• int32 OS ModuleInfo (osal id t module id, OS module prop t *module info)

Obtain information about a module.

11.127.1 Detailed Description

Declarations and prototypes for module subsystem

11.127.2 Macro Definition Documentation

11.127.2.1 OS_MODULE_FLAG_GLOBAL_SYMBOLS #define OS_MODULE_FLAG_GLOBAL_SYMBOLS 0x00 Requests OS ModuleLoad() to add the symbols to the global symbol table.

When supplied as the "flags" argument to OS_ModuleLoad(), this indicates that the symbols in the loaded module should be added to the global symbol table. This will make symbols in this library available for use when resolving symbols in future module loads.

This is the default mode of operation for OS ModuleLoad().

Note

On some operating systems, use of this option may make it difficult to unload the module in the future, if the symbols are in use by other entities.

Definition at line 49 of file osapi-module.h.

```
11.127.2.2 OS_MODULE_FLAG_LOCAL_SYMBOLS #define OS_MODULE_FLAG_LOCAL_SYMBOLS 0x01 Requests OS ModuleLoad() to keep the symbols local/private to this module.
```

When supplied as the "flags" argument to OS_ModuleLoad(), this indicates that the symbols in the loaded module should NOT be added to the global symbol table. This means the symbols in the loaded library will not be available for use by other modules.

Use this option is recommended for cases where no other entities will need to reference symbols within this module. This helps ensure that the module can be more safely unloaded in the future, by preventing other modules from binding to it. It also helps reduce the likelihood of symbol name conflicts among modules.

Note

To look up symbols within a module loaded with this flag, use OS_SymbolLookupInModule() instead of OS_SymbolLookup(). Also note that references obtained using this method are not tracked by the OS; the application must ensure that all references obtained in this manner have been cleaned up/released before unloading the module.

Definition at line 71 of file osapi-module.h.

11.128 osal/src/os/inc/osapi-mutex.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

struct OS_mut_sem_prop_t
 OSAL mutex properties.

Functions

• int32 OS_MutSemCreate (osal_id_t *sem_id, const char *sem_name, uint32 options)

Creates a mutex semaphore.

int32 OS_MutSemGive (osal_id_t sem_id)

Releases the mutex object referenced by sem_id.

• int32 OS_MutSemTake (osal_id_t sem_id)

Acquire the mutex object referenced by sem_id.

int32 OS MutSemDelete (osal id t sem id)

Deletes the specified Mutex Semaphore.

• int32 OS MutSemGetIdByName (osal id t *sem id, const char *sem name)

Find an existing mutex ID by name.

int32 OS_MutSemGetInfo (osal_id_t sem_id, OS_mut_sem_prop_t *mut_prop)

Fill a property object buffer with details regarding the resource.

11.128.1 Detailed Description

Declarations and prototypes for mutexes

11.129 osal/src/os/inc/osapi-network.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Functions

int32 OS NetworkGetID (void)

Gets the network ID of the local machine.

int32 OS_NetworkGetHostName (char *host_name, size_t name_len)

Gets the local machine network host name.

11.129.1 Detailed Description

Declarations and prototypes for network subsystem

11.130 osal/src/os/inc/osapi-printf.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Functions

• void OS_printf (const char *string,...) OS_PRINTF(1

Abstraction for the system printf() call.

void void OS_printf_disable (void)

This function disables the output from OS_printf.

void OS_printf_enable (void)

This function enables the output from OS_printf.

11.130.1 Detailed Description

Declarations and prototypes for printf/console output

11.131 osal/src/os/inc/osapi-queue.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

struct OS_queue_prop_t

OSAL queue properties.

Functions

int32 OS_QueueCreate (osal_id_t *queue_id, const char *queue_name, osal_blockcount_t queue_depth, size
 _t data_size, uint32 flags)

Create a message queue.

• int32 OS_QueueDelete (osal_id_t queue_id)

Deletes the specified message queue.

• int32 OS QueueGet (osal id t queue id, void *data, size t size, size t *size copied, int32 timeout)

Receive a message on a message queue.

• int32 OS_QueuePut (osal_id_t queue_id, const void *data, size_t size, uint32 flags)

Put a message on a message queue.

• int32 OS_QueueGetIdByName (osal_id_t *queue_id, const char *queue_name)

Find an existing queue ID by name.

int32 OS_QueueGetInfo (osal_id_t queue_id, OS_queue_prop_t *queue_prop)

Fill a property object buffer with details regarding the resource.

11.131.1 Detailed Description

Declarations and prototypes for queue subsystem

11.132 osal/src/os/inc/osapi-select.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

struct OS FdSet

An abstract structure capable of holding several OSAL IDs.

Enumerations

enum OS_StreamState_t {
 OS_STREAM_STATE_BOUND = 0x01, OS_STREAM_STATE_CONNECTED = 0x02, OS_STREAM_STATE_READABLE
 = 0x04, OS_STREAM_STATE_WRITABLE = 0x08,
 OS_STREAM_STATE_LISTENING = 0x10 }

For the OS_SelectSingle() function's in/out StateFlags parameter, the state(s) of the stream and the result of the select is a combination of one or more of these states.

Functions

int32 OS_SelectMultiple (OS_FdSet *ReadSet, OS_FdSet *WriteSet, int32 msecs)

Wait for events across multiple file handles.

int32 OS_SelectSingle (osal_id_t objid, uint32 *StateFlags, int32 msecs)

Wait for events on a single file handle.

int32 OS_SelectFdZero (OS_FdSet *Set)

Clear a FdSet structure.

int32 OS_SelectFdAdd (OS_FdSet *Set, osal_id_t objid)

Add an ID to an FdSet structure.

• int32 OS SelectFdClear (OS FdSet *Set, osal id t objid)

Clear an ID from an FdSet structure.

bool OS SelectFdlsSet (const OS FdSet *Set, osal id t objid)

Check if an FdSet structure contains a given ID.

11.132.1 Detailed Description

Declarations and prototypes for select abstraction

11.132.2 Enumeration Type Documentation

11.132.2.1 OS_StreamState_t enum OS_StreamState_t

For the OS_SelectSingle() function's in/out StateFlags parameter, the state(s) of the stream and the result of the select is a combination of one or more of these states.

See also

```
OS_SelectSingle()
```

Enumerator

OS_STREAM_STATE_BOUND	whether the stream is bound
OS_STREAM_STATE_CONNECTED	whether the stream is connected
OS_STREAM_STATE_READABLE	whether the stream is readable
OS_STREAM_STATE_WRITABLE	whether the stream is writable
OS_STREAM_STATE_LISTENING	whether the stream is listening

Definition at line 55 of file osapi-select.h.

11.133 osal/src/os/inc/osapi-shell.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Functions

• int32 OS_ShellOutputToFile (const char *Cmd, osal_id_t filedes)

Executes the command and sends output to a file.

11.133.1 Detailed Description

Declarations and prototypes for shell abstraction

11.134 osal/src/os/inc/osapi-sockets.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

• union OS_SockAddrData_t

Storage buffer for generic network address.

struct OS_SockAddr_t

Encapsulates a generic network address.

• struct OS_socket_prop_t

Encapsulates socket properties.

Macros

#define OS SOCKADDR MAX LEN 28

Enumerations

 enum OS_SocketDomain_I { OS_SocketDomain_INVALID, OS_SocketDomain_INET, OS_SocketDomain_INET6, OS_SocketDomain_MAX }

Socket domain.

 enum OS_SocketType_t { OS_SocketType_INVALID, OS_SocketType_DATAGRAM, OS_SocketType_STREAM, OS_SocketType_MAX }

Socket type.

Shutdown Mode.

 $\bullet \ \, \text{enum OS_SocketShutdownMode_t } \\ \{ \ \, \text{OS_SocketShutdownMode_NONE} = 0, \ \, \text{OS_SocketShutdownMode_SHUT_READ} \\ = 1, \ \, \text{OS_SocketShutdownMode_SHUT_WRITE} = 2, \ \, \text{OS_SocketShutdownMode_SHUT_READWRITE} = 3 \\ \} \\$

Functions

int32 OS_SocketAddrInit (OS_SockAddr_t *Addr, OS_SocketDomain_t Domain)

Initialize a socket address structure to hold an address of the given family.

int32 OS_SocketAddrToString (char *buffer, size_t buflen, const OS_SockAddr_t *Addr)

Get a string representation of a network host address.

• int32 OS_SocketAddrFromString (OS_SockAddr_t *Addr, const char *string)

Set a network host address from a string representation.

int32 OS SocketAddrGetPort (uint16 *PortNum, const OS SockAddr t *Addr)

Get the port number of a network address.

int32 OS SocketAddrSetPort (OS SockAddr t *Addr, uint16 PortNum)

Set the port number of a network address.

• int32 OS_SocketOpen (osal_id_t *sock_id, OS_SocketDomain_t Domain, OS_SocketType_t Type)

Opens a socket.

• int32 OS_SocketBind (osal_id_t sock_id, const OS_SockAddr_t *Addr)

Binds a socket to a given local address and enter listening (server) mode.

int32 OS_SocketListen (osal_id_t sock_id)

Places the specified socket into a listening state.

int32 OS SocketBindAddress (osal id t sock id, const OS SockAddr t *Addr)

Binds a socket to a given local address.

int32 OS SocketConnect (osal id t sock id, const OS SockAddr t *Addr, int32 timeout)

Connects a socket to a given remote address.

• int32 OS_SocketShutdown (osal_id_t sock_id, OS_SocketShutdownMode_t Mode)

Implement graceful shutdown of a stream socket.

• int32 OS_SocketAccept (osal_id_t sock_id, osal_id_t *connsock_id, OS_SockAddr_t *Addr, int32 timeout)

Waits for and accept the next incoming connection on the given socket.

int32 OS_SocketRecvFrom (osal_id_t sock_id, void *buffer, size_t buffen, OS_SockAddr_t *RemoteAddr, int32 timeout)

Reads data from a message-oriented (datagram) socket.

int32 OS_SocketSendTo (osal_id_t sock_id, const void *buffer, size_t buflen, const OS_SockAddr_t *Remote
 — Addr)

Sends data to a message-oriented (datagram) socket.

int32 OS_SocketGetIdByName (osal_id_t *sock_id, const char *sock_name)

Gets an OSAL ID from a given name.

int32 OS_SocketGetInfo (osal_id_t sock_id, OS_socket_prop_t *sock_prop)

Gets information about an OSAL Socket ID.

11.134.1 Detailed Description

Declarations and prototypes for sockets abstraction

11.134.2 Macro Definition Documentation

11.134.2.1 OS_SOCKADDR_MAX_LEN #define OS_SOCKADDR_MAX_LEN 28 Definition at line 45 of file osapi-sockets.h.

11.134.3 Enumeration Type Documentation

11.134.3.1 OS_SocketDomain_t enum OS_SocketDomain_t Socket domain.

Enumerator

OS_SocketDomain_INVALID	Invalid.
OS_SocketDomain_INET	IPv4 address family, most commonly used)
OS_SocketDomain_INET6	IPv6 address family, depends on OS/network stack support.
OS_SocketDomain_MAX	Maximum.

Definition at line 60 of file osapi-sockets.h.

Enumerator

OS_SocketShutdownMode_NONE	Reserved value, no effect.
OS_SocketShutdownMode_SHUT_READ	Disable future reading.
OS_SocketShutdownMode_SHUT_WRITE	Disable future writing.
OS_SocketShutdownMode_SHUT_READWRITE	Disable future reading or writing.

Definition at line 79 of file osapi-sockets.h.

11.134.3.3 OS_SocketType_t enum OS_SocketType_t Socket type.

Enumerator

OS_SocketType_INVALID	Invalid.
OS_SocketType_DATAGRAM	A connectionless, message-oriented socket.
OS_SocketType_STREAM	A stream-oriented socket with the concept of a connection.
OS_SocketType_MAX	Maximum.

Definition at line 69 of file osapi-sockets.h.

11.135 osal/src/os/inc/osapi-task.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

struct OS_task_prop_t
 OSAL task properties.

Macros

• #define OS_MAX_TASK_PRIORITY 255

Upper limit for OSAL task priorities.

#define OS FP ENABLED 1

Floating point enabled state for a task.

- #define OSAL PRIORITY C(X) ((osal priority t) {X})
- #define OSAL_STACKPTR_C(X) ((osal_stackptr_t) {X})
- #define OSAL TASK STACK ALLOCATE OSAL STACKPTR C(NULL)

Typedefs

typedef uint8_t osal_priority_t

Type to be used for OSAL task priorities.

• typedef void * osal_stackptr_t

Type to be used for OSAL stack pointer.

typedef void osal_task

For task entry point.

Functions

typedef osal_task ((*osal_task_entry)(void))

For task entry point.

int32 OS_TaskCreate (osal_id_t *task_id, const char *task_name, osal_task_entry function_pointer, osal_stackptr_t stack_pointer, size_t stack_size, osal_priority_t priority, uint32 flags)

Creates a task and starts running it.

int32 OS_TaskDelete (osal_id_t task_id)

Deletes the specified Task.

void OS_TaskExit (void)

Exits the calling task.

• int32 OS_TaskInstallDeleteHandler (osal_task_entry function_pointer)

Installs a handler for when the task is deleted.

int32 OS_TaskDelay (uint32 millisecond)

Delay a task for specified amount of milliseconds.

int32 OS_TaskSetPriority (osal_id_t task_id, osal_priority_t new_priority)

Sets the given task to a new priority.

osal id t OS TaskGetId (void)

Obtain the task id of the calling task.

• int32 OS_TaskGetIdByName (osal_id_t *task_id, const char *task_name)

Find an existing task ID by name.

int32 OS_TaskGetInfo (osal_id_t task_id, OS_task_prop_t *task_prop)

Fill a property object buffer with details regarding the resource.

• int32 OS_TaskFindIdBySystemData (osal_id_t *task_id, const void *sysdata, size_t sysdata_size)

Reverse-lookup the OSAL task ID from an operating system ID.

11.135.1 Detailed Description

Declarations and prototypes for task abstraction

11.135.2 Macro Definition Documentation

```
11.135.2.1 OS FP ENABLED #define OS_FP_ENABLED 1
```

Floating point enabled state for a task.

Definition at line 35 of file osapi-task.h.

11.135.2.2 OS MAX TASK PRIORITY #define OS_MAX_TASK_PRIORITY 255

Upper limit for OSAL task priorities.

Definition at line 32 of file osapi-task.h.

```
11.135.2.3 OSAL_PRIORITY_C #define OSAL_PRIORITY_C(
```

```
X ) ((osal_priority_t) {X})
```

Definition at line 46 of file osapi-task.h.

```
11.135.2.4 OSAL_STACKPTR_C #define OSAL_STACKPTR_C(
```

```
X ) ((osal_stackptr_t) {X})
```

Definition at line 53 of file osapi-task.h.

11.135.2.5 OSAL_TASK_STACK_ALLOCATE #define OSAL_TASK_STACK_ALLOCATE OSAL_STACKPTR_C (NULL)

Definition at line 54 of file osapi-task.h.

11.135.3 Typedef Documentation

11.135.3.1 osal_priority_t typedef uint8_t osal_priority_t

Type to be used for OSAL task priorities.

OSAL priorities are in reverse order, and range from 0 (highest; will preempt all other tasks) to 255 (lowest; will not preempt any other task).

Definition at line 44 of file osapi-task.h.

```
11.135.3.2 osal_stackptr_t typedef void* osal_stackptr_t
Type to be used for OSAL stack pointer.

Definition at line 51 of file osapi-task.h.
```

```
11.135.3.3 osal_task typedef void osal_task For task entry point.
```

Definition at line 68 of file osapi-task.h.

11.135.4 Function Documentation

11.136 osal/src/os/inc/osapi-timebase.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

struct OS_timebase_prop_t
 Time base properties.

Typedefs

typedef uint32(* OS_TimerSync_t) (osal_id_t timer_id)
 Timer sync.

Functions

Create an abstract Time Base resource.

int32 OS_TimeBaseSet (osal_id_t timebase_id, uint32 start_time, uint32 interval_time)

Sets the tick period for simulated time base objects.

int32 OS_TimeBaseDelete (osal_id_t timebase_id)

Deletes a time base object.

int32 OS TimeBaseGetIdByName (osal id t*timebase id, const char *timebase name)

Find the ID of an existing time base resource.

int32 OS TimeBaseGetInfo (osal id t timebase id, OS timebase prop t *timebase prop)

Obtain information about a timebase resource.

• int32 OS TimeBaseGetFreeRun (osal id t timebase id, uint32 *freerun val)

Read the value of the timebase free run counter.

11.136.1 Detailed Description

Declarations and prototypes for timebase abstraction

11.136.2 Typedef Documentation

```
11.136.2.1 OS_TimerSync_t typedef uint32(* OS_TimerSync_t) (osal_id_t timer_id) Timer sync.
```

Definition at line 34 of file osapi-timebase.h.

11.137 osal/src/os/inc/osapi-timer.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

• struct OS_timer_prop_t

Timer properties.

Typedefs

typedef void(* OS_TimerCallback_t) (osal_id_t timer_id)

Timer callback.

Functions

int32 OS_TimerCreate (osal_id_t *timer_id, const char *timer_name, uint32 *clock_accuracy, OS_TimerCallback_t callback_ptr)

Create a timer object.

• int32 OS_TimerAdd (osal_id_t *timer_id, const char *timer_name, osal_id_t timebase_id, OS_ArgCallback_t callback_ptr, void *callback_arg)

Add a timer object based on an existing TimeBase resource.

int32 OS_TimerSet (osal_id_t timer_id, uint32 start_time, uint32 interval_time)

Configures a periodic or one shot timer.

int32 OS_TimerDelete (osal_id_t timer_id)

Deletes a timer resource.

• int32 OS_TimerGetIdByName (osal_id_t *timer_id, const char *timer_name)

Locate an existing timer resource by name.

int32 OS_TimerGetInfo (osal_id_t timer_id, OS_timer_prop_t *timer_prop)

Gets information about an existing timer.

11.137.1 Detailed Description

Declarations and prototypes for timer abstraction (app callbacks)

11.137.2 Typedef Documentation

```
11.137.2.1 OS_TimerCallback_t typedef void(* OS_TimerCallback_t) (osal_id_t timer_id) Timer callback.
```

Definition at line 34 of file osapi-timer.h.

11.138 osal/src/os/inc/osapi-version.h File Reference

```
#include "common_types.h"
```

Macros

- #define OS BUILD NUMBER 37
- #define OS BUILD BASELINE "equuleus-rc1"
- #define OS_BUILD_DEV_CYCLE "equuleus-rc2"

Development: Release name for current development cycle.

#define OS_BUILD_CODENAME "Equuleus"

: Development: Code name for the current build

#define OS_MAJOR_VERSION 5

Major version number.

• #define OS MINOR VERSION 0

Minor version number.

• #define OS REVISION 0

Revision version number. Value of 99 indicates a development version.

#define OS_LAST_OFFICIAL "v5.0.0"

Last official release.

#define OS MISSION REV 0xFF

Mission revision.

• #define OS_STR_HELPER(x) #x

Helper function to concatenate strings from integer.

#define OS_STR(x) OS_STR_HELPER(x)

Helper function to concatenate strings from integer.

• #define OS_VERSION OS_BUILD_BASELINE "+dev" OS_STR(OS_BUILD_NUMBER)

Development Build Version Number.

 #define OSAL_API_VERSION ((OS_MAJOR_VERSION * 10000) + (OS_MINOR_VERSION * 1000) + OS_REVISION)

Combines the revision components into a single value.

• #define OS_CFG_MAX_VERSION_STR_LEN 256

Max Version String length.

Functions

- const char * OS_GetVersionString (void)
- const char * OS_GetVersionCodeName (void)
- void OS_GetVersionNumber (uint8 VersionNumbers[4])

Obtain the OSAL numeric version number.

uint32 OS_GetBuildNumber (void)

Obtain the OSAL library numeric build number.

11.138.1 Detailed Description

Provide version identifiers for Operating System Abstraction Layer

Note

OSAL follows the same version semantics as cFS, which in turn is based on the Semantic Versioning 2.0 Specification. For more information, see the documentation provided with cFE.

11.138.2 Macro Definition Documentation

11.138.2.1 OS_BUILD_BASELINE #define OS_BUILD_BASELINE "equuleus-rc1"

Definition at line 38 of file osapi-version.h.

11.138.2.2 OS_BUILD_CODENAME #define OS_BUILD_CODENAME "Equuleus"

: Development: Code name for the current build

Definition at line 40 of file osapi-version.h.

11.138.2.3 OS_BUILD_DEV_CYCLE #define OS_BUILD_DEV_CYCLE "equuleus-rc2"

Development: Release name for current development cycle.

Definition at line 39 of file osapi-version.h.

11.138.2.4 OS_BUILD_NUMBER #define OS_BUILD_NUMBER 37

Definition at line 37 of file osapi-version.h.

11.138.2.5 OS_CFG_MAX_VERSION_STR_LEN #define OS_CFG_MAX_VERSION_STR_LEN 256

Max Version String length.

Maximum length that an OSAL version string can be.

Definition at line 154 of file osapi-version.h.

11.138.2.6 OS_LAST_OFFICIAL #define OS_LAST_OFFICIAL "v5.0.0"

Last official release.

Definition at line 52 of file osapi-version.h.

11.138.2.7 OS_MAJOR_VERSION #define OS_MAJOR_VERSION 5

Major version number.

Definition at line 45 of file osapi-version.h.

11.138.2.8 OS_MINOR_VERSION #define OS_MINOR_VERSION 0

Minor version number.

Definition at line 46 of file osapi-version.h.

11.138.2.9 OS_MISSION_REV #define OS_MISSION_REV 0xFF

Mission revision.

Reserved for mission use to denote patches/customizations as needed. Values 1-254 are reserved for mission use to denote patches/customizations as needed. NOTE: Reserving 0 and 0xFF for cFS open-source development use (pending resolution of nasa/cFS#440)

Definition at line 61 of file osapi-version.h.

11.138.2.10 OS_REVISION #define OS_REVISION 0

Revision version number. Value of 99 indicates a development version.

Definition at line 47 of file osapi-version.h.

Helper function to concatenate strings from integer.

Definition at line 67 of file osapi-version.h.

11.138.2.12 OS_STR_HELPER #define OS_STR_HELPER(

x) #x

Helper function to concatenate strings from integer.

Definition at line 66 of file osapi-version.h.

11.138.2.13 OS_VERSION #define OS_VERSION OS_BUILD_BASELINE "+dev" OS_STR(OS_BUILD_NUMBER)

Development Build Version Number.

Baseline git tag + Number of commits since baseline.

Definition at line 72 of file osapi-version.h.

11.138.2.14 OSAL_API_VERSION #define OSAL_API_VERSION ((OS_MAJOR_VERSION * 10000) + (OS_MINOR_VERSION * 100) + OS_REVISION)

Combines the revision components into a single value.

Applications can check against this number

e.g. "#if OSAL_API_VERSION >= 40100" would check if some feature added in OSAL 4.1 is present.

Definition at line 79 of file osapi-version.h.

11.138.3 Function Documentation

11.138.3.1 OS_GetBuildNumber() uint32 OS_GetBuildNumber (

void)

Obtain the OSAL library numeric build number.

The build number is a monotonically increasing number that (coarsely) reflects the number of commits/changes that have been merged since the epoch release. During development cycles this number should increase after each subsequent merge/modification.

Like other version information, this is a fixed number assigned at compile time.

Returns

The OSAL library build number

$\textbf{11.138.3.2} \quad \textbf{OS_GetVersionCodeName()} \quad \texttt{const char* OS_GetVersionCodeName ()}$

void)

Gets the OSAL version code name

All NASA CFE/CFS components (including CFE framework, OSAL and PSP) that work together will share the same code name.

Returns

OSAL code name. This is a fixed value string and is never NULL.

11.138.3.3 OS_GetVersionNumber() void OS_GetVersionNumber (uint8 VersionNumbers[4])

Obtain the OSAL numeric version number.

This retrieves the numeric OSAL version identifier as an array of 4 uint8 values.

The array of numeric values is in order of precedence: [0] = Major Number [1] = Minor Number [2] = Revision Number [3] = Mission Revision

The "Mission Revision" (last output) also indicates whether this is an official release, a patched release, or a development version. 0 indicates an official release 1-254 local patch level (reserved for mission use) 255 indicates a development build

Parameters

out <i>Ve</i>	ersionNumbers	A fixed-size array to be filled with the version numbers	
	out Ve	out <i>VersionNumbers</i>	out VersionNumbers A fixed-size array to be filled with the version numbers

11.138.3.4 OS_GetVersionString() const char* OS_GetVersionString (

Gets the OSAL version/baseline ID as a string

This returns the content of the OS_VERSION macro defined above, and is specifically just the baseline and development build ID (if applicable), without any extra info.

Returns

Basic version identifier. This is a fixed value string and is never NULL.

11.139 osal/src/os/inc/osapi.h File Reference

```
#include <stdio.h>
#include <stdlib.h>
#include <stdarg.h>
#include "common_types.h"
#include "osapi-version.h"
#include "osconfig.h"
#include "osapi-binsem.h"
#include "osapi-clock.h"
#include "osapi-common.h"
#include "osapi-condvar.h"
#include "osapi-constants.h"
#include "osapi-countsem.h"
#include "osapi-dir.h"
#include "osapi-error.h"
#include "osapi-file.h"
#include "osapi-filesys.h"
#include "osapi-heap.h"
#include "osapi-macros.h"
#include "osapi-idmap.h"
#include "osapi-module.h"
#include "osapi-mutex.h"
```

```
#include "osapi-network.h"
#include "osapi-printf.h"
#include "osapi-queue.h"
#include "osapi-select.h"
#include "osapi-shell.h"
#include "osapi-sockets.h"
#include "osapi-task.h"
#include "osapi-timebase.h"
#include "osapi-timer.h"
#include "osapi-bsp.h"
```

11.139.1 Detailed Description

Purpose: Contains functions prototype definitions and variables declarations for the OS Abstraction Layer, Core OS module

11.140 psp/fsw/inc/cfe_psp.h File Reference

```
#include "common_types.h"
#include "osapi.h"
#include "cfe_psp_error.h"
```

Macros

- #define CFE PSP PANIC STARTUP 1
- #define CFE_PSP_PANIC_VOLATILE_DISK 2
- #define CFE_PSP_PANIC_MEMORY_ALLOC 3
- #define CFE PSP PANIC NONVOL DISK 4
- #define CFE PSP PANIC STARTUP SEM 5
- #define CFE PSP PANIC CORE APP 6
- #define CFE PSP PANIC GENERAL FAILURE 7
- #define BUFF_SIZE 256
- #define SIZE BYTE 1
- #define SIZE HALF 2
- #define SIZE_WORD 3
- #define CFE PSP MEM RAM 1
- #define CFE_PSP_MEM_EEPROM 2
- #define CFE_PSP_MEM_ANY 3
- #define CFE_PSP_MEM_INVALID 4
- #define CFE_PSP_MEM_ATTR_WRITE 0x01
- #define CFE_PSP_MEM_ATTR_READ 0x02
- #define CFE PSP MEM ATTR READWRITE 0x03
- #define CFE PSP MEM SIZE BYTE 0x01
- #define CFE_PSP_MEM_SIZE_WORD 0x02
- #define CFE_PSP_MEM_SIZE_DWORD 0x04
- #define CFE_PSP_SOFT_TIMEBASE_NAME "cFS-Master"

The name of the software/RTOS timebase for general system timers.

Reset Types

#define CFE PSP RST TYPE PROCESSOR 1

- #define CFE_PSP_RST_TYPE_POWERON 2
- #define CFE_PSP_RST_TYPE_MAX 3

Reset Sub-Types

• #define CFE PSP RST SUBTYPE POWER CYCLE 1

Reset caused by power having been removed and restored.

• #define CFE PSP RST SUBTYPE PUSH BUTTON 2

Reset caused by reset button on the board.

• #define CFE PSP RST SUBTYPE HW SPECIAL COMMAND 3

Reset was caused by a reset line having been stimulated by a hardware special command.

#define CFE_PSP_RST_SUBTYPE_HW_WATCHDOG 4

Reset was caused by a watchdog timer expiring.

#define CFE_PSP_RST_SUBTYPE_RESET_COMMAND 5

Reset was caused by cFE ES processing a Reset Command.

#define CFE PSP RST SUBTYPE EXCEPTION 6

Reset was caused by a Processor Exception.

#define CFE PSP RST SUBTYPE UNDEFINED RESET 7

Reset was caused in an unknown manner.

• #define CFE_PSP_RST_SUBTYPE_HWDEBUG_RESET 8

Reset was caused by a JTAG or BDM connection.

• #define CFE PSP RST SUBTYPE BANKSWITCH RESET 9

Reset reverted to a cFE POWERON due to a boot bank switch.

#define CFE PSP RST SUBTYPE MAX 10

Placeholder to indicate 1+ the maximum value that the PSP will ever use.

Functions

void CFE_PSP_Main (void)

PSP Entry Point to initialize the OSAL and start up the cFE.

void CFE_PSP_GetTime (OS_time_t *LocalTime)

Sample/Read a monotonic platform clock with normalization.

void CFE_PSP_Restart (uint32 resetType)

Entry point back to the BSP to restart the processor.

uint32 CFE_PSP_GetRestartType (uint32 *restartSubType)

Returns the last reset type.

void CFE_PSP_FlushCaches (uint32 type, void *address, uint32 size)

This is a BSP-specific cache flush routine.

uint32 CFE_PSP_GetProcessorId (void)

Returns the CPU ID as defined by the specific board and BSP.

uint32 CFE_PSP_GetSpacecraftId (void)

Returns the Spacecraft ID (if any)

const char * CFE PSP GetProcessorName (void)

Returns the processor name.

uint32 CFE_PSP_Get_Timer_Tick (void)

Returns the underlying OS timer tick value.

- uint32 CFE_PSP_GetTimerTicksPerSecond (void)
- uint32 CFE PSP GetTimerLow32Rollover (void)
- void CFE PSP Get Timebase (uint32 *Tbu, uint32 *Tbl)

Sample/Read a monotonic platform clock without normalization.

• uint32 CFE_PSP_Get_Dec (void)

CFE_PSP_Get_Dec.

int32 CFE_PSP_GetCDSSize (uint32 *SizeOfCDS)

Fetches the size of the OS Critical Data Store area.

int32 CFE PSP WriteToCDS (const void *PtrToDataToWrite, uint32 CDSOffset, uint32 NumBytes)

Writes to the CDS Block.

int32 CFE_PSP_ReadFromCDS (void *PtrToDataToRead, uint32 CDSOffset, uint32 NumBytes)

Reads from the CDS Block.

• int32 CFE_PSP_GetResetArea (cpuaddr *PtrToResetArea, uint32 *SizeOfResetArea)

Returns the location and size of the ES Reset information area.

int32 CFE PSP GetUserReservedArea (cpuaddr *PtrToUserArea, uint32 *SizeOfUserArea)

Returns the location and size of the memory used for the cFE user-reserved area.

int32 CFE PSP GetVolatileDiskMem (cpuaddr *PtrToVolDisk, uint32 *SizeOfVolDisk)

Returns the location and size of the memory used for the cFE volatile disk.

int32 CFE PSP GetKernelTextSegmentInfo (cpuaddr *PtrToKernelSegment, uint32 *SizeOfKernelSegment)

Returns the location and size of the kernel memory.

int32 CFE PSP GetCFETextSegmentInfo (cpuaddr *PtrToCFESegment, uint32 *SizeOfCFESegment)

Returns the location and size of the kernel memory.

void CFE PSP WatchdogInit (void)

Configures the watchdog timer.

void CFE_PSP_WatchdogEnable (void)

Enables the watchdog timer.

· void CFE PSP WatchdogDisable (void)

Disables the watchdog timer.

void CFE_PSP_WatchdogService (void)

Services the watchdog timer according to the value set in WatchDogSet.

uint32 CFE PSP WatchdogGet (void)

Gets the watchdog time in milliseconds.

void CFE_PSP_WatchdogSet (uint32 WatchdogValue)

Sets the watchdog time in milliseconds.

void CFE_PSP_Panic (int32 ErrorCode)

Aborts the cFE startup.

int32 CFE_PSP_InitSSR (uint32 bus, uint32 device, char *DeviceName)

Initializes the Solid State recorder memory for a particular platform.

int32 CFE_PSP_Decompress (char *srcFileName, char *dstFileName)

Uncompresses the source file to the file specified in the destination file name.

void CFE_PSP_AttachExceptions (void)

Sets up the exception environment for the chosen platform.

void CFE_PSP_SetDefaultExceptionEnvironment (void)

Defines the CPU and FPU exceptions that are enabled for each cFE Task/App.

uint32 CFE_PSP_Exception_GetCount (void)

Returns the unread exception count.

• int32 CFE_PSP_Exception_GetSummary (uint32 *ContextLogId, osal_id_t *TaskId, char *ReasonBuf, uint32 ReasonSize)

Retrieves a summary of an exception log entry.

int32 CFE_PSP_Exception_CopyContext (uint32 ContextLogId, void *ContextBuf, uint32 ContextSize)

Retrieves exception log entry context information.

int32 CFE_PSP_PortRead8 (cpuaddr PortAddress, uint8 *ByteValue)

Read one byte of memory.

int32 CFE_PSP_PortWrite8 (cpuaddr PortAddress, uint8 ByteValue)

Write one byte of memory.

int32 CFE PSP PortRead16 (cpuaddr PortAddress, uint16 *uint16Value)

Read 2 bytes of memory.

int32 CFE PSP PortWrite16 (cpuaddr PortAddress, uint16 uint16Value)

Write 2 bytes of memory.

int32 CFE PSP PortRead32 (cpuaddr PortAddress, uint32 *uint32Value)

Read 4 bytes of memory.

int32 CFE PSP PortWrite32 (cpuaddr PortAddress, uint32 uint32Value)

Write 4 bytes of memory.

int32 CFE PSP MemRead8 (cpuaddr MemoryAddress, uint8 *ByteValue)

Read one byte of memory.

int32 CFE PSP MemWrite8 (cpuaddr MemoryAddress, uint8 ByteValue)

Write one byte of memory.

int32 CFE PSP MemRead16 (cpuaddr MemoryAddress, uint16 *uint16Value)

Read 2 bytes of memory.

• int32 CFE_PSP_MemWrite16 (cpuaddr MemoryAddress, uint16 uint16Value)

Write 2 bytes of memory.

int32 CFE PSP MemRead32 (cpuaddr MemoryAddress, uint32 *uint32Value)

Read 4 bytes of memory.

int32 CFE PSP MemWrite32 (cpuaddr MemoryAddress, uint32 uint32Value)

Write 4 bytes of memory.

int32 CFE PSP MemCpy (void *dest, const void *src, uint32 n)

Copy 'n' bytes from 'src' to 'dest'.

int32 CFE_PSP_MemSet (void *dest, uint8 value, uint32 n)

Copy 'n' bytes of value 'value' to 'dest'.

int32 CFE_PSP_MemValidateRange (cpuaddr Address, size_t Size, uint32 MemoryType)

Validates the memory range and type using the global CFE_PSP_MemoryTable.

uint32 CFE PSP MemRanges (void)

Returns the number of memory ranges in the CFE_PSP_MemoryTable.

 int32 CFE_PSP_MemRangeSet (uint32 RangeNum, uint32 MemoryType, cpuaddr StartAddr, size_t Size, size_t WordSize, uint32 Attributes)

Populates one of the records in the CFE PSP MemoryTable.

 int32 CFE_PSP_MemRangeGet (uint32 RangeNum, uint32 *MemoryType, cpuaddr *StartAddr, size_t *Size, size_t *WordSize, uint32 *Attributes)

Retrieves one of the records in the CFE_PSP_MemoryTable.

int32 CFE_PSP_EepromWrite8 (cpuaddr MemoryAddress, uint8 ByteValue)

Write one byte (ByteValue) to EEPROM address MemoryAddress.

int32 CFE_PSP_EepromWrite16 (cpuaddr MemoryAddress, uint16 uint16Value)

Write two bytes (uint16Value) to EEPROM address MemoryAddress.

int32 CFE PSP EepromWrite32 (cpuaddr MemoryAddress, uint32 uint32Value)

Write four bytes (uint32Value) to EEPROM address MemoryAddress.

int32 CFE PSP EepromWriteEnable (uint32 Bank)

Enable the EEPROM for write operation.

• int32 CFE_PSP_EepromWriteDisable (uint32 Bank)

Disable the EEPROM from write operation.

int32 CFE PSP EepromPowerUp (uint32 Bank)

Power up the EEPROM.

int32 CFE PSP EepromPowerDown (uint32 Bank)

Power down the EEPROM.

const char * CFE_PSP_GetVersionString (void)

Obtain the PSP version/baseline identifier string.

const char * CFE PSP GetVersionCodeName (void)

Obtain the version code name.

void CFE PSP GetVersionNumber (uint8 VersionNumbers[4])

Retrieves the numeric PSP version identifier as an array of uint8 values.

uint32 CFE PSP GetBuildNumber (void)

Obtain the PSP library numeric build number.

11.140.1 Macro Definition Documentation

11.140.1.1 BUFF_SIZE #define BUFF_SIZE 256

Definition at line 62 of file cfe psp.h.

11.140.1.2 CFE_PSP_MEM_ANY #define CFE_PSP_MEM_ANY 3

Definition at line 72 of file cfe_psp.h.

11.140.1.3 CFE_PSP_MEM_ATTR_READ #define CFE_PSP_MEM_ATTR_READ 0x02

Definition at line 79 of file cfe_psp.h.

11.140.1.4 CFE_PSP_MEM_ATTR_READWRITE #define CFE_PSP_MEM_ATTR_READWRITE 0x03

Definition at line 80 of file cfe psp.h.

11.140.1.5 CFE_PSP_MEM_ATTR_WRITE #define CFE_PSP_MEM_ATTR_WRITE 0x01

Definition at line 78 of file cfe_psp.h.

11.140.1.6 CFE_PSP_MEM_EEPROM #define CFE_PSP_MEM_EEPROM 2

Definition at line 71 of file cfe_psp.h.

11.140.1.7 CFE_PSP_MEM_INVALID #define CFE_PSP_MEM_INVALID 4

Definition at line 73 of file cfe_psp.h.

11.140.1.8 CFE_PSP_MEM_RAM #define CFE_PSP_MEM_RAM 1

Definition at line 70 of file cfe_psp.h.

11.140.1.9 CFE PSP_MEM_SIZE_BYTE #define CFE_PSP_MEM_SIZE_BYTE 0x01

Definition at line 85 of file cfe psp.h.

11.140.1.10 CFE_PSP_MEM_SIZE_DWORD #define CFE_PSP_MEM_SIZE_DWORD 0x04 Definition at line 87 of file cfe psp.h.

11.140.1.11 CFE_PSP_MEM_SIZE_WORD #define CFE_PSP_MEM_SIZE_WORD 0×02 Definition at line 86 of file cfe_psp.h.

11.140.1.12 CFE_PSP_PANIC_CORE_APP #define CFE_PSP_PANIC_CORE_APP 6 Definition at line 56 of file cfe_psp.h.

11.140.1.13 CFE_PSP_PANIC_GENERAL_FAILURE #define CFE_PSP_PANIC_GENERAL_FAILURE 7 Definition at line 57 of file cfe_psp.h.

11.140.1.14 CFE_PSP_PANIC_MEMORY_ALLOC #define CFE_PSP_PANIC_MEMORY_ALLOC 3 Definition at line 53 of file cfe_psp.h.

11.140.1.15 CFE_PSP_PANIC_NONVOL_DISK #define CFE_PSP_PANIC_NONVOL_DISK 4 Definition at line 54 of file cfe_psp.h.

11.140.1.16 CFE_PSP_PANIC_STARTUP #define CFE_PSP_PANIC_STARTUP 1 Definition at line 51 of file cfe psp.h.

11.140.1.17 CFE_PSP_PANIC_STARTUP_SEM #define CFE_PSP_PANIC_STARTUP_SEM 5 Definition at line 55 of file cfe_psp.h.

11.140.1.18 CFE_PSP_PANIC_VOLATILE_DISK #define CFE_PSP_PANIC_VOLATILE_DISK 2 Definition at line 52 of file cfe_psp.h.

11.140.1.19 CFE_PSP_RST_SUBTYPE_BANKSWITCH_RESET #define CFE_PSP_RST_SUBTYPE_BANKSWITCH←
_RESET 9

Reset reverted to a cFE POWERON due to a boot bank switch.

Definition at line 122 of file cfe_psp.h.

 $\textbf{11.140.1.20} \quad \textbf{CFE_PSP_RST_SUBTYPE_EXCEPTION} \quad \texttt{\#define CFE_PSP_RST_SUBTYPE_EXCEPTION} \quad \texttt{6} \\ \textbf{Reset was caused by a Processor Exception}.$

Definition at line 116 of file cfe_psp.h.

11.140.1.21 CFE_PSP_RST_SUBTYPE_HW_SPECIAL_COMMAND #define CFE_PSP_RST_SUBTYPE_HW_SPEC←
IAL_COMMAND 3

Reset was caused by a reset line having been stimulated by a hardware special command. Definition at line 110 of file cfe psp.h.

11.140.1.22 CFE_PSP_RST_SUBTYPE_HW_WATCHDOG #define CFE_PSP_RST_SUBTYPE_HW_WATCHDOG 4 Reset was caused by a watchdog timer expiring.

Definition at line 112 of file cfe psp.h.

11.140.1.23 CFE_PSP_RST_SUBTYPE_HWDEBUG_RESET #define CFE_PSP_RST_SUBTYPE_HWDEBUG_RESET 8

Reset was caused by a JTAG or BDM connection.

Definition at line 120 of file cfe_psp.h.

11.140.1.24 CFE PSP RST SUBTYPE MAX #define CFE_PSP_RST_SUBTYPE_MAX 10

Placeholder to indicate 1+ the maximum value that the PSP will ever use.

Definition at line 124 of file cfe_psp.h.

11.140.1.25 CFE_PSP_RST_SUBTYPE_POWER_CYCLE #define CFE_PSP_RST_SUBTYPE_POWER_CYCLE 1

Reset caused by power having been removed and restored.

Definition at line 106 of file cfe psp.h.

11.140.1.26 CFE_PSP_RST_SUBTYPE_PUSH_BUTTON #define CFE_PSP_RST_SUBTYPE_PUSH_BUTTON 2

Reset caused by reset button on the board.

Definition at line 108 of file cfe_psp.h.

11.140.1.27 CFE_PSP_RST_SUBTYPE_RESET_COMMAND #define CFE_PSP_RST_SUBTYPE_RESET_COMMAND 5

Reset was caused by cFE ES processing a Reset Command.

Definition at line 114 of file cfe psp.h.

11.140.1.28 CFE_PSP_RST_SUBTYPE_UNDEFINED_RESET #define CFE_PSP_RST_SUBTYPE_UNDEFINED_RE←

SET 7

Reset was caused in an unknown manner.

Definition at line 118 of file cfe psp.h.

11.140.1.29 CFE_PSP_RST_TYPE_MAX #define CFE_PSP_RST_TYPE_MAX 3

Placeholder to indicate 1+ the maximum value that the PSP will ever use.

Definition at line 96 of file cfe_psp.h.

11.140.1.30 CFE_PSP_RST_TYPE_POWERON #define CFE_PSP_RST_TYPE_POWERON 2

All memory has been cleared

Definition at line 95 of file cfe_psp.h.

11.140.1.31 CFE_PSP_RST_TYPE_PROCESSOR #define CFE_PSP_RST_TYPE_PROCESSOR 1

Volatile disk, CDS and User Reserved memory may be valid

Definition at line 94 of file cfe psp.h.

11.140.1.32 CFE_PSP_SOFT_TIMEBASE_NAME #define CFE_PSP_SOFT_TIMEBASE_NAME "cFS-Master"

The name of the software/RTOS timebase for general system timers.

This name may be referred to by CFE TIME and/or SCH when setting up its own timers.

Definition at line 132 of file cfe psp.h.

```
11.140.1.33 SIZE BYTE #define SIZE_BYTE 1
```

Definition at line 63 of file cfe_psp.h.

11.140.1.34 SIZE_HALF #define SIZE_HALF 2

Definition at line 64 of file cfe psp.h.

11.140.1.35 SIZE_WORD #define SIZE_WORD 3

Definition at line 65 of file cfe psp.h.

11.140.2 Function Documentation

$\textbf{11.140.2.1} \quad \textbf{CFE_PSP_AttachExceptions()} \quad \texttt{void} \; \texttt{CFE_PSP_AttachExceptions} \; \; \textbf{(}$

void)

Sets up the exception environment for the chosen platform.

On a board, this can be configured to look at a debug flag or switch in order to keep the standard OS exception handlers, rather than restarting the system.

$\textbf{11.140.2.2} \quad \textbf{CFE_PSP_Decompress()} \quad \texttt{int32} \quad \texttt{CFE_PSP_Decompress} \quad \textbf{(}$

char * srcFileName,
char * dstFileName)

Uncompresses the source file to the file specified in the destination file name.

Note

The Decompress uses the "gzip" algorithm. Files can be compressed using the "gzip" program available on almost all host platforms.

Parameters

srcFileName	Source file to decompress
dstFileName	Destination file name

11.140.2.3 CFE_PSP_EepromPowerDown() int32 CFE_PSP_EepromPowerDown (

uint32 Bank)

Power down the EEPROM.

Parameters

in	Bank	The bank of EEPROM to power down
----	------	----------------------------------

Return values

CFE_PSP_SUCCESS	on success
CFE_PSP_ERROR_NOT_IMPLEMENTED	if not implemented

$\textbf{11.140.2.4} \quad \textbf{CFE_PSP_EepromPowerUp()} \quad \texttt{int32} \quad \texttt{CFE_PSP_EepromPowerUp} \quad \textbf{(}$

uint32 Bank)

Power up the EEPROM.

Parameters

	in	Bank	The bank of EEPROM to power up
--	----	------	--------------------------------

Return values

CFE_PSP_SUCCESS	on success
CFE_PSP_ERROR_NOT_IMPLEMENTED	if not implemented

11.140.2.5 CFE_PSP_EepromWrite16() int32 CFE_PSP_EepromWrite16 (

cpuaddr MemoryAddress,
uint16 uint16Value)

Write two bytes (uint16Value) to EEPROM address MemoryAddress.

Parameters

out	MemoryAddress	Memory address to write to
in	uint16Value	Value to write to memory

Return values

CFE_PSP_SUCCESS	on success
CFE_PSP_ERROR_TIMEOUT	write operation did not go through after a specific timeout.
CFE_PSP_ERROR_ADDRESS_MISALIGNED	if the address is not aligned to a 16-bit addressing scheme.
CFE_PSP_ERROR_NOT_IMPLEMENTED	if not implemented

11.140.2.6 CFE_PSP_EepromWrite32() int32 CFE_PSP_EepromWrite32 (

cpuaddr MemoryAddress,
uint32 uint32Value)

Write four bytes (uint32Value) to EEPROM address MemoryAddress.

Parameters

out	MemoryAddress	Memory address to write to

Parameters

in	uint32Value	Value to write to memory
----	-------------	--------------------------

Return values

CFE_PSP_SUCCESS	on success
CFE_PSP_ERROR_TIMEOUT	write operation did not go through after a specific timeout.
CFE_PSP_ERROR_ADDRESS_MISALIGNED	if the address is not aligned to a 16-bit addressing scheme.
CFE_PSP_ERROR_NOT_IMPLEMENTED	if not implemented

Write one byte (ByteValue) to EEPROM address MemoryAddress.

Parameters

	out	MemoryAddress	Memory address to write to
ſ	in	ByteValue	Value to write to memory

Return values

CFE_PSP_SUCCESS	on success
CFE_PSP_ERROR_TIMEOUT	write operation did not go through after a specific timeout.
CFE_PSP_ERROR_ADDRESS_MISALIGNED	if the address is not aligned to a 16-bit addressing scheme.
CFE_PSP_ERROR_NOT_IMPLEMENTED	if not implemented

11.140.2.8 CFE_PSP_EepromWriteDisable() int32 CFE_PSP_EepromWriteDisable (uint32 Bank)

Disable the EEPROM from write operation.

Parameters

in	Bank	The bank of EEPROM to disable

Return values

CFE_PSP_SUCCESS	on success
CFE_PSP_ERROR_NOT_IMPLEMENTED	if not implemented

11.140.2.9 CFE_PSP_EepromWriteEnable() int32 CFE_PSP_EepromWriteEnable (

uint32 Bank)

Enable the EEPROM for write operation.

Parameters

in B á	hk The bank of EEPROM to enable
in <i>Ba</i>	$k \mid The$ bank of EEPROM to enable

Return values

CFE_PSP_SUCCESS	on success
CFE_PSP_ERROR_NOT_IMPLEMENTED	if not implemented

11.140.2.10 CFE_PSP_Exception_CopyContext() int32 CFE_PSP_Exception_CopyContext (uint32 ContextLogId,

void * ContextBuf,
uint32 ContextSize)

Retrieves exception log entry context information.

Parameters

in	Context⊷ LogId	ID of the exception log entry to copy
out	ContextBuf	Pointer to the buffer where the context information is to be copied to
in	ContextSize	Maximum size of context information data to copy

Returns

Size of the copied data

Return values

CFE_PSP_NO_EXCEPTION_DATA	if data has expired from the memory log
---------------------------	---

11.140.2.11 CFE_PSP_Exception_GetCount() uint32 CFE_PSP_Exception_GetCount (void)

Returns the unread exception count.

Returns

The unread exception count

11.140.2.12 CFE_PSP_Exception_GetSummary() int32 CFE_PSP_Exception_GetSummary (uint32 * ContextLogId, osal_id_t * TaskId,

```
char * ReasonBuf,
uint32 ReasonSize )
```

Retrieves a summary of an exception log entry.

Note

This function returns CFE_PSP_SUCCESS to indicate that an entry was popped from the queue. This doesn't necessarily mean that the output fields have valid data, but it does mean they are initialized to something.

Parameters

in	Context⊷ LogId	ID of the exception log entry to get a summary for
in,out	Taskld	Pointer to the TaskID buffer
out	ReasonBuf	Pointer to the buffer that will store the exception summary string
in	ReasonSize	Maximum size of the summary string to retrieve

Return values

CFE_PSP_SUCCESS	on success (see note above)
CFE_PSP_NO_EXCEPTION_DATA	if no context available for reading

This is a BSP-specific cache flush routine.

Provides a common interface to flush the processor caches. This routine is in the BSP because it is sometimes implemented in hardware and sometimes taken care of by the RTOS.

Parameters

in	type	
in	address	
in	size	

Sample/Read a monotonic platform clock without normalization.

Provides a common interface to system timebase. This routine is in the BSP because it is sometimes implemented in hardware and sometimes taken care of by the RTOS.

This is defined as a free-running, monotonically-increasing tick counter. The epoch is not defined, but typically is the system boot time, and the value increases indefinitely as the system runs. The tick period/rate is also not defined. Rollover events - where the range of representable values is exceeded - are theoretically possible, but would take many years of continuous uptime to occur (typically hundreds of years, if not thousands). System designers should ensure that the actual tick rate and resulting timebase range is sufficiently large to ensure that rollover is not a concern.

Note

This is a "raw" value from the underlying platform with minimal/no conversions or normalization applied. Neither the epoch nor the resolution of this tick counter is specified, and it may vary from platform to platform. Use the CFE_PSP_GetTime() function to sample the timebase and also convert the units into a normalized/more consistent form.

See also

```
CFE_PSP_GetTime()
```

Parameters

	out	Tbu	Buffer to hold the upper 32 bits of a 64-bit tick counter
Ī	out	Tbl	Buffer to hold the lower 32 bits of a 64-bit tick counter

```
11.140.2.16 CFE_PSP_Get_Timer_Tick() uint32 CFE_PSP_Get_Timer_Tick ( void )
```

Returns the underlying OS timer tick value.

It is used for the performance monitoring software

```
11.140.2.17 CFE_PSP_GetBuildNumber() uint32 CFE_PSP_GetBuildNumber ( void )
```

Obtain the PSP library numeric build number.

The build number is a monotonically increasing number that (coarsely) reflects the number of commits/changes that have been merged since the epoch release. During development cycles this number should increase after each subsequent merge/modification.

Like other version information, this is a fixed number assigned at compile time.

Returns

The OSAL library build number

```
11.140.2.18 CFE_PSP_GetCDSSize() int32 CFE_PSP_GetCDSSize ( uint32 * SizeOfCDS )
```

Fetches the size of the OS Critical Data Store area.

Parameters

out	SizeOfCDS	Pointer to the variable that will store the size of the CDS

Returns

0 (OS SUCCESS or CFE PSP SUCCESS) on success, -1 (OS ERROR or CFE PSP ERROR) on error

Returns the location and size of the kernel memory.

This function returns the start and end address of the CFE text segment. It may not be implemented on all architectures.

Parameters

out <i>PtrToCFESegment</i>		Pointer to the variable that will store the location of the cFE text segment
out	SizeOfCFESegment	Pointer to the variable that will store the size of the cFE text segment

Returns

0 (OS SUCCESS or CFE PSP SUCCESS) on success, -1 (OS ERROR or CFE PSP ERROR) on error

Returns the location and size of the kernel memory.

This function returns the start and end address of the kernel text segment. It may not be implemented on all architectures.

Parameters

out	PtrToKernelSegment	Pointer to the variable that will store the location of the kernel text segment	
out	SizeOfKernelSegment	Pointer to the variable that will store the size of the kernel text segment	

Returns

0 (OS_SUCCESS or CFE_PSP_SUCCESS) on success, -1 (OS_ERROR or CFE_PSP_ERROR) on error or CFE_PSP_ERROR NOT IMPLEMENTED if not implemented

```
11.140.2.21 CFE_PSP_GetProcessorId() uint32 CFE_PSP_GetProcessorId (
```

Returns the CPU ID as defined by the specific board and BSP.

Returns

The processor ID

```
11.140.2.22 CFE_PSP_GetProcessorName() const char* CFE_PSP_GetProcessorName ( void )
```

Returns the processor name.

Returns

The processor name

Returns the location and size of the ES Reset information area.

This area is preserved during a processor reset and is used to store the ER Log, System Log and reset-related variables

Parameters

out		PtrToResetArea	Pointer to the variable that will store the location of the reset area	
0	ut	SizeOfResetArea	Pointer to the variable that will store the reset area size	

Returns

0 (OS_SUCCESS or CFE_PSP_SUCCESS) on success, -1 (OS_ERROR or CFE_PSP_ERROR) on error

Returns the last reset type.

Note

If a pointer to a valid memory space is passed in, it returns the reset sub-type in that memory. Right now the reset types are application-specific. For the cFE they are defined in the cfe_es.h file.

Parameters

restartSubType

```
11.140.2.25 CFE_PSP_GetSpacecraftId() uint32 CFE_PSP_GetSpacecraftId ( void )
```

Returns the Spacecraft ID (if any)

Returns

The Spacecraft ID

```
11.140.2.26 CFE_PSP_GetTime() void CFE_PSP_GetTime (
OS_time_t * LocalTime )
```

Sample/Read a monotonic platform clock with normalization.

Outputs an OS_time_t value indicating the time elapsed since an epoch. The epoch is not defined, but typically represents the system boot time. The value increases continuously over time and cannot be reset by software.

This is similar to the CFE_PSP_Get_Timebase(), but additionally it normalizes the output value to an OS_time_t, thereby providing consistent units to the calling application. Any OSAL-provided routine that accepts OS_time_t inputs may be used to convert this value into other standardized time units.

Note

This should refer to the same time domain as CFE_PSP_Get_Timebase(), the primary difference being the format and units of the output value.

See also

```
CFE_PSP_Get_Timebase()
```

Parameters

	out <i>LocalTime</i>	Value of PSP tick counter as OS_time_t]
--	----------------------	--	---

11.140.2.27 CFE_PSP_GetTimerLow32Rollover() uint32 CFE_PSP_GetTimerLow32Rollover (void)

Provides the number that the least significant 32 bits of the 64-bit time stamp returned by CFE_PSP_Get_Timebase rolls over. If the lower 32 bits rolls at 1 second, then the CFE_PSP_TIMER_LOW32_ROLLOVER will be 1000000. If the lower 32 bits rolls at its maximum value (2^3 2) then CFE_PSP_TIMER_LOW32_ROLLOVER will be 0.

Returns

The number that the least significant 32 bits of the 64-bit time stamp returned by CFE_PSP_Get_Timebase rolls over.

```
11.140.2.28 CFE_PSP_GetTimerTicksPerSecond() uint32 CFE_PSP_GetTimerTicksPerSecond ( void )
```

Provides the resolution of the least significant 32 bits of the 64-bit time stamp returned by CFE_PSP_Get_Timebase in timer ticks per second. The timer resolution for accuracy should not be any slower than 1000000 ticks per second or 1 us (microsecond) per tick

Returns

The number of timer ticks per second of the time stamp returned by CFE_PSP_Get_Timebase

Returns the location and size of the memory used for the cFE user-reserved area.

Parameters

out	PtrToUserArea	Pointer to the variable that will store the location of the user-reserved area
out	SizeOfUserArea	Pointer to the variable that will store the size of the user-reserved area

Returns

0 (OS_SUCCESS or CFE_PSP_SUCCESS) on success, -1 (OS_ERROR or CFE_PSP_ERROR) on error

```
11.140.2.30 CFE_PSP_GetVersionCodeName() const char* CFE_PSP_GetVersionCodeName ( void )
```

Obtain the version code name.

This retrieves the PSP code name. This is a compatibility indicator for the overall NASA cFS ecosystem. All modular components which are intended to interoperate should report the same code name.

Returns

Code name. This is a fixed string and cannot be NULL.

```
11.140.2.31 CFE_PSP_GetVersionNumber() void CFE_PSP_GetVersionNumber ( uint8 VersionNumbers[4])
```

Retrieves the numeric PSP version identifier as an array of uint8 values.

The array of numeric values is in order of precedence: [0] = Major Number [1] = Minor Number [2] = Revision Number [3] = Mission Revision

The "Mission Revision" (last output) also indicates whether this is an official release, a patched release, or a development version. 0 indicates an official release 1-254 local patch level (reserved for mission use) 255 indicates a development build

Parameters

out	VersionNumbers	A fixed-size array to be filled with the version numbers
-----	----------------	--

```
11.140.2.32 CFE_PSP_GetVersionString() const char* CFE_PSP_GetVersionString (
```

Obtain the PSP version/baseline identifier string.

This retrieves the PSP version identifier string without extra info

Returns

Version string. This is a fixed string and cannot be NULL.

Returns the location and size of the memory used for the cFE volatile disk.

Parameters

out	PtrToVolDisk	Pointer to the variable that will store the location of the cFE volatile disk
out	SizeOfVolDisk	Pointer to the variable that will store the size of the cFE volatile disk

Returns

0 (OS_SUCCESS or CFE_PSP_SUCCESS) on success, -1 (OS_ERROR or CFE_PSP_ERROR) on error

```
11.140.2.34 CFE_PSP_InitSSR() int32 CFE_PSP_InitSSR ( uint32 bus,
```

```
uint32 device,
char * DeviceName )
```

Initializes the Solid State recorder memory for a particular platform.

Note

For the MCP750, this simply initializes the Hard Disk device.

Parameters

in	bus	
in	device	
in	DeviceName	

Return values

CFE_PSP_SUCCESS	on success
CFE_PSP_ERROR	on error

```
11.140.2.35 CFE_PSP_Main() void CFE_PSP_Main ( void )
```

PSP Entry Point to initialize the OSAL and start up the cFE.

This is the entry point that the real-time OS calls to start our software. This routine will do any BSP/OS-specific setup, then call the entry point of the flight software (i.e. the cFE main entry point).

Note

The flight software (i.e. cFE) should not call this routine.

```
11.140.2.36 CFE_PSP_MemCpy() int32 CFE_PSP_MemCpy (
    void * dest,
    const void * src,
    uint32 n )
```

Copy 'n' bytes from 'src' to 'dest'.

Copies 'n' bytes from memory address pointed to by 'src' to memory address pointed to by 'dest'.

Note

For now we are using the standard C library call 'memcpy' but if we find we need to make it more efficient then we'll implement it in assembly.

Parameters

out	dest	Pointer to the destination address to copy to
in	src	Pointer to the address to copy from
in	n	Number of bytes to copy

Returns

Always returns CFE_PSP_SUCCESS

```
11.140.2.37 CFE_PSP_MemRangeGet() int32 CFE_PSP_MemRangeGet (
    uint32 RangeNum,
    uint32 * MemoryType,
    cpuaddr * StartAddr,
    size_t * Size,
    size_t * WordSize,
    uint32 * Attributes )
```

Retrieves one of the records in the CFE_PSP_MemoryTable.

Note

Because the table is fixed size, the entries are accessed by using the integer index.

Parameters

in	RangeNum	A 32-bit integer (starting with 0) specifying the MemoryTable entry.
out	MemoryType	A pointer to the 32-bit integer where the Memory Type is stored. Any defined
		CFE_PSP_MEM_* enumeration can be specified
out	StartAddr	Pointer to the 32-bit integer where the 32-bit starting address of the memory range is
		stored.
out	Size	A pointer to the 32-bit integer where the 32-bit size of the memory range is stored.
out	WordSize	A pointer to the 32-bit integer where the minimum addressable size of the range:
		(CFE_PSP_MEM_SIZE_BYTE, CFE_PSP_MEM_SIZE_WORD,
		CFE_PSP_MEM_SIZE_DWORD)
out	Attributes	The attributes of the Memory Range: (CFE_PSP_MEM_ATTR_WRITE,
		CFE_PSP_MEM_ATTR_READ, CFE_PSP_MEM_ATTR_READWRITE)

Return values

CFE_PSP_SUCCESS	Memory range returned successfully.
CFE_PSP_INVALID_POINTER	Parameter error
CFE_PSP_INVALID_MEM_RANGE	The index into the table is invalid

```
11.140.2.38 CFE_PSP_MemRanges() uint32 CFE_PSP_MemRanges ( void )
```

Returns the number of memory ranges in the CFE_PSP_MemoryTable.

Returns

Positive integer number of entries in the memory range table

```
11.140.2.39 CFE_PSP_MemRangeSet() int32 CFE_PSP_MemRangeSet ( uint32 RangeNum,
```

```
uint32 MemoryType,
cpuaddr StartAddr,
size_t Size,
size_t WordSize,
uint32 Attributes )
```

Populates one of the records in the CFE_PSP_MemoryTable.

Note

Because the table is fixed size, the entries are set by using the integer index. No validation is done with the address or size.

Parameters

in	RangeNum	A 32-bit integer (starting with 0) specifying the MemoryTable entry.
in	MemoryType	The memory type to validate, including but not limited to: CFE_PSP_MEM_RAM, CFE_PSP_MEM_EEPROM, or CFE_PSP_MEM_ANY Any defined CFE_PSP_MEM_* enumeration can be specified
in	StartAddr	A 32-bit starting address of the memory range
in	Size	A 32-bit size of the memory range (Address + Size = End Address)
in	WordSize	The minimum addressable size of the range: (CFE_PSP_MEM_SIZE_BYTE, CFE_PSP_MEM_SIZE_WORD, CFE_PSP_MEM_SIZE_DWORD)
in	Attributes	The attributes of the Memory Range: (CFE_PSP_MEM_ATTR_WRITE, CFE_PSP_MEM_ATTR_READ, CFE_PSP_MEM_ATTR_READWRITE)

Return values

CFE_PSP_SUCCESS	Memory range set successfully.
CFE_PSP_INVALID_MEM_RANGE	The index into the table is invalid
FE_PSP_INVALID_MEM_ADDR	Starting address is not valid
CFE_PSP_INVALID_MEM_TYPE	Memory type associated with the range does not match the passed-in
	type.
CFE_PSP_INVALID_MEM_WORDSIZE	The WordSize parameter is not one of the predefined types.
CFE_PSP_INVALID_MEM_ATTR	The Attributes parameter is not one of the predefined types.
OP_INVALID_MEM_SIZE	The Memory range associated with the address is not large enough to
	contain Address + Size.

Read 2 bytes of memory.

Parameters

in	MemoryAddress	Address to be read
out	uint16Value	The address content will be copied to the location pointed to by this argument

Return values

CFE_PSP_SUCCESS	on success
CFE_PSP_ERROR_ADDRESS_MISALIGNED	if the address is not aligned to a 16-bit addressing scheme.
CFE_PSP_ERROR_NOT_IMPLEMENTED	if not implemented

Read 4 bytes of memory.

Parameters

in	MemoryAddress	Address to be read
out	uint32Value	The address content will be copied to the location pointed to by this argument

Return values

CFE_PSP_SUCCESS	on success
CFE_PSP_ERROR_ADDRESS_MISALIGNED	if the address is not aligned to a 16-bit addressing scheme.
CFE_PSP_ERROR_NOT_IMPLEMENTED	if not implemented

Read one byte of memory.

Parameters

ſ	in	MemoryAddress	Address to be read
	out	ByteValue	The address content will be copied to the location pointed to by this argument

Returns

Always returns CFE_PSP_SUCCESS (if implemented)

Return values

```
CFE_PSP_ERROR_NOT_IMPLEMENTED | if not implemented
```

```
11.140.2.43 CFE_PSP_MemSet() int32 CFE_PSP_MemSet (
    void * dest,
    uint8 value,
```

```
uint32 n)
```

Copy 'n' bytes of value 'value' to 'dest'.

Copies 'n' number of bytes of value 'value' to memory address pointed to by 'dest'.

Note

For now we are using the standard C library call 'memset' but if we find we need to make it more efficient then we'll implement it in assembly.

Parameters

out	dest	Pointer to the destination address to copy to
in	value	Value to set
in	n	Number of bytes to copy

Returns

Always returns CFE_PSP_SUCCESS

Validates the memory range and type using the global CFE_PSP_MemoryTable.

Parameters

in	Address	A 32-bit starting address of the memory range
in	Size	A 32-bit size of the memory range (Address + Size = End Address)
in	Memory Type	The memory type to validate, including but not limited to: CFE_PSP_MEM_RAM, CFE_PSP_MEM_EEPROM, or CFE_PSP_MEM_ANY Any defined CFE_PSP_MEM_* enumeration can be specified

Return values

CFE_PSP_SUCCESS	Memory range and type information is valid and can be used.
CFE_PSP_INVALID_MEM_ADDR	Starting address is not valid
CFE_PSP_INVALID_MEM_TYPE	Memory type associated with the range does not match the passed-in type.
CFE_PSP_INVALID_MEM_RANGE	The Memory range associated with the address is not large enough to
	contain Address + Size.

Write 2 bytes of memory.

Parameters

ſ	out	MemoryAddress	Address to be written to
Ī	in	uint16Value	The content pointed to by this argument will be copied to the address

Return values

CFE_PSP_SUCCESS	on success
CFE_PSP_ERROR_ADDRESS_MISALIGNED	if the address is not aligned to a 16-bit addressing scheme.
CFE_PSP_ERROR_NOT_IMPLEMENTED	if not implemented

Write 4 bytes of memory.

Parameters

out	MemoryAddress	Address to be written to
in	uint32Value	The content pointed to by this argument will be copied to the address

Return values

CFE_PSP_SUCCESS	on success
CFE_PSP_ERROR_ADDRESS_MISALIGNED	if the address is not aligned to a 16-bit addressing scheme.
CFE_PSP_ERROR_NOT_IMPLEMENTED	if not implemented

Write one byte of memory.

Parameters

out	MemoryAddress	Address to be written to
in	ByteValue	The content pointed to by this argument will be copied to the address

Returns

Always returns CFE_PSP_SUCCESS (if implemented)

Return values

CFE_PSP_ERROR_NOT_IMPLEMENTED	if not implemented

```
11.140.2.48 CFE_PSP_Panic() void CFE_PSP_Panic ( int32 ErrorCode )
```

Aborts the cFE startup.

Provides a common interface to abort the cFE startup process and return back to the OS.

Note

This is called by the cFE Core startup code when it needs to abort the cFE startup. This should not be called by applications.

Parameters

in <i>ErrorCode</i>	Reason for exiting
---------------------	--------------------

Read 2 bytes of memory.

Parameters

in	PortAddress	Address to be read
out	uint16Value	The address content will be copied to the location pointed to by this argument

Return values

CFE_PSP_SUCCESS	on success
CFE_PSP_ERROR_ADDRESS_MISALIGNED	if the address is not aligned to a 16-bit addressing scheme.
CFE_PSP_ERROR_NOT_IMPLEMENTED	if not implemented

Read 4 bytes of memory.

Parameters

in	PortAddress	Address to be read
out	uint32Value	The address content will be copied to the location pointed to by this argument

Return values

CFE_PSP_SUCCESS	on success
CFE_PSP_ERROR_ADDRESS_MISALIGNED	if the address is not aligned to a 16-bit addressing scheme.

Return values

CFE_PSP_ERROR_NOT_IMPLEMENTED	if not implemented
-------------------------------	--------------------

Read one byte of memory.

Parameters

in	PortAddress	Address to be read
out	ByteValue	The address content will be copied to the location pointed to by this argument

Returns

Always returns CFE_PSP_SUCCESS (if implemented)

Return values

CFE_PSP_ERROR_NOT_IMPLEMENTED	if not implemented
-------------------------------	--------------------

Write 2 bytes of memory.

Parameters

out	PortAddress	Address to be written to
in	uint16Value	the content pointed to by this argument will be copied to the address

Return values

CFE_PSP_SUCCESS	on success
CFE_PSP_ERROR_ADDRESS_MISALIGNED	if the address is not aligned to a 16-bit addressing scheme.
CFE_PSP_ERROR_NOT_IMPLEMENTED	if not implemented

Write 4 bytes of memory.

Parameters

out	PortAddress	Address to be written to	
in	uint32Value	The content pointed to by this argument will be copied to the address	

Return values

CFE_PSP_SUCCESS	on success
CFE_PSP_ERROR_ADDRESS_MISALIGNED	if the address is not aligned to a 16-bit addressing scheme.
CFE_PSP_ERROR_NOT_IMPLEMENTED	if not implemented

Write one byte of memory.

Parameters

out	PortAddress	Address to be written to	
in	ByteValue	The content pointed to by this argument will be copied to the address	

Returns

Always returns CFE_PSP_SUCCESS (if implemented)

Return values

CFE_PSP_ERROR_NOT_IMPLEMENTED	if not implemented
-------------------------------	--------------------

Reads from the CDS Block.

Parameters

out PtrToDataToRead Pointer to the location that will store the data to be read		Pointer to the location that will store the data to be read from the CDS
in	CDSOffset	CDS offset
in	in NumBytes Number of bytes to read	

Returns

0 (OS_SUCCESS or CFE_PSP_SUCCESS) on success, -1 (OS_ERROR or CFE_PSP_ERROR) on error

```
11.140.2.56 CFE_PSP_Restart() void CFE_PSP_Restart ( uint32 resetType )
```

Entry point back to the BSP to restart the processor.

The flight software calls this routine to restart the processor.

Parameters

in <i>resetType</i>	Type of reset
---------------------	---------------

11.140.2.57 CFE_PSP_SetDefaultExceptionEnvironment() void CFE_PSP_SetDefaultExceptionEnvironment (void)

Defines the CPU and FPU exceptions that are enabled for each cFE Task/App.

This function sets a default exception environment that can be used

Note

The exception environment is local to each task. Therefore, this must be Called for each task that wants to do floating point and catch exceptions.

```
11.140.2.58 CFE_PSP_WatchdogDisable() void CFE_PSP_WatchdogDisable ( void )
```

Disables the watchdog timer.

```
11.140.2.59 CFE_PSP_WatchdogEnable() void CFE_PSP_WatchdogEnable ( void )
```

Enables the watchdog timer.

```
11.140.2.60 CFE_PSP_WatchdogGet() uint32 CFE_PSP_WatchdogGet ( void )
```

Gets the watchdog time in milliseconds.

Returns

The current watchdog value

```
11.140.2.61 CFE_PSP_WatchdogInit() void CFE_PSP_WatchdogInit ( void )
```

Configures the watchdog timer.

To set up the timer resolution and/or other settings custom to this platform.

```
11.140.2.62 CFE_PSP_WatchdogService() void CFE_PSP_WatchdogService ( void )
```

Services the watchdog timer according to the value set in WatchDogSet.

Load the watchdog timer with a count that corresponds to the millisecond time given in the parameter.

Note

Currently an ExpireTime value of zero will result in the minimum reset time of 4.5 seconds. All other ExpireTime values will result in a reset time of 5.5 seconds.

$\textbf{11.140.2.63} \quad \textbf{CFE_PSP_WatchdogSet()} \quad \texttt{void} \;\; \texttt{CFE_PSP_WatchdogSet} \;\; \textbf{(}$

uint32 WatchdogValue)

Sets the watchdog time in milliseconds.

Parameters

in	Watchdog Value	New watchdog value to set
----	----------------	---------------------------

Writes to the CDS Block.

Parameters

in	PtrToDataToWrite	Pointer to the data that will be written to the CDS
in	CDSOffset	CDS offset
in	NumBytes	Number of bytes to write

Returns

0 (OS_SUCCESS or CFE_PSP_SUCCESS) on success, -1 (OS_ERROR or CFE_PSP_ERROR) on error

11.141 psp/fsw/inc/cfe_psp_error.h File Reference

```
cFE PSP Error header
```

```
#include "common_types.h"
```

Macros

• #define CFE_PSP_STATUS_C(X) ((CFE_PSP_Status_t)(X))

PSP Status macro for literal.

• #define CFE_PSP_STATUS_STRING_LENGTH 12

PSP Status converted to string length limit.

- #define CFE_PSP_SUCCESS (CFE_PSP_STATUS_C(0))
- #define CFE_PSP_ERROR (CFE_PSP_STATUS_C(-1))
- #define CFE_PSP_INVALID_POINTER (CFE_PSP_STATUS_C(-2))
- #define CFE PSP ERROR ADDRESS MISALIGNED (CFE PSP STATUS C(-3))
- #define CFE_PSP_ERROR_TIMEOUT (CFE_PSP_STATUS_C(-4))
- #define CFE_PSP_INVALID_INT_NUM (CFE_PSP_STATUS_C(-5))
- #define CFE_PSP_INVALID_MEM_ADDR (CFE_PSP_STATUS_C(-21))
- #define CFE_PSP_INVALID_MEM_TYPE (CFE_PSP_STATUS_C(-22))

- #define CFE_PSP_INVALID_MEM_RANGE (CFE_PSP_STATUS_C(-23))
- #define CFE_PSP_INVALID_MEM_WORDSIZE (CFE_PSP_STATUS_C(-24))
- #define CFE_PSP_INVALID_MEM_SIZE (CFE_PSP_STATUS_C(-25))
- #define CFE PSP INVALID MEM ATTR (CFE PSP STATUS C(-26))
- #define CFE PSP ERROR NOT IMPLEMENTED (CFE PSP STATUS C(-27))
- #define CFE PSP INVALID MODULE NAME (CFE PSP STATUS C(-28))
- #define CFE PSP INVALID MODULE ID (CFE PSP STATUS C(-29))
- #define CFE PSP NO EXCEPTION DATA (CFE PSP STATUS C(-30))

Typedefs

• typedef int32 CFE_PSP_Status_t

PSP Status type for readability and potentially type safety.

typedef char CFE_PSP_StatusString_t[CFE_PSP_STATUS_STRING_LENGTH]

For the CFE_PSP_StatusToString() function, to ensure everyone is making an array of the same length.

Functions

• char * CFE_PSP_StatusToString (CFE_PSP_Status_t status, CFE_PSP_StatusString_t *status_string)

Convert status to a string.

11.141.1 Detailed Description

cFE PSP Error header

11.141.2 Macro Definition Documentation

11.141.2.1 CFE_PSP_ERROR #define CFE_PSP_ERROR (CFE_PSP_STATUS_C(-1)) Definition at line 66 of file cfe_psp_error.h.

11.141.2.2 CFE_PSP_ERROR_ADDRESS_MISALIGNED #define CFE_PSP_ERROR_ADDRESS_MISALIGNED (CFE_PSP_STATUS_C (-3 Definition at line 68 of file cfe_psp_error.h.

11.141.2.3 CFE_PSP_ERROR_NOT_IMPLEMENTED #define CFE_PSP_ERROR_NOT_IMPLEMENTED (CFE_PSP_STATUS_C (-27)) Definition at line 77 of file cfe psp error.h.

11.141.2.4 CFE_PSP_ERROR_TIMEOUT #define CFE_PSP_ERROR_TIMEOUT (CFE_PSP_STATUS_C (-4)) Definition at line 69 of file cfe_psp_error.h.

11.141.2.5 CFE_PSP_INVALID_INT_NUM #define CFE_PSP_INVALID_INT_NUM (CFE_PSP_STATUS_C(-5)) Definition at line 70 of file cfe_psp_error.h.

11.141.2.6 CFE_PSP_INVALID_MEM_ADDR #define CFE_PSP_INVALID_MEM_ADDR (CFE_PSP_STATUS_C(-21)) Definition at line 71 of file cfe_psp_error.h.

```
11.141.2.7 CFE_PSP_INVALID_MEM_ATTR #define CFE_PSP_INVALID_MEM_ATTR (CFE_PSP_STATUS_C(-26)) Definition at line 76 of file cfe_psp_error.h.
```

11.141.2.8 CFE_PSP_INVALID_MEM_RANGE #define CFE_PSP_INVALID_MEM_RANGE (CFE_PSP_STATUS_C(-23)) Definition at line 73 of file cfe_psp_error.h.

11.141.2.9 CFE_PSP_INVALID_MEM_SIZE #define CFE_PSP_INVALID_MEM_SIZE (CFE_PSP_STATUS_C(-25)) Definition at line 75 of file cfe psp error.h.

11.141.2.10 CFE_PSP_INVALID_MEM_TYPE #define CFE_PSP_INVALID_MEM_TYPE (CFE_PSP_STATUS_C(-22)) Definition at line 72 of file cfe psp error.h.

11.141.2.11 CFE_PSP_INVALID_MEM_WORDSIZE #define CFE_PSP_INVALID_MEM_WORDSIZE (CFE_PSP_STATUS_C (-24)) Definition at line 74 of file cfe_psp_error.h.

11.141.2.12 CFE_PSP_INVALID_MODULE_ID #define CFE_PSP_INVALID_MODULE_ID (CFE_PSP_STATUS_C (-29)) Definition at line 79 of file cfe_psp_error.h.

11.141.2.13 CFE_PSP_INVALID_MODULE_NAME #define CFE_PSP_INVALID_MODULE_NAME (CFE_PSP_STATUS_C(-28)) Definition at line 78 of file cfe_psp_error.h.

11.141.2.14 CFE_PSP_INVALID_POINTER #define CFE_PSP_INVALID_POINTER (CFE_PSP_STATUS_C (-2)) Definition at line 67 of file cfe_psp_error.h.

11.141.2.15 CFE_PSP_NO_EXCEPTION_DATA #define CFE_PSP_NO_EXCEPTION_DATA (CFE_PSP_STATUS_C(-30)) Definition at line 80 of file cfe_psp_error.h.

PSP Status macro for literal.

Definition at line 36 of file cfe psp error.h.

11.141.2.17 CFE_PSP_STATUS_STRING_LENGTH #define CFE_PSP_STATUS_STRING_LENGTH 12

PSP Status converted to string length limit.

Used for sizing CFE_PSP_StatusString_t intended for use in printing CFE_PSP_Status_t values Sized for Id (LONG← MIN) including NULL

Definition at line 44 of file cfe psp error.h.

11.141.2.18 CFE_PSP_SUCCESS #define CFE_PSP_SUCCESS (CFE_PSP_STATUS_C(0)) Definition at line 65 of file cfe psp error.h.

11.141.3 Typedef Documentation

11.141.3.1 CFE_PSP_Status_t typedef int32 CFE_PSP_Status_t

PSP Status type for readability and potentially type safety.

Definition at line 31 of file cfe_psp_error.h.

11.141.3.2 CFE_PSP_StatusString_t typedef char CFE_PSP_StatusString_t[CFE_PSP_STATUS_STRING_LENGTH] For the CFE_PSP_StatusToString() function, to ensure everyone is making an array of the same length. Definition at line 50 of file cfe_psp_error.h.

11.141.4 Function Documentation

Convert status to a string.

Parameters

in	status	Status value to convert
out	status_string	Buffer to store status converted to string

Returns

Passed in string pointer

Index

EXTENSION	CFE_FS_Header, 495
common_types.h, 1001	AppMessageSentCounter
	CFE_EVS_AppTlmData, 471
accuracy	AppMessageSquelchedCounter
OS_timebase_prop_t, 589	CFE EVS AppTlmData, 471
OS_timer_prop_t, 590	AppName
ActiveBuffer	CFE_ES_TaskInfo, 464
CFE_TBL_HousekeepingTlm_Payload, 532	CFE_EVS_AppNameBitMaskCmd_Payload, 468
ActiveBufferAddr	CFE_EVS_AppNameCmd_Payload, 469
CFE_TBL_TblRegPacket_Payload, 543	CFE_EVS_AppNameEventIDCmd_Payload, 469
ActiveTableFlag	CFE_EVS_AppNameEventIDMaskCmd_Payload
•	470
CFE_TBL_DumpCmd_Payload, 526	
CFE_TBL_ValidateCmd_Payload, 546	CFE_EVS_PacketID, 485
ActualLength	CFE_SB_PipeInfoEntry, 508
OS_SockAddr_t, 584	CFE_SB_RoutingFileEntry, 511
addr	ARGCHECK
OS_module_prop_t, 582	osapi-macros.h, 1022
AddrData	AtToneDelay
OS_SockAddr_t, 584	CFE_TIME_DiagnosticTlm_Payload, 552
Address	AtToneLatch
OS_static_symbol_record_t, 586	CFE_TIME_DiagnosticTlm_Payload, 552
AddressesAreValid	AtToneLeapSeconds
CFE_ES_AppInfo, 424	CFE_TIME_DiagnosticTlm_Payload, 552
AlignPtr	CFE TIME ToneDataCmd Payload, 574
OS_SockAddrData_t, 585	AtToneMET
AlignU32	CFE_TIME_DiagnosticTlm_Payload, 552
OS_SockAddrData_t, 585	CFE_TIME_ToneDataCmd_Payload, 574
AppData	AtToneState
CFE_EVS_HousekeepingTlm_Payload, 480	CFE_TIME_ToneDataCmd_Payload, 574
AppDataFilename	AtToneSTCF
CFE_EVS_AppDataCmd_Payload, 467	CFE_TIME_DiagnosticTIm_Payload, 552
AppEnableStatus	CFE_TIME_ToneDataCmd_Payload, 574
CFE_EVS_AppTImData, 471	·
AppEntryPoint	BitMask
CFE_ES_StartAppCmd_Payload, 460	CFE_EVS_AppNameBitMaskCmd_Payload, 468
AppFileName	CFE_EVS_BitMaskCmd_Payload, 472
CFE_ES_AppReloadCmd_Payload, 428	block_size
CFE_ES_StartAppCmd_Payload, 460	OS_statvfs_t, 587
AppID	blocks_free
CFE_EVS_AppTlmData, 471	OS_statvfs_t, 587
Appld	BlockSize
CFE_ES_TaskInfo, 464	CFE_ES_BlockStats, 428
CFE SB PipeInfoEntry, 508	BlockStats
AppInfo	CFE_ES_MemPoolStats, 444
CFE_ES_OneAppTlm_Payload, 446	BootSource
,	CFE_ES_HousekeepingTlm_Payload, 437
Application CEE ES Application Poyload 427	
CFE_ES_AppNameCmd_Payload, 427	bss_address
CFE_ES_AppReloadCmd_Payload, 428	OS_module_address_t, 581
CFE_ES_SendMemPoolStatsCmd_Payload, 455	bss_size
CFE_ES_StartAppCmd_Payload, 460	OS_module_address_t, 581
ApplicationID	BSSAddress

CFE_ES_AppInfo, 424	CFE_ES_DeleteChildTask, 163
BSSSize	CFE ES ExitChildTask, 164
CFE_ES_AppInfo, 424	CFE_ES_GetTaskIDByName, 164
BUFF_SIZE	CFE_ES_GetTaskName, 165
cfe psp.h, 1043	cFE Clock State Flag Defines, 296
Buffer	CFE TIME FLAG ADD1HZ, 296
OS_SockAddrData_t, 585	CFE_TIME_FLAG_ADDADJ, 296
BUGCHECK	CFE_TIME_FLAG_ADDTCL, 296 CFE_TIME_FLAG_CLKSET, 296
osapi-macros.h, 1022	
BUGCHECK_VOID	CFE_TIME_FLAG_CMDFLY, 297
osapi-macros.h, 1023	CFE_TIME_FLAG_FLYING, 297
BUGREPORT	CFE_TIME_FLAG_GDTONE, 297
osapi-macros.h, 1023	CFE_TIME_FLAG_REFERR, 297
build/osal_public_api/inc/osconfig.h, 590	CFE_TIME_FLAG_SERVER, 297
ByteAlign4	CFE_TIME_FLAG_SIGPRI, 297
CFE_TBL_TblRegPacket_Payload, 543	CFE_TIME_FLAG_SRCINT, 297
ByteAlignPad1	CFE_TIME_FLAG_SRVFLY, 297
CFE_TBL_HousekeepingTlm_Payload, 532	CFE_TIME_FLAG_UNUSED, 297
ByteAlignSpare	cFE Critical Data Store APIs, 169
CFE_ES_CDSRegDumpRec, 429	CFE_ES_CopyToCDS, 169
	CFE_ES_GetCDSBlockIDByName, 170
CCSDS_ExtendedHeader, 422	CFE_ES_GetCDSBlockName, 170
Subsystem, 422	CFE_ES_RegisterCDS, 171
SystemId, 422	CFE_ES_RestoreFromCDS, 172
CCSDS_ExtendedHeader_t	cFE Entry/Exit APIs, 144
ccsds_hdr.h, 855	CFE_ES_Main, 144
ccsds_hdr.h	CFE_ES_ResetCFE, 144
CCSDS_ExtendedHeader_t, 855	cFE External Time Source APIs, 286
CCSDS_PrimaryHeader_t, 855	CFE_TIME_ExternalGPS, 286
CCSDS_PrimaryHeader, 422	CFE_TIME_ExternalMET, 287
Length, 423	CFE_TIME_ExternalTime, 287
Sequence, 423	CFE_TIME_ExternalTone, 288
Streamld, 423	CFE TIME RegisterSynchCallback, 288
CCSDS PrimaryHeader t	CFE_TIME_UnregisterSynchCallback, 289
ccsds_hdr.h, 855	cFE File Header Management APIs, 197
CdsName	CFE_FS_InitHeader, 197
CFE ES DeleteCDSCmd Payload, 432	CFE_FS_ReadHeader, 197
cFE Access Table Content APIs, 265	CFE FS SetTimestamp, 198
CFE TBL GetAddress, 265	CFE_FS_WriteHeader, 199
	cFE File Utility APIs, 201
CFE_TBL_GetAddresses, 266	
CFE_TBL_ReleaseAddress, 267	CFE_FS_BackgroundFileDumplsPending, 201
CFE_TBL_ReleaseAddresses, 268	CFE_FS_BackgroundFileDumpRequest, 202
cFE Application Behavior APIs, 149	CFE_FS_ExtractFilenameFromPath, 202
CFE_ES_ExitApp, 149	CFE_FS_GetDefaultExtension, 203
CFE_ES_IncrementTaskCounter, 150	CFE_FS_GetDefaultMountPoint, 203
CFE_ES_RunLoop, 150	CFE_FS_ParseInputFileName, 203
CFE_ES_WaitForStartupSync, 151	CFE_FS_ParseInputFileNameEx, 204
CFE_ES_WaitForSystemState, 151	cFE Generic Counter APIs, 183
cFE Application Control APIs, 146	CFE_ES_DeleteGenCounter, 183
CFE_ES_DeleteApp, 146	CFE_ES_GetGenCount, 184
CFE_ES_ReloadApp, 146	CFE_ES_GetGenCounterIDByName, 184
CFE_ES_RestartApp, 147	CFE_ES_GetGenCounterName, 185
cFE Child Task APIs, 162	CFE_ES_IncrementGenCounter, 186
CFE_ES_CreateChildTask, 162	CFE_ES_RegisterGenCounter, 186

CFE_ES_SetGenCount, 187	cFE Message Extended Header APIs, 216
cFE Generic Message APIs, 206	CFE_MSG_GetEDSVersion, 216
CFE_MSG_Init, 206	CFE_MSG_GetEndian, 217
cFE Get Current Time APIs, 275	CFE_MSG_GetPlaybackFlag, 217
CFE_TIME_GetMET, 275	CFE_MSG_GetSubsystem, 218
CFE_TIME_GetMETseconds, 275	CFE_MSG_GetSystem, 218
CFE_TIME_GetMETsubsecs, 276	CFE_MSG_SetEDSVersion, 219
CFE_TIME_GetTAI, 276	CFE_MSG_SetEndian, 219
CFE_TIME_GetTime, 277	CFE_MSG_SetPlaybackFlag, 220
CFE_TIME_GetUTC, 277	CFE_MSG_SetSubsystem, 220
cFE Get Table Information APIs, 270	CFE_MSG_SetSystem, 221
CFE_TBL_GetInfo, 270	cFE Message ID APIs, 251
CFE_TBL_GetStatus, 271	CFE_SB_IsValidMsgld, 251
CFE_TBL_NotifyByMessage, 271	CFE_SB_Msgld_Equal, 251
cFE Get Time Information APIs, 278	CFE_SB_MsgldToValue, 252
CFE_TIME_GetClockInfo, 278	CFE_SB_ValueToMsgld, 252
CFE_TIME_GetClockState, 278	cFE Message Id APIs, 227
CFE_TIME_GetLeapSeconds, 279	CFE_MSG_GetMsgld, 227
CFE_TIME_GetSTCF, 279	CFE_MSG_GetTypeFromMsgld, 227
cFE Information APIs, 153	CFE_MSG_SetMsgld, 228
CFE_ES_GetAppID, 153	cFE Message Integrity APIs, 229
CFE_ES_GetAppIDByName, 154	CFE_MSG_OriginationAction, 229
CFE_ES_GetAppInfo, 154	CFE_MSG_VerificationAction, 230
CFE_ES_GetAppName, 155	cFE Message Primary Header APIs, 207
CFE_ES_GetLibIDByName, 156	CFE_MSG_GetApId, 207
CFE_ES_GetLibInfo, 156	CFE_MSG_GetHasSecondaryHeader, 208
CFE_ES_GetLibName, 157	CFE_MSG_GetHeaderVersion, 208
CFE_ES_GetModuleInfo, 158	CFE_MSG_GetNextSequenceCount, 209
CFE_ES_GetResetType, 159	CFE_MSG_GetSegmentationFlag, 209
CFE_ES_GetTaskID, 159	CFE_MSG_GetSequenceCount, 210
CFE_ES_GetTaskInfo, 160	CFE_MSG_GetSize, 210
cFE Manage Table Content APIs, 259	CFE_MSG_GetType, 211
CFE_TBL_DumpToBuffer, 259	CFE_MSG_SetApId, 211
CFE_TBL_Load, 260	CFE_MSG_SetHasSecondaryHeader, 212
CFE_TBL_Manage, 261	CFE_MSG_SetHeaderVersion, 212
CFE_TBL_Modified, 262	CFE_MSG_SetSegmentationFlag, 213
CFE_TBL_Update, 262	CFE_MSG_SetSequenceCount, 213
CFE_TBL_Validate, 263	CFE_MSG_SetSize, 214
cFE Memory Manager APIs, 174	CFE_MSG_SetType, 214
CFE_ES_GetMemPoolStats, 174	cFE Message Secondary Header APIs, 222
CFE_ES_GetPoolBuf, 175	CFE_MSG_GenerateChecksum, 222
CFE_ES_GetPoolBufInfo, 175	CFE_MSG_GetFcnCode, 223
CFE_ES_PoolCreate, 176	CFE_MSG_GetMsgTime, 223
CFE_ES_PoolCreateEx, 177	CFE_MSG_SetFcnCode, 224
CFE_ES_PoolCreateNoSem, 178	CFE_MSG_SetMsgTime, 224
CFE_ES_PoolDelete, 179	CFE_MSG_ValidateChecksum, 225
CFE_ES_PutPoolBuf, 180	cFE Message Subscription Control APIs, 236
cFE Message Characteristics APIs, 247	CFE_SB_Subscribe, 236
CFE_SB_GetUserData, 247	CFE_SB_SubscribeEx, 237
CFE_SB_GetUserDataLength, 247	CFE_SB_SubscribeLocal, 238
CFE_SB_MessageStringGet, 248	CFE_SB_Unsubscribe, 238
CFE_SB_MessageStringSet, 249	CFE_SB_UnsubscribeLocal, 239
CFE_SB_SetUserDataLength, 250	cFE Miscellaneous APIs, 166
CFE_SB_TimeStampMsg, 250	CFE_ES_BackgroundWakeup, 166

CFE_ES_CalculateCRC, 166	CFE_RESOURCEID_SB_PIPEID_RESOURCE_BASE_OFFSET,
CFE_ES_ProcessAsyncEvent, 167	294
CFE_ES_WriteToSysLog, 167	CFE_SB_PIPEID_BASE, 295
,	FE Return Code Defines, 118
CFE_TIME_Local1HzISR, 291	CFE_ES_APP_CLEANUP_ERR, 124
CFE_TIME_Print, 291	CFE_ES_BAD_ARGUMENT, 124
cFE Performance Monitor APIs, 181	CFE_ES_BIN_SEM_DELETE_ERR, 124
CFE_ES_PerfLogAdd, 182	CFE_ES_BUFFER_NOT_IN_POOL, 124
CFE_ES_PerfLogEntry, 181	CFE_ES_CDS_ACCESS_ERROR, 124
CFE_ES_PerfLogExit, 181	CFE_ES_CDS_ALREADY_EXISTS, 124
cFE Pipe Management APIs, 231	CFE_ES_CDS_BLOCK_CRC_ERR, 124
CFE_SB_CreatePipe, 231	CFE_ES_CDS_INSUFFICIENT_MEMORY, 124
CFE_SB_DeletePipe, 232	CFE_ES_CDS_INVALID, 125
CFE_SB_GetPipeIdByName, 232	CFE_ES_CDS_INVALID_NAME, 125
CFE_SB_GetPipeName, 233	CFE_ES_CDS_INVALID_SIZE, 125
CFE_SB_GetPipeOpts, 234	CFE_ES_CDS_OWNER_ACTIVE_ERR, 125
CFE_SB_Pipeld_ToIndex, 234	CFE_ES_CDS_WRONG_TYPE_ERR, 125
CFE_SB_SetPipeOpts, 235	CFE_ES_COUNT_SEM_DELETE_ERR, 125
cFE Registration APIs, 189, 254	CFE_ES_ERR_APP_CREATE, 125
CFE_EVS_Register, 189	CFE_ES_ERR_APP_REGISTER, 125
CFE_TBL_Register, 254	CFE_ES_ERR_CHILD_TASK_CREATE, 126
CFE_TBL_Share, 256	CFE_ES_ERR_CHILD_TASK_DELETE, 126
CFE_TBL_Unregister, 257	CFE_ES_ERR_CHILD_TASK_DELETE_MAIN_TASK,
cFE Reset Event Filter APIs, 195	126
CFE_EVS_ResetAllFilters, 195	CFE_ES_ERR_CHILD_TASK_REGISTER, 126
CFE_EVS_ResetFilter, 195	CFE_ES_ERR_DUPLICATE_NAME, 126
cFE Resource ID APIs, 141	CFE_ES_ERR_LOAD_LIB, 126
	CFE_ES_ERR_MEM_BLOCK_SIZE, 126
CFE_ES_AppID_ToIndex, 141	CFE_ES_ERR_NAME_NOT_FOUND, 126
CFE_ES_CounterID_ToIndex, 141	CFE_ES_ERR_RESOURCEID_NOT_VALID, 127
CFE_ES_LibID_ToIndex, 142	CFE_ES_ERR_SYS_LOG_FULL, 127
CFE_ES_TaskID_ToIndex, 143	CFE_ES_ERR_SYS_LOG_TRUNCATED, 127
cFE Resource ID base values, 294	CFE_ES_FILE_CLOSE_ERR, 127
CFE_CONFIGID_BASE, 295	CFE_ES_FILE_IO_ERR, 127
CFE_ES_APPID_BASE, 294	CFE_ES_LIB_ALREADY_LOADED, 127
CFE_ES_CDSBLOCKID_BASE, 295	CFE_ES_MUT_SEM_DELETE_ERR, 127
CFE_ES_COUNTID_BASE, 294	CFE_ES_NO_RESOURCE_IDS_AVAILABLE, 127
CFE_ES_LIBID_BASE, 294	CFE_ES_NOT_IMPLEMENTED, 127
CFE_ES_POOLID_BASE, 295	CFE_ES_OPERATION_TIMED_OUT, 128
CFE_ES_TASKID_BASE, 294	CFE_ES_POOL_BLOCK_INVALID, 128
CFE_RESOURCEID_CONFIGID_BASE_OFFSET,	CFE_ES_QUEUE_DELETE_ERR, 128
294	CFE_ES_RST_ACCESS_ERR, 128
CFE_RESOURCEID_ES_APPID_BASE_OFFSET,	CFE_ES_TASK_DELETE_ERR, 128
294	CFE_ES_TIMER_DELETE_ERR, 128
CFE_RESOURCEID_ES_CDSBLOCKID_BASE_OFFSE	T, CFE_EVS_APP_FILTER_OVERLOAD, 128
294	CFE_EVS_APP_ILLEGAL_APP_ID, 128
CFE_RESOURCEID_ES_COUNTID_BASE_OFFSET,	CFE_EVS_APP_NOT_REGISTERED, 129
294	CFE_EVS_APP_SQUELCHED, 129
CFE_RESOURCEID_ES_LIBID_BASE_OFFSET,	CFE_EVS_EVT_NOT_REGISTERED, 129
294	CFE_EVS_FILE_WRITE_ERROR, 129
CFE_RESOURCEID_ES_POOLID_BASE_OFFSET,	CFE_EVS_INVALID_PARAMETER, 129
294	CFE_EVS_NOT_IMPLEMENTED, 129
CFE_RESOURCEID_ES_TASKID_BASE_OFFSET,	CFE_EVS_RESET_AREA_POINTER, 129
294	CFE_EVS_UNKNOWN_FILTER, 129

CFE_FS_BAD_ARGUMENT, 130	CFE_TBL_ERR_NO_STD_HEADER, 137
CFE_FS_FNAME_TOO_LONG, 130	CFE_TBL_ERR_NO_TBL_HEADER, 137
CFE_FS_INVALID_PATH, 130	CFE_TBL_ERR_PARTIAL_LOAD, 137
CFE_FS_NOT_IMPLEMENTED, 130	CFE_TBL_ERR_REGISTRY_FULL, 137
CFE_SB_BAD_ARGUMENT, 130	CFE_TBL_ERR_SHORT_FILE, 137
CFE SB BUF ALOC ERR, 130	CFE_TBL_ERR_UNREGISTERED, 137
CFE_SB_BUFFER_INVALID, 130	CFE_TBL_INFO_DUMP_PENDING, 137
CFE_SB_INTERNAL_ERR, 130	CFE_TBL_INFO_NO_UPDATE_PENDING, 138
CFE_SB_MAX_DESTS_MET, 131	CFE_TBL_INFO_NO_VALIDATION_PENDING, 138
CFE_SB_MAX_MSGS_MET, 131	CFE_TBL_INFO_RECOVERED_TBL, 138
CFE_SB_MAX_PIPES_MET, 131	CFE_TBL_INFO_TABLE_LOCKED, 138
CFE_SB_MSG_TOO_BIG, 131	CFE_TBL_INFO_UPDATE_PENDING, 138
CFE_SB_NO_MESSAGE, 131	CFE_TBL_INFO_UPDATED, 138
CFE_SB_NOT_IMPLEMENTED, 131	CFE_TBL_INFO_VALIDATION_PENDING, 138
CFE_SB_PIPE_CR_ERR, 131	CFE_TBL_MESSAGE_ERROR, 138
CFE_SB_PIPE_RD_ERR, 132	CFE_TBL_NOT_IMPLEMENTED, 139
CFE_SB_TIME_OUT, 132	CFE_TBL_WARN_DUPLICATE, 139
CFE_SB_WRONG_MSG_TYPE, 132	CFE_TBL_WARN_NOT_CRITICAL, 139
CFE_STATUS_BAD_COMMAND_CODE, 132	CFE_TBL_WARN_PARTIAL_LOAD, 139
CFE_STATUS_EXTERNAL_RESOURCE_FAIL, 132	CFE TBL WARN SHORT FILE, 139
CFE_STATUS_INCORRECT_STATE, 132	CFE_TIME_BAD_ARGUMENT, 139
	CFE TIME CALLBACK NOT REGISTERED, 139
CFE_STATUS_NO_COUNTER_INCREMENT, 132	
CFE_STATUS_NOT_IMPLEMENTED, 133	CFE_TIME_INTERNAL_ONLY, 140
CFE_STATUS_RANGE_ERROR, 133	CFE_TIME_NOT_IMPLEMENTED, 140
CFE_STATUS_REQUEST_ALREADY_PENDING,	CFE_TIME_OUT_OF_RANGE, 140
133	CFE_TIME_TOO_MANY_SYNCH_CALLBACKS,
OFF CTATUS LINUXIONANI MOO ID 400	4.40
CFE_STATUS_UNKNOWN_MSG_ID, 133	140
CFE_STATUS_UNKNOWN_MSG_ID, 133 CFE_STATUS_VALIDATION_FAILURE, 133	cFE SB Pipe options, 253
CFE_STATUS_VALIDATION_FAILURE, 133	cFE SB Pipe options, 253
CFE_STATUS_VALIDATION_FAILURE, 133 CFE_STATUS_WRONG_MSG_LENGTH, 133 CFE_SUCCESS, 133	cFE SB Pipe options, 253 CFE_SB_PIPEOPTS_IGNOREMINE, 253 cFE Send Event APIs, 191
CFE_STATUS_VALIDATION_FAILURE, 133 CFE_STATUS_WRONG_MSG_LENGTH, 133 CFE_SUCCESS, 133 CFE_TBL_BAD_ARGUMENT, 134	cFE SB Pipe options, 253 CFE_SB_PIPEOPTS_IGNOREMINE, 253 cFE Send Event APIs, 191 CFE_EVS_SendEvent, 191
CFE_STATUS_VALIDATION_FAILURE, 133 CFE_STATUS_WRONG_MSG_LENGTH, 133 CFE_SUCCESS, 133 CFE_TBL_BAD_ARGUMENT, 134 CFE_TBL_ERR_ACCESS, 134	cFE SB Pipe options, 253
CFE_STATUS_VALIDATION_FAILURE, 133 CFE_STATUS_WRONG_MSG_LENGTH, 133 CFE_SUCCESS, 133 CFE_TBL_BAD_ARGUMENT, 134 CFE_TBL_ERR_ACCESS, 134 CFE_TBL_ERR_BAD_CONTENT_ID, 134	cFE SB Pipe options, 253
CFE_STATUS_VALIDATION_FAILURE, 133 CFE_STATUS_WRONG_MSG_LENGTH, 133 CFE_SUCCESS, 133 CFE_TBL_BAD_ARGUMENT, 134 CFE_TBL_ERR_ACCESS, 134 CFE_TBL_ERR_BAD_CONTENT_ID, 134 CFE_TBL_ERR_BAD_PROCESSOR_ID, 134	cFE SB Pipe options, 253
CFE_STATUS_VALIDATION_FAILURE, 133 CFE_STATUS_WRONG_MSG_LENGTH, 133 CFE_SUCCESS, 133 CFE_TBL_BAD_ARGUMENT, 134 CFE_TBL_ERR_ACCESS, 134 CFE_TBL_ERR_BAD_CONTENT_ID, 134 CFE_TBL_ERR_BAD_PROCESSOR_ID, 134 CFE_TBL_ERR_BAD_SPACECRAFT_ID, 134	cFE SB Pipe options, 253
CFE_STATUS_VALIDATION_FAILURE, 133 CFE_STATUS_WRONG_MSG_LENGTH, 133 CFE_SUCCESS, 133 CFE_TBL_BAD_ARGUMENT, 134 CFE_TBL_ERR_ACCESS, 134 CFE_TBL_ERR_BAD_CONTENT_ID, 134 CFE_TBL_ERR_BAD_PROCESSOR_ID, 134 CFE_TBL_ERR_BAD_SPACECRAFT_ID, 134 CFE_TBL_ERR_BAD_SUBTYPE_ID, 134	cFE SB Pipe options, 253
CFE_STATUS_VALIDATION_FAILURE, 133 CFE_STATUS_WRONG_MSG_LENGTH, 133 CFE_SUCCESS, 133 CFE_TBL_BAD_ARGUMENT, 134 CFE_TBL_ERR_ACCESS, 134 CFE_TBL_ERR_BAD_CONTENT_ID, 134 CFE_TBL_ERR_BAD_PROCESSOR_ID, 134 CFE_TBL_ERR_BAD_SPACECRAFT_ID, 134 CFE_TBL_ERR_BAD_SUBTYPE_ID, 134 CFE_TBL_ERR_DUMP_ONLY, 134	CFE SB Pipe options, 253 CFE_SB_PIPEOPTS_IGNOREMINE, 253 CFE Send Event APIs, 191 CFE_EVS_SendEvent, 191 CFE_EVS_SendEventWithAppID, 192 CFE_EVS_SendTimedEvent, 193 CFE Send/Receive Message APIs, 241 CFE_SB_ReceiveBuffer, 241 CFE_SB_TransmitMsg, 242 CFE Table Type Defines, 273
CFE_STATUS_VALIDATION_FAILURE, 133 CFE_STATUS_WRONG_MSG_LENGTH, 133 CFE_SUCCESS, 133 CFE_TBL_BAD_ARGUMENT, 134 CFE_TBL_ERR_ACCESS, 134 CFE_TBL_ERR_BAD_CONTENT_ID, 134 CFE_TBL_ERR_BAD_PROCESSOR_ID, 134 CFE_TBL_ERR_BAD_SPACECRAFT_ID, 134 CFE_TBL_ERR_BAD_SUBTYPE_ID, 134 CFE_TBL_ERR_DUMP_ONLY, 134 CFE_TBL_ERR_DUPLICATE_DIFF_SIZE, 134	CFE SB Pipe options, 253 CFE_SB_PIPEOPTS_IGNOREMINE, 253 CFE Send Event APIs, 191 CFE_EVS_SendEvent, 191 CFE_EVS_SendEventWithAppID, 192 CFE_EVS_SendTimedEvent, 193 CFE Send/Receive Message APIs, 241 CFE_SB_ReceiveBuffer, 241 CFE_SB_TransmitMsg, 242 CFE Table Type Defines, 273 CFE_TBL_OPT_BUFFER_MSK, 273
CFE_STATUS_VALIDATION_FAILURE, 133 CFE_STATUS_WRONG_MSG_LENGTH, 133 CFE_SUCCESS, 133 CFE_TBL_BAD_ARGUMENT, 134 CFE_TBL_ERR_ACCESS, 134 CFE_TBL_ERR_BAD_CONTENT_ID, 134 CFE_TBL_ERR_BAD_PROCESSOR_ID, 134 CFE_TBL_ERR_BAD_SPACECRAFT_ID, 134 CFE_TBL_ERR_BAD_SUBTYPE_ID, 134 CFE_TBL_ERR_BAD_SUBTYPE_ID, 134 CFE_TBL_ERR_DUMP_ONLY, 134 CFE_TBL_ERR_DUPLICATE_DIFF_SIZE, 134 CFE_TBL_ERR_DUPLICATE_NOT_OWNED, 135	cFE SB Pipe options, 253
CFE_STATUS_VALIDATION_FAILURE, 133 CFE_STATUS_WRONG_MSG_LENGTH, 133 CFE_SUCCESS, 133 CFE_TBL_BAD_ARGUMENT, 134 CFE_TBL_ERR_ACCESS, 134 CFE_TBL_ERR_BAD_CONTENT_ID, 134 CFE_TBL_ERR_BAD_PROCESSOR_ID, 134 CFE_TBL_ERR_BAD_SPACECRAFT_ID, 134 CFE_TBL_ERR_BAD_SUBTYPE_ID, 134 CFE_TBL_ERR_DUMP_ONLY, 134 CFE_TBL_ERR_DUPLICATE_DIFF_SIZE, 134 CFE_TBL_ERR_DUPLICATE_NOT_OWNED, 135 CFE_TBL_ERR_FILE_FOR_WRONG_TABLE, 135	CFE SB Pipe options, 253 CFE_SB_PIPEOPTS_IGNOREMINE, 253 CFE Send Event APIs, 191 CFE_EVS_SendEvent, 191 CFE_EVS_SendEventWithAppID, 192 CFE_EVS_SendTimedEvent, 193 CFE Send/Receive Message APIs, 241 CFE_SB_ReceiveBuffer, 241 CFE_SB_TransmitMsg, 242 CFE Table Type Defines, 273 CFE_TBL_OPT_BUFFER_MSK, 273 CFE_TBL_OPT_CRITICAL, 273 CFE_TBL_OPT_CRITICAL_MSK, 273
CFE_STATUS_VALIDATION_FAILURE, 133 CFE_STATUS_WRONG_MSG_LENGTH, 133 CFE_SUCCESS, 133 CFE_TBL_BAD_ARGUMENT, 134 CFE_TBL_ERR_ACCESS, 134 CFE_TBL_ERR_BAD_CONTENT_ID, 134 CFE_TBL_ERR_BAD_PROCESSOR_ID, 134 CFE_TBL_ERR_BAD_SPACECRAFT_ID, 134 CFE_TBL_ERR_BAD_SUBTYPE_ID, 134 CFE_TBL_ERR_DUMP_ONLY, 134 CFE_TBL_ERR_DUPLICATE_DIFF_SIZE, 134 CFE_TBL_ERR_DUPLICATE_NOT_OWNED, 135 CFE_TBL_ERR_FILE_FOR_WRONG_TABLE, 135 CFE_TBL_ERR_FILE_SIZE_INCONSISTENT, 135	CFE SB Pipe options, 253 CFE_SB_PIPEOPTS_IGNOREMINE, 253 CFE Send Event APIs, 191 CFE_EVS_SendEvent, 191 CFE_EVS_SendEventWithAppID, 192 CFE_EVS_SendTimedEvent, 193 CFE Send/Receive Message APIs, 241 CFE_SB_ReceiveBuffer, 241 CFE_SB_TransmitMsg, 242 CFE Table Type Defines, 273 CFE_TBL_OPT_BUFFER_MSK, 273 CFE_TBL_OPT_CRITICAL, 273 CFE_TBL_OPT_CRITICAL_MSK, 273 CFE_TBL_OPT_DBL_BUFFER, 273
CFE_STATUS_VALIDATION_FAILURE, 133 CFE_STATUS_WRONG_MSG_LENGTH, 133 CFE_SUCCESS, 133 CFE_TBL_BAD_ARGUMENT, 134 CFE_TBL_ERR_ACCESS, 134 CFE_TBL_ERR_BAD_CONTENT_ID, 134 CFE_TBL_ERR_BAD_PROCESSOR_ID, 134 CFE_TBL_ERR_BAD_SPACECRAFT_ID, 134 CFE_TBL_ERR_BAD_SUBTYPE_ID, 134 CFE_TBL_ERR_DUMP_ONLY, 134 CFE_TBL_ERR_DUPLICATE_DIFF_SIZE, 134 CFE_TBL_ERR_DUPLICATE_NOT_OWNED, 135 CFE_TBL_ERR_FILE_FOR_WRONG_TABLE, 135 CFE_TBL_ERR_FILE_SIZE_INCONSISTENT, 135 CFE_TBL_ERR_FILE_TOO_LARGE, 135	CFE SB Pipe options, 253 CFE_SB_PIPEOPTS_IGNOREMINE, 253 CFE Send Event APIs, 191 CFE_EVS_SendEvent, 191 CFE_EVS_SendEventWithAppID, 192 CFE_EVS_SendTimedEvent, 193 CFE Send/Receive Message APIs, 241 CFE_SB_ReceiveBuffer, 241 CFE_SB_TransmitMsg, 242 CFE Table Type Defines, 273 CFE_TBL_OPT_BUFFER_MSK, 273 CFE_TBL_OPT_CRITICAL, 273 CFE_TBL_OPT_CRITICAL_MSK, 273
CFE_STATUS_VALIDATION_FAILURE, 133 CFE_STATUS_WRONG_MSG_LENGTH, 133 CFE_SUCCESS, 133 CFE_TBL_BAD_ARGUMENT, 134 CFE_TBL_ERR_ACCESS, 134 CFE_TBL_ERR_BAD_CONTENT_ID, 134 CFE_TBL_ERR_BAD_PROCESSOR_ID, 134 CFE_TBL_ERR_BAD_SPACECRAFT_ID, 134 CFE_TBL_ERR_BAD_SUBTYPE_ID, 134 CFE_TBL_ERR_DUMP_ONLY, 134 CFE_TBL_ERR_DUPLICATE_DIFF_SIZE, 134 CFE_TBL_ERR_DUPLICATE_NOT_OWNED, 135 CFE_TBL_ERR_FILE_FOR_WRONG_TABLE, 135 CFE_TBL_ERR_FILE_SIZE_INCONSISTENT, 135	CFE SB Pipe options, 253 CFE_SB_PIPEOPTS_IGNOREMINE, 253 CFE Send Event APIs, 191 CFE_EVS_SendEvent, 191 CFE_EVS_SendEventWithAppID, 192 CFE_EVS_SendTimedEvent, 193 CFE Send/Receive Message APIs, 241 CFE_SB_ReceiveBuffer, 241 CFE_SB_TransmitMsg, 242 CFE Table Type Defines, 273 CFE_TBL_OPT_BUFFER_MSK, 273 CFE_TBL_OPT_CRITICAL, 273 CFE_TBL_OPT_CRITICAL_MSK, 273 CFE_TBL_OPT_DBL_BUFFER, 273
CFE_STATUS_VALIDATION_FAILURE, 133 CFE_STATUS_WRONG_MSG_LENGTH, 133 CFE_SUCCESS, 133 CFE_TBL_BAD_ARGUMENT, 134 CFE_TBL_ERR_ACCESS, 134 CFE_TBL_ERR_BAD_CONTENT_ID, 134 CFE_TBL_ERR_BAD_PROCESSOR_ID, 134 CFE_TBL_ERR_BAD_SPACECRAFT_ID, 134 CFE_TBL_ERR_BAD_SUBTYPE_ID, 134 CFE_TBL_ERR_DUMP_ONLY, 134 CFE_TBL_ERR_DUPLICATE_DIFF_SIZE, 134 CFE_TBL_ERR_DUPLICATE_NOT_OWNED, 135 CFE_TBL_ERR_FILE_FOR_WRONG_TABLE, 135 CFE_TBL_ERR_FILE_SIZE_INCONSISTENT, 135 CFE_TBL_ERR_FILE_TOO_LARGE, 135	CFE SB Pipe options, 253 CFE_SB_PIPEOPTS_IGNOREMINE, 253 CFE Send Event APIs, 191 CFE_EVS_SendEvent, 191 CFE_EVS_SendEventWithAppID, 192 CFE_EVS_SendTimedEvent, 193 CFE Send/Receive Message APIs, 241 CFE_SB_ReceiveBuffer, 241 CFE_SB_TransmitMsg, 242 CFE Table Type Defines, 273 CFE_TBL_OPT_BUFFER_MSK, 273 CFE_TBL_OPT_CRITICAL, 273 CFE_TBL_OPT_CRITICAL_MSK, 273 CFE_TBL_OPT_DBL_BUFFER, 273 CFE_TBL_OPT_DBL_BUFFER, 273 CFE_TBL_OPT_DEFAULT, 274
CFE_STATUS_VALIDATION_FAILURE, 133 CFE_STATUS_WRONG_MSG_LENGTH, 133 CFE_SUCCESS, 133 CFE_TBL_BAD_ARGUMENT, 134 CFE_TBL_ERR_ACCESS, 134 CFE_TBL_ERR_BAD_CONTENT_ID, 134 CFE_TBL_ERR_BAD_PROCESSOR_ID, 134 CFE_TBL_ERR_BAD_SPACECRAFT_ID, 134 CFE_TBL_ERR_BAD_SUBTYPE_ID, 134 CFE_TBL_ERR_DUMP_ONLY, 134 CFE_TBL_ERR_DUPLICATE_DIFF_SIZE, 134 CFE_TBL_ERR_DUPLICATE_NOT_OWNED, 135 CFE_TBL_ERR_FILE_FOR_WRONG_TABLE, 135 CFE_TBL_ERR_FILE_SIZE_INCONSISTENT, 135 CFE_TBL_ERR_FILE_TOO_LARGE, 135 CFE_TBL_ERR_FILE_TOO_LARGE, 135 CFE_TBL_ERR_FILENAME_TOO_LONG, 135	CFE SB Pipe options, 253 CFE_SB_PIPEOPTS_IGNOREMINE, 253 CFE Send Event APIs, 191 CFE_EVS_SendEvent, 191 CFE_EVS_SendEventWithAppID, 192 CFE_EVS_SendTimedEvent, 193 CFE Send/Receive Message APIs, 241 CFE_SB_ReceiveBuffer, 241 CFE_SB_TransmitMsg, 242 CFE Table Type Defines, 273 CFE_TBL_OPT_BUFFER_MSK, 273 CFE_TBL_OPT_CRITICAL, 273 CFE_TBL_OPT_CRITICAL_MSK, 273 CFE_TBL_OPT_DBL_BUFFER, 273 CFE_TBL_OPT_DBL_BUFFER, 273 CFE_TBL_OPT_DBL_BUFFER, 274 CFE_TBL_OPT_DUMP_ONLY, 274
CFE_STATUS_VALIDATION_FAILURE, 133 CFE_STATUS_WRONG_MSG_LENGTH, 133 CFE_SUCCESS, 133 CFE_TBL_BAD_ARGUMENT, 134 CFE_TBL_ERR_ACCESS, 134 CFE_TBL_ERR_BAD_CONTENT_ID, 134 CFE_TBL_ERR_BAD_PROCESSOR_ID, 134 CFE_TBL_ERR_BAD_SPACECRAFT_ID, 134 CFE_TBL_ERR_BAD_SUBTYPE_ID, 134 CFE_TBL_ERR_DUMP_ONLY, 134 CFE_TBL_ERR_DUPLICATE_DIFF_SIZE, 134 CFE_TBL_ERR_DUPLICATE_NOT_OWNED, 135 CFE_TBL_ERR_FILE_FOR_WRONG_TABLE, 135 CFE_TBL_ERR_FILE_SIZE_INCONSISTENT, 135 CFE_TBL_ERR_FILE_TOO_LARGE, 135 CFE_TBL_ERR_FILE_TOO_LONG, 135 CFE_TBL_ERR_FILENAME_TOO_LONG, 135 CFE_TBL_ERR_HANDLES_FULL, 135 CFE_TBL_ERR_ILLEGAL_SRC_TYPE, 135	CFE SB Pipe options, 253 CFE_SB_PIPEOPTS_IGNOREMINE, 253 CFE Send Event APIs, 191 CFE_EVS_SendEvent, 191 CFE_EVS_SendEventWithAppID, 192 CFE_EVS_SendTimedEvent, 193 CFE Send/Receive Message APIs, 241 CFE_SB_ReceiveBuffer, 241 CFE_SB_TransmitMsg, 242 CFE Table Type Defines, 273 CFE_TBL_OPT_BUFFER_MSK, 273 CFE_TBL_OPT_CRITICAL, 273 CFE_TBL_OPT_CRITICAL_MSK, 273 CFE_TBL_OPT_DBL_BUFFER, 273 CFE_TBL_OPT_DBL_BUFFER, 273 CFE_TBL_OPT_DBL_BUFFER, 274 CFE_TBL_OPT_DUMP_ONLY, 274 CFE_TBL_OPT_DUMP_ONLY, 274
CFE_STATUS_VALIDATION_FAILURE, 133 CFE_STATUS_WRONG_MSG_LENGTH, 133 CFE_SUCCESS, 133 CFE_TBL_BAD_ARGUMENT, 134 CFE_TBL_ERR_ACCESS, 134 CFE_TBL_ERR_BAD_CONTENT_ID, 134 CFE_TBL_ERR_BAD_PROCESSOR_ID, 134 CFE_TBL_ERR_BAD_SPACECRAFT_ID, 134 CFE_TBL_ERR_BAD_SUBTYPE_ID, 134 CFE_TBL_ERR_DUMP_ONLY, 134 CFE_TBL_ERR_DUPLICATE_DIFF_SIZE, 134 CFE_TBL_ERR_DUPLICATE_NOT_OWNED, 135 CFE_TBL_ERR_FILE_FOR_WRONG_TABLE, 135 CFE_TBL_ERR_FILE_SIZE_INCONSISTENT, 135 CFE_TBL_ERR_FILE_TOO_LARGE, 135 CFE_TBL_ERR_FILENAME_TOO_LONG, 135 CFE_TBL_ERR_FILENAME_TOO_LONG, 135 CFE_TBL_ERR_HANDLES_FULL, 135 CFE_TBL_ERR_ILLEGAL_SRC_TYPE, 135 CFE_TBL_ERR_INVALID_HANDLE, 135	CFE SB Pipe options, 253 CFE_SB_PIPEOPTS_IGNOREMINE, 253 CFE Send Event APIs, 191 CFE_EVS_SendEvent, 191 CFE_EVS_SendEventWithAppID, 192 CFE_EVS_SendTimedEvent, 193 CFE Send/Receive Message APIs, 241 CFE_SB_ReceiveBuffer, 241 CFE_SB_TransmitMsg, 242 CFE Table Type Defines, 273 CFE_TBL_OPT_BUFFER_MSK, 273 CFE_TBL_OPT_CRITICAL, 273 CFE_TBL_OPT_CRITICAL, 273 CFE_TBL_OPT_DBL_BUFFER, 273 CFE_TBL_OPT_DBL_BUFFER, 273 CFE_TBL_OPT_DBL_BUFFER, 273 CFE_TBL_OPT_DEFAULT, 274 CFE_TBL_OPT_LD_DMP_ONLY, 274 CFE_TBL_OPT_LD_DMP_MSK, 274 CFE_TBL_OPT_LOAD_DUMP, 274 CFE_TBL_OPT_LOAD_DUMP, 274
CFE_STATUS_VALIDATION_FAILURE, 133 CFE_STATUS_WRONG_MSG_LENGTH, 133 CFE_SUCCESS, 133 CFE_TBL_BAD_ARGUMENT, 134 CFE_TBL_ERR_ACCESS, 134 CFE_TBL_ERR_BAD_CONTENT_ID, 134 CFE_TBL_ERR_BAD_PROCESSOR_ID, 134 CFE_TBL_ERR_BAD_SPACECRAFT_ID, 134 CFE_TBL_ERR_BAD_SUBTYPE_ID, 134 CFE_TBL_ERR_DUMP_ONLY, 134 CFE_TBL_ERR_DUPLICATE_DIFF_SIZE, 134 CFE_TBL_ERR_DUPLICATE_NOT_OWNED, 135 CFE_TBL_ERR_FILE_FOR_WRONG_TABLE, 135 CFE_TBL_ERR_FILE_SIZE_INCONSISTENT, 135 CFE_TBL_ERR_FILE_TOO_LARGE, 135 CFE_TBL_ERR_FILE_TOO_LARGE, 135 CFE_TBL_ERR_FILENAME_TOO_LONG, 135 CFE_TBL_ERR_HANDLES_FULL, 135 CFE_TBL_ERR_ILLEGAL_SRC_TYPE, 135 CFE_TBL_ERR_INVALID_HANDLE, 135 CFE_TBL_ERR_INVALID_NAME, 136	CFE SB Pipe options, 253 CFE_SB_PIPEOPTS_IGNOREMINE, 253 CFE Send Event APIs, 191 CFE_EVS_SendEvent, 191 CFE_EVS_SendEventWithAppID, 192 CFE_EVS_SendTimedEvent, 193 CFE Send/Receive Message APIs, 241 CFE_SB_ReceiveBuffer, 241 CFE_SB_TransmitMsg, 242 CFE Table Type Defines, 273 CFE_TBL_OPT_BUFFER_MSK, 273 CFE_TBL_OPT_CRITICAL, 273 CFE_TBL_OPT_CRITICAL_MSK, 273 CFE_TBL_OPT_DBL_BUFFER, 273 CFE_TBL_OPT_DBL_BUFFER, 273 CFE_TBL_OPT_DEFAULT, 274 CFE_TBL_OPT_DUMP_ONLY, 274 CFE_TBL_OPT_LD_DMP_MSK, 274 CFE_TBL_OPT_LOAD_DUMP, 274 CFE_TBL_OPT_LOAD_DUMP, 274 CFE_TBL_OPT_NOT_CRITICAL, 274 CFE_TBL_OPT_NOT_CRITICAL, 274
CFE_STATUS_VALIDATION_FAILURE, 133 CFE_STATUS_WRONG_MSG_LENGTH, 133 CFE_SUCCESS, 133 CFE_TBL_BAD_ARGUMENT, 134 CFE_TBL_ERR_ACCESS, 134 CFE_TBL_ERR_BAD_CONTENT_ID, 134 CFE_TBL_ERR_BAD_PROCESSOR_ID, 134 CFE_TBL_ERR_BAD_SPACECRAFT_ID, 134 CFE_TBL_ERR_BAD_SUBTYPE_ID, 134 CFE_TBL_ERR_DUMP_ONLY, 134 CFE_TBL_ERR_DUPLICATE_DIFF_SIZE, 134 CFE_TBL_ERR_DUPLICATE_NOT_OWNED, 135 CFE_TBL_ERR_FILE_FOR_WRONG_TABLE, 135 CFE_TBL_ERR_FILE_SIZE_INCONSISTENT, 135 CFE_TBL_ERR_FILE_TOO_LARGE, 135 CFE_TBL_ERR_FILE_TOO_LARGE, 135 CFE_TBL_ERR_FILENAME_TOO_LONG, 135 CFE_TBL_ERR_HANDLES_FULL, 135 CFE_TBL_ERR_ILLEGAL_SRC_TYPE, 135 CFE_TBL_ERR_INVALID_HANDLE, 135 CFE_TBL_ERR_INVALID_NAME, 136 CFE_TBL_ERR_INVALID_OPTIONS, 136	CFE SB Pipe options, 253 CFE_SB_PIPEOPTS_IGNOREMINE, 253 CFE Send Event APIs, 191 CFE_EVS_SendEvent, 191 CFE_EVS_SendEventWithAppID, 192 CFE_EVS_SendTimedEvent, 193 CFE Send/Receive Message APIs, 241 CFE_SB_ReceiveBuffer, 241 CFE_SB_TransmitMsg, 242 CFE Table Type Defines, 273 CFE_TBL_OPT_BUFFER_MSK, 273 CFE_TBL_OPT_CRITICAL, 273 CFE_TBL_OPT_CRITICAL_MSK, 273 CFE_TBL_OPT_DBL_BUFFER, 273 CFE_TBL_OPT_DBL_BUFFER, 273 CFE_TBL_OPT_DBL_BUFFER, 274 CFE_TBL_OPT_LD_DMP_MSK, 274 CFE_TBL_OPT_LD_DMP_MSK, 274 CFE_TBL_OPT_LOAD_DUMP, 274 CFE_TBL_OPT_NOT_CRITICAL, 274 CFE_TBL_OPT_NOT_CRITICAL, 274 CFE_TBL_OPT_NOT_USR_DEF, 274 CFE_TBL_OPT_SNGL_BUFFER, 274
CFE_STATUS_VALIDATION_FAILURE, 133 CFE_STATUS_WRONG_MSG_LENGTH, 133 CFE_SUCCESS, 133 CFE_TBL_BAD_ARGUMENT, 134 CFE_TBL_ERR_ACCESS, 134 CFE_TBL_ERR_BAD_CONTENT_ID, 134 CFE_TBL_ERR_BAD_PROCESSOR_ID, 134 CFE_TBL_ERR_BAD_SPACECRAFT_ID, 134 CFE_TBL_ERR_BAD_SUBTYPE_ID, 134 CFE_TBL_ERR_BAD_SUBTYPE_ID, 134 CFE_TBL_ERR_DUMP_ONLY, 134 CFE_TBL_ERR_DUPLICATE_DIFF_SIZE, 134 CFE_TBL_ERR_DUPLICATE_NOT_OWNED, 135 CFE_TBL_ERR_FILE_FOR_WRONG_TABLE, 135 CFE_TBL_ERR_FILE_SIZE_INCONSISTENT, 135 CFE_TBL_ERR_FILE_TOO_LARGE, 135 CFE_TBL_ERR_FILENAME_TOO_LONG, 135 CFE_TBL_ERR_HANDLES_FULL, 135 CFE_TBL_ERR_ILLEGAL_SRC_TYPE, 135 CFE_TBL_ERR_INVALID_HANDLE, 135 CFE_TBL_ERR_INVALID_NAME, 136 CFE_TBL_ERR_INVALID_OPTIONS, 136 CFE_TBL_ERR_INVALID_SIZE, 136	CFE SB Pipe options, 253 CFE_SB_PIPEOPTS_IGNOREMINE, 253 CFE Send Event APIs, 191 CFE_EVS_SendEvent, 191 CFE_EVS_SendEventWithAppID, 192 CFE_EVS_SendTimedEvent, 193 CFE Send/Receive Message APIs, 241 CFE_SB_ReceiveBuffer, 241 CFE_SB_TransmitMsg, 242 CFE Table Type Defines, 273 CFE_TBL_OPT_BUFFER_MSK, 273 CFE_TBL_OPT_CRITICAL_MSK, 273 CFE_TBL_OPT_DBL_BUFFER, 273 CFE_TBL_OPT_DBL_BUFFER, 273 CFE_TBL_OPT_DBL_BUFFER, 274 CFE_TBL_OPT_LD_DMP_MSK, 274 CFE_TBL_OPT_LD_DMP_MSK, 274 CFE_TBL_OPT_LOAD_DUMP, 274 CFE_TBL_OPT_NOT_CRITICAL, 274 CFE_TBL_OPT_NOT_CRITICAL, 274 CFE_TBL_OPT_NOT_USR_DEF, 274 CFE_TBL_OPT_SNGL_BUFFER, 274 CFE_TBL_OPT_USR_DEF_ADDR, 274
CFE_STATUS_VALIDATION_FAILURE, 133 CFE_STATUS_WRONG_MSG_LENGTH, 133 CFE_SUCCESS, 133 CFE_TBL_BAD_ARGUMENT, 134 CFE_TBL_ERR_ACCESS, 134 CFE_TBL_ERR_BAD_CONTENT_ID, 134 CFE_TBL_ERR_BAD_PROCESSOR_ID, 134 CFE_TBL_ERR_BAD_SPACECRAFT_ID, 134 CFE_TBL_ERR_BAD_SUBTYPE_ID, 134 CFE_TBL_ERR_BAD_SUBTYPE_ID, 134 CFE_TBL_ERR_DUMP_ONLY, 134 CFE_TBL_ERR_DUPLICATE_DIFF_SIZE, 134 CFE_TBL_ERR_DUPLICATE_NOT_OWNED, 135 CFE_TBL_ERR_FILE_FOR_WRONG_TABLE, 135 CFE_TBL_ERR_FILE_SIZE_INCONSISTENT, 135 CFE_TBL_ERR_FILE_TOO_LARGE, 135 CFE_TBL_ERR_FILE_TOO_LARGE, 135 CFE_TBL_ERR_HANDLES_FULL, 135 CFE_TBL_ERR_HANDLES_FULL, 135 CFE_TBL_ERR_INVALID_HANDLE, 135 CFE_TBL_ERR_INVALID_NAME, 136 CFE_TBL_ERR_INVALID_NAME, 136 CFE_TBL_ERR_INVALID_OPTIONS, 136 CFE_TBL_ERR_INVALID_SIZE, 136 CFE_TBL_ERR_LOAD_IN_PROGRESS, 136	CFE SB Pipe options, 253 CFE_SB_PIPEOPTS_IGNOREMINE, 253 CFE Send Event APIs, 191 CFE_EVS_SendEvent, 191 CFE_EVS_SendEventWithAppID, 192 CFE_EVS_SendTimedEvent, 193 CFE Send/Receive Message APIs, 241 CFE_SB_ReceiveBuffer, 241 CFE_SB_TransmitMsg, 242 CFE Table Type Defines, 273 CFE_TBL_OPT_BUFFER_MSK, 273 CFE_TBL_OPT_CRITICAL, 273 CFE_TBL_OPT_CRITICAL_MSK, 273 CFE_TBL_OPT_DBL_BUFFER, 273 CFE_TBL_OPT_DEFAULT, 274 CFE_TBL_OPT_DEFAULT, 274 CFE_TBL_OPT_LD_DMP_MSK, 274 CFE_TBL_OPT_LOAD_DUMP, 274 CFE_TBL_OPT_LOAD_DUMP, 274 CFE_TBL_OPT_NOT_CRITICAL, 274 CFE_TBL_OPT_NOT_USR_DEF, 274 CFE_TBL_OPT_SNGL_BUFFER, 274 CFE_TBL_OPT_USR_DEF_ADDR, 274 CFE_TBL_OPT_USR_DEF_MSK, 274
CFE_STATUS_VALIDATION_FAILURE, 133 CFE_STATUS_WRONG_MSG_LENGTH, 133 CFE_SUCCESS, 133 CFE_TBL_BAD_ARGUMENT, 134 CFE_TBL_ERR_ACCESS, 134 CFE_TBL_ERR_BAD_CONTENT_ID, 134 CFE_TBL_ERR_BAD_PROCESSOR_ID, 134 CFE_TBL_ERR_BAD_SPACECRAFT_ID, 134 CFE_TBL_ERR_BAD_SUBTYPE_ID, 134 CFE_TBL_ERR_DUMP_ONLY, 134 CFE_TBL_ERR_DUMP_ONLY, 134 CFE_TBL_ERR_DUPLICATE_DIFF_SIZE, 134 CFE_TBL_ERR_DUPLICATE_NOT_OWNED, 135 CFE_TBL_ERR_FILE_FOR_WRONG_TABLE, 135 CFE_TBL_ERR_FILE_SIZE_INCONSISTENT, 135 CFE_TBL_ERR_FILE_TOO_LARGE, 135 CFE_TBL_ERR_FILE_TOO_LARGE, 135 CFE_TBL_ERR_FILENAME_TOO_LONG, 135 CFE_TBL_ERR_ILLEGAL_SRC_TYPE, 135 CFE_TBL_ERR_INVALID_HANDLE, 135 CFE_TBL_ERR_INVALID_NAME, 136 CFE_TBL_ERR_INVALID_OPTIONS, 136 CFE_TBL_ERR_INVALID_SIZE, 136 CFE_TBL_ERR_LOAD_IN_PROGRESS, 136 CFE_TBL_ERR_LOAD_INCOMPLETE, 136	CFE SB Pipe options, 253 CFE_SB_PIPEOPTS_IGNOREMINE, 253 CFE Send Event APIs, 191 CFE_EVS_SendEvent, 191 CFE_EVS_SendEventWithAppID, 192 CFE_EVS_SendTimedEvent, 193 CFE Send/Receive Message APIs, 241 CFE_SB_ReceiveBuffer, 241 CFE_SB_TransmitMsg, 242 CFE Table Type Defines, 273 CFE_TBL_OPT_BUFFER_MSK, 273 CFE_TBL_OPT_CRITICAL, 273 CFE_TBL_OPT_CRITICAL_MSK, 273 CFE_TBL_OPT_DBL_BUFFER, 273 CFE_TBL_OPT_DBL_BUFFER, 273 CFE_TBL_OPT_DEFAULT, 274 CFE_TBL_OPT_DUMP_ONLY, 274 CFE_TBL_OPT_LO_DMP_MSK, 274 CFE_TBL_OPT_LOAD_DUMP, 274 CFE_TBL_OPT_NOT_CRITICAL, 274 CFE_TBL_OPT_NOT_USR_DEF, 274 CFE_TBL_OPT_NOT_USR_DEF, 274 CFE_TBL_OPT_USR_DEF_ADDR, 274 CFE_TBL_OPT_USR_DEF_MSK, 274 CFE_TBL_OPT_USR_DEF_MSK, 274
CFE_STATUS_VALIDATION_FAILURE, 133 CFE_STATUS_WRONG_MSG_LENGTH, 133 CFE_SUCCESS, 133 CFE_TBL_BAD_ARGUMENT, 134 CFE_TBL_ERR_ACCESS, 134 CFE_TBL_ERR_BAD_CONTENT_ID, 134 CFE_TBL_ERR_BAD_PROCESSOR_ID, 134 CFE_TBL_ERR_BAD_SPACECRAFT_ID, 134 CFE_TBL_ERR_BAD_SUBTYPE_ID, 134 CFE_TBL_ERR_DUMP_ONLY, 134 CFE_TBL_ERR_DUPLICATE_DIFF_SIZE, 134 CFE_TBL_ERR_DUPLICATE_NOT_OWNED, 135 CFE_TBL_ERR_FILE_FOR_WRONG_TABLE, 135 CFE_TBL_ERR_FILE_TOO_LARGE, 135 CFE_TBL_ERR_FILE_TOO_LARGE, 135 CFE_TBL_ERR_FILENAME_TOO_LONG, 135 CFE_TBL_ERR_HANDLES_FULL, 135 CFE_TBL_ERR_ILLEGAL_SRC_TYPE, 135 CFE_TBL_ERR_INVALID_HANDLE, 135 CFE_TBL_ERR_INVALID_NAME, 136 CFE_TBL_ERR_INVALID_OPTIONS, 136 CFE_TBL_ERR_INVALID_SIZE, 136 CFE_TBL_ERR_LOAD_IN_PROGRESS, 136 CFE_TBL_ERR_LOAD_IN_PROGRESS, 136 CFE_TBL_ERR_NEVER_LOADED, 136	CFE SB Pipe options, 253 CFE_SB_PIPEOPTS_IGNOREMINE, 253 CFE Send Event APIs, 191 CFE_EVS_SendEvent, 191 CFE_EVS_SendEventWithAppID, 192 CFE_EVS_SendTimedEvent, 193 CFE Send/Receive Message APIs, 241 CFE_SB_ReceiveBuffer, 241 CFE_SB_TransmitMsg, 242 CFE Table Type Defines, 273 CFE_TBL_OPT_BUFFER_MSK, 273 CFE_TBL_OPT_CRITICAL_MSK, 273 CFE_TBL_OPT_CRITICAL_MSK, 273 CFE_TBL_OPT_DBL_BUFFER, 273 CFE_TBL_OPT_DBL_BUFFER, 273 CFE_TBL_OPT_DEFAULT, 274 CFE_TBL_OPT_DUMP_ONLY, 274 CFE_TBL_OPT_LO_DMP_MSK, 274 CFE_TBL_OPT_LOAD_DUMP, 274 CFE_TBL_OPT_NOT_CRITICAL, 274 CFE_TBL_OPT_NOT_USR_DEF, 274 CFE_TBL_OPT_NOT_USR_DEF, 274 CFE_TBL_OPT_USR_DEF_ADDR, 274 CFE_TBL_OPT_USR_DEF_MSK, 274 CFE_TBL_OPT_USR_DEF_MSK, 274 CFE_TBL_OPT_USR_DEF_MSK, 274 CFE_TBL_OPT_USR_DEF_MSK, 274
CFE_STATUS_VALIDATION_FAILURE, 133 CFE_STATUS_WRONG_MSG_LENGTH, 133 CFE_SUCCESS, 133 CFE_TBL_BAD_ARGUMENT, 134 CFE_TBL_ERR_ACCESS, 134 CFE_TBL_ERR_BAD_CONTENT_ID, 134 CFE_TBL_ERR_BAD_PROCESSOR_ID, 134 CFE_TBL_ERR_BAD_SPACECRAFT_ID, 134 CFE_TBL_ERR_BAD_SUBTYPE_ID, 134 CFE_TBL_ERR_DUMP_ONLY, 134 CFE_TBL_ERR_DUMP_ONLY, 134 CFE_TBL_ERR_DUPLICATE_DIFF_SIZE, 134 CFE_TBL_ERR_DUPLICATE_NOT_OWNED, 135 CFE_TBL_ERR_FILE_FOR_WRONG_TABLE, 135 CFE_TBL_ERR_FILE_SIZE_INCONSISTENT, 135 CFE_TBL_ERR_FILE_TOO_LARGE, 135 CFE_TBL_ERR_FILE_TOO_LARGE, 135 CFE_TBL_ERR_FILENAME_TOO_LONG, 135 CFE_TBL_ERR_ILLEGAL_SRC_TYPE, 135 CFE_TBL_ERR_INVALID_HANDLE, 135 CFE_TBL_ERR_INVALID_NAME, 136 CFE_TBL_ERR_INVALID_OPTIONS, 136 CFE_TBL_ERR_INVALID_SIZE, 136 CFE_TBL_ERR_LOAD_IN_PROGRESS, 136 CFE_TBL_ERR_LOAD_INCOMPLETE, 136	CFE SB Pipe options, 253 CFE_SB_PIPEOPTS_IGNOREMINE, 253 CFE Send Event APIs, 191 CFE_EVS_SendEvent, 191 CFE_EVS_SendEventWithAppID, 192 CFE_EVS_SendTimedEvent, 193 CFE Send/Receive Message APIs, 241 CFE_SB_ReceiveBuffer, 241 CFE_SB_TransmitMsg, 242 CFE Table Type Defines, 273 CFE_TBL_OPT_BUFFER_MSK, 273 CFE_TBL_OPT_CRITICAL, 273 CFE_TBL_OPT_CRITICAL_MSK, 273 CFE_TBL_OPT_DBL_BUFFER, 273 CFE_TBL_OPT_DBL_BUFFER, 273 CFE_TBL_OPT_DEFAULT, 274 CFE_TBL_OPT_DUMP_ONLY, 274 CFE_TBL_OPT_LO_DMP_MSK, 274 CFE_TBL_OPT_LOAD_DUMP, 274 CFE_TBL_OPT_NOT_CRITICAL, 274 CFE_TBL_OPT_NOT_USR_DEF, 274 CFE_TBL_OPT_NOT_USR_DEF, 274 CFE_TBL_OPT_USR_DEF_ADDR, 274 CFE_TBL_OPT_USR_DEF_MSK, 274 CFE_TBL_OPT_USR_DEF_MSK, 274

cFE Time Conversion APIs, 284	cfe/modules/es/config/default_cfe_es_fcncodes.h, 725
CFE_TIME_MET2SCTime, 284	cfe/modules/es/config/default_cfe_es_interface_cfg.h, 745
CFE_TIME_Micro2SubSecs, 284	cfe/modules/es/config/default_cfe_es_internal_cfg.h, 748
CFE_TIME_Sub2MicroSecs, 285	cfe/modules/es/config/default_cfe_es_mission_cfg.h, 768
cFE Zero Copy APIs, 244	cfe/modules/es/config/default_cfe_es_msg.h, 768
CFE_SB_AllocateMessageBuffer, 244	cfe/modules/es/config/default_cfe_es_msgdefs.h, 769
CFE_SB_ReleaseMessageBuffer, 244	cfe/modules/es/config/default_cfe_es_msgids.h, 773
CFE_SB_TransmitBuffer, 245	cfe/modules/es/config/default_cfe_es_msgstruct.h, 774
cfe/docs/src/cfe_api.dox, 653	cfe/modules/es/config/default_cfe_es_platform_cfg.h, 778
cfe/docs/src/cfe_es.dox, 653	cfe/modules/es/config/default_cfe_es_topicids.h, 778
cfe/docs/src/cfe_evs.dox, 653	cfe/modules/es/fsw/inc/cfe_es_eventids.h, 779
cfe/docs/src/cfe_frontpage.dox, 653	cfe/modules/evs/config/default_cfe_evs_extern_typedefs.h,
cfe/docs/src/cfe_glossary.dox, 653	804
cfe/docs/src/cfe_sb.dox, 653	cfe/modules/evs/config/default_cfe_evs_fcncodes.h, 807
cfe/docs/src/cfe_tbl.dox, 653	cfe/modules/evs/config/default_cfe_evs_interface_cfg.h,
cfe/docs/src/cfe_time.dox, 653	825
cfe/docs/src/cfe_xref.dox, 653	cfe/modules/evs/config/default_cfe_evs_internal_cfg.h,
cfe/docs/src/cfs_versions.dox, 653	826
cfe/modules/core_api/config/default_cfe_core_api_base_ms 653	830
cfe/modules/core_api/config/default_cfe_core_api_interface	
655	cfe/modules/evs/config/default_cfe_evs_msgdefs.h, 831
cfe/modules/core_api/config/default_cfe_mission_cfg.h,	cfe/modules/evs/config/default_cfe_evs_msgids.h, 834
657	cfe/modules/evs/config/default_cfe_evs_msgstruct.h, 835
cfe/modules/core_api/config/default_cfe_msgids.h, 657	cfe/modules/evs/config/default_cfe_evs_platform_cfg.h,
cfe/modules/core_api/fsw/inc/cfe.h, 658	838
cfe/modules/core_api/fsw/inc/cfe_config.h, 658	cfe/modules/evs/config/default_cfe_evs_topicids.h, 839
cfe/modules/core_api/fsw/inc/cfe_config_api_typedefs.h,	cfe/modules/evs/fsw/inc/cfe_evs_eventids.h, 840
661	cfe/modules/fs/config/default_cfe_fs_extern_typedefs.h,
cfe/modules/core_api/fsw/inc/cfe_endian.h, 662	852
cfe/modules/core_api/fsw/inc/cfe_error.h, 663	cfe/modules/fs/config/default_cfe_fs_filedef.h, 852
cfe/modules/core_api/fsw/inc/cfe_es.h, 671	cfe/modules/fs/config/default_cfe_fs_interface_cfg.h, 854
cfe/modules/core_api/fsw/inc/cfe_es_api_typedefs.h, 675	cfe/modules/fs/config/default_cfe_fs_mission_cfg.h, 854
cfe/modules/core_api/fsw/inc/cfe_evs.h, 680	cfe/modules/msg/fsw/inc/ccsds_hdr.h, 855
cfe/modules/core_api/fsw/inc/cfe_evs_api_typedefs.h, 681	cfe/modules/resourceid/fsw/inc/cfe_core_resourceid_basevalues.h,
cfe/modules/core_api/fsw/inc/cfe_fs.h, 684	855
cfe/modules/core_api/fsw/inc/cfe_fs_api_typedefs.h, 684 cfe/modules/core_api/fsw/inc/cfe_msg.h, 687	cfe/modules/resourceid/fsw/inc/cfe_resourceid_basevalue.h, 856
cfe/modules/core_api/isw/inc/cfe_msg.ri, 667 cfe/modules/core_api/fsw/inc/cfe_msg_api_typedefs.h,	cfe/modules/sb/config/default_cfe_sb_extern_typedefs.h,
689	857
cfe/modules/core_api/fsw/inc/cfe_resourceid.h, 693	cfe/modules/sb/config/default_cfe_sb_fcncodes.h, 859
cfe/modules/core_api/fsw/inc/cfe_resourceid_api_typedefs.h	*
700	cfe/modules/sb/config/default_cfe_sb_internal_cfg.h, 869
cfe/modules/core_api/fsw/inc/cfe_sb.h, 700	cfe/modules/sb/config/default_cfe_sb_mission_cfg.h, 877
cfe/modules/core_api/fsw/inc/cfe_sb_api_typedefs.h, 703	cfe/modules/sb/config/default_cfe_sb_msg.h, 878
cfe/modules/core_api/fsw/inc/cfe_tbl.h, 706	cfe/modules/sb/config/default_cfe_sb_msgdefs.h, 878
cfe/modules/core api/fsw/inc/cfe tbl api typedefs.h, 707	cfe/modules/sb/config/default_cfe_sb_msgids.h, 880
cfe/modules/core_api/fsw/inc/cfe_tbl_filedef.h, 710	cfe/modules/sb/config/default cfe sb msgstruct.h, 882
cfe/modules/core_api/fsw/inc/cfe_time.h, 711	cfe/modules/sb/config/default_cfe_sb_platform_cfg.h, 884
cfe/modules/core_api/fsw/inc/cfe_time_api_typedefs.h,	cfe/modules/sb/config/default_cfe_sb_topicids.h, 884
713	cfe/modules/sb/fsw/inc/cfe_sb_eventids.h, 885
cfe/modules/core_api/fsw/inc/cfe_version.h, 714	cfe/modules/tbl/config/default_cfe_tbl_extern_typedefs.h,
cfe/modules/es/config/default_cfe_es_extern_typedefs.h,	905
716	cfe/modules/tbl/config/default_cfe_tbl_fcncodes.h, 906
	· · · · · · · · · · · · · · · · ·

cfe/modules/tbl/config/default_cfe_tbl_interface_cfg.h, 915	CFE_CONFIGID_UNDEFINED, 662
cfe/modules/tbl/config/default_cfe_tbl_internal_cfg.h, 916	CFE_Config_Callback_t
cfe/modules/tbl/config/default_cfe_tbl_mission_cfg.h, 922	cfe_config_api_typedefs.h, 662
cfe/modules/tbl/config/default_cfe_tbl_msg.h, 922	CFE_Config_GetIdByName
cfe/modules/tbl/config/default_cfe_tbl_msgdefs.h, 922	cfe_config.h, 659
cfe/modules/tbl/config/default_cfe_tbl_msgids.h, 925	CFE_Config_GetName
cfe/modules/tbl/config/default_cfe_tbl_msgstruct.h, 926	cfe_config.h, 659
cfe/modules/tbl/config/default_cfe_tbl_platform_cfg.h, 928	CFE_Config_GetObjPointer
cfe/modules/tbl/config/default_cfe_tbl_topicids.h, 928	cfe_config.h, 659
cfe/modules/tbl/fsw/inc/cfe_tbl_eventids.h, 929	CFE_Config_GetString
cfe/modules/time/config/default_cfe_time_extern_typedefs.h	
949	CFE_Config_GetValue
cfe/modules/time/config/default_cfe_time_fcncodes.h, 954	cfe_config.h, 660
cfe/modules/time/config/default_cfe_time_interface_cfg.h,	CFE_Config_GetVersionString
970	cfe_config.h, 661
cfe/modules/time/config/default_cfe_time_internal_cfg.h,	CFE_Config_IterateAll
974	cfe_config.h, 661
cfe/modules/time/config/default_cfe_time_mission_cfg.h,	CFE_CONFIGID_BASE
979	cFE Resource ID base values, 295
cfe/modules/time/config/default_cfe_time_msg.h, 980	CFE_CONFIGID_C
cfe/modules/time/config/default_cfe_time_msgdefs.h, 980	cfe_config_api_typedefs.h, 662
cfe/modules/time/config/default_cfe_time_msgids.h, 982	CFE_Configld_t
cfe/modules/time/config/default_cfe_time_msgstruct.h,	cfe_config_api_typedefs.h, 662
984	CFE_CONFIGID_UNDEFINED
cfe/modules/time/config/default_cfe_time_platform_cfg.h,	cfe_config_api_typedefs.h, 662
987	CFE_CPU1_CMD_MID_BASE
cfe/modules/time/config/default_cfe_time_topicids.h, 987	default_cfe_core_api_base_msgids.h, 653
cfe/modules/time/fsw/inc/cfe_time_eventids.h, 989	CFE_CPU1_TLM_MID_BASE
CFE_BIT	default_cfe_core_api_base_msgids.h, 654
cfe_sb.h, 702	cfe_endian.h
CFE_BUILD_BASELINE	CFE_MAKE_BIG16, 663
cfe_version.h, 715	CFE_MAKE_BIG32, 663
CFE_BUILD_CODENAME	cfe_error.h
cfe_version.h, 715	CFE_ES_StatusToString, 671
CFE_BUILD_DEV_CYCLE	CFE_EVENTS_SERVICE, 669
cfe_version.h, 715	CFE_EXECUTIVE_SERVICE, 669
CFE_BUILD_NUMBER	CFE_FILE_SERVICE, 670
cfe_version.h, 715	CFE_GENERIC_SERVICE, 670
CFE_CFG_MAX_VERSION_STR_LEN	CFE_SERVICE_BITMASK, 670
cfe_version.h, 715	CFE_SEVERITY_BITMASK, 670
CFE_CLR	CFE_SEVERITY_ERROR, 670
cfe_sb.h, 702	CFE_SEVERITY_INFO, 670
cfe_config.h	CFE_SEVERITY_SUCCESS, 670
CFE_Config_GetIdByName, 659	CFE_SOFTWARE_BUS_SERVICE, 670
CFE_Config_GetName, 659	CFE_STATUS_C, 670
CFE_Config_GetObjPointer, 659	CFE_STATUS_STRING_LENGTH, 670
CFE_Config_GetString, 660	CFE_Status_t, 671
CFE_Config_GetValue, 660	CFE_StatusString_t, 671
CFE_Config_GetVersionString, 661	CFE_TABLE_SERVICE, 671
CFE_Config_IterateAll, 661	CFE_TIME_SERVICE, 671
cfe_config_api_typedefs.h	cfe_es.h
CFE_Config_Callback_t, 662	CFE_ES_DBIT, 674
CFE_CONFIGID_C, 662	CFE_ES_DTEST, 674
CFF Confield t 662	CFF FS TEST LONG MASK 675

OS_PRINTF, 675	BSSAddress, 424
CFE_ES_ALL_APPS_EID	BSSSize, 424
cfe_es_eventids.h, 782	CodeAddress, 424
cfe_es_api_typedefs.h	CodeSize, 425
CFE_ES_APP_RESTART, 676	DataAddress, 425
CFE_ES_APPID_C, 676	DataSize, 425
CFE_ES_APPID_UNDEFINED, 677	EntryPoint, 425
CFE_ES_CDS_BAD_HANDLE, 677	ExceptionAction, 425
CFE_ES_CDSHANDLE_C, 677	ExecutionCounter, 425
CFE ES ChildTaskMainFuncPtr t, 678	FileName, 425
CFE ES COUNTERID C, 677	MainTaskld, 426
CFE_ES_COUNTERID_UNDEFINED, 677	MainTaskName, 426
CFE_ES_CrcType_16_ARC, 680	Name, 426
CFE_ES_CrcType_CRC_16, 680	NumOfChildTasks, 426
CFE_ES_CrcType_CRC_32, 680	Priority, 426
CFE ES CrcType CRC 8, 680	Resourceld, 426
CFE_ES_CrcType_Enum, 679	StackSize, 426
CFE_ES_CrcType_Enum_t, 678	StartAddress, 427
CFE_ES_CrcType_MAX, 680	Type, 427
CFE ES CrcType NONE, 680	**
	CFE_ES_AppInfo_t
CFE_ES_LIBID_C, 677	default_cfe_es_extern_typedefs.h, 719
CFE_ES_LIBID_UNDEFINED, 677	CFE_ES_AppNameCmd_Payload, 427
CFE_ES_LibraryEntryFuncPtr_t, 679	Application, 427
CFE_ES_MEMHANDLE_C, 677	CFE_ES_AppNameCmd_Payload_t
CFE_ES_MEMHANDLE_UNDEFINED, 677	default_cfe_es_msgdefs.h, 770
CFE_ES_MEMPOOLBUF_C, 677	CFE_ES_AppReloadCmd_Payload, 427
CFE_ES_MemPoolBuf_t, 679	AppFileName, 428
CFE_ES_NO_MUTEX, 678	Application, 428
CFE_ES_PoolAlign_t, 679	CFE_ES_AppReloadCmd_Payload_t
CFE_ES_StackPointer_t, 679	default_cfe_es_msgdefs.h, 771
CFE_ES_STATIC_POOL_TYPE, 678	CFE_ES_AppState
CFE_ES_TASK_STACK_ALLOCATE, 678	default_cfe_es_extern_typedefs.h, 723
CFE_ES_TaskEntryFuncPtr_t, 679	CFE_ES_AppState_EARLY_INIT
CFE_ES_TASKID_C, 678	default_cfe_es_extern_typedefs.h, 723
CFE_ES_TASKID_UNDEFINED, 678	CFE_ES_AppState_Enum_t
CFE_ES_USE_MUTEX, 678	default_cfe_es_extern_typedefs.h, 719
CFE_ES_APP_CLEANUP_ERR	CFE_ES_AppState_LATE_INIT
cFE Return Code Defines, 124	default_cfe_es_extern_typedefs.h, 723
CFE_ES_APP_RESTART	CFE_ES_AppState_MAX
cfe_es_api_typedefs.h, 676	default cfe es extern typedefs.h, 723
CFE_ES_APP_TLM_MID	CFE_ES_AppState_RUNNING
default_cfe_es_msgids.h, 773	default_cfe_es_extern_typedefs.h, 723
CFE ES APPID BASE	CFE ES AppState STOPPED
cFE Resource ID base values, 294	default_cfe_es_extern_typedefs.h, 723
CFE ES APPID C	CFE ES AppState UNDEFINED
cfe_es_api_typedefs.h, 676	default_cfe_es_extern_typedefs.h, 723
CFE_ES_Appld_t	CFE_ES_AppState_WAITING
default_cfe_es_extern_typedefs.h, 719	default_cfe_es_extern_typedefs.h, 723
CFE_ES_AppID_ToIndex	CFE_ES_AppType
cFE Resource ID APIs, 141	default_cfe_es_extern_typedefs.h, 723
CFE_ES_APPID_UNDEFINED	CFE_ES_AppType_CORE
cfe_es_api_typedefs.h, 677	default_cfe_es_extern_typedefs.h, 723
CFE_ES_AppInfo, 423	CFE_ES_AppType_Enum_t
AddressesAreValid, 424	default_cfe_es_extern_typedefs.h, 720

CFE_ES_AppType_EXTERNAL	CFE_ES_CDS_OWNER_ACTIVE_ERR
default_cfe_es_extern_typedefs.h, 723	cFE Return Code Defines, 125
CFE_ES_AppType_LIBRARY	CFE_ES_CDS_REG_DUMP_INF_EID
default_cfe_es_extern_typedefs.h, 723	cfe_es_eventids.h, 785
CFE_ES_BackgroundWakeup	CFE_ES_CDS_REGISTER_ERR_EID
cFE Miscellaneous APIs, 166	cfe_es_eventids.h, 785
CFE_ES_BAD_ARGUMENT	CFE ES CDS WRONG TYPE ERR
cFE Return Code Defines, 124	cFE Return Code Defines, 125
CFE_ES_BIN_SEM_DELETE_ERR	CFE_ES_CDSBLOCKID_BASE
cFE Return Code Defines, 124	cFE Resource ID base values, 295
CFE_ES_BlockStats, 428	CFE_ES_CDSHANDLE_C
BlockSize, 428	cfe_es_api_typedefs.h, 677
NumCreated, 429	CFE_ES_CDSHandle_t
NumFree, 429	default_cfe_es_extern_typedefs.h, 720
CFE_ES_BlockStats_t	CFE_ES_CDSRegDumpRec, 429
default_cfe_es_extern_typedefs.h, 720	ByteAlignSpare, 429
CFE_ES_BOOT_ERR_EID	Handle, 430
cfe es eventids.h, 783	Name, 430
CFE_ES_BUFFER_NOT_IN_POOL	Size, 430
cFE Return Code Defines, 124	Table, 430
CFE_ES_BUILD_INF_EID	CFE ES CDSRegDumpRec t
cfe_es_eventids.h, 783	default_cfe_es_extern_typedefs.h, 720
CFE_ES_CalculateCRC	CFE_ES_ChildTaskMainFuncPtr_t
cFE Miscellaneous APIs, 166	cfe_es_api_typedefs.h, 678
CFE_ES_CC1_ERR_EID	CFE_ES_CLEAR_ER_LOG_CC
cfe_es_eventids.h, 783	default_cfe_es_fcncodes.h, 725
CFE_ES_CDS_ACCESS_ERROR	CFE_ES_CLEAR_SYSLOG_CC
cFE Return Code Defines, 124	default_cfe_es_fcncodes.h, 726
CFE_ES_CDS_ALREADY_EXISTS	CFE_ES_ClearERLogCmd, 430
cFE Return Code Defines, 124	CommandHeader, 430
CFE_ES_CDS_BAD_HANDLE	CFE_ES_ClearERLogCmd_t
cfe_es_api_typedefs.h, 677	default_cfe_es_msgstruct.h, 776
CFE_ES_CDS_BLOCK_CRC_ERR	CFE_ES_ClearSysLogCmd, 430
cFE Return Code Defines, 124	CommandHeader, 431
CFE_ES_CDS_DELETE_ERR_EID	CFE_ES_ClearSysLogCmd_t
cfe_es_eventids.h, 784	default_cfe_es_msgstruct.h, 776
CFE_ES_CDS_DELETE_TBL_ERR_EID	CFE_ES_CMD_MID
cfe_es_eventids.h, 784	default_cfe_es_msgids.h, 773
CFE_ES_CDS_DELETED_INFO_EID	CFE_ES_CopyToCDS
cfe_es_eventids.h, 784	cFE Critical Data Store APIs, 169
CFE_ES_CDS_DUMP_ERR_EID	CFE_ES_COUNT_SEM_DELETE_ERR
cfe_es_eventids.h, 784	cFE Return Code Defines, 125
CFE_ES_CDS_INSUFFICIENT_MEMORY	CFE_ES_COUNTERID_C
cFE Return Code Defines, 124	cfe_es_api_typedefs.h, 677
CFE_ES_CDS_INVALID	CFE_ES_CounterId_t
cFE Return Code Defines, 125	default_cfe_es_extern_typedefs.h, 720
CFE_ES_CDS_INVALID_NAME	CFE_ES_CounterID_ToIndex
cFE Return Code Defines, 125	cFE Resource ID APIs, 141
CFE_ES_CDS_INVALID_SIZE	CFE_ES_COUNTERID_UNDEFINED
cFE Return Code Defines, 125	cfe_es_api_typedefs.h, 677
CFE_ES_CDS_NAME_ERR_EID	CFE_ES_COUNTID_BASE
cfe_es_eventids.h, 785	cFE Resource ID base values, 294
CFE_ES_CDS_OWNER_ACTIVE_EID	CFE_ES_CrcType_16_ARC
cfe es eventids.h, 785	cfe es api typedefs.h, 680

CFE_ES_CrcType_CRC_16	CFE_ES_ERLOG2_ERR_EID
cfe_es_api_typedefs.h, 680	cfe_es_eventids.h, 786
CFE_ES_CrcType_CRC_32	CFE_ES_ERLOG_PENDING_ERR_EID
cfe_es_api_typedefs.h, 680	cfe_es_eventids.h, 787
CFE_ES_CrcType_CRC_8	CFE_ES_ERR_APP_CREATE
cfe_es_api_typedefs.h, 680	cFE Return Code Defines, 125
CFE_ES_CrcType_Enum	CFE_ES_ERR_APP_REGISTER
cfe_es_api_typedefs.h, 679	cFE Return Code Defines, 125
CFE_ES_CrcType_Enum_t	CFE_ES_ERR_CHILD_TASK_CREATE
cfe_es_api_typedefs.h, 678	cFE Return Code Defines, 126
CFE_ES_CrcType_MAX	CFE_ES_ERR_CHILD_TASK_DELETE
cfe_es_api_typedefs.h, 680	cFE Return Code Defines, 126
CFE_ES_CrcType_NONE	CFE_ES_ERR_CHILD_TASK_DELETE_MAIN_TASK
cfe_es_api_typedefs.h, 680	cFE Return Code Defines, 126
CFE_ES_CreateChildTask	CFE_ES_ERR_CHILD_TASK_REGISTER
cFE Child Task APIs, 162	cFE Return Code Defines, 126
CFE_ES_CREATING_CDS_DUMP_ERR_EID	CFE_ES_ERR_DUPLICATE_NAME
cfe_es_eventids.h, 786	cFE Return Code Defines, 126
CFE ES DBIT	CFE ES ERR LOAD LIB
	cFE Return Code Defines, 126
cfe_es.h, 674 CFE ES DELETE CDS CC	CFE_ES_ERR_MEM_BLOCK_SIZE
default cfe es fcncodes.h, 727	cFE Return Code Defines, 126
CFE_ES_DeleteApp	CFE_ES_ERR_NAME_NOT_FOUND
cFE Application Control APIs, 146	cFE Return Code Defines, 126
CFE_ES_DeleteCDSCmd, 431	CFE_ES_ERR_RESOURCEID_NOT_VALID
CommandHeader, 431	cFE Return Code Defines, 127
Payload, 431	CFE_ES_ERR_SYS_LOG_FULL
CFE_ES_DeleteCDSCmd_Payload, 432	cFE Return Code Defines, 127
CdsName, 432	CFE_ES_ERR_SYS_LOG_TRUNCATED
CFE_ES_DeleteCDSCmd_Payload_t	cFE Return Code Defines, 127
default_cfe_es_msgdefs.h, 771	CFE_ES_ERR_SYSLOGMODE_EID
CFE_ES_DeleteCDSCmd_t	cfe_es_eventids.h, 787
default_cfe_es_msgstruct.h, 776	CFE_ES_ERREXIT_APP_ERR_EID
CFE_ES_DeleteChildTask	cfe_es_eventids.h, 787
cFE Child Task APIs, 163	CFE_ES_ERREXIT_APP_INF_EID
CFE_ES_DeleteGenCounter	cfe_es_eventids.h, 787
cFE Generic Counter APIs, 183	cfe_es_eventids.h
CFE_ES_DTEST	CFE_ES_ALL_APPS_EID, 782
cfe_es.h, 674	CFE_ES_BOOT_ERR_EID, 783
CFE_ES_DUMP_CDS_REGISTRY_CC	CFE_ES_BUILD_INF_EID, 783
default_cfe_es_fcncodes.h, 727	CFE_ES_CC1_ERR_EID, 783
CFE_ES_DumpCDSRegistryCmd, 432	CFE_ES_CDS_DELETE_ERR_EID, 784
CommandHeader, 432	CFE_ES_CDS_DELETE_TBL_ERR_EID, 784
Payload, 432	CFE_ES_CDS_DELETED_INFO_EID, 784
CFE_ES_DumpCDSRegistryCmd_Payload, 433	CFE_ES_CDS_DUMP_ERR_EID, 784
DumpFilename, 433	CFE_ES_CDS_NAME_ERR_EID, 785
CFE_ES_DumpCDSRegistryCmd_Payload_t	CFE_ES_CDS_OWNER_ACTIVE_EID, 785
default_cfe_es_msgdefs.h, 771	CFE_ES_CDS_REG_DUMP_INF_EID, 785
CFE_ES_DumpCDSRegistryCmd_t	CFE_ES_CDS_REGISTER_ERR_EID, 785
default_cfe_es_msgstruct.h, 776	CFE_ES_CREATING_CDS_DUMP_ERR_EID, 786
CFE_ES_ERLOG1_INF_EID	CFE_ES_ERLOG1_INF_EID, 786
cfe_es_eventids.h, 786	CFE_ES_ERLOG2_EID, 786
CFE_ES_ERLOG2_EID	CFE_ES_ERLOG2_ERR_EID, 786
cfe_es_eventids.h, 786	CFE_ES_ERLOG_PENDING_ERR_EID, 787

055 50 500 0V0 00 00 50 50 50	055 50 0500 DD0 510 000
CFE_ES_ERR_SYSLOGMODE_EID, 787	CFE_ES_STOP_DBG_EID, 800
CFE_ES_ERREXIT_APP_ERR_EID, 787	CFE_ES_STOP_ERR1_EID, 800
CFE_ES_ERREXIT_APP_INF_EID, 787	CFE_ES_STOP_ERR2_EID, 800
CFE_ES_EXIT_APP_ERR_EID, 788	CFE_ES_STOP_ERR3_EID, 800
CFE_ES_EXIT_APP_INF_EID, 788	CFE_ES_STOP_INF_EID, 801
CFE ES FILEWRITE ERR EID, 788	CFE ES SYSLOG1 INF EID, 801
CFE_ES_INIT_INF_EID, 788	CFE_ES_SYSLOG2_EID, 801
CFE_ES_INITSTATS_INF_EID, 789	CFE_ES_SYSLOG2_ERR_EID, 801
CFE_ES_INVALID_POOL_HANDLE_ERR_EID, 789	CFE_ES_SYSLOGMODE_EID, 802
CFE_ES_LEN_ERR_EID, 789	CFE_ES_TASKINFO_EID, 802
CFE_ES_MID_ERR_EID, 789	CFE_ES_TASKINFO_OSCREATE_ERR_EID, 802
CFE_ES_NOOP_INF_EID, 790	CFE_ES_TASKINFO_WR_ERR_EID, 802
CFE_ES_ONE_APP_EID, 790	CFE_ES_TASKINFO_WRHDR_ERR_EID, 803
CFE_ES_ONE_APPID_ERR_EID, 790	CFE_ES_TASKWR_ERR_EID, 803
CFE_ES_ONE_ERR_EID, 790	CFE_ES_TLM_POOL_STATS_INFO_EID, 803
CFE_ES_OSCREATE_ERR_EID, 791	CFE_ES_VERSION_INF_EID, 803
CFE_ES_PCR_ERR1_EID, 791	CFE_ES_WRHDR_ERR_EID, 804
CFE_ES_PCR_ERR2_EID, 791	CFE_ES_WRITE_CFE_HDR_ERR_EID, 804
CFE_ES_PERF_DATAWRITTEN_EID, 791	CFE ES ExceptionAction
	<u> </u>
CFE_ES_PERF_FILTMSKCMD_EID, 792	default_cfe_es_extern_typedefs.h, 723
CFE_ES_PERF_FILTMSKERR_EID, 792	CFE_ES_ExceptionAction_Enum_t
CFE_ES_PERF_LOG_ERR_EID, 792	default_cfe_es_extern_typedefs.h, 720
CFE_ES_PERF_STARTCMD_EID, 792	CFE_ES_ExceptionAction_PROC_RESTART
CFE_ES_PERF_STARTCMD_ERR_EID, 793	default_cfe_es_extern_typedefs.h, 723
CFE_ES_PERF_STARTCMD_TRIG_ERR_EID, 793	CFE_ES_ExceptionAction_RESTART_APP
CFE_ES_PERF_STOPCMD_EID, 793	default_cfe_es_extern_typedefs.h, 723
CFE_ES_PERF_STOPCMD_ERR2_EID, 793	CFE_ES_EXIT_APP_ERR_EID
CFE_ES_PERF_TRIGMSKCMD_EID, 794	cfe_es_eventids.h, 788
CFE_ES_PERF_TRIGMSKERR_EID, 794	CFE_ES_EXIT_APP_INF_EID
CFE_ES_RELOAD_APP_DBG_EID, 794	cfe_es_eventids.h, 788
CFE_ES_RELOAD_APP_ERR1_EID, 794	CFE_ES_ExitApp
CFE_ES_RELOAD_APP_ERR2_EID, 795	cFE Application Behavior APIs, 149
CFE_ES_RELOAD_APP_ERR3_EID, 795	CFE_ES_ExitChildTask
CFE_ES_RELOAD_APP_ERR4_EID, 795	cFE Child Task APIs, 164
CFE_ES_RELOAD_APP_INF_EID, 795	CFE_ES_FILE_CLOSE_ERR
CFE_ES_RESET_INF_EID, 796	cFE Return Code Defines, 127
CFE_ES_RESET_PR_COUNT_EID, 796	CFE_ES_FILE_IO_ERR
CFE_ES_RESTART_APP_DBG_EID, 796	cFE Return Code Defines, 127
CFE_ES_RESTART_APP_ERR1_EID, 796	CFE_ES_FileNameCmd, 433
CFE_ES_RESTART_APP_ERR2_EID, 797	CommandHeader, 433
CFE ES RESTART APP ERR3 EID, 797	Payload, 434
CFE_ES_RESTART_APP_ERR4_EID, 797	CFE_ES_FileNameCmd_Payload, 434
CFE_ES_RESTART_APP_INF_EID, 797	FileName, 434
CFE_ES_SET_MAX_PR_COUNT_EID, 798	CFE_ES_FileNameCmd_Payload_t
CFE_ES_START_ERR_EID, 798	default_cfe_es_msgdefs.h, 771
CFE_ES_START_EXC_ACTION_ERR_EID, 798	CFE_ES_FileNameCmd_t
CFE_ES_START_INF_EID, 798	default_cfe_es_msgstruct.h, 776
CFE_ES_START_INVALID_ENTRY_POINT_ERR_EID),CFE_ES_FILEWRITE_ERR_EID
799	cfe_es_eventids.h, 788
CFE_ES_START_INVALID_FILENAME_ERR_EID,	CFE_ES_GetAppID
799	cFE Information APIs, 153
CFE_ES_START_NULL_APP_NAME_ERR_EID,	CFE_ES_GetAppIDByName
799	cFE Information APIs, 154
CFF FS START PRIORITY FRR FID. 799	CFF FS GetAppInfo
VII IO OIANI ENUNITI ENN EIU. / 💥	OLE ES GELAUDITIO

cFE Information APIs, 154	HeapBytesFree, 438
CFE_ES_GetAppName	HeapMaxBlockSize, 439
cFE Information APIs, 155	MaxProcessorResets, 439
CFE_ES_GetCDSBlockIDByName	OSALMajorVersion, 439
cFE Critical Data Store APIs, 170	OSALMinorVersion, 439
CFE_ES_GetCDSBlockName	OSALMissionRevision, 439
cFE Critical Data Store APIs, 170	OSALRevision, 439
CFE_ES_GetGenCount	PerfDataCount, 439
cFE Generic Counter APIs, 184	PerfDataEnd, 440
CFE_ES_GetGenCounterIDByName	PerfDataStart, 440
cFE Generic Counter APIs, 184	PerfDataToWrite, 440
CFE_ES_GetGenCounterName	PerfFilterMask, 440
cFE Generic Counter APIs, 185	PerfMode, 440
CFE_ES_GetLibIDByName	PerfState, 440
cFE Information APIs, 156	PerfTriggerCount, 440
CFE_ES_GetLibInfo	PerfTriggerMask, 441
cFE Information APIs, 156	ProcessorResets, 441
CFE_ES_GetLibName	PSPMajorVersion, 441
cFE Information APIs, 157	PSPMinorVersion, 441
CFE ES GetMemPoolStats	PSPMissionRevision, 441
cFE Memory Manager APIs, 174	PSPRevision, 441
CFE_ES_GetModuleInfo	RegisteredCoreApps, 441
cFE Information APIs, 158	RegisteredExternalApps, 442
CFE ES GetPoolBuf	RegisteredLibs, 442
	•
cFE Memory Manager APIs, 175	RegisteredTasks, 442
CFE_ES_GetPoolBufInfo	ResetSubtype, 442
cFE Memory Manager APIs, 175	ResetType, 442
CFE_ES_GetResetType	SysLogBytesUsed, 442
cFE Information APIs, 159	SysLogEntries, 442
CFE_ES_GetTaskID	SysLogMode, 443
cFE Information APIs, 159	SysLogSize, 443
CFE_ES_GetTaskIDByName	CFE_ES_HousekeepingTlm_Payload_t
cFE Child Task APIs, 164	default_cfe_es_msgdefs.h, 771
CFE_ES_GetTaskInfo	CFE_ES_HousekeepingTlm_t
cFE Information APIs, 160	default_cfe_es_msgstruct.h, 776
CFE_ES_GetTaskName	CFE_ES_IncrementGenCounter
cFE Child Task APIs, 165	cFE Generic Counter APIs, 186
CFE_ES_HK_TLM_MID	CFE_ES_IncrementTaskCounter
default_cfe_es_msgids.h, 773	cFE Application Behavior APIs, 150
CFE_ES_HousekeepingTlm, 434	CFE_ES_INIT_INF_EID
Payload, 435	cfe_es_eventids.h, 788
TelemetryHeader, 435	CFE_ES_INITSTATS_INF_EID
CFE_ES_HousekeepingTlm_Payload, 435	cfe_es_eventids.h, 789
BootSource, 437	CFE_ES_INVALID_POOL_HANDLE_ERR_EID
CFECoreChecksum, 437	cfe es eventids.h, 789
CFEMajorVersion, 437	CFE ES LEN ERR EID
CFEMinorVersion, 437	cfe_es_eventids.h, 789
CFEMissionRevision, 437	CFE_ES_LIB_ALREADY_LOADED
CFERevision, 438	cFE Return Code Defines, 127
CommandCounter, 438	CFE_ES_LIBID_BASE
CommandErrorCounter, 438	cFE Resource ID base values, 294
ERLogEntries, 438	CFE_ES_LIBID_C
ERLogIndex, 438	
-	cfe_es_api_typedefs.h, 677
HeapBlocksFree, 438	CFE_ES_LibId_t

default_cfe_es_extern_typedefs.h, 721
CFE_ES_MEMSTATS_TLM_MID
default_cfe_es_msgids.h, 773
CFE_ES_MemStatsTlm, 444
Payload, 445
TelemetryHeader, 445
CFE_ES_MemStatsTlm_t
default_cfe_es_msgstruct.h, 776
CFE_ES_MID_ERR_EID
cfe_es_eventids.h, 789
CFE_ES_MUT_SEM_DELETE_ERR
cFE Return Code Defines, 127
CFE_ES_NO_MUTEX
cfe_es_api_typedefs.h, 678
CFE_ES_NO_RESOURCE_IDS_AVAILABLE
cFE Return Code Defines, 127
CFE_ES_NOOP_CC
default_cfe_es_fcncodes.h, 728
CFE_ES_NOOP_INF_EID
cfe_es_eventids.h, 790
CFE_ES_NoopCmd, 445
CommandHeader, 445
CFE_ES_NoopCmd_t
default_cfe_es_msgstruct.h, 776
CFE_ES_NOT_IMPLEMENTED
cFE Return Code Defines, 127 CFE_ES_ONE_APP_EID
cfe_es_eventids.h, 790
CFE_ES_ONE_APPID_ERR_EID
cfe_es_eventids.h, 790
CFE_ES_ONE_ERR_EID
cfe_es_eventids.h, 790
CFE_ES_OneAppTIm, 445
Payload, 446
TelemetryHeader, 446
CFE_ES_OneAppTIm_Payload, 446
AppInfo, 446
CFE_ES_OneAppTIm_Payload_t
default_cfe_es_msgdefs.h, 771
CFE_ES_OneAppTIm_t
default_cfe_es_msgstruct.h, 776
CFE_ES_OPERATION_TIMED_OUT
cFE Return Code Defines, 128
CFE_ES_OSCREATE_ERR_EID
cfe es eventids.h, 791
CFE_ES_OVER_WRITE_SYSLOG_CC
default_cfe_es_fcncodes.h, 729
CFE ES OverWriteSysLogCmd, 446
CommandHeader, 447
Payload, 447
CFE_ES_OverWriteSysLogCmd_Payload, 447
Mode, 447
CFE_ES_OverWriteSysLogCmd_Payload_t
default cfe es msgdefs.h, 771

CFE_ES_OverWriteSysLogCmd_t	CFE_ES_PoolCreate
default cfe es msgstruct.h, 776	cFE Memory Manager APIs, 176
CFE_ES_PCR_ERR1_EID	CFE ES PoolCreateEx
cfe_es_eventids.h, 791	cFE Memory Manager APIs, 177
CFE ES PCR ERR2 EID	CFE_ES_PoolCreateNoSem
cfe_es_eventids.h, 791	cFE Memory Manager APIs, 178
CFE_ES_PERF_DATAWRITTEN_EID	CFE ES PoolDelete
cfe_es_eventids.h, 791	cFE Memory Manager APIs, 179
CFE ES PERF FILTMSKCMD EID	CFE_ES_POOLID_BASE
cfe es eventids.h, 792	cFE Resource ID base values, 295
CFE_ES_PERF_FILTMSKERR_EID	CFE_ES_PoolStatsTlm_Payload, 448
cfe es eventids.h, 792	PoolHandle, 449
CFE_ES_PERF_LOG_ERR_EID	PoolStats, 449
cfe_es_eventids.h, 792	CFE_ES_PoolStatsTlm_Payload_t
CFE_ES_PERF_MAX_MODES	default_cfe_es_msgdefs.h, 771
default_cfe_es_msgdefs.h, 772	CFE_ES_ProcessAsyncEvent
CFE_ES_PERF_STARTCMD_EID	cFE Miscellaneous APIs, 167
cfe_es_eventids.h, 792	CFE_ES_PutPoolBuf
CFE_ES_PERF_STARTCMD_ERR_EID	cFE Memory Manager APIs, 180
cfe_es_eventids.h, 793	CFE_ES_QUERY_ALL_CC
CFE_ES_PERF_STARTCMD_TRIG_ERR_EID	default cfe es fcncodes.h, 730
cfe_es_eventids.h, 793	CFE ES QUERY ALL TASKS CC
CFE_ES_PERF_STOPCMD_EID	default_cfe_es_fcncodes.h, 731
cfe_es_eventids.h, 793	CFE_ES_QUERY_ONE_CC
CFE_ES_PERF_STOPCMD_ERR2_EID	default_cfe_es_fcncodes.h, 731
cfe_es_eventids.h, 793	CFE_ES_QueryAllCmd, 449
CFE_ES_PERF_TRIGGER_CENTER	CommandHeader, 449
default_cfe_es_msgdefs.h, 772	Payload, 449
CFE_ES_PERF_TRIGGER_END	CFE_ES_QueryAllCmd_t
default_cfe_es_msgdefs.h, 772	default_cfe_es_msgstruct.h, 776
CFE_ES_PERF_TRIGGER_START	CFE_ES_QueryAllTasksCmd, 450
default_cfe_es_msgdefs.h, 772	CommandHeader, 450
CFE_ES_PERF_TRIGMSKCMD_EID	Payload, 450
cfe_es_eventids.h, 794	CFE_ES_QueryAllTasksCmd_t
CFE_ES_PERF_TRIGMSKERR_EID	default_cfe_es_msgstruct.h, 776
cfe_es_eventids.h, 794	CFE_ES_QueryOneCmd, 450
CFE_ES_PerfLogAdd	CommandHeader, 450
cFE Performance Monitor APIs, 182	Payload, 450
CFE_ES_PerfLogEntry	CFE_ES_QueryOneCmd_t
cFE Performance Monitor APIs, 181	default_cfe_es_msgstruct.h, 776
CFE_ES_PerfLogExit	CFE_ES_QUEUE_DELETE_ERR
cFE Performance Monitor APIs, 181	cFE Return Code Defines, 128
CFE_ES_PerfMode	CFE_ES_RegisterCDS
default_cfe_es_msgdefs.h, 772	cFE Critical Data Store APIs, 171
CFE_ES_PerfMode_Enum_t	CFE_ES_RegisterGenCounter
default_cfe_es_msgdefs.h, 771	cFE Generic Counter APIs, 186
CFE_ES_POOL_BLOCK_INVALID	CFE_ES_RELOAD_APP_CC
cFE Return Code Defines, 128	default_cfe_es_fcncodes.h, 732
CFE_ES_PoolAlign, 448	CFE_ES_RELOAD_APP_DBG_EID
LongDouble, 448	cfe_es_eventids.h, 794
LongInt, 448	CFE_ES_RELOAD_APP_ERR1_EID
Ptr, 448	cfe_es_eventids.h, 794
CFE_ES_PoolAlign_t	CFE_ES_RELOAD_APP_ERR2_EID
cfe es api typedefs.h, 679	cfe es eventids.h, 795

CFE_ES_RELOAD_APP_ERR3_EID	CFE_ES_RestartCmd, 453
cfe_es_eventids.h, 795	CommandHeader, 453
CFE_ES_RELOAD_APP_ERR4_EID	Payload, 453
cfe_es_eventids.h, 795	CFE_ES_RestartCmd_Payload, 453
CFE_ES_RELOAD_APP_INF_EID	RestartType, 454
cfe_es_eventids.h, 795	CFE ES RestartCmd Payload t
CFE_ES_ReloadApp	default_cfe_es_msgdefs.h, 771
cFE Application Control APIs, 146	CFE_ES_RestartCmd_t
CFE_ES_ReloadAppCmd, 451	default_cfe_es_msgstruct.h, 777
CommandHeader, 451	CFE_ES_RestoreFromCDS
Payload, 451	cFE Critical Data Store APIs, 172
CFE_ES_ReloadAppCmd_t	CFE_ES_RST_ACCESS_ERR
default_cfe_es_msgstruct.h, 777	cFE Return Code Defines, 128
CFE_ES_RESET_COUNTERS_CC	CFE_ES_RunLoop
default_cfe_es_fcncodes.h, 733	·
	cFE Application Behavior APIs, 150
CFE_ES_RESET_INF_EID	CFE_ES_RunStatus
cfe_es_eventids.h, 796	default_cfe_es_extern_typedefs.h, 724
CFE_ES_RESET_PR_COUNT_CC	CFE_ES_RunStatus_APP_ERROR
default_cfe_es_fcncodes.h, 734	default_cfe_es_extern_typedefs.h, 724
CFE_ES_RESET_PR_COUNT_EID	CFE_ES_RunStatus_APP_EXIT
cfe_es_eventids.h, 796	default_cfe_es_extern_typedefs.h, 724
CFE_ES_ResetCFE	CFE_ES_RunStatus_APP_RUN
cFE Entry/Exit APIs, 144	default_cfe_es_extern_typedefs.h, 724
CFE_ES_ResetCountersCmd, 451	CFE_ES_RunStatus_CORE_APP_INIT_ERROR
CommandHeader, 452	default_cfe_es_extern_typedefs.h, 724
CFE_ES_ResetCountersCmd_t	CFE_ES_RunStatus_CORE_APP_RUNTIME_ERROR
default_cfe_es_msgstruct.h, 777	default_cfe_es_extern_typedefs.h, 724
CFE_ES_ResetPRCountCmd, 452	CFE_ES_RunStatus_Enum_t
CommandHeader, 452	default_cfe_es_extern_typedefs.h, 722
CFE_ES_ResetPRCountCmd_t	CFE_ES_RunStatus_MAX
default_cfe_es_msgstruct.h, 777	default_cfe_es_extern_typedefs.h, 724
CFE_ES_RESTART_APP_CC	CFE_ES_RunStatus_SYS_DELETE
default_cfe_es_fcncodes.h, 734	default_cfe_es_extern_typedefs.h, 724
CFE_ES_RESTART_APP_DBG_EID	CFE_ES_RunStatus_SYS_EXCEPTION
cfe_es_eventids.h, 796	default_cfe_es_extern_typedefs.h, 724
CFE_ES_RESTART_APP_ERR1_EID	CFE_ES_RunStatus_SYS_RELOAD
cfe es eventids.h, 796	default_cfe_es_extern_typedefs.h, 724
CFE_ES_RESTART_APP_ERR2_EID	CFE_ES_RunStatus_SYS_RESTART
cfe es eventids.h, 797	default_cfe_es_extern_typedefs.h, 724
CFE_ES_RESTART_APP_ERR3_EID	CFE ES RunStatus UNDEFINED
cfe es eventids.h, 797	default_cfe_es_extern_typedefs.h, 724
CFE_ES_RESTART_APP_ERR4_EID	CFE_ES_SEND_HK_MID
cfe es eventids.h, 797	default_cfe_es_msgids.h, 773
CFE_ES_RESTART_APP_INF_EID	CFE_ES_SEND_MEM_POOL_STATS_CC
cfe es eventids.h, 797	default_cfe_es_fcncodes.h, 736
CFE_ES_RESTART_CC	CFE_ES_SendHkCmd, 454
default_cfe_es_fcncodes.h, 735	CommandHeader, 454
CFE_ES_RestartApp	CFE ES SendHkCmd t
cFE Application Control APIs, 147	default_cfe_es_msgstruct.h, 777
CFE_ES_RestartAppCmd, 452	CFE_ES_SendMemPoolStatsCmd, 454
CommandHeader, 452	CommandHeader, 455
Payload, 453	Payload, 455
CFE_ES_RestartAppCmd_t default_cfe_es_msastruct.h. 777	CFE_ES_SendMemPoolStatsCmd_Payload, 455 Application, 455
uciauli vie ea Maualluvi.H. ///	ADDIIGATION, 400

PoolHandle, 455	CFE_ES_START_INVALID_ENTRY_POINT_ERR_EID
CFE_ES_SendMemPoolStatsCmd_Payload_t	cfe_es_eventids.h, 799
default_cfe_es_msgdefs.h, 771	CFE ES START INVALID FILENAME ERR EID
CFE_ES_SendMemPoolStatsCmd_t	cfe_es_eventids.h, 799
default_cfe_es_msgstruct.h, 777	CFE_ES_START_NULL_APP_NAME_ERR_EID
CFE_ES_SET_MAX_PR_COUNT_CC	cfe es eventids.h, 799
default_cfe_es_fcncodes.h, 737	CFE_ES_START_PERF_DATA_CC
CFE_ES_SET_MAX_PR_COUNT_EID	default_cfe_es_fcncodes.h, 740
cfe es eventids.h, 798	CFE_ES_START_PRIORITY_ERR_EID
CFE_ES_SET_PERF_FILTER_MASK_CC	cfe_es_eventids.h, 799
default_cfe_es_fcncodes.h, 738	CFE_ES_StartApp, 459
CFE_ES_SET_PERF_TRIGGER_MASK_CC	CommandHeader, 459
default_cfe_es_fcncodes.h, 739	Payload, 460
CFE_ES_SetGenCount	CFE_ES_StartAppCmd_Payload, 460
cFE Generic Counter APIs, 187	AppEntryPoint, 460
CFE_ES_SetMaxPRCountCmd, 456	AppFileName, 460
CommandHeader, 456	Application, 460
Payload, 456	ExceptionAction, 461
CFE_ES_SetMaxPRCountCmd_Payload, 456	Priority, 461
MaxPRCount, 456	StackSize, 461
CFE_ES_SetMaxPRCountCmd_Payload_t	CFE_ES_StartAppCmd_Payload_t
default_cfe_es_msgdefs.h, 772	default_cfe_es_msgdefs.h, 772
CFE ES SetMaxPRCountCmd t	CFE_ES_StartAppCmd_t
default_cfe_es_msgstruct.h, 777	default_cfe_es_msgstruct.h, 777
CFE_ES_SetPerfFilterMaskCmd, 457	CFE_ES_StartPerfCmd_Payload, 461
CommandHeader, 457	TriggerMode, 461
Payload, 457	CFE_ES_StartPerfCmd_Payload_t
CFE_ES_SetPerfFilterMaskCmd_Payload, 457	default_cfe_es_msgdefs.h, 772
FilterMask, 458	CFE_ES_StartPerfDataCmd, 461
FilterMaskNum, 458	CommandHeader, 462
CFE_ES_SetPerfFilterMaskCmd_Payload_t	Payload, 462
default_cfe_es_msgdefs.h, 772	CFE_ES_StartPerfDataCmd_t
CFE_ES_SetPerfFilterMaskCmd_t	default_cfe_es_msgstruct.h, 777
default cfe es msgstruct.h, 777	CFE ES STATIC POOL TYPE
CFE_ES_SetPerfTriggerMaskCmd, 458	cfe_es_api_typedefs.h, 678
CommandHeader, 458	CFE_ES_StatusToString
Payload, 458	cfe_error.h, 671
CFE ES SetPerfTriggerMaskCmd t	CFE_ES_STOP_APP_CC
default_cfe_es_msgstruct.h, 777	default_cfe_es_fcncodes.h, 741
CFE_ES_SetPerfTrigMaskCmd_Payload, 459	CFE ES STOP DBG EID
TriggerMask, 459	cfe_es_eventids.h, 800
TriggerMaskNum, 459	CFE_ES_STOP_ERR1_EID
CFE_ES_SetPerfTrigMaskCmd_Payload_t	cfe_es_eventids.h, 800
default_cfe_es_msgdefs.h, 772	CFE_ES_STOP_ERR2_EID
CFE_ES_StackPointer_t	cfe_es_eventids.h, 800
cfe_es_api_typedefs.h, 679	CFE_ES_STOP_ERR3_EID
CFE_ES_START_APP_CC	cfe_es_eventids.h, 800
default_cfe_es_fcncodes.h, 739	CFE ES STOP INF EID
CFE_ES_START_ERR_EID	cfe_es_eventids.h, 801
cfe_es_eventids.h, 798	CFE_ES_STOP_PERF_DATA_CC
CFE_ES_START_EXC_ACTION_ERR_EID	default_cfe_es_fcncodes.h, 742
cfe_es_eventids.h, 798	CFE_ES_StopAppCmd, 462
CFE_ES_START_INF_EID	CommandHeader, 462
cfe_es_eventids.h, 798	Payload, 462
	

CFE_ES_StopAppCmd_t	cfe_es_api_typedefs.h, 678
default_cfe_es_msgstruct.h, 777	CFE_ES_TaskInfo, 464
CFE_ES_StopPerfCmd_Payload, 463	Appld, 464
DataFileName, 463	AppName, 464
CFE_ES_StopPerfCmd_Payload_t	ExecutionCounter, 465
default_cfe_es_msgdefs.h, 772	Priority, 465
CFE_ES_StopPerfDataCmd, 463	Spare, 465
CommandHeader, 463	StackSize, 465
Payload, 464	Taskld, 465
CFE_ES_StopPerfDataCmd_t	TaskName, 465
default_cfe_es_msgstruct.h, 777	CFE_ES_TASKINFO_EID
CFE_ES_SYSLOG1_INF_EID	cfe_es_eventids.h, 802
cfe_es_eventids.h, 801	CFE_ES_TASKINFO_OSCREATE_ERR_EID
CFE_ES_SYSLOG2_EID	cfe_es_eventids.h, 802
cfe_es_eventids.h, 801	CFE_ES_TaskInfo_t
CFE_ES_SYSLOG2_ERR_EID	default_cfe_es_extern_typedefs.h, 722
cfe_es_eventids.h, 801	CFE ES TASKINFO WR ERR EID
CFE ES SYSLOGMODE EID	cfe_es_eventids.h, 802
cfe_es_eventids.h, 802	CFE_ES_TASKINFO_WRHDR_ERR_EID
CFE_ES_SystemState	cfe_es_eventids.h, 803
default_cfe_es_extern_typedefs.h, 724	CFE_ES_TaskPriority_Atom_t
CFE_ES_SystemState_APPS_INIT	default_cfe_es_extern_typedefs.h, 722
default_cfe_es_extern_typedefs.h, 724	CFE_ES_TASKWR_ERR_EID
CFE ES SystemState CORE READY	cfe es eventids.h, 803
default_cfe_es_extern_typedefs.h, 724	CFE_ES_TEST_LONG_MASK
CFE_ES_SystemState_CORE_STARTUP	cfe_es.h, 675
default_cfe_es_extern_typedefs.h, 724	CFE_ES_TIMER_DELETE_ERR
CFE_ES_SystemState_EARLY_INIT	cFE Return Code Defines, 128
default_cfe_es_extern_typedefs.h, 724	CFE_ES_TLM_POOL_STATS_INFO_EID
CFE_ES_SystemState_Enum_t	cfe_es_eventids.h, 803
default_cfe_es_extern_typedefs.h, 722	CFE_ES_USE_MUTEX
CFE_ES_SystemState_MAX	cfe_es_api_typedefs.h, 678
default_cfe_es_extern_typedefs.h, 724	CFE_ES_VERSION_INF_EID
CFE ES SystemState OPERATIONAL	cfe es eventids.h, 803
default_cfe_es_extern_typedefs.h, 724	CFE_ES_WaitForStartupSync
CFE_ES_SystemState_SHUTDOWN	cFE Application Behavior APIs, 151
default_cfe_es_extern_typedefs.h, 724	CFE_ES_WaitForSystemState
CFE_ES_SystemState_UNDEFINED	cFE Application Behavior APIs, 151
default_cfe_es_extern_typedefs.h, 724	CFE_ES_WRHDR_ERR_EID
CFE_ES_TASK_DELETE_ERR	cfe_es_eventids.h, 804
cFE Return Code Defines, 128	CFE_ES_WRITE_CFE_HDR_ERR_EID
CFE_ES_TASK_STACK_ALLOCATE	cfe es eventids.h, 804
cfe_es_api_typedefs.h, 678	CFE ES WRITE ER LOG CC
CFE_ES_TaskEntryFuncPtr_t	default_cfe_es_fcncodes.h, 743
cfe_es_api_typedefs.h, 679	CFE ES WRITE SYSLOG CC
CFE_ES_TASKID_BASE	default_cfe_es_fcncodes.h, 744
cFE Resource ID base values, 294	CFE_ES_WriteERLogCmd, 465
CFE ES TASKID C	CommandHeader, 466
cfe_es_api_typedefs.h, 678	Payload, 466
CFE_ES_TaskId_t	CFE_ES_WriteERLogCmd_t
default_cfe_es_extern_typedefs.h, 722	default_cfe_es_msgstruct.h, 778
CFE_ES_TaskID_ToIndex	CFE_ES_WriteSysLogCmd, 466
cFE Resource ID APIs, 143	CommandHeader, 466
CFE_ES_TASKID_UNDEFINED	Payload, 466
5E5_1/(5/(15_0))DE1 114ED	i ajioad, 100

CFE_ES_WriteSysLogCmd_t	CFE_EVS_AppNameCmd_Payload_t
default_cfe_es_msgstruct.h, 778	default_cfe_evs_msgdefs.h, 833
CFE_ES_WriteToSysLog	CFE_EVS_AppNameEventIDCmd_Payload, 469
cFE Miscellaneous APIs, 167	AppName, 469
CFE_EVENTS_SERVICE	EventID, 469
cfe error.h, 669	CFE_EVS_AppNameEventIDCmd_Payload_t
cfe_evs.h	default_cfe_evs_msgdefs.h, 833
CFE_EVS_Send, 681	CFE_EVS_AppNameEventIDMaskCmd_Payload, 469
CFE_EVS_SendCrit, 681	AppName, 470
CFE_EVS_SendDbg, 681	EventID, 470
CFE_EVS_SendErr, 681	Mask, 470
CFE_EVS_SendInfo, 681	CFE_EVS_AppNameEventIDMaskCmd_Payload_t
CFE_EVS_ADD_EVENT_FILTER_CC	default_cfe_evs_msgdefs.h, 833
default_cfe_evs_fcncodes.h, 808	CFE_EVS_AppTlmData, 470
CFE_EVS_AddEventFilterCmd, 466	AppEnableStatus, 471
CommandHeader, 467	AppID, 471
Payload, 467	AppMessageSentCounter, 471
CFE_EVS_AddEventFilterCmd_t	AppMessageSquelchedCounter, 471
default_cfe_evs_msgstruct.h, 837	CFE EVS AppTImData t
CFE_EVS_ADDFILTER_EID	default cfe evs msgdefs.h, 833
cfe_evs_eventids.h, 841	CFE EVS BinFilter, 471
cfe_evs_api_typedefs.h	EventID, 472
CFE_EVS_BinFilter_t, 683	Mask, 472
CFE_EVS_EVERY_FOURTH_ONE, 682	CFE_EVS_BinFilter_t
CFE_EVS_EVERY_OTHER_ONE, 682	cfe_evs_api_typedefs.h, 683
CFE_EVS_EVERY_OTHER_TWO, 683	CFE_EVS_BitMaskCmd_Payload, 472
CFE_EVS_FIRST_16_STOP, 683	BitMask, 472
CFE_EVS_FIRST_32_STOP, 683	Spare, 472
CFE_EVS_FIRST_4_STOP, 683	CFE_EVS_BitMaskCmd_Payload_t
CFE_EVS_FIRST_64_STOP, 683	default_cfe_evs_msgdefs.h, 833
CFE_EVS_FIRST_8_STOP, 683	CFE_EVS_CLEAR_LOG_CC
CFE_EVS_FIRST_ONE_STOP, 683	default_cfe_evs_fcncodes.h, 809
CFE_EVS_FIRST_TWO_STOP, 683	CFE EVS ClearLogCmd, 473
CFE_EVS_NO_FILTER, 683	CommandHeader, 473
CFE_EVS_APP_FILTER_OVERLOAD	CFE EVS ClearLogCmd t
cFE Return Code Defines, 128	default_cfe_evs_msgstruct.h, 837
CFE EVS APP ILLEGAL APP ID	CFE EVS CMD MID
cFE Return Code Defines, 128	default_cfe_evs_msgids.h, 835
CFE EVS APP NOT REGISTERED	CFE EVS CRITICAL BIT
cFE Return Code Defines, 129	default_cfe_evs_msgdefs.h, 832
CFE_EVS_APP_SQUELCHED	CFE_EVS_DEBUG_BIT
cFE Return Code Defines, 129	default_cfe_evs_msgdefs.h, 832
CFE_EVS_AppDataCmd_Payload, 467	CFE_EVS_DELETE_EVENT_FILTER_CC
AppDataFilename, 467	default_cfe_evs_fcncodes.h, 809
CFE_EVS_AppDataCmd_Payload_t	CFE EVS DeleteEventFilterCmd, 473
default_cfe_evs_msgdefs.h, 833	CommandHeader, 473
CFE_EVS_AppNameBitMaskCmd_Payload, 468	Payload, 473
AppName, 468	CFE_EVS_DeleteEventFilterCmd_t
BitMask, 468	default_cfe_evs_msgstruct.h, 837
Spare, 468	CFE_EVS_DELFILTER_EID
CFE_EVS_AppNameBitMaskCmd_Payload_t	cfe_evs_eventids.h, 841
default_cfe_evs_msgdefs.h, 833	CFE_EVS_DISABLE_APP_EVENT_TYPE_CC
CFE_EVS_AppNameCmd_Payload, 468	default_cfe_evs_fcncodes.h, 810
AppName, 469	CFF FVS DISABLE APP EVENTS CC

default_cfe_evs_fcncodes.h, 811	default_cfe_evs_msgstruct.h, 837
CFE_EVS_DISABLE_EVENT_TYPE_CC	CFE_EVS_EnableEventTypeCmd, 477
default cfe evs fcncodes.h, 812	CommandHeader, 477
CFE_EVS_DISABLE_PORTS_CC	Payload, 477
default_cfe_evs_fcncodes.h, 813	CFE_EVS_EnableEventTypeCmd_t
CFE_EVS_DisableAppEventsCmd, 474	default cfe evs msgstruct.h, 837
CommandHeader, 474	CFE_EVS_EnablePortsCmd, 478
Payload, 474	CommandHeader, 478
CFE_EVS_DisableAppEventsCmd_t	Payload, 478
default_cfe_evs_msgstruct.h, 837	CFE EVS EnablePortsCmd t
CFE_EVS_DisableAppEventTypeCmd, 474	default_cfe_evs_msgstruct.h, 837
CommandHeader, 474	CFE_EVS_ENAEVTTYPE_EID
Payload, 474	cfe_evs_eventids.h, 843
CFE_EVS_DisableAppEventTypeCmd_t	CFE_EVS_ENAPORT_EID
default_cfe_evs_msgstruct.h, 837	cfe_evs_eventids.h, 843
CFE_EVS_DisableEventTypeCmd, 475	CFE_EVS_ERR_APPNOREGS_EID
CommandHeader, 475	cfe_evs_eventids.h, 844
Payload, 475	CFE_EVS_ERR_CC_EID
CFE_EVS_DisableEventTypeCmd_t	cfe_evs_eventids.h, 844
default_cfe_evs_msgstruct.h, 837	CFE_EVS_ERR_CRDATFILE_EID
CFE_EVS_DisablePortsCmd, 475	cfe_evs_eventids.h, 844
CommandHeader, 476	CFE_EVS_ERR_CRLOGFILE_EID
Payload, 476	cfe_evs_eventids.h, 844
CFE_EVS_DisablePortsCmd_t	CFE_EVS_ERR_EVTIDNOREGS_EID
default_cfe_evs_msgstruct.h, 837	cfe_evs_eventids.h, 845
CFE_EVS_DISAPPENTTYPE_EID	CFE_EVS_ERR_ILLAPPIDRANGE_EID
cfe_evs_eventids.h, 842	cfe_evs_eventids.h, 845
CFE_EVS_DISAPPEVT_EID	CFE_EVS_ERR_ILLEGALFMTMOD_EID
cfe_evs_eventids.h, 842	cfe_evs_eventids.h, 845
CFE_EVS_DISEVTTYPE_EID	CFE_EVS_ERR_INVALID_BITMASK_EID
cfe_evs_eventids.h, 842	cfe_evs_eventids.h, 845
CFE_EVS_DISPORT_EID	CFE_EVS_ERR_LOGMODE_EID
cfe_evs_eventids.h, 842	cfe_evs_eventids.h, 846
CFE_EVS_ENAAPPEVT_EID	CFE_EVS_ERR_MAXREGSFILTER_EID
cfe_evs_eventids.h, 843	cfe_evs_eventids.h, 846
CFE_EVS_ENAAPPEVTTYPE_EID	CFE_EVS_ERR_MSGID_EID
cfe_evs_eventids.h, 843	cfe_evs_eventids.h, 846
CFE_EVS_ENABLE_APP_EVENT_TYPE_CC	CFE_EVS_ERR_NOAPPIDFOUND_EID
default_cfe_evs_fcncodes.h, 814	cfe_evs_eventids.h, 846
CFE_EVS_ENABLE_APP_EVENTS_CC	CFE_EVS_ERR_UNREGISTERED_EVS_APP
default_cfe_evs_fcncodes.h, 814	cfe_evs_eventids.h, 847
CFE_EVS_ENABLE_EVENT_TYPE_CC	CFE_EVS_ERR_WRDATFILE_EID
default cfe evs fcncodes.h, 815	cfe_evs_eventids.h, 847
CFE_EVS_ENABLE_PORTS_CC	CFE EVS ERR WRLOGFILE EID
default_cfe_evs_fcncodes.h, 816	cfe_evs_eventids.h, 847
CFE EVS EnableAppEventsCmd, 476	CFE_EVS_ERROR_BIT
CommandHeader, 476	default_cfe_evs_msgdefs.h, 832
Payload, 476	CFE EVS EventFilter
CFE_EVS_EnableAppEventsCmd_t	default_cfe_evs_extern_typedefs.h, 806
default_cfe_evs_msgstruct.h, 837	CFE_EVS_EventFilter_BINARY
CFE_EVS_EnableAppEventTypeCmd, 476	default_cfe_evs_extern_typedefs.h, 806
CommandHeader, 477	CFE EVS EventFilter Enum t
Payload, 477	default_cfe_evs_extern_typedefs.h, 805
CFF FVS FnableAppEventTypeCmd t	cfe evs eventids.h

CFE_EVS_ADDFILTER_EID, 841	default_cfe_evs_extern_typedefs.h, 806
CFE_EVS_DELFILTER_EID, 841	CFE_EVS_EventType_CRITICAL
CFE_EVS_DISAPPENTTYPE_EID, 842	default_cfe_evs_extern_typedefs.h, 807
CFE_EVS_DISAPPEVT_EID, 842	CFE_EVS_EventType_DEBUG
CFE_EVS_DISEVTTYPE_EID, 842	default_cfe_evs_extern_typedefs.h, 807
CFE_EVS_DISPORT_EID, 842	CFE_EVS_EventType_Enum_t
CFE_EVS_ENAAPPEVT_EID, 843	default_cfe_evs_extern_typedefs.h, 805
CFE_EVS_ENAAPPEVTTYPE_EID, 843	CFE_EVS_EventType_ERROR
CFE_EVS_ENAEVTTYPE_EID, 843	default_cfe_evs_extern_typedefs.h, 807
CFE_EVS_ENAPORT_EID, 843	CFE_EVS_EventType_INFORMATION
CFE_EVS_ERR_APPNOREGS_EID, 844	default_cfe_evs_extern_typedefs.h, 807
CFE_EVS_ERR_CC_EID, 844	CFE_EVS_EVERY_FOURTH_ONE
CFE_EVS_ERR_CRDATFILE_EID, 844	cfe_evs_api_typedefs.h, 682
CFE_EVS_ERR_CRLOGFILE_EID, 844	CFE_EVS_EVERY_OTHER_ONE
CFE_EVS_ERR_EVTIDNOREGS_EID, 845	cfe_evs_api_typedefs.h, 682
CFE_EVS_ERR_ILLAPPIDRANGE_EID, 845	CFE_EVS_EVERY_OTHER_TWO
CFE_EVS_ERR_ILLEGALFMTMOD_EID, 845	cfe_evs_api_typedefs.h, 683
CFE_EVS_ERR_INVALID_BITMASK_EID, 845	CFE_EVS_EVT_FILTERED_EID
CFE_EVS_ERR_LOGMODE_EID, 846	cfe_evs_eventids.h, 847
CFE_EVS_ERR_MAXREGSFILTER_EID, 846	CFE_EVS_EVT_NOT_REGISTERED
CFE_EVS_ERR_MSGID_EID, 846	cFE Return Code Defines, 129
CFE_EVS_ERR_NOAPPIDFOUND_EID, 846 CFE EVS ERR UNREGISTERED EVS APP, 847	CFE_EVS_FILE_WRITE_ERROR
	cFE Return Code Defines, 129
CFE_EVS_ERR_WRDATFILE_EID, 847	CFE_EVS_FILTER_MAX_EID
CFE_EVS_ERR_WRLOGFILE_EID, 847	cfe_evs_eventids.h, 848
CFE_EVS_EVT_FILTERED_EID, 847	CFE_EVS_FIRST_16_STOP
CFE_EVS_FILTER_MAX_EID, 848	cfe_evs_api_typedefs.h, 683
CFE_EVS_LEN_ERR_EID, 848 CFE_EVS_LOGMODE_EID, 848	CFE_EVS_FIRST_32_STOP
CFE_EVS_LOGINODE_EID, 848	cfe_evs_api_typedefs.h, 683
CFE_EVS_RSTALLFILTER_EID, 849	CFE_EVS_FIRST_4_STOP
CFE_EVS_RSTCNT_EID, 849	cfe_evs_api_typedefs.h, 683 CFE_EVS_FIRST_64_STOP
CFE_EVS_RSTEVTCNT_EID, 849	cfe_evs_api_typedefs.h, 683
CFE_EVS_RSTFILTER_EID, 849	CFE_EVS_FIRST_8_STOP
CFE_EVS_SETEVTFMTMOD_EID, 850	cfe_evs_api_typedefs.h, 683
CFE EVS SETFILTERMSK EID, 850	CFE EVS FIRST ONE STOP
CFE_EVS_SQUELCHED_ERR_EID, 850	cfe_evs_api_typedefs.h, 683
CFE_EVS_STARTUP_EID, 850	CFE_EVS_FIRST_TWO_STOP
CFE EVS WRDAT EID, 851	cfe_evs_api_typedefs.h, 683
CFE_EVS_WRITE_HEADER_ERR_EID, 851	CFE_EVS_HK_TLM_MID
CFE_EVS_WRLOG_EID, 851	default_cfe_evs_msgids.h, 835
CFE EVS EventOutput	CFE_EVS_HousekeepingTlm, 478
default_cfe_evs_extern_typedefs.h, 806	Payload, 479
CFE_EVS_EventOutput_Enum_t	TelemetryHeader, 479
default_cfe_evs_extern_typedefs.h, 805	CFE_EVS_HousekeepingTlm_Payload, 479
CFE_EVS_EventOutput_PORT1	AppData, 480
default_cfe_evs_extern_typedefs.h, 806	CommandCounter, 480
CFE_EVS_EventOutput_PORT2	CommandErrorCounter, 480
default_cfe_evs_extern_typedefs.h, 806	LogEnabled, 480
CFE_EVS_EventOutput_PORT3	LogFullFlag, 480
default_cfe_evs_extern_typedefs.h, 806	LogMode, 480
CFE_EVS_EventOutput_PORT4	LogOverflowCounter, 480
default_cfe_evs_extern_typedefs.h, 806	MessageFormatMode, 481
CFE_EVS_EventType	MessageSendCounter, 481
	· · · · · · · · · · · · · · · · · · ·

MessageTruncCounter, 481	CFE_EVS_NOOP_CC
OutputPort, 481	default_cfe_evs_fcncodes.h, 817
Spare1, 481	CFE_EVS_NOOP_EID
Spare2, 481	cfe_evs_eventids.h, 848
Spare3, 481	CFE_EVS_NoopCmd, 484
UnregisteredAppCounter, 482	CommandHeader, 484
CFE_EVS_HousekeepingTlm_Payload_t	CFE_EVS_NoopCmd_t
default_cfe_evs_msgdefs.h, 834	default_cfe_evs_msgstruct.h, 837
CFE_EVS_HousekeepingTlm_t	CFE_EVS_NOT_IMPLEMENTED
default_cfe_evs_msgstruct.h, 837	cFE Return Code Defines, 129
CFE EVS INFORMATION BIT	CFE_EVS_PacketID, 484
default_cfe_evs_msgdefs.h, 832	AppName, 485
CFE_EVS_INVALID_PARAMETER	EventID, 485
cFE Return Code Defines, 129	EventType, 485
CFE_EVS_LEN_ERR_EID	ProcessorID, 485
cfe_evs_eventids.h, 848	SpacecraftID, 485
CFE_EVS_LogFileCmd_Payload, 482	CFE_EVS_PacketID_t
LogFilename, 482	default_cfe_evs_msgdefs.h, 834
CFE_EVS_LogFileCmd_Payload_t	CFE_EVS_PORT1_BIT
default_cfe_evs_msgdefs.h, 834	default_cfe_evs_msgdefs.h, 833
CFE_EVS_LogMode	CFE EVS PORT2 BIT
default_cfe_evs_extern_typedefs.h, 807	default_cfe_evs_msgdefs.h, 833
CFE_EVS_LogMode_DISCARD	CFE_EVS_PORT3_BIT
default_cfe_evs_extern_typedefs.h, 807	default_cfe_evs_msgdefs.h, 833
CFE_EVS_LOGMODE_EID	CFE EVS PORT4 BIT
cfe_evs_eventids.h, 848	default_cfe_evs_msgdefs.h, 833
CFE_EVS_LogMode_Enum_t	CFE_EVS_Register
default_cfe_evs_extern_typedefs.h, 806	cFE Registration APIs, 189
CFE_EVS_LogMode_OVERWRITE	CFE_EVS_RESET_ALL_FILTERS_CC
default_cfe_evs_extern_typedefs.h, 807	default_cfe_evs_fcncodes.h, 818
CFE_EVS_LONG_EVENT_MSG_MID	CFE_EVS_RESET_APP_COUNTER_CC
default_cfe_evs_msgids.h, 835	default_cfe_evs_fcncodes.h, 818
CFE_EVS_LongEventTlm, 482	CFE EVS RESET AREA POINTER
Payload, 483	cFE Return Code Defines, 129
TelemetryHeader, 483	CFE_EVS_RESET_COUNTERS_CC
CFE_EVS_LongEventTlm_Payload, 483	default_cfe_evs_fcncodes.h, 819
Message, 483	CFE_EVS_RESET_FILTER_CC
PacketID, 483	default_cfe_evs_fcncodes.h, 820
Spare1, 484	CFE EVS ResetAllFilters
Spare2, 484	cFE Reset Event Filter APIs, 195
CFE_EVS_LongEventTlm_Payload_t	CFE EVS ResetAllFiltersCmd, 486
default_cfe_evs_msgdefs.h, 834	CommandHeader, 486
CFE_EVS_LongEventTIm_t	Payload, 486
default_cfe_evs_msgstruct.h, 837	CFE_EVS_ResetAllFiltersCmd_t
CFE_EVS_MsgFormat	default_cfe_evs_msgstruct.h, 837
default_cfe_evs_extern_typedefs.h, 807	CFE_EVS_ResetAppCounterCmd, 486
CFE_EVS_MsgFormat_Enum_t	CommandHeader, 487
default_cfe_evs_extern_typedefs.h, 806	Payload, 487
CFE_EVS_MsgFormat_LONG	CFE_EVS_ResetAppCounterCmd_t
default_cfe_evs_extern_typedefs.h, 807	default_cfe_evs_msgstruct.h, 838
CFE_EVS_MsgFormat_SHORT	CFE_EVS_ResetCountersCmd, 487
default_cfe_evs_extern_typedefs.h, 807	CommandHeader, 487
CFE_EVS_NO_FILTER	CFE_EVS_ResetCountersCmd_t
cfe_evs_api_typedefs.h, 683	default_cfe_evs_msgstruct.h, 838

CFE_EVS_ResetFilter	cfe_evs_eventids.h, 850
cFE Reset Event Filter APIs, 195	CFE_EVS_SetFilterCmd, 490
CFE_EVS_ResetFilterCmd, 487	CommandHeader, 490
CommandHeader, 488	Payload, 490
Payload, 488	CFE_EVS_SetFilterCmd_t
CFE_EVS_ResetFilterCmd_t	default_cfe_evs_msgstruct.h, 838
default_cfe_evs_msgstruct.h, 838	CFE_EVS_SETFILTERMSK_EID
CFE_EVS_RSTALLFILTER_EID	cfe_evs_eventids.h, 850
cfe_evs_eventids.h, 849	CFE_EVS_SetLogMode_Payload, 490
CFE_EVS_RSTCNT_EID	LogMode, 490
cfe_evs_eventids.h, 849	Spare, 491
CFE_EVS_RSTEVTCNT_EID	CFE_EVS_SetLogMode_Payload_t
cfe_evs_eventids.h, 849	default_cfe_evs_msgdefs.h, 834
CFE_EVS_RSTFILTER_EID	CFE_EVS_SetLogModeCmd, 491
cfe_evs_eventids.h, 849	CommandHeader, 491
CFE_EVS_Send	Payload, 491
cfe_evs.h, 681	CFE_EVS_SetLogModeCmd_t
CFE_EVS_SEND_HK_MID	default_cfe_evs_msgstruct.h, 838
default_cfe_evs_msgids.h, 835	CFE_EVS_SHORT_EVENT_MSG_MID
CFE_EVS_SendCrit	default_cfe_evs_msgids.h, 835
cfe_evs.h, 681	CFE_EVS_ShortEventTlm, 491
CFE_EVS_SendDbg	Payload, 492
cfe_evs.h, 681	TelemetryHeader, 492
CFE_EVS_SendErr	CFE_EVS_ShortEventTlm_Payload, 492
cfe_evs.h, 681	PacketID, 492
CFE_EVS_SendEvent	CFE_EVS_ShortEventTlm_Payload_t
cFE Send Event APIs, 191	default_cfe_evs_msgdefs.h, 834
CFE_EVS_SendEventWithAppID	CFE_EVS_ShortEventTIm_t
cFE Send Event APIs, 192	default_cfe_evs_msgstruct.h, 838
CFE_EVS_SendHkCmd, 488	CFE_EVS_SQUELCHED_ERR_EID
CommandHeader, 488	cfe_evs_eventids.h, 850
CFE_EVS_SendHkCmd_t	CFE_EVS_STARTUP_EID
default_cfe_evs_msgstruct.h, 838	cfe_evs_eventids.h, 850
CFE_EVS_SendInfo	CFE_EVS_UNKNOWN_FILTER
cfe_evs.h, 681	cFE Return Code Defines, 129
CFE_EVS_SendTimedEvent	CFE_EVS_WRDAT_EID
cFE Send Event APIs, 193	cfe_evs_eventids.h, 851
CFE_EVS_SET_EVENT_FORMAT_MODE_CC	CFE_EVS_WRITE_APP_DATA_FILE_CC
default_cfe_evs_fcncodes.h, 821	default_cfe_evs_fcncodes.h, 823
CFE_EVS_SET_FILTER_CC	CFE_EVS_WRITE_HEADER_ERR_EID
default_cfe_evs_fcncodes.h, 822	cfe_evs_eventids.h, 851
CFE_EVS_SET_LOG_MODE_CC	CFE_EVS_WRITE_LOG_DATA_FILE_CC
default_cfe_evs_fcncodes.h, 823	default_cfe_evs_fcncodes.h, 824
CFE_EVS_SetEventFormatCode_Payload, 488	CFE_EVS_WriteAppDataFileCmd, 492
MsgFormat, 489	CommandHeader, 493
Spare, 489	Payload, 493
CFE_EVS_SetEventFormatMode_Payload_t	CFE_EVS_WriteAppDataFileCmd_t
default_cfe_evs_msgdefs.h, 834	default_cfe_evs_msgstruct.h, 838
CFE_EVS_SetEventFormatModeCmd, 489	CFE_EVS_WriteLogDataFileCmd, 493
CommandHeader, 489	CommandHeader, 493
Payload, 489	Payload, 493
CFE_EVS_SetEventFormatModeCmd_t	CFE_EVS_WriteLogDataFileCmd_t
default_cfe_evs_msgstruct.h, 838	default_cfe_evs_msgstruct.h, 838
CFE EVS SETEVTFMTMOD EID	CFE EVS WRLOG EID

cfe_evs_eventids.h, 851	cfe_fs_api_typedefs.h, 687
CFE_EXECUTIVE_SERVICE	CFE_FS_FileWriteEvent_CREATE_ERROR
cfe_error.h, 669	cfe_fs_api_typedefs.h, 687
CFE_FILE_SERVICE	CFE_FS_FileWriteEvent_HEADER_WRITE_ERROR
cfe_error.h, 670	cfe_fs_api_typedefs.h, 687
cfe_fs_api_typedefs.h	CFE_FS_FileWriteEvent_MAX
CFE_FS_FileCategory_BINARY_DATA_DUMP, 686	cfe_fs_api_typedefs.h, 687
CFE_FS_FileCategory_DYNAMIC_MODULE, 686	CFE_FS_FileWriteEvent_RECORD_WRITE_ERROR
CFE_FS_FileCategory_MAX, 686	cfe_fs_api_typedefs.h, 687
CFE_FS_FileCategory_SCRIPT, 686	CFE_FS_FileWriteEvent_t
CFE_FS_FileCategory_t, 686	cfe_fs_api_typedefs.h, 686
CFE_FS_FileCategory_TEMP, 686	CFE_FS_FileWriteEvent_UNDEFINED
CFE_FS_FileCategory_TEXT_LOG, 686	cfe_fs_api_typedefs.h, 687
CFE_FS_FileCategory_UNKNOWN, 686	CFE_FS_FileWriteGetData_t
CFE_FS_FileWriteEvent_COMPLETE, 687	cfe_fs_api_typedefs.h, 685
CFE_FS_FileWriteEvent_CREATE_ERROR, 687	CFE_FS_FileWriteMetaData, 494
CFE_FS_FileWriteEvent_HEADER_WRITE_ERROR,	Description, 494
687	FileName, 494
CFE_FS_FileWriteEvent_MAX, 687	FileSubType, 494
CFE_FS_FileWriteEvent_RECORD_WRITE_ERROR,	GetData, 494
687	IsPending, 494
CFE_FS_FileWriteEvent_t, 686	OnEvent, 495
CFE_FS_FileWriteEvent_UNDEFINED, 687	CFE_FS_FileWriteMetaData_t
CFE_FS_FileWriteGetData_t, 685	cfe_fs_api_typedefs.h, 686
CFE_FS_FileWriteMetaData_t, 686	CFE_FS_FileWriteOnEvent_t
CFE_FS_FileWriteOnEvent_t, 686	cfe_fs_api_typedefs.h, 686
CFE_FS_BackgroundFileDumpIsPending	CFE_FS_FNAME_TOO_LONG
cFE File Utility APIs, 201	cFE Return Code Defines, 130
CFE_FS_BackgroundFileDumpRequest	CFE_FS_GetDefaultExtension
cFE File Utility APIs, 202	cFE File Utility APIs, 203
CFE_FS_BAD_ARGUMENT	CFE_FS_GetDefaultMountPoint
cFE Return Code Defines, 130	cFE File Utility APIs, 203
CFE_FS_ExtractFilenameFromPath	CFE_FS_HDR_DESC_MAX_LEN
cFE File Utility APIs, 202	default_cfe_fs_interface_cfg.h, 854
CFE_FS_FILE_CONTENT_ID	example_mission_cfg.h, 598
default_cfe_fs_interface_cfg.h, 854	CFE_FS_Header, 495
example_mission_cfg.h, 598	ApplicationID, 495
CFE_FS_FileCategory_BINARY_DATA_DUMP	ContentType, 495
cfe_fs_api_typedefs.h, 686	Description, 496
CFE_FS_FileCategory_DYNAMIC_MODULE	Length, 496
cfe_fs_api_typedefs.h, 686	ProcessorID, 496
CFE_FS_FileCategory_MAX	SpacecraftID, 496
cfe_fs_api_typedefs.h, 686	SubType, 496
CFE_FS_FileCategory_SCRIPT	TimeSeconds, 496
cfe_fs_api_typedefs.h, 686	TimeSubSeconds, 496
CFE_FS_FileCategory_t	CFE_FS_Header_t
cfe_fs_api_typedefs.h, 686	default_cfe_fs_filedef.h, 852
CFE_FS_FileCategory_TEMP	CFE_FS_InitHeader
cfe_fs_api_typedefs.h, 686	cFE File Header Management APIs, 197
CFE_FS_FileCategory_TEXT_LOG	CFE_FS_INVALID_PATH
cfe_fs_api_typedefs.h, 686	cFE Return Code Defines, 130
CFE_FS_FileCategory_UNKNOWN	CFE_FS_NOT_IMPLEMENTED
cfe_fs_api_typedefs.h, 686	cFE Return Code Defines, 130
CFF FS FileWriteEvent COMPLETE	CFE FS ParseInputFileName

cFE File Utility APIs, 203	cfe_endian.h, 663
CFE_FS_ParseInputFileNameEx	CFE_MAKE_BIG32
cFE File Utility APIs, 204	cfe_endian.h, 663
CFE_FS_ReadHeader	CFE_MINOR_VERSION
cFE File Header Management APIs, 197	cfe_version.h, 716
CFE_FS_SetTimestamp	CFE_MISSION_ES_APP_TLM_TOPICID
cFE File Header Management APIs, 198	default_cfe_es_topicids.h, 778
CFE_FS_SubType	CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN
default_cfe_fs_filedef.h, 853	default_cfe_es_interface_cfg.h, 746
CFE_FS_SubType_Enum_t	example_mission_cfg.h, 598
default_cfe_fs_filedef.h, 852	CFE_MISSION_ES_CDS_MAX_NAME_LENGTH
CFE_FS_SubType_ES_CDS_REG	default_cfe_es_interface_cfg.h, 746
default_cfe_fs_filedef.h, 853	example_mission_cfg.h, 598
CFE_FS_SubType_ES_ERLOG	CFE_MISSION_ES_CMD_TOPICID
default_cfe_fs_filedef.h, 853	default_cfe_es_topicids.h, 778
CFE_FS_SubType_ES_PERFDATA	CFE_MISSION_ES_CRC_16
default_cfe_fs_filedef.h, 853	default_cfe_es_interface_cfg.h, 746
CFE_FS_SubType_ES_QUERYALL	example_mission_cfg.h, 599
default_cfe_fs_filedef.h, 853	CFE_MISSION_ES_CRC_32
CFE_FS_SubType_ES_QUERYALLTASKS	default_cfe_es_interface_cfg.h, 746
default_cfe_fs_filedef.h, 854	example_mission_cfg.h, 599
CFE_FS_SubType_ES_SYSLOG	CFE_MISSION_ES_CRC_8
default_cfe_fs_filedef.h, 853	default_cfe_es_interface_cfg.h, 747
CFE_FS_SubType_EVS_APPDATA	example_mission_cfg.h, 599
default_cfe_fs_filedef.h, 853	CFE_MISSION_ES_DEFAULT_CRC
CFE_FS_SubType_EVS_EVENTLOG	default_cfe_es_interface_cfg.h, 747
default_cfe_fs_filedef.h, 853	example_mission_cfg.h, 599
CFE_FS_SubType_SB_MAPDATA	CFE_MISSION_ES_HK_TLM_TOPICID
default_cfe_fs_filedef.h, 854	default_cfe_es_topicids.h, 779
CFE_FS_SubType_SB_PIPEDATA	CFE_MISSION_ES_MAIN_PERF_ID
default_cfe_fs_filedef.h, 853	sample_perfids.h, 651
CFE_FS_SubType_SB_ROUTEDATA	CFE_MISSION_ES_MAX_APPLICATIONS
default_cfe_fs_filedef.h, 853	default_cfe_es_interface_cfg.h, 747
CFE_FS_SubType_TBL_IMG	example_mission_cfg.h, 599
default_cfe_fs_filedef.h, 853	CFE_MISSION_ES_MEMSTATS_TLM_TOPICID
CFE_FS_SubType_TBL_REG	default_cfe_es_topicids.h, 779
default_cfe_fs_filedef.h, 853	CFE_MISSION_ES_PERF_EXIT_BIT
CFE_FS_WriteHeader	sample_perfids.h, 651
cFE File Header Management APIs, 199	CFE_MISSION_ES_PERF_MAX_IDS
CFE_GENERIC_SERVICE	default_cfe_es_interface_cfg.h, 747
cfe_error.h, 670	example_mission_cfg.h, 599
CFE_GLOBAL_CMD_MID_BASE	CFE_MISSION_ES_POOL_MAX_BUCKETS
default_cfe_core_api_base_msgids.h, 654	default_cfe_es_interface_cfg.h, 747
CFE_GLOBAL_CMD_TOPICID_TO_MIDV	example_mission_cfg.h, 600
default_cfe_core_api_base_msgids.h, 654	CFE_MISSION_ES_SEND_HK_TOPICID
CFE_GLOBAL_TLM_MID_BASE	default_cfe_es_topicids.h, 779
default_cfe_core_api_base_msgids.h, 654	CFE_MISSION_EVS_CMD_TOPICID
CFE_GLOBAL_TLM_TOPICID_TO_MIDV	default_cfe_evs_topicids.h, 839
default_cfe_core_api_base_msgids.h, 654	CFE_MISSION_EVS_HK_TLM_TOPICID
CFE_LAST_OFFICIAL	default_cfe_evs_topicids.h, 839
cfe_version.h, 715	CFE_MISSION_EVS_LONG_EVENT_MSG_TOPICID
CFE_MAJOR_VERSION	default_cfe_evs_topicids.h, 839
cfe_version.h, 715	CFE_MISSION_EVS_MAIN_PERF_ID
CFE MAKE BIG16	sample perfids.h, 651

- CFE_MISSION_EVS_MAX_MESSAGE_LENGTH
 default_cfe_evs_interface_cfg.h, 826
 example_mission_cfg.h, 600
 CFE_MISSION_EVS_SEND_HK_TORICID
- CFE_MISSION_EVS_SEND_HK_TOPICID default_cfe_evs_topicids.h, 839
- CFE_MISSION_EVS_SHORT_EVENT_MSG_TOPICID default cfe evs topicids.h. 839
- CFE_MISSION_MAX_API_LEN

 default_cfe_core_api_interface_cfg.h, 655

 example mission cfg.h, 600
- CFE_MISSION_MAX_FILE_LEN

 default_cfe_core_api_interface_cfg.h, 656

 example mission cfg.h, 601
- CFE_MISSION_MAX_NUM_FILES

 default_cfe_core_api_interface_cfg.h, 656
 example_mission_cfg.h, 601
- CFE_MISSION_MAX_PATH_LEN

 default_cfe_core_api_interface_cfg.h, 656

 example mission cfg.h, 602
- CFE_MISSION_REV cfe version.h, 716
- CFE_MISSION_SB_ALLSUBS_TLM_TOPICID default cfe sb topicids.h, 884
- CFE_MISSION_SB_CMD_TOPICID default_cfe_sb_topicids.h, 884
- CFE_MISSION_SB_HK_TLM_TOPICID default cfe sb topicids.h, 884
- CFE_MISSION_SB_MAIN_PERF_ID sample perfids.h, 651
- CFE_MISSION_SB_MAX_PIPES default_cfe_sb_interface_cfg.h, 868 example mission cfg.h, 602
- CFE_MISSION_SB_MAX_SB_MSG_SIZE default_cfe_sb_interface_cfg.h, 868 example mission cfg.h, 602
- CFE_MISSION_SB_MSG_LIM_PERF_ID sample_perfids.h, 652
- CFE_MISSION_SB_ONESUB_TLM_TOPICID default_cfe_sb_topicids.h, 885
- CFE_MISSION_SB_PIPE_OFLOW_PERF_ID sample_perfids.h, 652
- CFE_MISSION_SB_SEND_HK_TOPICID default cfe sb topicids.h, 885
- CFE_MISSION_SB_STATS_TLM_TOPICID default_cfe_sb_topicids.h, 885
- CFE_MISSION_SB_SUB_RPT_CTRL_TOPICID default cfe sb topicids.h, 885
- CFE_MISSION_TBL_CMD_TOPICID default cfe tbl topicids.h, 928
- CFE_MISSION_TBL_HK_TLM_TOPICID default_cfe_tbl_topicids.h, 928
- CFE_MISSION_TBL_MAIN_PERF_ID sample perfids.h, 652
- CFE MISSION TBL MAX FULL NAME LEN

- default_cfe_tbl_interface_cfg.h, 915 example mission cfg.h. 603
- CFE_MISSION_TBL_MAX_NAME_LENGTH default_cfe_tbl_interface_cfg.h, 916 example_mission_cfg.h, 603
- CFE_MISSION_TBL_REG_TLM_TOPICID default cfe tbl topicids.h, 929
- CFE_MISSION_TBL_SEND_HK_TOPICID default_cfe_tbl_topicids.h, 929
- CFE_MISSION_TIME_AT_TONE_WAS default_cfe_time_interface_cfg.h, 970 example mission cfg.h, 603
- CFE_MISSION_TIME_AT_TONE_WILL_BE default_cfe_time_interface_cfg.h, 971 example_mission_cfg.h, 604
- CFE_MISSION_TIME_CFG_DEFAULT_TAI default_cfe_time_interface_cfg.h, 971 example_mission_cfg.h, 604
- CFE_MISSION_TIME_CFG_DEFAULT_UTC default_cfe_time_interface_cfg.h, 971 example mission cfg.h, 604
- CFE_MISSION_TIME_CFG_FAKE_TONE default_cfe_time_interface_cfg.h, 971 example mission cfg.h, 604
- CFE_MISSION_TIME_CMD_TOPICID default_cfe_time_topicids.h, 987
- CFE_MISSION_TIME_DATA_CMD_TOPICID default cfe time topicids.h, 988
- CFE_MISSION_TIME_DEF_DELAY_SECS default_cfe_time_interface_cfg.h, 971 example_mission_cfg.h, 605
- CFE_MISSION_TIME_DEF_DELAY_SUBS default_cfe_time_interface_cfg.h, 971 example mission cfg.h, 605
- CFE_MISSION_TIME_DEF_LEAPS

 default_cfe_time_interface_cfg.h, 972
 example_mission_cfg.h, 605
- CFE_MISSION_TIME_DEF_MET_SECS default_cfe_time_interface_cfg.h, 972 example mission cfg.h, 605
- CFE_MISSION_TIME_DEF_MET_SUBS default_cfe_time_interface_cfg.h, 972 example mission cfg.h, 605
- CFE_MISSION_TIME_DEF_STCF_SECS default_cfe_time_interface_cfg.h, 972 example_mission_cfg.h, 605
- CFE_MISSION_TIME_DEF_STCF_SUBS default_cfe_time_interface_cfg.h, 972 example mission cfg.h, 606
- CFE_MISSION_TIME_DIAG_TLM_TOPICID default_cfe_time_topicids.h, 988
- CFE_MISSION_TIME_EPOCH_DAY default_cfe_time_interface_cfg.h, 972 example mission cfg.h, 606

CFE MISSION TIME EPOCH HOUR	CFE_MSG_Endian_Invalid, 692
default_cfe_time_interface_cfg.h, 972	CFE_MSG_Endian_Little, 692
example_mission_cfg.h, 606	CFE_MSG_Endian_t, 691
CFE_MISSION_TIME_EPOCH_MICROS	CFE_MSG_FcnCode_t, 691
default_cfe_time_interface_cfg.h, 972	CFE_MSG_HeaderVersion_t, 691
example_mission_cfg.h, 606	CFE_MSG_Message_t, 691
CFE_MISSION_TIME_EPOCH_MINUTE	CFE MSG NOT IMPLEMENTED, 690
default_cfe_time_interface_cfg.h, 973	CFE_MSG_PlaybackFlag, 692
example_mission_cfg.h, 606	CFE_MSG_PlaybackFlag_t, 691
CFE_MISSION_TIME_EPOCH_SECOND	CFE_MSG_PlayFlag_Invalid, 693
default_cfe_time_interface_cfg.h, 973	CFE MSG PlayFlag Original, 693
example_mission_cfg.h, 606	CFE_MSG_PlayFlag_Playback, 693
CFE_MISSION_TIME_EPOCH_YEAR	CFE_MSG_SegFlag_Continue, 693
default_cfe_time_interface_cfg.h, 973	CFE_MSG_SegFlag_First, 693
example_mission_cfg.h, 606	CFE_MSG_SegFlag_Invalid, 693
CFE_MISSION_TIME_FS_FACTOR	CFE_MSG_SegFlag_Last, 693
default_cfe_time_interface_cfg.h, 973	CFE_MSG_SegFlag_Unsegmented, 693
example_mission_cfg.h, 606	CFE_MSG_SegmentationFlag, 693
CFE_MISSION_TIME_HK_TLM_TOPICID	CFE_MSG_SegmentationFlag_t, 692
default_cfe_time_topicids.h, 988	CFE_MSG_SequenceCount_t, 692
CFE_MISSION_TIME_LOCAL1HZISR_PERF_ID	CFE_MSG_Size_t, 692
sample_perfids.h, 652	CFE_MSG_Subsystem_t, 692
CFE_MISSION_TIME_LOCAL1HZTASK_PERF_ID	CFE_MSG_System_t, 692
sample_perfids.h, 652	CFE_MSG_TelemetryHeader_t, 692
CFE_MISSION_TIME_MAIN_PERF_ID	CFE_MSG_Type, 693
sample_perfids.h, 652	CFE_MSG_Type_Cmd, 693
CFE_MISSION_TIME_MAX_ELAPSED	CFE_MSG_Type_Invalid, 693
default_cfe_time_interface_cfg.h, 973	CFE_MSG_Type_t, 692
example_mission_cfg.h, 607	CFE_MSG_Type_Tlm, 693
CFE_MISSION_TIME_MIN_ELAPSED	CFE_MSG_WRONG_MSG_TYPE, 691
default_cfe_time_interface_cfg.h, 973	CFE_MSG_ApId_t
example_mission_cfg.h, 607	cfe_msg_api_typedefs.h, 691
CFE_MISSION_TIME_ONEHZ_CMD_TOPICID	CFE_MSG_BAD_ARGUMENT
default_cfe_time_topicids.h, 988	cfe_msg_api_typedefs.h, 690
CFE_MISSION_TIME_SEND_CMD_TOPICID	CFE_MSG_Checksum_t
default_cfe_time_topicids.h, 988	cfe_msg_api_typedefs.h, 691
CFE_MISSION_TIME_SEND_HK_TOPICID	CFE_MSG_CommandHeader_t
default_cfe_time_topicids.h, 988	cfe_msg_api_typedefs.h, 691
CFE_MISSION_TIME_SENDMET_PERF_ID	CFE_MSG_EDSVersion_t
sample_perfids.h, 652	cfe_msg_api_typedefs.h, 691
CFE_MISSION_TIME_TONE1HZISR_PERF_ID	CFE MSG Endian
sample_perfids.h, 652	cfe_msg_api_typedefs.h, 692
CFE_MISSION_TIME_TONE1HZTASK_PERF_ID	CFE MSG Endian Big
sample_perfids.h, 652	cfe_msg_api_typedefs.h, 692
CFE_MISSION_TIME_TONE_CMD_TOPICID	CFE_MSG_Endian_Invalid
default_cfe_time_topicids.h, 989	cfe_msg_api_typedefs.h, 692
cfe msg api typedefs.h	CFE_MSG_Endian_Little
CFE_MSG_ApId_t, 691	cfe_msg_api_typedefs.h, 692
CFE_MSG_BAD_ARGUMENT, 690	CFE_MSG_Endian_t
CFE_MSG_Checksum_t, 691	cfe_msg_api_typedefs.h, 691
CFE_MSG_CommandHeader_t, 691	CFE_MSG_FcnCode_t
CFE MSG EDSVersion t, 691	cfe_msg_api_typedefs.h, 691
CFE MSG Endian, 692	CFE_MSG_GenerateChecksum
CFE MSG Endian Big 692	cFE Massage Secondary Header APIs 20

CFE_MSG_GetApId	CFE_MSG_SegFlag_Continue
cFE Message Primary Header APIs, 207	cfe_msg_api_typedefs.h, 693
CFE_MSG_GetEDSVersion	CFE_MSG_SegFlag_First
cFE Message Extended Header APIs, 216	cfe_msg_api_typedefs.h, 693
CFE_MSG_GetEndian	CFE_MSG_SegFlag_Invalid
cFE Message Extended Header APIs, 217	cfe_msg_api_typedefs.h, 693
CFE_MSG_GetFcnCode	CFE_MSG_SegFlag_Last
cFE Message Secondary Header APIs, 223	cfe_msg_api_typedefs.h, 693
CFE_MSG_GetHasSecondaryHeader	CFE_MSG_SegFlag_Unsegmented
cFE Message Primary Header APIs, 208	cfe_msg_api_typedefs.h, 693
CFE_MSG_GetHeaderVersion	CFE_MSG_SegmentationFlag
cFE Message Primary Header APIs, 208	cfe_msg_api_typedefs.h, 693
CFE_MSG_GetMsgld	CFE_MSG_SegmentationFlag_t
cFE Message Id APIs, 227	cfe_msg_api_typedefs.h, 692
CFE_MSG_GetMsgTime	CFE_MSG_SequenceCount_t
cFE Message Secondary Header APIs, 223	cfe_msg_api_typedefs.h, 692
CFE_MSG_GetNextSequenceCount	CFE_MSG_SetApId
cFE Message Primary Header APIs, 209	cFE Message Primary Header APIs, 211
CFE_MSG_GetPlaybackFlag	CFE_MSG_SetEDSVersion
cFE Message Extended Header APIs, 217	cFE Message Extended Header APIs, 219
CFE_MSG_GetSegmentationFlag	CFE_MSG_SetEndian
cFE Message Primary Header APIs, 209	cFE Message Extended Header APIs, 219
CFE_MSG_GetSequenceCount	CFE_MSG_SetFcnCode
cFE Message Primary Header APIs, 210	cFE Message Secondary Header APIs, 224
CFE_MSG_GetSize	CFE_MSG_SetHasSecondaryHeader
cFE Message Primary Header APIs, 210	cFE Message Primary Header APIs, 212
CFE_MSG_GetSubsystem	CFE_MSG_SetHeaderVersion
cFE Message Extended Header APIs, 218	cFE Message Primary Header APIs, 212
CFE_MSG_GetSystem	CFE_MSG_SetMsgld
cFE Message Extended Header APIs, 218	cFE Message Id APIs, 228
CFE_MSG_GetType	CFE_MSG_SetMsgTime
cFE Message Primary Header APIs, 211	cFE Message Secondary Header APIs, 224
CFE_MSG_GetTypeFromMsgld	CFE_MSG_SetPlaybackFlag
cFE Message Id APIs, 227	cFE Message Extended Header APIs, 220
CFE_MSG_HeaderVersion_t	CFE_MSG_SetSegmentationFlag
cfe_msg_api_typedefs.h, 691	cFE Message Primary Header APIs, 213
CFE_MSG_Init	CFE_MSG_SetSequenceCount
cFE Generic Message APIs, 206	cFE Message Primary Header APIs, 213
CFE_MSG_Message_t	CFE_MSG_SetSize
cfe_msg_api_typedefs.h, 691	cFE Message Primary Header APIs, 214
CFE_MSG_NOT_IMPLEMENTED	CFE_MSG_SetSubsystem
cfe_msg_api_typedefs.h, 690	cFE Message Extended Header APIs, 220
CFE_MSG_OriginationAction	CFE_MSG_SetSystem
cFE Message Integrity APIs, 229	cFE Message Extended Header APIs, 221
CFE_MSG_PlaybackFlag	CFE_MSG_SetType
cfe_msg_api_typedefs.h, 692	cFE Message Primary Header APIs, 214
CFE_MSG_PlaybackFlag_t	CFE_MSG_Size_t
cfe_msg_api_typedefs.h, 691	cfe_msg_api_typedefs.h, 692
CFE_MSG_PlayFlag_Invalid	CFE_MSG_Subsystem_t
cfe_msg_api_typedefs.h, 693	cfe_msg_api_typedefs.h, 692
CFE_MSG_PlayFlag_Original	CFE_MSG_System_t
cfe_msg_api_typedefs.h, 693	cfe_msg_api_typedefs.h, 692
CFE_MSG_PlayFlag_Playback	CFE_MSG_TelemetryHeader_t
cfe msg api typedefs.h, 693	cfe msg api typedefs.h, 692

CFE_MSG_Type	example_platform_cfg.h, 614
cfe_msg_api_typedefs.h, 693	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_08
CFE_MSG_Type_Cmd	default_cfe_es_internal_cfg.h, 752
cfe_msg_api_typedefs.h, 693	example_platform_cfg.h, 614
CFE_MSG_Type_Invalid	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_09
cfe_msg_api_typedefs.h, 693	default_cfe_es_internal_cfg.h, 752
CFE_MSG_Type_t	example_platform_cfg.h, 614
cfe_msg_api_typedefs.h, 692	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_10
CFE_MSG_Type_TIm	default_cfe_es_internal_cfg.h, 752
cfe_msg_api_typedefs.h, 693	example_platform_cfg.h, 614
CFE_MSG_ValidateChecksum	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_11
cFE Message Secondary Header APIs, 225	default_cfe_es_internal_cfg.h, 752
CFE_MSG_VerificationAction	example_platform_cfg.h, 614
cFE Message Integrity APIs, 230	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_12
CFE_MSG_WRONG_MSG_TYPE	default_cfe_es_internal_cfg.h, 752
cfe_msg_api_typedefs.h, 691	example_platform_cfg.h, 614
CFE_PLATFORM_CMD_TOPICID_TO_MIDV	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_13
default_cfe_core_api_base_msgids.h, 654	default_cfe_es_internal_cfg.h, 752
CFE_PLATFORM_CORE_MAX_STARTUP_MSEC	example_platform_cfg.h, 615
example_platform_cfg.h, 611	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_14
CFE_PLATFORM_ENDIAN	default_cfe_es_internal_cfg.h, 752
example_platform_cfg.h, 612	example_platform_cfg.h, 615
CFE_PLATFORM_ES_APP_KILL_TIMEOUT	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_15
default_cfe_es_internal_cfg.h, 750	default_cfe_es_internal_cfg.h, 753
example_platform_cfg.h, 612	example_platform_cfg.h, 615
CFE_PLATFORM_ES_APP_SCAN_RATE	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_16
default_cfe_es_internal_cfg.h, 750	default_cfe_es_internal_cfg.h, 753
example_platform_cfg.h, 612	example_platform_cfg.h, 615
CFE_PLATFORM_ES_CDS_MAX_BLOCK_SIZE	CFE_PLATFORM_ES_CDS_SIZE
default_cfe_es_internal_cfg.h, 751	default_cfe_es_internal_cfg.h, 753
example_platform_cfg.h, 613	example_platform_cfg.h, 615
CFE_PLATFORM_ES_CDS_MAX_NUM_ENTRIES	CFE_PLATFORM_ES_DEFAULT_APP_LOG_FILE
default_cfe_es_internal_cfg.h, 751	default_cfe_es_internal_cfg.h, 753
example_platform_cfg.h, 613	example_platform_cfg.h, 615
CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_01	CFE_PLATFORM_ES_DEFAULT_CDS_REG_DUMP_FILE
default_cfe_es_internal_cfg.h, 751	default_cfe_es_internal_cfg.h, 753
example_platform_cfg.h, 613	example_platform_cfg.h, 616
CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_02	CFE_PLATFORM_ES_DEFAULT_ER_LOG_FILE
default_cfe_es_internal_cfg.h, 751	default_cfe_es_internal_cfg.h, 754
example_platform_cfg.h, 613	example_platform_cfg.h, 616 CFE_PLATFORM_ES_DEFAULT_PERF_DUMP_FILENAME
CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_03 default_cfe_es_internal_cfg.h, 751	default_cfe_es_internal_cfg.h, 754
example platform cfg.h, 614	example platform cfg.h, 616
CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_04	CFE_PLATFORM_ES_DEFAULT_POR_SYSLOG_MODE
default_cfe_es_internal_cfg.h, 751	default cfe es internal cfg.h, 754
example_platform_cfg.h, 614	example platform cfg.h, 616
CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_05	CFE_PLATFORM_ES_DEFAULT_PR_SYSLOG_MODE
default cfe es internal cfg.h, 752	default_cfe_es_internal_cfg.h, 755
example_platform_cfg.h, 614	example_platform_cfg.h, 617
CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_06	CFE_PLATFORM_ES_DEFAULT_STACK_SIZE
default_cfe_es_internal_cfg.h, 752	default_cfe_es_internal_cfg.h, 755
example_platform_cfg.h, 614	example_platform_cfg.h, 617
CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_07	CFE_PLATFORM_ES_DEFAULT_SYSLOG_FILE
default_cfe_es_internal_cfg.h, 752	default_cfe_es_internal_cfg.h, 755

example_platform_cfg.h, 617	example_platform_cfg.h, 621
CFE_PLATFORM_ES_DEFAULT_TASK_LOG_FILE	CFE_PLATFORM_ES_MEM_BLOCK_SIZE_10
default_cfe_es_internal_cfg.h, 756	default_cfe_es_internal_cfg.h, 759
example_platform_cfg.h, 618	example_platform_cfg.h, 621
CFE_PLATFORM_ES_ER_LOG_ENTRIES	CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11
default_cfe_es_internal_cfg.h, 756	default_cfe_es_internal_cfg.h, 760
example_platform_cfg.h, 618	example_platform_cfg.h, 622
CFE_PLATFORM_ES_ER_LOG_MAX_CONTEXT_SIZE	CFE_PLATFORM_ES_MEM_BLOCK_SIZE_12
default_cfe_es_internal_cfg.h, 756	default_cfe_es_internal_cfg.h, 760
example_platform_cfg.h, 618	example_platform_cfg.h, 622
CFE_PLATFORM_ES_MAX_APPLICATIONS	CFE_PLATFORM_ES_MEM_BLOCK_SIZE_13
default_cfe_es_internal_cfg.h, 757	default_cfe_es_internal_cfg.h, 760
example_platform_cfg.h, 619	example_platform_cfg.h, 622
CFE_PLATFORM_ES_MAX_BLOCK_SIZE	CFE_PLATFORM_ES_MEM_BLOCK_SIZE_14
default_cfe_es_internal_cfg.h, 757	default_cfe_es_internal_cfg.h, 760
example_platform_cfg.h, 619	example_platform_cfg.h, 622
CFE_PLATFORM_ES_MAX_GEN_COUNTERS	CFE_PLATFORM_ES_MEM_BLOCK_SIZE_15
default_cfe_es_internal_cfg.h, 757	default_cfe_es_internal_cfg.h, 760
example_platform_cfg.h, 619	example_platform_cfg.h, 622
CFE PLATFORM ES MAX LIBRARIES	CFE_PLATFORM_ES_MEM_BLOCK_SIZE_16
default_cfe_es_internal_cfg.h, 757	default_cfe_es_internal_cfg.h, 760
example_platform_cfg.h, 619	example_platform_cfg.h, 622
CFE_PLATFORM_ES_MAX_MEMORY_POOLS	CFE_PLATFORM_ES_MEMPOOL_ALIGN_SIZE_MIN
default_cfe_es_internal_cfg.h, 758	default_cfe_es_internal_cfg.h, 760
example_platform_cfg.h, 620	example_platform_cfg.h, 622
CFE_PLATFORM_ES_MAX_PROCESSOR_RESETS	CFE_PLATFORM_ES_NONVOL_DISK_MOUNT_STRING
default_cfe_es_internal_cfg.h, 758	default_cfe_es_internal_cfg.h, 760
example_platform_cfg.h, 620	example_platform_cfg.h, 622
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01	CFE_PLATFORM_ES_NONVOL_STARTUP_FILE
default_cfe_es_internal_cfg.h, 758	default_cfe_es_internal_cfg.h, 761
example_platform_cfg.h, 620	example_platform_cfg.h, 623
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02	CFE_PLATFORM_ES_OBJECT_TABLE_SIZE
default_cfe_es_internal_cfg.h, 759	default_cfe_es_internal_cfg.h, 761
example_platform_cfg.h, 621	example_platform_cfg.h, 623
	CFE_PLATFORM_ES_PERF_CHILD_MS_DELAY
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03	
default_cfe_es_internal_cfg.h, 759	default_cfe_es_internal_cfg.h, 761
example_platform_cfg.h, 621	example_platform_cfg.h, 623
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04	CFE_PLATFORM_ES_PERF_CHILD_PRIORITY
default_cfe_es_internal_cfg.h, 759	default_cfe_es_internal_cfg.h, 761
example_platform_cfg.h, 621	example_platform_cfg.h, 623
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05	CFE_PLATFORM_ES_PERF_CHILD_STACK_SIZE
default_cfe_es_internal_cfg.h, 759	default_cfe_es_internal_cfg.h, 762
example_platform_cfg.h, 621	example_platform_cfg.h, 624
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06	CFE_PLATFORM_ES_PERF_DATA_BUFFER_SIZE
default_cfe_es_internal_cfg.h, 759	default_cfe_es_internal_cfg.h, 762
example_platform_cfg.h, 621	example_platform_cfg.h, 624
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07	CFE_PLATFORM_ES_PERF_ENTRIES_BTWN_DLYS
default_cfe_es_internal_cfg.h, 759	default_cfe_es_internal_cfg.h, 762
example_platform_cfg.h, 621	example_platform_cfg.h, 624
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_08	CFE_PLATFORM_ES_PERF_FILTMASK_ALL
default_cfe_es_internal_cfg.h, 759	default_cfe_es_internal_cfg.h, 763
example_platform_cfg.h, 621	example_platform_cfg.h, 625
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_09	CFE_PLATFORM_ES_PERF_FILTMASK_INIT
default cfe es internal cfg.h, 759	default cfe es internal cfg.h, 763

example_platform_cfg.h, 625	example_platform_cfg.h, 630
CFE_PLATFORM_ES_PERF_FILTMASK_NONE	CFE_PLATFORM_EVS_DEFAULT_LOG_FILE
default_cfe_es_internal_cfg.h, 763	default_cfe_evs_internal_cfg.h, 827
example_platform_cfg.h, 625	example_platform_cfg.h, 630
CFE_PLATFORM_ES_PERF_TRIGMASK_ALL	CFE_PLATFORM_EVS_DEFAULT_LOG_MODE
default_cfe_es_internal_cfg.h, 763	default_cfe_evs_internal_cfg.h, 827
example_platform_cfg.h, 625	example_platform_cfg.h, 631
CFE_PLATFORM_ES_PERF_TRIGMASK_INIT	CFE_PLATFORM_EVS_DEFAULT_MSG_FORMAT_MODE
default_cfe_es_internal_cfg.h, 764	default_cfe_evs_internal_cfg.h, 828
example_platform_cfg.h, 625	example_platform_cfg.h, 631
CFE_PLATFORM_ES_PERF_TRIGMASK_NONE	CFE_PLATFORM_EVS_DEFAULT_TYPE_FLAG
default_cfe_es_internal_cfg.h, 764	default_cfe_evs_internal_cfg.h, 828
example_platform_cfg.h, 626	example_platform_cfg.h, 631
CFE_PLATFORM_ES_POOL_MAX_BUCKETS	CFE_PLATFORM_EVS_LOG_MAX
default_cfe_es_internal_cfg.h, 764	default_cfe_evs_internal_cfg.h, 828
example_platform_cfg.h, 626	example_platform_cfg.h, 632
CFE_PLATFORM_ES_RAM_DISK_MOUNT_STRING	CFE_PLATFORM_EVS_MAX_APP_EVENT_BURST
default_cfe_es_internal_cfg.h, 764	default_cfe_evs_internal_cfg.h, 829
example_platform_cfg.h, 626	example_platform_cfg.h, 632
CFE_PLATFORM_ES_RAM_DISK_NUM_SECTORS	CFE_PLATFORM_EVS_MAX_EVENT_FILTERS
default_cfe_es_internal_cfg.h, 765	default_cfe_evs_internal_cfg.h, 829
example_platform_cfg.h, 626	example_platform_cfg.h, 632
CFE_PLATFORM_ES_RAM_DISK_PERCENT_RESERVE	·
default cfe es internal cfg.h, 765	default_cfe_evs_internal_cfg.h, 829
example_platform_cfg.h, 627	example_platform_cfg.h, 633
CFE_PLATFORM_ES_RAM_DISK_SECTOR_SIZE	CFE_PLATFORM_EVS_START_TASK_PRIORITY
default_cfe_es_internal_cfg.h, 765	default_cfe_evs_internal_cfg.h, 829
example_platform_cfg.h, 627	example_platform_cfg.h, 633
CFE_PLATFORM_ES_START_TASK_PRIORITY	CFE_PLATFORM_EVS_START_TASK_STACK_SIZE
default_cfe_es_internal_cfg.h, 766	default_cfe_evs_internal_cfg.h, 830
example_platform_cfg.h, 628	example_platform_cfg.h, 633
CFE_PLATFORM_ES_START_TASK_STACK_SIZE	CFE_PLATFORM_SB_BUF_MEMORY_BYTES
default_cfe_es_internal_cfg.h, 766	default_cfe_sb_internal_cfg.h, 870
example_platform_cfg.h, 628	example_platform_cfg.h, 634
CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_MS	
default_cfe_es_internal_cfg.h, 766	default_cfe_sb_internal_cfg.h, 870
example_platform_cfg.h, 628	example_platform_cfg.h, 634
CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC	CFE_PLATFORM_SB_DEFAULT_MSG_LIMIT
default_cfe_es_internal_cfg.h, 767	default_cfe_sb_internal_cfg.h, 871
example_platform_cfg.h, 628	example_platform_cfg.h, 634
CFE_PLATFORM_ES_SYSTEM_LOG_SIZE	CFE_PLATFORM_SB_DEFAULT_PIPE_FILENAME
default_cfe_es_internal_cfg.h, 767	default_cfe_sb_internal_cfg.h, 871
example_platform_cfg.h, 629	example_platform_cfg.h, 635
CFE_PLATFORM_ES_USER_RESERVED_SIZE	CFE_PLATFORM_SB_DEFAULT_ROUTING_FILENAME
default_cfe_es_internal_cfg.h, 767	default_cfe_sb_internal_cfg.h, 871
example_platform_cfg.h, 629	example_platform_cfg.h, 635
CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE	CFE_PLATFORM_SB_FILTER_MASK1
default_cfe_es_internal_cfg.h, 768	default_cfe_sb_internal_cfg.h, 872
example_platform_cfg.h, 629	example_platform_cfg.h, 635
CFE_PLATFORM_EVS_APP_EVENTS_PER_SEC	CFE_PLATFORM_SB_FILTER_MASK2
default_cfe_evs_internal_cfg.h, 826	default_cfe_sb_internal_cfg.h, 872
example_platform_cfg.h, 630	example_platform_cfg.h, 635
CFE_PLATFORM_EVS_DEFAULT_APP_DATA_FILE	CFE_PLATFORM_SB_FILTER_MASK3
default cfe eys internal cfg.h. 827	default cfe sb internal cfg.h. 872

example_platform_cfg.h, 636 CFE_PLATFORM_SB_FILTER_MASK4	
default_cfe_sb_internal_cfg.h, 872	
example_platform_cfg.h, 636	
CFE_PLATFORM_SB_FILTER_MASK5	
default_cfe_sb_internal_cfg.h, 872	
example_platform_cfg.h, 636	
CFE_PLATFORM_SB_FILTER_MASK6	
default_cfe_sb_internal_cfg.h, 872	
example_platform_cfg.h, 636	
CFE_PLATFORM_SB_FILTER_MASK7	
default_cfe_sb_internal_cfg.h, 872	
example_platform_cfg.h, 636	
CFE_PLATFORM_SB_FILTER_MASK8	
default_cfe_sb_internal_cfg.h, 872	
example_platform_cfg.h, 636	
CFE_PLATFORM_SB_FILTERED_EVENT1	
default_cfe_sb_internal_cfg.h, 872	
example_platform_cfg.h, 636	
CFE_PLATFORM_SB_FILTERED_EVENT2	
default_cfe_sb_internal_cfg.h, 873	
example_platform_cfg.h, 636	
CFE PLATFORM SB FILTERED EVENT3	
default_cfe_sb_internal_cfg.h, 873	
example_platform_cfg.h, 636	
CFE_PLATFORM_SB_FILTERED_EVENT4	
default_cfe_sb_internal_cfg.h, 873	
example_platform_cfg.h, 636	
CFE_PLATFORM_SB_FILTERED_EVENT5	
default_cfe_sb_internal_cfg.h, 873	
example_platform_cfg.h, 637	
CFE_PLATFORM_SB_FILTERED_EVENT6	
default_cfe_sb_internal_cfg.h, 873	
example_platform_cfg.h, 637	
CFE_PLATFORM_SB_FILTERED_EVENT7	
default_cfe_sb_internal_cfg.h, 873	
example_platform_cfg.h, 637	
CFE_PLATFORM_SB_FILTERED_EVENT8	
default cfe sb internal cfg.h, 873	
example_platform_cfg.h, 637	
CFE_PLATFORM_SB_HIGHEST_VALID_MSGII	7
default cfe sb internal cfg.h, 873	_
example platform cfg.h, 637	
CFE_PLATFORM_SB_MAX_BLOCK_SIZE	
default_cfe_sb_internal_cfg.h, 874	
example_platform_cfg.h, 637	
CFE_PLATFORM_SB_MAX_DEST_PER_PKT	
default_cfe_sb_internal_cfg.h, 874	
example_platform_cfg.h, 637	
CFE_PLATFORM_SB_MAX_MSG_IDS	
default_cfe_sb_internal_cfg.h, 874	
example_platform_cfg.h, 638	

example_platform_cfg.h, 638 CFE PLATFORM SB MEM BLOCK SIZE 01 default_cfe_sb_internal_cfg.h, 875 example_platform_cfg.h, 638 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_02 default cfe sb internal cfg.h, 875 example platform cfg.h, 639 CFE PLATFORM SB MEM BLOCK SIZE 03 default cfe sb internal cfg.h, 875 example_platform_cfg.h, 639 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_04 default cfe sb internal cfg.h, 875 example_platform_cfg.h, 639 CFE PLATFORM SB MEM BLOCK SIZE 05 default cfe sb internal cfg.h, 875 example_platform_cfg.h, 639 CFE PLATFORM SB MEM BLOCK SIZE 06 default_cfe_sb_internal_cfg.h, 876 example platform cfg.h, 639 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_07 default_cfe_sb_internal_cfg.h, 876 example platform cfg.h, 639 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_08 default cfe sb internal cfg.h, 876 example_platform_cfg.h, 639 CFE PLATFORM SB MEM BLOCK SIZE 09 default cfe sb internal cfg.h, 876 example platform cfg.h, 639 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_10 default_cfe_sb_internal_cfg.h, 876 example_platform_cfg.h, 639 CFE PLATFORM SB MEM BLOCK SIZE 11 default cfe sb internal cfg.h, 876 example platform cfg.h, 639 CFE PLATFORM SB MEM BLOCK SIZE 12 default_cfe_sb_internal_cfg.h, 876 example platform cfg.h, 640 CFE PLATFORM_SB_MEM_BLOCK_SIZE_13 default_cfe_sb_internal_cfg.h, 876 example platform cfg.h, 640 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_14 default_cfe_sb_internal_cfg.h, 876 example platform cfg.h, 640 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_15 default cfe sb internal cfg.h, 876 example_platform_cfg.h, 640 CFE PLATFORM SB MEM BLOCK SIZE 16 default cfe sb internal cfg.h, 876 example_platform_cfg.h, 640 CFE_PLATFORM_SB_START_TASK_PRIORITY default_cfe_sb_internal_cfg.h, 877 example platform cfg.h, 640 CFE PLATFORM SB START TASK STACK SIZE

default cfe sb internal cfg.h, 877

CFE PLATFORM SB MAX PIPES

default cfe sb internal cfg.h, 875

example_platform_cfg.h, 640 CFE_PLATFORM_TBL_BUF_MEMORY_BYTES
default_cfe_tbl_internal_cfg.h, 917
example_platform_cfg.h, 641
CFE_PLATFORM_TBL_DEFAULT_REG_DUMP_FILE
default_cfe_tbl_internal_cfg.h, 917
example_platform_cfg.h, 641
CFE_PLATFORM_TBL_MAX_CRITICAL_TABLES default_cfe_tbl_internal_cfg.h, 917
example_platform_cfg.h, 641
CFE PLATFORM TBL MAX DBL TABLE SIZE
default_cfe_tbl_internal_cfg.h, 918
example_platform_cfg.h, 642
CFE_PLATFORM_TBL_MAX_NUM_HANDLES
default_cfe_tbl_internal_cfg.h, 918
example_platform_cfg.h, 642
CFE_PLATFORM_TBL_MAX_NUM_TABLES
default_cfe_tbl_internal_cfg.h, 918
example_platform_cfg.h, 642
CFE_PLATFORM_TBL_MAX_NUM_VALIDATIONS
default_cfe_tbl_internal_cfg.h, 918
example_platform_cfg.h, 642
CFE_PLATFORM_TBL_MAX_SIMULTANEOUS_LOAD
default_cfe_tbl_internal_cfg.h, 919 example_platform_cfg.h, 643
CFE_PLATFORM_TBL_MAX_SNGL_TABLE_SIZE
default_cfe_tbl_internal_cfg.h, 919
example_platform_cfg.h, 643
CFE PLATFORM TBL START TASK PRIORITY
default_cfe_tbl_internal_cfg.h, 919
example_platform_cfg.h, 643
CFE_PLATFORM_TBL_START_TASK_STACK_SIZE
default_cfe_tbl_internal_cfg.h, 920
example_platform_cfg.h, 644
CFE_PLATFORM_TBL_U32FROM4CHARS
default_cfe_tbl_internal_cfg.h, 920
example_platform_cfg.h, 644 CFE PLATFORM TBL VALID PRID 1
default_cfe_tbl_internal_cfg.h, 920
example_platform_cfg.h, 644
CFE_PLATFORM_TBL_VALID_PRID_2
default_cfe_tbl_internal_cfg.h, 920
example_platform_cfg.h, 644
CFE_PLATFORM_TBL_VALID_PRID_3
default_cfe_tbl_internal_cfg.h, 921
example_platform_cfg.h, 645
CFE_PLATFORM_TBL_VALID_PRID_4
default_cfe_tbl_internal_cfg.h, 921
example_platform_cfg.h, 645
CFE_PLATFORM_TBL_VALID_PRID_COUNT
default_cfe_tbl_internal_cfg.h, 921
example_platform_cfg.h, 645 CFE PLATFORM TBL VALID SCID 1
OLE LEALFORIN IDE VALID SOID I

default cfe tbl internal cfg.h, 921

example_platform_cfg.h, 645 CFE PLATFORM TBL VALID SCID 2 default_cfe_tbl_internal_cfg.h, 921 example_platform_cfg.h, 645 CFE_PLATFORM_TBL_VALID_SCID_COUNT default cfe tbl internal cfg.h, 921 example platform cfg.h, 645 CFE PLATFORM TIME CFG CLIENT default cfe time internal cfg.h, 975 example platform cfg.h, 646 CFE_PLATFORM_TIME_CFG_LATCH_FLY default cfe time internal cfg.h, 975 example_platform_cfg.h, 646 CFE PLATFORM TIME CFG SERVER default cfe time internal cfg.h, 975 example platform cfg.h, 646 CFE PLATFORM TIME CFG SIGNAL default cfe time internal cfg.h, 975 example platform cfg.h, 646 CFE_PLATFORM_TIME_CFG_SOURCE default_cfe_time_internal_cfg.h, 975 example platform cfg.h, 647 CFE_PLATFORM_TIME_CFG_SRC_GPS default cfe time internal cfg.h, 976 example_platform_cfg.h, 647 CFE PLATFORM TIME CFG SRC MET default cfe time internal cfg.h, 976 example platform cfg.h, 647 CFE PLATFORM TIME CFG SRC TIME default_cfe_time_internal_cfg.h, 976 example_platform_cfg.h, 647 CFE PLATFORM TIME CFG START FLY default cfe time internal cfg.h, 976 example platform cfg.h, 648 CFE PLATFORM TIME CFG TONE LIMIT default_cfe_time_internal_cfg.h, 977 example platform cfg.h, 648 CFE PLATFORM_TIME_CFG_VIRTUAL default_cfe_time_internal_cfg.h, 977 example platform cfg.h, 648 CFE_PLATFORM_TIME_MAX_DELTA_SECS default_cfe_time_internal_cfg.h, 977 example platform cfg.h, 648 CFE_PLATFORM_TIME_MAX_DELTA_SUBS default cfe time internal cfg.h, 978 example_platform_cfg.h, 649 CFE PLATFORM TIME MAX LOCAL SECS default cfe time internal cfg.h, 978 example platform cfg.h, 649 CFE_PLATFORM_TIME_MAX_LOCAL_SUBS default_cfe_time_internal_cfg.h, 978 example platform cfg.h, 649 CFE PLATFORM TIME ONEHZ TASK PRIORITY

default cfe time internal cfg.h, 978

example_platform_cfg.h, 649	CFE_PSP_Main, 1056
CFE_PLATFORM_TIME_ONEHZ_TASK_STACK_SIZE	CFE_PSP_MEM_ANY, 1043
default_cfe_time_internal_cfg.h, 978	CFE_PSP_MEM_ATTR_READ, 1043
example_platform_cfg.h, 649	CFE_PSP_MEM_ATTR_READWRITE, 1043
CFE_PLATFORM_TIME_START_TASK_PRIORITY	CFE_PSP_MEM_ATTR_WRITE, 1043
default_cfe_time_internal_cfg.h, 978	CFE_PSP_MEM_EEPROM, 1043
example_platform_cfg.h, 649	CFE_PSP_MEM_INVALID, 1043
CFE_PLATFORM_TIME_START_TASK_STACK_SIZE	CFE_PSP_MEM_RAM, 1043
default_cfe_time_internal_cfg.h, 979	CFE_PSP_MEM_SIZE_BYTE, 1043
example_platform_cfg.h, 650	CFE_PSP_MEM_SIZE_DWORD, 1043
CFE PLATFORM TIME TONE TASK PRIORITY	CFE_PSP_MEM_SIZE_WORD, 1044
default_cfe_time_internal_cfg.h, 979	CFE_PSP_MemCpy, 1056
example_platform_cfg.h, 650	CFE_PSP_MemRangeGet, 1057
CFE_PLATFORM_TIME_TONE_TASK_STACK_SIZE	·
default_cfe_time_internal_cfg.h, 979	CFE_PSP_MemRanges, 1057
example_platform_cfg.h, 650	CFE_PSP_MemRangeSet, 1057
CFE_PLATFORM_TLM_TOPICID_TO_MIDV	CFE_PSP_MemRead16, 1058
default_cfe_core_api_base_msgids.h, 655	CFE_PSP_MemRead32, 1059
cfe_psp.h	CFE_PSP_MemRead8, 1059
BUFF SIZE, 1043	CFE_PSP_MemSet, 1059
CFE_PSP_AttachExceptions, 1046	CFE_PSP_MemValidateRange, 1060
CFE_PSP_Decompress, 1046	CFE_PSP_MemWrite16, 1060
CFE_PSP_EepromPowerDown, 1046	CFE_PSP_MemWrite32, 1061
CFE_PSP_EepromPowerUp, 1047	CFE_PSP_MemWrite8, 1061
CFE_PSP_EepromWrite16, 1047	CFE_PSP_Panic, 1062
CFE_PSP_EepromWrite32, 1047	CFE_PSP_PANIC_CORE_APP, 1044
CFE_PSP_EepromWrite8, 1048	CFE_PSP_PANIC_GENERAL_FAILURE, 1044
CFE_PSP_EepromWriteDisable, 1048	CFE_PSP_PANIC_MEMORY_ALLOC, 1044
	CFE_PSP_PANIC_NONVOL_DISK, 1044
CFE_PSP_EepromWriteEnable, 1048	CFE_PSP_PANIC_STARTUP, 1044
CFE_PSP_Exception_CopyContext, 1049	CFE_PSP_PANIC_STARTUP_SEM, 1044
CFE_PSP_Exception_GetCount, 1049	CFE_PSP_PANIC_VOLATILE_DISK, 1044
CFE_PSP_Exception_GetSummary, 1049	CFE PSP PortRead16, 1062
CFE_PSP_FlushCaches, 1050	CFE_PSP_PortRead32, 1062
CFE_PSP_Get_Dec, 1050	CFE_PSP_PortRead8, 1063
CFE_PSP_Get_Timebase, 1050	CFE PSP PortWrite16, 1063
CFE_PSP_Get_Timer_Tick, 1051	CFE_PSP_PortWrite32, 1063
CFE_PSP_GetBuildNumber, 1051	CFE PSP PortWrite8, 1064
CFE_PSP_GetCDSSize, 1051	— — — · · · · · · · · · · · · · · · · ·
CFE_PSP_GetCFETextSegmentInfo, 1052	CFE_PSP_ReadFromCDS, 1064
CFE_PSP_GetKernelTextSegmentInfo, 1052	CFE_PSP_Restart, 1064
CFE_PSP_GetProcessorId, 1052	CFE_PSP_RST_SUBTYPE_BANKSWITCH_RESET,
CFE_PSP_GetProcessorName, 1052	1044
CFE_PSP_GetResetArea, 1053	CFE_PSP_RST_SUBTYPE_EXCEPTION, 1044
CFE_PSP_GetRestartType, 1053	CFE_PSP_RST_SUBTYPE_HW_SPECIAL_COMMAND,
CFE_PSP_GetSpacecraftId, 1053	1044
CFE_PSP_GetTime, 1053	CFE_PSP_RST_SUBTYPE_HW_WATCHDOG,
CFE_PSP_GetTimerLow32Rollover, 1054	1044
CFE_PSP_GetTimerTicksPerSecond, 1054	CFE_PSP_RST_SUBTYPE_HWDEBUG_RESET,
CFE_PSP_GetUserReservedArea, 1054	1045
CFE_PSP_GetVersionCodeName, 1054	CFE_PSP_RST_SUBTYPE_MAX, 1045
CFE_PSP_GetVersionNumber, 1055	CFE_PSP_RST_SUBTYPE_POWER_CYCLE, 1045
CFE_PSP_GetVersionString, 1055	CFE_PSP_RST_SUBTYPE_PUSH_BUTTON, 1045
CFE_PSP_GetVolatileDiskMem, 1055	CFE_PSP_RST_SUBTYPE_RESET_COMMAND,
CFE PSP InitSSR, 1055	1045

CFE_PSP_RST_SUBTYPE_UNDEFINED_RESET, 1045	CFE_PSP_STATUS_C, 1068 CFE_PSP_STATUS_STRING_LENGTH, 1068
CFE_PSP_RST_TYPE_MAX, 1045	CFE_PSP_Status_t, 1069
CFE_PSP_RST_TYPE_POWERON, 1045	CFE_PSP_StatusString_t, 1069
CFE PSP RST TYPE PROCESSOR, 1045	CFE_PSP_StatusToString, 1069
CFE_PSP_SetDefaultExceptionEnvironment, 1065	CFE_PSP_SUCCESS, 1068
CFE_PSP_SOFT_TIMEBASE_NAME, 1045	CFE_PSP_ERROR_ADDRESS_MISALIGNED
CFE_PSP_WatchdogDisable, 1065	cfe_psp_error.h, 1067
CFE PSP WatchdogEnable, 1065	
	CFE_PSP_ERROR_NOT_IMPLEMENTED
CFE_PSP_WatchdogGet, 1065	cfe_psp_error.h, 1067
CFE_PSP_WatchdogInit, 1065	CFE_PSP_ERROR_TIMEOUT
CFE_PSP_WatchdogService, 1065	cfe_psp_error.h, 1067
CFE_PSP_WatchdogSet, 1066	CFE_PSP_Exception_CopyContext
CFE_PSP_WriteToCDS, 1066	cfe_psp.h, 1049
SIZE_BYTE, 1046	CFE_PSP_Exception_GetCount
SIZE_HALF, 1046	cfe_psp.h, 1049
SIZE_WORD, 1046	CFE_PSP_Exception_GetSummary
CFE_PSP_AttachExceptions	cfe_psp.h, 1049
cfe_psp.h, 1046	CFE_PSP_FlushCaches
CFE_PSP_Decompress	cfe_psp.h, 1050
cfe_psp.h, 1046	CFE_PSP_Get_Dec
CFE_PSP_EepromPowerDown	cfe_psp.h, 1050
cfe_psp.h, 1046	CFE_PSP_Get_Timebase
CFE_PSP_EepromPowerUp	cfe_psp.h, 1050
cfe_psp.h, 1047	CFE_PSP_Get_Timer_Tick
CFE_PSP_EepromWrite16	cfe_psp.h, 1051
cfe_psp.h, 1047	CFE_PSP_GetBuildNumber
CFE_PSP_EepromWrite32	cfe_psp.h, 1051
cfe_psp.h, 1047	CFE_PSP_GetCDSSize
CFE_PSP_EepromWrite8	cfe_psp.h, 1051
cfe_psp.h, 1048	CFE_PSP_GetCFETextSegmentInfo
CFE_PSP_EepromWriteDisable	cfe_psp.h, 1052
cfe_psp.h, 1048	CFE_PSP_GetKernelTextSegmentInfo
CFE PSP EepromWriteEnable	cfe_psp.h, 1052
cfe_psp.h, 1048	CFE_PSP_GetProcessorId
CFE PSP ERROR	 cfe_psp.h, 1052
cfe_psp_error.h, 1067	CFE PSP GetProcessorName
cfe_psp_error.h	cfe_psp.h, 1052
CFE_PSP_ERROR, 1067	CFE_PSP_GetResetArea
CFE_PSP_ERROR_ADDRESS_MISALIGNED,	cfe_psp.h, 1053
1067	CFE_PSP_GetRestartType
CFE_PSP_ERROR_NOT_IMPLEMENTED, 1067	cfe_psp.h, 1053
CFE_PSP_ERROR_TIMEOUT, 1067	CFE_PSP_GetSpacecraftId
CFE_PSP_INVALID_INT_NUM, 1067	cfe_psp.h, 1053
CFE_PSP_INVALID_MEM_ADDR, 1067	CFE PSP GetTime
CFE_PSP_INVALID_MEM_ATTR, 1067	cfe_psp.h, 1053
	CFE PSP GetTimerLow32Rollover
CFE_PSP_INVALID_MEM_RANGE, 1068 CFE_PSP_INVALID_MEM_SIZE, 1068	
	cfe_psp.h, 1054
CFE_PSP_INVALID_MEM_TYPE, 1068	CFE_PSP_GetTimerTicksPerSecond
CFE_PSP_INVALID_MEM_WORDSIZE, 1068	cfe_psp.h, 1054
CFE_PSP_INVALID_MODULE_ID, 1068	CFE_PSP_GetUserReservedArea
CFE_PSP_INVALID_MODULE_NAME, 1068	cfe_psp.h, 1054
CFE_PSP_INVALID_POINTER, 1068	CFE_PSP_GetVersionCodeName
CFE_PSP_NO_EXCEPTION_DATA, 1068	cfe_psp.h, 1054

CFE_PSP_GetVersionNumber	CFE_PSP_MemRanges
cfe_psp.h, 1055	cfe_psp.h, 1057
CFE_PSP_GetVersionString	CFE_PSP_MemRangeSet
cfe_psp.h, 1055	cfe_psp.h, 1057
CFE_PSP_GetVolatileDiskMem	CFE_PSP_MemRead16
cfe_psp.h, 1055	cfe_psp.h, 1058
CFE PSP InitSSR	CFE PSP MemRead32
cfe_psp.h, 1055	cfe_psp.h, 1059
CFE_PSP_INVALID_INT_NUM	CFE_PSP_MemRead8
cfe_psp_error.h, 1067	cfe_psp.h, 1059
CFE_PSP_INVALID_MEM_ADDR	CFE_PSP_MemSet
cfe_psp_error.h, 1067	cfe_psp.h, 1059
CFE_PSP_INVALID_MEM_ATTR	CFE_PSP_MemValidateRange
cfe_psp_error.h, 1067	cfe_psp.h, 1060
CFE_PSP_INVALID_MEM_RANGE	CFE PSP MemWrite16
cfe_psp_error.h, 1068	 cfe_psp.h, 1060
CFE_PSP_INVALID_MEM_SIZE	CFE_PSP_MemWrite32
cfe_psp_error.h, 1068	cfe psp.h, 1061
CFE_PSP_INVALID_MEM_TYPE	CFE_PSP_MemWrite8
cfe_psp_error.h, 1068	cfe_psp.h, 1061
CFE_PSP_INVALID_MEM_WORDSIZE	CFE_PSP_NO_EXCEPTION_DATA
cfe_psp_error.h, 1068	cfe_psp_error.h, 1068
CFE_PSP_INVALID_MODULE_ID	CFE_PSP_Panic
cfe_psp_error.h, 1068	cfe_psp.h, 1062
CFE_PSP_INVALID_MODULE_NAME	CFE_PSP_PANIC_CORE_APP
cfe_psp_error.h, 1068	cfe_psp.h, 1044
CFE_PSP_INVALID_POINTER	CFE_PSP_PANIC_GENERAL_FAILURE
cfe_psp_error.h, 1068	cfe_psp.h, 1044
CFE_PSP_Main	CFE_PSP_PANIC_MEMORY_ALLOC
cfe_psp.h, 1056	cfe_psp.h, 1044
CFE_PSP_MEM_ANY	CFE_PSP_PANIC_NONVOL_DISK
cfe_psp.h, 1043	cfe_psp.h, 1044
CFE PSP MEM ATTR READ	CFE_PSP_PANIC_STARTUP
cfe psp.h, 1043	cfe psp.h, 1044
CFE_PSP_MEM_ATTR_READWRITE	CFE_PSP_PANIC_STARTUP_SEM
cfe_psp.h, 1043	cfe_psp.h, 1044
CFE_PSP_MEM_ATTR_WRITE	CFE_PSP_PANIC_VOLATILE_DISK
cfe_psp.h, 1043	cfe_psp.h, 1044
CFE_PSP_MEM_EEPROM	CFE_PSP_PortRead16
cfe_psp.h, 1043	cfe_psp.h, 1062
CFE_PSP_MEM_INVALID	CFE_PSP_PortRead32
cfe_psp.h, 1043	cfe_psp.h, 1062
CFE_PSP_MEM_RAM	CFE_PSP_PortRead8
cfe_psp.h, 1043	cfe_psp.h, 1063
CFE_PSP_MEM_SIZE_BYTE	CFE PSP PortWrite16
cfe_psp.h, 1043	cfe psp.h, 1063
CFE PSP MEM SIZE DWORD	CFE PSP PortWrite32
cfe_psp.h, 1043	cfe_psp.h, 1063
CFE_PSP_MEM_SIZE_WORD	CFE_PSP_PortWrite8
cfe_psp.h, 1044	cfe_psp.h, 1064
CFE_PSP_MemCpy	CFE_PSP_ReadFromCDS
cfe_psp.h, 1056	cfe_psp.h, 1064
CFE_PSP_MemRangeGet	CFE_PSP_Restart
cfe_psp.h, 1057	cfe_psp.h, 1064

CFE_PSP_RST_SUBTYPE_BANKSWITCH_RESET	CFE_PSP_WriteToCDS
cfe_psp.h, 1044	cfe_psp.h, 1066
CFE_PSP_RST_SUBTYPE_EXCEPTION	cfe_resourceid.h
cfe_psp.h, 1044	CFE_ResourceId_Equal, 695
CFE_PSP_RST_SUBTYPE_HW_SPECIAL_COMMAND	CFE_ResourceId_FindNext, 695
cfe_psp.h, 1044	CFE_ResourceId_FromInteger, 697
CFE_PSP_RST_SUBTYPE_HW_WATCHDOG	CFE_ResourceId_GetBase, 697
cfe_psp.h, 1044	CFE_ResourceId_GetSerial, 698
CFE_PSP_RST_SUBTYPE_HWDEBUG_RESET	CFE_ResourceId_IsDefined, 698
cfe_psp.h, 1045	CFE_RESOURCEID_TEST_DEFINED, 694
CFE PSP RST SUBTYPE MAX	CFE_RESOURCEID_TEST_EQUAL, 694
cfe_psp.h, 1045	CFE_RESOURCEID_TO_ULONG, 695
CFE_PSP_RST_SUBTYPE_POWER_CYCLE	CFE_ResourceId_ToIndex, 698
cfe_psp.h, 1045	CFE_ResourceId_ToInteger, 699
CFE_PSP_RST_SUBTYPE_PUSH_BUTTON	cfe_resourceid_api_typedefs.h
	CFE_RESOURCEID_RESERVED, 700
CFE_PSP_RST_SUBTYPE_RESET_COMMAND	CFE_RESOURCEID_UNDEFINED, 700
cfe_psp.h, 1045	cfe_resourceid_basevalue.h
CFE_PSP_RST_SUBTYPE_UNDEFINED_RESET	CFE_RESOURCEID_MAKE_BASE, 856
cfe psp.h, 1045	CFE_RESOURCEID_MAX, 856
CFE_PSP_RST_TYPE_MAX	CFE_RESOURCEID_SHIFT, 857
cfe_psp.h, 1045	CFE_RESOURCEID_CONFIGID_BASE_OFFSET
CFE_PSP_RST_TYPE_POWERON	cFE Resource ID base values, 294
cfe_psp.h, 1045	CFE_ResourceId_Equal
CFE_PSP_RST_TYPE_PROCESSOR	cfe_resourceid.h, 695
cfe_psp.h, 1045	CFE_RESOURCEID_ES_APPID_BASE_OFFSET
CFE_PSP_SetDefaultExceptionEnvironment	cFE Resource ID base values, 294
cfe_psp.h, 1065	CFE_RESOURCEID_ES_CDSBLOCKID_BASE_OFFSET
CFE_PSP_SOFT_TIMEBASE_NAME	cFE Resource ID base values, 294
	CFE_RESOURCEID_ES_COUNTID_BASE_OFFSET
cfe_psp.h, 1045 CFE_PSP_STATUS_C	
	cFE Resource ID base values, 294
cfe_psp_error.h, 1068	CFE_RESOURCEID_ES_LIBID_BASE_OFFSET
CFE_PSP_STATUS_STRING_LENGTH	cFE Resource ID base values, 294
cfe_psp_error.h, 1068	CFE_RESOURCEID_ES_POOLID_BASE_OFFSET
CFE_PSP_Status_t	cFE Resource ID base values, 294
cfe_psp_error.h, 1069	CFE_RESOURCEID_ES_TASKID_BASE_OFFSET
CFE_PSP_StatusString_t	cFE Resource ID base values, 294
cfe_psp_error.h, 1069	CFE_ResourceId_FindNext
CFE_PSP_StatusToString	cfe_resourceid.h, 695
cfe_psp_error.h, 1069	CFE_ResourceId_FromInteger
CFE_PSP_SUCCESS	cfe_resourceid.h, 697
cfe_psp_error.h, 1068	CFE_ResourceId_GetBase
CFE_PSP_WatchdogDisable	cfe_resourceid.h, 697
cfe_psp.h, 1065	CFE_ResourceId_GetSerial
CFE_PSP_WatchdogEnable	cfe_resourceid.h, 698
cfe_psp.h, 1065	CFE_ResourceId_IsDefined
CFE_PSP_WatchdogGet	cfe_resourceid.h, 698
cfe_psp.h, 1065	CFE_RESOURCEID_MAKE_BASE
CFE_PSP_WatchdogInit	cfe_resourceid_basevalue.h, 856
cfe_psp.h, 1065	CFE_RESOURCEID_MAX
CFE_PSP_WatchdogService	cfe_resourceid_basevalue.h, 856
cfe_psp.h, 1065	CFE_RESOURCEID_RESERVED
CFE_PSP_WatchdogSet	cfe_resourceid_api_typedefs.h, 700
cfe_psp.h, 1066	CFE_RESOURCEID_SB_PIPEID_RESOURCE_BASE_OFFSET

cFE Resource ID base values, 294	CFE_SB_BAD_CMD_CODE_EID
CFE_RESOURCEID_SHIFT	cfe_sb_eventids.h, 888
cfe_resourceid_basevalue.h, 857	CFE_SB_BAD_MSGID_EID
CFE_RESOURCEID_TEST_DEFINED	cfe_sb_eventids.h, 888
cfe_resourceid.h, 694	CFE_SB_BAD_PIPEID_EID
CFE_RESOURCEID_TEST_EQUAL	cfe_sb_eventids.h, 888
cfe_resourceid.h, 694	CFE_SB_BUF_ALOC_ERR
CFE_RESOURCEID_TO_ULONG	cFE Return Code Defines, 130
cfe_resourceid.h, 695	CFE_SB_BUFFER_INVALID
CFE_ResourceId_ToIndex	cFE Return Code Defines, 130
cfe_resourceid.h, 698	CFE_SB_Buffer_t
CFE_ResourceId_ToInteger	cfe_sb_api_typedefs.h, 706
cfe_resourceid.h, 699	CFE_SB_CMD0_RCVD_EID
CFE_RESOURCEID_UNDEFINED	cfe_sb_eventids.h, 888
cfe_resourceid_api_typedefs.h, 700	CFE_SB_CMD1_RCVD_EID
CFE REVISION	cfe_sb_eventids.h, 889
cfe version.h, 716	CFE SB CMD MID
cfe_sb.h	default_cfe_sb_msgids.h, 881
CFE_BIT, 702	CFE_SB_CR_PIPE_BAD_ARG_EID
CFE CLR, 702	cfe_sb_eventids.h, 889
CFE_SET, 702	CFE SB CR PIPE ERR EID
CFE_TST, 703	cfe_sb_eventids.h, 889
CFE_SB_AllocateMessageBuffer	CFE SB CR PIPE NAME TAKEN EID
cFE Zero Copy APIs, 244	cfe_sb_eventids.h, 889
CFE_SB_ALLSUBS_TLM_MID	CFE_SB_CR_PIPE_NO_FREE_EID
default_cfe_sb_msgids.h, 881	cfe_sb_eventids.h, 890
CFE_SB_AllSubscriptionsTlm, 496	CFE_SB_CreatePipe
Payload, 497	cFE Pipe Management APIs, 231
TelemetryHeader, 497	CFE SB DEFAULT QOS
CFE_SB_AllSubscriptionsTlm_Payload, 497	cfe_sb_api_typedefs.h, 704
Entries, 497	CFE_SB_DEL_PIPE_ERR1_EID
Entry, 497	cfe_sb_eventids.h, 890
PktSegment, 498	CFE_SB_DEL_PIPE_ERR2_EID
TotalSegments, 498	cfe sb eventids.h, 890
CFE_SB_AllSubscriptionsTlm_Payload_t	CFE SB DeletePipe
default_cfe_sb_msgdefs.h, 879	cFE Pipe Management APIs, 232
CFE_SB_AllSubscriptionsTlm_t	CFE SB DEST BLK ERR EID
default_cfe_sb_msgstruct.h, 883	cfe_sb_eventids.h, 890
cfe_sb_api_typedefs.h	CFE_SB_DISABLE_ROUTE_CC
CFE SB Buffer t, 706	default_cfe_sb_fcncodes.h, 859
CFE SB DEFAULT QOS, 704	CFE_SB_DISABLE_SUB_REPORTING_CC
CFE_SB_INVALID_MSG_ID, 704	default_cfe_sb_fcncodes.h, 860
CFE SB INVALID PIPE, 704	CFE_SB_DisableRouteCmd, 498
CFE_SB_MSGID_C, 704	CommandHeader, 498
CFE_SB_MSGID_RESERVED, 705	Payload, 498
CFE_SB_MSGID_UNWRAP_VALUE, 705	CFE_SB_DisableRouteCmd_t
CFE SB MSGID WRAP VALUE, 705	
	default_cfe_sb_msgstruct.h, 883
CFE_SB_PEND_FOREVER, 705	CFE_SB_DisableSubReportingCmd, 498
CFE_SB_PIPEID_C, 705 CFE_SB_POLL, 705	CommandHeader, 499 CFE_SB_DisableSubReportingCmd_t
CFE_SB_SUBSCRIPTION, 706	· · · ·
	default_cfe_sb_msgstruct.h, 883
CFE_SB_UNSUBSCRIPTION, 706	CFE_SB_DSBL_RTE1_EID
CFE_SB_BAD_ARGUMENT	cfe_sb_eventids.h, 891
cFE Return Code Defines, 130	CFE_SB_DSBL_RTE2_EID

cfe_sb_eventids.h, 891	CFE_SB_GETPIPENAME_NULL_PTR_EID, 894
CFE_SB_DSBL_RTE3_EID	CFE_SB_GETPIPEOPTS_EID, 895
cfe_sb_eventids.h, 891	CFE_SB_GETPIPEOPTS_ID_ERR_EID, 895
CFE_SB_DUP_SUBSCRIP_EID	CFE_SB_GETPIPEOPTS_PTR_ERR_EID, 895
cfe_sb_eventids.h, 891	CFE_SB_HASHCOLLISION_EID, 895
CFE_SB_ENABLE_ROUTE_CC	CFE_SB_INIT_EID, 896
default_cfe_sb_fcncodes.h, 861	CFE_SB_LEN_ERR_EID, 896
CFE_SB_ENABLE_SUB_REPORTING_CC	CFE_SB_MAX_DESTS_MET_EID, 896
default_cfe_sb_fcncodes.h, 861	CFE_SB_MAX_MSGS_MET_EID, 896
CFE_SB_EnableRouteCmd, 499	CFE_SB_MAX_PIPES_MET_EID, 897
CommandHeader, 499	CFE_SB_MSG_TOO_BIG_EID, 897
Payload, 499	CFE_SB_MSGID_LIM_ERR_EID, 897
CFE_SB_EnableRouteCmd_t	CFE_SB_PART_SUB_PKT_EID, 897
default_cfe_sb_msgstruct.h, 883	CFE_SB_PIPE_ADDED_EID, 898
CFE_SB_EnableSubReportingCmd, 499	CFE_SB_PIPE_DELETED_EID, 898
CommandHeader, 500	CFE_SB_Q_FULL_ERR_EID, 898
CFE_SB_EnableSubReportingCmd_t	CFE_SB_Q_RD_ERR_EID, 898
default_cfe_sb_msgstruct.h, 883	CFE_SB_Q_WR_ERR_EID, 899
CFE_SB_ENBL_RTE1_EID	CFE_SB_RCV_BAD_ARG_EID, 899
cfe_sb_eventids.h, 892	CFE_SB_RCV_MESSAGE_INTEGRITY_FAIL_EID,
CFE_SB_ENBL_RTE2_EID	899
cfe_sb_eventids.h, 892	CFE_SB_SEND_BAD_ARG_EID, 899
CFE_SB_ENBL_RTE3_EID	CFE_SB_SEND_INV_MSGID_EID, 900
cfe_sb_eventids.h, 892	CFE_SB_SEND_MESSAGE_INTEGRITY_FAIL_EID,
cfe_sb_eventids.h	900
CFE_SB_BAD_CMD_CODE_EID, 888	CFE_SB_SEND_NO_SUBS_EID, 900
CFE_SB_BAD_MSGID_EID, 888	CFE_SB_SETPIPEOPTS_EID, 900
CFE_SB_BAD_PIPEID_EID, 888	CFE_SB_SETPIPEOPTS_ID_ERR_EID, 901
CFE_SB_CMD0_RCVD_EID, 888	CFE_SB_SETPIPEOPTS_OWNER_ERR_EID, 901
CFE_SB_CMD1_RCVD_EID, 889	CFE_SB_SND_RTG_EID, 901
CFE_SB_CR_PIPE_BAD_ARG_EID, 889	CFE_SB_SND_RTG_ERR1_EID, 901
CFE_SB_CR_PIPE_ERR_EID, 889	CFE_SB_SND_STATS_EID, 902
CFE_SB_CR_PIPE_NAME_TAKEN_EID, 889	CFE_SB_SUB_ARG_ERR_EID, 902
CFE_SB_CR_PIPE_NO_FREE_EID, 890	CFE_SB_SUB_INV_CALLER_EID, 902
CFE_SB_DEL_PIPE_ERR1_EID, 890	CFE_SB_SUB_INV_PIPE_EID, 902
CFE_SB_DEL_PIPE_ERR2_EID, 890	CFE_SB_SUBSCRIPTION_RCVD_EID, 903
CFE_SB_DEST_BLK_ERR_EID, 890	CFE_SB_SUBSCRIPTION_REMOVED_EID, 903
CFE_SB_DSBL_RTE1_EID, 891	CFE_SB_SUBSCRIPTION_RPT_EID, 903
CFE_SB_DSBL_RTE2_EID, 891	CFE_SB_UNSUB_ARG_ERR_EID, 903
CFE_SB_DSBL_RTE3_EID, 891	CFE_SB_UNSUB_INV_CALLER_EID, 904
CFE_SB_DUP_SUBSCRIP_EID, 891	CFE_SB_UNSUB_INV_PIPE_EID, 904
CFE_SB_ENBL_RTE1_EID, 892	CFE_SB_UNSUB_NO_SUBS_EID, 904
CFE_SB_ENBL_RTE2_EID, 892	CFE_SB_FILEWRITE_ERR_EID
CFE_SB_ENBL_RTE3_EID, 892	cfe_sb_eventids.h, 892
CFE_SB_FILEWRITE_ERR_EID, 892	CFE_SB_FULL_SUB_PKT_EID
CFE_SB_FULL_SUB_PKT_EID, 893	cfe_sb_eventids.h, 893
CFE_SB_GET_BUF_ERR_EID, 893	CFE_SB_GET_BUF_ERR_EID
CFE_SB_GETPIPEIDBYNAME_EID, 893	cfe_sb_eventids.h, 893
CFE_SB_GETPIPEIDBYNAME_NAME_ERR_EID,	CFE_SB_GetPipeIdByName
893	cFE Pipe Management APIs, 232
CFE_SB_GETPIPEIDBYNAME_NULL_ERR_EID,	CFE_SB_GETPIPEIDBYNAME_EID
894	cfe_sb_eventids.h, 893
CFE_SB_GETPIPENAME_EID, 894	CFE_SB_GETPIPEIDBYNAME_NAME_ERR_EID
CFE_SB_GETPIPENAME_ID_ERR_EID, 894	cfe_sb_eventids.h, 893

CFE_SB_GETPIPEIDBYNAME_NULL_ERR_EID	cFE Return Code Defines, 130
cfe_sb_eventids.h, 894	CFE_SB_INVALID_MSG_ID
CFE_SB_GetPipeName	cfe_sb_api_typedefs.h, 704
cFE Pipe Management APIs, 233	CFE_SB_INVALID_PIPE
CFE_SB_GETPIPENAME_EID	cfe_sb_api_typedefs.h, 704
cfe_sb_eventids.h, 894	CFE_SB_IsValidMsgld
CFE_SB_GETPIPENAME_ID_ERR_EID	cFE Message ID APIs, 251
cfe_sb_eventids.h, 894	CFE_SB_LEN_ERR_EID
CFE_SB_GETPIPENAME_NULL_PTR_EID	cfe_sb_eventids.h, 896
cfe_sb_eventids.h, 894	CFE_SB_MAX_DESTS_MET
CFE_SB_GetPipeOpts	cFE Return Code Defines, 131
cFE Pipe Management APIs, 234	CFE_SB_MAX_DESTS_MET_EID
CFE_SB_GETPIPEOPTS_EID	cfe_sb_eventids.h, 896
cfe_sb_eventids.h, 895	CFE_SB_MAX_MSGS_MET
CFE_SB_GETPIPEOPTS_ID_ERR_EID	cFE Return Code Defines, 131
cfe_sb_eventids.h, 895	CFE_SB_MAX_MSGS_MET_EID
CFE_SB_GETPIPEOPTS_PTR_ERR_EID	cfe_sb_eventids.h, 896
cfe sb eventids.h, 895	CFE_SB_MAX_PIPES_MET
CFE SB GetUserData	cFE Return Code Defines, 131
cFE Message Characteristics APIs, 247	CFE SB MAX PIPES MET EID
CFE_SB_GetUserDataLength	cfe_sb_eventids.h, 897
cFE Message Characteristics APIs, 247	CFE_SB_MessageStringGet
CFE_SB_HASHCOLLISION_EID	cFE Message Characteristics APIs, 248
cfe_sb_eventids.h, 895	CFE SB MessageStringSet
CFE_SB_HK_TLM_MID	cFE Message Characteristics APIs, 249
default_cfe_sb_msgids.h, 881	CFE_SB_Msg, 504
CFE_SB_HousekeepingTlm, 500	LongDouble, 504
Payload, 500	LongInt, 504
TelemetryHeader, 500	Msg, 504
CFE_SB_HousekeepingTlm_Payload, 500	CFE_SB_MSG_TOO_BIG
CommandCounter, 501	cFE Return Code Defines, 131
CommandSounter, 501	CFE_SB_MSG_TOO_BIG_EID
CreatePipeErrorCounter, 502	cfe_sb_eventids.h, 897
DuplicateSubscriptionsCounter, 502	CFE_SB_Msgld_Atom_t
GetPipeIdByNameErrorCounter, 502	default_cfe_sb_extern_typedefs.h, 858
InternalErrorCounter, 502	CFE SB MSGID C
MemInUse, 502	cfe_sb_api_typedefs.h, 704
MemPoolHandle, 502	CFE_SB_Msgld_Equal
MsgLimitErrorCounter, 502	cFE Message ID APIs, 251
MsgReceiveErrorCounter, 503	CFE SB MSGID LIM ERR EID
MsgSendErrorCounter, 503	cfe_sb_wsdib_Liw_Enn_Eib cfe_sb_eventids.h, 897
NoSubscribersCounter, 503	CFE_SB_MSGID_RESERVED
PipeOyorflowErrorCounter, 503	cfe_sb_api_typedefs.h, 705
PipeOverflowErrorCounter, 503	CFE_SB_Msgld_t, 505
Spare2Align, 503	Value, 505
SubscribeErrorCounter, 503	CFE_SB_MSGID_UNWRAP_VALUE
UnmarkedMem, 504	cfe_sb_api_typedefs.h, 705
CFE_SB_HousekeepingTlm_Payload_t	CFE_SB_MSGID_WRAP_VALUE
default_cfe_sb_msgdefs.h, 879	cfe_sb_api_typedefs.h, 705
CFE_SB_HousekeepingTIm_t	CFE_SB_MsgldToValue
default_cfe_sb_msgstruct.h, 883	cFE Message ID APIs, 252
CFE_SB_INIT_EID	CFE_SB_MsgMapFileEntry, 505
cfe_sb_eventids.h, 896	Index, 505
CFE_SB_INTERNAL_ERR	Msgld, 506

CFE_SB_MsgMapFileEntry_t	default_cfe_sb_msgdefs.h, 879
default_cfe_sb_msgdefs.h, 879	CFE_SB_PIPEOPTS_IGNOREMINE
CFE_SB_NO_MESSAGE	cFE SB Pipe options, 253
cFE Return Code Defines, 131	CFE_SB_POLL
CFE_SB_NOOP_CC	cfe_sb_api_typedefs.h, 705
default_cfe_sb_fcncodes.h, 862	CFE_SB_Q_FULL_ERR_EID
CFE_SB_NoopCmd, 506	cfe_sb_eventids.h, 898
CommandHeader, 506	CFE_SB_Q_RD_ERR_EID
CFE_SB_NoopCmd_t	cfe_sb_eventids.h, 898
default_cfe_sb_msgstruct.h, 883	CFE_SB_Q_WR_ERR_EID
CFE_SB_NOT_IMPLEMENTED	cfe_sb_eventids.h, 899
cFE Return Code Defines, 131	CFE_SB_Qos_t, 509
CFE_SB_ONESUB_TLM_MID	Priority, 509
default_cfe_sb_msgids.h, 881	Reliability, 509
CFE_SB_PART_SUB_PKT_EID	CFE_SB_QosPriority
cfe_sb_eventids.h, 897	default_cfe_sb_extern_typedefs.h, 858
CFE_SB_PEND_FOREVER	CFE_SB_QosPriority_Enum_t
cfe_sb_api_typedefs.h, 705	default_cfe_sb_extern_typedefs.h, 858
CFE SB PIPE ADDED EID	CFE SB QosPriority HIGH
cfe_sb_eventids.h, 898	default_cfe_sb_extern_typedefs.h, 858
CFE_SB_PIPE_CR_ERR	CFE_SB_QosPriority_LOW
cFE Return Code Defines, 131	default_cfe_sb_extern_typedefs.h, 858
CFE_SB_PIPE_DELETED_EID	CFE_SB_QosReliability
cfe sb eventids.h, 898	default_cfe_sb_extern_typedefs.h, 859
CFE_SB_PIPE_RD_ERR	CFE_SB_QosReliability_Enum_t
cFE Return Code Defines, 132	default_cfe_sb_extern_typedefs.h, 858
CFE_SB_PipeDepthStats, 506	CFE_SB_QosReliability_HIGH
CurrentQueueDepth, 507	default_cfe_sb_extern_typedefs.h, 859
MaxQueueDepth, 507	CFE_SB_QosReliability_LOW
PeakQueueDepth, 507	default_cfe_sb_extern_typedefs.h, 859
Pipeld, 507	CFE_SB_RCV_BAD_ARG_EID
Spare, 507	cfe_sb_eventids.h, 899
CFE_SB_PipeDepthStats_t	CFE_SB_RCV_MESSAGE_INTEGRITY_FAIL_EID
default_cfe_sb_msgdefs.h, 879 CFE SB PIPEID BASE	cfe_sb_eventids.h, 899 CFE SB ReceiveBuffer
cFE Resource ID base values, 295 CFE SB PIPEID C	cFE Send/Receive Message APIs, 241
	CFE_SB_ReleaseMessageBuffer
cfe_sb_api_typedefs.h, 705	cFE Zero Copy APIs, 244
CFE_SB_Pipeld_t	CFE_SB_RESET_COUNTERS_CC
default_cfe_sb_extern_typedefs.h, 858	default_cfe_sb_fcncodes.h, 863
CFE_SB_PipeId_ToIndex	CFE_SB_ResetCountersCmd, 510
cFE Pipe Management APIs, 234	CommandHeader, 510
CFE_SB_PipeInfoEntry, 507	CFE_SB_ResetCountersCmd_t
Appld, 508	default_cfe_sb_msgstruct.h, 883
AppName, 508	CFE_SB_RouteCmd_Payload, 510
CurrentQueueDepth, 508	Msgld, 510
MaxQueueDepth, 508	Pipe, 511
Opts, 508	Spare, 511
PeakQueueDepth, 508	CFE_SB_RouteCmd_Payload_t
Pipeld, 509	default_cfe_sb_msgdefs.h, 880
PipeName, 509	CFE_SB_RouteId_Atom_t
SendErrors, 509	default_cfe_sb_extern_typedefs.h, 858
Spare, 509	CFE_SB_RoutingFileEntry, 511
CFE_SB_PipeInfoEntry_t	AppName, 511

MsgCnt, 511	default_cfe_sb_msgstruct.h, 883
Msgld, 512	CFE_SB_SND_RTG_EID
Pipeld, 512	cfe_sb_eventids.h, 901
PipeName, 512	CFE_SB_SND_RTG_ERR1_EID
State, 512	cfe_sb_eventids.h, 901
CFE_SB_RoutingFileEntry_t	CFE_SB_SND_STATS_EID
default_cfe_sb_msgdefs.h, 880	cfe_sb_eventids.h, 902
CFE_SB_SEND_BAD_ARG_EID	CFE_SB_STATS_TLM_MID
cfe_sb_eventids.h, 899	default_cfe_sb_msgids.h, 881
CFE_SB_SEND_HK_MID	CFE_SB_StatsTlm, 515
default_cfe_sb_msgids.h, 881	Payload, 515
CFE_SB_SEND_INV_MSGID_EID	TelemetryHeader, 515
cfe_sb_eventids.h, 900	CFE_SB_StatsTlm_Payload, 515
CFE_SB_SEND_MESSAGE_INTEGRITY_FAIL_EID	MaxMemAllowed, 516
cfe_sb_eventids.h, 900	MaxMsgldsAllowed, 516
CFE_SB_SEND_NO_SUBS_EID	MaxPipeDepthAllowed, 517
cfe_sb_eventids.h, 900	MaxPipesAllowed, 517
CFE_SB_SEND_PREV_SUBS_CC	MaxSubscriptionsAllowed, 517
default_cfe_sb_fcncodes.h, 864	MemInUse, 517
CFE SB SEND SB STATS CC	MsgldslnUse, 517
default cfe sb fcncodes.h, 864	PeakMemInUse, 517
CFE SB SendHkCmd, 512	PeakMsgldsInUse, 517
CommandHeader, 512	PeakPipesInUse, 518
CFE SB SendHkCmd t	PeakSBBuffersInUse, 518
default_cfe_sb_msgstruct.h, 883	PeakSubscriptionsInUse, 518
CFE_SB_SendPrevSubsCmd, 512	PipeDepthStats, 518
CommandHeader, 513	PipesInUse, 518
CFE_SB_SendPrevSubsCmd_t	SBBuffersInUse, 518
default_cfe_sb_msgstruct.h, 883	SubscriptionsInUse, 518
CFE_SB_SendSbStatsCmd, 513	CFE_SB_StatsTlm_Payload_t
CommandHeader, 513	default_cfe_sb_msgdefs.h, 880
CFE_SB_SendSbStatsCmd_t	CFE_SB_StatsTlm_t
	default_cfe_sb_msgstruct.h, 883
default_cfe_sb_msgstruct.h, 883	-
CFE_SB_SetPipeOpts	CFE_SB_SUB_ARG_ERR_EID
cFE Pipe Management APIs, 235	cfe_sb_eventids.h, 902
CFE_SB_SETPIPEOPTS_EID	CFE_SB_SUB_ENTRIES_PER_PKT
cfe_sb_eventids.h, 900	default_cfe_sb_extern_typedefs.h, 857
CFE_SB_SETPIPEOPTS_ID_ERR_EID	CFE_SB_SUB_INV_CALLER_EID
cfe_sb_eventids.h, 901	cfe_sb_eventids.h, 902
CFE_SB_SETPIPEOPTS_OWNER_ERR_EID	CFE_SB_SUB_INV_PIPE_EID
cfe_sb_eventids.h, 901	cfe_sb_eventids.h, 902
CFE_SB_SetUserDataLength	CFE_SB_SUB_RPT_CTRL_MID
cFE Message Characteristics APIs, 250	default_cfe_sb_msgids.h, 881
CFE_SB_SingleSubscriptionTlm, 513	CFE_SB_SubEntries, 519
Payload, 514	Msgld, 519
TelemetryHeader, 514	Pipe, 519
CFE_SB_SingleSubscriptionTlm_Payload, 514	Qos, 519
Msgld, 514	CFE_SB_SubEntries_t
Pipe, 514	default_cfe_sb_msgdefs.h, 880
Qos, 515	CFE_SB_Subscribe
SubType, 515	cFE Message Subscription Control APIs, 236
CFE_SB_SingleSubscriptionTlm_Payload_t	CFE_SB_SubscribeEx
default_cfe_sb_msgdefs.h, 880	cFE Message Subscription Control APIs, 237
CFF_SB_SingleSubscriptionTlm_t	CFE SB SubscribeLocal

cFE Message Subscription Control APIs, 238	CommandHeader, 522
CFE_SB_SUBSCRIPTION	Payload, 522
cfe_sb_api_typedefs.h, 706	CFE_SB_WriteRoutingInfoCmd_t
CFE_SB_SUBSCRIPTION_RCVD_EID	default_cfe_sb_msgstruct.h, 883
cfe_sb_eventids.h, 903	CFE_SB_WRONG_MSG_TYPE
CFE_SB_SUBSCRIPTION_REMOVED_EID	cFE Return Code Defines, 132
cfe_sb_eventids.h, 903	CFE_SERVICE_BITMASK
CFE_SB_SUBSCRIPTION_RPT_EID	cfe_error.h, 670
cfe_sb_eventids.h, 903	CFE_SET
CFE_SB_TIME_OUT	cfe_sb.h, 702
cFE Return Code Defines, 132	CFE_SEVERITY_BITMASK
CFE_SB_TimeStampMsg	cfe_error.h, 670
cFE Message Characteristics APIs, 250	CFE_SEVERITY_ERROR
CFE_SB_TransmitBuffer	cfe_error.h, 670
cFE Zero Copy APIs, 245	CFE_SEVERITY_INFO
CFE_SB_TransmitMsg	cfe_error.h, 670
cFE Send/Receive Message APIs, 242	CFE_SEVERITY_SUCCESS
CFE_SB_UNSUB_ARG_ERR_EID	cfe_error.h, 670
cfe_sb_eventids.h, 903	CFE_SOFTWARE_BUS_SERVICE
CFE_SB_UNSUB_INV_CALLER_EID	cfe_error.h, 670
cfe_sb_eventids.h, 904	CFE_SRC_VERSION
CFE_SB_UNSUB_INV_PIPE_EID	cfe_version.h, 716
cfe_sb_eventids.h, 904	CFE_STATUS_BAD_COMMAND_CODE
CFE_SB_UNSUB_NO_SUBS_EID	cFE Return Code Defines, 132
cfe_sb_eventids.h, 904	CFE_STATUS_C
CFE_SB_Unsubscribe	cfe_error.h, 670
cFE Message Subscription Control APIs, 238	CFE_STATUS_EXTERNAL_RESOURCE_FAIL
CFE_SB_UnsubscribeLocal	cFE Return Code Defines, 132
cFE Message Subscription Control APIs, 239	CFE_STATUS_INCORRECT_STATE
CFE_SB_UNSUBSCRIPTION	cFE Return Code Defines, 132
cfe_sb_api_typedefs.h, 706	CFE_STATUS_NO_COUNTER_INCREMENT
CFE_SB_ValueToMsgld	cFE Return Code Defines, 132
cFE Message ID APIs, 252	CFE_STATUS_NOT_IMPLEMENTED
CFE_SB_WRITE_MAP_INFO_CC	cFE Return Code Defines, 133
default_cfe_sb_fcncodes.h, 865	CFE_STATUS_RANGE_ERROR
CFE_SB_WRITE_PIPE_INFO_CC	cFE Return Code Defines, 133
default_cfe_sb_fcncodes.h, 866	CFE_STATUS_REQUEST_ALREADY_PENDING
CFE_SB_WRITE_ROUTING_INFO_CC	cFE Return Code Defines, 133
default_cfe_sb_fcncodes.h, 867	CFE_STATUS_STRING_LENGTH
CFE_SB_WriteFileInfoCmd_Payload, 520	cfe_error.h, 670
Filename, 520	CFE_Status_t
CFE_SB_WriteFileInfoCmd_Payload_t	cfe_error.h, 671
default_cfe_sb_msgdefs.h, 880	CFE_STATUS_UNKNOWN_MSG_ID
CFE_SB_WriteMapInfoCmd, 520	cFE Return Code Defines, 133
CommandHeader, 520	CFE_STATUS_VALIDATION_FAILURE
Payload, 520	cFE Return Code Defines, 133
CFE_SB_WriteMapInfoCmd_t	CFE_STATUS_WRONG_MSG_LENGTH
default_cfe_sb_msgstruct.h, 883	cFE Return Code Defines, 133
CFE_SB_WritePipeInfoCmd, 521	CFE_StatusString_t
CommandHeader, 521	cfe_error.h, 671
Payload, 521	CFE_STR
CFE_SB_WritePipeInfoCmd_t	cfe_version.h, 716
default_cfe_sb_msgstruct.h, 883	CFE_STR_HELPER
CFF_SB_WriteRoutingInfoCmd_521	cfe_version.h. 716

CFE_SUCCESS	CFE_TBL_CallbackFuncPtr_t
cFE Return Code Defines, 133	cfe_tbl_api_typedefs.h, 709
CFE_TABLE_SERVICE	CFE_TBL_CC1_ERR_EID
cfe_error.h, 671	cfe_tbl_eventids.h, 932
CFE_TBL_ABORT_LOAD_CC	CFE_TBL_CDS_DELETE_ERR_EID
default_cfe_tbl_fcncodes.h, 906	cfe_tbl_eventids.h, 933
CFE_TBL_AbortLoadCmd, 522	CFE_TBL_CDS_DELETED_INFO_EID
CommandHeader, 522	cfe_tbl_eventids.h, 933
Payload, 522	CFE TBL CDS NOT FOUND ERR EID
CFE_TBL_AbortLoadCmd_Payload, 522	cfe_tbl_eventids.h, 933
TableName, 523	CFE_TBL_CDS_OWNER_ACTIVE_ERR_EID
CFE_TBL_AbortLoadCmd_Payload_t	cfe_tbl_eventids.h, 933
default_cfe_tbl_msgdefs.h, 924	CFE_TBL_CMD_MID
CFE_TBL_AbortLoadCmd_t	default_cfe_tbl_msgids.h, 925
default_cfe_tbl_msgstruct.h, 927	CFE_TBL_CREATING_DUMP_FILE_ERR_EID
CFE_TBL_ACTIVATE_CC	cfe_tbl_eventids.h, 934
default_cfe_tbl_fcncodes.h, 907	CFE_TBL_DelCDSCmd_Payload, 524
CFE_TBL_ACTIVATE_DUMP_ONLY_ERR_EID	TableName, 524
cfe tbl eventids.h, 932	CFE_TBL_DelCDSCmd_Payload_t
CFE TBL ACTIVATE ERR EID	default_cfe_tbl_msgdefs.h, 924
cfe tbl eventids.h, 932	CFE_TBL_DELETE_CDS_CC
CFE_TBL_ActivateCmd, 523	default cfe tbl fcncodes.h, 908
CommandHeader, 523	CFE TBL DeleteCDSCmd, 525
Payload, 523	CommandHeader, 525
CFE_TBL_ActivateCmd_Payload, 524	Payload, 525
TableName, 524	CFE_TBL_DeleteCDSCmd_t
CFE_TBL_ActivateCmd_Payload_t	default_cfe_tbl_msgstruct.h, 927
default_cfe_tbl_msgdefs.h, 924	CFE_TBL_DUMP_CC
CFE_TBL_ActivateCmd_t	default_cfe_tbl_fcncodes.h, 909
	CFE_TBL_DUMP_PENDING_ERR_EID
default_cfe_tbl_msgstruct.h, 927	cfe_tbl_eventids.h, 934
cfe_tbl_api_typedefs.h	
CFE_TBL_BAD_TABLE_HANDLE, 708 CFE_TBL_CallbackFuncPtr_t, 709	CFE_TBL_DUMP_REGISTRY_CC default_cfe_tbl_fcncodes.h, 909
CFE TBL Handle t, 709	
CFE_TBL_naridie_t, 709 CFE_TBL_Info_t, 709	CFE_TBL_DumpCmd, 525
:	CommandHeader, 525
CFE_TBL_MAX_FULL_NAME_LEN, 709	Payload, 526
CFE_TBL_SRC_ADDRESS, 709	CFE_TBL_DumpCmd_Payload, 526
CFE_TBL_SRC_FILE, 709	ActiveTableFlag, 526
CFE_TBL_SrcEnum, 709	DumpFilename, 526
CFE_TBL_SrcEnum_t, 709	TableName, 526
CFE_TBL_ASSUMED_VALID_INF_EID	CFE_TBL_DumpCmd_Payload_t
cfe_tbl_eventids.h, 932	default_cfe_tbl_msgdefs.h, 924
CFE_TBL_BAD_ARGUMENT	CFE_TBL_DumpCmd_t
cFE Return Code Defines, 134	default_cfe_tbl_msgstruct.h, 927
CFE_TBL_BAD_TABLE_HANDLE	CFE_TBL_DumpRegistryCmd, 527
cfe_tbl_api_typedefs.h, 708	CommandHeader, 527
CFE_TBL_BufferSelect	Payload, 527
default_cfe_tbl_extern_typedefs.h, 905	CFE_TBL_DumpRegistryCmd_Payload, 527
CFE_TBL_BufferSelect_ACTIVE	DumpFilename, 528
default_cfe_tbl_extern_typedefs.h, 906	CFE_TBL_DumpRegistryCmd_Payload_t
CFE_TBL_BufferSelect_Enum_t	default_cfe_tbl_msgdefs.h, 924
default_cfe_tbl_extern_typedefs.h, 905	CFE_TBL_DumpRegistryCmd_t
CFE_TBL_BufferSelect_INACTIVE	default_cfe_tbl_msgstruct.h, 927
default cfe tbl extern typedefs.h, 906	CFE TBL DumpToBuffer

cFE Manage Table Content APIs, 259	cFE Return Code Defines, 137
CFE_TBL_ERR_ACCESS	CFE_TBL_ERR_SHORT_FILE
cFE Return Code Defines, 134	cFE Return Code Defines, 137
CFE_TBL_ERR_BAD_CONTENT_ID	CFE_TBL_ERR_UNREGISTERED
cFE Return Code Defines, 134	cFE Return Code Defines, 137
CFE_TBL_ERR_BAD_PROCESSOR_ID	cfe_tbl_eventids.h
cFE Return Code Defines, 134	CFE_TBL_ACTIVATE_DUMP_ONLY_ERR_EID, 932
CFE_TBL_ERR_BAD_SPACECRAFT_ID	CFE_TBL_ACCUMED_VALUE FID 888
cFE Return Code Defines, 134	CFE_TBL_ASSUMED_VALID_INF_EID, 932
CFE_TBL_ERR_BAD_SUBTYPE_ID	CFE_TBL_CC1_ERR_EID, 932
cFE Return Code Defines, 134	CFE_TBL_CDS_DELETE_ERR_EID, 933
CFE_TBL_ERR_DUMP_ONLY	CFE_TBL_CDS_DELETED_INFO_EID, 933
cFE Return Code Defines, 134	CFE_TBL_CDS_NOT_FOUND_ERR_EID, 933
CFE_TBL_ERR_DUPLICATE_DIFF_SIZE	CFE_TBL_CDS_OWNER_ACTIVE_ERR_EID, 933
cFE Return Code Defines, 134	CFE_TBL_CREATING_DUMP_FILE_ERR_EID, 934
CFE_TBL_ERR_DUPLICATE_NOT_OWNED cFE Return Code Defines, 135	CFE_TBL_DUMP_PENDING_ERR_EID, 934
,	CFE_TBL_FAIL_HK_SEND_ERR_EID, 934
CFE_TBL_ERR_FILE_FOR_WRONG_TABLE	CFE_TBL_FAIL_NOTIFY_SEND_ERR_EID, 934
cFE Return Code Defines, 135	CFE_TBL_FILE_ACCESS_ERR_EID, 935
CFE_TBL_ERR_FILE_SIZE_INCONSISTENT cFE Return Code Defines, 135	CFE_TBL_FILE_INCOMPLETE_ERR_EID, 935
CFE_TBL_ERR_FILE_TOO_LARGE	CFE_TBL_FILE_LOADED_INF_EID, 935
cFE Return Code Defines, 135	CFE_TBL_FILE_STD_HDR_ERR_EID, 935
CFE_TBL_ERR_FILENAME_TOO_LONG	CFE_TBL_FILE_SUBTYPE_ERR_EID, 936 CFE_TBL_FILE_TBL_HDR_ERR_EID, 936
cFE Return Code Defines, 135	CFE_TBL_FILE_TBL_HDR_ERR_EID, 936
CFE_TBL_ERR_HANDLES_FULL	CFE_TBL_FILE_TYPE_ERR_EID, 936 CFE_TBL_FILE_TYPE_ERR_EID, 936
cFE Return Code Defines, 135	CFE_TBL_HANDLE_ACCESS_ERR_EID, 937
CFE_TBL_ERR_ILLEGAL_SRC_TYPE	CFE_TBL_ILLEGAL_BUFF_PARAM_ERR_EID, 937
cFE Return Code Defines, 135	CFE_TBL_IN_REGISTRY_ERR_EID, 937
CFE_TBL_ERR_INVALID_HANDLE	CFE_TBL_INIT_INF_EID, 937
cFE Return Code Defines, 135	CFE_TBL_LEN_ERR_EID, 938
CFE_TBL_ERR_INVALID_NAME	CFE_TBL_LOAD_ABORT_ERR_EID, 938
cFE Return Code Defines, 136	CFE_TBL_LOAD_ABORT_INF_EID, 938
CFE_TBL_ERR_INVALID_OPTIONS	CFE_TBL_LOAD_EXCEEDS_SIZE_ERR_EID, 938
cFE Return Code Defines, 136	CFE_TBL_LOAD_FILENAME_LONG_ERR_EID,
CFE TBL ERR INVALID SIZE	939
cFE Return Code Defines, 136	CFE_TBL_LOAD_IN_PROGRESS_ERR_EID, 939
CFE_TBL_ERR_LOAD_IN_PROGRESS	CFE_TBL_LOAD_PEND_REQ_INF_EID, 939
cFE Return Code Defines, 136	CFE_TBL_LOAD_SUCCESS_INF_EID, 939
CFE TBL ERR LOAD INCOMPLETE	CFE_TBL_LOAD_TBLNAME_MISMATCH_ERR_EID
cFE Return Code Defines, 136	940
CFE_TBL_ERR_NEVER_LOADED	CFE_TBL_LOAD_TYPE_ERR_EID, 940
cFE Return Code Defines, 136	CFE_TBL_LOAD_VAL_ERR_EID, 940
CFE_TBL_ERR_NO_ACCESS	CFE_TBL_LOADING_A_DUMP_ONLY_ERR_EID,
cFE Return Code Defines, 136	940
CFE_TBL_ERR_NO_BUFFER_AVAIL	CFE_TBL_LOADING_PENDING_ERR_EID, 941
cFE Return Code Defines, 137	CFE_TBL_MID_ERR_EID, 941
CFE_TBL_ERR_NO_STD_HEADER	CFE_TBL_NO_INACTIVE_BUFFER_ERR_EID, 941
cFE Return Code Defines, 137	CFE_TBL_NO_SUCH_TABLE_ERR_EID, 941
CFE_TBL_ERR_NO_TBL_HEADER	CFE_TBL_NO_WORK_BUFFERS_ERR_EID, 942
cFE Return Code Defines, 137	CFE_TBL_NOOP_INF_EID, 942
CFE_TBL_ERR_PARTIAL_LOAD	CFE_TBL_NOT_CRITICAL_TBL_ERR_EID, 942
cFE Return Code Defines, 137	CFE_TBL_NOT_IN_CRIT_REG_ERR_EID, 942
CFE_TBL_ERR_REGISTRY_FULL	CFE_TBL_OVERWRITE_DUMP_INF_EID, 943

CFE_TBL_OVERWRITE_REG_DUMP_INF_EID,	cfe_tbl_filedef.h, 710
943	CFE_TBL_FileDef, 529
CFE_TBL_PARTIAL_LOAD_ERR_EID, 943	Description, 529
CFE_TBL_PROCESSOR_ID_ERR_EID, 943	ObjectName, 529
CFE_TBL_REGISTER_ERR_EID, 944	ObjectSize, 530
CFE_TBL_RESET_INF_EID, 944	TableName, 530
CFE_TBL_SHARE_ERR_EID, 944	TgtFilename, 530
CFE_TBL_SPACECRAFT_ID_ERR_EID, 944	cfe_tbl_filedef.h
CFE_TBL_TLM_REG_CMD_INF_EID, 945	CFE_TBL_FILEDEF, 710
CFE_TBL_TOO_MANY_DUMPS_ERR_EID, 945	CFE_TBL_FileDef_t, 711
CFE_TBL_TOO_MANY_VALIDATIONS_ERR_EID,	CFE_TBL_FileDef_t
945	cfe_tbl_filedef.h, 711
CFE_TBL_UNREGISTER_ERR_EID, 945	CFE_TBL_GetAddress
CFE_TBL_UNVALIDATED_ERR_EID, 946	cFE Access Table Content APIs, 265
CFE_TBL_UPDATE_ERR_EID, 946	CFE_TBL_GetAddresses
CFE_TBL_UPDATE_SUCCESS_INF_EID, 946	cFE Access Table Content APIs, 266
CFE_TBL_VAL_REQ_MADE_INF_EID, 946	CFE_TBL_GetInfo
CFE_TBL_VALIDATION_ERR_EID, 947	cFE Get Table Information APIs, 270
CFE_TBL_VALIDATION_INF_EID, 947	CFE_TBL_GetStatus
CFE_TBL_WRITE_CFE_HDR_ERR_EID, 947	cFE Get Table Information APIs, 271
CFE_TBL_WRITE_DUMP_INF_EID, 947	CFE_TBL_HANDLE_ACCESS_ERR_EID
CFE_TBL_WRITE_REG_DUMP_INF_EID, 948	cfe_tbl_eventids.h, 937
CFE_TBL_WRITE_TBL_HDR_ERR_EID, 948	CFE_TBL_Handle_t
CFE_TBL_WRITE_TBL_IMG_ERR_EID, 948	cfe_tbl_api_typedefs.h, 709
CFE_TBL_WRITE_TBL_REG_ERR_EID, 948	CFE_TBL_HK_TLM_MID
CFE_TBL_ZERO_LENGTH_LOAD_ERR_EID, 949	default_cfe_tbl_msgids.h, 925
CFE_TBL_FAIL_HK_SEND_ERR_EID	CFE_TBL_HousekeepingTlm, 530
cfe_tbl_eventids.h, 934	Payload, 530
CFE_TBL_FAIL_NOTIFY_SEND_ERR_EID	TelemetryHeader, 530
cfe_tbl_eventids.h, 934	CFE_TBL_HousekeepingTlm_Payload, 531
CFE_TBL_FILE_ACCESS_ERR_EID	ActiveBuffer, 532
cfe_tbl_eventids.h, 935	ByteAlignPad1, 532
CFE_TBL_File_Hdr, 528	CommandCounter, 532
NumBytes, 528	CommandErrorCounter, 532
Offset, 528	FailedValCounter, 532
Reserved, 528	LastFileDumped, 532
TableName, 528	LastFileLoaded, 533
CFE_TBL_File_Hdr_t	LastTableLoaded, 533
default_cfe_tbl_extern_typedefs.h, 905	LastUpdatedTable, 533
CFE_TBL_FILE_INCOMPLETE_ERR_EID	LastUpdateTime, 533
cfe_tbl_eventids.h, 935	LastValCrc, 533
CFE_TBL_FILE_LOADED_INF_EID	LastValStatus, 533
cfe_tbl_eventids.h, 935	LastValTableName, 533
CFE TBL FILE STD HDR ERR EID	MemPoolHandle, 534
cfe tbl eventids.h, 935	NumFreeSharedBufs, 534
CFE TBL FILE SUBTYPE ERR EID	NumLoadPending, 534
cfe_tbl_eventids.h, 936	NumTables, 534
CFE TBL FILE TBL HDR ERR EID	NumValRequests, 534
cfe_tbl_eventids.h, 936	SuccessValCounter, 534
CFE_TBL_FILE_TOO_BIG_ERR_EID	ValidationCounter, 534
cfe_tbl_eventids.h, 936	CFE_TBL_HousekeepingTlm_Payload_t
CFE TBL FILE TYPE ERR EID	default_cfe_tbl_msgdefs.h, 924
cfe_tbl_eventids.h, 936	CFE_TBL_HousekeepingTlm_t
CFE TBL FILEDEF	default cfe tbl msgstruct.h, 927
U. L. 10L 11LLUL1	acidan old for illogotidothi, VL/

CFE_TBL_ILLEGAL_BUFF_PARAM_ERR_EID	cfe_tbl_eventids.h, 939
cfe_tbl_eventids.h, 937	CFE_TBL_LOAD_SUCCESS_INF_EID
CFE TBL IN REGISTRY ERR EID	cfe_tbl_eventids.h, 939
cfe_tbl_eventids.h, 937	CFE_TBL_LOAD_TBLNAME_MISMATCH_ERR_EID
CFE_TBL_Info, 535	cfe_tbl_eventids.h, 940
Crc, 535	CFE_TBL_LOAD_TYPE_ERR_EID
Critical, 536	cfe_tbl_eventids.h, 940
DoubleBuffered, 536	CFE_TBL_LOAD_VAL_ERR_EID
DumpOnly, 536	cfe_tbl_eventids.h, 940
FileCreateTimeSecs, 536	CFE_TBL_LoadCmd, 537
FileCreateTimeSubSecs, 536	CommandHeader, 537
LastFileLoaded, 536	Payload, 537
NumUsers, 536	CFE_TBL_LoadCmd_Payload, 537
Size, 536	LoadFilename, 538
TableLoadedOnce, 536	CFE_TBL_LoadCmd_Payload_t
TimeOfLastUpdate, 536	default_cfe_tbl_msgdefs.h, 924
UserDefAddr, 537	CFE TBL LoadCmd t
CFE_TBL_INFO_DUMP_PENDING	default_cfe_tbl_msgstruct.h, 927
cFE Return Code Defines, 137	CFE_TBL_LOADING_A_DUMP_ONLY_ERR_EID
CFE_TBL_INFO_NO_UPDATE_PENDING	cfe tbl eventids.h, 940
cFE Return Code Defines, 138	CFE_TBL_LOADING_PENDING_ERR_EID
CFE_TBL_INFO_NO_VALIDATION_PENDING	cfe_tbl_eventids.h, 941
cFE Return Code Defines, 138	CFE TBL Manage
CFE TBL INFO RECOVERED TBL	cFE Manage Table Content APIs, 261
cFE Return Code Defines, 138	CFE_TBL_MAX_FULL_NAME_LEN
CFE_TBL_Info_t	cfe_tbl_api_typedefs.h, 709
cfe_tbl_api_typedefs.h, 709	CFE_TBL_MESSAGE_ERROR
CFE_TBL_INFO_TABLE_LOCKED	cFE Return Code Defines, 138
cFE Return Code Defines, 138	CFE_TBL_MID_ERR_EID
CFE_TBL_INFO_UPDATE_PENDING	cfe_tbl_eventids.h, 941
cFE Return Code Defines, 138	CFE_TBL_Modified
CFE_TBL_INFO_UPDATED	cFE Manage Table Content APIs, 262
cFE Return Code Defines, 138	CFE_TBL_NO_INACTIVE_BUFFER_ERR_EID
CFE TBL INFO VALIDATION PENDING	cfe tbl eventids.h, 941
cFE Return Code Defines, 138	CFE_TBL_NO_SUCH_TABLE_ERR_EID
CFE_TBL_INIT_INF_EID	cfe_tbl_eventids.h, 941
cfe_tbl_eventids.h, 937	CFE_TBL_NO_WORK_BUFFERS_ERR_EID
CFE_TBL_LEN_ERR_EID	cfe_tbl_eventids.h, 942
cfe tbl eventids.h, 938	CFE_TBL_NOOP_CC
CFE_TBL_Load	default_cfe_tbl_fcncodes.h, 911
cFE Manage Table Content APIs, 260	CFE_TBL_NOOP_INF_EID
CFE_TBL_LOAD_ABORT_ERR_EID	cfe_tbl_eventids.h, 942
cfe_tbl_eventids.h, 938	CFE_TBL_NoopCmd, 538
CFE_TBL_LOAD_ABORT_INF_EID	CommandHeader, 538
cfe_tbl_eventids.h, 938	CFE_TBL_NoopCmd_t
CFE TBL LOAD CC	default_cfe_tbl_msgstruct.h, 927
default_cfe_tbl_fcncodes.h, 910	CFE TBL NOT CRITICAL TBL ERR EID
CFE_TBL_LOAD_EXCEEDS_SIZE_ERR_EID	cfe_tbl_eventids.h, 942
cfe_tbl_eventids.h, 938	CFE_TBL_NOT_IMPLEMENTED
CFE_TBL_LOAD_FILENAME_LONG_ERR_EID	cFE Return Code Defines, 139
cfe_tbl_eventids.h, 939	CFE_TBL_NOT_IN_CRIT_REG_ERR_EID
CFE_TBL_LOAD_IN_PROGRESS_ERR_EID	cfe_tbl_eventids.h, 942
cfe_tbl_eventids.h, 939	CFE_TBL_NotifyByMessage
CEE TRI LOAD PEND REO INE EID	cFF Get Table Information APIs 271

CFE_TBL_NotifyCmd, 538	default_cfe_tbl_fcncodes.h, 912
CommandHeader, 539	CFE_TBL_RESET_INF_EID
Payload, 539	cfe_tbl_eventids.h, 944
CFE_TBL_NotifyCmd_Payload, 539	CFE_TBL_ResetCountersCmd, 539
Parameter, 539	CommandHeader, 540
CFE_TBL_NotifyCmd_Payload_t	CFE TBL ResetCountersCmd t
default_cfe_tbl_msgdefs.h, 924	default_cfe_tbl_msgstruct.h, 927
CFE_TBL_NotifyCmd_t	CFE_TBL_SEND_HK_MID
default_cfe_tbl_msgstruct.h, 927	default_cfe_tbl_msgids.h, 925
CFE_TBL_OPT_BUFFER_MSK	CFE_TBL_SEND_REGISTRY_CC
cFE Table Type Defines, 273	default cfe tbl fcncodes.h, 913
CFE_TBL_OPT_CRITICAL	CFE TBL SendHkCmd, 540
cFE Table Type Defines, 273	CommandHeader, 540
CFE_TBL_OPT_CRITICAL_MSK	CFE_TBL_SendHkCmd_t
cFE Table Type Defines, 273	default_cfe_tbl_msgstruct.h, 927
CFE_TBL_OPT_DBL_BUFFER	CFE_TBL_SendRegistryCmd, 540
cFE Table Type Defines, 273	CommandHeader, 541
CFE_TBL_OPT_DEFAULT	Payload, 541
cFE Table Type Defines, 274	CFE_TBL_SendRegistryCmd_Payload, 54
CFE_TBL_OPT_DUMP_ONLY	TableName, 541
cFE Table Type Defines, 274	CFE_TBL_SendRegistryCmd_Payload_t
CFE_TBL_OPT_LD_DMP_MSK	default_cfe_tbl_msgdefs.h, 924
cFE Table Type Defines, 274	CFE_TBL_SendRegistryCmd_t
CFE TBL OPT LOAD DUMP	default_cfe_tbl_msgstruct.h, 927
cFE Table Type Defines, 274	CFE_TBL_Share
CFE_TBL_OPT_NOT_CRITICAL	cFE Registration APIs, 256
cFE Table Type Defines, 274	CFE_TBL_SHARE_ERR_EID
CFE_TBL_OPT_NOT_USR_DEF	cfe_tbl_eventids.h, 944
cFE Table Type Defines, 274	CFE_TBL_SPACECRAFT_ID_ERR_EID
CFE_TBL_OPT_SNGL_BUFFER	cfe_tbl_eventids.h, 944
cFE Table Type Defines, 274	CFE_TBL_SRC_ADDRESS
CFE_TBL_OPT_USR_DEF_ADDR	cfe_tbl_api_typedefs.h, 709
cFE Table Type Defines, 274	CFE_TBL_SRC_FILE
CFE_TBL_OPT_USR_DEF_MSK	cfe_tbl_api_typedefs.h, 709
cFE Table Type Defines, 274	CFE_TBL_SrcEnum
CFE_TBL_OVERWRITE_DUMP_INF_EID	cfe_tbl_api_typedefs.h, 709
cfe_tbl_eventids.h, 943	CFE_TBL_SrcEnum_t
CFE_TBL_OVERWRITE_REG_DUMP_INF_EID	cfe_tbl_api_typedefs.h, 709
cfe_tbl_eventids.h, 943	CFE_TBL_TableRegistryTlm, 541
CFE_TBL_PARTIAL_LOAD_ERR_EID	Payload, 542
cfe_tbl_eventids.h, 943	TelemetryHeader, 542
CFE_TBL_PROCESSOR_ID_ERR_EID	CFE_TBL_TableRegistryTlm_t
cfe_tbl_eventids.h, 943	default_cfe_tbl_msgstruct.h, 927
CFE_TBL_REG_TLM_MID	CFE_TBL_TblRegPacket_Payload, 542
default_cfe_tbl_msgids.h, 925	ActiveBufferAddr, 543
CFE_TBL_Register	ByteAlign4, 543
cFE Registration APIs, 254	Crc, 543
CFE_TBL_REGISTER_ERR_EID	Critical, 543
cfe_tbl_eventids.h, 944	DoubleBuffered, 543
CFE_TBL_ReleaseAddress	DumpOnly, 544
cFE Access Table Content APIs, 267	FileCreateTimeSecs, 544
CFE_TBL_ReleaseAddresses	FileCreateTimeSubSecs, 544
cFE Access Table Content APIs, 268	InactiveBufferAddr, 544
CFE_TBL_RESET_COUNTERS_CC	LastFileLoaded, 544

Land Danielland EAA	-FF D-town O-d- D-fines 400
LoadPending, 544	cFE Return Code Defines, 139
Name, 544	CFE_TBL_WRITE_CFE_HDR_ERR_EID
OwnerAppName, 545	cfe_tbl_eventids.h, 947
Size, 545	CFE_TBL_WRITE_DUMP_INF_EID
TableLoadedOnce, 545	cfe_tbl_eventids.h, 947
TimeOfLastUpdate, 545	CFE_TBL_WRITE_REG_DUMP_INF_EID
ValidationFuncPtr, 545	cfe_tbl_eventids.h, 948
CFE_TBL_TblRegPacket_Payload_t	CFE_TBL_WRITE_TBL_HDR_ERR_EID
default_cfe_tbl_msgdefs.h, 924	cfe_tbl_eventids.h, 948
CFE_TBL_TLM_REG_CMD_INF_EID	CFE_TBL_WRITE_TBL_IMG_ERR_EID
cfe_tbl_eventids.h, 945	cfe_tbl_eventids.h, 948
CFE_TBL_TOO_MANY_DUMPS_ERR_EID	CFE_TBL_WRITE_TBL_REG_ERR_EID
cfe_tbl_eventids.h, 945	cfe_tbl_eventids.h, 948
CFE_TBL_TOO_MANY_VALIDATIONS_ERR_EID	CFE_TBL_ZERO_LENGTH_LOAD_ERR_EID
cfe_tbl_eventids.h, 945	cfe_tbl_eventids.h, 949
CFE_TBL_Unregister	cfe_time.h
cFE Registration APIs, 257	CFE_TIME_Copy, 712
CFE_TBL_UNREGISTER_ERR_EID	CFE_TIME_1HZ_CMD_MID
cfe_tbl_eventids.h, 945	default_cfe_time_msgids.h, 983
CFE_TBL_UNVALIDATED_ERR_EID	CFE_TIME_1HzCmd, 547
cfe_tbl_eventids.h, 946	CommandHeader, 547
CFE_TBL_Update	CFE_TIME_1HzCmd_t
cFE Manage Table Content APIs, 262	default_cfe_time_msgstruct.h, 985
CFE_TBL_UPDATE_ERR_EID	CFE_TIME_A_GT_B
cfe_tbl_eventids.h, 946	cfe_time_api_typedefs.h, 714
CFE_TBL_UPDATE_SUCCESS_INF_EID	CFE TIME A LT B
cfe_tbl_eventids.h, 946	cfe_time_api_typedefs.h, 714
CFE_TBL_VAL_REQ_MADE_INF_EID	CFE_TIME_Add
cfe_tbl_eventids.h, 946	cFE Time Arithmetic APIs, 281
CFE TBL Validate	CFE_TIME_Add1HZAdjustmentCmd, 547
cFE Manage Table Content APIs, 263	CommandHeader, 548
CFE_TBL_VALIDATE_CC	Payload, 548
default_cfe_tbl_fcncodes.h, 914	CFE_TIME_Add1HZAdjustmentCmd_t
CFE_TBL_ValidateCmd, 545	default_cfe_time_msgstruct.h, 985
CommandHeader, 546	CFE_TIME_ADD_ADJUST_CC
Payload, 546	default_cfe_time_fcncodes.h, 954
CFE_TBL_ValidateCmd_Payload, 546	CFE_TIME_ADD_DELAY_CC
ActiveTableFlag, 546	default_cfe_time_fcncodes.h, 955
TableName, 547	CFE_TIME_ADD_ONEHZ_ADJUSTMENT_CC
CFE_TBL_ValidateCmd_Payload_t	default_cfe_time_fcncodes.h, 956
default_cfe_tbl_msgdefs.h, 925	CFE_TIME_AddAdjustCmd, 548
CFE_TBL_ValidateCmd_t	CommandHeader, 548
default_cfe_tbl_msgstruct.h, 928	Payload, 548
CFE_TBL_VALIDATION_ERR_EID	CFE_TIME_AddAdjustCmd_t
cfe tbl eventids.h, 947	default_cfe_time_msgstruct.h, 985
CFE_TBL_VALIDATION_INF_EID	CFE_TIME_AddDelayCmd, 548
cfe_tbl_eventids.h, 947	CommandHeader, 549
CFE TBL WARN DUPLICATE	Payload, 549
cFE Return Code Defines, 139	CFE_TIME_AddDelayCmd_t
CFE_TBL_WARN_NOT_CRITICAL	default_cfe_time_msgstruct.h, 986
cFE Return Code Defines, 139	CFE_TIME_AdjustDirection
	·
CFE_TBL_WARN_PARTIAL_LOAD	default_cfe_time_extern_typedefs.h, 952
cFE Return Code Defines, 139 CFF TBI WARN SHORT FILE	CFE_TIME_AdjustDirection_ADD default_cfe_time_extern_typedefs.h. 952
AND THE VERTILE CONTRACTOR OF THE CONTRACTOR OF	uciauli de illie extern ivoedeis i 30/

CFE_TIME_AdjustDirection_Enum_t	default_cfe_time_msgids.h, 983
default_cfe_time_extern_typedefs.h, 950	CFE_TIME_DiagnosticTlm, 549
CFE_TIME_AdjustDirection_SUBTRACT	Payload, 549
default_cfe_time_extern_typedefs.h, 952	TelemetryHeader, 549
cfe_time_api_typedefs.h	CFE_TIME_DiagnosticTlm_Payload, 550
CFE_TIME_A_GT_B, 714	AtToneDelay, 552
CFE_TIME_A_LT_B, 714	AtToneLatch, 552
CFE_TIME_Compare, 714	AtToneLeapSeconds, 552
CFE_TIME_Compare_t, 713	AtToneMET, 552
CFE_TIME_EQUAL, 714	AtToneSTCF, 552
CFE_TIME_PRINTED_STRING_SIZE, 713	ClockFlyState, 552
CFE_TIME_SynchCallbackPtr_t, 713	ClockSetState, 552
CFE_TIME_BAD_ARGUMENT	ClockSignal, 553
cFE Return Code Defines, 139	ClockSource, 553
CFE_TIME_CALLBACK_NOT_REGISTERED	ClockStateAPI, 553
cFE Return Code Defines, 139	ClockStateFlags, 553
CFE_TIME_CC_ERR_EID	CurrentLatch, 553
cfe_time_eventids.h, 990	CurrentMET, 553
CFE_TIME_ClockState	CurrentTAI, 553
default_cfe_time_extern_typedefs.h, 952	CurrentUTC, 554
CFE_TIME_ClockState_Enum_t	DataStoreStatus, 554
default_cfe_time_extern_typedefs.h, 950	DelayDirection, 554
CFE TIME ClockState FLYWHEEL	Forced2Fly, 554
default_cfe_time_extern_typedefs.h, 952	LocalIntCounter, 554
CFE_TIME_ClockState_INVALID	LocalTaskCounter, 554
default_cfe_time_extern_typedefs.h, 952	MaxElapsed, 554
CFE_TIME_ClockState_VALID	MaxLocalClock, 555
default_cfe_time_extern_typedefs.h, 952	MinElapsed, 555
CFE TIME CMD MID	OneHzAdjust, 555
default_cfe_time_msgids.h, 983	OneHzDirection, 555
CFE_TIME_Compare	OneTimeAdjust, 555
cFE Time Arithmetic APIs, 281	OneTimeDirection, 555
cfe_time_api_typedefs.h, 714	ServerFlyState, 555
CFE_TIME_Compare_t	TimeSinceTone, 556
cfe_time_api_typedefs.h, 713	ToneDataCounter, 556
CFE_TIME_Copy	ToneDataLatch, 556
cfe_time.h, 712	ToneIntCounter, 556
CFE TIME DATA CMD MID	ToneIntErrorCounter, 556
default_cfe_time_msgids.h, 983	ToneMatchCounter, 556
CFE_TIME_DELAY_CFG_EID	ToneMatchErrorCounter, 556
cfe_time_eventids.h, 990	ToneOverLimit, 557
CFE_TIME_DELAY_EID	ToneSignalCounter, 557
cfe time eventids.h, 991	ToneSignalLatch, 557
CFE_TIME_DELAY_ERR_EID	ToneTaskCounter, 557
cfe_time_eventids.h, 991	ToneUnderLimit, 557
CFE_TIME_DELTA_CFG_EID	VersionCounter, 557
cfe_time_eventids.h, 991	VirtualMET, 557
CFE TIME DELTA EID	CFE_TIME_DiagnosticTlm_Payload_t
cfe_time_eventids.h, 991	default_cfe_time_msgdefs.h, 982
CFE_TIME_DELTA_ERR_EID	CFE_TIME_DiagnosticTlm_t
cfe_time_eventids.h, 992	default_cfe_time_msgstruct.h, 986
CFE TIME DIAG EID	
	CFE_TIME_EQUAL
cfe_time_eventids.h, 992	cfe_time_api_typedefs.h, 714
CFE_TIME_DIAG_TLM_MID	cfe_time_eventids.h

CFE_TIME_CC_ERR_EID, 990	CFE_TIME_FLAG_CLKSET
CFE_TIME_DELAY_CFG_EID, 990	cFE Clock State Flag Defines, 296
CFE TIME DELAY EID, 991	CFE_TIME_FLAG_CMDFLY
CFE_TIME_DELAY_ERR_EID, 991	cFE Clock State Flag Defines, 297
CFE TIME DELTA CFG EID, 991	CFE_TIME_FLAG_FLYING
CFE TIME DELTA EID, 991	cFE Clock State Flag Defines, 297
CFE_TIME_DELTA_ERR_EID, 992	CFE_TIME_FLAG_GDTONE
CFE_TIME_DIAG_EID, 992	cFE Clock State Flag Defines, 297
CFE_TIME_FLY_OFF_EID, 992	CFE_TIME_FLAG_REFERR
CFE_TIME_FLY_ON_EID, 992	cFE Clock State Flag Defines, 297
CFE TIME ID ERR EID, 993	CFE TIME FLAG SERVER
CFE TIME INIT EID, 993	cFE Clock State Flag Defines, 297
CFE_TIME_LEAPS_CFG_EID, 993	CFE_TIME_FLAG_SIGPRI
CFE_TIME_LEAPS_EID, 993	cFE Clock State Flag Defines, 297
CFE_TIME_LEN_ERR_EID, 994	CFE_TIME_FLAG_SRCINT
CFE_TIME_MET_CFG_EID, 994	cFE Clock State Flag Defines, 297
CFE_TIME_MET_EID, 994	CFE_TIME_FLAG_SRVFLY
CFE_TIME_MET_ERR_EID, 994	cFE Clock State Flag Defines, 297
CFE_TIME_NOOP_EID, 995	CFE TIME FLAG UNUSED
CFE_TIME_ONEHZ_CFG_EID, 995	cFE Clock State Flag Defines, 297
CFE_TIME_ONEHZ_EID, 995	CFE_TIME_FlagBit
CFE_TIME_RESET_EID, 995	default_cfe_time_extern_typedefs.h, 952
CFE_TIME_SIGNAL_CFG_EID, 996	CFE_TIME_FlagBit_ADD1HZ
CFE_TIME_SIGNAL_EID, 996	default_cfe_time_extern_typedefs.h, 953
CFE_TIME_SIGNAL_ERR_EID, 996	CFE_TIME_FlagBit_ADDADJ
CFE_TIME_SOURCE_CFG_EID, 996	default_cfe_time_extern_typedefs.h, 953
CFE_TIME_SOURCE_EID, 997	CFE_TIME_FlagBit_ADDTCL
CFE_TIME_SOURCE_ERR_EID, 997	default_cfe_time_extern_typedefs.h, 953
CFE_TIME_STATE_EID, 997	CFE_TIME_FlagBit_CLKSET
CFE_TIME_STATE_ERR_EID, 997	default_cfe_time_extern_typedefs.h, 953
CFE_TIME_STCF_CFG_EID, 998	CFE_TIME_FlagBit_CMDFLY
CFE_TIME_STCF_EID, 998	default_cfe_time_extern_typedefs.h, 953
CFE_TIME_STCF_ERR_EID, 998	CFE_TIME_FlagBit_Enum_t
CFE_TIME_TIME_CFG_EID, 998	default_cfe_time_extern_typedefs.h, 951
CFE_TIME_TIME_EID, 999	CFE_TIME_FlagBit_FLYING
CFE_TIME_TIME_ERR_EID, 999	default_cfe_time_extern_typedefs.h, 953
CFE_TIME_ExternalGPS	CFE_TIME_FlagBit_GDTONE
cFE External Time Source APIs, 286	default_cfe_time_extern_typedefs.h, 953
CFE_TIME_ExternalMET	CFE_TIME_FlagBit_SERVER
cFE External Time Source APIs, 287	default_cfe_time_extern_typedefs.h, 953
CFE_TIME_ExternalTime	CFE_TIME_FlagBit_SIGPRI
cFE External Time Source APIs, 287	default_cfe_time_extern_typedefs.h, 953
CFE_TIME_ExternalTone	CFE_TIME_FlagBit_SRCINT
cFE External Time Source APIs, 288	default_cfe_time_extern_typedefs.h, 953
CFE_TIME_FakeToneCmd, 558	CFE_TIME_FlagBit_SRVFLY
CommandHeader, 558	default_cfe_time_extern_typedefs.h, 953
CFE_TIME_FakeToneCmd_t	CFE_TIME_FLY_OFF_EID
default_cfe_time_msgstruct.h, 986	cfe_time_eventids.h, 992
CFE_TIME_FLAG_ADD1HZ	CFE_TIME_FLY_ON_EID
cFE Clock State Flag Defines, 296	cfe_time_eventids.h, 992
CFE_TIME_FLAG_ADDADJ	CFE_TIME_FlywheelState
cFE Clock State Flag Defines, 296	default_cfe_time_extern_typedefs.h, 953
CFE_TIME_FLAG_ADDTCL	CFE_TIME_FlywheelState_Enum_t
cFE Clock State Flag Defines, 296	default cfe time extern typedefs.h, 951

CFE_TIME_FlywheelState_IS_FLY	cfe_time_eventids.h, 993
default_cfe_time_extern_typedefs.h, 953	CFE_TIME_LEAPS_EID
CFE_TIME_FlywheelState_NO_FLY	cfe_time_eventids.h, 993
default_cfe_time_extern_typedefs.h, 953	CFE_TIME_LeapsCmd_Payload, 562
CFE_TIME_GetClockInfo	LeapSeconds, 562
cFE Get Time Information APIs, 278	CFE_TIME_LeapsCmd_Payload_t
CFE_TIME_GetClockState	default_cfe_time_msgdefs.h, 982
cFE Get Time Information APIs, 278	CFE_TIME_LEN_ERR_EID
CFE_TIME_GetLeapSeconds	cfe_time_eventids.h, 994
cFE Get Time Information APIs, 279	CFE_TIME_Local1HzISR
CFE TIME GetMET	cFE Miscellaneous Time APIs, 291
cFE Get Current Time APIs, 275	CFE TIME MET2SCTime
CFE_TIME_GetMETseconds	cFE Time Conversion APIs, 284
cFE Get Current Time APIs, 275	CFE_TIME_MET_CFG_EID
CFE TIME GetMETsubsecs	cfe_time_eventids.h, 994
cFE Get Current Time APIs, 276	CFE_TIME_MET_EID
CFE TIME GetSTCF	cfe_time_eventids.h, 994
cFE Get Time Information APIs, 279	CFE TIME MET ERR EID
CFE_TIME_GetTAI	cfe time eventids.h, 994
cFE Get Current Time APIs, 276	CFE TIME Micro2SubSecs
CFE_TIME_GetTime	cFE Time Conversion APIs, 284
cFE Get Current Time APIs, 277	CFE_TIME_NOOP_CC
CFE_TIME_GetUTC	default_cfe_time_fcncodes.h, 957
cFE Get Current Time APIs, 277	CFE_TIME_NOOP_EID
CFE_TIME_HK_TLM_MID	cfe_time_eventids.h, 995
default_cfe_time_msgids.h, 983	CFE_TIME_NoopCmd, 562
CFE_TIME_HousekeepingTlm, 558	CommandHeader, 562
Payload, 558	CFE_TIME_NoopCmd_t
TelemetryHeader, 559	default_cfe_time_msgstruct.h, 986
CFE_TIME_HousekeepingTlm_Payload, 559	CFE_TIME_NOT_IMPLEMENTED
ClockStateAPI, 560	cFE Return Code Defines, 140
ClockStateFlags, 560	CFE_TIME_ONEHZ_CFG_EID
CommandCounter, 560	cfe_time_eventids.h, 995
CommandErrorCounter, 560	CFE_TIME_ONEHZ_CMD_MID
LeapSeconds, 560	default_cfe_time_msgids.h, 983
Seconds1HzAdj, 560	CFE_TIME_ONEHZ_EID
SecondsDelay, 560	cfe_time_eventids.h, 995
SecondsMET, 561	CFE_TIME_OneHzAdjustmentCmd_Payload, 562
SecondsSTCF, 561	Seconds, 563
Subsecs1HzAdj, 561	Subseconds, 563
SubsecsDelay, 561	CFE_TIME_OneHzAdjustmentCmd_Payload_t
SubsecsMET, 561	default_cfe_time_msgdefs.h, 982
SubsecsSTCF, 561	CFE_TIME_OUT_OF_RANGE
CFE TIME HousekeepingTlm Payload t	cFE Return Code Defines, 140
default_cfe_time_msgdefs.h, 982	CFE_TIME_Print
CFE_TIME_HousekeepingTlm_t	cFE Miscellaneous Time APIs, 291
default_cfe_time_msgstruct.h, 986	CFE TIME PRINTED STRING SIZE
CFE TIME ID ERR EID	cfe_time_api_typedefs.h, 713
cfe time eventids.h, 993	CFE TIME RegisterSynchCallback
CFE TIME INIT EID	cFE External Time Source APIs, 288
cfe_time_eventids.h, 993	CFE_TIME_RESET_COUNTERS_CC
CFE TIME INTERNAL ONLY	default_cfe_time_fcncodes.h, 958
cFE Return Code Defines, 140	CFE TIME RESET EID
CFE TIME LEAPS CFG EID	cfe_time_eventids.h, 995
CEE TIME LEAFS CEG EID	

CFE_TIME_ResetCountersCmd, 563	CFE_TIME_SetState
CommandHeader, 563	default_cfe_time_extern_typedefs.h, 953
CFE_TIME_ResetCountersCmd_t	CFE_TIME_SetState_Enum_t
default_cfe_time_msgstruct.h, 986	default_cfe_time_extern_typedefs.h, 951
CFE_TIME_SEND_CMD_MID	CFE_TIME_SetState_NOT_SET
default_cfe_time_msgids.h, 984	default_cfe_time_extern_typedefs.h, 953
CFE_TIME_SEND_DIAGNOSTIC_TLM_CC	CFE_TIME_SetState_WAS_SET
default_cfe_time_fcncodes.h, 959	default_cfe_time_extern_typedefs.h, 953
CFE_TIME_SEND_HK_MID	CFE_TIME_SetStateCmd, 567
default_cfe_time_msgids.h, 984	CommandHeader, 567
CFE_TIME_SendDiagnosticCmd, 563	Payload, 567
CommandHeader, 564	CFE_TIME_SetStateCmd_t
CFE_TIME_SendDiagnosticCmd_t	default_cfe_time_msgstruct.h, 986
default_cfe_time_msgstruct.h, 986	CFE_TIME_SetSTCFCmd, 567
CFE_TIME_SendHkCmd, 564	CommandHeader, 568
CommandHeader, 564	Payload, 568
CFE_TIME_SendHkCmd_t	CFE_TIME_SetSTCFCmd_t
default_cfe_time_msgstruct.h, 986	default_cfe_time_msgstruct.h, 986
CFE_TIME_SERVICE	CFE_TIME_SetTimeCmd, 568
cfe_error.h, 671	CommandHeader, 568
CFE_TIME_SET_LEAP_SECONDS_CC	Payload, 568
default_cfe_time_fcncodes.h, 959	CFE_TIME_SetTimeCmd_t
CFE_TIME_SET_MET_CC	default_cfe_time_msgstruct.h, 986
default_cfe_time_fcncodes.h, 960	CFE_TIME_SIGNAL_CFG_EID
CFE_TIME_SET_SIGNAL_CC	cfe_time_eventids.h, 996
default_cfe_time_fcncodes.h, 961	CFE_TIME_SIGNAL_EID
CFE_TIME_SET_SOURCE_CC	cfe_time_eventids.h, 996
default_cfe_time_fcncodes.h, 962	CFE_TIME_SIGNAL_ERR_EID
CFE_TIME_SET_STATE_CC	cfe_time_eventids.h, 996
default_cfe_time_fcncodes.h, 963	CFE_TIME_SignalCmd_Payload, 568
CFE_TIME_SET_STCF_CC	ToneSource, 569
default_cfe_time_fcncodes.h, 965	CFE_TIME_SignalCmd_Payload_t
CFE_TIME_SET_TIME_CC	default_cfe_time_msgdefs.h, 982
default_cfe_time_fcncodes.h, 965	CFE_TIME_SOURCE_CFG_EID
CFE_TIME_SetLeapSecondsCmd, 564	cfe_time_eventids.h, 996
CommandHeader, 565	CFE_TIME_SOURCE_EID
Payload, 565	cfe_time_eventids.h, 997
CFE_TIME_SetLeapSecondsCmd_t	CFE_TIME_SOURCE_ERR_EID
default_cfe_time_msgstruct.h, 986	cfe_time_eventids.h, 997
CFE_TIME_SetMETCmd, 565	CFE_TIME_SourceCmd_Payload, 569
CommandHeader, 565	TimeSource, 569
Payload, 565	CFE_TIME_SourceCmd_Payload_t
CFE_TIME_SetMETCmd_t	default_cfe_time_msgdefs.h, 982
default_cfe_time_msgstruct.h, 986	CFE_TIME_SourceSelect
CFE_TIME_SetSignalCmd, 565	default_cfe_time_extern_typedefs.h, 953
CommandHeader, 566	CFE_TIME_SourceSelect_Enum_t
Payload, 566	default_cfe_time_extern_typedefs.h, 951
CFE_TIME_SetSignalCmd_t	CFE_TIME_SourceSelect_EXTERNAL
default_cfe_time_msgstruct.h, 986	default_cfe_time_extern_typedefs.h, 953
CFE_TIME_SetSourceCmd, 566	CFE_TIME_SourceSelect_INTERNAL
CommandHeader, 566	default_cfe_time_extern_typedefs.h, 953
Payload, 566	CFE_TIME_STATE_EID
CFE_TIME_SetSourceCmd_t	cfe_time_eventids.h, 997
default cfe time msgstruct.h, 986	CFE TIME STATE ERR EID

cfe_time_eventids.h, 997	CFE_TIME_TONE_CMD_MID
CFE_TIME_StateCmd_Payload, 570	default_cfe_time_msgids.h, 984
ClockState, 570	CFE_TIME_ToneDataCmd, 573
CFE_TIME_StateCmd_Payload_t	CommandHeader, 573
default_cfe_time_msgdefs.h, 982	Payload, 573
CFE_TIME_STCF_CFG_EID	CFE_TIME_ToneDataCmd_Payload, 574
cfe_time_eventids.h, 998	AtToneLeapSeconds, 574
CFE_TIME_STCF_EID	AtToneMET, 574
cfe_time_eventids.h, 998	AtToneState, 574
CFE_TIME_STCF_ERR_EID	AtToneSTCF, 574
cfe_time_eventids.h, 998	CFE_TIME_ToneDataCmd_Payload_t
CFE_TIME_Sub1HZAdjustmentCmd, 570	default cfe time msgdefs.h, 982
CommandHeader, 570	CFE_TIME_ToneDataCmd_t
Payload, 570	default_cfe_time_msgstruct.h, 987
CFE_TIME_Sub1HZAdjustmentCmd_t	CFE_TIME_ToneSignalCmd, 575
default_cfe_time_msgstruct.h, 986	CommandHeader, 575
CFE_TIME_Sub2MicroSecs	CFE_TIME_ToneSignalCmd_t
cFE Time Conversion APIs, 285	default_cfe_time_msgstruct.h, 987
CFE TIME SUB ADJUST CC	CFE_TIME_ToneSignalSelect
default_cfe_time_fcncodes.h, 966	default_cfe_time_extern_typedefs.h, 954
CFE TIME SUB DELAY CC	CFE_TIME_ToneSignalSelect_Enum_t
default_cfe_time_fcncodes.h, 967	default_cfe_time_extern_typedefs.h, 952
CFE_TIME_SUB_ONEHZ_ADJUSTMENT_CC	CFE_TIME_ToneSignalSelect_PRIMARY
default_cfe_time_fcncodes.h, 968	default_cfe_time_extern_typedefs.h, 954
CFE_TIME_SubAdjustCmd, 571	CFE_TIME_ToneSignalSelect_REDUNDANT
CommandHeader, 571	default_cfe_time_extern_typedefs.h, 954
Payload, 571	CFE_TIME_TOO_MANY_SYNCH_CALLBACKS
CFE_TIME_SubAdjustCmd_t	cFE Return Code Defines, 140
default_cfe_time_msgstruct.h, 987	CFE_TIME_UnregisterSynchCallback
CFE_TIME_SubDelayCmd, 571	cFE External Time Source APIs, 289
CommandHeader, 572	CFE_TST
Payload, 572	cfe_sb.h, 703
•	cfe_version.h
CFE_TIME_SubDelayCmd_t	
default_cfe_time_msgstruct.h, 987	CFE_BUILD_BASELINE, 715
CFE_TIME_Subtract	CFE_BUILD_CODENAME, 715
cFE Time Arithmetic APIs, 282	CFE_BUILD_DEV_CYCLE, 715
CFE_TIME_SynchCallbackPtr_t	CFE_BUILD_NUMBER, 715
cfe_time_api_typedefs.h, 713	CFE_CFG_MAX_VERSION_STR_LEN, 715
CFE_TIME_SysTime, 572	CFE_LAST_OFFICIAL, 715
Seconds, 572	CFE_MAJOR_VERSION, 715
Subseconds, 572	CFE_MINOR_VERSION, 716
CFE_TIME_SysTime_t	CFE_MISSION_REV, 716
default_cfe_time_extern_typedefs.h, 951	CFE_REVISION, 716
CFE_TIME_TIME_CFG_EID	CFE_SRC_VERSION, 716
cfe_time_eventids.h, 998	CFE_STR, 716
CFE_TIME_EID	CFE_STR_HELPER, 716
cfe_time_eventids.h, 999	CFECoreChecksum
CFE_TIME_TIME_ERR_EID	CFE_ES_HousekeepingTlm_Payload, 437
cfe_time_eventids.h, 999	CFEMajorVersion
CFE_TIME_TimeCmd_Payload, 573	CFE_ES_HousekeepingTlm_Payload, 437
MicroSeconds, 573	CFEMinorVersion
Seconds, 573	CFE_ES_HousekeepingTlm_Payload, 437
CFE_TIME_TimeCmd_Payload_t	CFEMissionRevision
default cfe time msgdefs.h, 982	CFE ES HousekeepingTlm Payload, 437

CFERevision	CFE_ES_RestartAppCmd, 452
CFE_ES_HousekeepingTlm_Payload, 438	CFE ES RestartCmd, 453
CheckErrCtr	CFE_ES_SendHkCmd, 454
CFE_ES_MemPoolStats, 444	CFE_ES_SendMemPoolStatsCmd, 455
ClockFlyState	CFE ES SetMaxPRCountCmd, 456
CFE TIME DiagnosticTlm Payload, 552	CFE_ES_SetPerfFilterMaskCmd, 457
ClockSetState	CFE_ES_SetPerfTriggerMaskCmd, 458
CFE_TIME_DiagnosticTIm_Payload, 552	CFE_ES_StartApp, 459
ClockSignal	CFE_ES_StartPerfDataCmd, 462
CFE_TIME_DiagnosticTIm_Payload, 553	CFE_ES_StopAppCmd, 462
ClockSource	CFE_ES_StopPerfDataCmd, 463
CFE_TIME_DiagnosticTIm_Payload, 553	CFE_ES_WriteERLogCmd, 466
ClockState	CFE_ES_WriteSysLogCmd, 466
CFE_TIME_StateCmd_Payload, 570	CFE_EVS_AddEventFilterCmd, 467
ClockStateAPI	CFE_EVS_ClearLogCmd, 473
CFE_TIME_DiagnosticTIm_Payload, 553	CFE_EVS_DeleteEventFilterCmd, 473
CFE_TIME_HousekeepingTlm_Payload, 560	CFE_EVS_DisableAppEventsCmd, 474
ClockStateFlags	CFE_EVS_DisableAppEventTypeCmd, 474
CFE_TIME_DiagnosticTlm_Payload, 553	CFE_EVS_DisableEventTypeCmd, 475
CFE_TIME_HousekeepingTlm_Payload, 560	CFE_EVS_DisablePortsCmd, 476
code_address	CFE_EVS_EnableAppEventsCmd, 476
OS_module_address_t, 581	CFE_EVS_EnableAppEventTypeCmd, 477
code_size	CFE_EVS_EnableEventTypeCmd, 477
OS_module_address_t, 581	CFE EVS EnablePortsCmd, 478
CodeAddress	CFE_EVS_NoopCmd, 484
CFE_ES_AppInfo, 424	CFE_EVS_ResetAllFiltersCmd, 486
CodeSize	CFE_EVS_ResetAppCounterCmd, 487
CFE_ES_AppInfo, 425	CFE_EVS_ResetCountersCmd, 487
CommandCounter	CFE EVS ResetFilterCmd, 488
CFE_ES_HousekeepingTlm_Payload, 438	CFE_EVS_SendHkCmd, 488
CFE_EVS_HousekeepingTlm_Payload, 480	CFE_EVS_SetEventFormatModeCmd, 489
CFE_SB_HousekeepingTlm_Payload, 501	CFE_EVS_SetFilterCmd, 490
CFE_TBL_HousekeepingTIm_Payload, 532	CFE_EVS_SetLogModeCmd, 491
CFE TIME HousekeepingTIm Payload, 560	CFE EVS WriteAppDataFileCmd, 493
CommandErrorCounter	CFE_EVS_WriteLogDataFileCmd, 493
CFE_ES_HousekeepingTlm_Payload, 438	CFE_SB_DisableRouteCmd, 498
CFE_EVS_HousekeepingTlm_Payload, 480	CFE_SB_DisableSubReportingCmd, 499
CFE_SB_HousekeepingTlm_Payload, 501	CFE_SB_EnableRouteCmd, 499
CFE_TBL_HousekeepingTlm_Payload, 532	CFE_SB_EnableSubReportingCmd, 500
CFE_TIME_HousekeepingTlm_Payload, 560	CFE_SB_NoopCmd, 506
CommandHeader	CFE_SB_ResetCountersCmd, 510
CFE_ES_ClearERLogCmd, 430	CFE_SB_SendHkCmd, 512
CFE_ES_ClearSysLogCmd, 431	CFE_SB_SendPrevSubsCmd, 513
CFE_ES_DeleteCDSCmd, 431	CFE_SB_SendSbStatsCmd, 513
CFE_ES_DumpCDSRegistryCmd, 432	CFE_SB_WriteMapInfoCmd, 520
CFE_ES_FileNameCmd, 433	CFE_SB_WritePipeInfoCmd, 521
CFE_ES_NoopCmd, 445	CFE_SB_WriteRoutingInfoCmd, 522
CFE_ES_OverWriteSysLogCmd, 447	CFE_TBL_AbortLoadCmd, 522
CFE_ES_QueryAllCmd, 449	CFE_TBL_ActivateCmd, 523
CFE_ES_QueryAllTasksCmd, 450	CFE_TBL_DeleteCDSCmd, 525
CFE_ES_QueryOneCmd, 450	CFE_TBL_DumpCmd, 525
CFE_ES_ReloadAppCmd, 451	CFE_TBL_DumpRegistryCmd, 527
CFE_ES_ResetCountersCmd, 452	CFE_TBL_LoadCmd, 537
CFE_ES_ResetPRCountCmd, 452	CFE_TBL_NoopCmd, 538
· · · · · · · · · · · · · · · · ·	

CFE_TBL_NotifyCmd, 539	CompileTimeAssert
CFE TBL ResetCountersCmd, 540	common_types.h, 1001, 1003, 1004
CFE_TBL_SendHkCmd, 540	ContentType
CFE_TBL_SendRegistryCmd, 541	CFE_FS_Header, 495
CFE_TBL_ValidateCmd, 546	cpuaddr
CFE TIME 1HzCmd, 547	common_types.h, 1001
CFE_TIME_Add1HZAdjustmentCmd, 548	cpudiff
CFE_TIME_AddAdjustCmd, 548	common_types.h, 1002
CFE TIME AddDelayCmd, 549	cpusize
CFE TIME FakeToneCmd, 558	common types.h, 1002
CFE_TIME_NoopCmd, 562	Crc
CFE TIME ResetCountersCmd, 563	CFE TBL Info, 535
CFE_TIME_SendDiagnosticCmd, 564	CFE_TBL_TblRegPacket_Payload, 543
CFE_TIME_SendHkCmd, 564	CreatePipeErrorCounter
CFE_TIME_SetLeapSecondsCmd, 565	CFE_SB_HousekeepingTlm_Payload, 502
CFE_TIME_SetLeapSecondsCind, 363 CFE_TIME_SetMETCmd, 565	
	creator
CFE_TIME_SetSourceCmd, 566	OS_bin_sem_prop_t, 575
CFE_TIME_SetSourceCmd, 566	OS_condvar_prop_t, 576
CFE_TIME_SetStateCmd, 567	OS_count_sem_prop_t, 576
CFE_TIME_SetSTCFCmd, 568	OS_mut_sem_prop_t, 583
CFE_TIME_SetTimeCmd, 568	OS_queue_prop_t, 583
CFE_TIME_Sub1HZAdjustmentCmd, 570	OS_socket_prop_t, 586
CFE_TIME_SubAdjustCmd, 571	OS_task_prop_t, 587
CFE_TIME_SubDelayCmd, 572	OS_timebase_prop_t, 589
CFE_TIME_ToneDataCmd, 573	OS_timer_prop_t, 590
CFE_TIME_ToneSignalCmd, 575	Critical
common_types.h	CFE_TBL_Info, 536
EXTENSION, 1001	CFE_TBL_TblRegPacket_Payload, 543
CompileTimeAssert, 1001, 1003, 1004	CurrentLatch
cpuaddr, 1001	CFE_TIME_DiagnosticTIm_Payload, 553
cpudiff, 1002	CurrentMET
cpusize, 1002	CFE_TIME_DiagnosticTIm_Payload, 553
int16, 1002	CurrentQueueDepth
int32, 1002	CFE_SB_PipeDepthStats, 507
int64, 1002	CFE_SB_PipeInfoEntry, 508
int8, 1002	CurrentTAI
intptr, 1002	CFE_TIME_DiagnosticTlm_Payload, 553
OS ArgCallback t, 1002	CurrentUTC
OS PRINTF, 1001	CFE TIME DiagnosticTlm Payload, 554
OS_USED, 1001	,
OSAL_BLOCKCOUNT_C, 1001	data address
osal_blockcount_t, 1002	OS_module_address_t, 581
osal_id_t, 1002	data size
OSAL_INDEX_C, 1001	OS_module_address_t, 581
osal_index_t, 1002	DataAddress
OSAL OBJTYPE C, 1001	CFE ES Applnfo, 425
osal_objtype_t, 1003	DataFileName
OSAL_SIZE_C, 1001	CFE ES StopPerfCmd Payload, 463
OSAL_SIZE_C, 1001 OSAL_STATUS_C, 1001	DataSize
osal_status_t, 1003	
	CFE_ES_AppInfo, 425
uint16, 1003	DataStoreStatus
uint32, 1003	CFE_TIME_DiagnosticTIm_Payload, 554
uint64, 1003	default_cfe_core_api_base_msgids.h
uint8, 1003	CFE_CPU1_CMD_MID_BASE, 653

CFE_CPU1_TLM_MID_BASE, 654	CFE_ES_RunStatus, 724
CFE_GLOBAL_CMD_MID_BASE, 654	CFE_ES_RunStatus_APP_ERROR, 724
CFE_GLOBAL_CMD_TOPICID_TO_MIDV, 654	CFE_ES_RunStatus_APP_EXIT, 724
CFE_GLOBAL_TLM_MID_BASE, 654	CFE_ES_RunStatus_APP_RUN, 724
CFE_GLOBAL_TLM_TOPICID_TO_MIDV, 654	CFE_ES_RunStatus_CORE_APP_INIT_ERROR,
CFE PLATFORM CMD TOPICID TO MIDV, 654	724
CFE_PLATFORM_TLM_TOPICID_TO_MIDV, 655	CFE_ES_RunStatus_CORE_APP_RUNTIME_ERROR
default_cfe_core_api_interface_cfg.h	724
CFE_MISSION_MAX_API_LEN, 655	CFE_ES_RunStatus_Enum_t, 722
CFE_MISSION_MAX_FILE_LEN, 656	CFE_ES_RunStatus_MAX, 724
CFE_MISSION_MAX_NUM_FILES, 656	CFE_ES_RunStatus_SYS_DELETE, 724
CFE_MISSION_MAX_PATH_LEN, 656	CFE_ES_RunStatus_SYS_EXCEPTION, 724
default_cfe_es_extern_typedefs.h	CFE_ES_RunStatus_SYS_RELOAD, 724
CFE_ES_Appld_t, 719	CFE_ES_RunStatus_SYS_RESTART, 724
CFE_ES_AppInfo_t, 719	CFE_ES_RunStatus_UNDEFINED, 724
CFE_ES_AppState, 723	CFE_ES_SystemState, 724
CFE_ES_AppState_EARLY_INIT, 723	CFE_ES_SystemState_APPS_INIT, 724
CFE_ES_AppState_Enum_t, 719	CFE ES SystemState CORE READY, 724
CFE_ES_AppState_LATE_INIT, 723	CFE_ES_SystemState_CORE_STARTUP, 724
CFE_ES_AppState_MAX, 723	CFE_ES_SystemState_EARLY_INIT, 724
CFE_ES_AppState_RUNNING, 723	CFE_ES_SystemState_Enum_t, 722
CFE_ES_AppState_STOPPED, 723	CFE_ES_SystemState_MAX, 724
CFE_ES_AppState_UNDEFINED, 723	CFE_ES_SystemState_OPERATIONAL, 724
CFE_ES_AppState_WAITING, 723	CFE_ES_SystemState_SHUTDOWN, 724
CFE_ES_AppType, 723	CFE_ES_SystemState_UNDEFINED, 724
CFE_ES_AppType_CORE, 723	CFE_ES_TaskId_t, 722
CFE_ES_AppType_Enum_t, 720	CFE_ES_TaskInfo_t, 722
CFE_ES_AppType_EXTERNAL, 723	CFE_ES_TaskPriority_Atom_t, 722
CFE_ES_AppType_LIBRARY, 723	default_cfe_es_fcncodes.h
CFE_ES_BlockStats_t, 720	CFE_ES_CLEAR_ER_LOG_CC, 725
CFE_ES_CDSHandle_t, 720	CFE_ES_CLEAR_SYSLOG_CC, 726
CFE_ES_CDSRegDumpRec_t, 720	CFE_ES_DELETE_CDS_CC, 727
CFE_ES_CounterId_t, 720	CFE_ES_DUMP_CDS_REGISTRY_CC, 727
CFE_ES_ExceptionAction, 723	CFE_ES_NOOP_CC, 728
CFE_ES_ExceptionAction_Enum_t, 720	CFE_ES_OVER_WRITE_SYSLOG_CC, 729
CFE_ES_ExceptionAction_PROC_RESTART, 723	CFE_ES_QUERY_ALL_CC, 730
CFE_ES_ExceptionAction_RESTART_APP, 723	CFE_ES_QUERY_ALL_TASKS_CC, 731
CFE_ES_LibId_t, 720	CFE_ES_QUERY_ONE_CC, 731
CFE_ES_LogEntryType, 723	CFE_ES_RELOAD_APP_CC, 732
CFE_ES_LogEntryType_APPLICATION, 723	CFE_ES_RESET_COUNTERS_CC, 733
CFE_ES_LogEntryType_CORE, 723	CFE_ES_RESET_PR_COUNT_CC, 734
CFE_ES_LogEntryType_Enum_t, 721	CFE_ES_RESTART_APP_CC, 734
CFE_ES_LogMode, 724	CFE_ES_RESTART_CC, 735
CFE_ES_LogMode_DISCARD, 724	CFE_ES_SEND_MEM_POOL_STATS_CC, 736
CFE_ES_LogMode_Enum_t, 721	CFE_ES_SET_MAX_PR_COUNT_CC, 737
CFE_ES_LogMode_OVERWRITE, 724	CFE ES SET PERF FILTER MASK CC, 738
CFE ES MEMADDRESS C, 719	CFE_ES_SET_PERF_TRIGGER_MASK_CC, 739
CFE ES MemAddress t, 721	CFE_ES_START_APP_CC, 739
CFE_ES_MEMADDRESS_TO_PTR, 719	CFE_ES_START_PERF_DATA_CC, 740
CFE_ES_MemHandle_t, 721	CFE_ES_STOP_APP_CC, 741
CFE_ES_MEMOFFSET_C, 719	CFE_ES_STOP_PERF_DATA_CC, 742
CFE_ES_MemOffset_t, 721	CFE_ES_WRITE_ER_LOG_CC, 743
CFE_ES_MEMOFFSET_TO_SIZET, 719	CFE_ES_WRITE_SYSLOG_CC, 744
CFF FS MemPoolStats t. 721	default cfe es interface cfg.h

CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN,	753
746	CFE_PLATFORM_ES_DEFAULT_ER_LOG_FILE,
CFE_MISSION_ES_CDS_MAX_NAME_LENGTH,	754
746	CFE_PLATFORM_ES_DEFAULT_PERF_DUMP_FILENAME
CFE_MISSION_ES_CRC_16, 746	754
CFE_MISSION_ES_CRC_32, 746	CFE_PLATFORM_ES_DEFAULT_POR_SYSLOG_MODE,
CFE_MISSION_ES_CRC_8, 747	754
CFE_MISSION_ES_DEFAULT_CRC, 747	CFE_PLATFORM_ES_DEFAULT_PR_SYSLOG_MODE,
CFE_MISSION_ES_MAX_APPLICATIONS, 747	755
CFE_MISSION_ES_PERF_MAX_IDS, 747	CFE_PLATFORM_ES_DEFAULT_STACK_SIZE, 755
CFE_MISSION_ES_POOL_MAX_BUCKETS, 747	CFE_PLATFORM_ES_DEFAULT_SYSLOG_FILE,
default_cfe_es_internal_cfg.h	755
CFE_PLATFORM_ES_APP_KILL_TIMEOUT, 750	CFE_PLATFORM_ES_DEFAULT_TASK_LOG_FILE,
CFE_PLATFORM_ES_APP_SCAN_RATE, 750	756
CFE_PLATFORM_ES_CDS_MAX_BLOCK_SIZE,	CFE_PLATFORM_ES_ER_LOG_ENTRIES, 756
751	CFE_PLATFORM_ES_ER_LOG_MAX_CONTEXT_SIZE,
CFE_PLATFORM_ES_CDS_MAX_NUM_ENTRIES,	756
751	CFE_PLATFORM_ES_MAX_APPLICATIONS, 757
CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_01,	CFE_PLATFORM_ES_MAX_BLOCK_SIZE, 757
751	CFE_PLATFORM_ES_MAX_GEN_COUNTERS,
CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_02,	757
751	CFE_PLATFORM_ES_MAX_LIBRARIES, 757
CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_03,	CFE_PLATFORM_ES_MAX_MEMORY_POOLS,
751	758
CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_04,	CFE_PLATFORM_ES_MAX_PROCESSOR_RESETS,
751	758
CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_05,	CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01, 758 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02, 759
752	CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02, 759 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03, 759
CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_06, 752	CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03, 759 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04, 759
	CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04, 759 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05, 759
CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_07, 752	CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06, 759
CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_08,	CFE PLATFORM ES MEM BLOCK SIZE 07, 759
752	CFE PLATFORM ES MEM BLOCK SIZE 08, 759
CFE PLATFORM ES CDS MEM BLOCK SIZE 09,	CFE_PLATFORM_ES_MEM_BLOCK_SIZE_09, 759
752	CFE_PLATFORM_ES_MEM_BLOCK_SIZE_10, 759
CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_10,	CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11, 760
752	CFE_PLATFORM_ES_MEM_BLOCK_SIZE_12, 760
CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_11,	CFE_PLATFORM_ES_MEM_BLOCK_SIZE_13, 760
752	CFE_PLATFORM_ES_MEM_BLOCK_SIZE_14, 760
CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_12,	CFE_PLATFORM_ES_MEM_BLOCK_SIZE_15, 760
752	CFE_PLATFORM_ES_MEM_BLOCK_SIZE_16, 760
CFE PLATFORM ES CDS MEM BLOCK SIZE 13,	CFE PLATFORM ES MEMPOOL ALIGN SIZE MIN,
752	760
CFE PLATFORM ES CDS MEM BLOCK SIZE 14,	CFE_PLATFORM_ES_NONVOL_DISK_MOUNT_STRING,
752	760
CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_15,	CFE_PLATFORM_ES_NONVOL_STARTUP_FILE,
753	761
CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_16,	CFE_PLATFORM_ES_OBJECT_TABLE_SIZE, 761
753	CFE_PLATFORM_ES_PERF_CHILD_MS_DELAY,
CFE_PLATFORM_ES_CDS_SIZE, 753	761
CFE_PLATFORM_ES_DEFAULT_APP_LOG_FILE,	CFE_PLATFORM_ES_PERF_CHILD_PRIORITY,
753	761
CFE_PLATFORM_ES_DEFAULT_CDS_REG_DUMP_FILE	E, CFE_PLATFORM_ES_PERF_CHILD_STACK_SIZE,

	762		CFE_ES_SetPerfFilterMaskCmd_Payload_t, 772
	CFE_PLATFORM_ES_PERF_DATA_BUFFER_SIZE,		CFE_ES_SetPerfTrigMaskCmd_Payload_t, 772
	762 CFE_PLATFORM_ES_PERF_ENTRIES_BTWN_DLYS,		CFE_ES_StartAppCmd_Payload_t, 772 CFE_ES_StartPerfCmd_Payload_t, 772
	762	,	CFE_ES_StopPerfCmd_Payload_t, 772
		dofa	ult_cfe_es_msgids.h
	CFE_PLATFORM_ES_PERF_FILTMASK_INIT, 763	ueia	CFE_ES_APP_TLM_MID, 773
	CFE_PLATFORM_ES_PERF_FILTMASK_NONE,		CFE_ES_CMD_MID, 773
	763		CFE_ES_HK_TLM_MID, 773
	CFE_PLATFORM_ES_PERF_TRIGMASK_ALL, 763		CFE_ES_MEMSTATS_TLM_MID, 773
	CFE_PLATFORM_ES_PERF_TRIGMASK_INIT, 764		CFE_ES_SEND_HK_MID, 773
		defa	ult_cfe_es_msgstruct.h
	764		CFE_ES_ClearERLogCmd_t, 776
	CFE_PLATFORM_ES_POOL_MAX_BUCKETS, 764		CFE_ES_ClearSysLogCmd_t, 776
	CFE_PLATFORM_ES_RAM_DISK_MOUNT_STRING,		CFE_ES_DeleteCDSCmd_t, 776
	764		CFE_ES_DumpCDSRegistryCmd_t, 776
	CFE_PLATFORM_ES_RAM_DISK_NUM_SECTORS,		CFE_ES_FileNameCmd_t, 776
	765		CFE_ES_HousekeepingTlm_t, 776
	CFE_PLATFORM_ES_RAM_DISK_PERCENT_RESER	RVED	OCFE_ES_MemStatsTlm_t, 776
	765		CFE_ES_NoopCmd_t, 776
	CFE_PLATFORM_ES_RAM_DISK_SECTOR_SIZE,		CFE_ES_OneAppTIm_t, 776
	765		CFE_ES_OverWriteSysLogCmd_t, 776
	CFE_PLATFORM_ES_START_TASK_PRIORITY,		CFE_ES_QueryAllCmd_t, 776
	766		CFE_ES_QueryAllTasksCmd_t, 776
	CFE_PLATFORM_ES_START_TASK_STACK_SIZE,		CFE_ES_QueryOneCmd_t, 776
	766		CFE_ES_ReloadAppCmd_t, 777
	CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_	MSE	
	766		CFE_ES_ResetPRCountCmd_t, 777
	CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC	; ,	CFE_ES_RestartAppCmd_t, 777
	767		CFE_ES_RestartCmd_t, 777
	CFE_PLATFORM_ES_SYSTEM_LOG_SIZE, 767		CFE_ES_SendHkCmd_t, 777
	CFE_PLATFORM_ES_USER_RESERVED_SIZE, 767		CFE_ES_SendMemPoolStatsCmd_t, 777
	CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE,		CFE_ES_SetMaxPRCountCmd_t, 777
	768		CFE_ES_SetPerfFilterMaskCmd_t, 777 CFE_ES_SetPerfTriggerMaskCmd_t, 777
defa	ult cfe es msgdefs.h		CFE_ES_StartAppCmd_t, 777
ucia	CFE_ES_AppNameCmd_Payload_t, 770		CFE_ES_StartPerfDataCmd_t, 777
	CFE_ES_AppReloadCmd_Payload_t, 771		CFE_ES_StopAppCmd_t, 777
	CFE_ES_DeleteCDSCmd_Payload_t, 771		CFE_ES_StopPerfDataCmd_t, 777
	CFE_ES_DumpCDSRegistryCmd_Payload_t, 771		CFE_ES_WriteERLogCmd_t, 778
	CFE_ES_FileNameCmd_Payload_t, 771		CFE ES WriteSysLogCmd t, 778
		defa	ult_cfe_es_topicids.h
	CFE_ES_OneAppTlm_Payload_t, 771		CFE_MISSION_ES_APP_TLM_TOPICID, 778
	CFE_ES_OverWriteSysLogCmd_Payload_t, 771		CFE MISSION ES CMD TOPICID, 778
	CFE ES PERF MAX MODES, 772		CFE_MISSION_ES_HK_TLM_TOPICID, 779
	CFE_ES_PERF_TRIGGER_CENTER, 772		CFE_MISSION_ES_MEMSTATS_TLM_TOPICID,
	CFE_ES_PERF_TRIGGER_END, 772		779
	CFE_ES_PERF_TRIGGER_START, 772		CFE_MISSION_ES_SEND_HK_TOPICID, 779
		defa	ult_cfe_evs_extern_typedefs.h
	CFE_ES_PerfMode_Enum_t, 771		CFE_EVS_EventFilter, 806
	CFE_ES_PoolStatsTIm_Payload_t, 771		CFE_EVS_EventFilter_BINARY, 806
	CFE_ES_RestartCmd_Payload_t, 771		CFE_EVS_EventFilter_Enum_t, 805
	CFE_ES_SendMemPoolStatsCmd_Payload_t, 771		CFE_EVS_EventOutput, 806
	CFE_ES_SetMaxPRCountCmd_Payload_t, 772		CFE_EVS_EventOutput_Enum_t, 805

CFE_EVS_EventOutput_PORT1, 806	CFE_PLATFORM_EVS_DEFAULT_TYPE_FLAG,
CFE_EVS_EventOutput_PORT2, 806	828
CFE_EVS_EventOutput_PORT3, 806	CFE_PLATFORM_EVS_LOG_MAX, 828
CFE_EVS_EventOutput_PORT4, 806	CFE_PLATFORM_EVS_MAX_APP_EVENT_BURST,
CFE_EVS_EventType, 806	829
CFE_EVS_EventType_CRITICAL, 807	CFE_PLATFORM_EVS_MAX_EVENT_FILTERS,
CFE_EVS_EventType_DEBUG, 807	829
CFE_EVS_EventType_Enum_t, 805	CFE_PLATFORM_EVS_PORT_DEFAULT, 829
CFE_EVS_EventType_ERROR, 807	CFE_PLATFORM_EVS_START_TASK_PRIORITY,
CFE_EVS_EventType_INFORMATION, 807	829
CFE_EVS_LogMode, 807	CFE_PLATFORM_EVS_START_TASK_STACK_SIZE,
CFE_EVS_LogMode_DISCARD, 807	830 default_cfe_evs_msgdefs.h
CFE_EVS_LogMode_Enum_t, 806	CFE_EVS_AppDataCmd_Payload_t, 833
CFE_EVS_LogMode_OVERWRITE, 807	CFE_EVS_AppNameBitMaskCmd_Payload_t, 833
CFE_EVS_MsgFormat, 807	
CFE_EVS_MsgFormat_Enum_t, 806	CFE_EVS_AppNameCmd_Payload_t, 833 CFE_EVS_AppNameEventIDCmd_Payload_t, 833
CFE_EVS_MsgFormat_LONG, 807	CFE_EVS_AppNameEventIDGmd_rayload_t, CFE_EVS_AppNameEventIDMaskCmd_Payload_t,
CFE_EVS_MsgFormat_SHORT, 807	833
default_cfe_evs_fcncodes.h	CFE_EVS_AppTlmData_t, 833
CFE_EVS_ADD_EVENT_FILTER_CC, 808	CFE_EVS_App1111Data_t, 833 CFE_EVS_BitMaskCmd_Payload_t, 833
CFE_EVS_CLEAR_LOG_CC, 809	CFE EVS CRITICAL BIT, 832
CFE_EVS_DELETE_EVENT_FILTER_CC, 809	CFE_EVS_DEBUG_BIT, 832
CFE_EVS_DISABLE_APP_EVENT_TYPE_CC, 810	
CFE_EVS_DISABLE_APP_EVENTS_CC, 811	CFE_EVS_ERROR_BIT, 832
CFE_EVS_DISABLE_EVENT_TYPE_CC, 812	CFE_EVS_HousekeepingTlm_Payload_t, 834
CFE_EVS_DISABLE_PORTS_CC, 813	CFE_EVS_INFORMATION_BIT, 832
CFE_EVS_ENABLE_APP_EVENT_TYPE_CC, 814	CFE_EVS_LongFileCmd_Payload_t, 834
CFE_EVS_ENABLE_APP_EVENTS_CC, 814	CFE_EVS_LongEventTIm_Payload_t, 834
CFE_EVS_ENABLE_EVENT_TYPE_CC, 815	CFE_EVS_PacketID_t, 834
CFE_EVS_ENABLE_PORTS_CC, 816	CFE_EVS_PORT1_BIT, 833
CFE_EVS_NOOP_CC, 817	CFE_EVS_PORT2_BIT, 833
CFE_EVS_RESET_ALL_FILTERS_CC, 818	CFE_EVS_PORT3_BIT, 833
CFE_EVS_RESET_APP_COUNTER_CC, 818	CFE_EVS_PORT4_BIT, 833 CFE_EVS_SetEventFormatMode_Payload_t, 834
CFE_EVS_RESET_COUNTERS_CC, 819	CFE_EVS_SetEventrofffativioue_Fayload_t, 634 CFE EVS SetLogMode Payload t, 834
CFE_EVS_RESET_FILTER_CC, 820	CFE_EVS_SetLogMode_Fayload_t, 634 CFE_EVS_ShortEventTlm_Payload_t, 834
CFE_EVS_SET_EVENT_FORMAT_MODE_CC, 821	default_cfe_evs_msgids.h
CFE EVS SET FILTER CC, 822	CFE_EVS_CMD_MID, 835
CFE_EVS_SET_LOG_MODE_CC, 823	CFE_EVS_HK_TLM_MID, 835
CFE_EVS_WRITE_APP_DATA_FILE_CC, 823	CFE_EVS_LONG_EVENT_MSG_MID, 835
CFE_EVS_WRITE_LOG_DATA_FILE_CC, 824	CFE_EVS_SEND_HK_MID, 835
default_cfe_evs_interface_cfg.h	CFE EVS SHORT EVENT MSG MID, 835
CFE_MISSION_EVS_MAX_MESSAGE_LENGTH,	default_cfe_evs_msgstruct.h
826	CFE_EVS_AddEventFilterCmd_t, 837
default_cfe_evs_internal_cfg.h	CFE_EVS_ClearLogCmd_t, 837
CFE PLATFORM EVS APP EVENTS PER SEC,	CFE_EVS_DeleteEventFilterCmd_t, 837
826	CFE_EVS_DisableAppEventsCmd_t, 837
CFE_PLATFORM_EVS_DEFAULT_APP_DATA_FILE,	CFE_EVS_DisableAppEventTypeCmd_t, 837
827	CFE_EVS_DisableEventTypeCmd_t, 837
CFE_PLATFORM_EVS_DEFAULT_LOG_FILE, 827	CFE_EVS_DisablePortsCmd_t, 837
CFE_PLATFORM_EVS_DEFAULT_LOG_MODE,	CFE_EVS_EnableAppEventsCmd_t, 837
827	CFE_EVS_EnableAppEventTypeCmd_t, 837
CFE_PLATFORM_EVS_DEFAULT_MSG_FORMAT_M	
828	CFE EVS EnablePortsCmd t, 837

CFE_EVS_HousekeepingTlm_t, 837	CFE_SB_SUB_ENTRIES_PER_PKT, 857
CFE_EVS_LongEventTlm_t, 837	default_cfe_sb_fcncodes.h
CFE_EVS_NoopCmd_t, 837	CFE_SB_DISABLE_ROUTE_CC, 859
CFE_EVS_ResetAllFiltersCmd_t, 837	CFE_SB_DISABLE_SUB_REPORTING_CC, 860
CFE EVS ResetAppCounterCmd t, 838	CFE SB ENABLE ROUTE CC, 861
CFE_EVS_ResetCountersCmd_t, 838	CFE_SB_ENABLE_SUB_REPORTING_CC, 861
CFE_EVS_ResetFilterCmd_t, 838	CFE_SB_NOOP_CC, 862
CFE_EVS_SendHkCmd_t, 838	CFE_SB_RESET_COUNTERS_CC, 863
CFE_EVS_SetEventFormatModeCmd_t, 838	CFE_SB_SEND_PREV_SUBS_CC, 864
CFE EVS SetFilterCmd t, 838	CFE_SB_SEND_SB_STATS_CC, 864
CFE EVS SetLogModeCmd t, 838	CFE_SB_WRITE_MAP_INFO_CC, 865
CFE_EVS_ShortEventTlm_t, 838	CFE SB WRITE PIPE INFO CC, 866
CFE_EVS_WriteAppDataFileCmd_t, 838	CFE_SB_WRITE_ROUTING_INFO_CC, 867
CFE_EVS_WriteLogDataFileCmd_t, 838	default_cfe_sb_interface_cfg.h
default_cfe_evs_topicids.h	CFE_MISSION_SB_MAX_PIPES, 868
CFE_MISSION_EVS_CMD_TOPICID, 839	CFE_MISSION_SB_MAX_SB_MSG_SIZE, 868
CFE_MISSION_EVS_HK_TLM_TOPICID, 839	default_cfe_sb_internal_cfg.h
CFE_MISSION_EVS_LONG_EVENT_MSG_TOPICID,	-
839	CFE_PLATFORM_SB_DEFAULT_MAP_FILENAME,
CFE MISSION EVS SEND HK TOPICID, 839	870
CFE_MISSION_EVS_SHORT_EVENT_MSG_TOPICIE	
839	CFE PLATFORM SB DEFAULT PIPE FILENAME,
default_cfe_fs_filedef.h	871 CFE PLATFORM SB DEFAULT ROUTING FILENAME,
CFE_FS_Header_t, 852	
CFE_FS_SubType, 853	871
CFE_FS_SubType_Enum_t, 852	CFE_PLATFORM_SB_FILTER_MASK1, 872
CFE_FS_SubType_ES_CDS_REG, 853	CFE_PLATFORM_SB_FILTER_MASK2, 872
CFE_FS_SubType_ES_ERLOG, 853	CFE_PLATFORM_SB_FILTER_MASK3, 872
CFE_FS_SubType_ES_PERFDATA, 853	CFE_PLATFORM_SB_FILTER_MASK4, 872
CFE_FS_SubType_ES_QUERYALL, 853	CFE_PLATFORM_SB_FILTER_MASK5, 872
CFE_FS_SubType_ES_QUERYALLTASKS, 854	CFE_PLATFORM_SB_FILTER_MASK6, 872
CFE_FS_SubType_ES_SYSLOG, 853	CFE_PLATFORM_SB_FILTER_MASK7, 872
CFE_FS_SubType_EVS_APPDATA, 853	CFE_PLATFORM_SB_FILTER_MASK8, 872
CFE_FS_SubType_EVS_EVENTLOG, 853	CFE_PLATFORM_SB_FILTERED_EVENT1, 872
CFE_FS_SubType_SB_MAPDATA, 854	CFE_PLATFORM_SB_FILTERED_EVENT2, 873
CFE_FS_SubType_SB_PIPEDATA, 853	CFE_PLATFORM_SB_FILTERED_EVENT3, 873
CFE_FS_SubType_SB_ROUTEDATA, 853	CFE_PLATFORM_SB_FILTERED_EVENT4, 873
CFE_FS_SubType_TBL_IMG, 853	CFE_PLATFORM_SB_FILTERED_EVENT5, 873
CFE_FS_SubType_TBL_REG, 853	CFE_PLATFORM_SB_FILTERED_EVENT6, 873
default_cfe_fs_interface_cfg.h	CFE_PLATFORM_SB_FILTERED_EVENT7, 873
CFE_FS_FILE_CONTENT_ID, 854	CFE_PLATFORM_SB_FILTERED_EVENT8, 873
CFE_FS_HDR_DESC_MAX_LEN, 854	CFE_PLATFORM_SB_HIGHEST_VALID_MSGID,
default_cfe_sb_extern_typedefs.h	873
CFE_SB_Msgld_Atom_t, 858	CFE_PLATFORM_SB_MAX_BLOCK_SIZE, 874
CFE_SB_PipeId_t, 858	CFE_PLATFORM_SB_MAX_DEST_PER_PKT, 874
CFE_SB_QosPriority, 858	CFE_PLATFORM_SB_MAX_MSG_IDS, 874
CFE_SB_QosPriority_Enum_t, 858	CFE_PLATFORM_SB_MAX_PIPES, 875
CFE_SB_QosPriority_HIGH, 858	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_01, 875
CFE_SB_QosPriority_LOW, 858	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_02, 875
CFE_SB_QosReliability, 859	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_03, 875
CFE_SB_QosReliability_Enum_t, 858	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_04, 875
CFE_SB_QosReliability_HIGH, 859	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_05, 875
CFE_SB_QosReliability_LOW, 859	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_06, 876
CEE SR Routeld Atom t 858	CEE PLATEORM SR MEM BLOCK SIZE 07 876

CFE_PLATFORM_SB_MEM_BLOCK_SIZE_08, 876	CFE_MISSION_SB_ONESUB_TLM_TOPICID, 885
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_09, 876	CFE_MISSION_SB_SEND_HK_TOPICID, 885
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_10, 876	CFE MISSION SB STATS TLM TOPICID, 885
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_11, 876	CFE_MISSION_SB_SUB_RPT_CTRL_TOPICID,
CFE PLATFORM SB MEM BLOCK SIZE 12, 876	885
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_13, 876	default_cfe_tbl_extern_typedefs.h
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_14, 876	CFE_TBL_BufferSelect, 905
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_15, 876	CFE_TBL_BufferSelect_ACTIVE, 906
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_16, 876	CFE_TBL_BufferSelect_Enum_t, 905
CFE PLATFORM SB START TASK PRIORITY,	CFE_TBL_BufferSelect_INACTIVE, 906
877	CFE_TBL_BuiletSelect_INACTIVE, 906 CFE_TBL_File_Hdr_t, 905
CFE_PLATFORM_SB_START_TASK_STACK_SIZE,	default_cfe_tbl_fcncodes.h
877	CFE_TBL_ABORT_LOAD_CC, 906
default_cfe_sb_msgdefs.h	CFE_TBL_ACTIVATE_CC, 907
CFE_SB_AllSubscriptionsTlm_Payload_t, 879	CFE_TBL_DELETE_CDS_CC, 908
CFE_SB_HousekeepingTlm_Payload_t, 879	CFE_TBL_DUMP_CC, 909
CFE_SB_MsgMapFileEntry_t, 879	CFE_TBL_DUMP_REGISTRY_CC, 909
CFE_SB_PipeDepthStats_t, 879	CFE_TBL_LOAD_CC, 910
CFE_SB_PipeInfoEntry_t, 879	CFE_TBL_NOOP_CC, 911
CFE_SB_RouteCmd_Payload_t, 880	CFE_TBL_RESET_COUNTERS_CC, 912
CFE_SB_RoutingFileEntry_t, 880	CFE_TBL_SEND_REGISTRY_CC, 913
CFE_SB_SingleSubscriptionTlm_Payload_t, 880	CFE_TBL_VALIDATE_CC, 914
CFE_SB_StatsTlm_Payload_t, 880	default cfe tbl interface cfg.h
CFE_SB_SubEntries_t, 880	CFE_MISSION_TBL_MAX_FULL_NAME_LEN, 915
CFE_SB_WriteFileInfoCmd_Payload_t, 880	CFE_MISSION_TBL_MAX_NAME_LENGTH, 916
default_cfe_sb_msgids.h	default_cfe_tbl_internal_cfg.h
CFE_SB_ALLSUBS_TLM_MID, 881	CFE_PLATFORM_TBL_BUF_MEMORY_BYTES,
CFE_SB_CMD_MID, 881	917
CFE_SB_HK_TLM_MID, 881	CFE_PLATFORM_TBL_DEFAULT_REG_DUMP_FILE,
CFE_SB_ONESUB_TLM_MID, 881	917
CFE_SB_SEND_HK_MID, 881	CFE_PLATFORM_TBL_MAX_CRITICAL_TABLES,
CFE_SB_STATS_TLM_MID, 881	917
CFE_SB_SUB_RPT_CTRL_MID, 881	CFE_PLATFORM_TBL_MAX_DBL_TABLE_SIZE,
default_cfe_sb_msgstruct.h	918
CFE_SB_AllSubscriptionsTlm_t, 883	CFE PLATFORM TBL MAX NUM HANDLES, 918
CFE_SB_DisableRouteCmd_t, 883	CFE PLATFORM TBL MAX NUM TABLES, 918
CFE_SB_DisableSubReportingCmd_t, 883	
• -	CFE_PLATFORM_TBL_MAX_NUM_VALIDATIONS,
CFE_SB_EnableRouteCmd_t, 883	918
CFE_SB_EnableSubReportingCmd_t, 883	CFE_PLATFORM_TBL_MAX_SIMULTANEOUS_LOADS
CFE_SB_HousekeepingTlm_t, 883	919
CFE_SB_NoopCmd_t, 883	CFE_PLATFORM_TBL_MAX_SNGL_TABLE_SIZE,
CFE_SB_ResetCountersCmd_t, 883	919
CFE_SB_SendHkCmd_t, 883	CFE_PLATFORM_TBL_START_TASK_PRIORITY,
CFE_SB_SendPrevSubsCmd_t, 883	919
CFE_SB_SendSbStatsCmd_t, 883	CFE_PLATFORM_TBL_START_TASK_STACK_SIZE,
CFE_SB_SingleSubscriptionTlm_t, 883	920
CFE_SB_StatsTlm_t, 883	CFE_PLATFORM_TBL_U32FROM4CHARS, 920
CFE_SB_WriteMapInfoCmd_t, 883	CFE_PLATFORM_TBL_VALID_PRID_1, 920
CFE_SB_WritePipeInfoCmd_t, 883	CFE_PLATFORM_TBL_VALID_PRID_2, 920
CFE_SB_WriteRoutingInfoCmd_t, 883	CFE_PLATFORM_TBL_VALID_PRID_3, 921
default_cfe_sb_topicids.h	CFE_PLATFORM_TBL_VALID_PRID_4, 921
CFE_MISSION_SB_ALLSUBS_TLM_TOPICID, 884	CFE_PLATFORM_TBL_VALID_PRID_COUNT, 921
CFE_MISSION_SB_CMD_TOPICID, 884	CFE PLATFORM TBL VALID SCID 1, 921
CEE MISSION SB HK TIM TOPICID 884	CEE PLATEORM TRI VALID SCID 2 921

CFE_PLATFORM_TBL_VALID_SCID_COUNT, 921	CFE_TIME_FlagBit_Enum_t, 951
default_cfe_tbl_msgdefs.h	CFE TIME FlagBit FLYING, 953
CFE_TBL_AbortLoadCmd_Payload_t, 924	CFE_TIME_FlagBit_GDTONE, 953
CFE_TBL_ActivateCmd_Payload_t, 924	CFE_TIME_FlagBit_SERVER, 953
CFE_TBL_DelCDSCmd_Payload_t, 924	CFE_TIME_FlagBit_SIGPRI, 953
CFE TBL DumpCmd Payload t, 924	CFE_TIME_FlagBit_SRCINT, 953
CFE_TBL_DumpRegistryCmd_Payload_t, 924	CFE_TIME_FlagBit_SRVFLY, 953
CFE_TBL_HousekeepingTlm_Payload_t, 924	CFE_TIME_FlywheelState, 953
CFE_TBL_LoadCmd_Payload_t, 924	CFE_TIME_FlywheelState_Enum_t, 951
CFE_TBL_NotifyCmd_Payload_t, 924	CFE_TIME_FlywheelState_IS_FLY, 953
CFE TBL SendRegistryCmd Payload t, 924	CFE_TIME_FlywheelState_NO_FLY, 953
CFE_TBL_TblRegPacket_Payload_t, 924	CFE TIME SetState, 953
CFE_TBL_ValidateCmd_Payload_t, 925	CFE_TIME_SetState_Enum_t, 951
default_cfe_tbl_msgids.h	CFE_TIME_SetState_NOT_SET, 953
CFE_TBL_CMD_MID, 925	CFE_TIME_SetState_WAS_SET, 953
CFE_TBL_HK_TLM_MID, 925	CFE_TIME_SourceSelect, 953
CFE_TBL_REG_TLM_MID, 925	CFE_TIME_SourceSelect_Enum_t, 951
CFE_TBL_SEND_HK_MID, 925	CFE_TIME_SourceSelect_Entitl_t, 951 CFE_TIME_SourceSelect_EXTERNAL, 953
default_cfe_tbl_msgstruct.h	CFE_TIME_SourceSelect_INTERNAL, 953
CFE_TBL_AbortLoadCmd_t, 927	CFE_TIME_SourceSelect_INTERIVAL, 933 CFE_TIME_SysTime_t, 951
	CFE_TIME_SysTime_t, 951 CFE_TIME_ToneSignalSelect, 954
CFE_TBL_ActivateCmd_t, 927 CFE TBL DeleteCDSCmd t, 927	
	CFE_TIME_ToneSignalSelect_Enum_t, 952 CFE_TIME_ToneSignalSelect_PRIMARY, 954
CFE_TBL_DumpCmd_t, 927	
CFE_TBL_DumpRegistryCmd_t, 927	CFE_TIME_ToneSignalSelect_REDUNDANT, 954
CFE_TBL_HousekeepingTlm_t, 927	default_cfe_time_fcncodes.h
CFE_TBL_LoadCmd_t, 927	CFE_TIME_ADD_ADJUST_CC, 954
CFE_TBL_NoopCmd_t, 927	CFE_TIME_ADD_DELAY_CC, 955
CFE_TBL_NotifyCmd_t, 927	CFE_TIME_ADD_ONEHZ_ADJUSTMENT_CC, 956
CFE_TBL_ResetCountersCmd_t, 927	CFE_TIME_NOOP_CC, 957
CFE_TBL_SendHkCmd_t, 927	CFE_TIME_RESET_COUNTERS_CC, 958
CFE_TBL_SendRegistryCmd_t, 927	CFE_TIME_SEND_DIAGNOSTIC_TLM_CC, 959
CFE_TBL_TableRegistryTlm_t, 927	CFE_TIME_SET_LEAP_SECONDS_CC, 959
CFE_TBL_ValidateCmd_t, 928	CFE_TIME_SET_MET_CC, 960
default_cfe_tbl_topicids.h	CFE_TIME_SET_SIGNAL_CC, 961
CFE_MISSION_TBL_CMD_TOPICID, 928	CFE_TIME_SET_SOURCE_CC, 962
CFE_MISSION_TBL_HK_TLM_TOPICID, 928	CFE_TIME_SET_STATE_CC, 963
CFE_MISSION_TBL_REG_TLM_TOPICID, 929	CFE_TIME_SET_STCF_CC, 965
CFE_MISSION_TBL_SEND_HK_TOPICID, 929	CFE_TIME_SET_TIME_CC, 965
default_cfe_time_extern_typedefs.h	CFE_TIME_SUB_ADJUST_CC, 966
CFE_TIME_AdjustDirection, 952	CFE_TIME_SUB_DELAY_CC, 967
CFE_TIME_AdjustDirection_ADD, 952	CFE_TIME_SUB_ONEHZ_ADJUSTMENT_CC, 968
CFE_TIME_AdjustDirection_Enum_t, 950	default_cfe_time_interface_cfg.h
CFE_TIME_AdjustDirection_SUBTRACT, 952	CFE_MISSION_TIME_AT_TONE_WAS, 970
CFE_TIME_ClockState, 952	CFE_MISSION_TIME_AT_TONE_WILL_BE, 971
CFE_TIME_ClockState_Enum_t, 950	CFE_MISSION_TIME_CFG_DEFAULT_TAI, 971
CFE_TIME_ClockState_FLYWHEEL, 952	CFE_MISSION_TIME_CFG_DEFAULT_UTC, 971
CFE_TIME_ClockState_INVALID, 952	CFE_MISSION_TIME_CFG_FAKE_TONE, 971
CFE_TIME_ClockState_VALID, 952	CFE_MISSION_TIME_DEF_DELAY_SECS, 971
CFE_TIME_FlagBit, 952	CFE_MISSION_TIME_DEF_DELAY_SUBS, 971
CFE_TIME_FlagBit_ADD1HZ, 953	CFE_MISSION_TIME_DEF_LEAPS, 972
CFE_TIME_FlagBit_ADDADJ, 953	CFE_MISSION_TIME_DEF_MET_SECS, 972
CFE_TIME_FlagBit_ADDTCL, 953	CFE_MISSION_TIME_DEF_MET_SUBS, 972
CFE_TIME_FlagBit_CLKSET, 953	CFE_MISSION_TIME_DEF_STCF_SECS, 972
CFE_TIME_FlagBit_CMDFLY, 953	CFE_MISSION_TIME_DEF_STCF_SUBS, 972

	CFE_MISSION_TIME_EPOCH_DAY, 972	CFE_TIME_SEND_CMD_MID, 984
	CFE_MISSION_TIME_EPOCH_HOUR, 972	CFE_TIME_SEND_HK_MID, 984
	CFE MISSION TIME EPOCH MICROS, 972	CFE_TIME_TONE_CMD_MID, 984
	CFE_MISSION_TIME_EPOCH_MINUTE, 973	default_cfe_time_msgstruct.h
	CFE_MISSION_TIME_EPOCH_SECOND, 973	CFE_TIME_1HzCmd_t, 985
	CFE_MISSION_TIME_EPOCH_YEAR, 973	CFE_TIME_Add1HZAdjustmentCmd_t, 985
	CFE_MISSION_TIME_FS_FACTOR, 973	CFE_TIME_AddAdjustCmd_t, 985
	CFE_MISSION_TIME_MAX_ELAPSED, 973	CFE_TIME_AddDelayCmd_t, 986
	CFE_MISSION_TIME_MIN_ELAPSED, 973	CFE_TIME_DiagnosticTIm_t, 986
defa	ult_cfe_time_internal_cfg.h	CFE_TIME_FakeToneCmd_t, 986
aoia	CFE_PLATFORM_TIME_CFG_CLIENT, 975	CFE_TIME_HousekeepingTlm_t, 986
	CFE_PLATFORM_TIME_CFG_LATCH_FLY, 975	CFE_TIME_NoopCmd_t, 986
	CFE_PLATFORM_TIME_CFG_SERVER, 975	CFE_TIME_ResetCountersCmd_t, 986
	CFE_PLATFORM_TIME_CFG_SIGNAL, 975	CFE_TIME_SendDiagnosticCmd_t, 986
	CFE_PLATFORM_TIME_CFG_SOURCE, 975	CFE_TIME_SendHkCmd_t, 986
	CFE_PLATFORM_TIME_CFG_SRC_GPS, 976	CFE_TIME_SetLeapSecondsCmd_t, 986
		CFE_TIME_SetLeapSecondsCind_t, 986 CFE_TIME_SetMETCmd_t, 986
	CFE_PLATFORM_TIME_CFG_SRC_MET, 976	
	CFE_PLATFORM_TIME_CFG_SRC_TIME, 976	CFE_TIME_SetSignalCmd_t, 986
	CFE_PLATFORM_TIME_CFG_START_FLY, 976	CFE_TIME_SetSourceCmd_t, 986
	CFE_PLATFORM_TIME_CFG_TONE_LIMIT, 977	CFE_TIME_SetStateCmd_t, 986
	CFE_PLATFORM_TIME_CFG_VIRTUAL, 977	CFE_TIME_SetSTCFCmd_t, 986
	CFE_PLATFORM_TIME_MAX_DELTA_SECS, 977	CFE_TIME_SetTimeCmd_t, 986
	CFE_PLATFORM_TIME_MAX_DELTA_SUBS, 978	CFE_TIME_Sub1HZAdjustmentCmd_t, 986
	CFE_PLATFORM_TIME_MAX_LOCAL_SECS, 978	CFE_TIME_SubAdjustCmd_t, 987
	CFE_PLATFORM_TIME_MAX_LOCAL_SUBS, 978	CFE_TIME_SubDelayCmd_t, 987
	CFE_PLATFORM_TIME_ONEHZ_TASK_PRIORITY,	CFE_TIME_ToneDataCmd_t, 987
	978	CFE_TIME_ToneSignalCmd_t, 987
	CFE_PLATFORM_TIME_ONEHZ_TASK_STACK_SIZE	
	978	CFE_MISSION_TIME_CMD_TOPICID, 987
	CFE_PLATFORM_TIME_START_TASK_PRIORITY,	CFE_MISSION_TIME_DATA_CMD_TOPICID, 988
	978	CFE_MISSION_TIME_DIAG_TLM_TOPICID, 988
	CFE_PLATFORM_TIME_START_TASK_STACK_SIZE,	
	979	CFE_MISSION_TIME_ONEHZ_CMD_TOPICID, 988
	CFE_PLATFORM_TIME_TONE_TASK_PRIORITY,	CFE_MISSION_TIME_SEND_CMD_TOPICID, 988
	979	CFE_MISSION_TIME_SEND_HK_TOPICID, 988
	CFE_PLATFORM_TIME_TONE_TASK_STACK_SIZE,	CFE_MISSION_TIME_TONE_CMD_TOPICID, 989
	979	DelayDirection
defa	ult_cfe_time_msgdefs.h	CFE_TIME_DiagnosticTlm_Payload, 554
	CFE_TIME_DiagnosticTIm_Payload_t, 982	Description
	CFE_TIME_HousekeepingTlm_Payload_t, 982	CFE_FS_FileWriteMetaData, 494
	CFE_TIME_LeapsCmd_Payload_t, 982	CFE_FS_Header, 496
	CFE_TIME_OneHzAdjustmentCmd_Payload_t, 982	CFE_TBL_FileDef, 529
	CFE_TIME_SignalCmd_Payload_t, 982	DoubleBuffered
	CFE_TIME_SourceCmd_Payload_t, 982	CFE_TBL_Info, 536
	CFE_TIME_StateCmd_Payload_t, 982	CFE_TBL_TblRegPacket_Payload, 543
	CFE_TIME_TimeCmd_Payload_t, 982	DumpFilename
	CFE_TIME_ToneDataCmd_Payload_t, 982	CFE_ES_DumpCDSRegistryCmd_Payload, 433
defa	ult cfe time msgids.h	CFE_TBL_DumpCmd_Payload, 526
	CFE_TIME_1HZ_CMD_MID, 983	CFE_TBL_DumpRegistryCmd_Payload, 528
	CFE_TIME_CMD_MID, 983	DumpOnly
	CFE_TIME_DATA_CMD_MID, 983	CFE_TBL_Info, 536
	CFE_TIME_DIAG_TLM_MID, 983	CFE_TBL_TblRegPacket_Payload, 544
	CFE_TIME_HK_TLM_MID, 983	DuplicateSubscriptionsCounter
	CFE_TIME_INC_INID, 963 CFE_TIME_ONEHZ_CMD_MID, 983	CFE_SB_HousekeepingTlm_Payload, 502
	OIL THRE UNETL CIVID MID, 500	OIL OD HOUSENEEDING HILL FAYIOAU, DUZ

Entries	CFE MISSION TIME DEF STCF SECS, 605
CFE_SB_AllSubscriptionsTlm_Payload, 497	CFE MISSION TIME DEF STCF SUBS, 606
Entry	CFE_MISSION_TIME_EPOCH_DAY, 606
CFE_SB_AllSubscriptionsTlm_Payload, 497	CFE_MISSION_TIME_EPOCH_HOUR, 606
entry_point	CFE MISSION TIME EPOCH MICROS, 606
OS_module_prop_t, 582	CFE MISSION TIME EPOCH MINUTE, 606
EntryPoint	CFE_MISSION_TIME_EPOCH_SECOND, 606
CFE_ES_AppInfo, 425	CFE_MISSION_TIME_EPOCH_YEAR, 606
ERLogEntries	
CFE_ES_HousekeepingTlm_Payload, 438	CFE_MISSION_TIME_FS_FACTOR, 606
	CFE_MISSION_TIME_MAX_ELAPSED, 607
ERLogIndex	CFE_MISSION_TIME_MIN_ELAPSED, 607
CFE_ES_HousekeepingTlm_Payload, 438	example_platform_cfg.h, 607
EventID	CFE_PLATFORM_CORE_MAX_STARTUP_MSEC,
CFE_EVS_AppNameEventIDCmd_Payload, 469	611
CFE_EVS_AppNameEventIDMaskCmd_Payload,	CFE_PLATFORM_ENDIAN, 612
470	CFE_PLATFORM_ES_APP_KILL_TIMEOUT, 612
CFE_EVS_BinFilter, 472	CFE_PLATFORM_ES_APP_SCAN_RATE, 612
CFE_EVS_PacketID, 485	CFE_PLATFORM_ES_CDS_MAX_BLOCK_SIZE,
EventType	613
CFE_EVS_PacketID, 485	CFE_PLATFORM_ES_CDS_MAX_NUM_ENTRIES,
example_mission_cfg.h, 596	613
CFE_FS_FILE_CONTENT_ID, 598	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_01,
CFE_FS_HDR_DESC_MAX_LEN, 598	613
CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN,	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_02,
598	613
CFE_MISSION_ES_CDS_MAX_NAME_LENGTH,	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_03,
598	614
CFE_MISSION_ES_CRC_16, 599	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_04,
CFE_MISSION_ES_CRC_32, 599	614
CFE_MISSION_ES_CRC_8, 599	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_05,
CFE_MISSION_ES_DEFAULT_CRC, 599	614
CFE_MISSION_ES_MAX_APPLICATIONS, 599	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_06,
CFE_MISSION_ES_PERF_MAX_IDS, 599	614
CFE_MISSION_ES_POOL_MAX_BUCKETS, 600	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_07,
CFE_MISSION_EVS_MAX_MESSAGE_LENGTH,	614
600	
CFE MISSION MAX API LEN, 600	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_08,
CFE MISSION MAX FILE LEN, 600	614
:	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_09,
CFE_MISSION_MAX_NUM_FILES, 601	614
CFE_MISSION_MAX_PATH_LEN, 602	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_10,
CFE_MISSION_SB_MAX_PIPES, 602	614
CFE_MISSION_SB_MAX_SB_MSG_SIZE, 602	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_11,
CFE_MISSION_TBL_MAX_FULL_NAME_LEN, 603	614
CFE_MISSION_TBL_MAX_NAME_LENGTH, 603	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_12
CFE_MISSION_TIME_AT_TONE_WAS, 603	614
CFE_MISSION_TIME_AT_TONE_WILL_BE, 604	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_13,
CFE_MISSION_TIME_CFG_DEFAULT_TAI, 604	615
CFE_MISSION_TIME_CFG_DEFAULT_UTC, 604	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_14,
CFE_MISSION_TIME_CFG_FAKE_TONE, 604	615
CFE_MISSION_TIME_DEF_DELAY_SECS, 605	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_15,
CFE_MISSION_TIME_DEF_DELAY_SUBS, 605	615
CFE_MISSION_TIME_DEF_LEAPS, 605	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_16,
CFE_MISSION_TIME_DEF_MET_SECS, 605	615
CFE_MISSION_TIME_DEF_MET_SUBS, 605	CFE_PLATFORM_ES_CDS_SIZE, 615

CFE_PLATFORM_ES_DEFAULT_APP_LOG_FILE, 615	CFE_PLATFORM_ES_PERF_CHILD_PRIORITY, 623
CFE_PLATFORM_ES_DEFAULT_CDS_REG_DUMP_FILE	
CFE_PLATFORM_ES_DEFAULT_ER_LOG_FILE, 616	CFE_PLATFORM_ES_PERF_DATA_BUFFER_SIZE, 624
CFE_PLATFORM_ES_DEFAULT_PERF_DUMP_FILENAM	
CFE_PLATFORM_ES_DEFAULT_POR_SYSLOG_MODE, 616	CFE_PLATFORM_ES_PERF_FILTMASK_ALL, 625 CFE_PLATFORM_ES_PERF_FILTMASK_INIT, 625
CFE_PLATFORM_ES_DEFAULT_PR_SYSLOG_MODE, 617	CFE_PLATFORM_ES_PERF_FILTMASK_NONE,
CFE_PLATFORM_ES_DEFAULT_STACK_SIZE, 617	CFE_PLATFORM_ES_PERF_TRIGMASK_ALL, 625
CFE_PLATFORM_ES_DEFAULT_SYSLOG_FILE,	CFE_PLATFORM_ES_PERF_TRIGMASK_INIT, 625
617	CFE_PLATFORM_ES_PERF_TRIGMASK_NONE,
CFE_PLATFORM_ES_DEFAULT_TASK_LOG_FILE,	626
618	CFE_PLATFORM_ES_POOL_MAX_BUCKETS, 626
CFE_PLATFORM_ES_ER_LOG_ENTRIES, 618	CFE_PLATFORM_ES_RAM_DISK_MOUNT_STRING,
CFE_PLATFORM_ES_ER_LOG_MAX_CONTEXT_SIZE,	626
618	CFE_PLATFORM_ES_RAM_DISK_NUM_SECTORS,
CFE_PLATFORM_ES_MAX_APPLICATIONS, 619	626
CFE_PLATFORM_ES_MAX_BLOCK_SIZE, 619	CFE_PLATFORM_ES_RAM_DISK_PERCENT_RESERVED,
CFE_PLATFORM_ES_MAX_GEN_COUNTERS,	627
619	CFE_PLATFORM_ES_RAM_DISK_SECTOR_SIZE,
CFE_PLATFORM_ES_MAX_LIBRARIES, 619	627
CFE_PLATFORM_ES_MAX_MEMORY_POOLS,	CFE_PLATFORM_ES_START_TASK_PRIORITY,
620	628
	020
CEE PLATFORM ES MAX PROCESSOR RESETS	CEE DI ATEORM ES START TASK STACK SIZE
CFE_PLATFORM_ES_MAX_PROCESSOR_RESETS,	CFE_PLATFORM_ES_START_TASK_STACK_SIZE,
620	628
620 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01, 620	628 CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_MSEC,
620 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01, 620 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02, 621	628 CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_MSEC, 628
620 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01, 620 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03, 621	628 CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_MSEC, 628 CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC,
G20 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01, 620 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04, 621	628 CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_MSEC, 628 CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC, 628
G20 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01, 620 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05, 621	628 CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_MSEC, 628 CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC, 628 CFE_PLATFORM_ES_SYSTEM_LOG_SIZE, 629
G20 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01, 620 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06, 621	G28 CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_MSEC, G28 CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC, G28 CFE_PLATFORM_ES_SYSTEM_LOG_SIZE, 629 CFE_PLATFORM_ES_USER_RESERVED_SIZE,
G20 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01, 620 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07, 621	G28 CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_MSEC, G28 CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC, G28 CFE_PLATFORM_ES_SYSTEM_LOG_SIZE, 629 CFE_PLATFORM_ES_USER_RESERVED_SIZE, G29
G20 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01, 620 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_08, 621	G28 CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_MSEC, G28 CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC, G28 CFE_PLATFORM_ES_SYSTEM_LOG_SIZE, 629 CFE_PLATFORM_ES_USER_RESERVED_SIZE, G29 CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE,
G20 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01, 620 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_08, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_09, 621	G28 CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_MSEC, G28 CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC, G28 CFE_PLATFORM_ES_SYSTEM_LOG_SIZE, 629 CFE_PLATFORM_ES_USER_RESERVED_SIZE, G29 CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE, G29
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01, 620 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_08, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_08, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_09, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_10, 621	CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_MSEC, 628 CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC, 628 CFE_PLATFORM_ES_SYSTEM_LOG_SIZE, 629 CFE_PLATFORM_ES_USER_RESERVED_SIZE, 629 CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE, 629 CFE_PLATFORM_EVS_APP_EVENTS_PER_SEC,
G20 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01, 620 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_08, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_09, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_10, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_10, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11, 622	G28 CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_MSEC,
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01, 620 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_08, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_09, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_10, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_12, 622	CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_MSEC, 628 CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC, 628 CFE_PLATFORM_ES_SYSTEM_LOG_SIZE, 629 CFE_PLATFORM_ES_USER_RESERVED_SIZE, 629 CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE, 629 CFE_PLATFORM_EVS_APP_EVENTS_PER_SEC, 630 CFE_PLATFORM_EVS_DEFAULT_APP_DATA_FILE,
G20 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01, 620 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_08, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_09, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_09, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_10, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_12, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_13, 622	CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_MSEC, 628 CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC, 628 CFE_PLATFORM_ES_SYSTEM_LOG_SIZE, 629 CFE_PLATFORM_ES_USER_RESERVED_SIZE, 629 CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE, 629 CFE_PLATFORM_EVS_APP_EVENTS_PER_SEC, 630 CFE_PLATFORM_EVS_DEFAULT_APP_DATA_FILE, 630
G20 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01, 620 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_08, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_09, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_10, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_12, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_13, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_14, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_14, 622	CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_MSEC, 628 CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC, 628 CFE_PLATFORM_ES_SYSTEM_LOG_SIZE, 629 CFE_PLATFORM_ES_USER_RESERVED_SIZE, 629 CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE, 629 CFE_PLATFORM_EVS_APP_EVENTS_PER_SEC, 630 CFE_PLATFORM_EVS_DEFAULT_APP_DATA_FILE, 630 CFE_PLATFORM_EVS_DEFAULT_LOG_FILE, 630
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01, 620 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_08, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_09, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_10, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_13, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_14, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_14, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_15, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_15, 622	CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_MSEC, 628 CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC, 628 CFE_PLATFORM_ES_SYSTEM_LOG_SIZE, 629 CFE_PLATFORM_ES_USER_RESERVED_SIZE, 629 CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE, 629 CFE_PLATFORM_EVS_APP_EVENTS_PER_SEC, 630 CFE_PLATFORM_EVS_DEFAULT_APP_DATA_FILE, 630 CFE_PLATFORM_EVS_DEFAULT_LOG_FILE, 630 CFE_PLATFORM_EVS_DEFAULT_LOG_MODE,
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01, 620 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_08, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_08, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_09, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_10, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_13, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_14, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_15, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_15, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_15, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_15, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_16, 622	CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_MSEC, 628 CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC, 628 CFE_PLATFORM_ES_SYSTEM_LOG_SIZE, 629 CFE_PLATFORM_ES_USER_RESERVED_SIZE, 629 CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE, 629 CFE_PLATFORM_EVS_APP_EVENTS_PER_SEC, 630 CFE_PLATFORM_EVS_DEFAULT_APP_DATA_FILE, 630 CFE_PLATFORM_EVS_DEFAULT_LOG_FILE, 630
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01, 620 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_08, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_09, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_09, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_10, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_13, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_14, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_15, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_15, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_15, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_16, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_16, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_MIN,	CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_MSEC, 628 CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC, 628 CFE_PLATFORM_ES_SYSTEM_LOG_SIZE, 629 CFE_PLATFORM_ES_USER_RESERVED_SIZE, 629 CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE, 629 CFE_PLATFORM_EVS_APP_EVENTS_PER_SEC, 630 CFE_PLATFORM_EVS_DEFAULT_APP_DATA_FILE, 630 CFE_PLATFORM_EVS_DEFAULT_LOG_FILE, 630 CFE_PLATFORM_EVS_DEFAULT_LOG_MODE,
G20 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01, 620 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_08, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_09, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_10, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_12, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_14, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_15, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_16, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_16, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_16, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_MIN, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_MIN, 522 CFE_PLATFORM_ES_MEMPOOL_ALIGN_SIZE_MIN, 622 CFE_PLATFORM_ES_MEMPOOL_ALIGN_SIZE_MIN, 522 CFE_PLATFORM_ES_NONVOL_DISK_MOUNT_STRING,	CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_MSEC, 628 CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC, 628 CFE_PLATFORM_ES_SYSTEM_LOG_SIZE, 629 CFE_PLATFORM_ES_USER_RESERVED_SIZE, 629 CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE, 629 CFE_PLATFORM_EVS_APP_EVENTS_PER_SEC, 630 CFE_PLATFORM_EVS_DEFAULT_APP_DATA_FILE, 630 CFE_PLATFORM_EVS_DEFAULT_LOG_FILE, 630 CFE_PLATFORM_EVS_DEFAULT_LOG_MODE, 631 CFE_PLATFORM_EVS_DEFAULT_MSG_FORMAT_MODE, 631 CFE_PLATFORM_EVS_DEFAULT_TYPE_FLAG,
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01, 620 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_09, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_10, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_12, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_13, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_14, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_15, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_16, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_16, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_MIN, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_MIN, 522 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_MIN, 522 CFE_PLATFORM_ES_MEMPOOL_ALIGN_SIZE_MIN, 522 CFE_PLATFORM_ES_NONVOL_DISK_MOUNT_STRING, 622	CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_MSEC, 628 CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC, 628 CFE_PLATFORM_ES_SYSTEM_LOG_SIZE, 629 CFE_PLATFORM_ES_USER_RESERVED_SIZE, 629 CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE, 629 CFE_PLATFORM_EVS_APP_EVENTS_PER_SEC, 630 CFE_PLATFORM_EVS_DEFAULT_APP_DATA_FILE, 630 CFE_PLATFORM_EVS_DEFAULT_LOG_FILE, 630 CFE_PLATFORM_EVS_DEFAULT_LOG_MODE, 631 CFE_PLATFORM_EVS_DEFAULT_MSG_FORMAT_MODE, 631 CFE_PLATFORM_EVS_DEFAULT_TYPE_FLAG, 631
G20 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01, 620 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_08, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_09, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_10, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_12, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_14, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_15, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_16, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_16, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_16, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_MIN, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_MIN, 522 CFE_PLATFORM_ES_MEMPOOL_ALIGN_SIZE_MIN, 622 CFE_PLATFORM_ES_MEMPOOL_ALIGN_SIZE_MIN, 522 CFE_PLATFORM_ES_NONVOL_DISK_MOUNT_STRING,	CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_MSEC, 628 CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC, 628 CFE_PLATFORM_ES_SYSTEM_LOG_SIZE, 629 CFE_PLATFORM_ES_USER_RESERVED_SIZE, 629 CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE, 629 CFE_PLATFORM_EVS_APP_EVENTS_PER_SEC, 630 CFE_PLATFORM_EVS_DEFAULT_APP_DATA_FILE, 630 CFE_PLATFORM_EVS_DEFAULT_LOG_FILE, 630 CFE_PLATFORM_EVS_DEFAULT_LOG_MODE, 631 CFE_PLATFORM_EVS_DEFAULT_MSG_FORMAT_MODE, 631 CFE_PLATFORM_EVS_DEFAULT_TYPE_FLAG, 631 CFE_PLATFORM_EVS_DEFAULT_TYPE_FLAG, 631 CFE_PLATFORM_EVS_LOG_MAX, 632
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01, 620 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_09, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_10, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_12, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_13, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_14, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_15, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_16, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_16, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_MIN, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_MIN, 522 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_MIN, 522 CFE_PLATFORM_ES_MEMPOOL_ALIGN_SIZE_MIN, 522 CFE_PLATFORM_ES_NONVOL_DISK_MOUNT_STRING, 622	CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_MSEC, 628 CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC, 628 CFE_PLATFORM_ES_SYSTEM_LOG_SIZE, 629 CFE_PLATFORM_ES_USER_RESERVED_SIZE, 629 CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE, 629 CFE_PLATFORM_EVS_APP_EVENTS_PER_SEC, 630 CFE_PLATFORM_EVS_DEFAULT_APP_DATA_FILE, 630 CFE_PLATFORM_EVS_DEFAULT_LOG_FILE, 630 CFE_PLATFORM_EVS_DEFAULT_LOG_MODE, 631 CFE_PLATFORM_EVS_DEFAULT_MSG_FORMAT_MODE, 631 CFE_PLATFORM_EVS_DEFAULT_TYPE_FLAG, 631
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01, 620 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_08, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_09, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_10, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_12, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_13, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_14, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_15, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_16, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_16, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_16, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_MIN, 622 CFE_PLATFORM_ES_MEMPOOL_ALIGN_SIZE_MIN, 622 CFE_PLATFORM_ES_NONVOL_DISK_MOUNT_STRING, 622 CFE_PLATFORM_ES_NONVOL_DISK_MOUNT_STRING, 622 CFE_PLATFORM_ES_NONVOL_STARTUP_FILE,	CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_MSEC, 628 CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC, 628 CFE_PLATFORM_ES_SYSTEM_LOG_SIZE, 629 CFE_PLATFORM_ES_USER_RESERVED_SIZE, 629 CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE, 629 CFE_PLATFORM_EVS_APP_EVENTS_PER_SEC, 630 CFE_PLATFORM_EVS_DEFAULT_APP_DATA_FILE, 630 CFE_PLATFORM_EVS_DEFAULT_LOG_FILE, 630 CFE_PLATFORM_EVS_DEFAULT_LOG_MODE, 631 CFE_PLATFORM_EVS_DEFAULT_MSG_FORMAT_MODE, 631 CFE_PLATFORM_EVS_DEFAULT_TYPE_FLAG, 631 CFE_PLATFORM_EVS_DEFAULT_TYPE_FLAG, 631 CFE_PLATFORM_EVS_LOG_MAX, 632
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01, 620 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_08, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_08, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_09, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_10, 621 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_13, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_14, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_15, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_16, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_16, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_16, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_MIN, 622 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_MIN, 522 CFE_PLATFORM_ES_MEMPOOL_ALIGN_SIZE_MIN, 622 CFE_PLATFORM_ES_NONVOL_DISK_MOUNT_STRING, 622 CFE_PLATFORM_ES_NONVOL_STARTUP_FILE, 623	CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_MSEC, 628 CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC, 628 CFE_PLATFORM_ES_SYSTEM_LOG_SIZE, 629 CFE_PLATFORM_ES_USER_RESERVED_SIZE, 629 CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE, 629 CFE_PLATFORM_EVS_APP_EVENTS_PER_SEC, 630 CFE_PLATFORM_EVS_DEFAULT_APP_DATA_FILE, 630 CFE_PLATFORM_EVS_DEFAULT_LOG_FILE, 630 CFE_PLATFORM_EVS_DEFAULT_LOG_MODE, 631 CFE_PLATFORM_EVS_DEFAULT_MSG_FORMAT_MODE, 631 CFE_PLATFORM_EVS_DEFAULT_TYPE_FLAG, 631 CFE_PLATFORM_EVS_DEFAULT_TYPE_FLAG, 631 CFE_PLATFORM_EVS_LOG_MAX, 632 CFE_PLATFORM_EVS_LOG_MAX, 632 CFE_PLATFORM_EVS_MAX_APP_EVENT_BURST,

CFE_PLATFORM_EVS_PORT_DEFAULT, 633	CFE_PLATFORM_SB_START_TASK_STACK_SIZE,
CFE_PLATFORM_EVS_START_TASK_PRIORITY,	640
633	CFE_PLATFORM_TBL_BUF_MEMORY_BYTES,
CFE_PLATFORM_EVS_START_TASK_STACK_SIZE,	641
633	CFE_PLATFORM_TBL_DEFAULT_REG_DUMP_FILE,
CFE_PLATFORM_SB_BUF_MEMORY_BYTES, 634	641
CFE_PLATFORM_SB_DEFAULT_MAP_FILENAME,	CFE_PLATFORM_TBL_MAX_CRITICAL_TABLES,
634	641
CFE_PLATFORM_SB_DEFAULT_MSG_LIMIT, 634	CFE_PLATFORM_TBL_MAX_DBL_TABLE_SIZE,
CFE_PLATFORM_SB_DEFAULT_PIPE_FILENAME,	642
635	CFE_PLATFORM_TBL_MAX_NUM_HANDLES, 642
CFE_PLATFORM_SB_DEFAULT_ROUTING_FILENAME,	CFE_PLATFORM_TBL_MAX_NUM_TABLES, 642
635	CFE_PLATFORM_TBL_MAX_NUM_VALIDATIONS,
CFE_PLATFORM_SB_FILTER_MASK1, 635	642
CFE_PLATFORM_SB_FILTER_MASK2, 635	CFE_PLATFORM_TBL_MAX_SIMULTANEOUS_LOADS,
CFE_PLATFORM_SB_FILTER_MASK3, 636	643
CFE_PLATFORM_SB_FILTER_MASK4, 636	CFE_PLATFORM_TBL_MAX_SNGL_TABLE_SIZE,
CFE_PLATFORM_SB_FILTER_MASK5, 636	643
CFE_PLATFORM_SB_FILTER_MASK6, 636	CFE_PLATFORM_TBL_START_TASK_PRIORITY,
CFE_PLATFORM_SB_FILTER_MASK7, 636	643
CFE_PLATFORM_SB_FILTER_MASK8, 636	CFE_PLATFORM_TBL_START_TASK_STACK_SIZE,
CFE_PLATFORM_SB_FILTERED_EVENT1, 636	644
CFE_PLATFORM_SB_FILTERED_EVENT2, 636	CFE_PLATFORM_TBL_U32FROM4CHARS, 644
CFE_PLATFORM_SB_FILTERED_EVENT3, 636	CFE_PLATFORM_TBL_VALID_PRID_1, 644
CFE_PLATFORM_SB_FILTERED_EVENT4, 636	CFE_PLATFORM_TBL_VALID_PRID_2, 644
CFE_PLATFORM_SB_FILTERED_EVENT5, 637	CFE_PLATFORM_TBL_VALID_PRID_3, 645
CFE_PLATFORM_SB_FILTERED_EVENT6, 637	CFE_PLATFORM_TBL_VALID_PRID_4, 645
CFE_PLATFORM_SB_FILTERED_EVENT7, 637	CFE_PLATFORM_TBL_VALID_PRID_COUNT, 645
CFE_PLATFORM_SB_FILTERED_EVENT8, 637	CFE_PLATFORM_TBL_VALID_SCID_1, 645
CFE_PLATFORM_SB_HIGHEST_VALID_MSGID,	CFE_PLATFORM_TBL_VALID_SCID_2, 645
637	CFE_PLATFORM_TBL_VALID_SCID_COUNT, 645
CFE_PLATFORM_SB_MAX_BLOCK_SIZE, 637	CFE_PLATFORM_TIME_CFG_CLIENT, 646
CFE PLATFORM SB MAX DEST PER PKT, 637	CFE_PLATFORM_TIME_CFG_LATCH_FLY, 646
CFE_PLATFORM_SB_MAX_MSG_IDS, 638	CFE_PLATFORM_TIME_CFG_SERVER, 646
CFE_PLATFORM_SB_MAX_PIPES, 638	CFE_PLATFORM_TIME_CFG_SIGNAL, 646
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_01, 638	CFE_PLATFORM_TIME_CFG_SOURCE, 647
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_02, 639	CFE_PLATFORM_TIME_CFG_SRC_GPS, 647
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_03, 639	CFE_PLATFORM_TIME_CFG_SRC_MET, 647
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_04, 639	CFE_PLATFORM_TIME_CFG_SRC_TIME, 647
CFE PLATFORM SB MEM BLOCK SIZE 05, 639	CFE_PLATFORM_TIME_CFG_START_FLY, 648
CFE PLATFORM SB MEM BLOCK SIZE 06, 639	CFE_PLATFORM_TIME_CFG_TONE_LIMIT, 648
CFE PLATFORM SB MEM BLOCK SIZE 07, 639	CFE_PLATFORM_TIME_CFG_VIRTUAL, 648
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_08, 639	CFE_PLATFORM_TIME_MAX_DELTA_SECS, 648
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_09, 639	CFE_PLATFORM_TIME_MAX_DELTA_SUBS, 649
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_10, 639	CFE_PLATFORM_TIME_MAX_LOCAL_SECS, 649
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_11, 639	CFE_PLATFORM_TIME_MAX_LOCAL_SUBS, 649
CFE PLATFORM SB MEM BLOCK SIZE 12, 640	CFE_PLATFORM_TIME_ONEHZ_TASK_PRIORITY,
	649
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_13, 640	CFE_PLATFORM_TIME_ONEHZ_TASK_STACK_SIZE,
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_14, 640	649
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_15, 640	CFE_PLATFORM_TIME_START_TASK_PRIORITY,
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_16, 640	649
CFE_PLATFORM_SB_START_TASK_PRIORITY, 640	CFE_PLATFORM_TIME_START_TASK_STACK_SIZE, 650
040	U3U

CFE_PLATFORM_TIME_TONE_TASK_PRIORITY,	GetData
650	CFE_FS_FileWriteMetaData, 494
CFE_PLATFORM_TIME_TONE_TASK_STACK_SIZE,	
650 ExceptionAction	CFE_SB_HousekeepingTlm_Payload, 502
•	Handle
CFE_ES_AppInfo, 425	CFE_ES_CDSRegDumpRec, 430
CFE_ES_StartAppCmd_Payload, 461	HeapBlocksFree
ExecutionCounter	CFE ES HousekeepingTlm Payload, 438
CFE_ES_AppInfo, 425	HeapBytesFree
CFE_ES_TaskInfo, 465	CFE ES HousekeepingTlm Payload, 438
F 1 N/ 10 1	HeapMaxBlockSize
FailedValCounter	CFE_ES_HousekeepingTlm_Payload, 439
CFE_TBL_HousekeepingTlm_Payload, 532	host module id
FileCreateTimeSecs	OS_module_prop_t, 582
CFE_TBL_Info, 536	00_modulo_prop_t, 002
CFE_TBL_TblRegPacket_Payload, 544	InactiveBufferAddr
FileCreateTimeSubSecs	CFE TBL TblRegPacket Payload, 544
CFE_TBL_Info, 536	Index
CFE_TBL_TblRegPacket_Payload, 544	CFE_SB_MsgMapFileEntry, 505
FileModeBits	int16
os_fstat_t, 580	common_types.h, 1002
FileName	int32
CFE_ES_AppInfo, 425	common_types.h, 1002
CFE_ES_FileNameCmd_Payload, 434	int64
CFE_FS_FileWriteMetaData, 494	common_types.h, 1002
os_dirent_t, 577	int8
Filename	common_types.h, 1002
CFE_SB_WriteFileInfoCmd_Payload, 520	InternalErrorCounter
filename	CFE_SB_HousekeepingTlm_Payload, 502
OS_module_prop_t, 582	interval time
FileSize	OS_timer_prop_t, 590
os_fstat_t, 580	intptr
FileSubType	common_types.h, 1002
CFE_FS_FileWriteMetaData, 494	IsPending
FileTime	CFE_FS_FileWriteMetaData, 494
os_fstat_t, 580	IsValid
FilterMask	OS_file_prop_t, 578
CFE_ES_SetPerfFilterMaskCmd_Payload, 458	
FilterMaskNum	largest_free_block
CFE_ES_SetPerfFilterMaskCmd_Payload, 458	OS_heap_prop_t, 581
flags	LastFileDumped
OS_module_address_t, 582	CFE_TBL_HousekeepingTlm_Payload, 532
Forced2Fly	LastFileLoaded
CFE_TIME_DiagnosticTIm_Payload, 554	CFE_TBL_HousekeepingTlm_Payload, 533
free_blocks	CFE_TBL_Info, 536
OS_heap_prop_t, 580	CFE_TBL_TblRegPacket_Payload, 544
free_bytes	LastTableLoaded
OS_heap_prop_t, 580	CFE_TBL_HousekeepingTlm_Payload, 533
FreeFds	LastUpdatedTable
os_fsinfo_t, 579	CFE_TBL_HousekeepingTlm_Payload, 533
freerun_time	LastUpdateTime
OS_timebase_prop_t, 589	CFE_TBL_HousekeepingTlm_Payload, 533
FreeVolumes	LastValCrc
os fsinfo t, 579	CFE TBL HousekeepingTlm Payload, 533

CFE_TBL_HousekeepingTlm_Payload, 533 LaepSeconds CFE_TIME_HousekeepingTlm_Payload, 533 LaepSeconds CFE_TIME_LeapsCmd_Payload, 560 CFE_TIME_LeapsCmd_Payload, 562 Length CCSDS_PrimaryHeader, 423 CFE_FS_Header, 496 LENGTHCHECK osapi-macros.h, 1023 LoadFilename CFE_TBL_LoadCmd_Payload, 538 LoadPending CFE_TBL_TblRegPacket_Payload, 544 LocalIntCounter CFE_TIME_DiagnosticTlm_Payload, 554 LogFabled CFE_EVS_HousekeepingTlm_Payload, 480 LogFilename CFE_EVS_HousekeepingTlm_Payload, 480 LogFilename CFE_EVS_HousekeepingTlm_Payload, 480 LogFilename CFE_EVS_HousekeepingTlm_Payload, 480 LogFordfowCounter CFE_EVS_HousekeepingTlm_Payload, 480 LogDouble CFE_EVS_HousekeepingTlm_Payload, 480 LongDouble CFE_EVS_HousekeepingTlm_Payload, 480 LongDouble CFE_EVS_HousekeepingTlm_Payload, 480 LongDouble CFE_EVS_HousekeepingTlm_Payload, 480 CFE_ES_PoolAlign, 448 CFE_SB_Msq, 504 MainTaskld CFE_ES_Applind, 426 Mask CFE_ES_Applind, 426 Mask CFE_EVS_AppNameEventIDMaskCmd_Payload, 470 CFE_EVS_BinFilter, 472 MaxPiozes CFE_SB_RoutingFileEntry, 511 MaxPiozesoriff CFE_ES_BoutingFileEntry, 511 MaxPiozesoriff CFE_ES_Bindived CFE_SB_BingleSubscriptionTlm_Payload, 456 MaxPiozesoriff CFE_SB_SingleSubscriptionTlm_Payload, 456 MaxPiozesoriff CFE_SB_SingleSubscriptionTlm_Payload, 514 CFE_SB_RoutingFileEntry, 512 CFE_SB_SingleSubscriptionTlm_Payload, 514	LastValStatus	MaxMsgldsAllowed
CFE_TIME_HousekeepingTIm_Payload, 533 LeapSeconds CFE_TIME_HousekeepingTIm_Payload, 560 CFE_TIME_LeapsCmd_Payload, 562 Length CCSDS_PrimaryHeader, 423 CFE_FS_Header, 496 LENGTHCHECK Osapi-macros.h, 1023 LoadFilename CFE_TBL_LoadCmd_Payload, 538 LoadPending CFE_TBL_LoadCmd_Payload, 544 LocalImCounter CFE_TBL_bilagnosticTIm_Payload, 554 LocalTaskCounter CFE_TIME_DiagnosticTIm_Payload, 554 LogFilename CFE_EVS_HousekeepingTIm_Payload, 480 LogFilename CFE_EVS_HousekeepingTIm_Payload, 480 LogFullFlag CFE_EVS_HousekeepingTIm_Payload, 480 CFE_ES_PolAlign, 448 CFE_SB_Msg, 504 MainTaskId CFE_ES_PolAlign, 448 CFE_SB_Msg, 504 MainTaskId CFE_ES_Applnto, 426 Mask CFE_ES_Applnto, 426 Mask CFE_EVS_BinFilter, 472 MaxElapsed CFE_SB_RoutingFileEntry, 511 MaxPlocustor CFE_EVS_BotaskeepingTIm_Payload, 554 MaxPlocessorFisests CFE_SB_StatsTim_Payload, 439 MaxCusueDepth CFE_SB_StatsTim_Payload, 439 MaxCusueDepth CFE_SB_HousekeepingTim_Payload, 551 MaxPlocustor CFE_SB_HousekeepingTim_Payload, 554 MaxPlocessorFisests CFE_SB_HousekeepingTim_Payload, 554 MaxSuscintionsAllowed CFE_EVS_HousekeepingTim_Payload, 480 CFE_EVS_Housekee	CFE_TBL_HousekeepingTlm_Payload, 533	CFE_SB_StatsTlm_Payload, 516
LeapSeconds CFE_TIME_LeapsCmd_Payload, 560 CFE_TIME_LeapsCmd_Payload, 562 Length CCSDS_PrimaryHeader, 423 CFE_FS_Header, 496 LENGTHCHECK osapi-macros.h, 1023 LoadFilename CFE_TBL_LoadCmd_Payload, 538 LoadPending CFE_TBL_DiBegPacket_Payload, 544 CocalIntCounter CFE_TIME_DiagnosticTIm_Payload, 554 LocalTaskCounter CFE_TIME_DiagnosticTIm_Payload, 554 LogEnabled CFE_EVS_HousekeepingTIm_Payload, 480 LogfMode CFE_EVS_LogFileCmd_Payload, 480 CFE_EVS_BetLogMode_Payload, 490 CFE_EVS_SetLogMode_Payload, 490 CFE_EVS_SetLogMode_Payload, 490 CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 LongInt CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 MainTaskId CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 MainTaskId CFE_ES_AppInfo, 426 Mask CFE_EVS_AppNameEventIDMaskCmd_Payload, 470 CFE_EVS_BinFilter, 472 MaxPlocunt CFE_SB_Rs_StatsTim_Payload, 514 MaxProcassorResets CFE_EVS_BinFilter, 472 MaxPRoount CFE_ES_BosItatsTim_Payload, 439 MaxPiposasorResets CFE_ES_SetMaxPRCountCmd_Payload, 436 MaxProcassorResets CFE_ES_PlousekeepingTim_Payload, 439 MaxPiposasorResets CFE_ES_PlousekeepingTim_Payload, 439 MaxProcassorResets CFE_ES_PipleDepthStats, 507 CFE_SB_PipleDepthStats, 507 CFE_SB_PipleInCentry, 508 MaxProcassorResets CFE_SB_PipleInCentry, 508 MaxProcassorResets CFE_SB_PipleInCentry, 508 MaxProcassorResets CFE_ES_S PipleInCentry, 508 MaxProcassorResets CFE_ES_Set StatsTim_Payload, 439 MaxPouseDepth CFE_SB_StatsTim_Payload, 517 MaxProcunt CFE_ES_Binds_t, 507 CFE_SB_PipleInCentry, 508 MaxProcassorResets CFE_ES_Set StatsTim_Payload, 439 MaxPouseDepth CFE_SB_StatsTim_Payload, 517 MaxProcunt CFE_ES_StatsTim_Payload, 439 MaxPouseDepth CFE_SB_PipleInCentry, 508 MaxProcasion AxivouseDepth CFE_SB_StatsTim_Payload, 517 MaxProcunt CFE_ES_StatsTim_Payload, 517 MaxProcunt CFE_ES_PipleInCentry, 508 MaxProcasion AxivouseDepth CFE_SB_StatsTim_Payload, 517 MaxProcunt CFE_ES_StatsTim_Payload, 517 MaxProcunt CFE_ES_PipleInter, 472 MaxProcunt CFE_ES_PipleTity, 511 MaxProcunt CFE_ES_PipleTity, 511 MaxProcunt CFE_ES_PipleTity, 512 CFE_SB_RouteCmd_Payload, 514 CFE_SB_RouteCmd_Paylo	LastValTableName	MaxPipeDepthAllowed
LeapSeconds CFE_TIME_LeapsCmd_Payload, 560 CFE_TIME_LeapsCmd_Payload, 562 Length CCSDS_PrimaryHeader, 423 CFE_FS_Header, 496 LENGTHCHECK osapi-macros.h, 1023 LoadFilename CFE_TBL_LoadCmd_Payload, 538 LoadPending CFE_TBL_DiBegPacket_Payload, 544 CocalIntCounter CFE_TIME_DiagnosticTIm_Payload, 554 LocalTaskCounter CFE_TIME_DiagnosticTIm_Payload, 554 LogEnabled CFE_EVS_HousekeepingTIm_Payload, 480 LogfMode CFE_EVS_LogFileCmd_Payload, 480 CFE_EVS_BetLogMode_Payload, 490 CFE_EVS_SetLogMode_Payload, 490 CFE_EVS_SetLogMode_Payload, 490 CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 LongInt CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 MainTaskId CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 MainTaskId CFE_ES_AppInfo, 426 Mask CFE_EVS_AppNameEventIDMaskCmd_Payload, 470 CFE_EVS_BinFilter, 472 MaxPlocunt CFE_SB_Rs_StatsTim_Payload, 514 MaxProcassorResets CFE_EVS_BinFilter, 472 MaxPRoount CFE_ES_BosItatsTim_Payload, 439 MaxPiposasorResets CFE_ES_SetMaxPRCountCmd_Payload, 436 MaxProcassorResets CFE_ES_PlousekeepingTim_Payload, 439 MaxPiposasorResets CFE_ES_PlousekeepingTim_Payload, 439 MaxProcassorResets CFE_ES_PipleDepthStats, 507 CFE_SB_PipleDepthStats, 507 CFE_SB_PipleInCentry, 508 MaxProcassorResets CFE_SB_PipleInCentry, 508 MaxProcassorResets CFE_SB_PipleInCentry, 508 MaxProcassorResets CFE_ES_S PipleInCentry, 508 MaxProcassorResets CFE_ES_Set StatsTim_Payload, 439 MaxPouseDepth CFE_SB_StatsTim_Payload, 517 MaxProcunt CFE_ES_Binds_t, 507 CFE_SB_PipleInCentry, 508 MaxProcassorResets CFE_ES_Set StatsTim_Payload, 439 MaxPouseDepth CFE_SB_StatsTim_Payload, 517 MaxProcunt CFE_ES_StatsTim_Payload, 439 MaxPouseDepth CFE_SB_PipleInCentry, 508 MaxProcasion AxivouseDepth CFE_SB_StatsTim_Payload, 517 MaxProcunt CFE_ES_StatsTim_Payload, 517 MaxProcunt CFE_ES_PipleInCentry, 508 MaxProcasion AxivouseDepth CFE_SB_StatsTim_Payload, 517 MaxProcunt CFE_ES_StatsTim_Payload, 517 MaxProcunt CFE_ES_PipleInter, 472 MaxProcunt CFE_ES_PipleTity, 511 MaxProcunt CFE_ES_PipleTity, 511 MaxProcunt CFE_ES_PipleTity, 512 CFE_SB_RouteCmd_Payload, 514 CFE_SB_RouteCmd_Paylo	CFE_TBL_HousekeepingTlm_Payload, 533	CFE_SB_StatsTlm_Payload, 517
CFE_SB_StatsTim_Payload, 517 CFE_SB_SetMaxPRCount CCSDS_PrimaryHeader, 423 CFE_FS_Header, 496 LENGTHCHECK osapi-macros.h, 1023 LoadFilename CFE_TBL_LoadCmd_Payload, 538 LoadPending CFE_TBL_DadCmd_Payload, 544 LocalIntCounter CFE_TIME_DiagnosticTim_Payload, 554 LoadFaskCounter CFE_TIME_DiagnosticTim_Payload, 554 LogEnabled CFE_EVS_HousekeepingTim_Payload, 480 LogFilename CFE_EVS_HousekeepingTim_Payload, 480 CFE_ES_PolAlign, 448 CFE_SB_Msg, 504 MainTaskId CFE_SB_Msg, 504 MainTaskId CFE_ES_AppInfo, 426 Mask MainTaskId CFE_EVS_AppNameEventIDMaskCmd_Payload, 470 CFE_EVS_BinFilter, 472 MaxElapsed CFE_INE_DiagnosticTim_Payload, 554 MaxPcount CFE_SB_Msg, 504 CFE_ES_PoulAlign, 448 CFE_SB_Msg, 504 CFE_ES_PoulAlign, 448 CFE_SB_Msg, 504 MainTaskId CFE_ES_PoulAlign, 448 CFE_SB_Msg, 504 MainTaskId CFE_ES_PoulAlign, 448 CFE_SB_Msg, 504 MainTaskId CFE_EVS_AppNameEventIDMaskCmd_Payload, 470 CFE_ES_Applinfo, 426 Mask Mask CFE_SB_RinFilter, 472 MaxElapsed CFE_INE_DiagnosticTim_Payload, 554 MaxPdS OS_Isinfo_t, 579 Meminulse CFE_EVS_HousekeepingTim_Payload, 502 CFE_SB_Msg, 504 Message CFE_EVS_HousekeepingTim_Payload, 480 MessageSendCounter CFE_EVS_HousekeepingTim_Payload, 481 MicroSeconds CFE_EVS_HousekeepingTim_Payload, 555 Mode CFE_ES_PoulAlign, 448 CFE_SB_Msg, 504 MiniTaskId CFE_SB_Msg, 504 MiniTaskId CFE_ES_AppInfo, 426 Mask Misc SB_Complete on the payload of the payloa		
CFE_TIME_LeapsCmd_Payload, 562 Length CCSDS_PrimaryHeader, 423 CFE_FS_Header, 496 LENGTHCHECK osapi-macros.h, 1023 LoadFilename CFE_TBL_LoadCmd_Payload, 538 LoadPending CFE_TBL_TibregPacket_Payload, 544 LocalIntCounter CFE_TIME_DiagnosticTIm_Payload, 554 Logariabled CFE_EVS_HousekeepingTIm_Payload, 480 LogFilename CFE_EVS_LogFileCmd_Payload, 480 LogFilename CFE_EVS_HousekeepingTIm_Payload, 480 LogFilename CFE_EVS_HousekeepingTIm_Payload, 480 CFE_EVS_HousekeepingTIm_Payload, 480 LogoVerrlowCounter CFE_EVS_HousekeepingTIm_Payload, 480 LogOverrlowCounter CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 LongInt CFE_ES_Appinfo, 426 Maximaskid CFE_ES_Appinfo, 426 Maximaskid CFE_EVS_AppNameEventIDMaskCmd_Payload, 470 CFE_EVS_AppNameEventIDMaskCmd_Payload, 554 MaxFds os_fsinfo_t, 579 MaxPacount CFE_EVS_SetLegplifeCndr_Payload, 480 CFE_EVS_HousekeepingTIm_Payload, 480 CFE_EVS_HousekeepingTIm_Payload, 480 CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 MainTaskld CFE_ES_Appinfo, 426 Mask CFE_EVS_AppNameEventIDMaskCmd_Payload, 470 CFE_EVS_BoinFilter, 472 MaxElapsed CFE_INE_DiagnosticTim_Payload, 554 MaxFds os_fsinfo_t, 579 MaxPacounte CFE_EVS_HousekeepingTim_Payload, 456 MaxProcessorResets CFE_ES_SetMaxPRCountCmd_Payload, 439 MaxPacoessorResets CFE_ES_Neigebles DescriptionTim_Payload, 439 MaxQueueDepth CFE_SB_SetLestIm_Payload, 517 MaxVolumes os_fsinfo_t, 579 MemInUse CFE_SB_StatsTim_Payload, 517 MaxVolumes os_fsinfo_t, 579 MemInUse CFE_SB_StatsTim_Payload, 517 MaxVolumes os_fsinfo_t, 579 MemInUse CFE_SB_StatsTim_Payload, 517 MaxVolumes os_fsinfo_t, 579 MemDolhandle CFE_SB_StatsTim_Payload, 502 CFE_SB_BlusekeepingTim_Payload, 502 CFE_EVS_HousekeepingTim_Payload, 502 CFE_EVS_HousekeepingTim_Payload, 502 CFE_EVS_HousekeepingTim_Payload, 514 MessageFronatMode CFE_EVS_HousekeepingTim_Payload, 481 MessageFronatMode CFE_EVS_HousekeepingTim_Payload, 481 MessageFronatMode CFE_EVS_HousekeepingTim_Payload, 481 MessageFronatMode CFE_EVS_HousekeepingTim_Payload, 481 MessageFronatMode CFE_EVS_HousekeepingTim_Payload, 555 Mode CFE_EVS_Hou	·	•
Length CCSDS_PrimaryHeader, 423 CFE_FS_Header, 496 LENGTHCHECK osapi-macros.h, 1023 LoadFilename CFE_TBL_LoadCmd_Payload, 538 LoadPending CFE_TBL_TblRegPacket_Payload, 544 LocalIntCounter CFE_TIME_DiagnosticTIm_Payload, 554 LocalTaskCounter CFE_TIME_DiagnosticTIm_Payload, 554 LogFalbled CFE_EVS_HousekeepingTIm_Payload, 480 LogFalbled CFE_EVS_HousekeepingTIm_Payload, 480 LogFilename CFE_EVS_HousekeepingTIm_Payload, 480 CFE_EVS_HousekeepingTIm_Payload, 480 CFE_EVS_HousekeepingTIm_Payload, 481 MessageFormatMode CFE		
CCSDS_PrimaryHeader, 423 CFE_FS_Header, 496 LENGTHCHECK osapi-macros.h, 1023 LoadFilename CFE_TBL_LoadCmd_Payload, 538 LoadPending CFE_TBL_LoadCmd_Payload, 544 LocalIntCounter CFE_TIME_DiagnosticTIm_Payload, 554 LogEnabled CFE_TIME_DiagnosticTIm_Payload, 554 LogGnabled CFE_EVS_HousekeepingTIm_Payload, 480 LogGuerflowCounter CFE_EVS_LogFileCmd_Payload, 482 LogFullFlag CFE_EVS_HousekeepingTIm_Payload, 480 CFE_ES_PoolAlign, 448 CFE_SP_BMsg, 504 MainTaskId CFE_ES_PoolAlign, 448 CFE_SP_Msg, 504 MainTaskId CFE_ES_AppInfo, 426 MainTaskName CFE_EVS_AppNameEventIDMaskCmd_Payload, 470 CFE_EVS_AppNameEventIDMaskCmd_Payload, 470 CFE_EVS_BinFilter, 472 MaxElapsed CFE_TIME_DiagnosticTim_Payload, 554 MaxFds os_fisinfo_t, 579 MaxProcessor/Resets CFE_ES_HousekeepingTim_Payload, 439 MaxAZoueueDepth CFE_SB_BuspelpotPtStats, 507 CFE_SB_BlipeIndEntry, 508 MaxSubscriptionSallowed CFE_SB_BlipeIndEntry, 508 CFE_SB_BlipeIndEntry, 501 CFE_SB_BlipeIndEntry, 501 CFE_SB_RoutingFileEntry, 512 CFE_SB_BroutingFileEntry, 512 CFE_SB_RoutingFileEntry, 512 CFE_SB_SingleSubscriptionTim_Payload, 514		
CFE_FS_Header, 496 LENGTHCHECK osapi-macros.h, 1023 LoadFilename CFE_TBL_LoadCmd_Payload, 538 LoadPending CFE_TBL_LoadCmd_Payload, 544 LocalIntCounter CFE_TIME_DiagnosticTIm_Payload, 554 LocalTaskCounter CFE_TIME_DiagnosticTIm_Payload, 554 LogEnabled CFE_EVS_HousekeepingTIm_Payload, 480 CFE_EVS_HousekeepingTIm_Payload, 480 CFE_EVS_HousekeepingTIm_Payload, 480 CFE_EVS_HousekeepingTIm_Payload, 480 CFE_EVS_SetLogMode_Payload, 480 CFE_EVS_HousekeepingTIm_Payload, 480 LongDouble CFE_EVS_HousekeepingTIm_Payload, 480 LongDouble CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 LongInt CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 LongInt CFE_ES_Applnfo, 426 MainTaskId CFE_ES_Applnfo, 426 MainTaskld CFE_EVS_AppNameEventIDMaskCmd_Payload, 470 CFE_EVS_BinFilter, 472 MaxElapsed CFE_TIME_DiagnosticTIm_Payload, 554 MaxFds os_fisinfo_t, 579 MaxSubscriptionsAllowed CFE_SB_PipelnfoEntry, 508 CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 512	-	·
LENGTHCHECK osspi-macros.h, 1023 LoadFilename CFE_TBL_LoadCmd_Payload, 538 LoadPending CFE_TBL_TblRegPacket_Payload, 544 LocalIntCounter CFE_TIBL_DiagnosticTIm_Payload, 554 LocalTaskCounter CFE_EVS_HousekeepingTIm_Payload, 480 LogFilename CFE_EVS_HousekeepingTIm_Payload, 480 LogFullFlag CFE_EVS_HousekeepingTIm_Payload, 480 CFE_EVS_HousekeepingTIm_Payload, 480 CFE_EVS_SetLogMode_Payload, 490 CFE_EVS_SetLogMode_Payload, 490 CFE_EVS_SetLogMode_Payload, 480 LogDowrllowCounter CFE_EVS_HousekeepingTIm_Payload, 480 CFE_EVS_SetLogMode_Payload, 490 CFE_ES_PoolAlign, 448 CFE_SB_PoolAlign, 448 CFE_SB_Msg, 504 Longint CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 Longint CFE_ES_Applnfo, 426 MainTaskId CFE_ES_Applnfo, 426 Mask CFE_EVS_LogNameEventIDMaskCmd_Payload, 470 CFE_EVS_BinFilter, 472 MaxElapsed CFE_EVS_BinFilter, 472 MaxFds os_fsinfo_t, 579 MaxQueueDepth CFE_SB_PipeDepthStats, 507 CFE_SB_PipeDepthStats, 507 CFE_SB_PipeDepthStats, 507 CFE_SB_PipeDepthStats, 507 CFE_SB_PipelDepthStats, 507 CFE_SB_PipelDepthState CFE_SB_PipelDepthState CFE_SB_PipelDepthState CFE_SB_PipelnCentry, 508 CFE_SB_RistTim_Payload, 517 MaxSubscriptionsAllowed CFE_SB_PipelnCentry, 512 CFE_SB_RistTim_Payload, 517 MaxSubscriptionsAllowed CFE_SB_RistTim_Payload, 517 MaxSubscriptionsAllowed CFE_SB_RistTim_Payload, 517 MaxSubscriptionsAllowed CFE_SB_RistTim_Payload, 517 MaxSubscriptionsAllowed CFE_SB_RistTim_Payload, 502 CFE_SB_RistTim_Payload, 502 CFE_SB_RistTim_Payload, 502 CFE_SB_RistTim_Payload, 502 CFE_SB_RistTim_Payload, 502 CFE_	- •	
osapi-macros.h, 1023 LoadFilename CFE_TBL_LoadCmd_Payload, 538 LoadPending CFE_TBL_TDlRegPacket_Payload, 544 LocalIntCounter CFE_TIME_DiagnosticTim_Payload, 554 LocalTaskCounter CFE_TIME_DiagnosticTim_Payload, 554 LogEnabled CFE_EVS_HousekeepingTlm_Payload, 480 LogFilename CFE_EVS_LogFileCmd_Payload, 480 LogFullFlag CFE_EVS_HousekeepingTlm_Payload, 480 CFE_EVS_HousekeepingTlm_Payload, 480 CFE_EVS_HousekeepingTlm_Payload, 480 CFE_EVS_HousekeepingTlm_Payload, 480 CFE_EVS_HousekeepingTlm_Payload, 480 CFE_EVS_SetLogMode_Payload, 490 LogOverflowCounter CFE_EVS_HousekeepingTlm_Payload, 480 CFE_EVS_HousekeepingTlm_Payload, 480 LongDouble CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 LongInt CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 MainTaskld CFE_ES_Applnfo, 426 Mask CFE_EVS_AppNameEventIDMaskCmd_Payload, 470 CFE_EVS_BinFilter, 472 MaxSubscriptionsAllowed CFE_SB_Pipelnepthty, 508 CFE_SB_Pipelnepthty, 508 CFE_SB_Pipelpepthty, 508 CFE_SB_Pipelpepthys, 508 CFE_SB_Pipelpepthty, 508 CFE_SB_Pipelpepthys, 508 CFE_SB_Pipelpepthty, 508 CFE_SB_Pipelpepthty, 508 CFE_SB_Pipelpepthty, 508 CFE_SB_Pipelpepthty, 508 CFE_SB_Pipelpepthty, 508 CFE_SB_Pipelpepthyse CFE_SB_Pipelpepthyside CFE_SB_Pipelpepthyside CFE_SB_Pipelpepthyside CFE_SB_Pipelpepthyside CFE_SB_Pipelpepthyside CFE_SB_Pipelpepthstas, 507 CFE_SB_Pipelpepthyside CFE_SB_Pipelpepthyside CFE_SB_Pipelpepthyside CFE_SB_Pipelpepthstats, 507 CFE_SB_Pipelpepthstats, 507 CFE_SB_PipleDetty, 508 CFE_SB_Pip		
LoadFilename CFE_TBL_LoadCmd_Payload, 538 LoadPending CFE_TBL_TblRegPacket_Payload, 544 LocalIntCounter CFE_TIME_DiagnosticTIm_Payload, 554 LocalTaskCounter CFE_TIME_DiagnosticTIm_Payload, 554 LogEnabled CFE_EVS_HousekeepingTIm_Payload, 480 LogFilename CFE_EVS_LogFileCmd_Payload, 482 LogFullFlag CFE_EVS_HousekeepingTIm_Payload, 480 CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 CFE_ES_Msg, 504 CFE_ES_Msg, 504 CFE_ES_Msg, 504 CFE_ES_Applnfo, 426 MainTaskld CFE_SA_Applnfo, 426 Mask CFE_SA_Applnfo, 426 Mask CFE_SS_Applnfo, 426 Mask CFE_EVS_AppNameEventIDMaskCmd_Payload, 447 Module CFE_EVS_BinFilter, 472 MaxElapsed CFE_IVS_BinFilter, 472 MaxElapsed CFE_SB_RoutingFileEntry, 511 MaxSelapsed CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 512 CFE_SB_RoutingFileEntry, 512 CFE_SB_RoutingFileEntry, 512 CFE_SB_RoutingFileEntry, 512 CFE_SB_RoutingFileEntry, 514		·
CFE_TBL_LoadCmd_Payload, 538 LoadPending CFE_TBL_TblRegPacket_Payload, 544 LocalIntCounter CFE_TIME_DiagnosticTIm_Payload, 554 LocalTaskCounter CFE_TIME_DiagnosticTIm_Payload, 554 LogEnabled CFE_EVS_HousekeepingTIm_Payload, 480 LogFilename CFE_EVS_LogFileCmd_Payload, 480 LogFilename CFE_EVS_HousekeepingTIm_Payload, 480 LogMode CFE_EVS_HousekeepingTIm_Payload, 480 LogDoverflowCounter CFE_EVS_HousekeepingTIm_Payload, 480 LongDouble CFE_EVS_HousekeepingTIm_Payload, 480 LongDouble CFE_EVS_HousekeepingTIm_Payload, 480 LongDouble CFE_ES_B_Msg, 504 LongInt CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 MainTaskld CFE_ES_AppInfo, 426 Mask CFE_EVS_AppNameEventIDMaskCmd_Payload, 470 Module CFE_EVS_BinFilter, 472 MaxElapsed CFE_SB_RouteCmd_Payload, 514 MaxFds os_fsinfo_t, 579 MaxVolumes Axvolumes Axvoluale Axes Abesage Axe	•	
LoadPending CFE_TBL_TblRegPacket_Payload, 544 LocalIntCounter CFE_TIME_DiagnosticTIm_Payload, 554 LocalTaskCounter CFE_TIME_DiagnosticTIm_Payload, 554 LogEnabled CFE_EVS_HousekeepingTIm_Payload, 480 LogFilename CFE_EVS_LogFileCmd_Payload, 480 LogMode CFE_EVS_HousekeepingTIm_Payload, 480 LogMode CFE_EVS_SetLogMode_Payload, 490 LogOverflowCounter CFE_EVS_HousekeepingTIm_Payload, 480 LongDouble CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 LongInt CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 LongInt CFE_ES_AppInfo, 426 MainTaskName CFE_EVS_AppNameEventIDMaskCmd_Payload, 450 CFE_EVS_BinFilter, 472 MaxElapsed CFE_INE_DiagnosticTIm_Payload, 554 MaxFds os_fsinfo_t, 579 MaxVolumes os_sinfo_t, 579 MaxVolumes os_sinfo_t, 579 MaxVolumes os_sinfo_t, 579 MaxVolumes os_sinfo_t, 579 MaxNolumes os_sinfo_t, 579 MaxIolanes os_sinfo_t, 579 MaxIolanes os_sinfo_t, 579 MemInUse CFE_SB_HousekeepingTIm_Payload, 502 CFE_SB_HousekeepingTIm_Payload, 502 CFE_SB_HousekeepingTIm_Payload, 534 MessageSendCounter CFE_EVS_LongEventTlm_Payload, 483 MessageFormatMode CFE_EVS_HousekeepingTIm_Payload, 481 MessageTuncCounter CFE_EVS_Housekeepi		
CFE_TBL_TblRegPacket_Payload, 544 LocalIntCounter CFE_TIME_DiagnosticTIm_Payload, 554 LocalTaskCounter CFE_TIME_DiagnosticTIm_Payload, 554 LogEnabled CFE_EVS_HousekeepingTIm_Payload, 480 LogFilename CFE_EVS_LogFileCmd_Payload, 482 LogFullFlag CFE_EVS_HousekeepingTIm_Payload, 480 LogMode CFE_EVS_HousekeepingTIm_Payload, 480 CFE_EVS_HousekeepingTIm_Payload, 480 LogMode CFE_EVS_HousekeepingTIm_Payload, 480 LogOverflowCounter CFE_EVS_HousekeepingTIm_Payload, 480 LongDouble CFE_EVS_HousekeepingTIm_Payload, 480 CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 LongInt CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 LongInt CFE_ES_AppInfo, 426 MainTaskId CFE_ES_AppInfo, 426 MainTaskName CFE_ES_AppInfo, 426 Mask CFE_EVS_AppNameEventIDMaskCmd_Payload, 470 CFE_EVS_BinFilter, 472 MaxElapsed CFE_TIME_DiagnosticTIm_Payload, 554 MaxFds os_fsinfo_t, 579 MaxVolumes os_sinfo_t, 579 MemInolse CFE_SB_HousekeepingTIm_Payload, 502 CFE_SB_HousekeepingTIm_Payload, 502 CFE_SB_HousekeepingTIm_Payload, 502 CFE_EVS_HousekeepingTIm_Payload, 481 MessageSendCounter CFE_EVS_HousekeepingTIm_Payload, 481 MessageSendCounter CFE_EVS_HousekeepingTIm_Payload, 481 MessageSendCounter CFE_EVS_HousekeepingTIm_Payload, 481 MessageSendCou		•
LocalTaskCounter	•	·
CFE_TIME_DiagnosticTIm_Payload, 554 LocalTaskCounter CFE_IIME_DiagnosticTIm_Payload, 554 LogEnabled CFE_EVS_HousekeepingTIm_Payload, 480 LogFilename CFE_EVS_LogFileCmd_Payload, 482 LogFillfag CFE_EVS_HousekeepingTIm_Payload, 480 LogMode CFE_EVS_HousekeepingTIm_Payload, 480 LogMode CFE_EVS_HousekeepingTIm_Payload, 480 LogOverflowCounter CFE_EVS_SetLogMode_Payload, 490 LongDouble CFE_EVS_HousekeepingTIm_Payload, 480 LorgDouble CFE_ESB_Msg, 504 LongInt CFE_ESB_Msg, 504 LongInt CFE_ESB_Msg, 504 MainTaskId CFE_ES_AppInfo, 426 MainTaskId CFE_ES_AppInfo, 426 MainTaskId CFE_ES_AppInfo, 426 Mask CFE_EVS_AppNameEventIDMaskCmd_Payload, 470 CFE_EVS_BinFilter, 472 MaxElapsed CFE_IIME_DiagnosticTIm_Payload, 554 MarFds os_fsinfo_t, 579 MemInUse CFE_SB_HousekeepingTIm_Payload, 517 MemPoolHandle CFE_SB_HousekeepingTIm_Payload, 502 CFE_SB_HousekeepingTIm_Payload, 502 CFE_EVS_HousekeepingTIm_Payload, 534 Message CFE_EVS_LongEventTIm_Payload, 483 MessageFormatMode CFE_EVS_HousekeepingTIm_Payload, 481 MessageSendCounter CFE_EVS_HousekeepingTIm_Payload, 481 MessageTruncCounter CFE_EVS_Hous		
LocalTaskCounter CFE_TIME_DiagnosticTIm_Payload, 554 LogEnabled CFE_EVS_HousekeepingTIm_Payload, 480 LogFilename CFE_EVS_LogFileCmd_Payload, 482 LogFullFlag CFE_EVS_HousekeepingTIm_Payload, 480 LogMode CFE_EVS_HousekeepingTIm_Payload, 480 CFE_EVS_SetLogMode_Payload, 480 CFE_EVS_SetLogMode_Payload, 490 LogOverflowCounter CFE_EVS_HousekeepingTIm_Payload, 480 LongDouble CFE_EVS_HousekeepingTIm_Payload, 480 CFE_EVS_BousekeepingTIm_Payload, 480 LongDouble CFE_EVS_HousekeepingTIm_Payload, 480 CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 LongInt CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 MainTaskId CFE_ES_AppInfo, 426 MainTaskName CFE_ES_AppInfo, 426 Mask CFE_ES_AppInfo, 426 Mask CFE_EVS_AppNameEventIDMaskCmd_Payload, 470 CFE_EVS_BinFilter, 472 MaxElapsed CFE_IIME_DiagnosticTim_Payload, 554 MsgId CFE_SB_Msg, 504 MsgId CFE_SB_RoutingFileEntry, 511 MsgFormat CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutinfileEntry, 506 CFE_SB_RoutinfileIntry, 512 CFE_SB_RoutinoTim_Payload, 514		
CFE_TIME_DiagnosticTlm_Payload, 554 LogEnabled CFE_EVS_HousekeepingTlm_Payload, 480 LogFilename CFE_EVS_LogFileCmd_Payload, 482 LogFullFlag CFE_EVS_HousekeepingTlm_Payload, 480 LOgMode CFE_EVS_HousekeepingTlm_Payload, 480 CFE_EVS_SetLogMode_Payload, 480 CFE_EVS_SetLogMode_Payload, 480 CFE_EVS_HousekeepingTlm_Payload, 480 CFE_EVS_HousekeepingTlm_Payload, 480 CFE_EVS_HousekeepingTlm_Payload, 480 CFE_EVS_HousekeepingTlm_Payload, 480 CFE_EVS_HousekeepingTlm_Payload, 480 CFE_EVS_HousekeepingTlm_Payload, 480 LogOverflowCounter CFE_EVS_HousekeepingTlm_Payload, 480 LongDouble CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 LongInt CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 MainTaskld CFE_ES_Applnfo, 426 Mask CFE_ES_Applnfo, 426 Mask CFE_ES_Applnfo, 426 Mask CFE_EVS_AppNameEventIDMaskCmd_Payload, 470 CFE_EVS_BinFilter, 472 MaxElapsed CFE_SB_MsgMapFileEntry, 506 CFE_SB_RoutingFileEntry, 512 CFE_SB_RoutingTileEntry, 512 CFE_SB_RoutingTileEntry, 512 CFE_SB_RoutingTileEntry, 512 CFE_SB_SingleSubscriptionTlm_Payload, 514	CFE_TIME_DiagnosticTlm_Payload, 554	
LogEnabled CFE_EVS_HousekeepingTlm_Payload, 480 LogFilename CFE_EVS_LogFileCmd_Payload, 482 LogFillFlag CFE_EVS_HousekeepingTlm_Payload, 480 LogMode CFE_EVS_HousekeepingTlm_Payload, 480 CFE_EVS_HousekeepingTlm_Payload, 480 CFE_EVS_HousekeepingTlm_Payload, 480 CFE_EVS_HousekeepingTlm_Payload, 480 CFE_EVS_HousekeepingTlm_Payload, 480 CFE_EVS_SetLogMode_Payload, 490 LogOverflowCounter CFE_EVS_HousekeepingTlm_Payload, 480 LongDouble CFE_EVS_HousekeepingTlm_Payload, 480 CFE_SB_Msg, 504 LongInt CFE_SB_Msg, 504 LongInt CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 MainTaskId CFE_ES_AppInfo, 426 MainTaskName CFE_ES_AppInfo, 426 Mask CFE_EVS_AppNameEventIDMaskCmd_Payload, 470 CFE_EVS_BinFilter, 472 MaxElapsed CFE_SB_RouteCounter CFE_SB_RoutingFileEntry, 511 MsgFormat CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 512 CFE_SB_RoutingTileEntry, 512 CFE_SB_RoutingTilm_Payload, 514		
CFE_EVS_HousekeepingTlm_Payload, 480 LogFilename CFE_EVS_LogFileCmd_Payload, 482 LogFullFlag CFE_EVS_HousekeepingTlm_Payload, 480 LogMode CFE_EVS_HousekeepingTlm_Payload, 480 LogOverflowCounter CFE_EVS_HousekeepingTlm_Payload, 480 LongDouble CFE_ES_PoolAlign, 448 CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 LongInt CFE_ES_AppInfo, 426 MainTaskId CFE_ES_AppInfo, 426 Mask CFE_ES_AppNameEventIDMaskCmd_Payload, 489 MaxFds OS_stairic_spingleEntry, 511 MaxFds Os_fsinfo_t, 579 MessageSendCounter CFE_SB_Msg, 504 MessageSendCounter CFE_EVS_HousekeepingTlm_Payload, 481 MessagesendCounter CFE_EVS_HousekeepingTlm_Payloa	CFE_TIME_DiagnosticTIm_Payload, 554	CFE_SB_StatsTlm_Payload, 517
LogFilename CFE_EVS_LogFileCmd_Payload, 482 LogFullFlag CFE_EVS_HousekeepingTlm_Payload, 480 LogMode CFE_EVS_HousekeepingTlm_Payload, 480 CFE_EVS_SetLogMode_Payload, 490 CFE_EVS_SetLogMode_Payload, 490 LogOverflowCounter CFE_EVS_HousekeepingTlm_Payload, 480 LongDouble CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 LongInt CFE_ES_BolAsin, 504 CFE_ES_BolAsin, 448 CFE_SB_Msg, 504 CFE_ES_AppInfo, 426 MainTaskId CFE_ES_AppInfo, 426 Mask CFE_EVS_AppNameEventIDMaskCmd_Payload, 470 CFE_EVS_BinFilter, 472 MaxElapsed CFE_TIME_DiagnosticTlm_Payload, 554 MaxFds Os_fsinfo_t, 579 CFE_SB_MsigleSubscriptionTlm_Payload, 514 CFE_SB_RoutingFileEntry, 516 CFE_SB_RoutingFileEntry, 512 CFE_SB_SingleSubscriptionTlm_Payload, 514	LogEnabled	MemPoolHandle
CFE_EVS_LogFileCmd_Payload, 482 LogFullFlag	CFE_EVS_HousekeepingTlm_Payload, 480	CFE_SB_HousekeepingTlm_Payload, 502
CFE_EVS_HousekeepingTIm_Payload, 480 LogMode	LogFilename	CFE_TBL_HousekeepingTlm_Payload, 534
CFE_EVS_HousekeepingTlm_Payload, 480 LogMode CFE_EVS_HousekeepingTlm_Payload, 480 CFE_EVS_SetLogMode_Payload, 490 LogOverflowCounter CFE_EVS_HousekeepingTlm_Payload, 480 LogDoverflowCounter CFE_EVS_HousekeepingTlm_Payload, 480 LongDouble CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 LongInt CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 LongInt CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 MainTaskld CFE_ES_AppInfo, 426 MainTaskld CFE_ES_AppInfo, 426 MainTaskName CFE_ES_AppInfo, 426 Mask CFE_EVS_AppNameEventIDMaskCmd_Payload, 470 CFE_EVS_BinFilter, 472 MaxElapsed CFE_TIME_DiagnosticTlm_Payload, 554 MsgCnt CFE_SB_Msg, 504 MsgCnt CFE_SB_MsgMapFileEntry, 511 MsgFormat CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 512 CFE_SB_RoutingFileEntry, 512 CFE_SB_RoutingFileEntry, 512 CFE_SB_RoutingFileEntry, 512 CFE_SB_RoutingFileEntry, 512 CFE_SB_SingleSubscriptionTlm_Payload, 514	CFE_EVS_LogFileCmd_Payload, 482	Message
CFE_EVS_HousekeepingTlm_Payload, 480 LogMode CFE_EVS_HousekeepingTlm_Payload, 480 CFE_EVS_SetLogMode_Payload, 490 LogOverflowCounter CFE_EVS_HousekeepingTlm_Payload, 480 LogDoverflowCounter CFE_EVS_HousekeepingTlm_Payload, 480 LongDouble CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 LongInt CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 LongInt CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 MainTaskld CFE_ES_AppInfo, 426 MainTaskld CFE_ES_AppInfo, 426 MainTaskName CFE_ES_AppInfo, 426 Mask CFE_EVS_AppNameEventIDMaskCmd_Payload, 470 CFE_EVS_BinFilter, 472 MaxElapsed CFE_TIME_DiagnosticTlm_Payload, 554 MsgCnt CFE_SB_Msg, 504 MsgCnt CFE_SB_MsgMapFileEntry, 511 MsgFormat CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 512 CFE_SB_RoutingFileEntry, 512 CFE_SB_RoutingFileEntry, 512 CFE_SB_RoutingFileEntry, 512 CFE_SB_RoutingFileEntry, 512 CFE_SB_SingleSubscriptionTlm_Payload, 514	LogFullFlag	CFE EVS LongEventTlm Payload, 483
LogMode CFE_EVS_HousekeepingTlm_Payload, 480 CFE_EVS_SetLogMode_Payload, 490 LogOverflowCounter CFE_EVS_HousekeepingTlm_Payload, 480 CFE_EVS_HousekeepingTlm_Payload, 480 LongDouble CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 LongInt CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 LongInt CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 MainTaskld CFE_ES_AppInfo, 426 MainTaskName CFE_ES_AppInfo, 426 Mask CFE_ES_AppInfo, 426 Mask CFE_EVS_HousekeepingTlm_Payload, 481 MessageTruncCounter CFE_EVS_HousekeepingTlm_Payload, 481 MicroSeconds CFE_TIME_TimeCmd_Payload, 573 MinElapsed CFE_TIME_DiagnosticTlm_Payload, 555 Mode CFE_ES_OverWriteSysLogCmd_Payload, 447 Module OS_static_symbol_record_t, 586 Msg CFE_ES_AppInfo, 426 MsgCnt CFE_SB_Msg, 504 MsgFormat CFE_EVS_AppNameEventIDMaskCmd_Payload, 470 CFE_EVS_BinFilter, 472 MaxElapsed CFE_TIME_DiagnosticTlm_Payload, 554 MsgId MaxFormat CFE_SB_RouteCmd_Payload, 510 CFE_SB_RoutingFileEntry, 512 CFE_SB_SingleSubscriptionTlm_Payload, 514		
CFE_EVS_HousekeepingTlm_Payload, 480 CFE_EVS_SetLogMode_Payload, 490 CFE_EVS_SetLogMode_Payload, 490 CFE_EVS_HousekeepingTlm_Payload, 481 MessageTruncCounter CFE_EVS_HousekeepingTlm_Payload, 481 MessageTruncCounter CFE_EVS_HousekeepingTlm_Payload, 481 MicroSeconds CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 LongInt CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 LongInt CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 Mode CFE_ES_OverWriteSysLogCmd_Payload, 555 Mode CFE_ES_OverWriteSysLogCmd_Payload, 447 Module OS_static_symbol_record_t, 586 Msg MinTaskName CFE_ES_AppInfo, 426 Msg MsgCnt CFE_ES_B_Msg, 504 MsgCont CFE_EVS_BinFilter, 472 MsgId MaxElapsed CFE_SB_MsgMapFileEntry, 506 CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 512 CFE_SB_SingleSubscriptionTlm_Payload, 514		-
CFE_EVS_SetLogMode_Payload, 490 CFE_EVS_HousekeepingTIm_Payload, 481 LogOverflowCounter CFE_EVS_HousekeepingTIm_Payload, 480 LongDouble CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 LongInt CFE_SB_Msg, 504 LongInt CFE_SB_Msg, 504 MainTaskld CFE_SB_Msg, 504 MainTaskld CFE_ES_AppInfo, 426 MainTaskName CFE_ES_AppInfo, 426 Mask CFE_ES_AppInfo, 426 Mask CFE_EVS_AppNameEventIDMaskCmd_Payload, 470 CFE_EVS_BinFilter, 472 MaxElapsed CFE_IME_DiagnosticTIm_Payload, 489 MsgCnt CFE_EVS_BinFilter, 472 MsgInt CFE_EVS_SetEventFormatCode_Payload, 489 MsgInt CFE_EVS_SetEventFormatCode_Payload, 489 CFE_SB_MsgMapFileEntry, 506 CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 510 CFE_SB_RoutingFileEntry, 512 CFE_SB_SingleSubscriptionTlm_Payload, 514	-	, , , ,
LogOverflowCounter CFE_EVS_HousekeepingTIm_Payload, 480 LongDouble CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 LongInt CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 LongInt CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 LongInt CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 CFE_ES_OverWriteSysLogCmd_Payload, 555 Mode CFE_ES_OverWriteSysLogCmd_Payload, 447 Module OS_static_symbol_record_t, 586 Msg MainTaskName CFE_ES_AppInfo, 426 Mask CFE_ES_AppInfo, 426 Mask CFE_ES_AppNameEventIDMaskCmd_Payload, 470 CFE_EVS_BinFilter, 472 MaxElapsed CFE_SB_MsgMapFileEntry, 506 CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 512 Os_fsinfo_t, 579 MessageTruncCounter CFE_EVS_HousekeepingTIm_Payload, 481 MicroSeconds CFE_TIME_DiagnosticTIm_Payload, 481 MicroSeconds CFE_TIME_DiagnosticTIm_Payload, 487 Mode CFE_ESB_MsgMapFileEntry, 511 MsgFormat CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 512 CFE_SB_SingleSubscriptionTIm_Payload, 514		-
CFE_EVS_HousekeepingTlm_Payload, 480 LongDouble CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 LongInt CFE_ES_PoolAlign, 448 CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 LongInt CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 Mode CFE_SB_Msg, 504 Module CFE_ES_OverWriteSysLogCmd_Payload, 447 Module OS_static_symbol_record_t, 586 CFE_ES_AppInfo, 426 Msg MainTaskName CFE_ES_AppInfo, 426 Msg Mask CFE_ES_AppNameEventIDMaskCmd_Payload, 470 CFE_EVS_BinFilter, 472 MaxElapsed CFE_TIME_DiagnosticTlm_Payload, 554 Msg MsgId CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 512 CFE_SB_SingleSubscriptionTlm_Payload, 514	- _ - .	
LongDouble CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 LongInt CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 LongInt CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 Mode CFE_SB_Msg, 504 Module MainTaskId CFE_ES_AppInfo, 426 Msg MainTaskName CFE_ES_AppInfo, 426 Msg MainTaskName CFE_ES_AppInfo, 426 Msg CFE_ES_B_Msg, 504 CFE_ES_B_RoutingFileEntry, 511 MsgFormat CFE_EVS_BinFilter, 472 MsgId MaxElapsed CFE_SB_MsgMapFileEntry, 506 CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 512 CFE_SB_SingleSubscriptionTlm_Payload, 514		•
CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 LongInt CFE_ES_PoolAlign, 448 CFE_ES_PoolAlign, 448 CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 Mode CFE_SB_Msg, 504 Module MainTaskId CFE_ES_AppInfo, 426 Msg MainTaskName CFE_ES_AppInfo, 426 Msg CFE_ES_AppInfo, 426 Msg CFE_ES_AppInfo, 426 MsgCnt CFE_ES_B_RoutingFileEntry, 511 CFE_EVS_AppNameEventIDMaskCmd_Payload, 470 CFE_EVS_BinFilter, 472 MsgId MaxElapsed CFE_SB_Msg, MagPileEntry, 506 CFE_TIME_DiagnosticTIm_Payload, 554 MsgCnt CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 512 CFE_SB_SingleSubscriptionTlm_Payload, 514		, , , ,
CFE_SB_Msg, 504 LongInt CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 MainTaskId CFE_ES_AppInfo, 426 MainTaskName CFE_ES_AppInfo, 426 Mask CFE_ES_AppNameEventIDMaskCmd_Payload, 470 CFE_EVS_BinFilter, 472 MaxElapsed CFE_TIME_DiagnosticTIm_Payload, 554 MinElapsed CFE_ES_OverWriteSysLogCmd_Payload, 447 Module OS_static_symbol_record_t, 586 Msg CFE_SB_Msg, 504 CFE_SB_Msg, 504 CFE_SB_RoutingFileEntry, 511 MsgFormat CFE_EVS_SetEventFormatCode_Payload, 489 MsgId CFE_SB_MsgMapFileEntry, 506 CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 510 CFE_SB_RoutingFileEntry, 512 CFE_SB_SingleSubscriptionTlm_Payload, 514	_	
LongInt CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 MainTaskId OS_static_symbol_record_t, 586 CFE_ES_AppInfo, 426 MainTaskName CFE_ES_AppInfo, 426 Mask CFE_ES_AppNameEventIDMaskCmd_Payload, 470 CFE_EVS_BinFilter, 472 MaxElapsed CFE_TIME_DiagnosticTlm_Payload, 554 MaxFds Os_fsinfo_t, 579 CFE_SB_RoutingFileEntry, 510 CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 510 CFE_SB_RoutingFileEntry, 510 CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 510 CFE_SB_RoutingFileEntry, 512 CFE_SB_SingleSubscriptionTlm_Payload, 514	-	
CFE_ES_PoolAlign, 448 CFE_SB_Msg, 504 Mode CFE_ES_OverWriteSysLogCmd_Payload, 447 Module OS_static_symbol_record_t, 586 CFE_ES_AppInfo, 426 MainTaskName CFE_ES_AppInfo, 426 Mask CFE_ES_AppNameEventIDMaskCmd_Payload, 470 CFE_EVS_BinFilter, 472 MaxElapsed CFE_TIME_DiagnosticTIm_Payload, 554 Mode CFE_ES_OverWriteSysLogCmd_Payload, 447 Module OS_static_symbol_record_t, 586 Msg CFE_SB_Msg, 504 MsgCnt CFE_SB_RoutingFileEntry, 511 MsgFormat CFE_EVS_SetEventFormatCode_Payload, 489 MsgId CFE_SB_MsgMapFileEntry, 506 CFE_SB_RouteCmd_Payload, 510 CFE_SB_RoutingFileEntry, 512 CFE_SB_SingleSubscriptionTlm_Payload, 514	-	•
CFE_SB_Msg, 504 CFE_SB_Msg, 504 Module MainTaskId CFE_ES_AppInfo, 426 Msg MainTaskName CFE_ES_AppInfo, 426 MsgCnt CFE_EVS_AppNameEventIDMaskCmd_Payload, 470 CFE_EVS_BinFilter, 472 MaxElapsed CFE_TIME_DiagnosticTIm_Payload, 554 MsgCnt CFE_SB_Msg, 504 MsgCnt CFE_SB_RoutingFileEntry, 511 MsgFormat CFE_EVS_SetEventFormatCode_Payload, 489 CFE_SB_MsgMapFileEntry, 506 CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 506 CFE_SB_RoutingFileEntry, 512 CFE_SB_SingleSubscriptionTlm_Payload, 514	-	
MainTaskId CFE_ES_AppInfo, 426 MainTaskName CFE_ES_AppInfo, 426 Mask CFE_EVS_AppNameEventIDMaskCmd_Payload, 470 CFE_EVS_BinFilter, 472 MaxElapsed CFE_TIME_DiagnosticTIm_Payload, 554 MaxFds OS_static_symbol_record_t, 586 Msg CFE_SB_Msg, 504 MsgCnt CFE_SB_RoutingFileEntry, 511 MsgFormat CFE_SB_RoutingFileEntry, 511 MsgFormat CFE_EVS_SetEventFormatCode_Payload, 489 CFE_SB_MsgMapFileEntry, 506 CFE_SB_RouteCmd_Payload, 510 CFE_SB_RoutingFileEntry, 512 CFE_SB_SingleSubscriptionTIm_Payload, 514	-	
MainTaskId CFE_ES_AppInfo, 426 MainTaskName CFE_ES_AppInfo, 426 Mask CFE_EVS_AppNameEventIDMaskCmd_Payload, 470 CFE_EVS_BinFilter, 472 MaxElapsed CFE_TIME_DiagnosticTIm_Payload, 554 MaxFds OS_static_symbol_record_t, 586 Msg CFE_SB_Msg, 504 MsgCnt CFE_SB_RoutingFileEntry, 511 MsgFormat CFE_SB_RoutingFileEntry, 511 MsgFormat CFE_EVS_SetEventFormatCode_Payload, 489 CFE_SB_MsgMapFileEntry, 506 CFE_SB_RouteCmd_Payload, 510 CFE_SB_RoutingFileEntry, 512 CFE_SB_SingleSubscriptionTIm_Payload, 514	CFE_SB_MSg, 504	
CFE_ES_AppInfo, 426 MainTaskName CFE_ES_AppInfo, 426 MsgCnt CFE_SB_RoutingFileEntry, 511 MsgFormat CFE_EVS_AppNameEventIDMaskCmd_Payload, 470 CFE_EVS_BinFilter, 472 MaxElapsed CFE_TIME_DiagnosticTIm_Payload, 554 Msg CFE_SB_RoutingFileEntry, 511 MsgFormat CFE_EVS_SetEventFormatCode_Payload, 489 MsgId CFE_SB_MsgMapFileEntry, 506 CFE_SB_RouteCmd_Payload, 510 CFE_SB_RoutingFileEntry, 512 CFE_SB_SingleSubscriptionTIm_Payload, 514		
MainTaskName CFE_SB_Msg, 504 MsgCnt CFE_SB_RoutingFileEntry, 511 MsgFormat CFE_EVS_AppNameEventIDMaskCmd_Payload, 470 CFE_EVS_BinFilter, 472 MsgFormat CFE_EVS_SetEventFormatCode_Payload, 489 MsgId MaxElapsed CFE_SB_MsgMapFileEntry, 506 CFE_TIME_DiagnosticTlm_Payload, 554 MaxFds os_fsinfo_t, 579 CFE_SB_RoutingFileEntry, 512 CFE_SB_SingleSubscriptionTlm_Payload, 514		
CFE_ES_AppInfo, 426 Mask CFE_SB_RoutingFileEntry, 511 MsgCnt CFE_SB_RoutingFileEntry, 511 MsgFormat CFE_EVS_BinFilter, 472 MsgId MxElapsed CFE_TIME_DiagnosticTIm_Payload, 554 MaxFds os_fsinfo_t, 579 MsgCnt CFE_SB_RoutingFileEntry, 511 MsgFormat CFE_SB_NsgMapFileEntry, 506 CFE_SB_NouteCmd_Payload, 510 CFE_SB_RoutingFileEntry, 512 CFE_SB_SingleSubscriptionTIm_Payload, 514		_
Mask CFE_SB_RoutingFileEntry, 511 MsgFormat CFE_EVS_BinFilter, 472 MsgId MaxElapsed CFE_TIME_DiagnosticTIm_Payload, 554 MaxFds os_fsinfo_t, 579 CFE_SB_RoutingFileEntry, 511 MsgFormat CFE_EVS_SetEventFormatCode_Payload, 489 MsgId CFE_SB_MsgMapFileEntry, 506 CFE_SB_RouteCmd_Payload, 510 CFE_SB_RoutingFileEntry, 512 CFE_SB_SingleSubscriptionTIm_Payload, 514		-
CFE_EVS_AppNameEventIDMaskCmd_Payload, 470 CFE_EVS_BinFilter, 472 MsgId MaxElapsed CFE_TIME_DiagnosticTIm_Payload, 554 MaxFds os_fsinfo_t, 579 MsgFormat CFE_EVS_SetEventFormatCode_Payload, 489 MsgId CFE_SB_MsgMapFileEntry, 506 CFE_SB_RouteCmd_Payload, 510 CFE_SB_RoutingFileEntry, 512 CFE_SB_SingleSubscriptionTIm_Payload, 514	CFE_ES_AppInfo, 426	MsgCnt
470 CFE_EVS_SetEventFormatCode_Payload, 489 CFE_EVS_BinFilter, 472 Msgld MaxElapsed CFE_TIME_DiagnosticTIm_Payload, 554 CFE_SB_RouteCmd_Payload, 510 MaxFds CFE_SB_RoutingFileEntry, 512 CFE_SB_SingleSubscriptionTIm_Payload, 514	Mask	CFE_SB_RoutingFileEntry, 511
CFE_EVS_BinFilter, 472 MsgId MaxElapsed CFE_SB_MsgMapFileEntry, 506 CFE_TIME_DiagnosticTIm_Payload, 554 CFE_SB_RouteCmd_Payload, 510 CFE_SB_RoutingFileEntry, 512 CFE_SB_SingleSubscriptionTIm_Payload, 514	CFE_EVS_AppNameEventIDMaskCmd_Payload,	MsgFormat
MaxElapsed CFE_SB_MsgMapFileEntry, 506 CFE_TIME_DiagnosticTIm_Payload, 554 CFE_SB_RouteCmd_Payload, 510 MaxFds CFE_SB_RoutingFileEntry, 512 os_fsinfo_t, 579 CFE_SB_SingleSubscriptionTIm_Payload, 514	470	CFE_EVS_SetEventFormatCode_Payload, 489
CFE_TIME_DiagnosticTIm_Payload, 554 CFE_SB_RouteCmd_Payload, 510 CFE_SB_RoutingFileEntry, 512 OS_fsinfo_t, 579 CFE_SB_SingleSubscriptionTIm_Payload, 514	CFE_EVS_BinFilter, 472	Msgld
CFE_TIME_DiagnosticTIm_Payload, 554 CFE_SB_RouteCmd_Payload, 510 CFE_SB_RoutingFileEntry, 512 os_fsinfo_t, 579 CFE_SB_SingleSubscriptionTIm_Payload, 514	MaxElapsed	CFE_SB_MsgMapFileEntry, 506
MaxFds CFE_SB_RoutingFileEntry, 512 os_fsinfo_t, 579 CFE_SB_SingleSubscriptionTlm_Payload, 514	CFE TIME DiagnosticTlm Payload, 554	
os_fsinfo_t, 579		
· · · · · · · · · · · · · · · · ·		
MaxLocalClock CFE SB SubEntries, 519	MaxLocalClock	CFE_SB_SubEntries, 519
CFE_TIME_DiagnosticTlm_Payload, 555 MsgldslnUse		
MaxMemAllowed CFE_SB_StatsTlm_Payload, 517		-
CFE_SB_StatsTlm_Payload, 516 MsgLimitErrorCounter		

CFE_SB_HousekeepingTlm_Payload, 502	Offset
MsgReceiveErrorCounter	CFE_TBL_File_Hdr, 528
CFE_SB_HousekeepingTlm_Payload, 503	OneHzAdjust
MsgSendErrorCounter	CFE_TIME_DiagnosticTlm_Payload, 555
CFE_SB_HousekeepingTlm_Payload, 503	OneHzDirection
	CFE_TIME_DiagnosticTIm_Payload, 555
Name	OneTimeAdjust
CFE_ES_AppInfo, 426	CFE_TIME_DiagnosticTIm_Payload, 555
CFE_ES_CDSRegDumpRec, 430	OneTimeDirection
CFE_TBL_TblRegPacket_Payload, 544	CFE_TIME_DiagnosticTIm_Payload, 555
OS_static_symbol_record_t, 586	OnEvent
name	CFE_FS_FileWriteMetaData, 495
OS_bin_sem_prop_t, 575	Opts
OS_condvar_prop_t, 576	CFE_SB_PipeInfoEntry, 508
OS_count_sem_prop_t, 577	OS_ADD_TASK_FLAGS
OS_module_prop_t, 582	osconfig.h, 592
OS_mut_sem_prop_t, 583	OS_API_Init
OS_queue_prop_t, 584	OSAL Core Operation APIs, 316
OS_socket_prop_t, 586	OS_API_Teardown
OS_task_prop_t, 588	OSAL Core Operation APIs, 317
OS_timebase_prop_t, 589	OS_Application_Run
OS_timer_prop_t, 590	OSAL Core Operation APIs, 317
nominal_interval_time	OS_Application_Startup
OS_timebase_prop_t, 589	
NoSubscribersCounter	OSAL Core Operation APIs, 317
CFE_SB_HousekeepingTlm_Payload, 503	OS_ApplicationExit
NumBlocksRequested	OSAL Core Operation APIs, 317
CFE_ES_MemPoolStats, 444	OS_ApplicationShutdown
NumBytes	OSAL Core Operation APIs, 317
CFE_TBL_File_Hdr, 528	OS_ArgCallback_t
NumCreated	common_types.h, 1002
CFE_ES_BlockStats, 429	OS_bin_sem_prop_t, 575
NumFree	creator, 575
CFE_ES_BlockStats, 429	name, 575
NumFreeBytes	value, 575
CFE_ES_MemPoolStats, 444	OS_BinSemCreate
NumFreeSharedBufs	OSAL Binary Semaphore APIs, 299
CFE_TBL_HousekeepingTlm_Payload, 534	OS_BinSemDelete
NumLoadPending	OSAL Binary Semaphore APIs, 300
CFE TBL HousekeepingTlm Payload, 534	OS_BinSemFlush
NumOfChildTasks	OSAL Binary Semaphore APIs, 300
CFE_ES_AppInfo, 426	OS_BinSemGetIdByName
NumTables	OSAL Binary Semaphore APIs, 301
CFE_TBL_HousekeepingTlm_Payload, 534	OS_BinSemGetInfo
NumUsers	OSAL Binary Semaphore APIs, 301
CFE_TBL_Info, 536	OS_BinSemGive
NumValRequests	OSAL Binary Semaphore APIs, 302
CFE_TBL_HousekeepingTlm_Payload, 534	OS BinSemTake
or E_rbE_rlousekeepingriin_r ayload, 304	OSAL Binary Semaphore APIs, 302
object_ids	OS_BinSemTimedWait
OS_FdSet, 578	OSAL Binary Semaphore APIs, 303
ObjectName	OS_BSP_GetArgC
CFE_TBL_FileDef, 529	OSAL BSP low level access APIs, 304
ObjectSize	OS_BSP_GetArgV
CFE_TBL_FileDef, 530	OSAL BSP low level access APIs, 304
, -	

OS_BSP_GetResourceTypeConfig OSAL BSP low level access APIs, 304	OSAL Condition Variable APIs, 323 OS CondVarWait
	_
OS_BSP_SetExitCode	OSAL Condition Variable APIs, 324
OSAL BSP low level access APIs, 304	OSAL Object ID Hilling A Places
OS_BSP_SetResourceTypeConfig	OSAL Object ID Utility APIs, 368
OSAL BSP low level access APIs, 304	OS_count_sem_prop_t, 576
OS_BUFFER_MSG_DEPTH	creator, 576
osconfig.h, 592	name, 577
OS_BUFFER_SIZE	value, 577
osconfig.h, 592	OS_CountSemCreate
OS_BUILD_BASELINE	OSAL Counting Semaphore APIs, 325
osapi-version.h, 1036	OS_CountSemDelete
OS_BUILD_CODENAME	OSAL Counting Semaphore APIs, 326
osapi-version.h, 1036	OS_CountSemGetIdByName
OS_BUILD_DEV_CYCLE	OSAL Counting Semaphore APIs, 326
osapi-version.h, 1036	OS_CountSemGetInfo
OS_BUILD_NUMBER	OSAL Counting Semaphore APIs, 327
osapi-version.h, 1036	OS_CountSemGive
OS_CFG_MAX_VERSION_STR_LEN	OSAL Counting Semaphore APIs, 327
osapi-version.h, 1036	OS_CountSemTake
OS_CHECK	OSAL Counting Semaphore APIs, 328
osapi-constants.h, 1010	OS_CountSemTimedWait
OS_CHK_ONLY	OSAL Counting Semaphore APIs, 328
osapi-filesys.h, 1019	OS_cp
OS_chkfs	OSAL Standard File APIs, 347
OSAL File System Level APIs, 356	OS_DeleteAllObjects
OS_chmod	OSAL Core Operation APIs, 318
OSAL Standard File APIs, 345	OS_DirectoryClose
OS_close	OSAL Directory APIs, 330
OSAL Standard File APIs, 346	OS_DirectoryOpen
OS_CloseAllFiles	OSAL Directory APIs, 330
OSAL Standard File APIs, 346	OS_DirectoryRead
OS CloseFileByName	OSAL Directory APIs, 331
OSAL Standard File APIs, 347	OS_DirectoryRewind
OS_condvar_prop_t, 576	OSAL Directory APIs, 331
creator, 576	os_dirent_t, 577
name, 576	FileName, 577
OS CondVarBroadcast	OS_DIRENTRY_NAME
OSAL Condition Variable APIs, 319	osapi-dir.h, 1012
OS CondVarCreate	OS ERR BAD ADDRESS
OSAL Condition Variable APIs, 320	OSAL Return Code Defines, 336
OS_CondVarDelete	OS_ERR_FILE
OSAL Condition Variable APIs, 321	OSAL Return Code Defines, 336
OS_CondVarGetIdByName	OS_ERR_INCORRECT_OBJ_STATE
OSAL Condition Variable APIs, 321	OSAL Return Code Defines, 336
OS_CondVarGetInfo	OS ERR INCORRECT OBJ TYPE
OSAL Condition Variable APIs, 322	OSAL Return Code Defines, 336
OS CondVarLock	
_	OSAL Patura Codo Defines 236
OSAL Condition Variable APIs, 322	OSAL Return Code Defines, 336
OS_CondVarSignal	OS_ERR_INVALID_ID
OSAL Condition Variable APIs, 322	OSAL Return Code Defines, 336
OS_CondVarTimedWait	OS_ERR_INVALID_PRIORITY
OSAL Condition Variable APIs, 323	OSAL Return Code Defines, 337
OS_CondVarUnlock	OS_ERR_INVALID_SIZE

OSAL Return Code Defines, 337	osapi-file.h, 1018
OS_ERR_NAME_NOT_FOUND	OS file flag t
OSAL Return Code Defines, 337	osapi-file.h, 1018
os err name t	OS_FILE_FLAG_TRUNCATE
osapi-error.h, 1015	osapi-file.h, 1018
OS_ERR_NAME_TAKEN	OS file prop t, 578
OSAL Return Code Defines, 337	IsValid, 578
OS_ERR_NAME_TOO_LONG OSAL Return Code Defines, 337	Path, 578
OS ERR NO FREE IDS	User, 578
	OS_FileOpenCheck
OSAL Return Code Defines, 337	OSAL Standard File APIs, 348
OS_ERR_NOT_IMPLEMENTED	OS_FILESTAT_EXEC
OSAL Return Code Defines, 337	osapi-file.h, 1017
OS_ERR_OBJECT_IN_USE	OS_FILESTAT_ISDIR
OSAL Return Code Defines, 337	osapi-file.h, 1017
OS_ERR_OPERATION_NOT_SUPPORTED	OS_FILESTAT_MODE
OSAL Return Code Defines, 337	osapi-file.h, 1017
OS_ERR_OUTPUT_TOO_LARGE	OS_FILESTAT_MODE_DIR
OSAL Return Code Defines, 337	osapi-file.h, 1018
OS_ERR_SEM_NOT_FULL	OS_FILESTAT_MODE_EXEC
OSAL Return Code Defines, 338	osapi-file.h, 1018
OS_ERR_STREAM_DISCONNECTED	OS_FILESTAT_MODE_READ
OSAL Return Code Defines, 338	osapi-file.h, 1018
OS_ERROR	OS_FILESTAT_MODE_WRITE
OSAL Return Code Defines, 338	osapi-file.h, 1018
OS_ERROR_ADDRESS_MISALIGNED	OS_FILESTAT_READ
OSAL Return Code Defines, 338	osapi-file.h, 1017
OS_ERROR_NAME_LENGTH	OS_FILESTAT_SIZE
osapi-error.h, 1015	osapi-file.h, 1017
OS_ERROR_TIMEOUT	OS FILESTAT TIME
OSAL Return Code Defines, 338	osapi-file.h, 1017
OS_EVENT_MAX	OS_FILESTAT_WRITE
osapi-common.h, 1009	osapi-file.h, 1018
OS EVENT RESERVED	OS_FileSysAddFixedMap
osapi-common.h, 1008	OSAL File System Level APIs, 357
OS_EVENT_RESOURCE_ALLOCATED	OS_FileSysStatVolume
osapi-common.h, 1008	OSAL File System Level APIs, 357
OS_EVENT_RESOURCE_CREATED	OS_ForEachObject
osapi-common.h, 1009	OSAL Object ID Utility APIs, 369
OS_EVENT_RESOURCE_DELETED	OS ForEachObjectOfType
osapi-common.h, 1009	OSAL Object ID Utility APIs, 369
OS Event t	OS_FP_ENABLED
osapi-common.h, 1008	osapi-task.h, 1032
OS EVENT TASK STARTUP	OS FS DEV NAME LEN
osapi-common.h, 1009	
	osconfig.h, 592
OS_EventHandler_t	OS_FS_ERR_DEVICE_NOT_FREE
osapi-common.h, 1008	OSAL Return Code Defines, 338
OS_FDGetInfo	OS_FS_ERR_DRIVE_NOT_CREATED
OSAL Standard File APIs, 348	OSAL Return Code Defines, 338
OS_FdSet, 577	OS_FS_ERR_NAME_TOO_LONG
object_ids, 578	OSAL Return Code Defines, 338
OS_FILE_FLAG_CREATE	OS_FS_ERR_PATH_INVALID
osapi-file.h, 1018	OSAL Return Code Defines, 338
OS_FILE_FLAG_NONE	OS_FS_ERR_PATH_TOO_LONG

OSAL Return Code Defines, 338	OS_MAJOR_VERSION
OS_FS_GetPhysDriveName	osapi-version.h, 1036
OSAL File System Level APIs, 358	OS_MAX_API_NAME
OS_FS_PHYS_NAME_LEN	osconfig.h, 592
osconfig.h, 592	OS_MAX_BIN_SEMAPHORES
OS_FS_VOL_NAME_LEN	osconfig.h, 593
osconfig.h, 592	OS_MAX_CMD_LEN
os_fsinfo_t, 578	osconfig.h, 593
FreeFds, 579	OS_MAX_CONDVARS
FreeVolumes, 579	osconfig.h, 593
MaxFds, 579	OS MAX CONSOLES
MaxVolumes, 579	osconfig.h, 593
os_fstat_t, 579	OS_MAX_COUNT_SEMAPHORES
FileModeBits, 580	osconfig.h, 593
FileSize, 580	OS MAX FILE NAME
FileTime, 580	osconfig.h, 593
OS_GetBuildNumber	OS MAX FILE SYSTEMS
osapi-version.h, 1037	osconfig.h, 593
OS_GetErrorName	OS_MAX_LOCAL_PATH_LEN
OSAL Error Info APIs, 341	osapi-constants.h, 1010
OS GetFsInfo	OS MAX MODULES
OSAL File System Level APIs, 359	
·	osconfig.h, 594
OS_GetLocalTime	OS_MAX_MUTEXES
OSAL Real Time Clock APIs, 306	osconfig.h, 594
OS_GetResourceName	OS_MAX_NUM_OPEN_DIRS
OSAL Object ID Utility APIs, 369	osconfig.h, 594
OS_GetVersionCodeName	OS_MAX_NUM_OPEN_FILES
osapi-version.h, 1037	osconfig.h, 594
OS_GetVersionNumber	OS_MAX_PATH_LEN
osapi-version.h, 1038	osconfig.h, 594
OS_GetVersionString	OS_MAX_QUEUES
osapi-version.h, 1038	osconfig.h, 594
OS_heap_prop_t, 580	OS_MAX_SYM_LEN
free_blocks, 580	osconfig.h, 594
free_bytes, 580	OS_MAX_TASK_PRIORITY
largest_free_block, 581	osapi-task.h, 1032
OS_HeapGetInfo	OS_MAX_TASKS
OSAL Heap APIs, 364	osconfig.h, 595
OS_IdentifyObject	OS_MAX_TIMEBASES
OSAL Object ID Utility APIs, 370	osconfig.h, 595
OS_ldleLoop	OS_MAX_TIMERS
OSAL Core Operation APIs, 318	osconfig.h, 595
OS initfs	OS_MINOR_VERSION
OSAL File System Level APIs, 359	osapi-version.h, 1036
OS_INVALID_INT_NUM	OS_MISSION_REV
OSAL Return Code Defines, 339	osapi-version.h, 1036
OS INVALID POINTER	OS mkdir
OSAL Return Code Defines, 339	OSAL Directory APIs, 332
OSAL Return Code Defines, 339 OS_INVALID_SEM_VALUE	OSAL Directory AFIS, 332 OS_mkfs
OSAL Return Code Defines, 339	OSAL File System Level APIs, 360
OS_LAST_OFFICIAL	OS_module_address_t, 581
osapi-version.h, 1036	bss_address, 581
OS_Iseek	bss_size, 581
OSAL Standard File APIs, 349	code address, 581

code_size, 581	OS_OBJECT_TYPE_OS_BINSEM
data_address, 581	OSAL Object Type Defines, 365
data_size, 581	OS_OBJECT_TYPE_OS_CONDVAR
flags, 582	OSAL Object Type Defines, 365
valid, 582	OS_OBJECT_TYPE_OS_CONSOLE
OS_MODULE_FILE_EXTENSION	OSAL Object Type Defines, 365
osconfig.h, 595	OS_OBJECT_TYPE_OS_COUNTSE
OS_MODULE_FLAG_GLOBAL_SYMBOLS	OSAL Object Type Defines, 366
osapi-module.h, 1024	OS_OBJECT_TYPE_OS_DIR
OS_MODULE_FLAG_LOCAL_SYMBOLS	OSAL Object Type Defines, 366
osapi-module.h, 1024	OS_OBJECT_TYPE_OS_FILESYS
OS_module_prop_t, 582	OSAL Object Type Defines, 366
addr, 582	OS_OBJECT_TYPE_OS_MODULE
entry_point, 582	OSAL Object Type Defines, 366
filename, 582	OS_OBJECT_TYPE_OS_MUTEX
host_module_id, 582	OSAL Object Type Defines, 366
name, 582	OS_OBJECT_TYPE_OS_QUEUE
OS_ModuleInfo	OSAL Object Type Defines, 366
OSAL Dynamic Loader and Symbol APIs, 373	OS_OBJECT_TYPE_OS_STREAM
OS_ModuleLoad	OSAL Object Type Defines, 366
OSAL Dynamic Loader and Symbol APIs, 373	OS_OBJECT_TYPE_OS_TASK
OS_ModuleSymbolLookup	OSAL Object Type Defines, 366
OSAL Dynamic Loader and Symbol APIs, 374	OS_OBJECT_TYPE_OS_TIMEBASE
OS_ModuleUnload	OSAL Object Type Defines, 366
OSAL Dynamic Loader and Symbol APIs, 375	OS_OBJECT_TYPE_OS_TIMECB
OS_mount	OSAL Object Type Defines, 366
OSAL File System Level APIs, 360	OS_OBJECT_TYPE_SHIFT
OS_mut_sem_prop_t, 583	osapi-idmap.h, 1021
creator, 583	OS_OBJECT_TYPE_UNDEFINED
name, 583	OSAL Object Type Defines, 367
OS_MutSemCreate	OS_OBJECT_TYPE_USER
OSAL Mutex APIs, 377	OSAL Object Type Defines, 367
OS_MutSemDelete	OS_ObjectIdDefined
OSAL Mutex APIs, 377	OSAL Object ID Utility APIs, 370
OS_MutSemGetIdByName	OS_ObjectIdEqual
OSAL Mutex APIs, 378	OSAL Object ID Utility APIs, 371
OS_MutSemGetInfo	OS_ObjectIdFromInteger
OSAL Mutex APIs, 378	OSAL Object ID Utility APIs, 371
OS_MutSemGive	OS_ObjectIdToArrayIndex
OSAL Mutex APIs, 379	OSAL Object ID Utility APIs, 371 OS_ObjectIdToInteger
OS_MutSemTake OSAL Mutex APIs, 379	OSAL Object ID Utility APIs, 372
	OS_OpenCreate
OS_mv	OSAL Standard File APIs, 350
OSAL Standard File APIs, 349	OS_PEND
OSAL Network ID ARIa 381	
OSAL Network ID APIs, 381 OS_NetworkGetID	osapi-constants.h, 1011
OSAL Network ID APIs, 381	OS_PRINTF cfe_es.h, 675
	- · · ·
OS_OBJECT_CREATOR_ANY osapi-constants.h, 1010	common_types.h, 1001 OS_printf
OS_OBJECT_ID_UNDEFINED	OSAL Printf APIs, 383
osapi-constants.h, 1010	OS_PRINTF_CONSOLE_NAME
OS_OBJECT_INDEX_MASK	osconfig.h, 595
osapi-idmap.h, 1021	OS printf disable
	CO printi dicabio

OSAL Printf APIs, 383	OS_SEEK_SET
OS_printf_enable	OSAL Reference Point For Seek Offset Defines, 344
OSAL Printf APIs, 383	OS_SelectFdAdd
OS_QUEUE_EMPTY	OSAL Select APIs, 388
OSAL Return Code Defines, 339	OS_SelectFdClear
OS QUEUE FULL	OSAL Select APIs, 388
OSAL Return Code Defines, 339	OS SelectFdlsSet
OS_QUEUE_ID_ERROR	OSAL Select APIs, 389
OSAL Return Code Defines, 339	OS_SelectFdZero
OS_QUEUE_INVALID_SIZE	OSAL Select APIs, 389
OSAL Return Code Defines, 339	OS SelectMultiple
OS_QUEUE_MAX_DEPTH	OSAL Select APIs, 390
osconfig.h, 595	OS_SelectSingle
OS_queue_prop_t, 583	OSAL Select APIs, 391
creator, 583	OS_SEM_EMPTY
name, 584	OSAL Semaphore State Defines, 298
OS_QUEUE_TIMEOUT	OS_SEM_FAILURE
OSAL Return Code Defines, 339	OSAL Return Code Defines, 339
OS_QueueCreate	OS_SEM_FULL
OSAL Message Queue APIs, 384	OSAL Semaphore State Defines, 298
OS_QueueDelete	OS_SEM_TIMEOUT
	OSAL Return Code Defines, 339
OSAL Message Queue APIs, 385	
OS_QueueGet	OS_SetLocalTime
OSAL Message Queue APIs, 385	OSAL Real Time Clock APIs, 306
OS_QueueGetIdByName	OS_SHELL_CMD_INPUT_FILE_NAME
OSAL Message Queue APIs, 386	osconfig.h, 595
OS_QueueGetInfo	OS_ShellOutputToFile
OSAL Message Queue APIs, 386	OSAL Shell APIs, 392
OS_QueuePut	OS_SOCKADDR_MAX_LEN
OSAL Message Queue APIs, 387	osapi-sockets.h, 1030
OS_read	osconfig.h, 595
OSAL Standard File APIs, 351	OS_SockAddr_t, 584
OS_READ_ONLY	ActualLength, 584
OSAL File Access Option Defines, 343	AddrData, 584
OS_READ_WRITE	OS_SockAddrData_t, 584
OSAL File Access Option Defines, 343	AlignPtr, 585
OS_RegisterEventHandler	AlignU32, 585
OSAL Core Operation APIs, 318	Buffer, 585
OS_remove	OS_socket_prop_t, 585
OSAL Standard File APIs, 351	creator, 586
OS_rename	name, 586
OSAL Standard File APIs, 352	OS_SocketAccept
OS_REPAIR	OSAL Socket Management APIs, 397
osapi-filesys.h, 1019	OS_SocketAddrFromString
OS_REVISION	OSAL Socket Address APIs, 393
osapi-version.h, 1036	OS_SocketAddrGetPort
OS_rmdir	OSAL Socket Address APIs, 394
OSAL Directory APIs, 332	OS_SocketAddrInit
OS_rmfs	OSAL Socket Address APIs, 394
OSAL File System Level APIs, 361	OS_SocketAddrSetPort
OS_SEEK_CUR	OSAL Socket Address APIs, 395
OSAL Reference Point For Seek Offset Defines, 344	OS_SocketAddrToString
OS_SEEK_END	OSAL Socket Address APIs, 395
OSAL Reference Point For Seek Offset Defines 3/1/	OS SocketRind

OSAL Socket Management APIs, 398	Name, 586
OS_SocketBindAddress	OS_STATUS_STRING_LENGTH
OSAL Socket Management APIs, 399	osapi-error.h, 1015
OS_SocketConnect	os_status_string_t
OSAL Socket Management APIs, 399	osapi-error.h, 1015
OS_SocketDomain_INET	OS_StatusToInteger
osapi-sockets.h, 1030	OSAL Error Info APIs, 341
OS_SocketDomain_INET6	OS_StatusToString
osapi-sockets.h, 1030	OSAL Error Info APIs, 342
OS_SocketDomain_INVALID	OS_statvfs_t, 587
osapi-sockets.h, 1030	block_size, 587
OS_SocketDomain_MAX	blocks_free, 587
osapi-sockets.h, 1030	total_blocks, 587
OS_SocketDomain_t	OS_STR
osapi-sockets.h, 1030	osapi-version.h, 1037
OS_SocketGetIdByName	OS_STR_HELPER
OSAL Socket Management APIs, 400	osapi-version.h, 1037
OS_SocketGetInfo	OS_STREAM_STATE_BOUND
OSAL Socket Management APIs, 400	osapi-select.h, 1028
OS_SocketListen	OS_STREAM_STATE_CONNECTED
OSAL Socket Management APIs, 401	osapi-select.h, 1028
OS_SocketOpen	OS_STREAM_STATE_LISTENING
OSAL Socket Management APIs, 401	osapi-select.h, 1028
OS_SocketRecvFrom	OS_STREAM_STATE_READABLE
OSAL Socket Management APIs, 402	osapi-select.h, 1028
OS_SocketSendTo	OS_STREAM_STATE_WRITABLE
OSAL Socket Management APIs, 402	osapi-select.h, 1028
OS_SocketShutdown	OS_StreamState_t
OSAL Socket Management APIs, 403	osapi-select.h, 1027
OS_SocketShutdownMode_NONE	OS_SUCCESS
osapi-sockets.h, 1030	OSAL Return Code Defines, 340
OS_SocketShutdownMode_SHUT_READ	OS_SymbolLookup
osapi-sockets.h, 1030	OSAL Dynamic Loader and Symbol APIs, 375
OS_SocketShutdownMode_SHUT_READWRITE	OS_SymbolTableDump
osapi-sockets.h, 1030	OSAL Dynamic Loader and Symbol APIs, 376
OS_SocketShutdownMode_SHUT_WRITE	OS_task_prop_t, 587
osapi-sockets.h, 1030	creator, 587
OS_SocketShutdownMode_t	name, 588
osapi-sockets.h, 1030	priority, 588
OS_SocketType_DATAGRAM	stack_size, 588
osapi-sockets.h, 1030	OS_TaskCreate
OS_SocketType_INVALID	OSAL Task APIs, 405
osapi-sockets.h, 1030	OS_TaskDelay
OS_SocketType_MAX	OSAL Task APIs, 406
osapi-sockets.h, 1030	OS_TaskDelete
OS_SocketType_STREAM	OSAL Task APIs, 406
osapi-sockets.h, 1030	OS_TaskExit
OS_SocketType_t	OSAL Task APIs, 407
osapi-sockets.h, 1030	OS_TaskFindIdBySystemData
OS_stat	OSAL Task APIs, 407
OSAL Standard File APIs, 352	OS_TaskGetId
OS_static_symbol_record_t, 586	OSAL Task APIs, 408
Address, 586	OS_TaskGetIdByName
Module, 586	OSAL Task APIs, 408

OS_TaskGetInfo	OS_TimeFromTotalSeconds
OSAL Task APIs, 408	OSAL Real Time Clock APIs, 310
OS_TaskInstallDeleteHandler	OS_TimeGetFractionalPart
OSAL Task APIs, 409	OSAL Real Time Clock APIs, 310
OS_TaskSetPriority	OS_TimeGetMicrosecondsPart
OSAL Task APIs, 409	OSAL Real Time Clock APIs, 311
OS_time_t, 588	OS_TimeGetMillisecondsPart
ticks, 588	OSAL Real Time Clock APIs, 311
OS_TIME_TICK_RESOLUTION_NS	OS_TimeGetNanosecondsPart
osapi-clock.h, 1007	OSAL Real Time Clock APIs, 312
OS_TIME_TICKS_PER_MSEC	OS_TimeGetSubsecondsPart
osapi-clock.h, 1007	OSAL Real Time Clock APIs, 313
OS_TIME_TICKS_PER_SECOND	OS_TimeGetTotalMicroseconds
osapi-clock.h, 1007	OSAL Real Time Clock APIs, 313
OS_TIME_TICKS_PER_USEC	OS_TimeGetTotalMilliseconds
osapi-clock.h, 1007	OSAL Real Time Clock APIs, 314
OS_TimeAdd	OS_TimeGetTotalNanoseconds
OSAL Real Time Clock APIs, 307	OSAL Real Time Clock APIs, 314
OS_TimeAssembleFromMicroseconds	OS_TimeGetTotalSeconds
OSAL Real Time Clock APIs, 307	OSAL Real Time Clock APIs, 315
OS_TimeAssembleFromMilliseconds	OS_TIMER_ERR_INTERNAL
OSAL Real Time Clock APIs, 307	OSAL Return Code Defines, 340
OS_TimeAssembleFromNanoseconds	OS_TIMER_ERR_INVALID_ARGS
OSAL Real Time Clock APIs, 308	OSAL Return Code Defines, 340
OS_TimeAssembleFromSubseconds	OS_TIMER_ERR_TIMER_ID
OSAL Real Time Clock APIs, 308	OSAL Return Code Defines, 340
OS_timebase_prop_t, 589	OS_TIMER_ERR_UNAVAILABLE
accuracy, 589	OSAL Return Code Defines, 340
creator, 589	OS_timer_prop_t, 589
freerun_time, 589	accuracy, 590
name, 589	creator, 590
nominal_interval_time, 589	interval_time, 590
OS_TimeBaseCreate	name, 590
OSAL Time Base APIs, 411	start_time, 590
OS_TimeBaseDelete	OS_TimerAdd
OSAL Time Base APIs, 412	OSAL Timer APIs, 416
OS_TimeBaseGetFreeRun	OS_TimerCallback_t
OSAL Time Base APIs, 412	osapi-timer.h, 1034
OS_TimeBaseGetIdByName	OS_TimerCreate
OSAL Time Base APIs, 413	OSAL Timer APIs, 417
OS_TimeBaseGetInfo	OS_TimerDelete
OSAL Time Base APIs, 414	OSAL Timer APIs, 418
OS_TimeBaseSet	OS_TimerGetIdByName
OSAL Time Base APIs, 414	OSAL Timer APIs, 419
OS_TimedRead	OS_TimerGetInfo
OSAL Standard File APIs, 353	OSAL Timer APIs, 419
OS_TimedWrite	OS_TimerSet
OSAL Standard File APIs, 354	OSAL Timer APIs, 420
OS_TimeFromTotalMicroseconds	OS_TimerSync_t
OSAL Real Time Clock APIs, 309	osapi-timebase.h, 1034
OS_TimeFromTotalMilliseconds	OS_TimeSubtract
OSAL Real Time Clock APIs, 309	OSAL Real Time Clock APIs, 315
OS_TimeFromTotalNanoseconds	OS_TranslatePath
OSAL Real Time Clock APIs 310	OSAL File System Level APIs 36

OS_unmount	OS_CountSemGetInfo, 327
OSAL File System Level APIs, 362	OS CountSemGive, 327
OS_USED	OS_CountSemTake, 328
common_types.h, 1001	OS_CountSemTimedWait, 328
OS_UTILITYTASK_PRIORITY	OSAL Directory APIs, 330
osconfig.h, 596	OS_DirectoryClose, 330
OS_UTILITYTASK_STACK_SIZE	OS_DirectoryOpen, 330
osconfig.h, 596	OS_DirectoryRead, 331
OS_VERSION	OS_DirectoryRewind, 331
osapi-version.h, 1037	OS_mkdir, 332
OS_write	OS rmdir, 332
OSAL Standard File APIs, 354	OSAL Dynamic Loader and Symbol APIs, 373
OS_WRITE_ONLY	OS_ModuleInfo, 373
OSAL File Access Option Defines, 343	OS_ModuleLoad, 373
OSAL Binary Semaphore APIs, 299	OS_ModuleSymbolLookup, 374
OS_BinSemCreate, 299	OS_ModuleUnload, 375
OS_BinSemDelete, 300	OS_SymbolLookup, 375
OS_BinSemFlush, 300	OS_SymbolTableDump, 376
OS_BinSemGetIdByName, 301	OSAL Error Info APIs, 341
OS_BinSemGetInfo, 301	OS_GetErrorName, 341
OS_BinSemGive, 302	OS_StatusToInteger, 341
OS_BinSemTake, 302	OS_StatusToString, 342
OS_BinSemTimedWait, 303	OSAL File Access Option Defines, 343
OSAL BSP low level access APIs, 304	OS READ ONLY, 343
OS_BSP_GetArgC, 304	OS_READ_WRITE, 343
OS_BSP_GetArgV, 304	OS_WRITE_ONLY, 343
OS_BSP_GetResourceTypeConfig, 304	OSAL File System Level APIs, 356
OS_BSP_SetExitCode, 304	OS_chkfs, 356
OS_BSP_SetResourceTypeConfig, 304	OS_FileSysAddFixedMap, 357
OSAL Condition Variable APIs, 319	OS_FileSysStatVolume, 357
OS_CondVarBroadcast, 319	OS_FS_GetPhysDriveName, 358
OS_CondVarCreate, 320	OS_GetFsInfo, 359
OS_CondVarDelete, 321	OS_initfs, 359
OS_CondVarGetIdByName, 321	OS_mkfs, 360
OS CondVarGetInfo, 322	OS_mount, 360
OS_CondVarLock, 322	OS_rmfs, 361
OS_CondVarSignal, 322	OS_TranslatePath, 361
OS_CondVarTimedWait, 323	
OS_CondVarUnlock, 323	OS_unmount, 362 OSAL Heap APIs, 364
OS_CondVarWait, 324	OS HeapGetInfo, 364
OSAL Core Operation APIs, 316	OSAL Message Queue APIs, 384
OS_API_Init, 316	OS_QueueCreate, 384
OS_API_Teardown, 317	OS_QueueDelete, 385
OS_AFI_Teardown, 317 OS Application Run, 317	OS_QueueGet, 385
OS_Application_Startup, 317	OS_QueueGetIdByName, 386
OS_ApplicationExit, 317	OS_QueueGetInfo, 386
OS_ApplicationExit, 317 OS_ApplicationShutdown, 317	OS_QueuePut, 387
OS_Applications rutdown, 317 OS Delete All Objects, 318	
- • • • • • • • • • • • • • • • • • • •	OSAL Mutex APIs, 377
OS_IdleLoop, 318 OS_RegisterEventHandler, 318	OS_MutSemCreate, 377 OS_MutSemDelete, 377
OSAL Counting Semaphore APIs, 325	OS_MutSemGetIdByName, 378
OS_CountSemCreate, 325	OS_MutSemGetInfo, 378
OS_CountSemDelete, 326	OS_MutSemGive, 379
OS_CountSemGetIdByName, 326	OS_MutSemTake, 379

OSAL Network ID APIs, 381	OS_TimeGetTotalSeconds, 315
OS NetworkGetHostName, 381	OS_TimeSubtract, 315
OS NetworkGetID, 381	OSAL Reference Point For Seek Offset Defines, 344
OSAL Object ID Utility APIs, 368	OS_SEEK_CUR, 344
OS ConvertToArrayIndex, 368	OS_SEEK_END, 344
OS ForEachObject, 369	OS SEEK SET, 344
OS_ForEachObjectOfType, 369	OSAL Return Code Defines, 334
OS_GetResourceName, 369	OS_ERR_BAD_ADDRESS, 336
OS_IdentifyObject, 370	OS_ERR_FILE, 336
OS ObjectIdDefined, 370	OS ERR INCORRECT OBJ STATE, 336
- •	OS ERR INCORRECT OBJ TYPE, 336
OS_ObjectIdEqual, 371 OS ObjectIdFromInteger, 371	
_ ,	OS_ERR_INVALID_ARGUMENT, 336
OS_ObjectIdToArrayIndex, 371	OS_ERR_INVALID_ID, 336
OS_ObjectIdToInteger, 372	OS_ERR_INVALID_PRIORITY, 337
OSAL Object Type Defines, 365	OS_ERR_INVALID_SIZE, 337
OS_OBJECT_TYPE_OS_BINSEM, 365	OS_ERR_NAME_NOT_FOUND, 337
OS_OBJECT_TYPE_OS_CONDVAR, 365	OS_ERR_NAME_TAKEN, 337
OS_OBJECT_TYPE_OS_CONSOLE, 365	OS_ERR_NAME_TOO_LONG, 337
OS_OBJECT_TYPE_OS_COUNTSEM, 366	OS_ERR_NO_FREE_IDS, 337
OS_OBJECT_TYPE_OS_DIR, 366	OS_ERR_NOT_IMPLEMENTED, 337
OS_OBJECT_TYPE_OS_FILESYS, 366	OS_ERR_OBJECT_IN_USE, 337
OS_OBJECT_TYPE_OS_MODULE, 366	OS_ERR_OPERATION_NOT_SUPPORTED, 337
OS_OBJECT_TYPE_OS_MUTEX, 366	OS_ERR_OUTPUT_TOO_LARGE, 337
OS_OBJECT_TYPE_OS_QUEUE, 366	OS_ERR_SEM_NOT_FULL, 338
OS_OBJECT_TYPE_OS_STREAM, 366	OS_ERR_STREAM_DISCONNECTED, 338
OS_OBJECT_TYPE_OS_TASK, 366	OS_ERROR, 338
OS_OBJECT_TYPE_OS_TIMEBASE, 366	OS_ERROR_ADDRESS_MISALIGNED, 338
OS_OBJECT_TYPE_OS_TIMECB, 366	OS_ERROR_TIMEOUT, 338
OS_OBJECT_TYPE_UNDEFINED, 367	OS_FS_ERR_DEVICE_NOT_FREE, 338
OS_OBJECT_TYPE_USER, 367	OS_FS_ERR_DRIVE_NOT_CREATED, 338
OSAL Printf APIs, 383	OS_FS_ERR_NAME_TOO_LONG, 338
OS_printf, 383	OS_FS_ERR_PATH_INVALID, 338
OS_printf_disable, 383	OS_FS_ERR_PATH_TOO_LONG, 338
OS_printf_enable, 383	OS_INVALID_INT_NUM, 339
OSAL Real Time Clock APIs, 305	OS_INVALID_POINTER, 339
OS_GetLocalTime, 306	OS_INVALID_SEM_VALUE, 339
OS_SetLocalTime, 306	OS_QUEUE_EMPTY, 339
OS_TimeAdd, 307	OS_QUEUE_FULL, 339
OS_TimeAssembleFromMicroseconds, 307	OS_QUEUE_ID_ERROR, 339
OS_TimeAssembleFromMilliseconds, 307	OS_QUEUE_INVALID_SIZE, 339
OS_TimeAssembleFromNanoseconds, 308	OS_QUEUE_TIMEOUT, 339
OS_TimeAssembleFromSubseconds, 308	OS_SEM_FAILURE, 339
OS_TimeFromTotalMicroseconds, 309	OS_SEM_TIMEOUT, 339
OS_TimeFromTotalMilliseconds, 309	OS_SUCCESS, 340
OS_TimeFromTotalNanoseconds, 310	OS_TIMER_ERR_INTERNAL, 340
OS_TimeFromTotalSeconds, 310	OS_TIMER_ERR_INVALID_ARGS, 340
OS_TimeGetFractionalPart, 310	OS_TIMER_ERR_TIMER_ID, 340
OS_TimeGetMicrosecondsPart, 311	OS_TIMER_ERR_UNAVAILABLE, 340
OS_TimeGetMillisecondsPart, 311	OSAL Select APIs, 388
OS_TimeGetNanosecondsPart, 312	OS_SelectFdAdd, 388
OS_TimeGetSubsecondsPart, 313	OS_SelectFdClear, 388
OS_TimeGetTotalMicroseconds, 313	OS_SelectFdlsSet, 389
OS_TimeGetTotalMilliseconds, 314	OS_SelectFdZero, 389
OS TimeGetTotalNanoseconds, 314	OS SelectMultiple, 390

OS_SelectSingle, 391	OS_TimeBaseCreate, 411
OSAL Semaphore State Defines, 298	OS_TimeBaseDelete, 412
OS_SEM_EMPTY, 298	OS_TimeBaseGetFreeRun, 412
OS_SEM_FULL, 298	OS_TimeBaseGetIdByName, 413
OSAL Shell APIs, 392	OS_TimeBaseGetInfo, 414
OS_ShellOutputToFile, 392	OS_TimeBaseSet, 414
OSAL Socket Address APIs, 393	OSAL Timer APIs, 416
OS_SocketAddrFromString, 393	OS_TimerAdd, 416
OS_SocketAddrGetPort, 394	OS_TimerCreate, 417
OS_SocketAddrInit, 394	OS_TimerDelete, 418
OS SocketAddrSetPort, 395	OS_TimerGetIdByName, 419
OS_SocketAddrToString, 395	OS_TimerGetInfo, 419
OSAL Socket Management APIs, 397	OS_TimerSet, 420
OS_SocketAccept, 397	osal/docs/src/osal_frontpage.dox, 999
OS SocketBind, 398	osal/docs/src/osal_fs.dox, 999
OS_SocketBindAddress, 399	osal/docs/src/osal_timer.dox, 999
OS SocketConnect, 399	osal/src/os/inc/common_types.h, 999
OS_SocketGetIdByName, 400	osal/src/os/inc/osapi-binsem.h, 1004
OS_SocketGetInfo, 400	osal/src/os/inc/osapi-bsp.h, 1005
OS_SocketListen, 401	osal/src/os/inc/osapi-clock.h, 1005
OS_SocketOpen, 401	osal/src/os/inc/osapi-common.h, 1007
OS SocketRecvFrom, 402	osal/src/os/inc/osapi-condvar.h, 1009
-	•
OS_SocketSendTo, 402	osal/src/os/inc/osapi-constants.h, 1010
OS_SocketShutdown, 403	osal/src/os/inc/osapi-countsem.h, 1011
OSAL Standard File APIs, 345	osal/src/os/inc/osapi-dir.h, 1011
OS_chmod, 345	osal/src/os/inc/osapi-error.h, 1012
OS_close, 346	osal/src/os/inc/osapi-file.h, 1015
OS_CloseAllFiles, 346	osal/src/os/inc/osapi-filesys.h, 1018
OS_CloseFileByName, 347	osal/src/os/inc/osapi-heap.h, 1020
OS_cp, 347	osal/src/os/inc/osapi-idmap.h, 1020
OS_FDGetInfo, 348	osal/src/os/inc/osapi-macros.h, 1022
OS_FileOpenCheck, 348	osal/src/os/inc/osapi-module.h, 1023
OS_lseek, 349	osal/src/os/inc/osapi-mutex.h, 1025
OS_mv, 349	osal/src/os/inc/osapi-network.h, 1025
OS_OpenCreate, 350	osal/src/os/inc/osapi-printf.h, 1026
OS_read, 351	osal/src/os/inc/osapi-queue.h, 1026
OS_remove, 351	osal/src/os/inc/osapi-select.h, 1027
OS_rename, 352	osal/src/os/inc/osapi-shell.h, 1028
OS_stat, 352	osal/src/os/inc/osapi-sockets.h, 1028
OS_TimedRead, 353	osal/src/os/inc/osapi-task.h, 1031
OS_TimedWrite, 354	osal/src/os/inc/osapi-timebase.h, 1033
OS_write, 354	osal/src/os/inc/osapi-timer.h, 1034
OSAL Task APIs, 405	osal/src/os/inc/osapi-version.h, 1035
OS_TaskCreate, 405	osal/src/os/inc/osapi.h, 1038
OS_TaskDelay, 406	OSAL API VERSION
OS_TaskDelete, 406	osapi-version.h, 1037
OS TaskExit, 407	OSAL_BLOCKCOUNT_C
OS TaskFindIdBySystemData, 407	common_types.h, 1001
OS_TaskGetId, 408	
OS_taskGetIdByName, 408	osal_blockcount_t
-	common_types.h, 1002
OS_TaskGetInfo, 408	OSAL_CONFIG_CONSOLE_ASYNC
OS_TaskInstallDeleteHandler, 409	osconfig.h, 596
OS_TaskSetPriority, 409	OSAL_CONFIG_INCLUDE_DYNAMIC_LOADER
OSAL Time Base APIs, 411	osconfig.h, 596

OSAL_CONFIG_INCLUDE_NETWORK	osapi-constants.h
osconfig.h, 596	OS_CHECK, 1010
OSAL_CONFIG_INCLUDE_STATIC_LOADER	OS_MAX_LOCAL_PATH_LEN, 1010
osconfig.h, 596	OS_OBJECT_CREATOR_ANY, 1010
osal_id_t	OS_OBJECT_ID_UNDEFINED, 1010
common_types.h, 1002	OS_PEND, 1011
OSAL_INDEX_C	osapi-dir.h
common_types.h, 1001	OS_DIRENTRY_NAME, 1012
osal_index_t	osapi-error.h
common_types.h, 1002	os_err_name_t, 1015
OSAL_OBJTYPE_C	OS_ERROR_NAME_LENGTH, 1015
common_types.h, 1001	OS_STATUS_STRING_LENGTH, 1015
osal_objtype_t	os_status_string_t, 1015
common_types.h, 1003	osapi-file.h
OSAL_PRIORITY_C	OS_FILE_FLAG_CREATE, 1018
osapi-task.h, 1032	OS_FILE_FLAG_NONE, 1018
osal_priority_t	OS_file_flag_t, 1018
osapi-task.h, 1032	OS_FILE_FLAG_TRUNCATE, 1018
OSAL_SIZE_C	OS_FILESTAT_EXEC, 1017
common_types.h, 1001	OS_FILESTAT_ISDIR, 1017
OSAL_STACKPTR_C	OS_FILESTAT_MODE, 1017
osapi-task.h, 1032	OS_FILESTAT_MODE_DIR, 1018
osal_stackptr_t	OS_FILESTAT_MODE_EXEC, 1018
osapi-task.h, 1032	OS_FILESTAT_MODE_READ, 1018
OSAL_STATUS_C	OS_FILESTAT_MODE_WRITE, 1018
common_types.h, 1001	OS_FILESTAT_READ, 1017
osal_status_t	OS_FILESTAT_SIZE, 1017
common_types.h, 1003	OS_FILESTAT_TIME, 1017
osal_task	OS_FILESTAT_WRITE, 1018
osapi-task.h, 1033	osapi-filesys.h
OSAL_TASK_STACK_ALLOCATE	OS_CHK_ONLY, 1019
osapi-task.h, 1032	OS_REPAIR, 1019
OSALMajorVersion	osapi-idmap.h
CFE_ES_HousekeepingTlm_Payload, 439	OS_OBJECT_INDEX_MASK, 1021
OSALMinorVersion	OS_OBJECT_TYPE_SHIFT, 1021
CFE_ES_HousekeepingTlm_Payload, 439	osapi-macros.h
OSALMissionRevision	ARGCHECK, 1022
CFE_ES_HousekeepingTlm_Payload, 439	BUGCHECK, 1022
OSALRevision	BUGCHECK_VOID, 1023
CFE_ES_HousekeepingTlm_Payload, 439	BUGREPORT, 1023
osapi-clock.h	LENGTHCHECK, 1023
OS_TIME_TICK_RESOLUTION_NS, 1007	osapi-module.h
OS_TIME_TICKS_PER_MSEC, 1007	OS_MODULE_FLAG_GLOBAL_SYMBOLS, 1024
OS_TIME_TICKS_PER_SECOND, 1007	OS_MODULE_FLAG_LOCAL_SYMBOLS, 1024
OS_TIME_TICKS_PER_USEC, 1007	osapi-select.h
osapi-common.h	OS_STREAM_STATE_BOUND, 1028
OS_EVENT_MAX, 1009	OS_STREAM_STATE_CONNECTED, 1028
OS_EVENT_RESERVED, 1008	OS_STREAM_STATE_LISTENING, 1028
OS_EVENT_RESOURCE_ALLOCATED, 1008	OS_STREAM_STATE_READABLE, 1028
OS_EVENT_RESOURCE_CREATED, 1009	OS_STREAM_STATE_WRITABLE, 1028
OS_EVENT_RESOURCE_DELETED, 1009	OS_StreamState_t, 1027
OS_Event_t, 1008	osapi-sockets.h
OS_EVENT_TASK_STARTUP, 1009	OS_SOCKADDR_MAX_LEN, 1030
OS EventHandler t, 1008	OS SocketDomain INET, 1030

OS_SocketDomain_INET6, 1030	OS_MAX_API_NAME, 592
OS_SocketDomain_INVALID, 1030	OS MAX BIN SEMAPHORES, 593
OS_SocketDomain_MAX, 1030	OS MAX CMD LEN, 593
OS_SocketDomain_t, 1030	OS_MAX_CONDVARS, 593
OS SocketShutdownMode NONE, 1030	OS_MAX_CONSOLES, 593
OS_SocketShutdownMode_SHUT_READ, 1030	OS_MAX_COUNT_SEMAPHORES, 593
OS_SocketShutdownMode_SHUT_READWRITE,	OS_MAX_FILE_NAME, 593
1030	OS_MAX_FILE_SYSTEMS, 593
OS_SocketShutdownMode_SHUT_WRITE, 1030	OS_MAX_MODULES, 594
OS_SocketShutdownMode_t, 1030	OS_MAX_MUTEXES, 594
OS_SocketType_DATAGRAM, 1030	OS_MAX_NUM_OPEN_DIRS, 594
OS_SocketType_INVALID, 1030	OS_MAX_NUM_OPEN_FILES, 594
OS_SocketType_MAX, 1030	OS_MAX_PATH_LEN, 594
OS_SocketType_STREAM, 1030	OS_MAX_QUEUES, 594
OS_SocketType_t, 1030	OS_MAX_SYM_LEN, 594
osapi-task.h	OS_MAX_TASKS, 595
OS_FP_ENABLED, 1032	OS_MAX_TIMEBASES, 595
OS_MAX_TASK_PRIORITY, 1032	OS_MAX_TIMERS, 595
OSAL_PRIORITY_C, 1032	OS_MODULE_FILE_EXTENSION, 595
osal_priority_t, 1032	OS_PRINTF_CONSOLE_NAME, 595
OSAL_STACKPTR_C, 1032	OS_QUEUE_MAX_DEPTH, 595
osal_stackptr_t, 1032	OS_SHELL_CMD_INPUT_FILE_NAME, 595
osal_task, 1033	OS_SOCKADDR_MAX_LEN, 595
OSAL TASK STACK ALLOCATE, 1032	OS UTILITYTASK PRIORITY, 596
osapi-timebase.h	OS_UTILITYTASK_STACK_SIZE, 596
OS_TimerSync_t, 1034	OSAL_CONFIG_CONSOLE_ASYNC, 596
osapi-timer.h	OSAL_CONFIG_INCLUDE_DYNAMIC_LOADER,
OS_TimerCallback_t, 1034	596
osapi-version.h	OSAL_CONFIG_INCLUDE_NETWORK, 596
OS_BUILD_BASELINE, 1036	OSAL_CONFIG_INCLUDE_STATIC_LOADER, 596
OS_BUILD_CODENAME, 1036	OutputPort
OS_BUILD_DEV_CYCLE, 1036	CFE_EVS_HousekeepingTlm_Payload, 481
OS_BUILD_NUMBER, 1036	OwnerAppName
	• •
OS_CFG_MAX_VERSION_STR_LEN, 1036	CFE_TBL_TblRegPacket_Payload, 545
OS_GetBuildNumber, 1037	De el est D
OS_GetVersionCodeName, 1037	PacketID
OS_GetVersionNumber, 1038	CFE_EVS_LongEventTlm_Payload, 483
OS_GetVersionString, 1038	CFE_EVS_ShortEventTlm_Payload, 492
OS_LAST_OFFICIAL, 1036	Parameter
OS_MAJOR_VERSION, 1036	CFE_TBL_NotifyCmd_Payload, 539
OS_MINOR_VERSION, 1036	Path
OS_MISSION_REV, 1036	OS_file_prop_t, 578
OS_REVISION, 1036	Payload
OS_STR, 1037	CFE_ES_DeleteCDSCmd, 431
OS_STR_HELPER, 1037	CFE_ES_DumpCDSRegistryCmd, 432
OS_VERSION, 1037	CFE_ES_FileNameCmd, 434
OSAL_API_VERSION, 1037	CFE_ES_HousekeepingTlm, 435
osconfig.h	CFE_ES_MemStatsTlm, 445
OS_ADD_TASK_FLAGS, 592	CFE_ES_OneAppTlm, 446
OS_BUFFER_MSG_DEPTH, 592	CFE_ES_OverWriteSysLogCmd, 447
OS_BUFFER_SIZE, 592	CFE_ES_QueryAllCmd, 449
OS_FS_DEV_NAME_LEN, 592	CFE_ES_QueryAllTasksCmd, 450
OS_FS_PHYS_NAME_LEN, 592	CFE_ES_QueryOneCmd, 450
OS_FS_VOL_NAME_LEN, 592	CFE_ES_ReloadAppCmd, 451
,	— — II = 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1

CFE ES RestartAppCmd, 453	CFE_TIME_AddAdjustCmd, 548
CFE_ES_RestartCmd, 453	CFE_TIME_AddDelayCmd, 549
CFE ES SendMemPoolStatsCmd, 455	CFE TIME DiagnosticTlm, 549
CFE_ES_SetMaxPRCountCmd, 456	CFE_TIME_HousekeepingTlm, 558
CFE ES SetPerfFilterMaskCmd, 457	CFE_TIME_SetLeapSecondsCmd, 565
CFE_ES_SetPerfTriggerMaskCmd, 458	CFE TIME SetMETCmd, 565
CFE ES StartApp, 460	CFE_TIME_SetSignalCmd, 566
CFE_ES_StartPerfDataCmd, 462	CFE_TIME_SetSourceCmd, 566
CFE_ES_StopAppCmd, 462	CFE_TIME_SetStateCmd, 567
CFE_ES_StopPerfDataCmd, 464	CFE_TIME_SetSTCFCmd, 568
CFE ES WriteERLogCmd, 466	CFE TIME SetTimeCmd, 568
CFE_ES_WriteSysLogCmd, 466	CFE_TIME_Sub1HZAdjustmentCmd, 570
CFE_EVS_AddEventFilterCmd, 467	CFE_TIME_SubAdjustCmd, 571
CFE_EVS_DeleteEventFilterCmd, 473	CFE_TIME_SubDelayCmd, 577
CFE_EVS_DisableAppEventsCmd, 474	CFE_TIME_ToneDataCmd, 573
CFE_EVS_DisableAppEventTypeCmd, 474	PeakMemInUse
CFE_EVS_DisableEventTypeCmd, 475	CFE_SB_StatsTlm_Payload, 517
CFE_EVS_DisablePortsCmd, 476	PeakMsgldsInUse
CFE_EVS_EnableAppEventsCmd, 476	CFE_SB_StatsTlm_Payload, 517
CFE_EVS_EnableAppEventTypeCmd, 477	PeakPipesInUse
CFE_EVS_EnableEventTypeCmd, 477	CFE_SB_StatsTlm_Payload, 518
CFE_EVS_EnablePortsCmd, 478	PeakQueueDepth
CFE_EVS_HousekeepingTlm, 479	CFE_SB_PipeDepthStats, 507
CFE_EVS_LongEventTlm, 483	CFE_SB_PipeInfoEntry, 508
CFE_EVS_ResetAllFiltersCmd, 486	PeakSBBuffersInUse
CFE_EVS_ResetAppCounterCmd, 487	CFE_SB_StatsTlm_Payload, 518
CFE_EVS_ResetFilterCmd, 488	PeakSubscriptionsInUse
CFE_EVS_SetEventFormatModeCmd, 489	CFE_SB_StatsTlm_Payload, 518
CFE_EVS_SetFilterCmd, 490	PerfDataCount
CFE_EVS_SetLogModeCmd, 491	CFE_ES_HousekeepingTlm_Payload, 439
CFE_EVS_ShortEventTlm, 492	PerfDataEnd
CFE_EVS_WriteAppDataFileCmd, 493	CFE_ES_HousekeepingTlm_Payload, 440
CFE_EVS_WriteLogDataFileCmd, 493	PerfDataStart
CFE_SB_AllSubscriptionsTlm, 497	CFE_ES_HousekeepingTlm_Payload, 440
CFE_SB_DisableRouteCmd, 498	PerfDataToWrite
CFE_SB_EnableRouteCmd, 499	CFE_ES_HousekeepingTlm_Payload, 440
CFE_SB_HousekeepingTlm, 500	PerfFilterMask
CFE_SB_SingleSubscriptionTlm, 514	CFE_ES_HousekeepingTlm_Payload, 440
CFE SB StatsTlm, 515	PerfMode
CFE_SB_WriteMapInfoCmd, 520	CFE_ES_HousekeepingTlm_Payload, 440
CFE SB WritePipeInfoCmd, 521	PerfState
CFE_SB_WriteRoutingInfoCmd, 522	CFE_ES_HousekeepingTlm_Payload, 440
CFE TBL AbortLoadCmd, 522	PerfTriggerCount
CFE_TBL_ActivateCmd, 523	CFE ES HousekeepingTlm Payload, 440
CFE_TBL_DeleteCDSCmd, 525	PerfTriggerMask
CFE_TBL_DumpCmd, 526	CFE_ES_HousekeepingTlm_Payload, 441
CFE TBL DumpRegistryCmd, 527	Pipe
CFE_TBL_HousekeepingTlm, 530	CFE_SB_RouteCmd_Payload, 511
CFE_TBL_LoadCmd, 537	CFE_SB_SingleSubscriptionTlm_Payload, 514
CFE_TBL_NotifyCmd, 539	CFE_SB_SubEntries, 519
·	PipeDepthStats
CFE_TBL_SendRegistryCmd, 541	
CFE_TBL_TableRegistryTlm, 542	CFE_SB_StatsTlm_Payload, 518
CFE_TBL_ValidateCmd, 546	Pipeld
CFE TIME Add1HZAdjustmentCmd, 548	CFE SB PipeDepthStats, 507

CFE_SB_PipeInfoEntry, 509	RegisteredTasks
CFE_SB_RoutingFileEntry, 512	CFE_ES_HousekeepingTlm_Payload, 442
PipeName	Reliability
CFE_SB_PipeInfoEntry, 509	CFE_SB_Qos_t, 509
CFE_SB_RoutingFileEntry, 512	Reserved
PipeOptsErrorCounter	CFE_TBL_File_Hdr, 528
CFE_SB_HousekeepingTlm_Payload, 503	ResetSubtype
PipeOverflowErrorCounter	CFE_ES_HousekeepingTlm_Payload, 442
CFE SB HousekeepingTlm Payload, 503	ResetType
PipesInUse	CFE_ES_HousekeepingTlm_Payload, 442
. CFE_SB_StatsTlm_Payload, 518	ResourceId
PktSegment	CFE ES Applnfo, 426
CFE_SB_AllSubscriptionsTlm_Payload, 498	RestartType
PoolHandle	CFE_ES_RestartCmd_Payload, 454
CFE_ES_PoolStatsTlm_Payload, 449	or E_Eo_nostartoma_r ayload, 404
CFE_ES_SendMemPoolStatsCmd_Payload, 455	sample_perfids.h, 650
PoolSize	CFE_MISSION_ES_MAIN_PERF_ID, 651
CFE_ES_MemPoolStats, 444	CFE_MISSION_ES_PERF_EXIT_BIT, 651
PoolStats	CFE_MISSION_EVS_MAIN_PERF_ID, 651
CFE_ES_PoolStatsTlm_Payload, 449	CFE_MISSION_SB_MAIN_PERF_ID, 651
Priority Priority	
CFE_ES_AppInfo, 426	CFE_MISSION_SB_MSG_LIM_PERF_ID, 652 CFE MISSION SB PIPE OFLOW PERF ID, 652
CFE_ES_StartAppCmd_Payload, 461	
CFE ES TaskInfo, 465	CFE_MISSION_TBL_MAIN_PERF_ID, 652
CFE_SB_Qos_t, 509	CFE_MISSION_TIME_LOCAL1HZISR_PERF_ID,
priority	652
OS_task_prop_t, 588	CFE_MISSION_TIME_LOCAL1HZTASK_PERF_ID
ProcessorID	652
CFE_EVS_PacketID, 485	CFE_MISSION_TIME_MAIN_PERF_ID, 652
CFE_FS_Header, 496	CFE_MISSION_TIME_SENDMET_PERF_ID, 652
ProcessorResets	CFE_MISSION_TIME_TONE1HZISR_PERF_ID,
CFE_ES_HousekeepingTlm_Payload, 441	652
psp/fsw/inc/cfe_psp.h, 1039	CFE_MISSION_TIME_TONE1HZTASK_PERF_ID,
psp/fsw/inc/cfe psp error.h, 1066	652
PSPMajorVersion	SBBuffersInUse
CFE ES HousekeepingTlm Payload, 441	CFE_SB_StatsTlm_Payload, 518
PSPMinorVersion	Seconds
CFE_ES_HousekeepingTlm_Payload, 441	CFE_TIME_OneHzAdjustmentCmd_Payload, 563
PSPMissionRevision	CFE_TIME_SysTime, 572
CFE_ES_HousekeepingTlm_Payload, 441	CFE_TIME_TimeCmd_Payload, 573
PSPRevision	Seconds1HzAdj
CFE_ES_HousekeepingTlm_Payload, 441	CFE_TIME_HousekeepingTlm_Payload, 560
Ptr	SecondsDelay
CFE ES PoolAlign, 448	CFE_TIME_HousekeepingTlm_Payload, 560
Of E_EO_1 OUIAlight, 440	SecondsMET
Qos	CFE_TIME_HousekeepingTlm_Payload, 561
CFE_SB_SingleSubscriptionTlm_Payload, 515	SecondsSTCF
CFE SB SubEntries, 519	CFE_TIME_HousekeepingTlm_Payload, 561
	SendErrors
RegisteredCoreApps	CFE_SB_PipeInfoEntry, 509
CFE_ES_HousekeepingTlm_Payload, 441	Sequence
RegisteredExternalApps	CCSDS_PrimaryHeader, 423
CFE_ES_HousekeepingTlm_Payload, 442	ServerFlyState
RegisteredLibs	CFE_TIME_DiagnosticTlm_Payload, 555
CFE ES HousekeepingTlm Payload, 442	Size

CFE_ES_CDSRegDumpRec, 430	SubsecsDelay
CFE_TBL_Info, 536	CFE_TIME_HousekeepingTlm_Payload, 561
CFE_TBL_TblRegPacket_Payload, 545	SubsecsMET
SIZE_BYTE	CFE_TIME_HousekeepingTlm_Payload, 561
cfe_psp.h, 1046	SubsecsSTCF
SIZE_HALF	CFE_TIME_HousekeepingTlm_Payload, 561
cfe_psp.h, 1046	Subsystem
SIZE_WORD	CCSDS_ExtendedHeader, 422
cfe_psp.h, 1046	SubType
SpacecraftID	CFE_FS_Header, 496
CFE EVS PacketID, 485	CFE_SB_SingleSubscriptionTlm_Payload, 515
CFE_FS_Header, 496	SuccessValCounter
Spare	CFE_TBL_HousekeepingTlm_Payload, 534
CFE_ES_TaskInfo, 465	SysLogBytesUsed
CFE_EVS_AppNameBitMaskCmd_Payload, 468	CFE_ES_HousekeepingTlm_Payload, 442
CFE_EVS_BitMaskCmd_Payload, 472	SysLogEntries
CFE_EVS_SetEventFormatCode_Payload, 489	CFE ES HousekeepingTlm Payload, 442
CFE_EVS_SetLogMode_Payload, 491	SysLogMode
CFE_SB_PipeDepthStats, 507	CFE_ES_HousekeepingTlm_Payload, 443
CFE_SB_PipeInfoEntry, 509	SysLogSize
CFE_SB_RouteCmd_Payload, 511	CFE_ES_HousekeepingTlm_Payload, 443
Spare1	SystemId
CFE_EVS_HousekeepingTlm_Payload, 481	CCSDS_ExtendedHeader, 422
CFE_EVS_LongEventTlm_Payload, 484	OOSDS_Exterided reader, 422
	Table
Spare2	
CFE_EVS_HousekeepingTlm_Payload, 481	CFE_ES_CDSRegDumpRec, 430
CFE_EVS_LongEventTIm_Payload, 484	TableLoadedOnce
Spare2Align	CFE_TBL_Info, 536
CFE_SB_HousekeepingTlm_Payload, 503	CFE_TBL_TblRegPacket_Payload, 545
Spare3	TableName
CFE_EVS_HousekeepingTIm_Payload, 481	CFE_TBL_AbortLoadCmd_Payload, 523
stack_size	CFE_TBL_ActivateCmd_Payload, 524
OS_task_prop_t, 588	CFE_TBL_DelCDSCmd_Payload, 524
StackSize	CFE_TBL_DumpCmd_Payload, 526
CFE_ES_AppInfo, 426	CFE_TBL_File_Hdr, 528
CFE_ES_StartAppCmd_Payload, 461	CFE_TBL_FileDef, 530
CFE_ES_TaskInfo, 465	CFE_TBL_SendRegistryCmd_Payload, 541
start_time	CFE_TBL_ValidateCmd_Payload, 547
OS_timer_prop_t, 590	Taskld
StartAddress	CFE_ES_TaskInfo, 465
CFE_ES_AppInfo, 427	TaskName
State	CFE_ES_TaskInfo, 465
CFE_SB_RoutingFileEntry, 512	TelemetryHeader
Streamld	CFE_ES_HousekeepingTlm, 435
CCSDS_PrimaryHeader, 423	CFE_ES_MemStatsTlm, 445
SubscribeErrorCounter	CFE_ES_OneAppTlm, 446
CFE_SB_HousekeepingTlm_Payload, 503	CFE_EVS_HousekeepingTlm, 479
SubscriptionsInUse	CFE_EVS_LongEventTlm, 483
CFE_SB_StatsTIm_Payload, 518	CFE_EVS_ShortEventTlm, 492
Subseconds	CFE_SB_AllSubscriptionsTlm, 497
CFE_TIME_OneHzAdjustmentCmd_Payload, 563	CFE_SB_HousekeepingTlm, 500
CFE_TIME_SysTime, 572	CFE_SB_SingleSubscriptionTlm, 514
Subsecs1HzAdj	CFE_SB_StatsTlm, 515
CFE TIME HousekeepingTlm Payload, 561	CFE TBL HousekeepingTlm, 530

CFE_TBL_TableRegistryTlm, 542	uint16
CFE_TIME_DiagnosticTlm, 549	common_types.h, 1003
CFE_TIME_HousekeepingTlm, 559	uint32
TgtFilename	common_types.h, 1003
CFE_TBL_FileDef, 530	uint64
ticks	common_types.h, 1003
OS_time_t, 588	uint8
TimeOfLastUpdate	common_types.h, 1003
CFE_TBL_Info, 536	UnmarkedMem
CFE_TBL_TblRegPacket_Payload, 545	CFE_SB_HousekeepingTlm_Payload, 504
TimeSeconds	UnregisteredAppCounter
CFE FS Header, 496	CFE_EVS_HousekeepingTlm_Payload, 482
TimeSinceTone	User
CFE_TIME_DiagnosticTlm_Payload, 556	OS_file_prop_t, 578
TimeSource	UserDefAddr
CFE_TIME_SourceCmd_Payload, 569	CFE_TBL_Info, 537
TimeSubSeconds	
CFE_FS_Header, 496	valid
ToneDataCounter	OS_module_address_t, 582
CFE TIME DiagnosticTlm Payload, 556	ValidationCounter
ToneDataLatch	CFE_TBL_HousekeepingTlm_Payload, 534
CFE_TIME_DiagnosticTlm_Payload, 556	ValidationFuncPtr
ToneIntCounter	CFE_TBL_TblRegPacket_Payload, 545
CFE TIME DiagnosticTlm Payload, 556	Value
ToneIntErrorCounter	CFE_SB_Msgld_t, 505
CFE_TIME_DiagnosticTlm_Payload, 556	value
ToneMatchCounter	OS_bin_sem_prop_t, 575
CFE_TIME_DiagnosticTIm_Payload, 556	OS_count_sem_prop_t, 577
ToneMatchErrorCounter	VersionCounter
CFE_TIME_DiagnosticTlm_Payload, 556	CFE_TIME_DiagnosticTIm_Payload, 557
ToneOverLimit	VirtualMET
CFE_TIME_DiagnosticTlm_Payload, 557	CFE_TIME_DiagnosticTIm_Payload, 557
ToneSignalCounter	
CFE_TIME_DiagnosticTIm_Payload, 557	
ToneSignalLatch	
CFE_TIME_DiagnosticTlm_Payload, 557	
ToneSource	
CFE_TIME_SignalCmd_Payload, 569	
ToneTaskCounter	
CFE_TIME_DiagnosticTlm_Payload, 557	
ToneUnderLimit	
CFE_TIME_DiagnosticTlm_Payload, 557	
total_blocks	
OS_statvfs_t, 587	
TotalSegments	
CFE_SB_AllSubscriptionsTlm_Payload, 498	
TriggerMask	
CFE_ES_SetPerfTrigMaskCmd_Payload, 459	
TriggerMaskNum	
CFE_ES_SetPerfTrigMaskCmd_Payload, 459	
TriggerMode	
CFE_ES_StartPerfCmd_Payload, 461	
Type	
CFE ES Applnfo, 427	