

[Download Report to File](#)

Graphics Feature Status

- Canvas: **Hardware accelerated**
- Canvas out-of-process rasterization: **Enabled**
- Direct Rendering Display Compositor: **Disabled**
- Compositing: **Software only. Hardware acceleration disabled**
- Multiple Raster Threads: **Enabled**
- OpenGL: **Enabled**
- Rasterization: **Hardware accelerated on all pages**
- Raw Draw: **Disabled**
- Skia Graphite: **Disabled**
- Video Decode: **Hardware accelerated**
- Video Encode: **Hardware accelerated**
- Vulkan: **Enabled**
- WebGL: **Hardware accelerated but at reduced performance**
- WebGL2: **Hardware accelerated but at reduced performance**
- WebGPU: **Hardware accelerated but at reduced performance**

Driver Bug Workarounds

- `disable_discard_framebuffer`
- `enable_webgl_timer_query_extensions`
- `exit_on_context_lost`
- `force_cube_complete`
- `init_gl_position_in_vertex_shader`
- `unpack_overlapping_rows_separately_unpack_buffer`
- `use_virtualized_gl_contexts`
- `disabled_extension_GL_KHR_blend_equation_advanced`
- `disabled_extension_GL_KHR_blend_equation_advanced_coherent`
- `disabled_extension_GL_MESA_framebuffer_flip_y`

Problems Detected

- Gpu compositing has been disabled, either via blocklist, about:flags or the command line. The browser will fall back to software compositing and hardware acceleration will be unavailable.
Disabled Features: **`gpu_compositing`**
- Program link fails in NVIDIA Linux if `gl_Position` is not set: [286468](#)
Applied Workarounds: **`init_gl_position_in_vertex_shader`**
- MakeCurrent is slow on Linux with NVIDIA drivers: [449150](#), [514510](#)
Applied Workarounds: **`use_virtualized_gl_contexts`**
- NVIDIA fails `glReadPixels` from incomplete cube map texture: [518889](#)
Applied Workarounds: **`force_cube_complete`**
- Framebuffer discarding can hurt performance on non-tilers: [570897](#)
Applied Workarounds: **`disable_discard_framebuffer`**
- Unpacking overlapping rows from unpack buffers is unstable on NVIDIA GL driver: [596774](#)
Applied Workarounds: **`unpack_overlapping_rows_separately_unpack_buffer`**
- Disable `KHR_blend_equation_advanced` until cc shaders are updated: [661715](#)
Applied Workarounds: **`disable(GL_KHR_blend_equation_advanced)`**,

disable(GL_KHR_blend_equation_advanced_coherent)

- Expose WebGL's disjoint_timer_query extensions on platforms with site isolation: [808744](#), [870491](#)
Applied Workarounds: *enable_webgl_timer_query_extensions*
- Some drivers can't recover after OUT_OF_MEM and context lost: [893177](#)
Applied Workarounds: *exit_on_context_lost*
- Disable GL_MESA_framebuffer_flip_y for desktop GL: [964010](#)
Applied Workarounds: *disable(GL_MESA_framebuffer_flip_y)*

ANGLE Features

- **allowCompressedFormats** (Frontend workarounds): **Enabled**: true
Allow compressed formats
- **alwaysRunLinkSubJobsThreaded** (Frontend features) [anglebug:8417](#): **Enabled**: true
If true, sub tasks of the link job are always threaded, regardless of GL_KHR_parallel_shader_compile
- **cacheCompiledShader** (Frontend features) [anglebug:7036](#): **Enabled**: true
Enable to cache compiled shaders
- **compileJobsThreadSafe** (Frontend features) [anglebug:8297](#): **Enabled**: true
If false, parts of the compile job cannot be parallelized
- **disableAnisotropicFiltering** (Frontend workarounds): **Disabled**
Disable support for anisotropic filtering
- **disableDrawBuffersIndexed** (Frontend features) [anglebug:7724](#): **Disabled**
Disable support for OES_draw_buffers_indexed and EXT_draw_buffers_indexed
- **disableProgramBinary** (Frontend features) [anglebug:5007](#): **Disabled**
Disable support for GL_OES_get_program_binary
- **disableProgramCaching** (Frontend features) [anglebug:1423136](#): **Disabled**
Disables saving programs to the cache
- **disableProgramCachingForTransformFeedback** (Frontend workarounds): **Disabled**
On some GPUs, program binaries don't contain transform feedback varyings
- **dumpShaderSource** (Frontend features) [anglebug:7760](#): **Disabled**
Write shader source to temp directory
- **dumpTranslatedShaders** (Frontend features) [anglebug:8280](#): **Disabled**
Write translated shaders to temp directory
- **emulatePixelLocalStorage** (Frontend features) [anglebug:7279](#): **Enabled**: true
Emulate ANGLE_shader_pixel_local_storage using shader images
- **enableCaptureLimits** (Frontend features) [anglebug:5750](#): **Disabled**
Set the context limits like frame capturing was enabled
- **enableProgramBinaryForCapture** (Frontend features) [anglebug:5658](#): **Disabled**
Even if FrameCapture is enabled, enable GL_OES_get_program_binary
- **enableShaderSubstitution** (Frontend workarounds) [anglebug:7761](#): **Disabled**
Check the filesystem for shaders to use instead of those provided through glShaderSource
- **enableTranslatedShaderSubstitution** (Frontend workarounds) [anglebug:8280](#): **Disabled**
Check the filesystem for translated shaders to use instead of the shader translator's
- **forceDepthAttachmentInitOnClear** (Frontend workarounds) [anglebug:7246](#): **Disabled**
Force depth attachment initialization on clear ops
- **forceGLErrorChecking** (Frontend features) <https://issuetracker.google.com/220069903>: **Disabled**: (IsAndroid() && isSwiftShader)
Force GL error checking (i.e. prevent applications from disabling error checking)

- **forceInitShaderVariables** (Frontend features): **Disabled**
Force-enable shader variable initialization
- **forceMinimumMaxVertexAttributes** (Frontend features): **Disabled**: false
Force the minimum GL_MAX_VERTEX_ATTRIBS that the context's client version allows.
- **forceRobustResourceInit** (Frontend features) [anglebug:6041](#): **Disabled**
Force-enable robust resource init
- **linkJobsThreadSafe** (Frontend features) [anglebug:8297](#): **Enabled**: true
If false, parts of the link job cannot be parallelized
- **loseContextOnOutOfMemory** (Frontend workarounds): **Enabled**: true
Some users rely on a lost context notification if a GL_OUT_OF_MEMORY error occurs
- **singleThreadedTextureDecompression** (Frontend workarounds): **Disabled**
Disables multi-threaded decompression of compressed texture formats
- **uncurrentEglSurfaceUponSurfaceDestroy** (Frontend workarounds)
<https://issuetracker.google.com/292285899>: **Enabled**: true
Make egl surface uncurrent when calling eglDestroySurface(), if the surface is still bound by the context of current render thread
- **adjustClearColorPrecision** (Vulkan workarounds)
<https://issuetracker.google.com/292282210>: **Disabled**: IsAndroid() && mFeatures.supportsLegacyDithering.enabled && isARM
Adjust normalized clear color precision based on framebuffer color channel bits count
- **allocateNonZeroMemory** (Vulkan features) [anglebug:4384](#): **Disabled**: false
Fill new allocations with non-zero values to flush out errors.
- **allowGenerateMipmapWithCompute** (Vulkan features) [anglebug:4551](#): **Disabled**: supportsSubgroupQuadOpsInComputeShader && mSubgroupExtendedTypesFeatures.shaderSubgroupExtendedTypes && maxComputeWorkGroupInvocations >= 256 && ((isAMD && !isWindows()) || isNvidia || isSamsung)
Use the compute path to generate mipmaps on devices that meet the minimum requirements, and the performance is better.
- **allowHostImageCopyDespiteNonIdenticalLayout** (Vulkan features): **Disabled**: false
When using VK_EXT_host_image_copy, allow VK_IMAGE_USAGE_HOST_TRANSFER_BIT_EXT even if perf query indicates only optimalDeviceAccess, but not identicalMemoryLayout
- **allowMultisampledRenderToTextureEmulation** (Vulkan workarounds) [anglebug:8291](#): **Disabled**: isTileBasedRenderer || isSamsung
Allow emulation of EXT_multisampled_render_to_texture
- **appendAliasedMemoryDecorations** (Vulkan workarounds) [b/266235549](#): **Enabled**: true
Append aliased memory decoration to ssbo and image in SpirV if they are not declared with restrict memory qualifier in GLSL
- **asyncCommandBufferReset** (Vulkan features)
<https://issuetracker.google.com/255411748>: **Enabled**: true
Reset command buffer in async thread.
- **asyncCommandQueue** (Vulkan features) [anglebug:4324](#): **Disabled**: false
Use CommandQueue worker thread to dispatch work to GPU.
- **avoidOpSelectWithMismatchingRelaxedPrecision** (Vulkan workarounds) [anglebug:8503](#): **Disabled**: isNvidia && (nvidiaVersion.major >= 535 && nvidiaVersion.major <= 551)
On some drivers, the OpSelect SPIR-V instruction with arguments with mismatching RelaxedPrecision decoration causes a crash

- **bottomLeftOriginPresentRegionRectangles** (Vulkan workarounds): **Disabled:** `IsAndroid()`
On some platforms present region rectangles are expected to have a bottom-left origin, instead of top-left origin as from spec
- **bresenhamLineRasterization** (Vulkan features): **Enabled:** `mLineRasterizationFeatures.bresenhamLines == 1U`
Enable Bresenham line rasterization via VK_EXT_line_rasterization extension
- **clampFragDepth** (Vulkan workarounds) [anglebug:3970](#): **Enabled:** `isNvidia && !mFeatures.supportsDepthClampZeroOne.enabled`
gl_FragDepth is not clamped when rendering to a floating point depth buffer without VK_EXT_depth_clamp_zero_one
- **clampPointSize** (Vulkan workarounds) [anglebug:2970](#): **Disabled:** `isNvidia && nvidiaVersion.major < uint32_t(IsWindows() ? 430 : 421)`
The point size range reported from the API is inconsistent with the actual behavior
- **compressVertexData** (Vulkan workarounds): **Disabled**
Compress vertex data to smaller data types when possible. Using this feature makes ANGLE non-conformant.
- **deferFlushUntilEndRenderPass** (Vulkan workarounds) <https://issuetracker.google.com/issues/166475273>: **Enabled:** `!isQualcommProprietary`
Allow glFlush to be deferred until renderpass ends
- **disableFlippingBlitWithCommand** (Vulkan workarounds) [anglebug:3498](#): **Disabled:** `IsAndroid() && isQualcommProprietary`
vkCmdBlitImage with flipped coordinates blits incorrectly.
- **disablePipelineCacheLoadForTesting** (Vulkan workarounds) [anglebug:8417](#): **Disabled**
Disable loading the pipeline cache from the blob cache for testing
- **disableSeparateShaderObjects** (Vulkan app workarounds) <https://issuetracker.google.com/309028728>: **Disabled**
Disable GL_EXT_separate_shader_objects and cap core ES version to 3.0
- **disallowMixedDepthStencilLoadOpNoneAndLoad** (Vulkan workarounds) [anglebug:7370](#): **Disabled:** `isARM && armDriverVersion < ARMDriverVersion(38, 1, 0)`
Disallow use of LOAD_OP_NONE for only one of the depth or stencil aspects of a depth/stencil attachment
- **doubleDepthBiasConstantFactor** (Vulkan workarounds): **Enabled:** `(isIntel && !IsWindows()) || isRADV || isNvidia`
Due to a Vulkan spec ambiguity, some drivers interpret depthBiasConstantFactor as half the expected value
- **eglColorspaceAttributePassthrough** (Vulkan features) [anglebug:7319](#): **Disabled:** `IsAndroid() && isSamsung`
Support passthrough of EGL colorspace attribute values
- **emulateAdvancedBlendEquations** (Vulkan features) [anglebug:3586](#): **Disabled:** `!mFeatures.supportsBlendOperationAdvanced.enabled && (isVenus || !isIntel)`
Emulate GL_KHR_blend_equation_advanced
- **emulateDithering** (Vulkan features) [anglebug:6755](#): **Disabled:** `IsAndroid() && !mFeatures.supportsLegacyDithering.enabled`
Emulate OpenGL dithering
- **emulateR32fImageAtomicExchange** (Vulkan workarounds) [anglebug:5535](#): **Enabled:** `true`
Emulate r32f images with r32ui to support imageAtomicExchange.
- **emulateTransformFeedback** (Vulkan features) [anglebug:3205](#): **Disabled:** `!mFeatures.supportsTransformFeedbackExtension.enabled &&`

- vk::CanSupportTransformFeedbackEmulation(mPhysicalDeviceFeatures)
Emulate transform feedback as the VK_EXT_transform_feedback is not present.
- **emulatedPrerotation180** (Vulkan features) [anglebug:4901](#): Disabled
Emulate 180-degree prerotation.
 - **emulatedPrerotation270** (Vulkan features) [anglebug:4901](#): Disabled
Emulate 270-degree prerotation.
 - **emulatedPrerotation90** (Vulkan features) [anglebug:4901](#): Disabled
Emulate 90-degree prerotation.
 - **enableAsyncPipelineCacheCompression** (Vulkan workarounds) [anglebug:4722](#): Enabled: true
Enable compressing pipeline cache in a thread.
 - **enableMultisampledRenderToTexture** (Vulkan workarounds) [anglebug:4937](#): Disabled: mFeatures.supportsMultisampledRenderToSingleSampled.enabled || mFeatures.supportsMultisampledRenderToSingleSampledGOOGLEX.enabled || (supportsIndependentDepthStencilResolve && mFeatures.allowMultisampledRenderToTextureEmulation.enabled)
Expose EXT_multisampled_render_to_texture
 - **enableParallelCompileAndLink** (Vulkan features) [anglebug:8297](#): Disabled
Expose the GL_KHR_parallel_shader_compile extension
 - **enablePipelineCacheDataCompression** (Vulkan features) <https://issuetracker.google.com/258207403>: Enabled: true
enable pipeline cache data compression.
 - **enablePortabilityEnumeration** (Vulkan workarounds) [anglebug:8229](#): Disabled: mFeatures.supportsPortabilityEnumeration.enabled && IsApple()
Enable use of VK_KHR_portability_enumeration extension
 - **enablePreRotateSurfaces** (Vulkan features) [anglebug:3502](#): Disabled: IsAndroid()
Enable Android pre-rotation for landscape applications
 - **enablePrecisionQualifiers** (Vulkan features) [anglebug:3078](#): Enabled: ! (IsPixel2(mPhysicalDeviceProperties.vendorID, mPhysicalDeviceProperties.deviceID) && (mPhysicalDeviceProperties.driverVersion < kPixel2DriverWithRelaxedPrecision)) && !IsPixel4(mPhysicalDeviceProperties.vendorID, mPhysicalDeviceProperties.deviceID)
Enable precision qualifiers in shaders
 - **explicitlyCastMediumFloatTo16Bit** (Vulkan workarounds) <https://issuetracker.google.com/274859104>: Disabled: isARM
Explicitly cast medium floating point values to 16 bit
 - **explicitlyEnablePerSampleShading** (Vulkan workarounds) [anglebug:6876](#): Disabled: isARM
Explicitly enable per-sample shading if the fragment shader contains the sample qualifier
 - **exposeNonConformantExtensionsAndVersions** (Vulkan workarounds) [anglebug:5375](#): Disabled: kExposeNonConformantExtensionsAndVersions && !isVenus
Expose GLES versions and extensions that are not conformant.
 - **forceContinuousRefreshOnSharedPresent** (Vulkan features) <https://issuetracker.google.com/229267970>: Disabled: false
Force to create vulkan swapchain with continuous refresh on shared present
 - **forceD16TexFilter** (Vulkan workarounds) [anglebug:3452](#): Disabled: IsAndroid() && isQualcommProprietary
VK_FORMAT_D16_UNORM does not support VK_FORMAT_FEATURE_SAMPLED_IMAGE_FILTER_LINEAR_BIT, which prevents OES_depth_texture from being supported.

- **forceDisableFullScreenExclusive** (Vulkan workarounds) [anglebug:8215](#): Disabled
Device needs VK_EXT_full_screen_exclusive explicitly disabled
- **forceFallbackFormat** (Vulkan workarounds): Disabled
Force a fallback format for angle_end2end_tests
- **forceFragmentShaderPrecisionHighpToMediump** (Vulkan workarounds)
<https://issuetracker.google.com/184850002>: Disabled: false
Forces highp precision in fragment shader to mediump.
- **forceMaxUniformBufferSize16KB** (Vulkan workarounds)
<https://issuetracker.google.com/161903006>: Disabled: isQualcommProprietary && isAdreno540
Force max uniform buffer size to 16K on some device due to bug
- **forceNearestFiltering** (Vulkan workarounds): Disabled
Force nearest filtering when sampling.
- **forceNearestMipFiltering** (Vulkan workarounds): Disabled
Force nearest mip filtering when sampling.
- **forceSampleUsageForAhbBackedImages** (Vulkan app workarounds)
<https://issuetracker.google.com/155487768>: Disabled
Force enable VK_IMAGE_USAGE_SAMPLED_BIT usage for all AHB images
- **forceSubmitImmutableTextureUpdates** (Vulkan app workarounds) [anglebug:6929](#): Disabled
Force submit updates to immutable textures
- **forceTextureLodOffset1** (Vulkan workarounds): Disabled
Increase the minimum texture level-of-detail by 1 when sampling.
- **forceTextureLodOffset2** (Vulkan workarounds): Disabled
Increase the minimum texture level-of-detail by 2 when sampling.
- **forceTextureLodOffset3** (Vulkan workarounds): Disabled
Increase the minimum texture level-of-detail by 3 when sampling.
- **forceTextureLodOffset4** (Vulkan workarounds): Disabled
Increase the minimum texture level-of-detail by 4 when sampling.
- **forceWaitForSubmissionToCompleteForQueryResult** (Vulkan workarounds)
<https://issuetracker.google.com/253522366>: Enabled: isARM || (isNvidia && nvidiaVersion.major < 470u)
Force wait for submission to complete before calling getQueryResult(wait).
- **hasEffectivePipelineCacheSerialization** (Vulkan features) [anglebug:7369](#): Disabled: !isSwiftShader && !nvVersionLessThan520
Whether the implementation serializes the Vulkan pipeline cache effectively. On some implementations, pipeline cache serialization returns no data, so there is no benefit to serializing it
- **limitSampleCountTo2** (Vulkan workarounds) [anglebug:8162](#): Disabled
Limit sample count to 2 to save memory on low end devices.
- **logMemoryReportCallbacks** (Vulkan features): Disabled: false
Log each callback from VK_EXT_device_memory_report
- **logMemoryReportStats** (Vulkan features): Disabled: false
Log stats from VK_EXT_device_memory_report each swap
- **mapUnspecifiedColorSpaceToPassThrough** (Vulkan features): Enabled: ExtensionFound("VK_EXT_swapchain_colorspace", mEnabledInstanceExtensions)
Use VK_COLOR_SPACE_PASS_THROUGH_EXT for EGL_NONE or unspecified color spaces
- **mergeProgramPipelineCachesToGlobalCache** (Vulkan workarounds) [anglebug:7369](#): Enabled: !mFeatures.supportsGraphicsPipelineLibrary.enabled || (mFeatures.preferMonolithicPipelinesOverLibraries.enabled &&

libraryBlobsAreReusedByMonolithicPipelines)

Whether it's beneficial to merge the pipeline cache for the shaders subset of the pipeline into the monolithic pipeline cache. Only useful on platforms where monolithic pipelines can reuse blobs from partial pipelines

- **mutableMipmapTextureUpload** (Vulkan features) [anglebug:7308](#): **Disabled**:
canPreferDeviceLocalMemoryHostVisible(mPhysicalDeviceProperties.deviceType)
Enable uploading the previously defined mutable mipmap texture.
- **overrideSurfaceFormatRGB8ToRGBA8** (Vulkan workarounds) [anglebug:6651](#):
Enabled: true
Override surface format GL_RGB8 to GL_RGBA8
- **padBuffersToMaxVertexAttribStride** (Vulkan workarounds) [anglebug:4428](#): **Disabled**:
isAMD || isSamsung
Vulkan considers vertex attribute accesses to count up to the last multiple of the stride. This additional access supports AMD's robust buffer access implementation. AMDVLK in particular will return incorrect values when the vertex access extends into the range that would be the stride padding and the buffer is too small. This workaround limits GL_MAX_VERTEX_ATTRIB_STRIDE to a maximum value and pads up every buffer allocation size to be a multiple of the maximum stride.
- **perFrameWindowSizeQuery** (Vulkan workarounds) [anglebug:3623](#): **Disabled**:
IsAndroid() || isIntel || (IsWindows() && isAMD) || IsFuchsia() || isSamsung || displayVk->isWayland()
Vulkan swapchain is not returning VK_ERROR_OUT_OF_DATE when window resizing
- **permanentlySwitchToFramebufferFetchMode** (Vulkan features): **Disabled**:
isTileBasedRenderer
Whether the context should permanently switch to framebuffer fetch mode on first encounter
- **persistentlyMappedBuffers** (Vulkan features) [anglebug:2162](#): **Enabled**: true
Persistently map buffer memory to reduce map/unmap IOCTL overhead.
- **preferAggregateBarrierCalls** (Vulkan workarounds) [anglebug:4633](#): **Enabled**:
isImmediateModeRenderer
Single barrier call is preferred over multiple calls with fine grained pipeline stage dependency information
- **preferCPUForBufferSubData** (Vulkan features)
<http://issuetracker.google.com/200067929>: **Disabled**: isMalijobManagerBasedGPU
Prefer use CPU to do bufferSubData instead of staged update.
- **preferDeviceLocalMemoryHostVisible** (Vulkan features) [anglebug:7047](#): **Disabled**:
canPreferDeviceLocalMemoryHostVisible(mPhysicalDeviceProperties.deviceType)
Prefer adding HOST_VISIBLE flag for DEVICE_LOCAL memory when picking memory types
- **preferDrawClearOverVkCmdClearAttachments** (Vulkan workarounds)
<https://issuetracker.google.com/166809097>: **Disabled**: isQualcommProprietary
On some hardware, clear using a draw call instead of vkCmdClearAttachments in the middle of render pass due to bugs
- **preferDriverUniformOverSpecConst** (Vulkan features) [anglebug:7406](#): **Disabled**:
(isQualcommProprietary && mPhysicalDeviceProperties.driverVersion < kPixel4DriverWithWorkingSpecConstSupport) || isARM || isPowerVR || isSwiftShader
Prefer using driver uniforms instead of specialization constants.
- **preferHostCachedForNonStaticBufferUsage** (Vulkan features)
<https://issuetracker.google.com/288119108>: **Disabled**
prefer host cached memory for non static buffer usage

- **preferLinearFilterForYUV** (Vulkan features) [anglebug:7382](#): **Disabled**: isVenus
Prefer to use VK_FILTER_LINEAR for VkSamplerYcbcrConversion
- **preferMonolithicPipelinesOverLibraries** (Vulkan workarounds) [anglebug:7369](#): **Enabled**: !mGraphicsPipelineLibraryProperties.graphicsPipelineLibraryFastLinking || isSwiftShader
Whether monolithic pipelines perform significantly better than libraries
- **preferSkippingInvalidateForEmulatedFormats** (Vulkan workarounds) [anglebug:6860](#): **Enabled**: isImmediateModeRenderer
Skipping invalidate is preferred for emulated formats that have extra channels over re-clearing the image
- **preferSubmitAtFBOBoundary** (Vulkan workarounds) <https://issuetracker.google.com/187425444>: **Disabled**: isARM || isSwiftShader
Submit commands to driver at each FBO boundary for performance improvements.
- **preferSubmitOnAnySamplesPassedQueryEnd** (Vulkan workarounds) <https://issuetracker.google.com/250706693>: **Disabled**: isTileBasedRenderer
Submit commands to driver when last GL_ANY_SAMPLES_PASSED query is made for performance improvements.
- **provokingVertex** (Vulkan features): **Disabled**: mProvokingVertexFeatures.provokingVertexLast == 1U
Enable provoking vertex mode via VK_EXT_provoking_vertex extension
- **requireCachedBitForStagingBuffer** (Vulkan workarounds) <https://issuetracker.google.com/315836169>: **Enabled**: !isARM
use cached bit as required bit instead of preferred bit for staging buffers
- **retainSPIRVDebugInfo** (Vulkan features) [anglebug:5901](#): **Disabled**: getEnableValidationLayers()
Retain debug info in SPIR-V blob.
- **roundOutputAfterDithering** (Vulkan workarounds) [anglebug:6953](#): **Disabled**: isQualcomm
Round output after dithering to workaround a driver bug that rounds the output up
- **slowAsyncCommandQueueForTesting** (Vulkan workarounds) [anglebug:6574](#): **Disabled**
Artificially slow down async command queue for threading testing
- **slowDownMonolithicPipelineCreationForTesting** (Vulkan workarounds) [anglebug:7369](#): **Disabled**
Artificially slow down async monolithic pipeline creation for threading testing
- **supportsAndroidHardwareBuffer** (Vulkan features): **Disabled**
VkDevice supports the VK_ANDROID_external_memory_android_hardware_buffer extension
- **supportsAndroidNativeFenceSync** (Vulkan features) [anglebug:2517](#): **Disabled**: (mFeatures.supportsExternalFenceFd.enabled && FencePropertiesCompatibleWithAndroid(externalFenceProperties) && mFeatures.supportsExternalSemaphoreFd.enabled && SemaphorePropertiesCompatibleWithAndroid(externalSemaphoreProperties))
VkDevice supports the EGL_ANDROID_native_fence_sync extension
- **supportsBindMemory2** (Vulkan features) [anglebug:4966](#): **Enabled**: true
VkDevice supports the VK_KHR_bind_memory2 extension
- **supportsBlendOperationAdvanced** (Vulkan features) [anglebug:3586](#): **Enabled**: ExtensionFound("VK_EXT_blend_operation_advanced", deviceExtensionNames)
VkDevice supports VK_EXT_blend_operation_advanced extension.

- **supportsColorWriteEnable** (Vulkan features) [anglebug:7161](#): Disabled
VkDevice supports VK_EXT_color_write_enable extension
- **supportsComputeTranscodeEtcToBc** (Vulkan features): Disabled:
!mPhysicalDeviceFeatures.textureCompressionETC2 && kSupportTranscodeEtcToBc && (mSubgroupProperties.supportedOperations & kRequiredSubgroupOp) == kRequiredSubgroupOp && (limitsVk.maxTexelBufferElements >= kMaxTexelBufferSize)
supports compute shader transcode etc format to bc format
- **supportsCustomBorderColor** (Vulkan features) [anglebug:3577](#): Disabled:
mCustomBorderColorFeatures.customBorderColors == 1U && mCustomBorderColorFeatures.customBorderColorWithoutFormat == 1U
VkDevice supports the VK_EXT_custom_border_color extension
- **supportsDepthClampZeroOne** (Vulkan features) [anglebug:3970](#): Disabled:
mDepthClampZeroOneFeatures.depthClampZeroOne == 1U
VkDevice supports the VK_EXT_depth_clamp_zero_one extension
- **supportsDepthClipControl** (Vulkan features) [anglebug:5421](#): Disabled:
mDepthClipControlFeatures.depthClipControl == 1U
VkDevice supports VK_EXT_depth_clip_control extension.
- **supportsDepthClipEnable** (Vulkan features) [anglebug:3970](#): Enabled:
mDepthClipEnableFeatures.depthClipEnable == 1U
VkDevice supports the VK_EXT_depth_clip_enable extension.
- **supportsDepthStencilResolve** (Vulkan features) [anglebug:4836](#): Enabled:
mFeatures.supportsRenderpass2.enabled && mDepthStencilResolveProperties.supportedDepthResolveModes != 0
VkDevice supports the VK_KHR_depth_stencil_resolve extension with the independentResolveNone feature
- **supportsExtendedDynamicState** (Vulkan features) [anglebug:5906](#): Disabled:
mExtendedDynamicStateFeatures.extendedDynamicState == 1U && dynamicStateWorks
VkDevice supports VK_EXT_extended_dynamic_state extension
- **supportsExtendedDynamicState2** (Vulkan features) [anglebug:5906](#): Disabled:
mExtendedDynamicState2Features.extendedDynamicState2 == 1U && dynamicStateWorks
VkDevice supports VK_EXT_extended_dynamic_state2 extension
- **supportsExternalFenceCapabilities** (Vulkan features): Enabled: true
VkInstance supports the VK_KHR_external_fence_capabilities extension
- **supportsExternalFenceFd** (Vulkan features) [anglebug:2517](#): Enabled:
ExtensionFound("VK_KHR_external_fence_fd", deviceExtensionNames)
VkDevice supports the VK_KHR_external_fence_fd extension
- **supportsExternalFormatResolve** (Vulkan features): Disabled: false
VkDevice supports the VK_ANDROID_external_format_resolve extension
- **supportsExternalMemoryDmaBufAndModifiers** (Vulkan features) [anglebug:6248](#): Disabled: *ExtensionFound("VK_EXT_external_memory_dma_buf", deviceExtensionNames) && ExtensionFound("VK_EXT_image_drm_format_modifier", deviceExtensionNames)*
VkDevice supports the VK_EXT_external_memory_dma_buf and VK_EXT_image_drm_format_modifier extensions
- **supportsExternalMemoryFd** (Vulkan features): Enabled:
ExtensionFound("VK_KHR_external_memory_fd", deviceExtensionNames)
VkDevice supports the VK_KHR_external_memory_fd extension
- **supportsExternalMemoryFuchsia** (Vulkan features): Disabled:
ExtensionFound("VK_FUCHSIA_external_memory", deviceExtensionNames)

- VkDevice supports the VK_FUCHSIA_external_memory extension*
- **supportsExternalMemoryHost** (Vulkan features): **Disabled**
VkDevice supports the VK_EXT_external_memory_host extension
 - **supportsExternalSemaphoreCapabilities** (Vulkan features): **Enabled**: true
VkInstance supports the VK_KHR_external_semaphore_capabilities extension
 - **supportsExternalSemaphoreFd** (Vulkan features): **Enabled**:
ExtensionFound("VK_KHR_external_semaphore_fd", deviceExtensionNames)
VkDevice supports the VK_KHR_external_semaphore_fd extension
 - **supportsExternalSemaphoreFuchsia** (Vulkan features): **Disabled**:
ExtensionFound("VK_FUCHSIA_external_semaphore", deviceExtensionNames)
VkDevice supports the VK_FUCHSIA_external_semaphore extension
 - **supportsFormatFeatureFlags2** (Vulkan features): **Disabled**:
ExtensionFound("VK_KHR_format_feature_flags2", deviceExtensionNames)
VkDevice supports the VK_KHR_format_feature_flags2 extension
 - **supportsFragmentShaderPixelInterlock** (Vulkan features): **Enabled**:
mFragmentShaderInterlockFeatures.fragmentShaderPixelInterlock == 1U
VkDevice supports the VK_EXT_fragment_shader_interlock extension and has the fragmentShaderPixelInterlock feature
 - **supportsFragmentShadingRate** (Vulkan features) [anglebug:7172](#): **Disabled**:
canSupportFragmentShadingRate(deviceExtensionNames)
VkDevice supports VK_KHR_fragment_shading_rate extension
 - **supportsFullScreenExclusive** (Vulkan features) [anglebug:8215](#): **Disabled**
VkDevice supports the VK_EXT_full_screen_exclusive extension
 - **supportsGGPFrameToken** (Vulkan features): **Disabled**
VkDevice supports the VK_GGP_frame_token extension
 - **supportsGeometryStreamsCapability** (Vulkan features) [anglebug:3206](#): **Enabled**:
mFeatures.supportsTransformFeedbackExtension.enabled &&
mTransformFeedbackFeatures.geometryStreams == 1U
Implementation supports the GeometryStreams SPIR-V capability.
 - **supportsGetMemoryRequirements2** (Vulkan features) [anglebug:4830](#): **Enabled**: true
VkDevice supports the VK_KHR_get_memory_requirements2 extension
 - **supportsGraphicsPipelineLibrary** (Vulkan features) [anglebug:7369](#): **Disabled**:
mGraphicsPipelineLibraryFeatures.graphicsPipelineLibrary == 1U && (!isNvidia ||
nvidiaVersion.major >= 531) && !isRADV
VkDevice supports the VK_EXT_graphics_pipeline_library extension
 - **supportsHostImageCopy** (Vulkan features): **Disabled**:
mHostImageCopyFeatures.hostImageCopy == 1U &&
mHostImageCopyProperties.identicalMemoryTypeRequirements && !isFuchsia()
VkDevice supports the VK_EXT_host_image_copy extension
 - **supportsHostQueryReset** (Vulkan features) [anglebug:6692](#): **Enabled**:
mHostQueryResetFeatures.hostQueryReset == 1U
VkDevice supports VK_EXT_host_query_reset extension
 - **supportsImage2dViewOf3d** (Vulkan features) [anglebug:7320](#): **Disabled**:
mImage2dViewOf3dFeatures.image2DViewOf3D == 1U
VkDevice supports VK_EXT_image_2d_view_of_3d
 - **supportsImageCubeArray** (Vulkan features) [anglebug:3584](#): **Enabled**:
mPhysicalDeviceFeatures.imageCubeArray == 1U
VkDevice supports the imageCubeArray feature properly
 - **supportsImageFormatList** (Vulkan features) [anglebug:5281](#): **Enabled**:
ExtensionFound("VK_KHR_image_format_list", deviceExtensionNames)

Enable VK_IMAGE_CREATE_MUTABLE_FORMAT_BIT by default for ICDs that support VK_KHR_image_format_list

- **supportsImagelessFramebuffer** (Vulkan features) [anglebug:7553](#): **Enabled**:
 mImagelessFramebufferFeatures.imagelessFramebuffer == 1U &&
 (vk::RenderPassCommandBuffer::ExecutesInline() || !isSamsung)
VkDevice supports VK_KHR_imageless_framebuffer extension
- **supportsIncrementalPresent** (Vulkan features): **Disabled**:
 ExtensionFound("VK_KHR_incremental_present", deviceExtensionNames)
VkDevice supports the VK_KHR_incremental_present extension
- **supportsIndexTypeUint8** (Vulkan features) [anglebug:4405](#): **Enabled**:
 mIndexTypeUint8Features.indexTypeUint8 == 1U
VkDevice supports the VK_EXT_index_type_uint8 extension
- **supportsLegacyDithering** (Vulkan features)
<https://issuetracker.google.com/284462263>: **Disabled**:
 mDitheringFeatures.legacyDithering == 1U
VkDevice supports the VK_EXT_legacy_dithering extension
- **supportsLockSurfaceExtension** (Vulkan features): **Disabled**: IsAndroid()
Surface supports the EGL_KHR_lock_surface3 extension
- **supportsLogicOpDynamicState** (Vulkan features) [anglebug:3862](#): **Disabled**:
 mFeatures.supportsExtendedDynamicState2.enabled &&
 mExtendedDynamicState2Features.extendedDynamicState2LogicOp == 1U && !
 (IsLinux() && isIntel && isMesaLessThan22_2) && !(IsAndroid() && isGalaxyS23)
VkDevice supports the logicOp feature of VK_EXT_extended_dynamic_state2 extension
- **supportsMemoryBudget** (Vulkan features): **Enabled**:
 ExtensionFound("VK_EXT_memory_budget", deviceExtensionNames)
VkDevice supports the VK_EXT_memory_budget extension.
- **supportsMixedReadWriteDepthStencilLayouts** (Vulkan features) [anglebug:7899](#):
Enabled: true
VkDevice supports the mixed read and write depth/stencil layouts introduced by VK_KHR_maintenance2
- **supportsMultiDrawIndirect** (Vulkan features) [anglebug:6439](#): **Enabled**:
 mPhysicalDeviceFeatures.multiDrawIndirect == 1U
VkDevice supports the multiDrawIndirect extension
- **supportsMultisampledRenderToSingleSampled** (Vulkan features) [anglebug:4836](#):
Disabled: mFeatures.supportsRenderpass2.enabled &&
 mFeatures.supportsDepthStencilResolve.enabled &&
 mMultisampledRenderToSingleSampledFeatures.multisampledRenderToSingleSampled
 == 1U
VkDevice supports the VK_EXT_multisampled_render_to_single_sampled extension
- **supportsMultisampledRenderToSingleSampledGOOGLEX** (Vulkan features)
[anglebug:4836](#): **Disabled**:
 !mFeatures.supportsMultisampledRenderToSingleSampled.enabled &&
 mFeatures.supportsRenderpass2.enabled &&
 mFeatures.supportsDepthStencilResolve.enabled &&
 mMultisampledRenderToSingleSampledFeaturesGOOGLEX.multisampledRenderToSingleSar
 == 1U
VkDevice supports the VK_GOOGLEX_multisampled_render_to_single_sampled extension
- **supportsMultiview** (Vulkan features) [anglebug:6048](#): **Enabled**:
 mMultiviewFeatures.multiview == 1U
VkDevice supports the VK_KHR_multiview extension

- **supportsPipelineCreationCacheControl** (Vulkan features) [anglebug:5881](#): Disabled: `mPipelineCreationCacheControlFeatures.pipelineCreationCacheControl && !isSwiftShader`
VkDevice supports VK_EXT_pipeline_creation_cache_control extension
- **supportsPipelineCreationFeedback** (Vulkan features) [anglebug:5881](#): Enabled: `ExtensionFound("VK_EXT_pipeline_creation_feedback", deviceExtensionNames)`
VkDevice supports VK_EXT_pipeline_creation_feedback extension
- **supportsPipelineProtectedAccess** (Vulkan features) [anglebug:7714](#): Disabled: `mPipelineProtectedAccessFeatures.pipelineProtectedAccess == 1U && mProtectedMemoryFeatures.protectedMemory == 1U`
VkDevice supports the VK_EXT_pipeline_protected_access extension
- **supportsPipelineRobustness** (Vulkan features) [anglebug:5845](#): Disabled: `mPipelineRobustnessFeatures.pipelineRobustness == 1U && mPhysicalDeviceFeatures.robustBufferAccess`
VkDevice supports VK_EXT_pipeline_robustness extension
- **supportsPipelineStatisticsQuery** (Vulkan features) [anglebug:5430](#): Enabled: `mPhysicalDeviceFeatures.pipelineStatisticsQuery == 1U`
VkDevice supports the pipelineStatisticsQuery feature
- **supportsPortabilityEnumeration** (Vulkan features) [anglebug:8229](#): Enabled: `ExtensionFound("VK_KHR_portability_enumeration", instanceExtensionNames)`
Vulkan supports VK_KHR_portability_enumeration extension
- **supportsPresentation** (Vulkan features): Enabled: `!displayVk->isGBM()`
VkDisplay supports presentation through a present family queue
- **supportsPrimitiveTopologyListRestart** (Vulkan features) [anglebug:3832](#): Disabled: `mPrimitiveTopologyListRestartFeatures.primitiveTopologyListRestart == 1U`
VkDevice supports VK_EXT_primitive_topology_list_restart extension.
- **supportsPrimitivesGeneratedQuery** (Vulkan features) [anglebug:5430](#): Disabled: `mFeatures.supportsTransformFeedbackExtension.enabled && mPrimitivesGeneratedQueryFeatures.primitivesGeneratedQuery == 1U`
VkDevice supports VK_EXT_primitives_generated_query extension
- **supportsProtectedMemory** (Vulkan features) [anglebug:3965](#): Disabled: `mProtectedMemoryFeatures.protectedMemory == 1U && (!isARM || mPipelineProtectedAccessFeatures.pipelineProtectedAccess == 1U)`
VkDevice supports protected memory
- **supportsRasterizationOrderAttachmentAccess** (Vulkan features) [anglebug:7604](#): Disabled: `!isQualcomm && mRasterizationOrderAttachmentAccessFeatures.rasterizationOrderColorAttachmentAccess == 1U`
VkDevice supports VK_EXT_rasterization_order_attachment_access extension
- **supportsRenderPassLoadStoreOpNone** (Vulkan features) [anglebug:5371](#): Disabled: `ExtensionFound("VK_EXT_load_store_op_none", deviceExtensionNames)`
VkDevice supports VK_EXT_load_store_op_none extension.
- **supportsRenderPassStoreOpNone** (Vulkan features) [anglebug:5055](#): Disabled: `!mFeatures.supportsRenderPassLoadStoreOpNone.enabled && ExtensionFound("VK_QCOM_render_pass_store_ops", deviceExtensionNames)`
VkDevice supports VK_QCOM_render_pass_store_ops extension.
- **supportsRenderpass2** (Vulkan features): Enabled: `ExtensionFound("VK_KHR_create_renderpass2", deviceExtensionNames)`
VkDevice supports the VK_KHR_create_renderpass2 extension
- **supportsSampler2dViewOf3d** (Vulkan features) [anglebug:7320](#): Disabled: `mFeatures.supportsImage2dViewOf3d.enabled &&`

- `mImage2dViewOf3dFeatures.sampler2DViewOf3D == 1U`
VkDevice supports the sampler2DViewOf3D feature of VK_EXT_image_2d_view_of_3d
- **supportsSamplerMirrorClampToEdge** (Vulkan features): **Enabled**:
`ExtensionFound("VK_KHR_sampler_mirror_clamp_to_edge", deviceExtensionNames)`
VkDevice supports the VK_KHR_sampler_mirror_clamp_to_edge extension
 - **supportsShaderFloat16** (Vulkan features) [anglebug:4551](#): **Enabled**:
`mShaderFloat16Int8Features.shaderFloat16 == 1U`
VkDevice supports the VK_KHR_shader_float16_int8 extension and has the shaderFloat16 feature
 - **supportsShaderFramebufferFetch** (Vulkan features): **Disabled**: `(IsAndroid() && isARM) || mFeatures.supportsRasterizationOrderAttachmentAccess.enabled`
Whether the Vulkan backend supports coherent framebuffer fetch
 - **supportsShaderFramebufferFetchNonCoherent** (Vulkan features): **Disabled**:
`(IsAndroid() && !(isARM || isQualcomm)) || isSwiftShader`
Whether the Vulkan backend supports non-coherent framebuffer fetch
 - **supportsShaderStencilExport** (Vulkan features): **Disabled**:
`ExtensionFound("VK_EXT_shader_stencil_export", deviceExtensionNames)`
VkDevice supports the VK_EXT_shader_stencil_export extension
 - **supportsSharedPresentableImageExtension** (Vulkan features): **Disabled**:
`ExtensionFound("VK_KHR_shared_presentable_image", deviceExtensionNames)`
VkSurface supports the VK_KHR_shared_presentable_images extension
 - **supportsSurfaceCapabilities2Extension** (Vulkan features): **Enabled**:
`ExtensionFound("VK_KHR_get_surface_capabilities2", instanceExtensionNames) && displayVk->isUsingSwapchain()`
VkInstance supports the VK_KHR_get_surface_capabilities2 extension
 - **supportsSurfaceProtectedCapabilitiesExtension** (Vulkan features): **Enabled**:
`ExtensionFound("VK_KHR_surface_protected_capabilities", instanceExtensionNames) && displayVk->isUsingSwapchain()`
VkInstance supports the VK_KHR_surface_protected_capabilities extension
 - **supportsSurfaceProtectedSwapchains** (Vulkan features): **Disabled**: `IsAndroid()`
VkSurface supportsProtected for protected swapchains
 - **supportsSurfacelessQueryExtension** (Vulkan features): **Disabled**:
`ExtensionFound("VK_GOOGLE_surfaceless_query", instanceExtensionNames) && displayVk->isUsingSwapchain() && !isMockICDEnabled()`
VkInstance supports the VK_GOOGLE_surfaceless_query extension
 - **supportsSwapchainMaintenance1** (Vulkan features) [anglebug:7847](#): **Disabled**:
`mSwapchainMaintenance1Features.swapchainMaintenance1 == 1U && displayVk->isUsingSwapchain()`
VkDevice supports the VK_EXT_surface_maintenance1 and VK_EXT_swapchain_maintenance1 extensions
 - **supportsTimelineSemaphore** (Vulkan features): **Enabled**:
`mTimelineSemaphoreFeatures.timelineSemaphore == 1U`
VkDevice supports the VK_KHR_timeline_semaphore extension
 - **supportsTimestampSurfaceAttribute** (Vulkan features) [anglebug:7489](#): **Disabled**:
`IsAndroid() && ExtensionFound("VK_GOOGLE_display_timing", deviceExtensionNames)`
Platform supports setting frame timestamp surface attribute
 - **supportsTransformFeedbackExtension** (Vulkan features) [anglebug:3206](#): **Enabled**:
`vk::CanSupportTransformFeedbackExtension(mTransformFeedbackFeatures)`
Transform feedback uses the VK_EXT_transform_feedback extension.

- **supportsVertexInputDynamicState** (Vulkan features) [anglebug:7162](#): **Disabled**:
`mVertexInputDynamicStateFeatures.vertexInputDynamicState == 1U && !(IsWindows() && isIntel)`
VkDevice supports VK_EXT_vertex_input_dynamic_state extension
- **supportsYUVSamplerConversion** (Vulkan features): **Enabled**:
`mSamplerYcbcrConversionFeatures.samplerYcbcrConversion != 0U`
VkDevice supports the VK_KHR_sampler_ycbcr_conversion extension
- **supportsYuvTarget** (Vulkan features): **Disabled**
VkDevice supports VK_ANDROID_render_to_external_format and VK_EXT_ycbcr_attachment
- **swapbuffersOnFlushOrFinishWithSingleBuffer** (Vulkan features) [anglebug:6878](#): **Disabled**: `IsAndroid()`
Bypass deferredFlush with calling swapbuffers on flush or finish when in Shared Present mode
- **syncMonolithicPipelinesToBlobCache** (Vulkan workarounds) [anglebug:7369](#): **Disabled**: `mFeatures.hasEffectivePipelineCacheSerialization.enabled && (hasNoPipelineWarmUp || canSyncLargeMonolithicCache)`
Whether it's beneficial to store monolithic pipelines in the blob cache when VK_EXT_graphics_pipeline_library is in use. Otherwise the libraries are stored only, and monolithic pipelines are recreated on every run
- **useCullModeDynamicState** (Vulkan workarounds) [anglebug:5906](#): **Disabled**:
`mFeatures.supportsExtendedDynamicState.enabled && dynamicStateWorks`
Use the Cull Mode dynamic state from VK_EXT_extended_dynamic_state
- **useDepthBiasEnableDynamicState** (Vulkan workarounds) [anglebug:5906](#): **Disabled**:
`mFeatures.supportsExtendedDynamicState2.enabled`
Use the Depth Bias Enable dynamic state from VK_EXT_extended_dynamic_state2
- **useDepthCompareOpDynamicState** (Vulkan workarounds) [anglebug:5906](#): **Disabled**:
`mFeatures.supportsExtendedDynamicState.enabled`
Use the Depth Compare Op dynamic state from VK_EXT_extended_dynamic_state
- **useDepthTestEnableDynamicState** (Vulkan workarounds) [anglebug:5906](#): **Disabled**:
`mFeatures.supportsExtendedDynamicState.enabled`
Use the Depth Test Enable dynamic state from VK_EXT_extended_dynamic_state
- **useDepthWriteEnableDynamicState** (Vulkan workarounds) [anglebug:5906](#): **Disabled**:
`mFeatures.supportsExtendedDynamicState.enabled && dynamicStateWorks`
Use the Depth Write Enable dynamic state from VK_EXT_extended_dynamic_state
- **useFrontFaceDynamicState** (Vulkan workarounds) [anglebug:5906](#): **Disabled**:
`mFeatures.supportsExtendedDynamicState.enabled`
Use the Front Face dynamic state from VK_EXT_extended_dynamic_state
- **useMultipleDescriptorsForExternalFormats** (Vulkan workarounds) [anglebug:6141](#): **Enabled**: `true`
Return a default descriptor count for external formats.
- **useNonZeroStencilWriteMaskStaticState** (Vulkan workarounds) [anglebug:7556](#): **Disabled**: `isARM && armDriverVersion < ARMDriverVersion(43, 0, 0)`
Work around a driver bug where 0 in stencil write mask static state would make the corresponding dynamic state malfunction in the presence of discard or alpha to coverage
- **usePrimitiveRestartEnableDynamicState** (Vulkan workarounds) [anglebug:5906](#): **Disabled**: `mFeatures.supportsExtendedDynamicState2.enabled && dynamicStateWorks`
Use the Primitive Restart Enable dynamic state from VK_EXT_extended_dynamic_state2

- **useRasterizerDiscardEnableDynamicState** (Vulkan workarounds) [anglebug:5906](#): Disabled: mFeatures.supportsExtendedDynamicState2.enabled
Use the Rasterizer Discard Enable dynamic state from VK_EXT_extended_dynamic_state2
- **useResetCommandBufferBitForSecondaryPools** (Vulkan workarounds): Disabled: isARM
Use VK_COMMAND_POOL_CREATE_RESET_COMMAND_BUFFER_BIT for initializing SecondaryCommandPools when using VulkanSecondaryCommandBuffer.
- **useStencilOpDynamicState** (Vulkan workarounds) [anglebug:5906](#): Disabled: mFeatures.supportsExtendedDynamicState.enabled
Use the Stencil Op dynamic state from VK_EXT_extended_dynamic_state
- **useStencilTestEnableDynamicState** (Vulkan workarounds) [anglebug:5906](#): Disabled: mFeatures.supportsExtendedDynamicState.enabled
Use the Stencil Test Enable dynamic state from VK_EXT_extended_dynamic_state
- **useVertexInputBindingStrideDynamicState** (Vulkan workarounds) [anglebug:5906](#): Disabled: mFeatures.supportsExtendedDynamicState.enabled && !mFeatures.supportsVertexInputDynamicState.enabled && dynamicStateWorks
Use the Vertex Input Bininding Stride dynamic state from VK_EXT_extended_dynamic_state
- **useVmaForImageSuballocation** (Vulkan features): Enabled: true
Utilize VMA for image memory suballocation.
- **varyingsRequireMatchingPrecisionInSpirv** (Vulkan workarounds) [anglebug:7488](#): Disabled: isPowerVR
Add additional SPIRV instructions to make sure precision between shader stages match with each other
- **waitIdleBeforeSwapchainRecreation** (Vulkan workarounds) [anglebug:5061](#): Disabled: IsAndroid() && isARM
Before passing an oldSwapchain to VkSwapchainCreateInfoKHR, wait for queue to be idle. Works around a bug on platforms which destroy oldSwapchain in vkCreateSwapchainKHR.
- **warmUpPipelineCacheAtLink** (Vulkan features) [anglebug:5881](#): Enabled: libraryBlobsAreReusedByMonolithicPipelines && !isQualcommProprietary && !(IsLinux() && isIntel) && !(IsChromeOS() && isSwiftShader)
Warm up the Vulkan pipeline cache at link time

Version Information

Data exported	2024-04-21T10:06:40.547Z
Chrome version	Chrome/123.0.6312.105
Operating system	Linux 5.4.119-19.0009.37
Software rendering list URL	https://chromium.googlesource.com/chromium/src/+/399174db
Driver bug list URL	https://chromium.googlesource.com/chromium/src/+/399174db
ANGLE commit id	bbf1e1ea6bcf
2D graphics backend	Skia/123 3d4e45907f9b239a54957001d619d2d4a6ca06b4
Command Line	/root/nodejs-test/video-composition-optimization/.cache/puppeteer/chrome/linux-123.0.6312.105/chrome-linux64/chrome --allow-pre-commit-input --disable-background-networking --disable-background-timer-throttling --disable-backgrounding-occluded-windows --

```

disable-breakpad --disable-client-side-phishing-detection --
disable-component-extensions-with-background-pages --
disable-component-update --disable-default-apps --disable-
dev-shm-usage --disable-extensions --disable-field-trial-config
--disable-hang-monitor --disable-infobars --disable-ipc-
flooding-protection --disable-popup-blocking --disable-
prompt-on-repost --disable-renderer-backgrounding --disable-
search-engine-choice-screen --disable-sync --enable-
automation --export-tagged-pdf --generate-pdf-document-
outline --force-color-profile=srgb --metrics-recording-only --
no-first-run --password-store=basic --use-mock-keychain --
disable-
features=Translate,AcceptCHFrame,MediaRouter,Optimization
--enable-
features=NetworkServiceInProcess2,Vulkan,VaapiVideoDecode
--headless=new --hide-scrollbars --mute-audio --no-sandbox --
disk-cache --enable-gpu --ignore-gpu-blacklist --enable-gpu-
rasterization --enable-zero-copy --gpu-rasterization-msaa-
sample-count=16 --enable-gpu-memory-buffer-video-frames --
enable-native-gpu-memory-buffers --video-capture-use-gpu-
memory-buffer --video-threads=14 --no-sandbox --
headless=new --use-angle=vulkan --disable-vulkan-surface --
enable-unsafe-webgpu --disable-search-engine-choice-screen
--ash-no-nudges --no-first-run --no-default-browser-check --
window-size=1280,720 --allow-chrome-scheme-url --enable-
chrome-browser-cloud-management --disable-gpu-driver-bug-
workaround --remote-debugging-port=0 --user-data-
dir=/tmp/puppeteer_dev_chrome_profile-XXXXXXB5zJHL --
noerrdialogs --ozone-platform=headless --ozone-override-
screen-size=800,600 --flag-switches-begin --flag-switches-end
about:blank

```

Driver Information

Initialization time	388
In-process GPU	false
Passthrough Command Decoder	true
Sandboxed	false
GPU0	VENDOR= 0x1013, DEVICE=0x00b8, DRIVER_VENDOR=NVIDIA, DRIVER_VERSION=440.95.1.0
GPU1	VENDOR= 0x10de, DEVICE=0x1eb8, DRIVER_VENDOR=NVIDIA, DRIVER_VERSION=440.95.1.0 *ACTIVE*
Optimus	false
AMD switchable	false
GPU CUDA compute capability major version	0
Pixel shader version	1.00

Vertex shader version	1.00
Max. MSAA samples	8
Machine model name	
Machine model version	
GL implementation parts	(gl=egl-angle,angle=vulkan)
Display type	ANGLE_VULKAN
GL_VENDOR	Google Inc. (NVIDIA)
GL_RENDERER	ANGLE (NVIDIA, Vulkan 1.1.119 (NVIDIA Tesla T4 (0x00001EB8)), NVIDIA-440.95.1.0)
GL_VERSION	OpenGL ES 2.0.0 (ANGLE 2.1.22631 git hash: bbf1e1ea6bcf)
GL_EXTENSIONS	GL_AMD_performance_monitor GL_ANGLE_base_vertex_base_instance GL_ANGLE_base_vertex_base_instance_shader_builtin GL_ANGLE_client_arrays GL_ANGLE_depth_texture GL_ANGLE_framebuffer_blit GL_ANGLE_framebuffer_multisample GL_ANGLE_get_image GL_ANGLE_get_serialized_context_string GL_ANGLE_get_tex_level_parameter GL_ANGLE_instanced_arrays GL_ANGLE_logic_op GL_ANGLE_memory_object_flags GL_ANGLE_memory_size GL_ANGLE_multi_draw GL_ANGLE_pack_reverse_row_order GL_ANGLE_polygon_mode GL_ANGLE_program_cache_control GL_ANGLE_read_only_depth_stencil_feedback_loops GL_ANGLE_relaxed_vertex_attribute_type GL_ANGLE_request_extension GL_ANGLE_rgbx_internal_format GL_ANGLE_robust_client_memory GL_ANGLE_robust_fragment_shader_output GL_ANGLE_texture_compression_dxt3 GL_ANGLE_texture_compression_dxt5 GL_ANGLE_texture_usage GL_ANGLE_translated_shader_source GL_ANGLE_vulkan_image GL_APPLE_clip_distance GL_CHROMIUM_bind_generates_resource GL_CHROMIUM_bind_uniform_location GL_CHROMIUM_color_buffer_float_rgb GL_CHROMIUM_color_buffer_float_rgba GL_CHROMIUM_copy_compressed_texture GL_CHROMIUM_copy_texture GL_CHROMIUM_lose_context GL_EXT_EGL_image_external_wrap_modes GL_EXT_base_instance GL_EXT_blend_func_extended GL_EXT_blend_minmax GL_EXT_buffer_storage GL_EXT_clip_control GL_EXT_color_buffer_half_float GL_EXT_compressed_ETC1_RGB8_sub_texture GL_EXT_copy_image GL_EXT_debug_label GL_EXT_debug_marker GL_EXT_depth_clamp

GL_EXT_discard_framebuffer GL_EXT_disjoint_timer_query
GL_EXT_draw_buffers GL_EXT_draw_elements_base_vertex
GL_EXT_float_blend GL_EXT_frag_depth
GL_EXT_instanced_arrays GL_EXT_map_buffer_range
GL_EXT_memory_object GL_EXT_memory_object_fd
GL_EXT_multi_draw_indirect
GL_EXT_multisample_compatibility
GL_EXT_occlusion_query_boolean
GL_EXT_polygon_offset_clamp GL_EXT_read_format_bgra
GL_EXT_robustness GL_EXT_sRGB GL_EXT_sRGB_write_control
GL_EXT_semaphore GL_EXT_semaphore_fd
GL_EXT_separate_shader_objects
GL_EXT_shader_non_constant_global_initializers
GL_EXT_shader_texture_lod GL_EXT_shadow_samplers
GL_EXT_texture_compression_bptc
GL_EXT_texture_compression_dxt1
GL_EXT_texture_compression_rgtc
GL_EXT_texture_compression_s3tc_srgb
GL_EXT_texture_filter_anisotropic
GL_EXT_texture_format_BGRA8888
GL_EXT_texture_mirror_clamp_to_edge
GL_EXT_texture_norm16 GL_EXT_texture_rg
GL_EXT_texture_sRGB_decode GL_EXT_texture_storage
GL_EXT_texture_type_2_10_10_10_REV
GL_EXT_unpack_subimage GL_KHR_blend_equation_advanced
GL_KHR_debug GL_NV_depth_buffer_float2 GL_NV_fence
GL_NV_framebuffer_blit GL_NV_pack_subimage
GL_NV_pixel_buffer_object GL_NV_polygon_mode
GL_NV_read_depth GL_NV_read_depth_stencil
GL_NV_read_stencil GL_OES_EGL_image
GL_OES_EGL_image_external GL_OES_EGL_sync
GL_OES_compressed_EAC_R11_signed_texture
GL_OES_compressed_EAC_R11_unsigned_texture
GL_OES_compressed_EAC_RG11_signed_texture
GL_OES_compressed_EAC_RG11_unsigned_texture
GL_OES_compressed_ETC1_RGB8_texture
GL_OES_compressed_ETC2_RGB8_texture
GL_OES_compressed_ETC2_RGBA8_texture
GL_OES_compressed_ETC2_punchthroughA_RGBA8_texture
GL_OES_compressed_ETC2_punchthroughA_sRGB8_alpha_textu
GL_OES_compressed_ETC2_sRGB8_alpha8_texture
GL_OES_compressed_ETC2_sRGB8_texture GL_OES_depth24
GL_OES_depth32 GL_OES_depth_texture
GL_OES_depth_texture_cube_map
GL_OES_draw_elements_base_vertex
GL_OES_element_index_uint GL_OES_fbo_render_mipmap
GL_OES_get_program_binary GL_OES_mapbuffer
GL_OES_packed_depth_stencil
GL_OES_primitive_bounding_box GL_OES_rgb8_rgba8
GL_OES_sample_shading GL_OES_standard_derivatives

	GL_OES_surfaceless_context GL_OES_texture_3D GL_OES_texture_float GL_OES_texture_float_linear GL_OES_texture_half_float GL_OES_texture_half_float_linear GL_OES_texture_npot GL_OES_vertex_array_object GL_OES_vertex_half_float
Disabled Extensions	GL_KHR_blend_equation_advanced GL_KHR_blend_equation_advanced_coherent GL_MESA_framebuffer_flip_y
Disabled WebGL Extensions	
Window system binding vendor	Google Inc. (NVIDIA)
Window system binding version	1.5 (ANGLE 2.1.22631 git hash: bbf1e1ea6bcf)
Window system binding extensions	EGL_EXT_create_context_robustness EGL_ANGLE_surface_orientation EGL_KHR_create_context EGL_KHR_image EGL_KHR_image_base EGL_EXT_image_gl_colorspace EGL_KHR_gl_colorspace EGL_KHR_gl_texture_2D_image EGL_KHR_gl_texture_cubemap_image EGL_KHR_gl_renderbuffer_image EGL_KHR_get_all_proc_addresses EGL_KHR_fence_sync EGL_KHR_wait_sync EGL_ANGLE_create_context_webgl_compatibility EGL_CHROMIUM_create_context_bind_generates_resource EGL_KHR_swap_buffers_with_damage EGL_EXT_pixel_format_float EGL_KHR_surfaceless_context EGL_ANGLE_display_texture_share_group EGL_ANGLE_display_semaphore_share_group EGL_ANGLE_create_context_client_arrays EGL_ANGLE_program_cache_control EGL_ANGLE_robust_resource_initialization EGL_ANGLE_create_context_extensions_enabled EGL_ANDROID_blob_cache EGL_ANDROID_recordable EGL_ANGLE_create_context_backwards_compatible EGL_KHR_no_config_context EGL_IMG_context_priority EGL_KHR_create_context_no_error EGL_KHR_reusable_sync EGL_EXT_buffer_age EGL_ANGLE_create_surface_swap_interval EGL_ANGLE_vulkan_image EGL_KHR_partial_update EGL_ANGLE_global_fence_sync
Direct rendering version	unknown
Reset notification strategy	0x8252
GPU process crash count	0
gfx::BufferFormats supported for	R_8: not supported, R_16: not supported, RG_88: not supported, RG_1616: not supported, BGR_565: not supported, RGBA_4444: not supported, RGBX_8888: not supported,

allocation and texturing	RGBA_8888: not supported, BGRX_8888: not supported, BGRA_1010102: not supported, RGBA_1010102: not supported, BGRA_8888: not supported, RGBA_F16: not supported, YVU_420: not supported, YUV_420_BIPLANAR: not supported, YUVA_420_TRIPLANAR: not supported, P010: not supported
---------------------------------	---

Compositor Information

Tile Update Mode	Zero-copy
Partial Raster	Enabled

GpuMemoryBuffers Status

R_8	Software only
R_16	Software only
RG_88	Software only
RG_1616	Software only
BGR_565	Software only
RGBA_4444	Software only
RGBX_8888	Software only
RGBA_8888	Software only
BGRX_8888	Software only
BGRA_1010102	Software only
RGBA_1010102	Software only
BGRA_8888	Software only
RGBA_F16	Software only
YVU_420	Software only
YUV_420_BIPLANAR	Software only
YUVA_420_TRIPLANAR	Software only
P010	Software only

Display(s) Information

Info	Display[1] bounds=[0,0 800x600], workarea=[0,0 800x600], scale=1, rotation=0, panel_rotation=0 external detected
Color space (all)	{primaries:BT709, transfer:SRGB, matrix:RGB, range:FULL}
Buffer format (all)	RGBA_8888
Color volume	{name:'srgb', r:[0.6400, 0.3300], g:[0.3000, 0.6000], b:[0.1500, 0.3300], w:[0.3127, 0.3290]}
SDR white level in nits	203
HDR relative maximum luminance	1
Bits per color component	8
Bits per pixel	24

Video Acceleration Information

Decoding	
Encoding	

Vulkan Information

info	<pre>{ "apiVersion": "1.3.278", "usedApiVersion": "1.1.0", "instanceExtensions": { "VK_KHR_device_group_creation": 1, "VK_KHR_display": 21, "VK_KHR_external_fence_capabilities": 1, "VK_KHR_external_memory_capabilities": 1, "VK_KHR_external_semaphore_capabilities": 1, "VK_KHR_get_display_properties2": 1, "VK_KHR_get_physical_device_properties2": 1, "VK_KHR_get_surface_capabilities2": 1, "VK_KHR_surface": 25, "VK_KHR_surface_protected_capabilities": 1, "VK_KHR_xcb_surface": 6, "VK_EXT_debug_report": 9, "VK_EXT_debug_utils": 1, "VK_EXT_direct_mode_display": 1, "VK_EXT_display_surface_counter": 1, "VK_KHR_wayland_surface": 6, "VK_EXT_acquire_drm_display": 1, "VK_EXT_surface_maintenance1": 1, "VK_EXT_swapchain_colorspace": 4, "VK_KHR_portability_enumeration": 1, "VK_LUNARG_direct_driver_loading": 1 }, "enabledInstanceExtensions": ["VK_KHR_external_memory_capabilities", "VK_KHR_external_semaphore_capabilities", "VK_EXT_debug_report"], "instanceLayers": [{ "layerName": "VK_LAYER_NV_optimus", "specVersion": 4198519, "implementationVersion": "0.0.1", "description": "NVIDIA Optimus layer" }, { "layerName": "VK_LAYER_MESA_device_select", "specVersion": 4206803, "implementationVersion": "0.0.1", "description": "Linux device selection layer" }], "physicalDevices": [</pre>
------	---

```
{  
  "properties": {  
    "apiVersion": "1.1.119",  
    "driverVersion": "440.380.64",  
    "vendorID": 4318,  
    "deviceID": 7864,  
    "deviceType": 2,  
    "deviceName": "Tesla T4",  
    "pipelineCacheUUID": "bbedb119-7e7c-965a-cd3b-121825",  
    "limits": {  
      "maxImageDimension1D": 32768,  
      "maxImageDimension2D": 32768,  
      "maxImageDimension3D": 16384,  
      "maxImageDimensionCube": 32768,  
      "maxImageArrayLayers": 2048,  
      "maxTexelBufferElements": 134217728,  
      "maxUniformBufferRange": 65536,  
      "maxStorageBufferRange": 4294967295,  
      "maxPushConstantsSize": 256,  
      "maxMemoryAllocationCount": 4294967295,  
      "maxSamplerAllocationCount": 4000,  
      "bufferImageGranularity": 1,  
      "sparseAddressSpaceSize": 1,  
      "maxBoundDescriptorSets": 32,  
      "maxPerStageDescriptorSamplers": 1048576,  
      "maxPerStageDescriptorUniformBuffers": 1048576,  
      "maxPerStageDescriptorStorageBuffers": 1048576,  
      "maxPerStageDescriptorSampledImages": 1048576,  
      "maxPerStageDescriptorStorageImages": 1048576,  
      "maxPerStageDescriptorInputAttachments": 1048576,  
      "maxPerStageResources": 4294967295,  
      "maxDescriptorSetSamplers": 1048576,  
      "maxDescriptorSetUniformBuffers": 1048576,  
      "maxDescriptorSetUniformBuffersDynamic": 15,  
      "maxDescriptorSetStorageBuffers": 1048576,  
      "maxDescriptorSetStorageBuffersDynamic": 16,  
      "maxDescriptorSetSampledImages": 1048576,  
      "maxDescriptorSetStorageImages": 1048576,  
      "maxDescriptorSetInputAttachments": 1048576,  
      "maxVertexInputAttributes": 32,  
      "maxVertexInputBindings": 32,  
      "maxVertexInputAttributeOffset": 2047,  
      "maxVertexInputBindingStride": 2048,  
      "maxVertexOutputComponents": 128,  
      "maxTessellationGenerationLevel": 64,  
      "maxTessellationPatchSize": 32,  
      "maxTessellationControlPerVertexInputComponents": 128,  
      "maxTessellationControlPerVertexOutputComponents": 128,  
      "maxTessellationControlPerPatchOutputComponents": 128,  
      "maxTessellationControlTotalOutputComponents": 4216,  
    }  
  }  
}
```

```
"maxTessellationEvaluationInputComponents": 128,  
"maxTessellationEvaluationOutputComponents": 128,  
"maxGeometryShaderInvocations": 32,  
"maxGeometryInputComponents": 128,  
"maxGeometryOutputComponents": 128,  
"maxGeometryOutputVertices": 1024,  
"maxGeometryTotalOutputComponents": 1024,  
"maxFragmentInputComponents": 128,  
"maxFragmentOutputAttachments": 8,  
"maxFragmentDualSrcAttachments": 1,  
"maxFragmentCombinedOutputResources": 16,  
"maxComputeSharedMemorySize": 49152,  
"maxComputeWorkGroupCount": [  
  2147483647,  
  65535,  
  65535  
],  
"maxComputeWorkGroupInvocations": 1024,  
"maxComputeWorkGroupSize": [  
  1024,  
  1024,  
  64  
],  
"subPixelPrecisionBits": 8,  
"subTexelPrecisionBits": 8,  
"mipmapPrecisionBits": 8,  
"maxDrawIndexedIndexValue": 4294967295,  
"maxDrawIndirectCount": 4294967295,  
"maxSamplerLodBias": 15,  
"maxSamplerAnisotropy": 16,  
"maxViewports": 16,  
"maxViewportDimensions": [  
  32768,  
  32768  
],  
"viewportBoundsRange": [  
  -65536,  
  65536  
],  
"viewportSubPixelBits": 8,  
"minMemoryMapAlignment": 64,  
"minTexelBufferOffsetAlignment": 1,  
"minUniformBufferOffsetAlignment": 1,  
"minStorageBufferOffsetAlignment": 1,  
"minTexelOffset": -8,  
"maxTexelOffset": 7,  
"minTexelGatherOffset": -32,  
"maxTexelGatherOffset": 31,  
"minInterpolationOffset": -0.5,  
"maxInterpolationOffset": 0.4375,
```

```
"subPixelInterpolationOffsetBits": 4,  
"maxFramebufferWidth": 32768,  
"maxFramebufferHeight": 32768,  
"maxFramebufferLayers": 2048,  
"framebufferColorSampleCounts": 15,  
"framebufferDepthSampleCounts": 15,  
"framebufferStencilSampleCounts": 31,  
"framebufferNoAttachmentsSampleCounts": 31,  
"maxColorAttachments": 8,  
"sampledImageColorSampleCounts": 15,  
"sampledImageIntegerSampleCounts": 15,  
"sampledImageDepthSampleCounts": 15,  
"sampledImageStencilSampleCounts": 31,  
"storageImageSampleCounts": 15,  
"maxSampleMaskWords": 1,  
"timestampComputeAndGraphics": true,  
"timestampPeriod": 1,  
"maxClipDistances": 8,  
"maxCullDistances": 8,  
"maxCombinedClipAndCullDistances": 8,  
"discreteQueuePriorities": 2,  
"pointSizeRange": [  
  1,  
  2047.9375  
],  
"lineWidthRange": [  
  1,  
  64  
],  
"pointSizeGranularity": 0.0625,  
"lineWidthGranularity": 0.0625,  
"strictLines": true,  
"standardSampleLocations": true,  
"optimalBufferCopyOffsetAlignment": 1,  
"optimalBufferCopyRowPitchAlignment": 1,  
"nonCoherentAtomSize": 1  
},  
"sparseProperties": {  
  "residencyStandard2DBlockShape": true,  
  "residencyStandard2DMultisampleBlockShape": true,  
  "residencyStandard3DBlockShape": true,  
  "residencyAlignedMipSize": false,  
  "residencyNonResidentStrict": true  
}  
},  
"extensions": {  
  "VK_KHR_8bit_storage": 1,  
  "VK_KHR_16bit_storage": 1,  
  "VK_KHR_bind_memory2": 1,  
  "VK_KHR_create_renderpass2": 1,
```



```
"VK_KHR_dedicated_allocation": 3,  
"VK_KHR_depth_stencil_resolve": 1,  
"VK_KHR_descriptor_update_template": 1,  
"VK_KHR_device_group": 3,  
"VK_KHR_draw_indirect_count": 1,  
"VK_KHR_driver_properties": 1,  
"VK_KHR_external_fence": 1,  
"VK_KHR_external_fence_fd": 1,  
"VK_KHR_external_memory": 1,  
"VK_KHR_external_memory_fd": 1,  
"VK_KHR_external_semaphore": 1,  
"VK_KHR_external_semaphore_fd": 1,  
"VK_KHR_get_memory_requirements2": 1,  
"VK_KHR_image_format_list": 1,  
"VK_KHR_imageless_framebuffer": 1,  
"VK_KHR_maintenance1": 2,  
"VK_KHR_maintenance2": 1,  
"VK_KHR_maintenance3": 1,  
"VK_KHR_multiview": 1,  
"VK_KHR_pipeline_executable_properties": 1,  
"VK_KHR_push_descriptor": 2,  
"VK_KHR_relaxed_block_layout": 1,  
"VK_KHR_sampler_mirror_clamp_to_edge": 1,  
"VK_KHR_sampler_ycbcr_conversion": 1,  
"VK_KHR_shader_atomic_int64": 1,  
"VK_KHR_shader_draw_parameters": 1,  
"VK_KHR_shader_float16_int8": 1,  
"VK_KHR_shader_float_controls": 4,  
"VK_KHR_storage_buffer_storage_class": 1,  
"VK_KHR_swapchain": 70,  
"VK_KHR_swapchain_mutable_format": 1,  
"VK_KHR_timeline_semaphore": 2,  
"VK_KHR_uniform_buffer_standard_layout": 1,  
"VK_KHR_variable_pointers": 1,  
"VK_KHR_vulkan_memory_model": 3,  
"VK_EXT_blend_operation_advanced": 2,  
"VK_EXT_buffer_device_address": 2,  
"VK_EXT_calibrated_timestamps": 1,  
"VK_EXT_conditional_rendering": 1,  
"VK_EXT_conservative_rasterization": 1,  
"VK_EXT_depth_clip_enable": 1,  
"VK_EXT_depth_range_unrestricted": 1,  
"VK_EXT_descriptor_indexing": 2,  
"VK_EXT_discard_rectangles": 1,  
"VK_EXT_display_control": 1,  
"VK_EXT_fragment_shader_interlock": 1,  
"VK_EXT_global_priority": 2,  
"VK_EXT_host_query_reset": 1,  
"VK_EXT_index_type_uint8": 1,  
"VK_EXT_inline_uniform_block": 1,
```

```

"VK_EXT_line_rasterization": 1,
"VK_EXT_memory_budget": 1,
"VK_EXT_pci_bus_info": 2,
"VK_EXT_pipeline_creation_feedback": 1,
"VK_EXT_post_depth_coverage": 1,
"VK_EXT_sample_locations": 1,
"VK_EXT_sampler_filter_minmax": 1,
"VK_EXT_scalar_block_layout": 1,
"VK_EXT_separate_stencil_usage": 1,
"VK_EXT_shader_demote_to_helper_invocation": 1,
"VK_EXT_shader_subgroup_ballot": 1,
"VK_EXT_shader_subgroup_vote": 1,
"VK_EXT_shader_viewport_index_layer": 1,
"VK_EXT_subgroup_size_control": 2,
"VK_EXT_texel_buffer_alignment": 1,
"VK_EXT_transform_feedback": 1,
"VK_EXT_vertex_attribute_divisor": 3,
"VK_EXT_ycbcr_image_arrays": 1,
"VK_NV_clip_space_w_scaling": 1,
"VK_NV_compute_shader_derivatives": 1,
"VK_NV_cooperative_matrix": 1,
"VK_NV_corner_sampled_image": 2,
"VK_NV_dedicated_allocation": 1,
"VK_NV_dedicated_allocation_image_aliasing": 1,
"VK_NV_device_diagnostic_checkpoints": 2,
"VK_NV_fill_rectangle": 1,
"VK_NV_fragment_coverage_to_color": 1,
"VK_NV_fragment_shader_barycentric": 1,
"VK_NV_framebuffer_mixed_samples": 1,
"VK_NV_coverage_reduction_mode": 1,
"VK_NV_geometry_shader_passthrough": 1,
"VK_NV_mesh_shader": 1,
"VK_NV_sample_mask_override_coverage": 1,
"VK_NV_representative_fragment_test": 1,
"VK_NV_scissor_exclusive": 1,
"VK_NV_shader_image_footprint": 1,
"VK_NV_shader_sm_builtins": 1,
"VK_NV_shader_subgroup_partitioned": 1,
"VK_NV_shading_rate_image": 3,
"VK_NV_viewport_array2": 1,
"VK_NV_viewport_swizzle": 1,
"VK_NVX_binary_import": 1,
"VK_NVX_device_generated_commands": 3,
"VK_NVX_image_view_handle": 1,
"VK_NVX_multiview_per_view_attributes": 1,
"VK_NV_ray_tracing": 3
},
"features": {
  "robustBufferAccess": true,
  "fullDrawIndexUint32": true,

```

```
"imageCubeArray": true,  
"independentBlend": true,  
"geometryShader": true,  
"tessellationShader": true,  
"sampleRateShading": true,  
"dualSrcBlend": true,  
"logicOp": true,  
"multiDrawIndirect": true,  
"drawIndirectFirstInstance": true,  
"depthClamp": true,  
"depthBiasClamp": true,  
"fillModeNonSolid": true,  
"depthBounds": true,  
"wideLines": true,  
"largePoints": true,  
"alphaToOne": true,  
"multiViewport": true,  
"samplerAnisotropy": true,  
"textureCompressionETC2": false,  
"textureCompressionASTC_LDR": false,  
"textureCompressionBC": true,  
"occlusionQueryPrecise": true,  
"pipelineStatisticsQuery": true,  
"vertexPipelineStoresAndAtomics": true,  
"fragmentStoresAndAtomics": true,  
"shaderTessellationAndGeometryPointSize": true,  
"shaderImageGatherExtended": true,  
"shaderStorageImageExtendedFormats": true,  
"shaderStorageImageMultisample": true,  
"shaderStorageImageReadWithoutFormat": true,  
"shaderStorageImageWriteWithoutFormat": true,  
"shaderUniformBufferArrayDynamicIndexing": true,  
"shaderSampledImageArrayDynamicIndexing": true,  
"shaderStorageBufferArrayDynamicIndexing": true,  
"shaderStorageImageArrayDynamicIndexing": true,  
"shaderClipDistance": true,  
"shaderCullDistance": true,  
"shaderFloat64": true,  
"shaderInt64": true,  
"shaderInt16": true,  
"shaderResourceResidency": true,  
"shaderResourceMinLod": true,  
"sparseBinding": true,  
"sparseResidencyBuffer": true,  
"sparseResidencyImage2D": true,  
"sparseResidencyImage3D": true,  
"sparseResidency2Samples": true,  
"sparseResidency4Samples": true,  
"sparseResidency8Samples": true,  
"sparseResidency16Samples": true,
```

```

    "sparseResidencyAliased": true,
    "variableMultisampleRate": true,
    "inheritedQueries": true
  },
  "featureSamplerYcbcrConversion": true,
  "featureProtectedMemory": false,
  "queueFamilies": [
    {
      "queueFlags": 15,
      "queueCount": 16,
      "timestampValidBits": 64,
      "minImageTransferGranularity": {
        "width": 1,
        "height": 1,
        "depth": 1
      }
    },
    {
      "queueFlags": 12,
      "queueCount": 2,
      "timestampValidBits": 64,
      "minImageTransferGranularity": {
        "width": 1,
        "height": 1,
        "depth": 1
      }
    },
    {
      "queueFlags": 14,
      "queueCount": 8,
      "timestampValidBits": 64,
      "minImageTransferGranularity": {
        "width": 1,
        "height": 1,
        "depth": 1
      }
    }
  ]
}

```

Device Performance Information

Log Messages

- [758399:758399:0421/180640.381806:WARNING:sandbox_linux.cc(418)] : InitializeSandbox() called with multiple threads in process gpu-process.