

RULE TEC COLLECTION

USER MANUAL



NOISEASH
AUDIO TOOLS

GENERAL LICENSING AGREEMENT

BY INSTALLING OR PURCHASING ANY NOISEASH, INC. PRODUCT; YOU ACCEPT THE FOLLOWING PRODUCT LICENSE AGREEMENT:

TERMS

NOISEASH, INC. PRODUCES CREATIVE TOOLS FOR MUSICIANS, PRODUCERS AND DJ'S. PRODUCT TYPES AND SERVICES ARE: VST, AU & AAX AUDIO PLUGINS / VIRTUAL INSTRUMENTS, STANDALONE APPLICATIONS, PRESET / SOUND / INSTRUMENT LIBRARIES FOR SAMPLERS OR SYNTHESIZERS, DAW TEMPLATES AND GHOST PRODUCTION SERVICES. THIS LICENSE AGREEMENT IS EFFECTIVE FROM THE MOMENT THE PRODUCT IS INSTALLED BY ANY MEANS. THE LICENSE WILL REMAIN IN FULL EFFECT UNTIL TERMINATION. THE LICENSE IS TERMINATED IF YOU BREAK ANY OF THE TERMS OR CONDITIONS OF THIS AGREEMENT, OR REQUEST A REFUND FOR ANY REASON. UPON TERMINATION YOU AGREE TO DESTROY ALL COPIES AND CONTENTS OF THE PRODUCT AT YOUR OWN EXPENSE.

REQUIREMENTS

EACH PRODUCT HAS ITS OWN REQUIREMENTS AND SPECIFICATIONS. BEFORE PURCHASING ANY PRODUCTS; PLEASE SEE THE PRODUCT PAGE WHICH HAS A SPECIFICATION AND INSTALLATION REQUIREMENT LIST FOR BOTH MAC AND PC USERS. ALL MAJOR WEB BROWSERS (IE, GOOGLE CHROME, FIREFOX, SAFARI) ARE SUPPORTED FOR DOWNLOADING THE PRODUCTS.

LICENSE GRANT

THE LICENSE FOR THIS PRODUCT IS GRANTED ONLY TO A SINGLE USER. ALL SOUNDS, SAMPLES, GRAPHICS OR SOURCE CODES IN THIS PRODUCT ARE LICENSED, BUT NOT SOLD, TO YOU BY NOISEASH, INC. FOR COMMERCIAL AND NON-COMMERCIAL USE IN MUSIC, SOUND-EFFECT, AUDIO/VIDEO POST-PRODUCTION, PERFORMANCE, BROADCAST OR SIMILAR FINISHED CONTENT CREATION AND PRODUCTION USE. NOISEASH, INC. ALLOWS YOU TO USE ANY OF THE SOUNDS AND SAMPLES IN THE LIBRARY(S) YOU'VE PURCHASED FOR COMMERCIAL RECORDINGS WITHOUT PAYING ANY ADDITIONAL LICENSE FEES OR PROVIDING SOURCE ATTRIBUTION TO NOISEASH, INC. THIS LICENSE EXPRESSLY FORBIDS ANY UNAUTHORIZED INCLUSION OF CONTENT CONTAINED WITHIN THE PURCHASED NOISEASH LIBRARY, OR NOISEASH, INC. LIBRARY/SOFTWARE, INTO ANY OTHER SAMPLE INSTRUMENT OR LIBRARY OF ANY KIND, WITHOUT OUR EXPRESS WRITTEN CONSENT. THIS LICENSE ALSO FORBIDS ANY RE-DISTRIBUTION METHOD OF THIS PRODUCT, OR ITS SOUNDS, THROUGH ANY MEANS, INCLUDING BUT NOT LIMITED TO, RE-SELLING, TRADING, SHARING, RE-SAMPLING, MIXING, PROCESSING, ISOLATING, OR EMBEDDING INTO SOFTWARE OR HARDWARE OF ANY KIND, FOR THE PURPOSE OF RE-RECORDING OR REPRODUCTION AS PART OF ANY FREE OR COMMERCIAL LIBRARY OF MUSICAL AND/OR SOUND EFFECT SAMPLES AND/OR ARTICULATIONS, OR ANY FORM OF MUSICAL SAMPLE OR SOUND EFFECT SAMPLE PLAYBACK SYSTEM OR DEVICE. LICENSES CANNOT BE TRANSFERRED TO ANOTHER ENTITY, WITHOUT WRITTEN CONSENT OF NOISEASH, INC.

RIGHTS

NOISEASH, INC. RETAINS FULL COPYRIGHT PRIVILEGES AND COMPLETE OWNERSHIP OF ALL RECORDED SOUNDS, INSTRUMENT PROGRAMMING, DAW TEMPLATE SAMPLES / LOOPS / MELODIES, DOCUMENTATION AND MUSICAL PERFORMANCES INCLUDED IN DEDICATED PURCHASED PRODUCTS.

REFUNDS

DOWNLOADED LIBRARIES / SOFTWARES / DAW TEMPLATES CAN'T BE RETURNED, SO WE CAN'T PROVIDE REFUNDS. WE MAY CHOOSE TO DO SO AT OUR OWN DISCRETION, BUT PLEASE BE AWARE THAT AS SOON AS YOU'VE DOWNLOADED IT, YOU CAN'T RETURN IT.

RESPONSIBILITY

USING THIS PRODUCT AND ANY SUPPLIED SOFTWARE IS AT THE LICENSEE'S OWN RISK. NOISEASH, INC. HOLDS NO RESPONSIBILITY FOR ANY DIRECT OR INDIRECT LOSS ARISING FROM ANY FORM OF USE OF THIS PRODUCT.

VIOLATION

THIS PRODUCT USES A FORM OF COPY PROTECTION, USERSPECIFIC WATERMARKING. USERS WHO ATTEMPT TO CIRCUMVENT THIS COPY-PROTECTION SYSTEMS OR OTHERWISE VIOLATE THE TERMS OF THIS LICENSING AGREEMENT ARE SUBJECT TO CRIMINAL AND CIVIL PENALTIES AND LIABLE FOR MONETARY DAMAGES. IF YOU'VE DONE ANY SAMPLING OR SOFTWARE PROGRAMMING THAT COMES WITH IT, YOU KNOW THAT IT IS VERY HARD WORK. REMEMBER, THE MORE YOU SUPPORT US, THE MORE AWESOME LIBRARIES AND SOFTWARES WE CAN AFFORD TO MAKE FOR YOU.

PURCHASING PROCESS AND PRIVACY POLICY

AVAILABLE PAYMENT METHODS ARE CREDIT / DEBIT CARDS AND OTHER PAYMENT WAYS THAT ARE DECLARED IN SSL CERTIFICATED WWW.NOISEASH.COM OFFICIAL WEBSITE OF NOISEASH, INC. THERE IS NO PERIODIC WITHDRAWALS FROM A CARD. THE PURCHASING PROCESS IS ONE TOTAL PAYMENT. AFTER PURCHASING, THE SPECIAL DOWNLOAD LINK OF THE PRODUCT WILL BE GIVEN TO THE CUSTOMER BY E-MAIL THAT CUSTOMER TYPES ON THE CHECKOUT PAGE FORM. IF THERE IS A PROBLEM ABOUT PROVIDING LINKS; CONTACT MAIL IS: SUPPORT@NOISEASH.COM

USE OF THIS SITE REQUIRES PERSONAL DATA PROCESSING OF A CLIENT IN THE FOLLOWING MATTER: FIRST NAME, LAST NAME, E-MAIL. DATA WILL BE PROCESSED BY: NOISEASH, INC. COMPANY IN A WAY THAT IS CRUCIAL TO AGREEING ON A CONTRACT, AS WELL AS ITS FULFILLMENT AND DIRECT MARKETING PURPOSES OR FOR SERVICES PROVIDED BY NOISEASH, INC. COMPANY, HEREBY A CLIENT HAS THE RIGHT TO DECLINE THE RIGHT TO PROCESSING HIS DATA IN THIS MANNER. A CLIENT HAS THE RIGHT TO SEE THE CONTENT OF HIS DATA AND ANY CORRECTIONS MADE TO IT. SHARING OF INFORMATION IS VOLUNTARY, HOWEVER, AT THE SAME TIME IT IS CRUCIAL TO USING THIS SITE.

TABLE OF CONTENTS

GENERAL LICENSING AGREEMENT.....	2
1. INTRODUCTION	4
1.1. WELCOME	4
1.2. ABOUT THE RULE TEC COLLECTION.....	5
1.2.1. SPECIFICATIONS.....	6
1.2.2. MINIMUM SYSTEM REQUIRMENTS.....	6
1.2.2.1. WINDOWS.....	6
1.2.2.2. MAC.....	6
2. INSTALLATION.....	7
2.1 WINDOWS.....	7
2.2 MAC.....	7
3. LICENSE ACTIVATION	8
4. INTERFACE AND CONTROLS	9
4.1 NAVIGATION MENU	9
4.2 SETTINGS POP UP WINDOW.....	10
4.3 PRESET BROWSER	11
4.4 EQ1A CLASSIC PASSIVE EQUALIZER.....	14
4.5 EQ5M CLASSIC PASSIVE MID RANGE EQUALIZER.....	15
4.6 F3C CLASSIC PASSIVE HIGH PASS LOW PASS FILTER	16
4.7 OTHER GENERAL FEATURES	16
5. CREDITS	17

1.INTRODUCTION

1.1. WELCOME

Thank you for choosing NoiseAsh! In order to get the most out of your software features, please take the time to read through this manual.

As all of the other NoiseAsh products, we'd put all our effort, energy, team synergy and love to get this beauty for giving artists what they need.

We hope you will enjoy this beauty as much as we do!

Please don't hesitate to contact our support team, support@noiseash.com

With Music & Love....

NoiseAsh Team

1.2. ABOUT THE RULE TEC COLLECTION



Legendary passive equalizers have long been a top choice of leading recording and mastering engineers since it was released in 1951. When it was first on the market; this custom-engineered and built by hand unit was a game changer in recording studios, as you now had the ability to manipulate the sound even farther than before, bring it closer to the front of the mix and make it feel as if you're in the room with the performer.

With tons of research and hard work; we are proud to present extremely accurate models of these legendary equalizer units, **Rule Tec® Collection**. We've modeled lot's of unique complex interactive analog behaviour in order to present all signature characteristics of the original units' "a must have tone". The result is pretty amazing. All in one solution for legendary famous equalizer tone that you've heard in thousands of records for 70 years. Well known 3 models: **Rule Tec EQ1A** for classic mixing and mastering, **Rule Tec EQ5M** famous mid range equalizer, **Rule Tec F3C** completes the collection with unique sharp high pass - low pass filters. Same musicality, clarity, warmth and character with original units which is immediately noticeable when tweaking frequency boosts. Legendary tone is here with all of the legendary signature features including "*Pultec EQ trick*".

1.2.1.SPECIFICATIONS

- Extremely accurate circuit reproduction of the most popular vintage studio equalizers ever made
- Complex legendary interaction between filters with smooth and musical curves
- Unique analog behavior of total harmonic distortion, tubes, hum etc.
- Friend of CPU
- Resizable GUI

1.2.2.MINIMUM SYSTEM REQUIRMENTS

1.2.2.1. WINDOWS



- Intel I3 2ghz / AMD Athlon 64 X2 or above
- Windows 7 with SP3 or above
- 4 gb ram / 2 GB free space on system drive
- VST / AAX host (supports both 32 bit & 64 bit platforms)
- Min. 1024x768 Screen Resolution (1280x1024 / 1600x1024 Recommended)
- Ability to download (Included: VST 32 bit, VST 64 bit, AAX 32 bit, AAX 64 bit versions)

1.2.2.2. MAC



- Intel I3 2ghz or above
- OS X 10.9.5 Mavericks and above
- 4 gb ram / 2 GB free space on system drive
- VST / AU / AAX host
- Min. 1024x768 Screen Resolution (1280x1024 / 1600x1024 Recommended)
- Ability to download (Included: VST, AU, AAX versions)


2.INSTALLATION

2.1 WINDOWS



Before installing, please uninstall the demo or previous versions. After that; unrar the package, execute the "setup.exe" and follow the instructions on the screen to install the plugin to your DAW's "VST plugins" folder. The plugin should now be available the next time you start your DAW.

Solving Possible Installation warnings;



2.2 MAC



Before installing, please remove the demo or previous versions. Copy the dedicated files to their folder paths. The plugin should now be available the next time you start your DAW.


Format	Path
VST	/library/audio/plugin-ins/vst
AU	/library/audio/plugin-ins/components
AAX	/library/application support/avid/plugin-ins

3.LICENSE ACTIVATION

Plugin activation is held in info page. To activate the plugin press  (info button) on the Navigation menu (For more information about Navigation Menu, See section 4.1).



Enter the License Key (that you get with purchase) **here** and press **Submit** button. Plugin will validate the license key with your account. After a successful License Key validation, "Demo Mode" text will turn into "Authorized" mode.




CHANGING SINGLE PRODUCT LICENSE TO BUNDLE LICENSE

When you purchased a bundle that contains this plugin, you need to **change your license** with the bundle license key. After applying that, you don't need to validate license keys individually for every plugin in the bundle. Just apply the Bundle License Key one plugin that is included in the bundle.

4.INTERFACE AND CONTROLS


4.1 NAVIGATION MENU



- A** : Opens settings pop up window. This section is explained in Section 4.2
- B** : Opens the info page that contains the License Key registration dialogue box of the plugin. This section is explained in Section 3
- C** : Opens the preset browser page. This section is explained in Section 4.3
- D** : Shows the selected preset and opens the preset browser page when clicked.
- E** : Selects the previous preset on the list.
- F** : Selects the next preset on the list.
- G** : Brand Logo.

4.2 SETTINGS POP UP WINDOW

GUI RESIZER



There is a useful GUI resize functionality. Plugin size can be adjustable according to various monitor resolutions.


OVERSAMPLING




Adjusts the oversampling amount of the Anti-aliasing sound engine. This value can be saved in presets individually.

4.3 PRESET BROWSER

There is a useful and good looking preset browser system. The presets can be stored in different categories and they are easily accessible with a search box.



BANK COLUMN




This column is for preset bank storage. It creates folders in the preset folder. You can create/load as many banks as you can.

Add: Creates new preset bank folder.

Rename: Modifies preset bank name.

Delete: Deletes preset bank folder.

CATEGORY COLUMN




This column is for preset category storage. It creates folders in a selected bank. You can create/load as many categories as you can within a selected bank.

Add: Creates new preset category folder.

Rename: Modifies preset category name .

Delete: Deletes preset category folder.

PRESET COLUMN



This column is for preset storage. It creates presets in a selected category. You can create/load as many presets as you can within a selected category.

With  button; any preset can be added to favourites.

Add: Creates new presets.

Rename: Modifies preset name .

Delete: Deletes preset.


IMPORTANT NOTE: When plugin is opened first, "Preset name box" is empty. If you want to see the preset lists, click to Next/Previous Arrows or a row in Bank Column.

FAVOURITES



This button brings all of the favourite presets that they had starred by user before.

SEARCH BOX



Any preset can be searched by typing name in this box.

SAVE PRESET




Saves / replaces the current preset. Folder path of the presets;

Platform	Path
MAC	~/Library/Application Support/NoiseAsh Audio/ Plugin Name /User Presets
PC	C:\Users\ User Name \AppData\Roaming\NoiseAsh Audio\ Plugin Name \User Presets

Plugin Name : Dedicated plugin name

User Name : User name in dedicated OS

IMPORT / EXPORT MENU




When  button is pressed, a new pop up window will appear. There are 3 options in that box.

Show Preset Folder: Opens the folder path that presets are stored in.


Import presets in "selected category" from collection: Imports presets from a different folder to selected category.

Export presets in "selected category" as collection: Exports presets on selected category to a different folder.




NOTE: If any category selected, Import / Export Menu will include selected category name. For example if we select "Inserts" category, it will look like left.

4.4 EQ1A CLASSIC PASSIVE EQUALIZER




- A** : Low Shelf Boost
- B** : Low Shelf Cut (Attenuation)
- C** : Low Shelf Frequency Selector (For Both Boost and Cut, 4 points)
- D** : High Bell Boost
- E** : High Bell Boost Bandwidth
- F** : High Bell Boost Frequency Selector (7 points)
- G** : High Shelf Cut
- H** : High Shelf Cut Frequency Selector (3 points)
- I** : Enables Extra Analog Behaviour (Total Harmonic Distortion and Special Hum)
- J** : Controls Main Output Volume
- K** : Unit bypass Switch
- L** : Removes the original +1 dB volume bump

4.5 EQ5M CLASSIC PASSIVE MID RANGE EQUALIZER



- A** : Low Mid Peak Boost Frequency Selector (5 points)
- B** : Low Mid Peak Boost
- C** : Mid Attenuation (Dip) Frequency Selector (11 points)
- D** : Mid Dip
- E** : High Mid Peak Boost Frequency Selector (5 points)
- F** : High Mid Peak Boost
- G** : Unit bypass Switch

4.6 F3C CLASSIC PASSIVE HIGH PASS LOW PASS FILTER



- A** : Unit bypass Switch
- B** : High Pass Filter Frequency Selector (10 points)
- C** : Low Pass Filter Frequency Selector (10 points)

4.7 OTHER GENERAL FEATURES

SHIFT + LEFT CLICK

Entering a desired value manually on a knob; can be done by “Shift + Left Click” action. After entering the value, press “Enter” to exit this mode. Almost all of the knobs supports this feature.

MIDI LEARN

Right click on a knob and “Learn MIDI CC” box will appear. After clicking this box, you will activate the MIDI Learn feature.

5.CREDITS

User Guide : Nesrin & Omar K.
Support : support@noiseash.com
Design Director : Beyhan Kılıç

**CODING & GRAPHIC
DESIGN**



ZİYAMET

<https://www.ziyamet.com/>



COPYRIGHT © **NOISEASH, INC.** | <https://www.noiseash.com/>

