

SOAPBOX SOUND REPORT

• SHOOT ROUND 2 | 8 MAR 24



TEAM & AUDIO

INFORMATION

TEAM CONTACT

TITLE	NAME	CONTACT	ALT CONTACT
Lead Audio	Cody Cork	cody@twistedlogic.studio	0416 570 172

AUDIO INFO

Sample Rate	48kHz	Bits	24
File Type	Poly WAV	Backup Recording	☒
Shared Drive Link	LINK	TL Studio Drive Link	LINK



SUP BRAH

NOTES FOR PETE

Much like the previous report - any feedback is appreciated but no pressure!

- Gone through and edited file names like before & *Dead / False Takes* are located in the **FALSE TAKES** folder.
- ATMOS from the H6 - I've made a looping ATMOS from teethe only real good part (bit loud, can drop it down)
 - Have sliced out racecar & wind noise profiles - if thats relevant for you - have also included the RAW recordings
- If I start recording anything for Foley, etc - I'll most likely be dumping them in it's own folder seperate to the Shoot Day audio (most likely in POST PRODUCTION) - but will keep you in the loop!
 - Links on the **INFO PAGE**, and here [\(Shared Drive\)](#) | [\(TLSA Drive\)](#)
- I think that I've fixed the L/R audio monitoring, but don't think you were having an issue anyways
- **!!!** I think that the first couple of recordings may have had an issue on some channels, etc - so might not come up with all 6 channels - this shouldn't be an issue though!
- As always if any changes cause issues / or if you have any questions - don't hesitate to hit me up

PROJECT PROCESSES

These notes apply across the whole of the shooting process, and are the basic ideas & processes of how the TLSA audio team works. Any notes specific to the shoot day will be appended onto that days Sound Report page.

Recorded audio (RAW) is backed up on our end and any **dialogue** is *a/ways* under the assumption of '**non-disclosure.**' Processed Foley & SFX recordings are assumed as free-use unless otherwise specified as per project agreement, or if specific recordings are deemed sensitive, private or something similar. All audio will also be passed on in conjunction to the Data Wrangler / Editing teams specifications.

- All audio recorded using the F8n will be using the audio format 'PolyWAV' - **TLDR:** All inputs are bounced into 1 WAV file.
 - This means that each of the different inputs are recorded separately but bounced into the 1 'stacked' WAV file. Inside Premier Pro / Da Vinci - audio can be dropped down to see the full stack & each of its inputs.
- Recordings will also be utilising 'Dual Channel Recording' - **TLDR:** A backup (lower volume) channel is recorded, for each input.
 - This means that each channel recorded is being recorded again on a seperate channel at roughly -10db. This gives us the flexibility to record the audio 'hotter' (at higher sensitivity) with less of a worry about peaking the

LEGEND

NOICE GOOD	GOOD ENOUGH • EASY FIX	ISSUES • BUT MANAGEABLE	DEAD / FALSE TAKES
--------------	------------------------	-------------------------	--------------------

FRIDAY 8TH

SHOOT DAY 01

SHOOT DAY NOTES

- All I can say is... oof...
- Audio captured today might not have been the best (lots of background noise issues & weather noise)
- Hopefully Lav Mics can help do a lot of the heavy lifting. But this might be a good opportunity to talk about ADR in the near future.

SOUND RECORDER: CODY CORK

SOUND MIXER: CODY CORK

SHOOT DAY 01 - FRIDAY 8TH

SCE.	SHOT	NOTES	T1	T2	T3	T4
18	B	-		RACERS		
18	C	-	RACERS	RACERS		
19	A	-	BG NOISE	RACERS		
19	A.2	-	NOISE			
19	B	-	BG NOISE	BG NOISE	BG NOISE	BG NOISE
19	C	-	RACERS			
20	A	-	NOISE	NOISE	RACERS	
20	B	-	NOISE	NOISE	NOISE	
20	C	-			NOISE	
20	D	-	RACERS			
20	G	-				
20	H	-		BG NOISE		

RECORDING / AUDIO NOTES

- 19A Can probably be done in post - Foley
- Wind & background noise is a **MAJOR** problem in a lot of the shots - from racing cars to general wind ~ *for clarification:* wind isn't actually *the wind* it's the sound of the trees & leaves getting smashed about - hence why it's hard to minimise

POST SHOOT

THOUGHTS & AUDIO NOTES

- For shots like 19B I'm *hoping* that the majority of the wind sound is just the Boom Layer & that the Lavs in the end will be a lot cleaner (and hopefully) a lot easier to clean
- Lav mics might not sound as good as it could have - by this I mean movement is generally more *noisy* & occasionally with some types of movement it comes out really *scratchy* or even distorted
 - This is due to the clothing material - certain fabrics like silk, etc are *the worst* when it comes to this
 - This could have been minimised with both different clothing (sound dampening material) - there are some that look like certain materials but can be hard to find or expensive - so something to consider when budgeting & wardrobe designing
- Lav Mic covers are good alternatives to minimise this impact **BUT...** SAE still doesn't seem to want to provide these and the ones that I spent \$30 on for this shoot are apparently only compatible with RODE Lav Mics (stupid, I know).
- I'll see what I can do in regards to maybe capturing some things with the mics while I have it tomorrow (Saturday) - let me know if theres anything that could help you with cutting anything together in that regard