Theme	Subtheme	Code	Description
Perceived Benefits	Systematic overview	Overview-EndToEndWorkflow	This code captures instances where participants valued seeing the entire MCP workflow in one place, including how the agent and MCP servers are connected and in what order data passes between them.
	Data sharing visibility	Visibility-WhatIsShared	This code captures instances where FlowLens helped participants understand what types of data would be shared.
		Visibility-WhereDataGoes	This code captures instances where the visual elements of FlowLens helped participants see where data would go.
		Visibility-ServerAccessScope	This code captures instances where FlowLens allowed participants to evaluate how much data an MCP server actually accessed.
		Decision-MoreCautious	This code captures instances where seeing data flows made participants more cautious with sensitive operations, such as denying requests or allowing them only once.
		Decision-Unchanged-PriorFamiliarity	This code captures instances where participants' approval decisions did not change because they were already familiar with tool-calling requests and MCP servers.
		Decision-Unchanged-TrustInAgent	This code captures instances where participants' approval decisions did not change because they already trusted the agent.
		Decision-Unchanged-AccessNecessary	This code captures the view that approval is a practical necessity because MCP servers need access to complete tasks.
		Decision-Unchanged-ApprovalBurden	This code captures the view that approving each tool-calling request individually is cumbersome.
	Concise presentation	Information-Concise	This code captures participants' views that the amount of information in FlowLens was about right.
	Anticipating actions	Anticipation-BeforeExecution	This code captures instances where FlowLens helped participants know what the agent would do before it actually acted.

Theme	Subtheme	Code	Description
		Anticipation-ConditionalSteps	This code captures instances where FlowLens laid out the conditional steps of a task so that participants could know in advance how it would proceed.
Desired Improvements	Readability	Readability-RequiresTaskUnderstanding	This code captures the view that FlowLens is easier to read when users first understand their own prompt.
		Readability-UnfamiliarWithFlowcharts	This code captures the view that FlowLens could be harder to read for users unfamiliar with flowcharts.
		Readability-ClutteredArrows	This code captures the view that the arrows in FlowLens were cluttered and hard to follow.
		Readability-PrefersText	This code captures a preference for text over visual representations of the data flow.
	Integration into decisions	DecisionIntegration-ApprovalSteps	This code captures the wish for FlowLens to mark which steps in the workflow would require approval.
		DecisionIntegration-DecisionSupport	This code captures the wish for FlowLens to be part of the approval decision itself rather than a separate description of data flows.
	Customization	Customization-DetailDisplay	This code captures the wish to view data flow details directly alongside the overall diagram rather than opening them one at a time.
		Customization-Timing	This code captures suggestions that FlowLens be presented at key moments rather than all the time.
		Customization-UserExperience	This code captures suggestions to provide a detailed version of FlowLens for new users and a concise version for returning users.
		Customization-DataOnly	This code captures the wish to see only the data transferred to the agent rather than the entire data flow.
Responsibility for Privacy Disclosure and Protection	Agent responsibility	AgentResp-DirectInteraction	This code captures the view that the agent should be responsible because users interact with it directly.

Theme	Subtheme	Code	Description
		AgentResp-DetailedExplanation	This code captures the view that the agent can provide more detailed explanations of data flows.
		AgentResp-Familiarity	This code captures greater comfort granting access to a familiar agent than to an unfamiliar browser extension.
		AgentResp-OwnObjectives	This code captures the concern that the agent may have its own objectives even when held responsible.
	Shared responsibility	SharedResp-NoSingleParty	This code captures the view that no single party can be held solely responsible because user data flows across multiple parties.
		SharedResp-ServerExplains	This code captures the view that the MCP server is best positioned to explain how data is processed because it executes the task.
		SharedResp-AvoidCloudRelay	This code captures reluctance to have sensitive information pass through a cloud-based agent.
		SharedResp-AgentTaskPriority	This code captures the view that the agent prioritizes completing tasks over protecting user privacy.
		SharedResp-MCPRiskier	This code captures the view that granting access to an agent through MCP is riskier than standard app permissions.
		SharedResp-AgentPrimary	This code captures the view that the agent bears primary responsibility for protecting user data.
		SharedResp-ServerDiscloses	This code captures the view that the MCP server could also disclose how it handles data.
		SharedResp-CompareDisclosures	This code captures the view that both the agent and the MCP server should disclose data flows so that users can compare them.
	Third-party responsibility	ThirdParty-MoreReliable	This code captures the view that an independent third party not involved in the interaction would be more reliable.
		ThirdParty-SelfReportBias	This code captures the concern that a company describing its own practices may leave out information against its interests.

Theme	Subtheme	Code	Description
		ThirdParty-ZeroTrust	This code captures a zero-trust stance toward both apps and agents.
		ThirdParty-AgentNeedsData	This code captures the view that the agent needs user data to improve its underlying models.
		ThirdParty-DoubtServerCollection	This code captures doubt that MCP servers collect only the data shown.
		ThirdParty-DoubtAgentRetention	This code captures doubt that agents keep user data to themselves.