Periodic Chart of Amino Acids

www.bachem.com

H **His**
155.16
137.14
$C_6H_9N_3O_2$

Histidine

D **Asp**
133.10
115.09
$C_4H_7NO_4$

Aspartic Acid

R **Arg**
174.20
156.19
$C_6H_{14}N_4O_2$

Arginine

F **Phe**
165.19
147.18
$C_9H_{11}NO_2$

Phenylalanine

A **Ala**
89.09
71.08
$C_3H_7NO_2$

Alanine

C **Cys**
121.16
103.14
$C_3H_7NO_2S$

Cysteine

G **Gly**
75.07
57.05
$C_2H_5NO_2$

Glycine

Q **Gln**
146.15
128.13
$C_5H_{10}N_2O_3$

Glutamine

E **Glu**
147.13
129.11
$C_5H_9NO_4$

Glutamic Acid

K **Lys**
146.19
128.17
$C_6H_{14}N_2O_2$

Lysine

L **Leu**
131.18
113.16
$C_6H_{13}NO_2$

Leucine

M **Met**
149.21
131.20
$C_5H_{11}NO_2S$

Methionine

N **Asn**
132.12
114.10
$C_4H_8N_2O_3$

Asparagine

S **Ser**
105.09
87.08
$C_3H_7NO_3$

Serine

Y **Tyr**
181.19
163.17
$C_9H_{11}NO_3$

Tyrosine

T **Thr**
119.12
101.10
$C_4H_9NO_3$

Threonine

I **Ile**
131.18
113.16
$C_6H_{13}NO_2$

Isoleucine

W **Trp**
204.23
186.21
$C_{11}H_{12}N_2O_2$

Tryptophan

P **Pro**
115.13
97.12
$C_5H_9NO_2$

Proline

V **Val**
117.15
99.13
$C_5H_{11}NO_2$

Valine

- Basic
- Non-polar (hydrophobic)
- Polar, uncharged
- Acidic



Common Fmoc-Strategy SPPS* Protecting Groups

Fmoc
9-Fluorenylmethyloxy-carbonyl
M_r = 223.25


Mtt
4-Methyltrityl
M_r = 257.36


Pmc
2,2,5,7,8-Pentamethyl-chroman-6-sulfonyl
M_r = 267.37

EP 0 293 073 B1
US Patent 4,946,971
owned by Bachem

tBu
t-Butyl
M_r = 57.12


Absorption and Emission Characteristics of Chromophores and Fluorophores

Fluorophore	Excitation Wavelength	Emission Wavelength
Abz (2-Aminobenzoyl or Anthraniloyl)	320 nm	420 nm
N-Me-Abz (N-Methyl-anthraniloyl)	340 - 360 nm	440 - 450 nm
AFC (7-Amido-4-trifluoromethylcoumarin)	395 - 400 nm	495 - 505 nm
AMC (7-Amido-4-methylcoumarin)	360 - 380 nm	440 - 460 nm
Dansyl (5-(Dimethylamino)naphthalene-1-sulfonyl)	342 nm	562 nm
EDANS (5-[(2-Aminoethyl)amino] naphthalene-1-sulfonic acid)	340 nm	490 nm
FITC (Fluorescein isothiocyanate)	490 nm	520 nm
Mca ((7-Methoxycoumarin-4-yl)acetyl)	325 nm	392 nm
4MβNA (4-Methoxy-β-naphthylamide)	335 - 350 nm	410 - 440 nm
βNA (β-Naphthylamide)	320 - 340 nm	410 - 420 nm
Trp (Tryptophan)	280 nm	360 nm
Chromophore	**Extinction Wavelength**	**Molar Extinction Coefficient**
pNA (p-Nitroanilide)	405 nm 410 nm	$\varepsilon_{405\ nm}$ = 9450 $M^{-1}cm^{-1}$ $\varepsilon_{410\ nm}$ = 8800 $M^{-1}cm^{-1}$

Values listed are as reported in the literature

*SPPS = Solid Phase Peptide Synthesis

Common Boc-Strategy SPPS* Protecting Groups

Boc
t-Butyloxycarbonyl
M_r = 101.13


Tos
Tosyl
M_r = 155.20


Mbzl
4-Methylbenzyl
M_r = 105.16


Bom
Benzyloxymethyl
M_r = 121.16


2-Chloro-Z
2-Chlorobenzyloxy-carbonyl
M_r = 169.59


For
Formyl
M_r = 29.02


peptides ■ building blocks ■ immunology products ■ custom synthesis ■ cGMP

Bachem. Leading beyond peptides