```
$ ait init
Initialized empty Git repository in C:/Users/100598499/.git/
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
$ echo "#lab-1-876ad" >> README.md
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
$ git add README.md
warning: LF will be replaced by CRLF in README.md.
The file will have its original line endings in your working directory
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
$ git commit -m "first commit"
[master (root-commit) 5b26c99] first commit
1 file changed, 1 insertion(+)
create mode 100644 README.md
git
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
$ git remote add origin https://github.com/SPM-OT/lab-1-876ad.git
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
$ git push -u origin master
Logon failed, use ctrl+c to cancel basic credential prompt.
git push -u origin master
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
$ git push -u origin master
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 234 bytes | 15.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0)
To https://github.com/SPM-OT/lab-1-876ad.git
* [new branch]
                     master -> master
Branch 'master' set up to track remote branch 'master' from 'origin'.
```

100598499@UOSL19-G69LZW2 MINGW64 ~

```
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
 touch student.txt
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
$ cat >>student.txt
Adam Wong Chew Onn 100598499
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
$ git commit student.txt -m "student file"
warning: LF will be replaced by CRLF in student.txt.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in student.txt.
The file will have its original line endings in your working directory
[master 816263a] student file
1 file changed, 1 insertion(+)
 create mode 100644 student.txt
L00598499@U0SL19-G69LZW2 MINGW64 ~ (master)
$ git push -u origin master
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 318 bytes | 106.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0)
To https://github.com/SPM-OT/lab-1-876ad.git
   5b26c99..816263a master -> master
Branch 'master' set up to track remote branch 'master' from 'origin'.
```

```
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
$ git add Lab1_100598499.pdf
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
$ git commit -m Lab1_100598499.pdf
[master 9c6d517] Lab1_100598499.pdf
 3 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 100598499_AdamWongChewOnnLab1
 create mode 100644 100598499_AdamWongChewOnnLab1.txt
 create mode 100644 Lab1_100598499.pdf
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
$ git push -u origin master
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (4/4), 165.14 KiB | 12.70 MiB/s, done.
Total 4 (delta 0), reused 0 (delta 0)
To https://github.com/SPM-OT/lab-1-876ad.git
   816263a..9c6d517 master -> master
Branch 'master' set up to track remote branch 'master' from 'origin'.
```

```
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
 $ git status
$ git status
warning: could not open directory 'Application Data/': Permission denied
warning: could not open directory 'Cookies/': Permission denied
warning: could not open directory 'Local Settings/': Permission denied
warning: could not open directory 'My Documents/': Permission denied
warning: could not open directory 'NetHood/': Permission denied
warning: could not open directory 'PrintHood/': Permission denied
warning: could not open directory 'Recent/': Permission denied
warning: could not open directory 'SendTo/': Permission denied
warning: could not open directory 'Start Menu/': Permission denied
warning: could not open directory 'Templates/': Permission denied
On branch master
 On branch master
 Your branch is up to date with 'origin/master'.
 Untracked files:
      (use "git add <file>..." to include in what will be committed)
 nothing added to commit but untracked files present (use "git add" to track)
```

```
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
$ touch IgnoreExample.txt
```

```
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
$ git rm -r --cached
usage: git rm [<options>] [--] <file>...
   -n, --dry-run
   -q, --quiet
                          do not list removed files
    --cached
                          only remove from the index
   -f, --force
                          override the up-to-date check
                          allow recursive removal
   -\mathbf{r}
   --ignore-unmatch
                          exit with a zero status even if nothing matched
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
$ git add IgnoreExample.gitignore
fatal: pathspec 'IgnoreExample.gitignore' did not match any files
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
$ git add .gitignore IgnoreExample.txt
fatal: pathspec '.gitignore' did not match any files
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
$ git add IgnoreExample.txt .gitignore
fatal: pathspec '.gitignore' did not match any files
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
$ git rm --cached IgnoreExample.txt
fatal: pathspec 'IgnoreExample.txt' did not match any files
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
$ git rm -r --cached
usage: git rm [<options>] [--] <file>...
   -n, --dry-run
                          dry run
   -q, --quiet
                          do not list removed files
   --cached
                          only remove from the index
   -f, --force
                          override the up-to-date check
                         allow recursive removal
   -r
    --ignore-unmatch
                          exit with a zero status even if nothing matched
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
$ git rm -r --cached IgnoreExample.txt
fatal: pathspec 'IgnoreExample.txt' did not match any files
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
$ git add .gitignore IgnoreExample.txt
```

```
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
$ git push
Everything up-to-date
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
$ git add Lab1_100598499.pdf
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
 $ git commit -m Lab1_100598499.pdf
[master 9c6d517] Lab1_100598499.pdf
  3 files changed, 0 insertions(+), 0 deletions(-)
  create mode 100644 100598499_AdamWongChewOnnLab1
  create mode 100644 100598499_AdamWongChewOnnLab1.txt
  create mode 100644 Lab1_100598499.pdf
 100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
$ git push -u origin master
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (4/4), 165.14 KiB | 12.70 MiB/s, done.
Total 4 (delta 0), reused 0 (delta 0)
To https://github.com/SPM-OT/lab-1-876ad.git
     816263a..9c6d517 master -> master
Branch 'master' set up to track remote branch 'master' from 'origin'.
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
$ touch IgnoreExample.txt
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
$ git status
% git status
warning: could not open directory 'Application Data/': Permission denied
warning: could not open directory 'Cookies/': Permission denied
warning: could not open directory 'Local Settings/': Permission denied
warning: could not open directory 'My Documents/': Permission denied
warning: could not open directory 'NetHood/': Permission denied
warning: could not open directory 'PrintHood/': Permission denied
warning: could not open directory 'Recent/': Permission denied
warning: could not open directory 'SendTo/': Permission denied
warning: could not open directory 'Start Menu/': Permission denied
warning: could not open directory 'Templates/': Permission denied
On branch master
On branch master
Your branch is up to date with 'origin/master'.
Untracked files:
    (use "git add <file>..." to include in what will be committed)
```

```
Untracked files:
  (use "git add <file>..." to include in what will be committed)
nothing added to commit but untracked files present (use "git add" to track)
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
$ git rm -r --cached
usage: git rm [<options>] [--] <file>...
    -n, --dry-run
-q, --quiet
--cached
                           dry run
                           do not list removed files
                           only remove from the index
    -f, --force
                           override the up-to-date check
```

```
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
$ touch .gitignore
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
$ cat >> gitignore
IgnoreExample.txt
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
$ cat >> IgnoreExample.txt
test
 100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
$ git add .gitignore
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
$ git push -u origin master
Everything up-to-date
Branch 'master' set up to track remote branch 'master' from 'origin'.
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
 $ git commit -m "adding .gitignore gitignore Example"
[master 1a946a7] adding .gitignore gitignore Example
  1 file changed, 0 insertions(+), 0 deletions(-)
  create mode 100644 .gitignore
 100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
$ git branch Branch1
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
$ git status
$ git status
warning: could not open directory 'Application Data/': Permission denied
warning: could not open directory 'Cookies/': Permission denied
warning: could not open directory 'Local Settings/': Permission denied
warning: could not open directory 'My Documents/': Permission denied
warning: could not open directory 'NetHood/': Permission denied
warning: could not open directory 'PrintHood/': Permission denied
warning: could not open directory 'Recent/': Permission denied
warning: could not open directory 'SendTo/': Permission denied
warning: could not open directory 'Start Menu/': Permission denied
warning: could not open directory 'Templates/': Permission denied
On branch master
On branch master
Your branch is ahead of 'origin/master' by 1 commit.
    (use "git push" to publish your local commits)
Untracked files:
    (use "git add <file>..." to include in what will be committed)
```

```
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)

$ git checkout Branch1'

100598499@UOSL19-G69LZW2 MINGW64 ~ (Branch1)

$ git add BranchExample.txt

100598499@UOSL19-G69LZW2 MINGW64 ~ (Branch1)

$ git checkout master

Switched to branch 'master'

A BranchExample.txt

Your branch is ahead of 'origin/master' by 1 commit. (use "git push" to publish your local commits)

100598499@UOSL19-G69LZW2 MINGW64 ~ (master)

$ touch RemoveExample.txt
```

```
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
$ git add RemoveExample.txt
warning: LF will be replaced by CRLF in RemoveExample.txt.
The file will have its original line endings in your working directory
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
$ git push
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 272 bytes | 68.00 KiB/s, done.
Total 2 (delta 1), reused 0 (delta 0)
remote: Resolving deltas: 100\% (1/1), completed with 1 local object.
To https://github.com/SPM-OT/lab-1-876ad.git
   9c6d517..1a946a7 master -> master
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
$ git rm --cached RemoveExample.txt
rm 'RemoveExample.txt'
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
$ git commit -m
error: switch `m' requires a value
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
$ git push
Everything up-to-date
100598499@UOSL19-G69LZW2 MINGW64 ~ (master)
$ git commit -m "remove example"
[master 8fa6b47] remove example
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 BranchExample.txt
```

```
nothing added to commit but untracked files present (use "git add" to track)
00598499@UOSL19-G69LZW2 MINGW64 ~ (master)
 git clean -n
Yould remove .bash_history
Yould remove .gitconfig
would remove .viminfo
Would remove IgnoreExample.txt
would remove NTUSER.DAT
vould remove NTUSER.DAT{34d1a49f-768e-11e9-8dfb-e4b97a4bf318}.TM.blf
vould remove NTUSER.DAT{34d1a49f-768e-11e9-8dfb-e4b97a4bf318}.TMContainer0000000
0000000000001.regtrans-ms
vould remove NTUSER.DAT{34d1a49f-768e-11e9-8dfb-e4b97a4bf318}.TMContainer0000000
00000000000002.regtrans-ms
Vould remove RemoveExample.txt
would remove gitignore
Would remove ntuser.dat.LOG1
vould remove ntuser.dat.LOG2
vould remove ntuser.ini
ould remove ntuser.pol
```