
```
X
 MINGW64:/c/Users/100651421/Lab-1
                                                                        $ touch IgnoreExample.txt
100651421@UOSL19-BCT40X2 MINGW64 ~/Lab-1 (master)
$ vim Ignore Example.txt
2 files to edit
100651421@UOSL19-BCT40X2 MINGW64 ~/Lab-1 (master)
IgnoreExample.txt Student.txt
100651421@UOSL19-BCT40X2 MINGW64 ~/Lab-1 (master)
$ vim IgnoreExample.txt
100651421@UOSL19-BCT40X2 MINGW64 ~/Lab-1 (master)
$ git status
On branch master
Untracked files:
  (use "git add <file>..." to include in what will be committed)
nothing added to commit but untracked files present (use "git add" to track)
100651421@UOSL19-BCT40X2 MINGW64 ~/Lab-1 (master)
```



```
MINGW64:/c/Users/100651421/Lab-1
                                                                                  \times
 100651421@UOSL19-BCT40X2 MINGW64 ~/Lab-1 (master)
$ git checkout newBranch
Switched to branch 'newBranch'
100651421@UOSL19-BCT40X2 MINGW64 ~/Lab-1 (newBranch)
$ notepad BranchExample.txt
100651421@U0SL19-BCT40X2 MINGW64 ~/Lab-1 (newBranch)
$ git status
On branch newBranch
Changes not staged for commit:

(use "git add <file>..." to update what will be committed)

(use "git restore <file>..." to discard changes in working directory)
Untracked files:
  (use "git add <file>..." to include in what will be committed)
no changes added to commit (use "git add" and/or "git commit -a")
100651421@UOSL19-BCT40X2 MINGW64 ~/Lab-1 (newBranch)
MINGW64:/c/Users/100651421/Lab-1
                                                                                  ×
    git config --global --edit
    git commit --amend --reset-author
1 file changed, 2 insertions(+)
```

```
git config --global --edit

After doing this, you may fix the identity used for this commit with:

git commit --amend --reset-author

1 file changed, 2 insertions(+)
create mode 100644 Student.txt

100651421@UOSL19-BCT40X2 MINGW64 ~/Lab-1 (master)
$ git status
On branch master
nothing to commit, working tree clean

100651421@UOSL19-BCT40X2 MINGW64 ~/Lab-1 (master)
$ ls
IgnoreExample.txt Student.txt

100651421@UOSL19-BCT40X2 MINGW64 ~/Lab-1 (master)
$ ls -a
./ ../ .git/ .gitignore IgnoreExample.txt Student.txt

100651421@UOSL19-BCT40X2 MINGW64 ~/Lab-1 (master)
$ ls -a
```

```
MINGW64:/c/Users/100651421/Lab-1
                                                                                X
You can suppress this message by setting them explicitly. Run the following command and follow the instructions in your editor to edit
your configuration file:
    git config --global --edit
After doing this, you may fix the identity used for this commit with:
    git commit --amend --reset-author
 1 file changed, 0 insertions(+), 0 deletions(-)
 delete mode 100644 RemoveExample.txt
100651421@UOSL19-BCT40X2 MINGW64 ~/Lab-1 (master)
$ git status
On branch master
Untracked files:
  (use "git add <file>..." to include in what will be committed)
nothing added to commit but untracked files present (use "git add" to track)
100651421@UOSL19-BCT40X2 MINGW64 ~/Lab-1 (master)
```

