Nikola Soldatovic 100655244

```
100655244@UOSL19-DHYJZW2 MINGW64 ~/Documents/Project management/Git repo (master)
$ echo *This is the ignore example file* >> IgnoreExample.txt
```

Commiting the IgnoreExample file:

```
100655244@UOSL19-DHYJZW2 MINGW64 ~/Documents/Project management/Git repo (master)
$ git commit -m "Created the IgnoreExample text file"
[master (root-commit) e752fbd] Created the IgnoreExample text file
 1 file changed, 1 insertion(+)
 create mode 100644 IgnoreExample.txt
```

Added IgnoreExample to .gitignore:

```
100655244@UOSL19-DHYJZW2 MINGW64 ~/Documents/Project management/Git repo (master)
$ git commit -m "Added IgnoreExample.txt to .gitignore"
[master 51dc4fd] Added IgnoreExample.txt to .gitignore
 1 file changed, 1 insertion(+)
 create mode 100644 .gitignore
```

After running the notepad command in newbranch:

After running the notepad command in the master branch:

Removing RemoveExample.txt:

```
100655244@UOSL19-DHYJZW2 MINGW64 ~/Documents/Project management/Git repo (master)
$ git rm RemoveExample.txt
rm 'RemoveExample.txt'

100655244@UOSL19-DHYJZW2 MINGW64 ~/Documents/Project management/Git repo (master)
$ git commit -m "Removed RemoveExample.txt"
[master 444e479] Removed RemoveExample.txt
 1 file changed, 1 deletion(-)
 delete mode 100644 RemoveExample.txt
```

Before running git clean:

```
100655244@UOSL19-DHYJZW2 MINGW64 ~/Documents/Project management/Git repo (master)
$ git status
On branch master
nothing to commit, working tree clean
```

Nikola Soldatovic 100655244

After Running git clean:

```
100655244@UOSL19-DHYJZW2 MINGW64 ~/Documents/Project management/Git repo (master)
$ git status
On branch master
nothing to commit, working tree clean
```