
```
100655911@UOSL19-H1H10X2 MINGW64 /c/Sofe 3490 (master)
$ cat > IgnoreExample.txt
Testing
100655911@UOSL19-H1H10X2 MINGW64 /c/Sofe 3490 (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.
Untracked files:
  (use "git add <file>..." to include in what will be committed)
nothing added to commit but untracked files present (use "git add" to track)
100655911@UOSL19-H1H10X2 MINGW64 /c/Sofe 3490 (master)
$ cat IgnoreExample.txt
Testing
Edited
100655911@UOSL19-H1H10X2 MINGW64 /c/Sofe 3490 (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.
Untracked files:
  (use "git add <file>..." to include in what will be committed)
100655911@UOSL19-H1H10X2 MINGW64 /c/Sofe 3490 (NewBranch)
$ notepad BranchExample.txt
100655911@UOSL19-H1H10X2 MINGW64 /c/Sofe 3490 (NewBranch)
$ git add .
warning: LF will be replaced by CRLF in .gitignore.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in Student.txt.

The file will have its original line endings in your working directory
100655911@UOSL19-H1H10X2 MINGW64 /c/Sofe 3490 (master)
$ notepad BranchExample.txt
```



```
100655911@UOSL19-H1H10X2 MINGW64 /c/Sofe 3490 (master)

$ git clean -f
Removing BranchExample.txt
Removing IgnoreExample.txt

100655911@UOSL19-H1H10X2 MINGW64 /c/Sofe 3490 (master)

$ git status
On branch master
Your branch is up to date with 'origin/master'.

nothing to commit, working tree clean
```