```
100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ git init
Reinitialized existing Git repository in C:/Users/100652479/.git/

100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ git add README.md

100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ git remote set-url origin https://github.com/SPM-OT/lab-1-TCuestaMan-V8.git

100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ git push -u origin master
Logon failed, use ctrl+c to cancel basic credential prompt.
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 250 bytes | 83.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0)
To https://github.com/SPM-OT/lab-1-TCuestaMan-V8.git
 * [new branch]      master -> master
Branch 'master' set up to track remote branch 'master' from 'origin'.

100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ touch Students.txt

100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ cat Students.txt

100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ vi Students.txt

100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ cat Students.txt
Student Name:
Armando Cuesta Leyva


Student ID:
100652479

100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ git add Students.txt
warning: LF will be replaced by CRLF in Students.txt.
The file will have its original line endings in your working directory

100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ git commit -m "student info"
[master d85b944] student info
 1 file changed, 7 insertions(+)
 create mode 100644 Students.txt
```

```
100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ git pull
remote: Enumerating objects: 4, done.
remote: Counting objects: 100% (4/4), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Unpacking objects: 100% (3/3), 714 bytes | 9.00 KiB/s, done.
From https://github.com/SPM-OT/lab-1-TCuestaMan-V8
   e1c03e3..d866eeb  master      -> origin/master
Merge made by the 'recursive' strategy.
 Student.txt | 3 +++
 1 file changed, 3 insertions(+)
 create mode 100644 Student.txt

100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ git push -u origin master
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 8 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (5/5), 637 bytes | 106.00 KiB/s, done.
Total 5 (delta 1), reused 0 (delta 0)
remote: Resolving deltas: 100% (1/1), done.
To https://github.com/SPM-OT/lab-1-TCuestaMan-V8.git
   d866eeb..3ff5cd1  master -> master
Branch 'master' set up to track remote branch 'master' from 'origin'.
```

```
100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ touch IgnoreExample.txt

100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ git add IgnoreExample.txt

100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ git commit -m "IgEx"
[master ea887b5] IgEx
 1 file changed, 1 insertion(+)
 create mode 100644 IgnoreExample.txt

100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ git pull
Already up to date.

100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ git push -u origin master
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 379 bytes | 379.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0)
To https://github.com/SPM-OT/lab-1-TCuestaMan-V8.git
   3ff5cd1..ea887b5  master -> master
Branch 'master' set up to track remote branch 'master' from 'origin'.

100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ git status IgnoreExample.txt
On branch master
Your branch is up to date with 'origin/master'.

nothing to commit, working tree clean

100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ git pull
Already up to date.

100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ git checkout -b NewBranch
Switched to a new branch 'NewBranch'

100652479@UOSL19-33YKZW2 MINGW64 ~ (NewBranch)
$ git branch -a
* NewBranch
  master
  remotes/origin/master
```

```
100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ touch .gitignore

100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ git add .gitignore

100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ git add .gitignore IgnoreExample.txt
```

- Notepad                                               —  □  ×
ew  Help
n Example

```
100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ git pull
Already up to date.

100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ git push -u origin master
Everything up-to-date
Branch 'master' set up to track remote branch 'master' from '
.

100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ git checkout NewBranch
Switched to branch 'NewBranch'
M       .gitignore
Your branch is up to date with 'origin/NewBranch'.

100652479@UOSL19-33YKZW2 MINGW64 ~ (NewBranch)
$ git notepad BranchExample.txt
git: 'notepad' is not a git command. See 'git --help'.

100652479@UOSL19-33YKZW2 MINGW64 ~ (NewBranch)
$ notepad BranchExample.txt
100652479@UOSL19-33YKZW2 MINGW64 ~ (NewBranch)
$ notepad BranchExample.txt
```

Notepad                                                 ✕

⚠   Cannot find the 2.txt file.

     Do you want to create a new file?

              Yes          No         Cancel

```
$ git checkout NewBranch
Switched to branch 'NewBranch'
M       .gitignore
Your branch is up to date with 'origin/NewBranch'.

100652479@UOSL19-33YKZW2 MINGW64 ~ (NewBranch)
$ git notepad BranchExample.txt
git: 'notepad' is not a git command. See 'git --help

100652479@UOSL19-33YKZW2 MINGW64 ~ (NewBranch)
$ notepad BranchExample.txt

100652479@UOSL19-33YKZW2 MINGW64 ~ (NewBranch)
$ notepad BranchExample.txt

100652479@UOSL19-33YKZW2 MINGW64 ~ (NewBranch)
$ notepad BranchExample.txt

100652479@UOSL19-33YKZW2 MINGW64 ~ (NewBranch)
$ git checkout master
Switched to branch 'master'
M       .gitignore
Your branch is up to date with 'origin/master'.

100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ notepad 2
```

Ln 1, Col 1              100%

| <> Code | ⓘ Issues 0 | 🔀 Pull requests 0 | ▶ Actions | 📋 Projects 0 | 📖 Wiki | 🛡 Security | 📊 Insights |
|---------|-----------|-------------------|-----------|---------------|--------|------------|-------------|

lab-1-TCuestaMan-V8 created by GitHub Classroom

⊙ **11** commits    ⑂ **2** branches    ⬚ **0** packages    ◇ **0** releases

Branch: master ▾   New pull request     Create new file   Upload files

MandoCuesta lol      Lat...

| 📄 .gitignore | lol |
| 📄 IgnoreExample.txt | IgEx |
| 📄 README.md | first commit |
| 📄 RemoveExample.txt | lol |
| 📄 Student.txt | Create Student.txt |
| 📄 Students.txt | student info |

📖 README.md

# lab-1-TCuestaMan-V8

---

```
100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ touch RemoveExample.txt

100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ git add RemoveExample.txt

100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ git pull
Already up to date.

100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ git push -u origin master
Everything up-to-date
Branch 'master' set up to track remote branch 'master' from 'origi
.

100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ git commit -m "lol"
[master 41e69f4] lol
 2 files changed, 1 insertion(+)
 create mode 100644 RemoveExample.txt

100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ git pull
Already up to date.

100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ git push -u origin master
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 8 threads.
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 327 bytes | 327.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object
.
To https://github.com/SPM-OT/lab-1-TCuestaMan-V8.git
   d823c18..41e69f4  master -> master
Branch 'master' set up to track remote branch 'master' from 'origi
.

100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
```

---

```
100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ git status branch
On branch master
Your branch is up to date with 'origin/master

nothing to commit, working tree clean

100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ git clean -f RemoveExample.txt
```

---

MandoCuesta lol     Latest commit 0912830 19 seconds ago

| 📄 .gitignore | lol | 2 minutes ago |
| 📄 IgnoreExample.txt | IgEx | 1 hour ago |
| 📄 README.md | first commit | 2 hours ago |
| 📄 Student.txt | Create Student.txt | 2 hours ago |
| 📄 Students.txt | student info | 1 hour ago |

📖 README.md ✎

# lab-1-TCuestaMan-V8

Git-2.25.0-64-bit.exe Canceled    chapter02(1).pdf    Show all ✕

---

```
100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ git rm RemoveExample.txt
rm 'RemoveExample.txt'

100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ git commit -m "lol"
[master 0912830] lol
 1 file changed, 0 insertions(+), 0 deletions(-)
 delete mode 100644 RemoveExample.txt

100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ git pull
Already up to date.

100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$ git push -u origin master
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 8 threads.
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 234 bytes | 234.00 KiB/s, done.
Total 2 (delta 1), reused 0 (delta 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object
.
To https://github.com/SPM-OT/lab-1-TCuestaMan-V8.git
   41e69f4..0912830  master -> master
Branch 'master' set up to track remote branch 'master' from 'origi
.

100652479@UOSL19-33YKZW2 MINGW64 ~ (master)
$
```