

Anexo: Evidencias de Existencia de Artículos

(Estado del Arte)

En este documento se presentan las capturas de pantalla de la primera página de los 10 artículos científicos de revista utilizados en la sección del Estado del Arte.

1. Pan (2026) - Informatica



Informatica
An International Journal of Computing and Informatics

RegisterLogin

HOMEJOURNAL ▾ARTICLES ▾FOR AUTHORS ▾FOR REVIEWERS ▾EDITORIAL BOARDABOUT ▾

Home / Archives / Vol. 50 No. 10 (2026): Online-only issue / Online-only

BIAW-DL-SA: Blockchain-Integrated Audio Watermarking and Deep Learning for Ownership Verification and Forgery Detection in AI-Generated Music

Abstract

Volume 50 Number 10 March 2026
Online-onlyISSN 1854-3871

2. Patil et al. (2024) - Int. J. of Electronics and Comm. Eng.

 **Seventh Sense Research Group®**

Home Journals For Authors For Editors For Reviewers 

Call For Paper - Upcoming Conferences

Home / IJECE / Paper Details

Research Article | Open Access |  Download PDF

Volume 11 | Issue 7 | Year 2024 | Article Id. IJECE-V11I7P111 | DOI : <https://doi.org/10.14445/23488549/IJECE-V11I7P111>

AudioStamp: A Deep Learning Based Watermarking Procedure for Copyright Protection of Digital Audio Files

Abhijit Patil, Ramesh Shelke, Dilendra Hiran

Citation :

Abhijit Patil, Ramesh Shelke, Dilendra Hiran, "AudioStamp: A Deep Learning Based Watermarking Procedure for Copyright Protection of Digital Audio Files," *International Journal of Electronics and Communication Engineering*, vol. 11, no. 7, pp. 108-116, 2024. *Crossref*, <https://doi.org/10.14445/23488549/IJECE-V11I7P111>

Abstract

The ubiquitous use of digital media across various platforms has heightened the risk of copyright infringement and unauthorized distribution. Digital content such as images, audio, and video can be easily subjected to copyright violations if it is not adequately secured and protected using effective technological measures. In this paper, we explore different methods employed for safeguarding the copyright of digital media and propose a novel approach for copyright protection of audio files through the integration of watermarking techniques and neural networks. The proposed work concentrates on digital audio files. Our methodology leverages

 PDF 

 Citation

 Abstract

 Keywords

 References

3. Patil et al. (2023) - High-Confidence Computing

ScienceDirect® Journals & Books Help Search My account Sign in

View PDF Download full issue

Outline
Abstract
Keywords
1. Introduction
2. Motivation
3. Proposed digital audio watermarking based o...
4. Results and discussion
5. Conclusion
Declaration of competing interest
AppendixA. Nomenclature
References
Show full outline

Cited by (11)

Figures (11)

High-Confidence Computing
Volume 3, Issue 4, December 2023, 100153

Research Article

An effective digital audio watermarking using a deep convolutional neural network with a search location optimization algorithm for improvement in Robustness and Imperceptibility

Abhijit J. Patil^a, Ramesh Shelke^b

Show more

+ Add to Mendeley Share Cite

<https://doi.org/10.1016/j.hcc.2023.100153> Get rights and content

Under a Creative Commons license Open access

Referred to by Erratum to "An effective digital audio watermarking using a deep convolutional neural network with a search location optimization..."

Recommended articles

Provably secure authentication protocol for traffic exchanges in unmanned aerial...
High-Confidence Computing, Volume 3, Issue 4, 2023, ...
Vincent Omollo Nyangaresi
View PDF

An audio watermarking method against re-recording distortions
Pattern Recognition, Volume 162, 2025, Article 111366
Guoyuan Lin, ..., Jiwu Huang

Article Metrics

Citations

Citation Indexes	10
Policy Citations	1

Captures

Mendeley Readers	14
------------------	----

Mentions

News Mentions	1
---------------	---

4. Anon. (2025) - Academic Journal of Computing & Information Science

Welcome to Francis Academic Press

Login | Register



FRANCIS-PRESS
OPEN ACCESS JOURNALS AND PROCEEDINGS

About Us

Journals

Conferences

Digital Library

Paper Submission

Contact Us

Academic Journal of Computing & Information Science, 2025, 8(3); doi: 10.25238/AJCIS.2025.080302.

Robust Audio Watermarking Based on Invertible Neural Network

Author(s)
Jiji Zhu

Corresponding Author:
Jiji Zhu

Affiliation(s)
School of Information Science and Engineering, Chongqing Jiaotong University, Chongqing, China

[Download PDF](#) | [Download: 53](#) | [View: 5326](#)

Abstract
Audio watermarking technology leverages the characteristics of the human auditory system and the original audio carrier to imperceptibly embed watermark information into the audio. Traditional watermarking algorithms employ signal processing techniques and are limited by the experience of the model designer. In contrast, deep learning-based neural network audio watermarking algorithms offer greater adaptability and versatility, and their robustness can be enhanced through simulated attacks, marking an important direction for future development in audio watermarking technology. Related research primarily focuses on balancing the imperceptibility, robustness, and embedding capacity of watermark information. The audio watermarking model designed in this paper emphasizes

5. Li et al. (2025) - IEEE/ACM TASLP

IEEE.orgIEEE XploreIEEE SAIEEE SpectrumMore Sites

SubscribeDonateCartCreate AccountPersonal Sign In

IEEE Xplore®Browse▼My Settings▼Help▼Institutional Sign In

IEEE

All

ADVANCED SEARCH

Journals & Magazines > IEEE Transactions on Audio, S... > Volume: 33

RNPM: Neural-Guided Embedding Region Selection and Error Correction for Robust Audio Multi-Watermarking

Publisher: IEEE

Cite This

PDF

Qlutong Li

Tong Liu

Xiaochen Yuan

All Authors

1Cites in Paper

149Full Text Views

R

©

Abstract

Document Sections

I. Introduction

II. Localized

Abstract:

Robust audio watermarking plays a crucial role in copyright protection; however, existing techniques suffer from low embedding capacity and limited robustness under severe signal distortions. To solve these limitations, this paper proposes a Robust Neural-Guided Parallel Multi-Watermarking (RNPM) scheme. In the RNPM, we propose a U-Net-Based Embedding Region Selection (ERSU-Net) module to accurately locate multiple embedding regions based on robustness identification. To better exploit

Need Full-Text

access to IEEE Xplore for your organization?

CONTACT IEEE TO SUBSCRIBE >

More Like This

A Robust Hybrid Approach for Zero-Watermarking Medical Images Using Discrete Wavelet Transform, ResNet101, and Discrete Cosine Transform

6. Yang et al. (2014) - Int. J. of Computational Intelligence Systems

SPRINGER NATURE Link Login

[Find a journal](#) [Publish with us](#) [Track your research](#) [Search](#) [Saved research](#) [Cart](#)


[Home](#) > [International Journal of Computational Intelligence Systems](#) > [Article](#)

A Robust Blind Audio Watermarking Scheme Based on Singular Value Decomposition and Neural Networks

Research Article | [Open access](#) | Published: 01 October 2014
Volume 7, pages 865–873 (2014) [Cite this article](#)

☒ You have full access to this [open access](#) article

[Download PDF](#) [Save article](#)



[International Journal of Computational Intelligence Systems](#)
[Aims and scope](#) →
[Submit manuscript](#) →

[Yu Yang](#)  [Min Lei](#), [Huaqun Liu](#), [Yongmei Cai](#) & [Guoyuan Lin](#)
 113 Accesses  3 Citations [Explore all metrics](#) →

Abstract

Sections

[Abstract](#)
[Article PDF](#)
[References](#)

References

7. Al-Haj (2014) - EURASIP Journal

SpringerOpen journals have moved to Springer Nature Link. [Learn more about website changes.](#)

SPRINGER NATURE Link Log in

[Find a journal](#) [Publish with us](#) [Track your research](#) [Search](#) [Saved research](#) [Cart](#)

[Home](#) > [EURASIP Journal on Audio, Speech, and Music Processing](#) > [Article](#)

An imperceptible and robust audio watermarking algorithm

Research | [Open access](#) | Published: 09 October 2014
Volume 2014, article number 37 (2014) [Cite this article](#)

☒ You have full access to this [open access](#) article

[Download PDF](#) [Save article](#)

EURASIP Journal on Audio, Speech, and Music Processing

[Aims and scope](#) → [Submit manuscript](#) →

[Ali Al-Haj](#)

8362 Accesses 51 Citations 6 Altmetric [Explore all metrics](#) →

Sections [Figures](#) [References](#)

[Abstract](#)

8. Khaldi et al. (2013) - IEEE TASLP

IEEE.orgIEEE XploreIEEE SAIEEE SpectrumMore Sites

SubscribeDonateCartCreate AccountPersonal Sign In

IEEE Xplore®Browse▼My Settings▼Help▼Institutional Sign In

IEEE

All

ADVANCED SEARCH

Journals & Magazines > IEEE Transactions on Audio, S... > Volume: 21 Issue: 3

Audio Watermarking Via EMD

Publisher: IEEE

Cite ThisPDF

Kais Khaldi : Abdel-Quahab BoudraaAll Authors

94Cites in Papers

2599Full Text Views

R

©

Abstract

Document Sections

I. Introduction

II. Proposed Watermarking

Abstract:

In this paper a new adaptive audio watermarking algorithm based on Empirical Mode Decomposition (EMD) is introduced. The audio signal is divided into frames and each one is decomposed adaptively, by EMD, into intrinsic oscillatory components called Intrinsic Mode Functions (IMFs). The watermark and the synchronization codes are embedded into the extrema of the last IMF, a low frequency mode stable under different attacks and preserving audio perceptual quality of the host signal. The data embedding rate of the proposed algorithm is 46.9-50.3 b/s. Relvina on exhaustive simulations. we

Need Full-Text

access to IEEE Xplore for your organization?

CONTACT IEEE TO SUBSCRIBE >

More Like This

Performance analysis of signal to noise ratio and bit error rate for multiuser using Passive Time Reversal Technique in underwater communication

9. Nishimura (2012) - IEEE TASLP

IEEE.orgIEEE XploreIEEE SAIEEE SpectrumMore Sites

SubscribeDonateCartCreate AccountPersonal Sign In

IEEE Xplore®

Browse▼My Settings▼Help▼

Institutional Sign In

IEEE

All

ADVANCED SEARCH

Journals & Magazines > IEEE Transactions on Audio, S... > Volume: 20 Issue: 9

Audio Watermarking Using Spatial Masking and Ambisonics

Publisher: IEEE

Cite This

PDF

Ryouichi Nishimura

All Authors

14

Cites in Papers

12

Cites in Patents

1112

Full Text Views

R

©

Need Full-Text

access to IEEE Xplore for your organization?

CONTACT IEEE TO SUBSCRIBE >

Abstract

Document Sections

I. Introduction

II. Fundamentals of Ambisonics

Abstract:

Based on the spatial masking phenomenon and Ambisonics, a watermarking technique for audio signals is proposed. Ambisonics is a well known technique to encode and reproduce spatial information related to sound. The proposed method exploits this feature of Ambisonics. A watermark is represented as a slightly rotated version of the original sound scene. In another scenario in which Ambisonic signals are synthesized from mono or stereo signals, watermarks are embedded near the signal by adding a small covv of the host signal. This scenario presents the important advantage that

More Like This

Perceptual DFT Watermarking With Improved Detection and Robustness to Geometrical Distortions

IEEE Transactions on Information Forensics and Security

10. Kanhe y Gnanasekaran (2018) - EURASIP Journal

SpringerOpen journals have moved to Springer Nature Link. [Learn more about website changes.](#)

SPRINGER NATURE Link

Login

Find a journal

Publish with us

Track your research

Search

Saved research

Cart

Home > EURASIP Journal on Audio, Speech, and Music Processing > Article

Robust image-in-audio watermarking technique based on DCT-SVD transform

Research | [Open access](#) | Published: 01 October 2018

Volume 2018, article number 16 (2018) | [Cite this article](#)

You have full access to this [open access](#) article

Download PDF

Save article

Journal on Audio, Speech, and Music Processing



EURASIP Journal on Audio, Speech, and Music Processing

[Aims and scope](#)

[Submit manuscript](#)

Aniruddha Kanhe & Aghila Gnanasekaran

6146 Accesses

25 Citations

2 Altmetric

[Explore all metrics](#)

Sections

Figures

References

[Abstract](#)

11