Weight at age in the fishery
Offshore_Trawl
SC_Chile_PS
FarNorth
N_Chile
Weight
Years
0
1
2
3
1970
1980
1990
2000
2010
2020
1
2
3
4
5
6
7
8
9
10
11
12

Weight at age in the survey
DEPM
Offshore_CPUE
Peru_Acoustic
Peru_CPUE
Chile_AcousCS
Chile_AcousN
Chile_CPUE
Chinese_CPUE
Weight
Years
0
1
2
3
1970
1980
1990
2000
2010
2020
1
2
3
4
5
6
7
8
9
10
11
12


Weight at age by cohort in the fleet
Offshore_Trawl
SC_Chile_PS
FarNorth
N_Chile
Weight
Age
0
1
2
3
2
4
6
8
10
12
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018


Weight at age by cohort in the survey
DEPM
Offshore_CPUE
Peru_Acoustic
Peru_CPUE
Chile_AcousCS
Chile_AcousN
Chile_CPUE
Chinese_CPUE
Weight
Age
0
1
2
3
2
4
6
8
10
12
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018

Age composition in fleets




Age composition in fleets
N_Chile
Offshore_Trawl
SC_Chile_PS
2010
2000
1990
1980
2
4
6
8
10
12
0.8
0.6
0.4
0.2
0.0
age


Age composition in fleets N_Chile
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
using pack
'fill' must n
Proportion at age
Age


Age composition in fleets SC_Chile_PS
Proportion at age
Age
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
0.0
0.1
0.2
0.3
0.4
2 4 6 8 10


Age composition in fleets Offshore_Trawl
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
Proportion at age
Age

Age composition in surveys




Age composition in surveys
DEPM
Chile_AcousCS
Chile_AcousN
2
4
6
8
10
12
1980
1990
2000
2010
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
age


Weight in the stock
Weight (kg)
1.5
1.0
0.5
0.0
2
4
6
8
10
12
Age


Maturity in the stock
Proportion mature
1.0
0.8
0.6
0.4
0.2
2
4
6
8
10
12
Age

Length composition in fleet FarNorth




Length composition in fleets FarNorth
Proportion at length
Length
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
0.0
0.1
0.2
0.3
0.4
0.5
10 20 30 40 50


Total catch
Catch in kt
5000
4000
3000
2000
1000
1970
1980
1990
2000
2010
2020
Years


Total catch by fleet
Catch by fleet in kt
4000
3000
2000
1000
1970
1980
1990
2000
2010
2020
Years
N_Chile
SC_Chile_PS
FarNorth
Offshore_Trawl


Catch residuals by fleet
−0.02
−0.01
0
0.01
0.02
0.02
SC_Chile_PS
Offshore_Trawl
N_Chile
FarNorth
1.4
1.2
1.0
0.8
0.6
Residuals
1970
1980
1990
2000
2010
2020
Years


Offshore_Trawl
SC_Chile_PS
FarNorth
N_Chile
model − obs
year
1970
1980
1990
2000
2010
2020


Absolute residual catch by fleet
−0.2
−0.09
0.02
0.13
0.24
0.35
SC_Chile_PS
N_Chile
Offshore_Trawl
Absolute residual catch
Years
12
10
8
6
4
2
1980
1990
2000
2010
2020


Residuals catch−at−length by fleet
−0.1
−0.01
0.08
0.16
0.25
0.34
FarNorth
Length
Years
1980
1990
2000
2010
2020
10
20
30
40
50


Age fits N_Chile
Observed
Predicted
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
r using packe
t 'fill' must no
Proportion at age
Age


Age fits SC_Chile_PS
Observed
Predicted
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
Proportion at age
Age


Age fits Offshore_Trawl
Observed
Predicted
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
2000
2001
2002
2003
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
Proportion at age
Age


Length fits FarNorth
Observed
Predicted
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
Proportion at length
Length


Predicted and observed catches by fleet
Observed
Predicted
Offshore_Trawl
SC_Chile_PS
FarNorth
N_Chile
Thousand tonnes
0
1000
2000
3000
4000
1970
1980
1990
2000
2010
2020
Years


Predicted and observed indices
Observed
Predicted
DEPM
Offshore_CPUE
Peru_Acoustic
Peru_CPUE
Chile_AcousCS
Chile_AcousN
Chile_CPUE
Chinese_CPUE
1970 1980 1990 2000 2010 2020
Normalized index value
Years


Age fits Chile_AcousCS
Observed
Predicted
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
Proportion at age
Age
0.0
0.1
0.2
0.3
0.4
2
4
6
8
10
12


Age fits Chile_AcousN
Observed
Predicted
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
Proportion at age
Age
0.0
0.2
0.4
0.6
0.8
2
4
6
8
10
12


Age fits DEPM
Observed
Predicted
2001
2003
2004
2005
2006
2008
Proportion at age
Age
0.0
0.1
0.2
0.3
2
4
6
8
10
12


Standardized survey residuals
−5.25
−3.23
−1.22
0.79
2.8
4.81
Peru_CPUE
Peru_Acoustic
Offshore_CPUE
DEPM
Chinese_CPUE
Chile_CPUE
Chile_AcousN
Chile_AcousCS
Log residuals
1970
1980
1990
2000
2010
2020
Years


SD per input series
SD_age_Offshore_Trawl
SD_age_SC_Chile_PS
SD_length_FarNorth
SD_age_Chile_AcousCS
SD_age_Chile_AcousN
SD_age_DEPM
SD_age_N_Chile
SD
Years
0
2
4
6
8
10
1980
1990
2000
2010
2020


Selectivity of the Fishery by Pentad
FarNorth
N_Chile
fshore_Tra
C_Chile_F
1970's
1975's
1980's
1985's
1990's
1995's
2000's
2005's
2010's
2015's
2020's
Selectivity
Age


Selectivity of the survey by Pentad
ile_Acous
hile_CPU
inese_CP
DEPM
shore_CP
ru_Acous
eru_CPU
1970's
1975's
1980's
1985's
1990's
1995's
2000's
2005's
2010's
2015's
2020's
Selectivity
Age


F at age
Years
Age
2019
2018
2017
2016
2015
2014
2013
2012
2011
2010
2009
2008
2007
2006
2005
2004
2003
2002
2001
2000
1999
1998
1997
1996
1995
1994
1993
1992
1991
1990
1989
1988
1987
1986
1985
1984
1983
1982
1981
1980
1979
1978
1977
1976
1975
1974
1973
1972
1971
1970
1 2 3 4 5 6 7 8 9 10 11 12
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0


F proportion at age
Proportion of F at age
0.2
0.4
0.6
0.8
1970
1980
1990
2000
2010
2020
Years
1
2
3
4
5
6
7
8
9
10
11
12


N at age
Years
10
20
30
40
Age
2
4
6
8
10
12
0
10000
20000
30000
40000
50000


Proportion at age
Proportion of N at age
0.2
0.4
0.6
0.8
1970
1980
1990
2000
2010
2020
Years
1
2
3
4
5
6
7
8
9
10
11
12


Fishery mean age
Observed
Modelled
SC_Chile_PS
N_Chile
Offshore_Trawl
Age
Years
10
8
6
4
2
1980
1990
2000
2010
2020


Fishery mean length
Observed
Modelled
FarNorth
Length (cm)
35
30
25
1980
1990
2000
2010
2020
Years


Survey mean age
Observed
Modelled
Chile_CPUE
Chile_AcousCS
Chile_AcousN
Age
Years
2
4
6
8
10
2000
2005
2010
2015
2020


SSB
Fishing mortality
Recruitment
Landings
data
year
20000
15000
10000
5000
0
0.8
0.6
0.4
0.2
0.0
80000
60000
40000
20000
0
6000
5000
4000
3000
2000
1000
0
1970
1980
1990
2000
2010
2020

Total biomass
25000
20000
15000
10000
5000
Fishing mortality
0.6
0.4
0.2
Recruitment
60000
40000
20000
Unfished biomass
50000
40000
30000
20000
10000
data
1980
1990
2000
2010
year


Uncertainty of key parameters
CV
0.3
0.2
0.1
1960
1980
2000
2020
years
R
SSB
TSB


Mature − Immature fish
Mature
Immature
20000
15000
10000
5000
0
Biomass in kt
1970
1980
1990
2000
2010
2020
Years


Stock Recruitment
Simulated
2000 − 2016
Recruitment
Spawning Stock Biomass
0
10000
20000
30000
40000
50000
0
5000
10000
15000
1985
1984
2017
1999
2000
1997
1998
1982
1988
1990
1986
1981
1989
1983
1987
1980
2001
1996
1977
1992
1991
1975
2016
2018
2002
1994
1993
1974
1970
1959
2012
2015
2009
2011
2008
2007
2004


Fished vs. unfished biomass
Fished
Unfished
Total biomass
50000
40000
30000
20000
10000
1970
1980
1990
2000
2010
2020
Years


SSB prediction
F2019 SQ
F2019 0.75x
F2019 1.25x
F2019 0.5x
F2019 0x
Spawning Stock Biomass
10000
5000
0
1960
1980
2000
2020
2040
Years


Catch prediction
F2019 SQ
F2019 0.75x
F2019 1.25x
F2019 0.5x
F2019 0x
Catch
5000
4000
3000
2000
1000
0
1980
2000
2020
2040
Years


Yield and spawing stock biomass per recruit
YPR
SpawPR
Spawing biomass / Yield per recruit
0.00
0.05
0.10
0.0
0.5
1.0
0.0
0.2
0.4
0.6
0.8
1.0
Fishing mortality

Kobe plot




Deviation
1.0
0.5
0.0
−0.5
−1.0
Simulated
2000 − 2016


Regime1
mean = −0.475
std = 0.532
ssq = 8.367
ssq1 = 8.367
Density
1.5
1.0
0.5
−1.5
−1.0
−0.5
0.0
0.5
1.0
Deviation