



- Introduction
- Contest Schedule
- Contest Structure
- Contest Recap
- Contact Information

Online Test

The examination countdown:00 : 32 : 00

(Please don't refresh the browser!)

Your Name:

1. Multiple Choice Questions (choose one that applies)

1. The DVP-ES3 Series PLCs feature advanced positioning functions. Up to how many axes does it support via CANopen and pulse for point-to-point positioning?

- ☐ 8, 6
- ☐ 6, 4
- ☒ 8, 8
- ☐ 6, 5

2. Which of the following Delta' s Multifunction Power Meter DPM Series supports BACnet MS/TP and simultaneously monitors 31 phases of harmonic content?

- ☒ DPM-C530
- ☐ DPM-C520
- ☐ DPM-D520I
- ☐ DPM-C501L

3. How many kinds of alarms does the Multifunction Power Meter DPM-C530 Series support?

- ☐ 10
- ☐ 20
- ☒ 29
- ☐ 32

4. Which of the following Delta Multifunction Power Meters supports wireless communication?

- ☐ DPM-C520
- ☐ DPM-C530
- ☒ DPM-C520W
- ☐ DPM-C501L

5. Which of the following Delta Multifunction Power Meters adopts DI / DO ports?

- ☐ DPM-C520
- ☐ DPM-C530

☐ DPM-C520W

☒ DPM-C501L

6. What is the default overload capacity of a 460 V Vector Control Drive C2000 Plus?

☐ 110% 60s, 150% 3s

☐ 150% 60s, 200% 3s

☒ 150% 60s, 180% 3s

☐ 120% 60s, 160% 3s

7. Which of the following AC Motor Drive Series can reach 560 kW at a voltage level of 460 V?

☐ MH300

☐ CH2000

☒ C2000 Plus

☐ C2000

8. What are the optional communication cards for the AC Motor Drive C2000 Plus?

☐ EtherCAT Profinet CANopen Profibus EtherNet/IP DeviceNet

☐ EtherCAT Profinet CANopen DeviceNet Modbus TCP

☐ Profinet CANopen DeviceNet Modbus TCP EtherCAT

☒ All of the above

9. What is the resolution of the analog input port of the A3-0421-M AC servo drive?

☐ 12BIT

☐ 10BIT

☐ 14BIT

☒ 15BIT

10. Up to how many servo drives can the MH1-A12N Series PC-Based host motion controller control?

☐ 16

☐ 32

☒ 64

☐ 128

11. What is the resolution of the encoder for the ECM-A3H-C10604RS0 servo motor?

☐ 17BIT

☐ 20BIT

☐ 23BIT

☒ 24BIT

12. What is the minimum motor power available in the ASDA-A3 Series AC Servo System?

☒ 0.05KW

☐ 0.1KW

☐ 0.75KW

☐ 3.0KW

13. How many thermocouple inputs does the Multi-loop Temperature Controller DTMR08 support?

☐ 1

☐ 2

☐ 4

☒ 8

14. What is the optical axis interval of the Area Sensor AS-BF024?

☒ 10mm

☐ 20mm

☐ 30mm

☐ 40mm

15. What is the rated payload of the DRS60L6SS1 model?

☐ 1 kg

☐ 2 kg

☒ 6 kg

☐ 12 kg

2. Multiple Selection Questions (select all that apply)

16. Which features below make DIN rail power supplies superior to panel-mount power supplies?

☒ Easy installation

☒ Fanless design

☒ Compact in size

☒ High stabilization

17. Which control modes does a 460 V AC Motor Drive C2000 Plus support?

☒ V/F SVC VF+PG

☒ FOC+PG TQC+PG

☒ PM+PG PM sensorless

☒ FOC sensorless TQC sensorless

18. What types of commands does the ASD-S-N Series spindle servo drive support?

☒ Pulse

☒ Analog voltage

☒ DMCNET fieldbus

☐ EtherCAT

19. The ASDA-MS Series robot controller supports which of the following models?

☒ SCARA

☒ DELTA☒ 6-axs☐ AGV

20. What are the maximum speeds of the motion parameters SpdJ and SpdL of Delta' s robots?

☒ 100☐ 1000☒ 2000☐ 2500

Submit

© Delta GreenTech (China) Co., Ltd. All Rights Reserved.