

Selenium Test Cases GSA Agile Delivery Services (ADS I) BPA-FDA Prototype

1. Test case related to Home page

[info] Playing test case Test case related to Home page
[info] Executing: |open | / | |
[info] Executing: |clickAndWait | link=Home | |
[info] Executing: |clickAndWait | link=View More | |
[info] Executing: |clickAndWait | link=Home | |
[info] Executing: |clickAndWait | xpath=//*[@contains(text(),'View More')]][2] | |
[info] Executing: |clickAndWait | link=Home | |
[info] Executing: |click | css=u | |
[info] Executing: |clickAndWait | link=Adverse Events | |
[info] Executing: |clickAndWait | link=Enforcement Reports | |
[info] Executing: |clickAndWait | link=Medical Devices | |
[info] Executing: |clickAndWait | link=Help! | |
[info] Executing: |clickAndWait | link=Home | |
[info] Test case passed

The screenshot displays the Selenium IDE 2.9.0 interface. The top toolbar includes buttons for 'Fast', 'Slow', and 'Stop'. The 'Test Case' pane on the left shows 'testcase1'. The main 'Table' pane lists the following commands and targets:

Command	Target	Value
open	/	
clickAndWait	link=Home	
clickAndWait	link=View More	
clickAndWait	link=Home	
clickAndWait	xpath=//*[@contains(text(),'View More')]][2]	
clickAndWait	link=Adverse Events	
clickAndWait	link=Enforcement Reports	
clickAndWait	link=Medical Devices	
clickAndWait	link=About	

Below the table, there are input fields for 'Command', 'Target', and 'Value', along with 'Select' and 'Find' buttons. The bottom 'Log' pane shows the execution steps:

```
[info] Playing test case Untitled  
[info] Executing: |open | / | |  
[info] Executing: |clickAndWait | link=Home | |  
[info] Executing: |clickAndWait | link=View More | |  
[info] Executing: |clickAndWait | link=Home | |  
[info] Executing: |clickAndWait | xpath=//*[@contains(text(),'View More')]][2] | |  
[info] Executing: |clickAndWait | link=Adverse Events | |  
[info] Executing: |clickAndWait | link=Enforcement Reports | |  
[info] Executing: |clickAndWait | link=Medical Devices | |  
[info] Executing: |clickAndWait | link=About | |  
[info] Test case passed
```

2. Test case related to Adverse Event page.

[info] Playing test case Test case related to Adverse Event page

[info] Executing: |open | /enforcements/advevents | |

[info] Executing: |selectAndWait | id=startYear | label=2005 |

[info] Executing: |selectAndWait | id=mfr | label=BAXTER HEALTHCARE |

[info] Test case passed

The screenshot displays the Selenium IDE 2.9.0 interface. The title bar reads "Test case related to Adverse Event page (untitled suite) - Selenium IDE 2.9.0". The menu bar includes File, Edit, Actions, Options, and Help. The Base URL is set to "http://gsaads-test-env.elasticbeanstalk.com/". The interface features a "Fast" vs "Slow" speed slider and a toolbar with icons for running, pausing, and other actions.

The "Test Case" pane on the left shows a list of test cases, with "Test case r..." selected. The main area displays a table of test steps:

Command	Target	Value
open	/enforcements/advevents	
selectAndWait	id=startYear	label=2005
selectAndWait	id=mfr	label=BAXTER HEALTHCARE

Below the table, there are input fields for "Command", "Target", and "Value", along with "Select" and "Find" buttons. On the left side of the main area, it shows "Runs: 1" and "Failures: 0".

The bottom pane is the "Log" window, which contains the following entries:

- [info] Playing test case Test case related to Adverse Event page
- [info] Executing: |open | /enforcements/advevents | |
- [info] Executing: |selectAndWait | id=startYear | label=2005 |
- [info] Executing: |selectAndWait | id=mfr | label=BAXTER HEALTHCARE |
- [info] Test case passed

3. Test case related Enforcement Report page.

[info] Playing test case Test case related to Enforcement Report page

[info] Executing: |open | / | |

[info] Executing: |clickAndWait | link=Enforcement Reports | |

[info] Test case passed

The screenshot displays the Selenium IDE 2.9.0 interface. The title bar reads "Test case related to Enforcement Report page (untitled suite) - Selenium IDE 2.9.0". The menu bar includes File, Edit, Actions, Options, and Help. The Base URL is set to "http://gsaads-test-env.elasticbeanstalk.com/". The interface features a "Test Case" sidebar on the left with a "Test case r..." entry. The main area contains a table with columns "Command", "Target", and "Value". The table lists two commands: "open" with target "/" and "clickAndWait" with target "link=Enforcement Reports". Below the table are input fields for "Command", "Target", and "Value", along with "Select" and "Find" buttons. At the bottom left, it shows "Runs: 1" and "Failures: 0". The bottom section is a log table with columns "Log", "Reference", "UI-Element", "Rollup", "Info", and "Clear". The log contains four entries: "[info] Playing test case Test case related to Enforcement Report page", "[info] Executing: |open | / | |", "[info] Executing: |clickAndWait | link=Enforcement Reports | |", and "[info] Test case passed".

Command	Target	Value
open	/	
clickAndWait	link=Enforcement Reports	

Log	Reference	UI-Element	Rollup	Info	Clear
[info] Playing test case Test case related to Enforcement Report page					
[info] Executing: open /					
[info] Executing: clickAndWait link=Enforcement Reports					
[info] Test case passed					

4. Test case related Medical Devices page.

[info] Playing test case Test case related to Medical Devices page

[info] Executing: |open | / | |

[info] Executing: |clickAndWait | link=Medical Devices | |

[info] Executing: |selectAndWait | id=deviceType | label=INFUSION PUMP |

[info] Executing: |selectAndWait | id=deviceType | label=INSULIN INFUSION PUMP |

[info] Executing: |selectAndWait | id=deviceType | label=IMPLANTABLE LEAD |

[info] Executing: |selectAndWait | id=deviceType | label=IMPLANTABLE PULSE GENERATOR |

[info] Executing: |selectAndWait | id=deviceType | label=VENTILATOR |

[info] Test case passed

The screenshot displays the Selenium IDE 2.9.0 interface. The top window title is "Test case related to Medical Devices page (untitled suite) - Selenium IDE 2.9.0". The "Base URL" is set to "http://gsaads-test-env.elasticbeanstalk.com/". The "Test Case" tab is active, showing a table of commands and their targets/values.

Command	Target	Value
open	/	
clickAndWait	link=Medical Devices	
selectAndWait	id=deviceType	label=INFUSION PUMP
selectAndWait	id=deviceType	label=INSULIN INFUSION PUMP
selectAndWait	id=deviceType	label=IMPLANTABLE LEAD
selectAndWait	id=deviceType	label=IMPLANTABLE PULSE GENERATOR
selectAndWait	id=deviceType	label=VENTILATOR

Below the table, there are input fields for "Command", "Target", and "Value", along with "Select" and "Find" buttons. The "Runs" counter shows 1, and the "Failures" counter shows 0.

The bottom section of the interface is the "Log" tab, which contains the following log entries:

- [info] Playing test case Test case related to Medical Devices page
- [info] Executing: |open | / | |
- [info] Executing: |clickAndWait | link=Medical Devices | |
- [info] Executing: |selectAndWait | id=deviceType | label=INFUSION PUMP |
- [info] Executing: |selectAndWait | id=deviceType | label=INSULIN INFUSION PUMP |
- [info] Executing: |selectAndWait | id=deviceType | label=IMPLANTABLE LEAD |
- [info] Executing: |selectAndWait | id=deviceType | label=IMPLANTABLE PULSE GENERATOR |
- [info] Executing: |selectAndWait | id=deviceType | label=VENTILATOR |
- [info] Test case passed