

27 MAY 2025

SPRINT-2

Data4HD

Kavya Gopalaiah
Samhitha Kalinganahalli Sureshkumar
Azadeh Habibiandehkordi



Meeting Agenda



ERD Presentation

Presenting the entity-relationship diagram




Explanation of ERD & Findings

Detailing the diagram and its insights



Solution for Missing Location Data

Addressing gaps in location information




Primary objective: Model relationships (ERD) & address missing location data.

Datasets Used:

- Parking-Garadge.csv (Parking Garage Metadata)
- Parkhausbelegungsstände_in_Heidelberg_urn_ngsiv2_offstreetparking_p00_offstreetparking (1).csv (Off-Street Parking Current Data)
- Parkhausbelegungsstände_in_Heidelberg_historical_data_p001_offstreetparking_2022_10_28-2023_07-17 (1).csv (Off-Street Parking Historical Data)
- Disabled.csv (Disabled Parking Spots)

Understanding Data Relationships: ERD



Explanation of ERD

This ERD serves as a valuable visual guide for our end goal of checking and filling missing location details:

- *Identifying Location Attributes:* The ERD clearly outlines where location data resides in each entity: **lat and lon** in Parking Garage Metadata, **latitude and longitude** in OffStreetParking Historical Data, and **geometry** in Disabled Parking Spots.
- *Facilitating Data Linkage:* The relationships shown in the ERD, using common fields like name and parkingSiteId/entityId, directly indicate how we can join or merge these datasets. To fill missing lat/lon in Parking Garage Metadata, we can use these common identifiers to pull corresponding latitude/longitude from **OffStreetParking Historical Data**.

Key Findings

- "Parking Garage Metadata" is central: It has detailed garage info, including lat/lon.
- Strong links for off-street parking: entityId and name connect current, historical, and garage metadata, especially for location.
- Location data is abundant: Missing garage lat/lon can be filled using OffStreetParking Historical Data.

THANK YOU