Linux Command Day 11

1. hostnamectl

Purpose: Displays hostname and operating-system information.

What your output means: Your output shows hostname Srinivas, Ubuntu 26.04.1 LTS, x86-64 architecture, and WSL virtualization. This indicates Linux is running through Windows Subsystem for Linux (WSL2).

Command: hostnamectl

2. lscpu

Purpose: Displays CPU architecture and processor details.

What your output means: Your output reports x86_64 architecture, 16 logical CPUs, and an Intel Core i5-1240P processor. It also lists cores, threads, cache sizes, and virtualization details.

Command: lscpu

3. lsmem

Purpose: Displays system memory layout and online/offline memory blocks.

What your output means: Your output reports about 7.9G total online memory and 0B offline memory. Under WSL2, this is memory exposed to the Linux environment and may not equal all physical RAM installed in Windows.

Command: lsmem

4. printenv PATH

Purpose: Prints the PATH environment variable.

What your output means: PATH is a colon-separated list of directories the shell searches when you run a command without specifying its full path. Your WSL PATH includes Linux paths and Windows paths mounted under /mnt/c.

Command: printenv PATH

5. type cd

Purpose: Shows how the current shell interprets a command.

What your output means: Your output says “cd is a shell builtin”. cd is built into the shell because it must change the current shell directory.

Command: type cd

6. command -v git

Purpose: Shows how the shell resolves the git command.

What your output means: Your output is /usr/bin/git, meaning the shell finds Git at that path.

Command: command -v git

7. getent group sudo

Purpose: Looks up the sudo group in the system group database.

What your output means: Your output sudo:x:27:Srini means the group is sudo, its group ID is 27, and Srini is listed as a member. Actual sudo permissions also depend on system configuration.

Command: getent group sudo

8. basename /home/srini/Day_7/script.sh .sh

Purpose: Extracts a filename from a path and optionally removes a suffix.

What your output means: Your output is “script”. basename removes the directory portion and then removes the specified .sh suffix.

Command: basename /home/srini/Day_7/script.sh .sh

9. paste file1.txt file2.txt

Purpose: Combines corresponding lines from files side by side, separated by a tab by default.

What your output means: Your output places each line of file1.txt beside the line at the same position in file2.txt. Since file2.txt has six lines and file1.txt has five, the last row contains only file2.txt content.

Command: paste file1.txt file2.txt

10. fold -w 20 file1.txt

Purpose: Wraps long lines so output lines are no wider than 20 characters.

What your output means: Your lines are short (Hi, Hello, How, are, you?), so they display unchanged. Try a longer line to see wrapping.

Command: fold -w 20 file1.txt

Additional practice

- printenv PATH | tr ":" "\n" — display each PATH directory on its own line
- lscpu | head -n 15 — display a short CPU summary

- paste -d "|" file1.txt file2.txt — separate columns with a pipe character
- printf "This is a longer line for practising fold.\n" | fold -w 20 — test line wrapping
- pwd ; cd /tmp ; pwd — view the current directory, change to /tmp, and view it again

Quick revision

Command	Main use
hostnamectl	Hostname and OS details
lscpu	CPU and architecture details
lsmem	Memory block layout
printenv PATH	Directories searched for commands
type cd	Identify shell builtins or command type
command -v git	Resolve a command location
getent group sudo	Look up sudo group membership
basename	Extract filename or remove suffix
paste	Combine file lines side by side
fold	Wrap long text lines