```
<!DOCTYPE html>
<html>
<head>
  <meta charset="UTF-8">
  <title>Online Examination</title>
  <style>
    * {
      box-sizing: border-box;
    }
    body {
      font-family: Arial, sans-serif;
      background: #f2f5f9;
      margin: 0;
      padding: 20px;
    }
    .container {
      max-width: 850px;
      margin: auto;
      background: white;
      padding: 30px;
      border-radius: 10px;
      box-shadow: 0 4px 15px rgba(0,0,0,0.08);
    }
    h1 {
      text-align: center;
      color: #1e3a8a;
    }
    h2 {
      color: #333;
      border-bottom: 2px solid #ddd;
      padding-bottom: 8px;
    }
    .student-details,
    .question {
      background: #f8fafc;
      padding: 20px;
      margin-bottom: 20px;
      border-radius: 8px;
      border-left: 4px solid #2563eb;
    }
    .input-group {
      margin-bottom: 15px;
    }
```

```
label {
    font-weight: bold;
}
input[type="text"],
select {
    width: 100%;
    padding: 10px;
    margin-top: 6px;
    border: 1px solid #ccc;
    border-radius: 5px;
    font-size: 15px;
}.question p {
    font-weight: bold;
}.option {
    display: block;
    margin: 10px 0;
    padding: 8px;
    font-weight: normal;
    cursor: pointer;
}
input[type="radio"] {
    margin-right: 8px;
}.button-group {
    display: flex;
    justify-content: space-between;
    gap: 10px;
}button {
    width: 50%;
    padding: 12px;
    border: 0;
    border-radius: 5px;
    color: white;
    font-size: 16px;
    cursor: pointer;
}submit-btn {
    background: #2563eb;
} .submit-btn:hover {
    background: #1d4ed8;}
.reset-btn {
    background: #dc2626;
}
.reset-btn:hover {
    background: #b91c1c;
} @media (max-width: 600px) {
```

```
        body {
            padding: 10px;
        }
        .container {
            padding: 20px;
        }
        .button-group {
            flex-direction: column;
        }
        button {
            width: 100%;
        }
    }
  </style>
</head>
<body>
<div class="container">
  <h1>Online Examination System</h1>
  <p style="text-align:center">
    <b>Internet Programming (IP)</b>
  </p>
  <form action="ExamServlet" method="post">
    <div class="student-details">
      <h2>Student Details</h2>
      <div class="input-group">
        <label for="name">Name:</label>
        <input type="text"
            name="name"
            id="name"
            placeholder="Enter your name"
            required>
      </div>
      <div class="input-group">
        <label for="rollno">Roll Number:</label>
        <input type="text"
            name="rollno"
            id="rollno"
            placeholder="Enter your roll number"
            required>
      </div>
      <div class="input-group">
        <label for="department">Department:</label>
        <select name="department" id="department" required>
          <option value="">Select Department</option>
```

```
          <option value="Computer Science">
            Computer Science
          </option>
          <option value="Information Technology">
            Information Technology
          </option>
          <option value="Electronics">
            Electronics
          </option>
          <option value="Electrical">
            Electrical
          </option>
          <option value="Mechanical">
            Mechanical
          </option>
        </select>
    </div>
</div>
<h2>Internet Programming Questions</h2>
<!-- QUESTION 1 -->
<div class="question">
    <p>
      1. Which HTML element is used to define the largest heading?
    </p>
    <label class="option">
      <input type="radio" name="q1" value="a">
      A. &lt;head&gt;
    </label>
    <label class="option">
      <input type="radio" name="q1" value="b">
      B. &lt;h6&gt;
    </label>
    <label class="option">
      <input type="radio" name="q1" value="c">
      C. &lt;h1&gt;
    </label>

    <label class="option">
      <input type="radio" name="q1" value="d">
      D. &lt;heading&gt;
    </label>
</div>
<div class="question">
    <p>
```

```
      2. Which HTML attribute specifies the destination of a hyperlink?
    </p>
    <label class="option">
      <input type="radio" name="q2" value="a">
      A. src
    </label>
    <label class="option">
      <input type="radio" name="q2" value="b">
      B. href
    </label>
    <label class="option">
      <input type="radio" name="q2" value="c">
      C. link
    </label>
    <label class="option">
      <input type="radio" name="q2" value="d">
      D. url
    </label>
  </div>
  <div class="question">
    <p>
      3. Which CSS property changes the background color?
    </p>
    <label class="option">
      <input type="radio" name="q3" value="a">
      A. color
    </label>
    <label class="option">
      <input type="radio" name="q3" value="b">
      B. bgcolor
    </label>
    <label class="option">
      <input type="radio" name="q3" value="c">
      C. background-color
    </label>

    <label class="option">
      <input type="radio" name="q3" value="d">
      D. background-style
    </label>
  </div>
  <div class="question">
    <p>
      4. Which CSS layout system arranges elements in rows and columns?
```

```
    </p>
    <label class="option">
      <input type="radio" name="q4" value="a">
      A. Float
    </label>
    <label class="option">
      <input type="radio" name="q4" value="b">
      B. Position
    </label>
    <label class="option">
      <input type="radio" name="q4" value="c">
      C. Grid
    </label>
    <label class="option">
      <input type="radio" name="q4" value="d">
      D. Inline
    </label>
  </div>
  <div class="question">
    <p>
      5. What is the main purpose of the DOM in JavaScript?
    </p>
    <label class="option">
      <input type="radio" name="q5" value="a">
      A. Store images
    </label>
    <label class="option">
      <input type="radio" name="q5" value="b">
      B. Represent and manipulate an HTML document
    </label>
    <label class="option">
      <input type="radio" name="q5" value="c">
      C. Create a database
    </label>
    <label class="option">
      <input type="radio" name="q5" value="d">
      D. Encrypt web pages
    </label>
  </div>
  <div class="question">
    <p>
      6. Which JavaScript method selects an HTML element by its ID?
    </p>
    <label class="option">
```

```
      <input type="radio" name="q6" value="a">
      A. getElementById()
    </label>
    <label class="option">
      <input type="radio" name="q6" value="b">
      B. getElement()
    </label>
    <label class="option">
      <input type="radio" name="q6" value="c">
      C. selectById()
    </label>
    <label class="option">
      <input type="radio" name="q6" value="d">
      D. findElement()
    </label>
  </div>
  <div class="question">
    <p>
      7. Which HTTP method is commonly used to send form data?
    </p>
    <label class="option">
      <input type="radio" name="q7" value="a">
      A. GET
    </label>
    <label class="option">
      <input type="radio" name="q7" value="b">
      B. POST
    </label>
    <label class="option">
      <input type="radio" name="q7" value="c">
      C. SEND
    </label>
    <label class="option">
      <input type="radio" name="q7" value="d">
      D. PUSH
    </label>

  </div>
  <div class="question">
    <p>
      8. What is the purpose of the alt attribute in an HTML image?
    </p>
    <label class="option">
      <input type="radio" name="q8" value="a">
```

```
            A. Change image color
          </label>
          <label class="option">
            <input type="radio" name="q8" value="b">
            B. Provide alternative text
          </label>
          <label class="option">
            <input type="radio" name="q8" value="c">
            C. Specify image size
          </label>
          <label class="option">
            <input type="radio" name="q8" value="d">
            D. Create an image link
          </label>
        </div>
        <div class="question">
          <p>
            9. The JavaScript event used when a user clicks an element is _____.
          </p>
          <input type="text"
              name="q9"
              placeholder="Enter your answer">
        </div>
        <div class="question">
          <p>
            10. URL stands for _____.
          </p>
          <input type="text"
              name="q10"
              placeholder="Enter your answer">
        </div>
        <div class="button-group">
          <button type="submit" class="submit-btn">
            Submit Exam
          </button>
          <button type="reset" class="reset-btn">
            Reset Exam
          </button>
        </div>
      </form>
    </div>
    </body>
    </html>
```

```
import java.io.IOException;
import java.io.PrintWriter;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
@WebServlet("/ExamServlet")
public class ExamServlet extends HttpServlet {
   private static final long serialVersionUID = 1L;
   protected void doPost(HttpServletRequest request,
                         HttpServletResponse response)
         throws ServletException, IOException {
      request.setCharacterEncoding("UTF-8");
      response.setContentType("text/html;charset=UTF-8");
      String name = request.getParameter("name");
      String rollno = request.getParameter("rollno");
      String department = request.getParameter("department");
      String q1 = request.getParameter("q1");
      String q2 = request.getParameter("q2");
      String q3 = request.getParameter("q3");
      String q4 = request.getParameter("q4");
      String q5 = request.getParameter("q5");
      String q6 = request.getParameter("q6");
      String q7 = request.getParameter("q7");
      String q8 = request.getParameter("q8");
      String q9 = request.getParameter("q9");
      String q10 = request.getParameter("q10");
      String[] correctAnswers = {
         "c",  "b",  "c",  "c", "b", "a",  "b",  "b"  };
      String[] studentAnswers = {
         q1, q2, q3, q4, q5, q6, q7, q8};
      int score = 0;
      int unanswered = 0;
      for (int i = 0; i < correctAnswers.length; i++) {
         if (studentAnswers[i] == null ||
            studentAnswers[i].trim().isEmpty()) {
            unanswered++;
         } else if (studentAnswers[i].equals(correctAnswers[i])) {
            score++;
         }}
      if (q9 == null || q9.trim().isEmpty()) {
         unanswered++;
```


```
} else if (q9.trim().equalsIgnoreCase("onclick")) {
   score++;
}
if (q10 == null || q10.trim().isEmpty()) {
   unanswered++;
} else if (q10.trim().equalsIgnoreCase(
      "uniform resource locator")) {
   score++;
}
int percentage = score * 10;
String status;
if (score >= 5) {
   status = "PASS";
} else {
   status = "FAIL";
}
PrintWriter out = response.getWriter();
out.println("<!DOCTYPE html>");
out.println("<html>");
out.println("<head>");
out.println("<meta charset='UTF-8'>");
out.println("<title>Exam Result</title>");
out.println("<style>");
out.println("* { box-sizing: border-box; }");
out.println("body {");
out.println("font-family: Arial, sans-serif;");
out.println("background: #f2f5f9;");
out.println("margin: 0;");
out.println("padding: 20px;");
out.println("}");
out.println(".container {");
out.println("max-width: 700px;");
out.println("margin: 50px auto;");
out.println("background: white;");
out.println("padding: 30px;");
out.println("border-radius: 10px;");
out.println("box-shadow: 0 4px 15px rgba(0,0,0,0.08);");
out.println("}");
out.println("h1 {");
out.println("text-align: center;");
out.println("color: #1e3a8a;");
out.println("}");
out.println(".student-info {");
out.println("background: #f8fafc;");
```

```
out.println("padding: 20px;");
out.println("border-left: 4px solid #2563eb;");
out.println("border-radius: 8px;");
out.println("}");
out.println(".student-info p {");
out.println("font-size: 16px;");
out.println("}");
out.println(".pass {");
out.println("background: #dcfce7;");
out.println("color: #166534;");
out.println("padding: 20px;");
out.println("text-align: center;");
out.println("border-radius: 8px;");
out.println("margin-top: 20px;");
out.println("}");
out.println(".fail {");
out.println("background: #fee2e2;");
out.println("color: #991b1b;");
out.println("padding: 20px;");
out.println("text-align: center;");
out.println("border-radius: 8px;");
out.println("margin-top: 20px;");
out.println("}");
out.println(".score {");
out.println("font-size: 28px;");
out.println("font-weight: bold;");
out.println("}");
out.println(".back-btn {");
out.println("display: block;");
out.println("width: 200px;");
out.println("margin: 25px auto 0;");
out.println("padding: 12px;");
out.println("background: #2563eb;");
out.println("color: white;");
out.println("text-align: center;");
out.println("text-decoration: none;");
out.println("border-radius: 5px;");
out.println("}");
out.println("</style>");
out.println("</head>");
out.println("<body>");
out.println("<div class='container'>");
out.println("<h1>Online Examination System</h1>");
out.println("<p style='text-align:center'>");
```

```
    out.println("<b>Internet Programming (IP)</b>");
    out.println("</p>");
    out.println("<div class='student-info'>");
    out.println("<h2>Student Details</h2>");
    out.println("<p><b>Name:</b> "+ escapeHtml(name) + "</p>");
    out.println("<p><b>Roll Number:</b> "+ escapeHtml(rollno) + "</p>");
    out.println("<p><b>Department:</b> "+ escapeHtml(department) + "</p>");
    out.println("</div>");
    if (status.equals("PASS")) {
       out.println("<div class='pass'>");
    } else {
       out.println("<div class='fail'>");}
    out.println("<h2>Exam Result</h2>");
    out.println("<p class='score'>");
    out.println("Score: " + score + " / 10");
    out.println("</p>");
    out.println("<p>");
    out.println("Percentage: " + percentage + "%");
    out.println("</p>");
    out.println("<p>");
    out.println("Unanswered Questions: " + unanswered);
    out.println("</p>");
    out.println("<h2>");
    out.println("Result: " + status);
    out.println("</h2>");
    out.println("</div>");
    out.println("<a class='back-btn' href='index.html'>");
    out.println("Back to Exam");
    out.println("</a>");
    out.println("</div>");
    out.println("</body>");
    out.println("</html>");
  } private String escapeHtml(String value) {
    if (value == null) {
       return "";}
    return value
          .replace("&", "&amp;")
          .replace("<", "&lt;")
          .replace(">", "&gt;")
          .replace("\"", "&quot;")
          .replace("'", "&#39;");
  }}
```

GITHUB: https://github.com/SRagul-40/Internet-Programming-Lab/tree/main/IP-ex-5

OUTPUT:


Online Examination System
Internet Programming (IP)
Student Details
Name:
Ragul
Roll Number:
040
Department:
Computer Science
Internet Programming Questions
1. Which HTML element is used to define the largest heading?
A. <head>
B. <h6>
C. <h1>
D. <heading>
2. Which HTML attribute specifies the destination of a hyperlink?
A. src
B. href
C. link
D. url
3. Which CSS property changes the background color?
A. color
B. bgcolor
C. background-color
D. background-style
4. Which CSS layout system arranges elements in rows and columns?
A. Float
B. Position

5. What is the main purpose of the DOM in JavaScript?

- A. Store images
- (●) B. Represent and manipulate an HTML document
- C. Create a database
- D. Encrypt web pages

6. Which JavaScript method selects an HTML element by its ID?

- (●) A. getElementById()
- B. getElement()
- C. selectById()
- D. findElement()

7. Which HTTP method is commonly used to send form data?

- A. GET
- (●) B. POST
- C. SEND
- D. PUSH

8. What is the purpose of the alt attribute in an HTML image?

- A. Change image color
- (●) B. Provide alternative text
- C. Specify image size
- D. Create an image link

9. The JavaScript event used when a user clicks an element is _____.

onclick

10. URL stands for _____.

unified Research

Submit Exam | Reset Exam

Online Examination System

Internet Programming (IP)

Student Details

Name: Ragul
Roll Number: 040
Department: Computer Science

Exam Result

Score: 8 / 10

Percentage: 80%
Unanswered Questions: 0

Result: PASS

Back to Exam