Legal Intelligence Platform (LIP)

FUNCTIONAL SPECIFICATION DOCUMENT

Four-environment product architecture | Omnichannel journeys | Intelligent dashboards | AI Legal Command Centre

VERSION 1.0 • 17 OCTOBER 2026 • CONTROLLED DRAFT

Document control

Attribute	Specification
Document	Functional Specification Document (FSD)
Product	Legal Intelligence Platform (LIP)
Owner	Otic Group
Baseline	LIP Master BRD v2.1 Executive, October 2026
Status	Draft for product, legal and technical validation
Scope	MVP functional behaviour and phased extension points
Approval	Product Owner / Legal SME / Engineering Lead / Security Lead — pending

Executive specification

LIP is a configurable, multi-tenant enterprise legal operations product for law firms and corporate legal departments. It has four distinct environments: (1) customer-facing intelligent interaction, (2) internal legal intelligence dashboard and workspaces, (3) AI Legal Command Centre, and (4) Otic platform administration. These environments share governed identity, workflow, legal knowledge and agent orchestration services; they must not share unrestricted access to confidential legal content.

This FSD defines screen behaviour, state transitions, validation rules, data objects, permissions, exceptions, acceptance tests and traceability. All examples are proposed implementation specifications subject to product owner validation; no performance threshold, integration availability or legal-source licence is represented as approved.

1. Functional architecture and navigation

Environment	Primary surfaces	Users
Customer-facing	WhatsApp conversation; responsive web intake; secure client portal; mobile extension	Prospects, verified clients, internal requesters
Internal dashboard	Home; acquisition; unified inbox; clients; matters; contracts; litigation; compliance; documents; reports	Advocates, associates, legal operations, managing partners, general counsel
AI Command Centre	Conversational workbench; source panel; results; action review; approval queue	Authorised legal professionals and managers
Otic administration	Tenants; plans; licences; consumption; billing; incidents; service health	Authorised Otic platform administrators

Primary navigation: Overview / Inbox / Clients & Stakeholders / Matters / Legal Workbench / Contracts / Litigation / Compliance / Calendar / Acquisition & Conversion / Reports / AI Command Centre / Settings. Menus are permission-gated and configurable by tenant type.

2. Roles, permissions and access rules

Role	Read scope	Actions / restrictions
Prospect	Own pre-engagement interactions	Submit enquiry; no access to other matters
Verified client	Own permitted matter summaries and	Upload; request updates; approve

	documents	permitted engagement steps
Advocate / associate	Assigned matters and permitted knowledge	Research, draft, comment, submit for approval
Partner / General Counsel	Authorised portfolio and aggregate intelligence	Assign, approve, view permitted exposure and reporting
Intake / operations officer	Intake queue and assigned client metadata	Qualify, route, schedule; no privileged research by default
Compliance / risk officer	Permitted compliance and risk records	Review obligations, exceptions and controls
Tenant administrator	Tenant configuration and nonrestricted administration	Provision roles; cannot bypass ethical walls
Otic platform administrator	Tenant metadata, metering, billing and health	No routine access to client legal content

Every read, search, export, command and action must be authorised server-side against tenant ID, user role, matter access, ethical wall and sensitivity classification. Hidden UI elements are not a security control.

3. Core data objects and state models

Object	Minimum fields / relationships
Tenant	tenant_id; type; branding; plan; status; configuration; data region
Person / Organisation	party_id; type; verified identifiers; consent; relationship; dedup status
Lead / Request	request_id; tenant_id; originating_channel; first_touch; status; owner; practice_area; timestamps
Conversation / Message	conversation_id; channel; party_id; request_id; message_id; delivery state; sensitivity
Matter	matter_id; client_id; owner; practice_area; risk; stage; status; confidentiality; dates
Document	document_id; matter_id; source; original hash; version; classification; approval state
Task / Deadline	task_id; matter_id; assignee; due date; rule source; verified flag; escalation
AI Run	run_id; agent; user; tenant; source references; token usage; result; review status
Commercial record	quote / engagement / invoice / payment IDs; currency; amount; state; reconciliation
Audit event	event_id; actor; resource; action; timestamp; outcome; correlation_id
Lifecycle	**Allowed states and controls**
Enquiry	new → triaged → qualified / declined → consultation → engagement → converted / closed
Matter	proposed → conflict_review → approved → active → on_hold → resolved → closed → archived
Document	uploaded / draft → review_requested → approved / rejected → issued → superseded
AI action	proposed → permission_checked → approval_required / executable → executed / failed / cancelled

Transitions must be atomic, auditable and permission-checked. Reopened records preserve original acquisition channel and historical events. Failed external integrations must not silently advance legal or financial state.

4. Customer-facing interaction — WhatsApp and web

4.1 Omnichannel intake

Functional ID: LIP-FSD-CFX-001

Trigger and journey: Client initiates via WhatsApp or web; channel adapter creates or resumes conversation, captures consent and collects minimal purpose-specific details.

Inputs: Phone number or web session; legal service category; description; location/jurisdiction; preferred contact; consent.

System behaviour: Show purpose and privacy notice; avoid premature advice; create request and source attribution; flag urgent matters for human triage.

Exceptions: Duplicate webhook, abandoned flow, unsupported attachment, consent refusal, service outage.

Acceptance: Request appears in unified inbox with correct channel, unique ID and consent record.

4.2 Identity and continuity

Functional ID: LIP-FSD-CFX-002

Trigger and journey: Returning client moves from WhatsApp to secure web portal without losing authorised matter context.

Inputs: Verified OTP or enterprise SSO; channel identity mapping.

System behaviour: Match only on verified identifiers; allow manual reconciliation; preserve original first-touch attribution.

Exceptions: Conflicting identity, expired OTP, incorrect match, lost session.

Acceptance: Same verified person maps to one client profile while each conversation remains distinct.

4.3 Document submission

Functional ID: LIP-FSD-CFX-003

Trigger and journey: Client submits an employment contract or other legal document for review.

Inputs: Supported format; size limit configured; malware scan; matter or request reference.

System behaviour: Acknowledge receipt, classify sensitivity, store original, generate version/hash, route for review; secure portal for sensitive content.

Exceptions: Corrupt file, unsafe file, excessive size, wrong matter, unauthorised sender.

Acceptance: Document traceable to submitting user, request and review queue.

4.4 Consultation and human handover

Functional ID: LIP-FSD-CFX-004

Trigger and journey: AI intake determines professional intervention is needed.

Inputs: Practice area; urgency; verified contact; available staff.

System behaviour: Create handover packet with permitted summary, original transcript references and reason; assign owner; pause automated advice.

Exceptions: No available advocate, conflict hold, reassignment, SLA breach.

Acceptance: Human receives complete permitted context and customer receives an appropriate status update.

4.5 Matter status and notifications

Functional ID: LIP-FSD-CFX-005

Trigger and journey: Verified client requests matter status over WhatsApp or web.

Inputs: Verified client and permitted matter ID.

System behaviour: Return only approved milestone/status; send sensitive documents by authenticated secure link.

Exceptions: Unauthorised requester, closed matter, missing approval, expired link.

Acceptance: No privileged details disclosed in unverified channel; every access logged.

4.6 Corporate internal request

Functional ID: LIP-FSD-CFX-006

Trigger and journey: Employee submits legal request via institutional portal or Teams.

Inputs: Employee identity; department; request type; urgency; attachments.

System behaviour: Route by department and practice area; enforce approval rules; create internal matter on acceptance.

Exceptions: Non-employee, missing cost centre, restricted legal hold.

Acceptance: Legal operations queue records source, requester, priority and assigned owner.

5. Internal dashboard and unified inbox

5.1 Executive overview

Functional ID: LIP-FSD-DASH-001

Screen content: Cards: open matters, high-risk items, overdue deadlines, contract expiries, enquiries, conversion, AI cost.

Behaviour: Tenant and date filters; drill-through only to permitted records; metric timestamps and source lineage.

Acceptance: All KPI totals reconcile with underlying filtered records.

5.2 Channel acquisition

Functional ID: LIP-FSD-DASH-002

Screen content: By channel: WhatsApp, web, mobile, Teams, referrals and approved integrations.

Behaviour: First-touch, last-touch and interaction channel are separate dimensions; unknown source is explicit.

Acceptance: A WhatsApp-origin client who later uses web is not counted twice as acquired.

5.3 Funnel and conversion

Functional ID: LIP-FSD-DASH-003

Screen content: Enquiry → qualified → consultation → engaged → matter created → invoice → payment.

Behaviour: Stage timestamp and denominator defined; stage skips shown; law firm and corporate funnels differ.

Acceptance: Changing date range recalculates metrics consistently without mixing cohort and period views.

5.4 Unified inbox

Functional ID: LIP-FSD-DASH-004

Screen content: Queues: unassigned, assigned, awaiting client, escalated, resolved.

Behaviour: Conversation ownership, SLA clock, agent/human status, tags, internal notes, response templates.

Acceptance: An assigned agent can respond from authorised channel; simultaneous edits are controlled.

5.5 Client 360

Functional ID: LIP-FSD-DASH-005

Screen content: Identity, verified channels, contact history, consent, active matters and permitted commercial data.

Behaviour: Matter-level ethical walls filter both details and counts; merge requests require approval.

Acceptance: Unauthorised client matters never appear in search or summary.

5.6 Matter intelligence

Functional ID: LIP-FSD-DASH-006

Screen content: Matter board/list, stage, tasks, deadlines, responsible counsel, documents, exposure and risk.

Behaviour: Stage changes require appropriate role and mandatory fields; audit all edits.

Acceptance: Overdue tasks and critical deadlines show correct timezone and verification status.

5.7 Legal risk and compliance

Functional ID: LIP-FSD-DASH-007

Screen content: Risk register, obligation status, regulatory alerts, conflicts and exceptions.

Behaviour: Severity is configurable; alerts reference source and human verification state.

Acceptance: No unverified AI risk score presented as final legal determination.

5.8 Commercial and cost intelligence

Functional ID: LIP-FSD-DASH-008

Screen content: Pipeline, quotations, engagement fees, invoices, collections, outside counsel costs.

Behaviour: Separate estimate/contracted/invoiced/paid; currency and tax basis explicit.

Acceptance: Collected revenue never inferred from invoice creation.

5.9 AI performance

Functional ID: LIP-FSD-DASH-009

Screen content: Runs, agent type, tokens, estimated cost, human escalations, failure rate, evaluation results.

Behaviour: Meter by tenant and user where permitted; distinguish cost from price billed.

Acceptance: Usage totals reconcile to immutable metering events.

6. KPI catalogue and calculation rules

Metric	Definition / calculation	Important caveat
Unique enquiries	Distinct request_id created in period	Not message count
New clients	Distinct party_id whose verified onboarding completed in period	Dedup / identity rules apply
Qualification rate	Qualified enquiries ÷ eligible enquiries × 100	Report eligible denominator
Lead-to-client conversion	Acquired clients linked to enquiry cohort ÷ enquiries in cohort × 100	Cohort window configurable
Matter conversion	Enquiries converted to matters ÷ eligible enquiries × 100	One enquiry may produce multiple matters; count distinct request IDs
Channel attribution	First verified originating_channel on request	Keep separate from latest interaction channel
Median first response	Median elapsed time from received to first qualifying response	Separate AI response and human response
SLA compliance	Requests resolved within agreed SLA ÷ eligible closed requests × 100	Pause rules must be configured
AI automation completion	Eligible workflows completed without human execution ÷ eligible workflows × 100	Legal review obligations remain mandatory
AI cost per enquiry	Allocated metered AI processing cost ÷ eligible enquiries	Specify allocation window and currency
Collection rate	Cash received and reconciled ÷ invoiced amount due × 100	Exclude unapplied receipts; define reporting period

7. AI Legal Command Centre — executable specification

The Command Centre is an internal, permission-aware natural-language interface to legal sources, approved institutional records, analytics and workflow actions. It must clearly label three modes: Ask (read-only), Prepare (draft/recommend) and Act (controlled execution).

Step	Required behaviour	Failure handling
1. Submit	Capture prompt, tenant, user, scope and mode; validate request size	Reject disallowed request with reason
2. Authorise	Check resource-level permission before retrieval and before each tool call	Deny without leaking record existence
3. Plan	Select permitted agent(s), tools and data sources; log run correlation ID	Ask clarification if scope ambiguous
4. Retrieve	Return legal authority metadata, source freshness and citations	Flag unverified or unavailable source
5. Analyse	Separate extracted facts, inference and	Escalate low-confidence or high-stakes

	recommendation; show uncertainty	output
6. Present	Show narrative, citations, structured table/chart and relevant matter links	No fabricated sources or metrics
7. Propose action	Display action, target, impact, recipient and required approval	Prevent execution from chat text alone
8. Approve / execute	Check role, explicit confirmation and human approval where required	Idempotent retry; rollback/compensation where possible
9. Audit	Store run ID, tool actions, references, approvals, status and usage	Alert on incomplete or failed audit write

7.1 Command examples and expected output

User command	Expected result / safeguards
Show WhatsApp enquiries and conversion this month	Chart, funnel, period, definitions and drill-down, respecting access
Which contracts expire in 90 days?	Filtered list with dates, owner, verification and secure links
Summarise highest-risk litigation matters	Authorised matter list, risk rationale, human-verified exposure only
Draft a legal opinion on this matter	Draft with linked verified authorities and conspicuous review status
Send the approved update to the client	Preview recipient/channel/content; require permitted human confirmation
Assign this matter to the employment team	Show assignee, conflict status, current owner and confirm before mutation

7.2 AI agent contracts

Agent	Inputs	Outputs / controls
Legal Research	Jurisdiction, question, approved corpus	Cited answer; source validity; missing coverage disclosure
Document & Drafting	Approved template, matter facts, clauses	Versioned draft, clause provenance, review state
Contract Intelligence	Contract, clause policy, counterparty	Obligations, deviations, risk flags, dates; no silent amendments
Litigation Intelligence	Matter records, evidence, authorised authorities	Chronology, issue matrix, draft argument; attorney approval
Compliance	Approved rules, obligations, policies	Gap register, source-linked alerts, owner assignment
Operations & Analytics	Permitted dashboards and data aggregates	Charts, summaries, proposed tasks, KPI provenance

8. Legal workbench and specialist modules

Matter workspace

Functional journey: Matter header; timeline; documents; tasks; parties; communication; billing; command panel.

Mandatory controls: Conflict clearance before engagement; ethical wall; immutable audit history.

Legal research

Functional journey: Select jurisdiction and source corpus; search; filter; open primary authority; cite; save to matter.

Mandatory controls: Source verification and currency; no fabricated citation; licensing controls.

Document review and assembly

Functional journey: Upload; extract; compare; suggest clauses; create draft; review; approve; issue.

Mandatory controls: Preserve original; version history; author attribution; secure export.

Contract obligations

Functional journey: Extract parties, dates, obligations and deviations; assign owners; monitor reminders.

Mandatory controls: Human validation of extracted dates and enforceability.

Litigation and evidence

Functional journey: Build chronology; link exhibits; manage hearings; assign tasks; draft submissions.

Mandatory controls: Chain-of-custody events; source provenance; professional approval.

Compliance and regulatory change

Functional journey: Ingest authorised update; map impacted policies and contracts; propose remediation.

Mandatory controls: Show source coverage/freshness and unresolved interpretation.

Conflict screening

Functional journey: Search permitted client/party/matter relationships; flag matches; queue reviewer.

Mandatory controls: Do not disclose restricted client details to unauthorised screeners.

Deadline intelligence

Functional journey: Capture source rule and base date; calculate proposed due date; validate; alert.

Mandatory controls: Human verification before relying on calculated statutory deadlines.

9. Otic platform administration and commercial functions

Surface	Functional behaviour	Control
Tenant provisioning	Create tenant, branding, product tier, region, features, admin	Dual approval for sensitive tenant configuration
Licensing	Plan, seats, module entitlements, renewal dates, usage quotas	Entitlement enforced server-side
AI metering	Capture provider, model, agent, token/event units, rate and tenant	Immutable usage ledger and reconciliation
Billing	Generate statements; configurable consumption pricing; credits; invoices	Separate estimated costs from invoiced charges
Platform health	Service status, queue delays, error rates, incidents, integration failures	No routine visibility into confidential matter payloads

Support	Ticket, severity, SLA, tenant-safe diagnostics, escalation	Break-glass access requires approval and audit

10. Integration contracts and failure modes

Interface	Events / data	Failure / retry
WhatsApp Business API	Inbound/outbound messages, media references, delivery statuses	Verify signatures; deduplicate event IDs; retry with backoff
Web application	Authenticated forms, portal access, secure uploads	CSRF protection, session expiry, validation errors
Microsoft 365 / Teams	Identity, approved files, calendars, Teams interactions	Permission-scoped access; revocation handling
Legal data providers	Licensed legislation, cases, amendments, source metadata	Refresh status; stale-source warning; rate limits
Payment / finance	Invoice/payment status, receipt reference, reconciliation	Idempotent events; no assumption of payment success
Email / notification	Approved reminders and status notices	Delivery failure queue and alternative channel

11. Validation, security and non-functional behaviour

All forms validate mandatory fields, input type, attachment size, malware status, consent, duplicate submissions and authorisation. UI must provide actionable error messages without exposing sensitive data. Sensitive downloads use short-lived authenticated links. Every legal content access, export and approval is logged.

Quality gate	Proposed verification method	Target status
Tenant isolation	Automated cross-tenant access tests	Zero unauthorised access; mandatory
Ethical wall	Role/matter permission tests across search, analytics and AI	Zero unauthorised disclosure; mandatory
Legal source reliability	Gold-standard legal questions and citation verification	Threshold to be approved with legal SME
Document extraction	Sample labelled documents by category	Accuracy threshold to be approved
Dashboard reconciliation	Compare API aggregates against underlying event ledger	Exact agreement for count-based metrics
Availability and recovery	Failover, backup restore and incident simulations	SLO/RTO/RPO require approval
Channel reliability	Duplicate, delayed, reordered and missing webhook tests	No duplicate leads or lost accepted events
Accessibility and responsiveness	Keyboard, contrast and mobile viewport checks	Target WCAG level requires approval

12. Detailed UAT scenarios

Test ID	Scenario	Pass condition
UAT-01	WhatsApp prospect intake	New lead with first-touch WhatsApp and consent; visible in inbox
UAT-02	Cross-channel continuation	Verified WhatsApp user signs in on web; no duplicate client
UAT-03	Sensitive document submission	Original preserved; malware checked;

		routed for legal review
UAT-04	Conflict screening	Potential match blocks engagement until authorised review
UAT-05	AI-to-human handover	Conversation context, owner and status transferred correctly
UAT-06	Matter creation	Qualified enquiry converted to matter with audit trail
UAT-07	Channel attribution	WhatsApp-first/web-later counted once as WhatsApp acquired
UAT-08	Dashboard drilldown	Displayed totals reconcile with filtered underlying records
UAT-09	Command Centre legal research	Citations verified; missing authority flagged; no unsupported assertion
UAT-10	Command Centre action	Draft action cannot execute without required confirmation/approval
UAT-11	Ethical wall	Restricted matter hidden in search, charts and AI answers
UAT-12	Client status request	Unverified WhatsApp user receives no privileged matter information
UAT-13	AI usage reconciliation	Tenant meter totals match event ledger and statements
UAT-14	Otic administration isolation	Platform admin cannot view legal payloads by default
UAT-15	Channel outage recovery	Retry safely without duplicate requests or incorrect state
UAT-16	Document approval	Only approved version may be externally issued

13. MVP boundaries and release plan

Release	Included	Deferred / dependencies
MVP	WhatsApp + web intake; consent/identity; unified inbox; matter/client records; basic research and document review; Command Centre Ask/Prepare; acquisition dashboard; RBAC; Otic tenant metering	Licensed legal corpus; WhatsApp provider approval; legal SME validation
Phase 2	Advanced contracts, litigation, regulatory monitoring, legal finance, richer agents, Teams, mobile experience	Customer workflows and integrations confirmed
Phase 3	Knowledge graph, predictive intelligence, expanded jurisdictions, sophisticated campaign and profitability analytics	Data quality, regulatory and commercial feasibility

14. Requirements traceability to BRD v2.1

The table below preserves the BRD source requirement IDs. Functional detail is grouped by behaviour in this FSD; this is an initial mapping to be reviewed and signed off, not a claim that every BRD requirement has an individually approved test case.

BRD ID	Source requirement (abridged)	FSD sections
LIP-OM-001	Link channel profiles to a verified user	4–5

	within a tenant; prevent accidental cross-client or cross-tenant linkage.	
LIP-OM-002	Capture enquiry category, jurisdiction, contact details, conflict-check inputs, consent and documents; create a tra	4–5
LIP-OM-003	Preserve approved conversation context and matter reference when a user switches WhatsApp to secure web portal.	4–5
LIP-OM-004	Scan, classify, encrypt and access-control uploaded documents; provide secure links for sensitive outputs.	4–5
LIP-OM-005	Route high-risk, ambiguous, urgent or advice-seeking requests to designated staff with queue and audit trail.	4–5
LIP-OM-006	Record privacy notice, processing purpose, channel opt-in, AI-use notice and retention terms as applicable.	4–5
LIP-OM-007	Send approved status, deadline, appointment and document-ready alerts with opt-out and minimal disclosure.	4–5
LIP-OM-008	Configure allowed data and actions per channel, role, matter sensitivity and jurisdiction.	4–5
LIP-OM-009	Enable tenant-scoped Teams alerts and controlled legal knowledge interactions.	4–5
LIP-OM-010	Provide authenticated, versioned APIs and webhook events with throttling, consent and tenant scope.	4–5
LIP-DI-001	Active matters, workload, priority risks, deadlines, contract obligations and trends	5–6
LIP-DI-002	Matter pipeline, client portfolio, utilisation, work in progress, billing and profitability where data exists	5–6
LIP-DI-003	Litigation exposure, contract risk, regulatory obligations, external counsel spend and business-unit workload	5–6
LIP-DI-004	Assigned matters, hearings, tasks, drafts, review requests and upcoming deadlines	5–6
LIP-DI-005	Obligation register, overdue controls, regulatory changes and remediation ownership	5–6
LIP-DI-006	Expiry/renewal windows, obligations, deviations, approvals and risk distribution	5–6
LIP-DI-007	Matter stage, deadlines, counsel assignments, claims, exposure and document completeness	5–6
LIP-DI-008	Natural-language queries across permitted records with filters, source citations and uncertainty	5–6
LIP-DI-009	Seat count, AI credits, model consumption, activity, channel costs and service health	5–6
LIP-DI-010	Filter by date, office, practice area, business unit, matter owner and risk tier;	5–6

	export permitted reports	
LIP-DI-011	Configurable thresholds for deadlines, unreviewed outputs, SLA breaches and risk escalation	5–6
LIP-DI-012	Portfolio patterns and trends without leaking privileged or segregated client information	5–6
LIP-DI-013	MVP; sample WhatsApp/web requests reconcile to intake ledger	5–6
LIP-DI-014	MVP; aggregates reconcile to source records	5–6
LIP-DI-015	MVP; one client can have multiple enquiries	5–6
LIP-DI-016	MVP; stage progression and conversion rates reproducible	5–6
LIP-DI-017	MVP; false matches remain unmerged	5–6
LIP-DI-018	MVP; override recorded	5–6
LIP-DI-019	MVP; filter outputs reconcile	5–6
LIP-DI-020	MVP; SLA clock and exception log validated	5–6
LIP-DI-021	Phase 2; finance source and reconciliation confirmed	5–6
LIP-DI-022	MVP; consistent cohort definitions	5–6
LIP-DI-023	MVP; usage reconciles with meter	5–6
LIP-DI-024	MVP; role-scoped filter tests pass	5–6
LIP-DI-025	Phase 2; redaction and access tests pass	5–6
LIP-OM-011	MVP; handover retains conversation and owner	4–5
LIP-OM-012	MVP; permissions prevent unrelated matter visibility	4–5
LIP-OM-013	MVP; operator can accept/reject and audit event persists	4–5
LIP-OM-014	MVP; expired and unauthorised links denied	4–5
LIP-OM-015	MVP; consent and delivery states retained	4–5
LIP-OM-016	Phase 2; approvals and signature evidence retained	4–5
LIP-COI-001	MVP; clearance and exceptions logged	1–3, 11
LIP-LSV-001	MVP; test corpus includes fabricated citations	7–8
LIP-WKB-001	MVP; work products attached to correct matter	7–8
LIP-MLA-001	MVP; blocked steps cannot bypass approvals	8–13
LIP-DOC-001	MVP; source/version history preserved	8–13
LIP-CDI-001	MVP; calculated dates flagged for lawyer confirmation	8–13
LIP-EDI-001	MVP foundation; integrity checks reproducible	8–13

LIP-PLI-001	MVP for known deadlines; regulatory feeds Phase 2	8–13
LIP-LSQ-001	MVP core; sample reports validated	8–13
LIP-LFI-001	Phase 2; reconciled finance data	8–13
LIP-KNG-001	Phase 2; tenant and matter walls enforced	8–13
LIP-RCI-001	Phase 2; legal review required before action	8–13
LIP-GOV-011	Cross-matter and cross-tenant denial tests	1–3, 11
LIP-GOV-012	Workflow cannot publish without approval	1–3, 11
LIP-GOV-013	Policy and restore tests	1–3, 11
LIP-GOV-014	Release evaluation report	1–3, 11
LIP-GOV-015	Source metadata and licensing review	1–3, 11
LIP-GOV-016	Consent and disclaimer workflow	1–3, 11
LIP-GOV-017	Recovery exercise	1–3, 11
LIP-GOV-018	Contract and configuration inspection	1–3, 11
LIP-COM-001	Plan changes enforce entitlements	9–13
LIP-COM-002	Meter-to-bill reconciliation	9–13
LIP-COM-003	Tenant cannot view other tenants	9–13
LIP-COM-004	Cost allocation methodology documented	9–13
LIP-IMP-001	Pilot onboarding checklist signed	9–13
LIP-RES-001	Recovery and export tests	9–13
LIP-INT-001	Integration permissions and error logs tested	9–13
LIP-ARCH-001	MVP	1–3, 11
LIP-ARCH-002	MVP	1–3, 11
LIP-ARCH-003	MVP	1–3, 11
LIP-ARCH-004	MVP	1–3, 11
LIP-ARCH-005	MVP	1–3, 11
LIP-CFX-001	Every accepted enquiry appears in the unified inbox and acquisition dashboard.	4–5
LIP-CFX-002	Responses and file metadata map to the correct tenant and enquiry.	4–5
LIP-CFX-003	Unverified matches remain separate pending human reconciliation.	4–5
LIP-CFX-004	Agent handover preserves interaction history and response SLA.	4–5
LIP-CFX-005	Unauthorised or expired links do not disclose content.	4–5
LIP-CFX-006	Stage changes are visible in funnel reporting with event timestamps.	4–5
LIP-CFX-007	Responses contain only explicitly client-shareable milestones.	4–5
LIP-CFX-008	Withdrawal changes subsequent messaging eligibility.	4–5
LIP-DASH-001	WhatsApp and web enquiries by first-touch source, period and practice area;	5–6

	reconcile to intake events.	
LIP-DASH-002	Enquiry → qualified → consultation → engaged → matter; selectable date cohort and denominator.	5–6
LIP-DASH-003	Open, assigned, escalated, overdue and resolved conversations with accountable owner.	5–6
LIP-DASH-004	Authorised client identity, verified channels, enquiries, matters and communications.	5–6
LIP-DASH-005	Matter status, owner, workload, deadline exposure, cycle time and exceptions.	5–6
LIP-DASH-006	High-risk contracts, litigation exposure, compliance actions and source confidence.	5–6
LIP-DASH-007	Pipeline, quoted, contracted, invoiced and collected values as distinct metrics.	5–6
LIP-DASH-008	Agent invocations, handovers, error rates, token/usage consumption and estimated costs.	5–6
LIP-DASH-009	Partner, advocate, general counsel, compliance, operations and executive views respect permissions.	5–6
LIP-DASH-010	Authorised filters and exports reproduce on-screen totals.	5–6
LIP-CMD-001	Results include source links, scope and freshness where available.	7–8
LIP-CMD-002	Execution record identifies agent, tools and outcome.	7–8
LIP-CMD-003	Numbers reconcile to the same governed KPI definitions.	7–8
LIP-CMD-004	Output is labelled draft and cannot auto-publish as legal advice.	7–8
LIP-CMD-005	Execution path requires explicit action selection and policy checks.	7–8
LIP-CMD-006	Blocked execution without an authorised approver event.	7–8
LIP-CMD-007	Unverified citations are not represented as authoritative.	7–8
LIP-CMD-008	Adversarial access tests yield no restricted content.	7–8
LIP-CMD-009	Audit trace available to authorised reviewers.	7–8
LIP-CMD-010	Failure does not create irreversible actions.	7–8

15. Open decisions and approval

Decision	Owner	Status
MVP legal corpus and permitted jurisdictions	Product Owner / Legal SME	Open
WhatsApp integration provider and	Engineering / Operations	Open

channel policy		
Exact dashboard attribution windows and conversion definitions	Product Owner / Commercial	Open
AI evaluation thresholds and required human approvals	Legal SME / AI Lead	Open
Tenant hosting region, backup and recovery targets	Security / Engineering	Open
Pricing, consumption rates and invoicing rules	Commercial / Finance	Open
MVP pilot institution(s) and sign-off owners	Product Owner	Open

Approval of this FSD confirms functional behaviour and scope only after the above decisions are resolved. The Technical Specification Document (TSD), UI/UX wireframes, API contracts, data schemas and engineering backlog must align with the approved FSD and the governing BRD.

Prepared for Otic Group | Confidential | End of Functional Specification Document

PART II | Final development specification and assurance

Version 1.1 consolidation supplement. This section operationalises the approved scope of BRD v2.1 and FSD v1.0. It does not authorise additional product modules. Requirements marked “Confirm” require institutional, legal or engineering approval before build.

17. Four-environment functional boundary

Environment	Primary users	Included functions	Boundary
Customer-facing interaction	Clients, prospects, authorised business requesters	WhatsApp/web/mobile intake, consent, secure upload, updates, handover	No unrestricted access to internal matters, firm financials or other clients
Internal Legal Intelligence Dashboard	Advocates, legal operations, partners, general counsel	Unified inbox, Client 360, matters, acquisition, risk, workload, financial and AI reporting	Tenant- and role-filtered data only
AI Legal Command Centre	Authorised legal and executive users	Natural-language retrieval, analysis, drafting, proposed actions and controlled execution	No bypass of source verification, permissions or approvals
Otic Platform Administration	Otic platform operations and commercial admins	Tenant lifecycle, entitlements, usage, invoicing, service health	No routine access to privileged tenant legal content

18. Screen inventory and navigation contract

Screen ID	Screen / workspace	Core elements and actions	Acceptance checkpoint
UI-C01	Customer intake	Channel consent, service selection, structured prompts, upload, human request	Enquiry created once with immutable originating channel
UI-C02	Customer matter view	Verified access, permitted status, milestones, messages, uploads	No exposure of internal notes or other matters
UI-I01	Executive overview	Date and team filters, KPI cards, trend charts, drilldowns, exports	All figures reconcile to governed metric definitions
UI-I02	Unified inbox	Queue, search, priority, assignment, handover,	Cross-channel continuity preserves full event

		SLA, conversation timeline	history
UI-I03	Client 360	Identity status, contacts, related enquiries, matters, consent, restrictions	Restricted fields hidden for unauthorised users
UI-I04	Matter workspace	Status, team, deadlines, tasks, evidence, documents, approvals	State changes recorded with actor and timestamp
UI-I05	Legal workbench	Research, drafting, contracts, litigation, compliance and conflict checks	Outputs carry sources, version and review status
UI-I06	Acquisition and commercial intelligence	Attribution, funnel, revenue, fees, collections, costs	Denominators and exclusions visible on drilldown
UI-A01	Command Centre	Prompt, context selector, citations, action preview, approvals, execution receipt	No action executed without policy and authorisation
UI-O01	Otic tenant console	Provisioning, plans, entitlements, metering, invoice and service events	Tenant legal content not displayed

19. Command Centre functional execution contract

Every command follows: authenticate → resolve tenant and user permissions → classify intent → bind explicit matter/context → retrieve approved sources → select agent/tools → validate output → present result or action preview → obtain required approval → execute idempotently → issue receipt → audit.

Class	Permitted outcome	Required control	Failure behaviour
Retrieval	Source-linked authorised answer	Access-filtered search and source freshness	Disclose missing/inaccessible evidence; never fabricate
Analysis	Calculated table, narrative or chart	Approved metrics and reproducible queries	State data gaps and calculation limits
Generation	Draft opinion, clause or document	Versioned sources, assumptions, legal professional review	Mark draft and block unsupervised release
Execution	Assignment, task, notification or approved change	Policy check, confirmation, approval as applicable, idempotency key	No partial silent success; receipt and compensating action

20. Detailed omnichannel lifecycle and exception rules

Event / state	Business rule	Exception / recovery
New enquiry	Create canonical enquiry ID, preserve original channel, time and consent	Duplicate webhook: reuse event ID and return prior result
Identity matching	Link only after approved verification and deterministic or reviewed match	Ambiguous match: keep provisional identity; route for review
AI classification	Record category, confidence, urgency and next required fields	Low confidence: request clarification or human triage
Human handover	Preserve transcript, attachments, AI summary and ownership	Agent offline: reroute by SLA and alert supervisor
Conflict clearance	Block engagement/matter acceptance until authorised disposition	Potential conflict: restrict access and escalate
Matter conversion	Link lead, client, engagement and matter without deleting acquisition trail	Missing mandatory engagement approvals: remain pending
Cross-channel return	Resume verified client record with permitted history	Failed verification: no disclosure; offer secure re-verification
Notification delivery	Record provider ID, status, opt-in and channel	Retry transient failure with backoff; surface persistent failure

21. Functional data dictionary and state ownership

Object	Minimum attributes	Constraints / lifecycle
Tenant	tenant_id, plan, locale, configuration, status	Globally unique; isolated access and storage scope
Person / client	client_id, contact channels, verification, consent, restrictions	Sensitive fields encrypted; merge requires review and audit
Enquiry	enquiry_id, source, campaign, received_at, owner, stage	Origin immutable; attribution corrections logged
Conversation	conversation_id, channel, external ID, participants, timestamps	Event deduplication and retention controls
Matter	matter_id, client_id, practice, status, owner, jurisdiction	Conflict clearance and engagement gate before active
Document	document_id, matter_id, version, hash, classification, uploader	Immutable version history and access checks
Legal authority	source_id, jurisdiction, court/issuer, citation, effective date, URL/license	Freshness and licence metadata required
AI run	run_id, actor, context, model/tool versions, sources, result, cost	Record approvals, confidence flags and error outcomes

Approval	approval_id, subject, policy, approver, decision, timestamp	Cannot self-approve where segregation is mandated
Usage event	meter_id, tenant, service, units, cost basis, timestamp	Idempotent metering and reconciliation

22. KPI computation and reconciliation catalogue

Metric	Definition / formula	Data rule
Channel enquiries	Distinct valid enquiry IDs by immutable first-touch channel	Exclude test/spam; retain unknown channel separately
Qualified lead rate	Qualified enquiries ÷ eligible enquiries × 100	Qualification rule and eligible population configurable
Lead-to-matter conversion	Converted eligible enquiries ÷ eligible enquiries × 100	Conversion date and cohort basis selectable and labelled
First response time	First qualifying response timestamp − enquiry received timestamp	Distinguish automated acknowledgement from human response
SLA attainment	Cases within agreed SLA ÷ SLA-applicable cases × 100	Pause rules, calendars and exclusions documented
Matter cycle time	Matter closed timestamp − matter opened timestamp	Show open matters separately; no inferred closure
Collected revenue	Sum posted, reconciled receipts attributed to eligible matters	Never substitute invoiced amount for cash collected
AI cost per matter	Attributed approved AI usage cost ÷ eligible matters	Unallocated usage displayed separately
Command success rate	Successful validated runs ÷ completed eligible runs × 100	Report blocked, cancelled and errored runs separately

23. Legal jurisdiction, provenance and assurance

Jurisdiction profiles must declare applicable sources, hierarchy of authorities, official versus secondary status, citation format, effective dates, update cadence, licensing rights and review owner. Uganda shall be configured as a priority jurisdiction, with other jurisdictions enabled only after source validation.

Legal outputs must identify cited authorities, relevant dates, assumptions, unresolved questions and verification status. A source that cannot be checked must be flagged as unverified. Professional review is mandatory before external legal advice or consequential legal submissions.

Conflict screening must support related parties and aliases, documented decisions, restricted matter visibility and ethical walls. Evidence and document histories must retain hashes, upload provenance, version, access events, custody transfers and retention/hold instructions where applicable.

24. Institutional operating modes and configuration

Capability	Law firm mode	Corporate legal department

		mode
Intake	External prospective and existing clients	Internal business-unit requests and authorised external interactions
Conflict screening	Client/counterparty conflict and engagement acceptance	Policy-based conflict and related-party checks
Commercial metrics	Leads, fees, collections, matter profitability	Outside counsel spend, budget, exposure, service cost
Work allocation	Advocate/team and billable work	Counsel/business unit and service-level priorities
Dashboards	Practice growth, conversion, revenue and matter health	Legal risk, obligations, contracts, workload and expenditure

25. Permissions, approval and audit rules

Permissions shall be evaluated at tenant, role, matter, object and action levels. Deny by default. Ethical-wall restrictions override general team membership. Search, AI retrieval, exports, generated documents and analytical queries must enforce the same access policy as record views.

Approval policies distinguish draft, recommend, approve and execute. Consequential actions require explicit confirmation and designated approver(s). Record requestor, approver, policy version, before/after values, execution status and any rollback or compensation.

26. Interface and integration behaviour

Integration class	Required contract	Failure controls
WhatsApp / messaging	Signed inbound webhook, provider message ID, delivery states, opt-in	Replay protection, deduplication, retry/backoff, dead-letter review
Identity / OTP	Verification attempt, expiry, throttling and result	Rate limits, lockouts, no confidential response before success
Legal sources	Licensed access, jurisdiction, version/effective date, citation	Timeout, stale-source warning, no unsupported citation
Document storage	Tenant/matter scope, checksum, malware scan, version ID	Quarantine, resumable upload where supported, retry
Calendar / notifications	Timezone, deadline, assignee, reminder and delivery status	Delivery failure escalation; human-owned critical deadlines
AI model / tools	Tool schema, token and cost usage, structured output	Fallback/stop policy, validation, prompt-injection containment

27. Failure, resilience and continuity acceptance

Institutional owners must approve numeric service targets before production, including availability, latency by interaction class, concurrent load, recovery time objective, recovery point objective, retention and restoration testing. No unapproved values are represented as commitments.

Scenario	Expected system response
AI provider unavailable	Customer intake and manual legal workflow remain usable where infrastructure permits; AI tasks queued or clearly failed
Messaging provider outage	Internal queues remain accessible; outbound delivery is retried and visible
Legal source unavailable	Display last-verified status where permitted; prohibit unsupported assertions
Dashboard lag	Show last refreshed timestamp, backlog and reconciliation state
Duplicate event or action	Return original outcome using idempotency key; no duplicate lead, matter or charge
Tenant access anomaly	Block request, alert security owner and preserve audit evidence

28. UAT traceability and release sign-off

Test ID	End-to-end test	Pass criterion
UAT-21	WhatsApp enquiry → internal inbox → human assignment	One canonical enquiry, correct attribution, complete history
UAT-22	Cross-channel client verification and return	Correct permitted context restored; no cross-client disclosure
UAT-23	Potential conflict on proposed new matter	Matter acceptance blocked pending authorised clearance
UAT-24	Command Centre analytics request	Reproducible KPI result and underlying permitted records
UAT-25	Command Centre draft legal opinion	Verified sources, assumptions and review state shown
UAT-26	Command Centre attempts restricted action	Policy blocks execution and writes audit record
UAT-27	Duplicate webhook and retry	Single event, single business outcome, no duplicate billing
UAT-28	Ethical wall in search and AI retrieval	Restricted material excluded from both results
UAT-29	AI source missing or out of date	Unverified or stale flag; no fabricated authority
UAT-30	Otic tenant admin accesses legal content	Access denied; tenant content absent from administration

UAT-31	Law firm vs corporate mode	Correct screens, metrics and workflow policies per configuration
UAT-32	Service disruption and recovery	Visible failure, retry/reconciliation and retained audit history

29. Final build readiness and decision register

Decision	Accountable approver	Status
MVP inclusion and deferred feature boundaries	Otic product owner	Confirm
Approved legal jurisdictions, source rights and refresh ownership	Legal lead	Confirm
Metric attribution, financial definitions and reporting calendars	Business/finance lead	Confirm
Roles, ethical walls and consequential-action approval policies	Institutional security/legal owners	Confirm
Availability, performance, RTO/RPO and retention targets	Engineering and institution	Confirm
Integration providers, pricing and consumption units	Product/commercial/engineering	Confirm
BRD → FSD → test coverage and sign-off	Product, QA and engineering leads	Confirm

Release gate: no requirement is deemed production-approved until its owner, acceptance criteria, dependencies and verification evidence are recorded. The Technical Specification Document must preserve these functional contracts and may not silently change product scope.