

EXTERNAL VULNERABILITY ASSESSMENT

Prepared for **Acme Coffee Roasters LLC**

Scope: 203.0.113.10

July 03, 2026

Sergio Rodriguez — Cybersecurity Analyst

Cisco Certified in Cybersecurity | (ISC)² Candidate | Blue Team Junior Analyst

sergio.w.rdz@gmail.com | sergrdz.pages.dev

CONFIDENTIAL — This report is prepared solely for the named client and contains sensitive security information. Distribution is restricted.

Executive Summary

This assessment reviewed the externally reachable attack surface of **Acme Coffee Roasters LLC** at **203.0.113.10**. Across 1 host(s), 4 open service(s) were observed and 3 finding(s) were classified and mapped to industry frameworks. One or more higher-severity exposures require prompt remediation (see below).

Severity	Count
Critical	0
High	1
Medium	1
Low	1
Informational	0

Engagement Details

Assessment window	2026-07-03T18:00:00+00:00 → 2026-07-03T18:07:42+00:00
Classification	CONFIDENTIAL
Methodology	Authorized external service discovery, banner fingerprinting, and exposure classification against a client-approved scope.
Tooling	RangeCheck 0.2.0

Detailed Findings

HIGH

1. Database service exposed to the public internet

Host 203.0.113.10 : port 3306 | CVSS 3.1 8.6 | AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

What we found. A MySQL database service on port 3306 is reachable from the public internet. Database services should never be directly exposed; they are a primary target for credential-stuffing and known-CVE exploitation.

Evidence. TCP connect to 203.0.113.10:3306 returned MySQL handshake banner 5.7.33.

Recommended fix. Restrict port 3306 to trusted internal hosts or a VPN using a firewall/security group. If remote access is required, place the database behind a bastion or SSH tunnel and never bind it to 0.0.0.0.

NIST 800-53	AC-4, SC-7, SC-7(3)
MITRE ATT&CK	T1190 Exploit Public-Facing Application
CWE	CWE-668

MEDIUM

2. Outdated SSH server version

Host 203.0.113.10 : port 22 | CVSS 3.1 5.3 | AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L

What we found. The SSH banner reports OpenSSH 7.4, released in 2016. Multiple vulnerabilities have been disclosed against this branch. Running end-of-life SSH increases the risk of compromise.

Evidence. Banner: SSH-2.0-OpenSSH_7.4

Recommended fix. Upgrade OpenSSH to the current stable release provided by your OS vendor and enable automatic security updates. Disable password authentication in favor of keys.

NIST 800-53	SI-2, SI-2(2)
MITRE ATT&CK	T1190 Exploit Public-Facing Application
CWE	CWE-1104

LOW

3. HTTP served without redirect to HTTPS

Host 203.0.113.10 : port 80 | CVSS 3.1 3.1 | AV:N/AC:H/PR:N/UI:R/S:U/C:L/I:N/A:N

What we found. The web server responds on plain HTTP (port 80) without redirecting to HTTPS. Traffic on port 80 is unencrypted and can be intercepted or modified in transit.

Evidence. GET / on port 80 returned 200 OK with no Location redirect header.

Recommended fix. Configure a 301 redirect from HTTP to HTTPS and enable HSTS with a long max-age. Obtain a free certificate via Let's Encrypt if one is not already in place.

NIST 800-53	SC-8, SC-8(1)
-------------	---------------

MITRE ATT&CK	T1557 Adversary-in-the-Middle
CWE	CWE-319

Appendix A — Observed Services

Host	Port	Proto	Service	Banner
203.0.113.10	22	tcp	ssh	SSH-2.0-OpenSSH_7.4
203.0.113.10	80	tcp	http	Apache/2.4.29
203.0.113.10	443	tcp	https	Apache/2.4.29
203.0.113.10	3306	tcp	mysql	5.7.33

Scope, Authorization & Limitations

This assessment was performed only against systems the client confirmed in writing they own or are authorized to test. It is a point-in-time, non-intrusive external review of reachable services; it does not include exploitation, password attacks, social engineering, or internal testing unless separately agreed. Absence of findings is not a guarantee of security. Findings should be validated in the client's environment before remediation.

Report generated July 03, 2026 by Sergio Rodriguez. Questions: sergio.w.rdz@gmail.com.