




HTML
CSS
JS


<HTML>

</HTML>

#, ., P ...
Style


Javascript

Page 1 Products



.getElementById

Users




.getElementById

Reuse this
in multiple
files

Page navigation

Page
Reload



asynchronous java
Script

ajax -> jquery

Complex

Frontend Frameworks

- Code reusability
- maintainability
- readability

React, Angular, Vue,

Reusability Component based
2 pages





table component..


React frontend framework
facebook


Component based architecture

Javascript
declarative → JSX
Virtual Dom

DOM $\rightarrow$ HTML

Virtual Copy





React

Javascript → Browser


Backend --- Java, python, C#, php
Frontend

Nodejs

Why not use

JS in backend?

V8 engine → chrome browsers



Backend apps

Js Browser

Dom

Window

X no access

X

,

|

node

X DOM

|

X

file system

|

OS

→ `nvm` `npm` / `np`

node virtual manager


→ manage multiple node envs.

node Package manager (`npm`)

→ Third party libs (network, encryption)

React app development

node → install packages using npm



bundler → babel
development server

`npm create-react-app: app-name`
↓
Slow (limitations)

vite,

Entry point to a frontend app
[index.html]

TSX $\rightarrow$ only 1 element is returned
Case Sensitive

home
X
Home

Single page app →

CSR

