Griffith City Council – Development Application Document Matrix & Checklist

✓ Document required **O** Document may be required	Residential dwellings	Alteration & additions to residential dwellings	Sheds, Outbuildings, Awnings, Carports, etc	Swimming pool	Dual Occupancy & Secondary Dwellings	Multi Dwelling Housing	Commercial/Industrial	Alts & Adds Commercial/Industrial	Farm shed	Demolition	Subdivision of land	Advertising signage	Home business	Change of Use (Building Works)	Events
Land Owner(s) Consent Form	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Site plan	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Statement of Environmental Effects	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Clause 4.6 Variation Request (Only required if a variation to the DCP is requested)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Cost Summary Report	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
BASIX Certificate & NatHERS Certificate	✓	✓		O	✓	✓								O	
BASIX & NatHERS Stamped Plans	✓	✓		O	✓	✓								O	
Floor plan	✓	✓	✓	✓	✓	✓	✓	✓	✓	O			✓		
Elevation & Section plan(s)	✓	✓	✓	✓	✓	✓	✓	✓	✓	O		✓			
Subdivision Plan					O	O	O	O			✓				
Demolition plans		O	O					O		✓					
Engineers/footing details			O			O	O	O	O			O			
Shadow diagrams	O	O	O		O	O	O	O							
Landscaping plan	O	O	O		✓	✓	✓	✓			O			O	
Concept Stormwater Drainage plan		✓	✓		✓	✓	✓	✓	✓		O			O	
Concept Sewer Drainage plan	✓	✓	O	O	✓	✓	✓	✓			O				
Waste Management plan							O	O	O	✓			✓	O	
Traffic Impact Statement / Study (Vehicle Maneuvering & Swept Path Diagrams)					✓	✓	✓	✓			O				O
Traffic Control Plan						O	O	O			O			O	✓
Fire Safety Schedule														✓	
Land Capability Study	O	O	O		O		O	O			O			O	
Land Contamination Report	O	O	O	O	O	O	O	O	O	O	O			O	
Site survey	O	O	O	O	O	O	O	O	O	O	O				
Flood Impact Assessment	O	O	O	O	O	O	O	O	O		O		O	O	
Bush Fire Report	O	O	O		O	O	O	O	O		O		O	O	O
Heritage Impact Assessment	O	O	O		O	O	O	O	O	O	O	O	O		
Flora and fauna assessment	O	O	O		O	O	O	O	O	O	O				
Acoustic Report	O	O			O		O	O					O	O	O
Biodiversity Offsets Scheme Threshold Report	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	
Colours, Materials & Finishes Schedule	O	O	O		O	O	✓	✓	O			✓			
Erosion Control Plan	O	O	O		O	O	O	O		O	O				
Event Management Plan															✓

Development Application (DA) Document Requirements

This guide is designed to help you successfully lodge a Development Application (DA) by ensuring all required documentation is provided. Supplying complete and accurate information will help avoid delays in the assessment process.

Disclaimer: Additional documentation may be required depending on site-specific constraints. Please contact Council's Planning Department before submitting your application to confirm the exact requirements.

All submitted documents, including plans, must be drawn to a scale that allows for straightforward evaluation — 1:100 is typically preferred.

Please ensure the following details are clearly shown on all plans and supporting documents:

- Applicant name, block/house/shop/flat number, street/road name, town or locality
- Lot number, section number, DP number
- Measurements in metric
- Position of true north
- Name of author and date of plan

Important: Drawings and architectural documentation must be submitted as PDFs — JPEGs or photographs of documents will not be accepted.

Document	Explanation of Requirements
Acoustic Report	An Acoustic Report is required where a development may result in increased noise impacts or is located near existing noise sources. This includes: • Dwelling applications within 1000m of existing or approved frost control fans • Residential development adjacent to railway lines, arterial roads, or aerodromes • Commercial or industrial development located near residential properties (e.g. restaurants with extended trading hours) • Proposals likely to generate significant noise, such as childcare centres, mechanical car washes, or developments involving heavy vehicles The report must be prepared by a suitably qualified person and should: • Assess existing and potential noise sources • Evaluate the impact of the proposed development on surrounding properties • Recommend noise mitigation measures where necessary • Demonstrate compliance with relevant noise criteria and standards

BASIX Certificate & NatHERS Certificate **BASIX & NatHERS Stamped Plans**	A BASIX Certificate is required for: • Development that contains all types of new residential dwelling/s, including alterations and additions to existing dwellings valued at $50,000 or more, and swimming pools and outdoor spas with a minimum 40,000L capacity. • Class 1b tourist accommodation buildings. • Class 4 caretaker's residence within a commercial building. The following information is to be provided in accordance with Clause 27 of the Environmental Planning and Assessment Regulation 2021: • A valid BASIX Certificate. • All BASIX commitments to be identified on the plans. • Where applicable, NatHERS/ABSA Certification and a set of stamped plans. The BASIX Certificate must be dated within 3 months of the application lodged date. A BASIX Certificate can be generated via the NSW Planning Portal. Please note; a NatHERS Certificate must be prepared by a qualified assessor. Visit *BASIX | Planning Portal - Department of Planning and Environment*
Biodiversity Offsets Scheme Threshold Report	A Biodiversity Offsets Scheme (BOS) Threshold Report is required for all development proposals in NSW. The BOS Threshold is used to determine whether a Biodiversity Development Assessment Report (BDAR) must be prepared by an accredited assessor. The threshold is based on: • The area of native vegetation proposed to be cleared • Whether the site is mapped on the Biodiversity Values Map published by the NSW Minister for the Environment Applicants must use the Biodiversity Values Map and Threshold Tool to generate a report confirming whether the BOS is triggered: *Access the Biodiversity Values Map and Threshold Tool* If the BOS is not triggered, a Threatened Species Test of Significance must be completed and included with the application to assess potential impacts on biodiversity. The minimum submission with all development applications is known as a BMAT report (Biodiversity Values Map and Threshold Report) which can be created from the https://www.lmbc.nsw.gov.au/Maps/index.html?viewer=BOSETMap website.

Bush Fire Report	A Bushfire Report is required where the land is identified as bushfire prone on Council's Bushfire Prone Land Map or is subject to grassland hazard. The report must demonstrate how the proposal complies with Planning for Bushfire Protection 2019 and should: • State the aim and objectives of the assessment • Identify specific objectives relevant to the development type • Address performance criteria for bushfire protection measures • Show a site plan indicating proposed asset protection zones A Single Dwelling Application Kit may be used for residential infill development (e.g. dwellings or additions in pre-existing subdivisions). A bushfire assessment report must be prepared by a suitably qualified person where: • The development is identified as a Special Fire Protection Purpose (see Section 4.2 of Planning for Bushfire Protection 2019), or • An alternate solution is proposed as part of the design Alternatively, if the development has been certified by an Accredited Certifier under Planning for Bushfire Protection 2019, a written declaration and supporting information may be submitted in place of a full report.
Clause 4.6 Variation Request (Only required if a variation to the DCP is requested)	A Clause 4.6 Variation Request is required where a development proposal seeks to vary a development standard under the Griffith Local Environmental Plan 2014 (GLEP). The request must: • Clearly identify the development standard to be varied • Provide a written justification demonstrating that compliance with the standard is unreasonable or unnecessary in the circumstances • Explain how the proposed variation achieves the objectives of the standard and the zone • Be prepared in accordance with the requirements of Clause 4.6 of the Standard Instrument LEP This document is only required for variations to LEP development standards. Where a variation to a Development Control Plan (DCP) provision is proposed, a separate justification must be included within your Statement of Environmental Effects (SEE).
Colours, Materials & Finishes Schedule	A Colours, Materials & Finishes Schedule is required for all new developments and for alterations or additions that result in changes to the external appearance of a building. The schedule should: • Specify proposed colours and finishes for all external surfaces • State the manufacturer's details for each material or product • Include a sample or visual reference where possible

Concept Sewer Drainage plan	A Concept Sewer Drainage Plan is required where development involves new sewer connections, alterations to existing sewer infrastructure, or where wastewater management needs to be addressed as part of the proposal. The plan must be prepared by a registered Civil Engineer and should: • Show how sewer drainage will be managed on-site • Identify proposed connection points to existing sewer infrastructure • Address any site constraints or requirements for easements Refer to: *Council's Engineering Guidelines – Subdivision and Development Standards* *Griffith City Council – Council Pressure Sewer*
Concept Stormwater Drainage plan	A Concept Stormwater Drainage Plan is required where development may alter the way stormwater is managed on the site. This plan must demonstrate how stormwater runoff will be collected, conveyed, and discharged without impacting neighbouring properties or public infrastructure. The plan must be prepared by a registered Civil Engineer and should: • Show how stormwater runoff will be managed on-site • Include provision for on-site detention (OSD), where required • Identify the proposed discharge point for stormwater • Address any site constraints, such as land that falls away from the street frontage • Indicate whether a drainage easement is required through neighbouring properties *All plans must include a title block with relevant project and drawing details, and be submitted in PDF format.* Refer to: *Council's Engineering Guidelines – Subdivision and Development Standards* *Griffith City Council – Storm Water Drainage & Disposal*
Cost Summary Report & Estimated Development Cost (EDC)	An Estimated Development Cost (EDC) is required for all Development Applications. This must be a genuine estimate of the total cost to carry out the proposed development and must include: • The cost excluding GST (used to determine the EDC), and • The cost including GST (used to calculate application fees) The EDC must reflect the full scope of the development, including demolition, construction, fit-out, landscaping, and any associated works. A Cost Summary Report is required based on the value of the development:

	• Under $100,000 – The estimate may be prepared by the applicant using reasonable industry-based rates. A brief explanation of the methodology must be included. • $100,000 to $3 million – A Cost Summary Report must be completed and signed by a qualified person (e.g. licensed builder, architect, building designer, or quantity surveyor). • Over $3 million – A detailed Quantity Surveyor's Report is required, prepared by a registered quantity surveyor and outlining the methodology used. Council will assess the reasonableness of the EDC using typical local cost rates. If the estimate differs significantly from Council's assessment, further justification or a revised report may be requested. References & resources: • *Griffith City Council – Cost Summary Report Template* • *NSW Government – Estimated Development Cost*
Demolition Plans	A Demolition Plan is required where demolition work is proposed as part of the development. The plan must clearly outline the extent of demolition and how it will be managed to ensure safety and compliance with relevant standards. The plan should: • Provide a site plan at 1:100, or 1:200 for larger sites • Show the location of the structure(s) to be demolished using dotted lines • Show elevations indicating the height of the structure and its distance to boundaries, or provide photographs showing this information • Describe the type of building to be demolished (e.g. house, shop) • Describe the proposed demolition methods and major equipment to be used • Describe how demolished materials and any hazardous materials will be handled and disposed of • Outline the proposed sequence of demolition works and estimated timeframes for each stage • Provide details of proposed hoardings, fencing, overhead protection, and scaffolding *All plans must include a title block with relevant project and drawing details, and be submitted in PDF format.*
Elevation & Section Plan(s)	Elevation and section plans must clearly show the external appearance and height of the proposed development in relation to the site and any nearby structures. Plans must be provided at a scale of 1:100, or 1:200 for larger sites, and should include the following: • Show all elevations of the proposed buildings, labelled with orientation (e.g. north, south-west) • Show existing buildings where they are in close proximity or where extensions are proposed • Show calculated roof pitch • State proposed building materials on the plan

	• Show natural ground levels, floor levels, and ceiling levels to AHD • Show the full proposed overall building height, including height to the ridgeline • Show any services located on the roof • Show any air conditioning units or gas systems located on balconies or external walls *All plans must include a title block with relevant project and drawing details, and be submitted in PDF format.*
Engineers/footing details	Engineers/Footing Details are required where the development involves structural elements such as slabs, footings, or framework. The details must be prepared and certified by a suitably qualified structural engineer. Certification must confirm that the design complies with relevant Australian Standards and Council's Engineering Requirements for Development.
Erosion Control Plan	An Erosion Control Plan is required where development involves clearing, excavation, demolition, alterations/additions, stockpiling, or landfill that may disturb the existing soil surface. The plan must be prepared in accordance with Council's Engineering Requirements for Development and should address the following at a minimum: • A plan at 1:100 or 1:200 scale (for larger sites) • Location of appropriate erosion and sediment control measures, including but not limited to: ○ Sediment fences ○ All-weather vehicle access points ○ Gutter and stormwater pit protection ○ Stockpile locations ○ Dust control measures Refer to *Council's Engineering Guidelines – Subdivision and Development Standards*
Event Management Plan	An Event Management Plan may be required for development applications involving temporary events, public gatherings, or activities that may impact public spaces, traffic, noise levels, or local services. Where required, the plan should: • Outline the nature, scale, and duration of the event • Identify the event location, site layout, and access/egress arrangements • Detail crowd management, security, and emergency procedures • Include a traffic and parking management strategy, if applicable • Provide details of any proposed supply or serving of liquor, including licensing arrangements and compliance with the Liquor Act 2007 • Address noise control, waste management, and public amenities • Demonstrate compliance with relevant health and safety regulations

	Additional approvals may be required under the Local Government Act 1993, Roads Act 1993, or Public Health Act 2010, depending on the nature of the event. Applicants should consult with Council staff to confirm whether an Event Management Plan is required and to determine the specific information that must be submitted.
Fire Safety Schedule	A Fire Safety Schedule may be required to enable Council to consider Clauses 93 and 94 of the Environmental Planning and Assessment Regulation 2000. This document is typically required for development applications involving: • A change of building use, and/or • Additions or alterations to an existing building Where required, the submission should include: • For a change of use: ○ A list of or floor plan showing Category 1 fire safety provisions currently applicable to the existing building ○ A list of or floor plan showing Category 1 fire safety provisions proposed to apply following the change of use • For additions or alterations: ○ A scaled floor plan of the entire building showing both existing and proposed fire safety measures
Flood Impact Assessment	A Flood Impact Assessment may be required where the development site is affected by flooding or is likely to be affected by flooding or localised drainage issues. Applicants should consult with Council staff to confirm whether a Flood Impact Assessment is required and to determine the specific information that must be submitted. Where required, the report must be prepared by a suitably qualified civil engineer or hydrologist and should: • Identify existing flood characteristics affecting the site, including flood levels, flow paths, and velocities • Assess the potential impacts of the proposed development on flooding, both on-site and on surrounding properties • Demonstrate that the development is compatible with the flood hazard and incorporates appropriate mitigation measures • Address relevant planning controls and any applicable local flood studies or floodplain risk management plans Refer to: • *Griffith City Council – Griffith Flood Liable Lands* • *Council's Engineering Guidelines – Subdivision and Development Standards*

Floor Plan	A Floor Plan is required to show the internal layout of the proposed development and must be drawn to scale to accurately reflect the design and use of internal spaces. The plan should: • Be drawn at a scale of 1:100 (or 1:200 for larger sites) • Label all rooms with names, dimensions, and floor areas • Include floor levels referenced to the Australian Height Datum (AHD) • Clearly show all existing and proposed works • Identify BASIX commitments (e.g. skylights, rainwater tanks) • Indicate access provisions for people with disabilities, where relevant • Detail the internal layout of buildings *All plans must include a title block with relevant project and drawing details, and be submitted in PDF format.*
Flora and Fauna Assessment	A Flora and Fauna Assessment is required where a site contains native vegetation or potential habitat for threatened species, and the proposal does not trigger the Biodiversity Offset Scheme. The assessment must be prepared by a suitably qualified ecologist or environmental consultant and should: • Identify any native vegetation, threatened species, populations, ecological communities, or their habitats on or near the site • Assess the potential direct and indirect impacts of the proposed development on biodiversity values • Include a completed Five-Part Test of Significance (under Section 7.3 of the Biodiversity Conservation Act 2016) if threatened species or habitats are present or likely to occur • Demonstrate that the development will avoid or minimise impacts on biodiversity, and outline any proposed mitigation measures • Confirm whether the Biodiversity Offset Scheme is triggered using the Biodiversity Values (BV) Map and Threshold Too Access the BV Map and Threshold Tool here – *Biodiversity Values Map and Threshold Tool*
Heritage Impact Assessment	A Heritage Impact Assessment (HIA) is required for any development that: • Involves a Heritage Item • Is located within a Heritage Conservation Area • Is on land adjacent to or in the vicinity of a Heritage Item or Conservation Area The assessment must be prepared by a suitably qualified heritage consultant and should: • Identify the heritage item(s) or conservation area affected by the proposal • Explain the heritage significance of the item or area • Describe the proposed works and their potential impact on the heritage significance • Justify the proposal, including why more sympathetic alternatives may not be viable

	• Outline measures to avoid, minimise, or mitigate any adverse impacts • Demonstrate how the proposal aligns with relevant conservation policies or management plans Refer to *NSW Government - Guidelines for preparing a statement of heritage impact*
Land Capability Study	A Land Capability Study is required for developments where on-site effluent disposal is proposed (i.e. where the site is not connected to a reticulated sewerage system). The study must be prepared by a suitably qualified geotechnical or environmental engineer and demonstrate that the land is capable of supporting the proposed development without adverse environmental or health impacts.
Land Contamination Report	A Land Contamination Report may be required to determine whether a site is suitable for its intended use, particularly where there is a history of industrial, agricultural, or other potentially contaminating activities. The assessment should follow the principles outlined in the Contaminated Land Management Act 1997, State Environmental Planning Policy (Resilience and Hazards) 2021, and the Managing Land Contamination – Planning Guidelines. **Initial Evaluation** An initial desktop assessment should be undertaken for all development applications, regardless of the proposed use. This may include: • Reviewing current zoning and permissible uses • Examining historical records, including previous rezonings, aerial photographs, development applications, and building/property files • Providing detailed site history, verified by a qualified professional where possible Council will assess the adequacy of the information based on: • The level of detail in site activity descriptions • Any gaps in the historical record • The reliability of sources • Whether the information is professionally certified **Further Investigation** If the initial evaluation suggests potential contamination, Council may request: • A Preliminary Site Investigation (Stage 1) to determine if the land is or was used for listed activities (as defined in Table 1 of Managing Land Contamination – Planning Guidelines) • Site sampling conducted in accordance with NSW EPA guidelines • Additional reporting (Stage 2) to demonstrate that the land is suitable for the proposed development or can be remediated appropriately Refer to *Griffith City Council – Contaminated Land Policy*

Land Owner(s) Consent	Landowner's consent is required for all development applications. This document confirms that the owner(s) of the land on which the development is proposed have given permission for the application to proceed. The consent form must: • Be signed by all registered landowners • Match the ownership details provided in the NSW Planning Portal application • Be submitted using Council's standard form: Download *Standard Owner's Consent – Development Application (Form SD-FO-248)* **If the land is owned by a company** • A current ASIC Company Extract (dated within the last 6 months) must also be provided • The extract must list the company's Directors and Secretaries ○ The consent form must be signed by: ○ Two directors, or ○ One director and one secretary **If the land is owned by Griffith City Council** A different process applies for development on Council-owned land. Applicants must: Download *Council Landowner's Development Consent Form (Form SD-FO-000)* • Complete the relevant sections of the Council Landowner's Consent Form • Submit the form along with supporting documents (e.g. architectural plans and Statement of Environmental Effects) via email to developmentadmin@griffith.nsw.gov.au for internal review • Wait for Council to assess the request through its internal process and return the signed the form • Upload the signed form to the NSW Planning Portal as part of the development application
Landscaping Plan	A Landscaping Plan is required to demonstrate how the proposed development will integrate with and enhance the surrounding environment. The plan should: • Match the scale of architectural and survey plans • Include a north point (true north), scale (ratio and bar), date, plan number, and amendment number (if applicable) • Show finished surface levels, embankments, and grades, including the extent of cut and fill • Identify the location, species, and canopy spread of all existing trees to be retained or removed, including those on adjoining properties • Include arboricultural advice on tree protection or removal • Detail proposed tree and shrub planting, including species, quantity, location, mature height, and any edging or mulching • Show proposed surface treatments and restoration works (e.g. turf, paving, bank

	stabilisation, mounding) • Include reduced levels at the base of trees, and their height and canopy spread • Identify driveways, car parking areas, letterboxes, drying areas, and garbage storage areas • Show stormwater infrastructure, including pipes, pits, and any on-site detention systems • Indicate proposed fences and retaining walls, including height and materials • Include erosion and sediment control measures • Provide a maintenance program for ongoing care of landscaping *All plans must include a title block with relevant project and drawing details, and be submitted in PDF format.*
Shadow Diagram	A Shadow Diagram is required to assess the potential overshadowing impacts of a proposed development on adjoining properties. It is typically required for: • All two-storey developments, including alterations and additions • Any development that may overshadow neighbouring residential properties • Some single-storey developments on east–west oriented or steeply sloped sites The diagram should: • Show shadows cast at midwinter (22 June) at 9am, 12 noon, and 3pm in plan view, drawn to a scale of 1:200 • Include elevation views showing shadows on an hourly basis if they fall on neighbouring windows • Identify the location of the proposed development and existing development on adjoining sites • Detail the percentage of sunlight received by affected habitable room windows at each hour between 9am and 3pm on 22 June • Calculate the area and percentage of private open space affected by shadowing at each hour between 9am and 3pm, including existing overshadowing • Indicate true north with a north point *All plans must include a title block with relevant project and drawing details, and be submitted in PDF format.*
Site Plan	A Site Plan is required to illustrate the layout of the proposed development in relation to the site and its surroundings. The plan should: • Be drawn at a scale of 1:100 (or 1:200 for larger sites) • Indicate true north with a north point • Show the location and dimensions of all property boundaries • Identify all existing physical and natural features on the site, such as buildings, vegetation, driveways, and street trees • Indicate setbacks of existing and proposed structures from all property boundaries • Outline neighbouring buildings or structures located close to the site • Clearly distinguish between existing and proposed structures

	• Show the location of any existing and proposed easements and utility services, including water, sewer, septic systems, AWTS, drainage, stormwater, electricity, gas, and power poles • Label all electricity lines and indicate whether they are exposed or insulated • Include surrounding roads, internal driveways, and access points • Mark any vegetation or trees proposed for removal • Show vehicle turning paths and manoeuvring areas (required for commercial developments and residential sites with more than one dwelling) *All plans must include a title block with relevant project and drawing details, and be submitted in PDF format.*
Site Survey	A Site Survey is required to accurately document the existing conditions of a development site and its immediate surroundings. It must be prepared by a registered surveyor and submitted at an appropriate scale. The survey should: • Provide a scaled plan at 1:100 (or 1:200 for larger sites) • Clearly identify property boundaries • Show all existing structures and vegetation on the site • Include levels to Australian Height Datum (AHD), with contours and spot levels at regular intervals across the site and adjacent public land (e.g. footpaths or reserves) • Indicate true north with a north point • Show the location of any easements, restrictions, or services affecting the site • Identify any traffic devices or infrastructure within proximity to the site, including services within the footpath or verge Refer to *Council's Engineering Guidelines – Subdivision and Development Standards* *All plans must include a title block with relevant project and drawing details, and be submitted in PDF format.*
Statement of Environmental Effects (SEE)	A Statement of Environmental Effects (SEE) is required for all development applications. It is a written report that explains the likely environmental impacts of the proposed development and how these impacts will be managed. The SEE must address the matters outlined in Section 4.15 of the Environmental Planning and Assessment Act 1979. The SEE should: • Describe the site and surrounding locality • Outline the present and previous uses of the site • Identify existing structures and vegetation on the land • Provide a detailed description of the proposed development • Explain how the development will be operated and managed • Address relevant planning controls, including: ○ Applicable State Environmental Planning Policies (SEPPs) ○ The Griffith Local Environmental Plan 2014 (LEP), including zoning ○ The relevant Development Control Plan (DCP) • Assess the environmental impacts of the development

	• Explain how these impacts have been identified and assessed • Outline steps to avoid, minimise, or mitigate environmental harm • Justify any proposed variations to DCP controls or development standards **Operational Details (where applicable)** For developments involving commercial, entertainment, or hospitality uses (e.g. pubs, clubs, restaurants, function centres), the SEE must also: • Specify the maximum number of patrons proposed to occupy the premises at any one time • Indicate the maximum number of employees on-site during operating hours • Detail the proposed hours of operation • Estimate the type and number of vehicle movements, including deliveries, staff, and customer traffic Note: A simplified pro forma Statement of Environmental Effects may be used for minor developments with minimal environmental impact, such as dwelling houses; alterations or additions to dwellings; garages, sheds, carports, or other outbuildings; swimming pools or spas; demolition (excluding heritage items); and signage or change of use applications. **If your proposal does not fall into one of the above categories, a more detailed SEE is required.** Download our pro forma SEE for minor developments here *Griffith City Council – Statement of Environmental Effects (PDF)*
Subdivision Plan	A Subdivision Plan is required to demonstrate how land will be divided and serviced. The plan should: • Provide a scaled plan at 1:100 (or 1:200 for larger sites) • Clearly show existing and proposed lot boundaries • Specify the area of each proposed lot and access handle • Identify all existing structures and vegetation on the site • Include levels to Australian Height Datum (AHD), with contours and spot levels across the site and adjacent public land • Indicate true north with a north point • Show the location of easements, restrictions, and services affecting the site • Identify nearby traffic devices and services within the footpath or verge • Include preliminary engineering drawings for proposed works Refer to *Council's Engineering Guidelines – Subdivision and Development Standards* *All plans must include a title block with relevant project and drawing details, and be submitted in PDF format.*

Traffic Control Plan	A Traffic Control Plan (TCP) is required where construction or development activities may impact traffic or pedestrian movement. The plan must: • Comply with AS 1742.3 and the RMS Manual for Traffic Control at Work Sites • Be prepared by a qualified person (e.g. accredited traffic controller or engineer) • Show signage, barriers, detours, and pedestrian safety measures • Include staging of works and access for emergency vehicles Refer to *Council's Engineering Guidelines – Subdivision and Development Standards*
Traffic Impact Statement / Study (including Vehicle Maneuvering & Swept Path Diagrams)	A Traffic Impact Study is required for developments that may affect traffic flow or safety on surrounding roads. It must be prepared by a qualified traffic consultant and should: • Describe the site, including nearby roads and intersections • Identify adjoining land uses and existing traffic conditions • Assess daily and peak-hour traffic volumes, including heavy vehicles • Measure vehicle speeds (85th percentile) and trip generation • Analyse queuing, access/egress, and intersection performance • Evaluate road safety for all users, including pedestrians and cyclists • Review crash history and public transport access • Outline parking, pick-up/drop-off areas, and pedestrian infrastructure • Recommend mitigation measures if traffic impacts are identified **Vehicle Manoeuvring & Swept Path Diagrams** • Demonstrate how vehicles will enter, exit, and move within the site • Provide swept path diagrams for relevant vehicle types (e.g. passenger vehicles, semi-trailers, single unit trucks etc) Refer to *NSW Planning Portal – Guide to Transport Impact Assessment*
Waste Management Plan	The plan must outline how waste will be managed and minimised during demolition, construction, and ongoing use of the development. It should: The plan must: • Specify the types and estimated volumes of waste, and how each will be disposed of • Identify proposed waste receptacles and their locations • Outline any recycling and reuse initiatives • Describe strategies for minimising waste generation • Explain how odour and vermin will be controlled • Detail waste collection procedures for all stages of the project