Website Editing Guide

This guide explains how to update every part of the website **without breaking the design or the scripts**. You do not need to be a programmer. Every change is "find the right spot, copy an existing block, change the words, save".

Table of Contents

0. Before you start (read this once)
1. Map of the website: which file controls what
2. Golden rules: things you must never change
3. Homepage (`index.html`)
4. Roles / job titles changed (where to update everywhere)
5. Publications (Research page)
6. People page
7. News page
8. Teaching page
9. About page
10. CV page (`resume.html`)
11. Footer (appears on every page)
12. Changing any text, heading, or sub-heading on any page
13. Navigation menu changes
14. Images: rules for all pages
15. Testing your changes
16. Troubleshooting

17. Quick reference: "I want to… → edit this file"
18. Cheat sheet: special characters in HTML

---

0. Before you start (read this once)

0.1 Tools you need

- A **plain-text / code editor**. Recommended: **Visual Studio Code** (free). Do **not** use Microsoft Word or Google Docs to edit these files; they will corrupt them.
- A web browser (Chrome, Edge, Firefox, Safari).

0.2 Always make a backup first

Before any editing session, copy the whole website folder (for example to `website-backup-2026-11-13`). If you make a mistake, you can copy the original file back. If the site is stored on GitHub, committing before and after each change serves as the backup.

0.3 How to "copy a block" (the most important skill)

Almost every change in this guide is: **find an existing item, copy it entirely, paste it right above or below itself, then change the words inside.**

- An item always starts with an **opening tag** such as `<li ...>` and ends with the matching **closing tag** such as `</li>`.
- Always copy from the very first `<` of the opening tag to the very last `>` of the closing tag. Missing one character can break the layout of the whole page.

0.4 Indentation and blank lines do not matter

You may indent differently or add blank lines. Only the tags and text matter.

0.5 Important: the homepage uses live scripts

The **News** and **Teaching** boxes on the homepage, and the **footer on every page**, are loaded by JavaScript from other files. That means:

- Opening `index.html` by **double-clicking** it (address starts with `file:///`) will show *"Loading news..."* and *"Footer could not be loaded"*. That is normal and **not a bug**.
- To preview correctly you need a small local server. See Section 15.
- Once the site is uploaded to the real web server, everything works.

0.6 Folder structure (what is where)

```
website/
├── index.html                ← Homepage
├── about.html                ← About page
├── news.html                 ← News page
├── resume.html               ← CV page (older style page)
├── bio_text.txt              ← Third-person bio (plain text)
├── assets/
│   ├── css/style.css         ← All design/styling (normally never edit)
│   ├── img/                  ← Homepage images (hs1.png, thumbnail-teaching.jpg …)
│   └── js/
│       ├── research.js       ← ALL publications live here
│       ├── recent-news.js    ← Fills news box on homepage (do not edit)
│       ├── teaching-preview.js ← Fills teaching box on homepage (do not edit)
│       ├── footer.js         ← Loads the footer (do not edit)
│       └── site.js           ← Shared script (do not edit)
├── partials/
│   └── footer.html           ← The footer text/links (edit here, shows everywhere)
├── people/
```

```
│   ├── index.html              ← People page
│   └── (photos of people, e.g. rikathi.png)
├── research/
│   ├── index.html              ← Research page shell + area menu
│   └── (paper thumbnail pictures, e.g. misvisfix.png)
└── teaching/
    ├── index.html              ← Teaching page
    └── (course pictures, e.g. vis logo.jpg)
```

---

1. Map of the website: which file controls what

What you see on the website	File to edit
Homepage photo, name, role lines, short bio, buttons, research cards	`index.html`
Homepage **News** box	Automatic: it shows the **top 3 items of** `news.html`
Homepage **Teaching** box	Automatic: it shows the **first 4 courses of** `teaching/index.html`
All publications (every research area)	`assets/js/research.js`
Research page title, intro sentence, area buttons	`research/index.html`
Students, alumni, lab photo, lab events	`people/index.html`

What you see on the website	File to edit
News items	`news.html`
Courses	`teaching/index.html`
Biography, education, appointments, awards, service, talks, books, tutorials	`about.html`
The older CV / publication-by-year list	`resume.html`
Footer (bottom of every page)	`partials/footer.html`
Third-person bio text file	`bio_text.txt`

---

2. Golden rules: things you must never change

Breaking any of these will make part of the site stop working.

1. **Do not delete or rename these `id`s / elements:**
   - `id="recent-news-list"` (homepage news box)
   - `id="teaching-preview-list"` (homepage teaching box)
   - `id="site-footer"` (every page; footer is inserted here)
   - `id="areaMenu"` and `id="paperList"` (research page)
   - `id="year"` inside `partials/footer.html` (auto copyright year)

2. **Do not rename any `class="..."` values.** Classes connect the HTML to the design. Writing `class="person"` as `class="persons"` removes all styling for that item.
3. **Do not remove the `<script ...></script>` lines** at the bottom of each page.
4. **Do not edit anything in `assets/css/style.css`, `assets/js/recent-news.js`, `teaching-preview.js`, `footer.js`, or `site.js`.** (`research.js` is the only script file you edit, and only the publication data in it; see Section 5.)
5. **Keep quotes straight.** In code, use straight quotes `"` and `'`. If you copy text from Word or the web, curly quotes `“ ”` are fine *as text content* in HTML, but never inside the code part (for example `class=“person”` is wrong).
6. **Never leave a tag half-open.** Every `<li>` needs `</li>`, every `<div>` needs `</div>`, every `<a ...>` needs `</a>`.
7. **Special characters:** type `&` instead of `&` inside HTML text, and use the entities in Section 18.
8. **Always keep a backup** (Section 0.2).

---

3. Homepage (`index.html`)

Open `index.html`. Use your editor's search (Ctrl+F / Cmd+F) to jump to the text you want to change.

3.1 Change the homepage photo

The photo is `./assets/img/hs1.png`.

Option A (easiest): replace the file, keep the name

1. Prepare the new photo as **PNG or JPG**. Best: portrait or square, at least 600 px wide, face centered, plain background (the photo fades out on its right edge).
2. Rename the new photo to exactly `hs1.png` (if your new photo is a JPG, use Option B).
3. Open the folder `assets/img/`.
4. Copy your new `hs1.png` into this folder and choose **Replace** when asked.
5. Refresh the homepage (press **Ctrl+F5**, or **Cmd+Shift+R** on Mac, to bypass the cache).

Option B: new file name

1. Put the new photo in `assets/img/`, for example `klaus-2027.jpg` (no spaces in the name).
2. Open `index.html` and find:

```
<img src="./assets/img/hs1.png" alt="Klaus Mueller, Professor of Computer Science, Stony Brook University">
```

3. Change only the file name:

```
<img src="./assets/img/klaus-2027.jpg" alt="Klaus Mueller, Professor of Computer Science, Stony Brook University">
```

4. Save and refresh.

`alt="..."` is the description for blind users and search engines. Keep it meaningful.

3.2 Change the name heading

```
<h1>Klaus Mueller</h1>
```

Edit the text between `<h1>` and `</h1>`. (The small name at the top-left of the menu is separate; see 3.9.)

3.3 Change or add role lines (Professor / Senior Scientist / Director)

Find the three role lines:

```
<p class="role-line"><strong>Professor, Computer Science</strong>
  <a href="https://www.cs.stonybrook.edu/" target="_blank" rel="noopener">(Stony Brook University)</a>
</p>
<p class="role-line"><strong>Senior Scientist</strong>
  <a href="https://www.bnl.gov/" target="_blank" rel="noopener">(Brookhaven National Laboratory)</a>
```

```
</p>
<p class="role-line"><strong>Director</strong>
  <a href="http://www3.cs.stonybrook.edu/~vai">(Visual Analytics and Imaging (VAI) Lab)</a>
</p>
```

How a line is built:

- `<strong>…</strong>` = the **bold role** (e.g. "Senior Scientist").
- `<a href="…">(…)</a>` = the **clickable organization** in red, with its web address in `href`.

To change a role (for example Professor becomes Distinguished Professor): edit only the bold text:

```
<p class="role-line"><strong>Distinguished Professor, Computer Science</strong>
```

To change the organization or its link: edit the text inside `( )` and the web address in `href="…"`.

To add a new role line: copy one whole `<p class="role-line"> … </p>` block, paste it directly below the last role line, and change the words and the link:

```
<p class="role-line"><strong>Chair</strong>
  <a href="https://www.stonybrook.edu/dtas" target="_blank" rel="noopener">(Department of Tech, AI, and Society)</a>
</p>
```

To remove a role line: delete the entire block from `<p class="role-line">` to its `</p>`.

> Tip: more than 4 lines will push the page content down. Keep it to 3–4.

> **Also update the same role in the other places** listed in Section 4.

3.4 Change the three buttons under the roles

```
<div class="cta">
  <a class="btn primary" href="./research/index.html">Explore my research →</a>
  <a class="btn secondary" href="./resume.html">View CV</a>
  <a class="btn tertiary" href="https://scholar.google.com/citations?user=uya_Zb4AAAAJ&amp;hl=en&amp;oi=ao" target="_blank" rel="noopener">Google
</div>
```

- Button label = the text between `>` and `</a>`.
- Where it goes = `href="…"`.
- Keep `class="btn primary"` / `secondary` / `tertiary` unchanged (they control colors).
- In web addresses, a literal `&` must be written `&`.
- `target="_blank" rel="noopener"` makes the link open in a new tab. Keep both together for outside links; leave them off for pages inside the site.

3.5 Change the short bio (box on the right of the photo)

```
<article class="panel panel--bio">
  <p class="short-bio">
    I am a Professor in the Computer Science Department ...
  </p>
</article>
```

Edit only the text inside `<p class="short-bio"> … </p>`. Keep it to about 60–80 words so it fits next to the photo. To add a link inside it:

```
<a class="text-link" href="https://example.com">link words</a>
```

3.6 Change the Research panel texts (heading, intro, button)

```
<p class="eyebrow">Research</p>            ← small red label at top of the panel
<h2>Human-Centered AI &amp; Visualization</h2> ← big heading
```

```
<p>I work at the intersection of ...</p>      ← intro paragraph
<a class="btn-outline" href="./research/index.html">Research overview ...</a>
```

Edit the words only. Leave the `<svg>…</svg>` arrow after "Research overview" untouched.

3.7 Change, add, or remove a research area card (the four cards)

Each card looks like this (shortened):

```
<a class="area-card" href="./research/index.html#visualAnalytics" style="--c:#2054C7">
  <span class="area-thumb"> <svg ...> ...drawing... </svg> </span>
  <h3>Visual Analytics</h3>
  <p>Transforming complex data into interactive visual representations ...</p>
  <span class="area-link">Projects <svg ...></svg></span>
</a>
```

Part	Meaning
`href="./research/index.html#visualAnalytics"`	Where the card leads. The part after `#` must be a valid area key (see Section 5.9).
`style="--c:#2054C7"`	The card's accent color. Change the hex code if you want another color.
`<svg>…</svg>`	The small drawing on top of the card.
`<h3>`	Card title
`<p>`	Card description

Edit text: change the `<h3>` and `<p>` words.

Valid area keys for the link (type exactly, case-sensitive): `visualAnalytics`, `FAIR`, `ct`, `volvis`, `vr`, `computerGraphics`, `filters`, `eyetrack`, `naturalPhenomena`, `faceReco`. The fourth card "Agentic AI" currently links only to `./research/index.html` (no area), because no "Agentic AI" area exists in the publications yet. When you create that area (Section 5.10), change its link to `./research/index.html#YourNewKey`.

Replace the little drawing with a real picture (optional):

1. Put the image in `assets/img/` (e.g. `agentic.jpg`, landscape ~ 400×220 px).
2. Delete everything from `<svg` to `</svg>` inside `<span class="area-thumb">…</span>` and put:

```
<span class="area-thumb">
  <img src="./assets/img/agentic.jpg" alt="" style="width:100%;height:100%;object-fit:cover;display:block;">
</span>
```

Add a fifth card: copy a whole `<a class="area-card" …> … </a>` and paste it after the last card (before `</div>` that closes `research-cards`). On wide screens, four cards fit per row, so the fifth will wrap into a second row. That is fine.

Remove a card: delete the whole `<a class="area-card" …> … </a>` block.

3.8 The News box and the Teaching box on the homepage

You do **not** edit these on the homepage. They fill themselves:

- **News box** = the first **3** news entries of `news.html` (only the first paragraph of each). To change it, edit `news.html` (Section 7).
- **Teaching box** = the first **4** courses of `teaching/index.html` (Section 8).

You may change the labels around them:

```
<p class="eyebrow">News</p>
<a class="text-link" href="./news.html">All news ...</a>
```

```
<p class="eyebrow">Teaching</p>
<a class="text-link" href="./teaching/index.html">All courses ...</a>
```

Change the small teaching picture on the homepage (the one left of the course list):

1. Put the new image in `assets/img/` (for example `thumbnail-teaching-new.jpg`, ratio about 4:3).
2. Find `<img src="./assets/img/thumbnail-teaching.jpg" alt="Teaching" />` and change the file name. Or simply replace the file `thumbnail-teaching.jpg` with a new one of the same name.

3.9 Change the name in the top-left of the menu

In every page's header:

```
<a class="brand" href="index.html">Klaus Mueller</a>
```

This is repeated in 6 files (`index.html`, `about.html`, `news.html`, `people/index.html`, `research/index.html`, `teaching/index.html`). Change them all if you ever change it.

3.10 Change the browser-tab title and search-engine description

At the top of each page:

```
<title>Klaus Mueller - Stony Brook University - Brookhaven National Laboratory</title>
<meta name="description" content="Klaus Mueller is a Professor of Computer Science at ...">
```

- `<title>` = text on the browser tab and in Google results.
- `content="…"` = short description under the Google result (keep ~150 characters, and do not use a `"` inside it).

---

4. Roles / job titles changed (where to update everywhere)

A role appears in several files. When a role changes (new title, new chair position, role ended, etc.), check **all** rows below.

File	Where	What to do
`index.html`	Hero role lines (Section 3.3)	Edit/add/remove the role line
`index.html`	Short bio (3.5) and `<title>` / `<meta description>` (3.10)	Edit if the title is mentioned
`about.html`	**Biography** paragraph (section `id="biography"`)	Edit the sentence
`about.html`	**Professional Appointments** (`id="appointments"`)	See 4.1 below
`resume.html`	"Professional" list near the top	Edit/add the line (see Section 10)
`bio_text.txt`	Third-person bio	Edit the sentence
`partials/footer.html`	Footer role lines (Section 11)	Edit
`people/index.html`	Faculty box ("Professor")	Edit if needed (Section 6.1)

4.1 Appointments list on the About page

There are two parts: **Current** (always visible) and **Earlier appointments** (hidden in a "click to expand" fold).

A new role starts:

1. Open `about.html`, search for `Professional Appointments`.

2. Under `<h3>Current</h3>`, copy one `<li>` row, for example:

```
<li><span class="when">1/2023 &ndash; present</span><span><strong>Interim Chair</strong>, Department of Technology and Society, Stony Brook
```

3. Paste it at the top of the Current list. Change:
    - the date in `<span class="when">…</span>` (use `–` for the dash),
    - the title in `<strong>…</strong>`, and the organization after it.

A role ends:

1. Cut (select + Ctrl+X) the whole `<li> … </li>` from the **Current** list.
2. Paste it at the **top** of the list inside `<details class="fold"><summary>Earlier appointments</summary> <ul class="cv-list"> …`.
3. Change `present` to the end date, e.g. `1/2023 – 12/2026`.

> **Heads-up (inconsistency to check):** the Biography text on the About page says Klaus served as interim chair "from 2023-2026", but the Appointments list still says "1/2023 – present" and `bio_text.txt` says "Acting Chair". Please confirm the current status with Klaus and make all these places consistent.

---

5. Publications (Research page)

5.1 How it works (read this first)

All publications are stored in **one file:** `assets/js/research.js`. The Research page reads that file and draws the lists. The page `research/index.html` only has the left menu and an empty box.

Inside `research.js` the papers are grouped into **research areas**. Each area looks like this:

```
visualAnalytics: {
    title: "Visual Analytics: Visualization, Visual Data Science, ...",
    papers: [
        { ...paper 1... },
        { ...paper 2... },
        ...
    ]
},
```

The areas, in order, are:

Area key (in the code)	Menu button label	Content
`visualAnalytics`	Visual Analytics	(default area shown first)
`FAIR`	Human-Centered Responsible AI	
`ct`	Medical Imaging	
`volvis`	Volume Visualization	
`vr`	Virtual and Augmented Reality	
`computerGraphics`	Cognitive Computer Graphics	
`filters`	Filters and Grids	
`eyetrack`	Eyetracking	

Area key (in the code)	Menu button label	Content
`naturalPhenomena`	Natural Phenomena	
`faceReco`	Face Recognition	

To find an area in the file, search (Ctrl+F) for its key followed by a colon, e.g. `FAIR: {`.

5.2 Anatomy of one paper entry

```
{
    title: "MisVisFix: An Interactive Dashboard for Detecting, Explaining, and Correcting Misleading Visualizations using Large Language Models",
    authors: "A. Kumar Das, K. Mueller",
    venue: "IEEE Trans. on Visualization and Computer Graphics 32(1): 134-144, 2026",
    thumb: "misvisfix.png",
    links: [{ label: "PDF", url: P + "MisVisFix%20TVCG.pdf" }, { label: "Detail", url: RP + "pages/MisVisFix" }]
},
```

Field	What it is
`title`	Paper title (bold on the page)
`authors`	Author list (grey)
`venue`	Journal/conference, volume, pages, year (italic). Put awards here too, e.g. `... (won Best Paper Award at VDS 2019)`
`thumb`	Name of the thumbnail picture (see 5.4). Use `""` for no picture

Field	What it is
`links`	The blue links under the citation, e.g. PDF, Detail, Slides, Poster, Code

5.3 Add a new publication — step by step

Step 1. Decide which area(s) it belongs to. Most new papers go into `visualAnalytics`; fairness/belief/messaging papers go into `FAIR`; CT/medical imaging into `ct`; and so on. If it fits two areas, you add it to both (see 5.7).

Step 2. Prepare the PDF. Decide where it is stored (see 5.5 for options). Note the exact file name, e.g. `NewPaper TVCG.pdf`.

Step 3. Prepare the thumbnail picture (optional) and put it into the `research/` folder (see 5.4).

Step 4. Open `assets/js/research.js` and find the area (e.g. search for `visualAnalytics: {`).

Step 5. Find the line `papers: [` directly below that area's `title:`. New papers go **immediately after this line** (newest papers are listed first).

Step 6. Paste a new entry right after `papers: [`:

```
papers: [
    {
        title: "My New Paper Title",
        authors: "A. Student, K. Mueller",
        venue: "IEEE Trans. on Visualization and Computer Graphics 33(2): 100-112, 2027",
        thumb: "mynewpaper.png",
        links: [{ label: "PDF", url: P + "My%20New%20Paper.pdf" }]
    },
    {
        title: "MisVisFix: ...(the previous first paper)...",
```

Step 7. Check the punctuation (the #1 cause of a broken page):

- Every entry is wrapped in `{ … }`.
- **A comma `,` must follow the closing `}`** of every entry (the one you pasted ends with `},` because another entry follows).
- Inside an entry, every line except the last one (`links:`) ends with a comma.
- Text is inside **straight double quotes** `"…"`.
- If the title contains a double quote, write it as `\"` or use curly quotes “ ”. (Apostrophes `'` and the curly ’ are fine.)

Step 8. Save and test (Section 15): open the Research page → click the area → the new paper must appear on top. If the whole list vanishes, you made a punctuation mistake; see Troubleshooting (Section 16).

5.4 Thumbnail pictures

- The value of `thumb` is just a file name, e.g. `thumb: "mynewpaper.png"`.
- The file must be inside the `research/` folder (the same folder as `research/index.html`). So the full location is `research/mynewpaper.png`.
- Recommended: PNG/JPG/GIF, about 300×240 px (displayed at 100×80, cropped to fit).
- **File names are case-sensitive on most web servers**: `Figure.PNG` ≠ `figure.png`. Copy the name exactly.
- If the file name has spaces, that is OK in `thumb` (e.g. `thumb: "semantic pathways.png"`), but avoiding spaces is better.
- **No picture?** Use `thumb: ""` — a grey placeholder box is shown.

5.5 The links (PDF, Detail, Slides, Poster, Code)

At the top of `research.js` there are four shortcuts:

```
const P   = "http://www.cs.stonybrook.edu/~mueller/papers/";    // old paper folder
const PP  = "https://www3.cs.stonybrook.edu/~mueller/papers/";  // old paper folder (secure)
const RP  = "http://www.cs.stonybrook.edu/~mueller/research/";  // old research folder
const RP3 = "https://www3.cs.stonybrook.edu/~mueller/research/";
```

`P + "file.pdf"` simply means "the shortcut address + the file name".

You have three ways to link a PDF:

Option A — PDF stored in the old Stony Brook `papers` folder:

```
{ label: "PDF", url: P + "My%20New%20Paper.pdf" }
```

Option B — PDF anywhere on the web (full address):

```
{ label: "PDF", url: "https://arxiv.org/pdf/2601.01234" }
```

Option C — PDF stored in this website's own folder. Create a folder `papers/` at the website root (next to `index.html`), put the PDF there, and write:

```
{ label: "PDF", url: "../papers/My%20New%20Paper.pdf" }
```

(`../` is needed because the Research page lives one folder down in `research/`.)

Spaces in file names must be written `%20`: `Charts of Thought TVCG.pdf` → `Charts%20of%20Thought%20TVCG.pdf`. Avoiding spaces in new file names is the easiest solution (e.g. `Charts-of-Thought-TVCG.pdf`).

Link labels can be anything: `"PDF"`, `"Detail"`, `"Slides"`, `"Poster"`, `"Code"`, `"Video"`, `"Dataset"`, `"arXiv"`.

- Several links are separated by commas inside `[ … ]`:

  ```
  links: [{ label: "PDF", url: P + "paper.pdf" }, { label: "Code", url: "https://github.com/user/repo" }, { label: "Video", url: "https://you
  ```

- No links at all: `links: []`

5.6 Remove a publication

1. Search `research.js` for a few words of the title.

2. Select from the opening `{` of that entry to its closing `}` **and the comma after it**, then delete.
3. Check that the entries above and below still look correct (`},` between them).
4. If the same paper is also in another area (the same title appears more than once in the file), delete it there too (search the title again until nothing is found).

> Deleting the very last entry of an area is fine. A trailing comma after the last entry is also allowed.

5.7 Same paper in more than one area

Copy the entire `{ … }` entry and paste it into the second area as well. (That is how the current file does it, e.g. MisVisFix-type papers appear in two areas.) When you **edit** such a paper later (typo, new link), repeat the edit in every copy: search for the title and fix all matches.

5.8 Edit an existing publication

Search for a few words of the title in `research.js` and change the text between the quotes. Examples:

- A paper's status changes from "to appear" to a real volume: edit `venue:`.
- Add a code link: add `, { label: "Code", url: "https://github.com/..." }` inside `links: [ … ]`.

5.9 Change an area's heading (the big title above the paper list)

In `research.js`, change the `title:` of that area:

```
FAIR: {
    title: "Human-Centered Responsible AI: Fairness, Bias, Belief Modeling, and Personalized Communication",
```

Leave the area key (`FAIR`) unchanged. This title also becomes the browser-tab title.

To change the **menu button label** on the left, edit `research/index.html`:

```
<li id="FAIR"><button class="area-btn" data-area="FAIR">Human-Centered Responsible AI</button></li>
```

Change only the words between `>` and `</button>`.

5.10 Add a brand-new research area (for example "Agentic AI")

You must make **two** changes that match each other exactly.

Change 1 — `assets/js/research.js`**.** Find the final area (`faceReco`) at the end of the file. Add a comma after its closing `}` and add the new area:

```
        /* 11. AGENTIC AI */
        agenticAI: {
            title: "Agentic AI: Autonomous Agents that Perceive, Reason, and Act",
            papers: [
                {
                    title: "My Agent Paper",
                    authors: "A. Student, K. Mueller",
                    venue: "Conference Name, City, Month 2027",
                    thumb: "agent.png",
                    links: [{ label: "PDF", url: P + "agent.pdf" }]
                }
            ]
        }
```

(Be careful with commas: the area before it needs a `,` after its `}`.)

Change 2 — `research/index.html`**.** Add a button in the left menu list:

```
<li id="agenticAI"><button class="area-btn" data-area="agenticAI">Agentic AI</button></li>
```

The key `agenticAI` **must be spelled identically** in `research.js`, in `id="…"`, and in `data-area="…"` (case-sensitive, no spaces).

Change 3 (optional) — link it from the homepage card (Section 3.7): `href="./research/index.html#agenticAI"`.

5.11 Remove or rename an area

- **Remove:** delete the area block from `research.js` and its `<li …>…</li>` from `research/index.html`. Also fix homepage cards linking to it.
- **Reorder:** areas are shown in the order of the `<li>` items in `research/index.html`; the first button is the default area. Move the `<li>` lines to reorder. (The default area is set by `DEFAULT_AREA = "visualAnalytics"` near the bottom of `research.js`; change only if you really need a different default.)

5.12 Other places where a new publication should also appear

File	Why	How
`resume.html`	The CV lists every paper by year	See Section 10.2
`news.html`	Optional announcement	See Section 7
`about.html`	Only if it is a book/chapter	Section 9.8

5.13 Change the Research page heading and the Scholar sentence

In `research/index.html`:

```
<h1>Research Areas</h1>
<p class="lead">The complete, current list of publications and citation counts is on <a href="https://scholar.google.com/..." target="_blank" rel
```

Edit the words. The left box heading is `<h2 class="area-menu-heading">Areas</h2>`.

6. People page

Open `people/index.html`. The page is made of **panels** (white boxes): *Faculty*, *PhD Students*, *MSc Students*, *Undergraduate Students*, *The Gang of 2016*, *Lab events*, and *Alumni* (with sub-tables).

6.1 Important behavior: empty panels hide themselves

A panel that contains **only its heading** (no content) is automatically hidden. That is why *MSc Students* and *Undergraduate Students* are not visible now. As soon as you put a student into one of them, the panel appears. You do not need to change anything else.

6.2 Photos for people

- Put photos into the `people/` folder (same folder as `people/index.html`).
- Use **square-ish** headshots, at least 200×200 px; they are shown as a 120×120 px square (cropped to fit).
- Prefer simple file names without spaces: `firstname.jpg` (e.g. `ravi.jpg`).
- If a file name has spaces, write them as `%20` in the HTML (e.g. `yanming%20z.jpg`).
- File names are **case-sensitive** on most servers.
- No photo yet? Create/obtain a neutral placeholder image `people/placeholder.png` and use it.

6.3 Add a new PhD student (current)

1. Copy the student's photo to `people/` (e.g. `ravi.jpg`).
2. Open `people/index.html`, search for `<h2>PhD Students</h2>`.
3. Inside the `<ul class="person-list">` below it, copy one complete student `<li>`:

```
<li class="person">
  <span class="avatar"><img src="rikathi.png" alt="" loading="lazy" width="72" height="72"></span>
  <div>
```

```
    <h3><a href="https://www.linkedin.com/in/rikathi-pal-a0b10820b/">Rikathi Pal</a></h3>
    <p class="from">University of Calcutta, India</p>
    <p class="topic">Visualization-driven interpretability for medical imaging AI</p>
  </div>
</li>
```

4. Paste it **above** the first student (newest first) or **below** the last (before `</ul>`), then change:

Part	Change to
`src="rikathi.png"`	the new photo file name, e.g. `src="ravi.jpg"`
`href="…"`	the student's LinkedIn / Google Scholar / personal site
`Rikathi Pal`	the student's name
`class="from"` text	previous university, country (shown in parentheses automatically; **do not type the parentheses**)
`class="topic"` text	research topic

Result:

```
<li class="person">
  <span class="avatar"><img src="ravi.jpg" alt="" loading="lazy" width="72" height="72"></span>
  <div>
    <h3><a href="https://www.linkedin.com/in/ravi-kumar/">Ravi Kumar</a></h3>
    <p class="from">IIT Delhi, India</p>
    <p class="topic">Explainable AI for healthcare</p>
  </div>
</li>
```

- **No website/LinkedIn?** Write the name without the link: `<h3>Ravi Kumar</h3>`.
- **No previous university to show?** Delete the line `<p class="from">…</p>`.
- Keep `width="72" height="72"` as they are, even though the picture appears larger.

6.4 Add an MSc student or an undergraduate student

The *MSc Students* and *Undergraduate Students* panels are currently empty. They look like this:

```
<div class="page-wrap panel">
  <h2>MSc Students</h2>
</div>
```

Add a `<ul class="person-list">` with one or more student `<li>` blocks (same as 6.3) **after the** `</h2>` **and before the closing** `</div>`:

```
<div class="page-wrap panel">
  <h2>MSc Students</h2>
  <ul class="person-list">
    <li class="person">
      <span class="avatar"><img src="maria.jpg" alt="" loading="lazy" width="72" height="72"></span>
      <div>
        <h3>Maria Lopez</h3>
        <p class="from">Stony Brook University, NY</p>
        <p class="topic">Visual analytics for public health</p>
      </div>
    </li>
  </ul>
</div>
```

The panel becomes visible automatically. If you later remove all students from it, delete the `<ul>…</ul>` so that only `<h2>` remains, and the panel hides again.

6.5 A student graduates (move from "PhD Students" to Alumni)

Part 1 – Remove from the current list

1. In `people/index.html` find the student's `<li class="person"> … </li>` under *PhD Students* (search the name).
2. Cut it (Ctrl+X) and delete it. (You may keep the photo file in the folder; it does no harm.)

Part 2 – Add to the alumni table

1. Scroll to `<h2>Alumni</h2>` → `<h3>PhD graduates</h3>`.
2. In the table `<tbody>`, add a new row **at the very top** (newest graduate first):

```
<tr>
  <td>Ravi Kumar</td>
  <td class="num">2027</td>
  <td>Title of the Dissertation<span class="sub">IIT Delhi, India</span></td>
  <td>Google</td>
</tr>
```

Cell	Content
1st `<td>`	Name
`<td class="num">`	Graduation year
3rd `<td>`	Thesis title, followed by `<span class="sub">previous university</span>`
4th `<td>`	Where he/she works now (leave `<td></td>` empty if unknown)

Keep `class="num"` and the `<span class="sub">` exactly as written.

For MS graduates: use the table under `<h3>MS graduates</h3>`. Rows have 4 cells: Name, Year, Thesis/project title, Now:

```
<tr>
  <td>Maria Lopez</td>
  <td class="num">2027</td>
  <td>Visual analytics for public health</td>
  <td>Amazon</td>
</tr>
```

(No `<span class="sub">` is used in MS or undergraduate/postdoc tables.)

Undergraduate researchers and **Postdoctoral researchers** tables work the same way (Name, Year, Project, Now).

Part 3 – If the *MSc Students* or *Undergraduate Students* panel now has no students left, remove the `<ul>…</ul>` inside it (Section 6.4).

Part 4 – Update the CV page too: add the PhD graduate to the "PhD Students Graduated" list in `resume.html` (Section 10.3).

6.6 Update an alumnus's "Now" (new employer)

Search the person's name; edit the **last** `<td>` of their row.

6.7 Remove a person completely

Delete the entire `<li class="person"> … </li>` (current students) or the entire `<tr> … </tr>` (alumni).

6.8 Add a new alumni table row for an older, missing person

Add a new `<tr>…</tr>` block in the right place (the tables are sorted newest → oldest), using the formats in 6.5.

6.9 Faculty box

```
<li class="person">
  <span class="avatar"><a href="./mueller.jpg"><img src="mueller.jpg" ...></a></span>
  <div>
    <h3></h3>
    <h3><a href="../index.html">Klaus Mueller, PhD</a></h3>
    <p class="who">Professor</p>
    <p class="topic">Trying to keep up with the guys below</p>
  </div>
</li>
```

Edit "Professor" (`class="who"`) and the `topic` sentence. (The empty `<h3></h3>` is harmless; leave it or delete it.) Replace the photo by overwriting `people/mueller.jpg`. To add another faculty member or postdoc, copy a full `<li class="person">` block inside the same `<ul>`.

6.9b Lab photo ("The Gang of 2016")

```
<h2>The Gang of 2016</h2>
<div class="group-photo"><img src="./group-2016.jpg" alt="The Gang of 2016"></div>
```

To use a new group photo: put it into `people/` (e.g. `group-2027.jpg`), change `src="./group-2027.jpg"`, `alt="The Gang of 2027"` and the heading `<h2>The Gang of 2027</h2>`.

6.10 Lab events (the round buttons)

```
<ul class="chip-row">
  <li><a href="https://www.flickr.com/photos/.../72157712419102072">Christmas 2019</a></li>
  <li><a href="christmas2013/">Christmas 2013</a></li>
</ul>
```

- **Add:** copy one `<li><a …>…</a></li>`, paste it at the top, and change the link and label.

- Links like `christmas2013/` point to a folder inside `people/`. For a new event either use a full web address (Flickr, Google Photos) or create a folder inside `people/` containing an `index.html`.
- **Remove:** delete the `<li>…</li>`.

6.11 Change the People page headings and intro

```
<h1>People</h1>
<p class="lead">Members of the Visual Analytics and Imaging (VAI) Lab, past and present.</p>
```

Section headings are the `<h2>` and `<h3>` tags (e.g. `<h2>PhD Students</h2>`, `<h3>PhD graduates</h3>`). Edit only the words. Do not move an `<h2>` away from being the **first element inside its panel** (`<div class="page-wrap panel">`): the design depends on it.

6.12 Panel colors

The panels automatically alternate red / blue / green by position. Adding or removing a panel will shift the colors of the panels below it. This is normal.

---

7. News page

Open `news.html`. All news is a list `<ul class="news-feed">` containing one `<li>` per news card. **Newest news goes first (top).**

7.1 Anatomy of a news card

Simple card (one sentence):

```
<li>
  <span class="date">Spring 2025</span>
  <div>
```

```
    <p>Stars of CSE 564 Spring 2025: <a href="https://www.youtube.com/playlist?list=...">playlist of the best projects</a> from this year&rsquo;s
  </div>
</li>
```

Card with a list of papers:

```
<li>
  <span class="date">IEEE VIS 2025</span>
  <div>
    <p>Five accepted papers at IEEE VIS 2025.</p>
    <ul class="cv-plain">
      <li><a href="research/pages/MisVisFix/">MisVisFix: An Interactive Dashboard ...</a> with Amit Kumar Das</li>
      <li><a href="research/pages/Word2Color/">What is the Color of Serendipity? ...</a> with Shahreen Salim and Tanzir Pial</li>
    </ul>
  </div>
</li>
```

Part	Meaning
`<span class="date">…</span>`	The label on the left. Free text: "March 2027", "CHI 2027", "Award", etc.
`<p>…</p>` (first one)	The headline sentence. **This is what appears on the homepage.**
`<ul class="cv-plain"> … </ul>`	Optional list of details (appears on the News page only)

7.2 Add a news item

1. Open `news.html`, search for `<ul class="news-feed">`.
2. Directly **below** that line, paste a new card (copy from 7.1 and edit).
3. Save. The homepage updates itself and shows the top 3 cards.

7.3 Rules so the homepage news box keeps working

The homepage script looks for exactly this structure, so **keep it**:

- Every card is a direct child `<li>` of `<ul class="news-feed">`.
- The date is in `<span class="date">`.
- The headline is the **first** `<p>` inside the card's `<div>`.
- Don't put the headline in a heading tag or outside the `<div>`.
- Links in the first `<p>` that point inside the site must be written relative to the website root, just like the existing ones (e.g. `research/pages/Name/`, no leading `../`), because the same text is shown on both `news.html` and `index.html`, which are in the same folder.
- Keep the headline sentence short (one or two lines), since it appears in a small box.

7.4 Remove or edit news

- **Remove:** delete the whole `<li> … </li>` card.
- **Edit:** change the words.
- Colors of the cards cycle automatically (red, blue, green).

7.5 News links to PDFs

Some existing links point to `papers/….pdf` (e.g. `papers/Charts%20of%20Thought%20TVCG.pdf`). The project folder has no `papers/` folder, so **those PDFs must exist in a `papers/` folder at the website root on the server, or the link will give "page not found".** Please verify these 2 links (Charts-of-Thought and Semantic Pathway) and either upload the PDFs into a `papers/` folder, or change the link to a full web address like `http://www.cs.stonybrook.edu/~mueller/papers/Charts%20of%20Thought%20TVCG.pdf`.

7.6 Change the News page headings

```
<h1>Recent Developments</h1>
<p class="lead">Recent papers, talks and course highlights.</p>
```

---

8. Teaching page

Open `teaching/index.html`. Courses are rows in `<ul class="course-list">`.

8.1 Anatomy of a course card

```
<li class="course-card">
  <span class="course-thumb"><img src="./vis logo.jpg" alt="" loading="lazy"></span>
  <span class="course-code">CSE 332</span>
  <div class="course-name">
    <a href="https://www3.cs.stonybrook.edu/~mueller/teaching/cse332/" target="_blank">Introduction to Visualization</a>
    <span class="sub">Undergraduate Level</span>
  </div>
  <span class="course-time" data-label="Time">Tue &amp;amp; Thu, 6:30&amp;ndash;7:50 pm</span>
  <span class="course-venue" data-label="Venue">Frey Hall 301</span>
</li>
```

Part	Meaning
`<img src="./….jpg">`	Course picture. The file must be in the `teaching/` folder
`course-code`	e.g. `CSE 332`
`<a href>` text	Course name (the link goes to the course web page)

Part	Meaning
`<span class="sub">`	Optional note in brackets, e.g. "Undergraduate Level" (do not type the brackets)
`course-time`	Days and time
`course-venue`	Room / building

8.2 Add a course

1. Put the course picture into `teaching/` (4:3 ratio, about 300×225 px, e.g. `ai-ethics.jpg`). No picture? Use `./no_image.jpg` (already in the folder).
2. Copy a full `<li class="course-card"> … </li>` and paste it where you want it.
3. Change the picture name, the course code, the course name and link, the optional `sub`, the time, and the venue.
4. If the course has no fixed time/venue (like "Master's Projects"), you may delete the two `course-time` and `course-venue` lines.
5. If there is no sub-label, delete the line `<span class="sub">…</span>`.

8.3 Order matters for the homepage

The homepage shows **the first 4 course cards** of this page. Put the courses taught **this semester at the top** of the list. When the semester changes, move the new semester's courses to the top (cut/paste the `<li>` blocks).

The homepage text for each item is built as `CODE: Course name` plus the `sub` in brackets. Keep `course-code`, the `<a>` inside `course-name`, and (optionally) `sub` exactly as shown so the homepage can read them.

8.4 Update a semester (typical task)

For each current course change `course-time` and `course-venue`. For courses no longer taught, either delete the time/venue spans or keep the card as "taught previously" (the page lead says "teaching now or in the past").

8.5 Remove a course

Delete the whole `<li class="course-card"> … </li>`.

8.6 Use `&` for "&"

In the existing page, times such as `Tue & Thu` contain a raw `&` (browsers tolerate it). For new entries always write `Tue & Thu`.

8.7 Headings

```
<h1>Teaching</h1>
<p class="lead">The following is a list of courses ...</p>
...
<h2>Courses</h2>
```

---

9. About page

Open `about.html`. The left menu (Biography, Education, ...) is connected to the sections by **ids**. Keep them intact (see 9.10).

9.1 Change the biography paragraph

Find `<section class="about-section panel" id="biography">`. The text is in `<p class="about-text"> … </p>`. Edit only the words. Links inside are written:

```
<a class="text-link" href="https://www.nsf.gov/">US National Science Foundation</a>
```

To add a new link, wrap words in `<a class="text-link" href="WEB-ADDRESS">words</a>`.

Numbers that appear here and in other places (update all of them together):

Number	Places
"more than 300 papers", "cited more than 15,000 times"	`about.html` Biography; `bio_text.txt`
`h-index 63`	`about.html` (facts box `about-fact-num`); `resume.html` ("Some Numbers")
Erdős number 3	`about.html`; `resume.html`
"18 tutorials"	`about.html`; `bio_text.txt`

h-index box:

```
<div class="about-fact">
  <span class="about-fact-label">h-index</span>
  <span class="about-fact-num">63</span>
</div>
```

Change only the number between `>` and `</span>`.

Contact box (address, phone, email):

```
<div class="contact-box">
  <p><strong>Department of Computer Science, Stony Brook University</strong></p>
  <p>261 New Computer Science Building, Stony Brook, NY 11794-2424</p>
  <p>Phone: (631) 632-1524  &middot;  Fax: (631) 632-8334</p>
  <p>Email: <a href="mailto:mueller@cs.stonybrook.edu">mueller@cs.stonybrook.edu</a></p>
</div>
```

Edit the words; if the email changes, change it in **both** the `mailto:` part and the visible text (also in `partials/footer.html` and `resume.html`).

9.2 Third-person bio (`bio_text.txt`)

The link "(Please see here for a bio in the third person)" opens `bio_text.txt`. Open that file in your editor and edit the text. Save it as **UTF-8**. Some characters in it (apostrophes and dashes in "Chancellor's", "2012–2015") appear damaged in the current file; retype them as plain characters: `Chancellor's` and `2012-2015`.

9.3 Education

Section `id="education"`:

```
<li><span class="when">1998</span><span><strong>Ph.D.</strong>, Computer and Information Science &mdash; The Ohio State University</span></li>
```

Add/remove rows by copying/deleting an `<li>`. The dissertation sentence is the `<p class="about-note">` below the list.

9.4 Appointments

See Section 4.1.

9.5 Research Interests (cards)

```
<div class="card">
  <h3>Visualization &amp; Visual Analytics</h3>
  <p>Data visualization, visual analytics, explainable AI, ...</p>
</div>
```

- **Edit:** change the words.
- **Add:** copy one `<div class="card"> … </div>` and paste it after the last one inside `<div class="card-grid">`.

- **Remove:** delete the card.

9.6 Awards & Honors (three groups)

Groups: *Fellowships & Memberships*, *Best Paper Awards*, *Service, Teaching & Other Recognition*. Each row:

```
<li><span class="when">2024</span><span>Elevated to <strong>IEEE Fellow</strong></span></li>
```

Add an award:

1. Pick the right group (`<h3>` heading).
2. Copy a row, paste it at the **top of that group's list** (newest first), change the year in `when` and the text.
3. Use `<strong>…</strong>` to bold key words, `<em>…</em>` for italics.

Multiple years: `<span class="when">2016, 2022</span>`. Also add it to the **Awards** list in `resume.html` (Section 10.4).

9.7 Academic Service

Three parts: *Editorial & Society Leadership*, *Conference Organization*, *Reviewing*.

- Rows work like awards (`when` + text). Add new positions at the top. For a role that ends, change `2025 –` to `2025 – 2027`.
- The *Reviewing* part is a normal paragraph: `<p class="about-text"> … </p>`.

9.8 Invited Talks — add a new talk

Talks are grouped in folds (click-to-open blocks):

```
<details class="fold" open>
  <summary>2025</summary>
  <ul class="cv-list">
```

```
    <li><span class="when">11/04/25</span><span>American Public Health Association (APHA) Annual Meeting, Washington, DC &mdash; &ldquo;Disentang
    ...
  </ul>
</details>
```

Add a talk in an existing year group (e.g. 2025): copy a row, paste it at the top of that group's `<ul>`, and edit:

```
<li><span class="when">MM/DD/YY</span><span>Event or University, City &mdash; &ldquo;Talk Title&rdquo;</span></li>
```

(Use `—` for the long dash and `“` / `”` for the curly quotes.) Add **keynotes** as `<strong>Keynote</strong>,` before the event name, like the existing ones.

Add a talk in a new year (e.g. 2026, 2027):

1. Copy the entire first `<details class="fold" open> … </details>` block.
2. Paste it **above** the existing one.
3. Change `<summary>2025</summary>` to `<summary>2026</summary>` and replace its talks with the new ones.
4. In the **old** block (now second), delete the word `open` from `<details class="fold" open>` so only the newest group opens automatically.

To keep the page tidy, you may also change the summary labels of older groups (e.g. `2024 - 2021`).

Add the talk to the "Invited Talks" list in `resume.html` as well (Section 10.5).

9.9 Professional Activities (Teaching, Societies, Books, Tutorials)

- **Teaching bullet list** (`<ul class="cv-plain">`): edit/add `<li>` lines.
- **Societies chips:** `<li><span class="about-chip">Name</span></li>`
- **Books & Book Chapters:** rows with `when` + citation, same as awards.
- **Tutorials:** inside the fold `<summary>Tutorials at conferences</summary>`; same row format.

9.10 Add a new section to the About page (advanced)

You must do both parts:

1. **Left menu** — in the `<ul class="about-nav-list">`, add:

```
<li><a href="#grants">Grants</a></li>
```

2. **Section** — add inside `<div class="about-content page-wrap">`, where you want it:

```
<section class="about-section panel" id="grants">
  <h2>Grants</h2>
  <ul class="cv-list">
    <li><span class="when">2027</span><span>Grant name &mdash; Agency</span></li>
  </ul>
</section>
```

Rules: (a) the `id` and the `href="#…"` must be identical (lower-case letters, no spaces); (b) the `<h2>` must be the **first thing** inside the section; (c) order in the menu should equal order on the page (the active highlight depends on that).

Remove a section: delete both the menu `<li>` and the whole `<section> … </section>`.

9.11 About page headings

```
<h1>About</h1>
<p class="lead">Here are some details about me.</p>
```

Section titles are the `<h2>` and `<h3>` words inside each section.

---

10. CV page (`resume.html`)

`resume.html` is an **older, simple page** (no site menu), reached from the homepage button "View CV" and the footer link "CV / Bio". It is a long hand-written list. It does not auto-update from other pages, so updates must be made by hand.

> **Character safety:** this file uses an old character encoding. When typing new text with accents, quotes or dashes, use the HTML codes in Section 18 (e.g. `“`, `”`, `–`, `é`) instead of pasting special characters. Do not "Save with Encoding → UTF-8" unless you check the result afterwards.

10.1 Sections (in order)

Educational Background · Professional · Teaching · Areas of Expertise · Awards · Some Numbers · Referee · Service · Professional Societies · Books and Book Chapters · Tutorials · **Publications by year** · Dissertation · **PhD Students Graduated** · **Invited Talks**. Each simple item is a `<li>…</li>` in a `<ul>…</ul>`. Copy an item, paste it, change the words.

10.2 Add a publication for a new year

The publications are grouped by year. Each year has a red heading line followed by a `<ul>` list. The newest year (2025) is first.

New paper in an existing year: find that year's `<ul>`, find the right subgroup (`<strong>Journal</strong>`, `<strong>Conference</strong>`, `<strong>Abstracts</strong>`, `<strong>Preprints</strong>`) and copy a similar `<li>`:

```
<li>A. Student, <strong>K. Mueller</strong>, "Paper Title," <em>IEEE Transactions on Visualization and Computer Graphics</em>, 33(2): 100-112, 20
```

- Bold Klaus's name using `<strong>K. Mueller</strong>`.
- Italic venue using `<em>…</em>`.

First paper of a new year (e.g. 2026):

1. Copy a year heading block, for example:

```
<p align="center"><b><i><font><font><b><i><font><font><b><i><font><font><a href="https://www3.cs.stonybrook.edu/~mueller/research"><b><i><f
```

   (It is long. Copy it completely from `<p align="center">` to `</p>`.) Paste it directly **above** the 2025 heading and change the year: `2026 - click here for papers`.
2. Then add under it a new list:

```
<ul>
  <strong>Journal</strong><br>
  <li>…paper…</li>
</ul>
```

   (Copy the `<ul> … </ul>` of an older year and replace its items.)

10.3 Update "PhD Students Graduated"

Near the end:

```
<li>Arjun Krishna (2025, now at Johns Hopkins University)</li>
```

Add the new graduate at the **top** of the list using the same format.

10.4 Awards / Professional / Service / Teaching

Same pattern: add a `<li>` at the top (newest first), with the year in bold: `<strong>2027</strong>`. To change the role list at the top ("Professional"): see Section 4.

10.5 Add an invited talk

At the end of the file inside `<p>` of the "Invited Talks (since 2005)" block, talks are lines separated by `<br>`. Add a line at the **top** of the list:

```
11/04/26 --- Invited talk: Venue, City, "Talk Title"<br>
```

Do not forget the `<br>` at the end of each line.

---

11. Footer (appears on every page)

Edit **only** `partials/footer.html`; the change appears on all pages automatically.

```
<div>
  <h4>Klaus Mueller</h4>
  <p>Professor, <a href="https://www.cs.stonybrook.edu/">Department of Computer Science, Stony Brook University</a>.</p>
  <p>Director, <a href="http://www3.cs.stonybrook.edu/~vai">Visual Analytics and Imaging (VAI) Lab</a>.</p>
  <p>Senior Scientist, <a href="https://www.bnl.gov/">Brookhaven National Laboratory (BNL)</a>.</p>
  <p>Liaison, <a href="https://cs.sunykorea.ac.kr/cs/">SUNY Korea CS Program</a></p>
</div>
<div>
  <h4>Explore</h4>
  <ul>
    <li><a href="./research/index.html">Research & Publications</a></li>
    ...
```

- **Change a role/line:** edit the `<p>`; add one by copying a `<p>` line.
- **Add a footer link:** copy an `<li><a …>…</a></li>` inside `Explore` or `About`.
- **Links to pages inside the site must start with** `./` (e.g. `./news.html`). The script converts them correctly for every page. Do not use `../` here.

- Outside links start with `https://`; email links start with `mailto:`.
- **Copyright year updates itself.** Keep `<span id="year"></span>` unchanged.
- The line "(Klaus Müller in German spelling)" is at the bottom; edit freely.

---

12. Changing any text, heading, or sub-heading on any page

12.1 General method

1. Open the page's HTML file (see Section 1 table).
2. Use **Ctrl+F** to find the exact words you see on the website.
3. Change only the words **between** `>` and `<`:

```
<h1>Teaching</h1>        →   <h1>Courses &amp; Teaching</h1>
```

4. Save and refresh the browser (Ctrl+F5).

12.2 Where common texts live

Text you see	File	Look for
Big page title (e.g. "Research Areas", "People")	each page	`<h1>…</h1>` inside `<section class="page-hero">`
Sentence under the title	each page	`<p class="lead">…</p>`
Box titles ("Courses", "Faculty", "Alumni")	each page	`<h2>…</h2>` (first thing in each box)

Text you see	File	Look for
Sub-titles ("PhD graduates", "Education items")	each page	`<h3>…</h3>`
Small red labels on homepage ("Research", "News", "Teaching")	`index.html`	`<p class="eyebrow">…</p>`
"All news", "All courses" links	`index.html`	`<a class="text-link" …>`
Browser-tab title	each page	`<title>…</title>`
Google description	each page	`<meta name="description" content="…">`
Research left menu buttons	`research/index.html`	`<button class="area-btn" …>Label</button>`
Research heading above the papers	`assets/js/research.js`	`title: "…"` of the area
Table column titles (Name, Year, Thesis, Now)	`people/index.html`	`<th>…</th>`
Course column titles (Code, Course, Time, Venue)	`teaching/index.html`	`<div class="course-head">` `<span>…</span>`
About left menu	`about.html`	`<ul class="about-nav-list">` `<a>…</a>` (and the matching `<h2>`)

12.3 Hard rules while editing text

- Don't delete the `<`, `>`, or `/`.
- If you change the words of an About section's `<h2>` (e.g. "Awards & Honors"), the left menu word is independent: change the menu word too if you want them equal.

- Never change `id="…"`, `class="…"`, `href="#…"` while editing words.
- If you want a line break inside a paragraph, use `<br>`.
- If you need bold: `<strong>words</strong>`, italic: `<em>words</em>`.
- A link: `<a href="https://example.com">words</a>` (use `class="text-link"` inside paragraphs on the About page so it gets the blue style).

---

13. Navigation menu changes

The menu (Research · People · Teaching · News · About) is **copied into each page**, so any change must be made in all six files: `index.html`, `about.html`, `news.html`, `people/index.html`, `research/index.html`, `teaching/index.html`.

The menu in each file:

```
<nav class="main-nav" aria-label="Primary">
  <a href="./research/index.html">Research</a>
  <a href="./people/index.html">People</a>
  <a href="./teaching/index.html">Teaching</a>
  <a href="./news.html">News</a>
  <a href="./about.html">About</a>
</nav>
```

- **Rename an item:** change the word, in all six files.
- **Link paths differ by location.** Pages in the root (`index.html`, `about.html`, `news.html`) use `./research/index.html`; pages inside folders (`people/`, `research/`, `teaching/`) use `../research/index.html`. Copy the menu from the same-level page.
- **Highlighting the current page:** the current page's link carries `class="active" aria-current="page"` — keep it on the correct link in each file (e.g. in `news.html` only the News link has it).
- **Add a menu item:** copy one `<a>` line into the same place in all six files with the correct relative path. Note: more than ~6 items may not fit on one line on small laptop screens.

---

14. Images: rules for all pages

Image	Folder	Referenced in
Homepage photo, homepage teaching picture	`assets/img/`	`index.html`
People photos, lab group photo	`people/`	`people/index.html`
Paper thumbnails	`research/`	`thumb:` in `assets/js/research.js`
Course pictures	`teaching/`	`teaching/index.html`

General rules:

1. Allowed formats: `.jpg`, `.png`, `.gif`, `.webp`.
2. Keep each picture under ~300 KB (resize big phone photos first; use an online tool like squoosh.app).
3. File names: lowercase, no spaces, no special characters (`new-student.jpg`). If a name has spaces, write `%20` for each space in the HTML.
4. The name in the code must match the real file name **exactly, including upper/lower case** and the extension (`.jpg` vs `.jpeg`).
5. People photos: square-ish, face centered. Paper thumbnails and course pictures: landscape about 4:3.
6. Always keep a short `alt="…"` description for important images (homepage photo, group photo). Decorative thumbnails use `alt=""`.

---

15. Testing your changes

15.1 Preview locally

Method A (VS Code): install the extension **Live Server** → right-click `index.html` → *Open with Live Server*.

Method B (any computer with Python):

1. Open a terminal/command prompt in the website folder (the one containing `index.html`).
2. Run: `python -m http.server 8000` (or `python3 -m http.server 8000`).
3. Open `http://localhost:8000` in the browser.
4. Stop with Ctrl+C.

15.2 Checklist after every change

- [ ] Homepage: photo, roles, bio OK; News box shows the 3 newest items; Teaching box shows 4 courses; footer visible.
- [ ] Research page: click **every** area button; each shows papers (a broken `research.js` shows nothing at all).
- [ ] The new paper's PDF/Detail links open.
- [ ] People page: new photos appear; tables aligned.
- [ ] About page: left menu highlights follow scrolling; clicking each menu item scrolls to the right section.
- [ ] Resize the browser narrow (phone width) — nothing overlaps.
- [ ] Press **Ctrl+F5** to avoid seeing an old cached version.

15.3 Uploading

Upload the changed files **and any new pictures/PDFs** to the web server in the **same folders** as on your computer. If you changed only one file, upload only that file.

---

16. Troubleshooting

Problem	Likely cause	Fix
Research page: the paper list is empty / "Select an area..." never changes, no buttons work	A typo in `research.js` (missing comma, missing quote, extra `}`)	Undo your last edit (Ctrl+Z) or restore the backup. Then redo it carefully. Open the browser console (F12 → Console) — it shows the line number of the error.
One area is empty, others fine	Area key spelled differently in `research.js` and in `research/index.html`	Make both identical
Paper thumbnail doesn't show (broken image)	Picture not in `research/` folder or wrong name/case	Fix file name; check upload
Paper link gives "Not found"	Wrong file name, spaces not written `%20`, or the PDF not uploaded	Fix/upload
Homepage says "News could not be loaded"	Opened by double-click, or the first news `<li>` has no `<span class="date">` / `<div><p>`	Test with local server; follow Section 7.3
Homepage teaching box empty	A course card lost `course-code` / `course-name` classes	Restore from another card
Footer says "Footer could not be loaded"	Local preview without server, or `partials/footer.html` is missing/broken	See Section 15.1

Problem	Likely cause	Fix
A box lost its color/layout	A class name or closing tag was damaged	Compare to a working card; restore backup
Weird characters like `â€™` or `◆`	Encoding problem	Use HTML codes (Section 18); keep the file saved as UTF-8 (all files except `resume.html`)
New student/panel doesn't appear	The panel contains only its `<h2>` (hidden by design)	Add content (Section 6.4)
About menu doesn't highlight a new section	`id` and `href="#id"` differ	Make identical (Section 9.10)
An empty panel appears/disappears unexpectedly	Panels with only a heading are hidden by design	Add content or delete the panel

17. Quick reference: "I want to... → edit this file"

I want to...	File	Section
Change homepage photo	`assets/img/hs1.png` (replace) or `index.html`	3.1
Change role lines	`index.html` (+ other files)	3.3, 4
Change short bio on homepage	`index.html`	3.5

I want to…	File	Section
Change homepage research cards	`index.html`	3.7
Add a publication	`assets/js/research.js` (+ `resume.html`)	5.3, 10.2
Remove a publication	`assets/js/research.js`	5.6
Add a research area	`research.js` + `research/index.html`	5.10
Add a PhD student	`people/index.html`	6.3
Student graduates	`people/index.html` (+ `resume.html`)	6.5
Add an MSc/undergraduate student	`people/index.html`	6.4
Add news	`news.html`	7.2
Add/remove a course	`teaching/index.html`	8.2, 8.5
Add an invited talk	`about.html` (+ `resume.html`)	9.8, 10.5
Add an award	`about.html` (+ `resume.html`)	9.6, 10.4
Add a new appointment / role ended	`about.html` etc.	4.1
Change footer	`partials/footer.html`	11
Change any heading	page's HTML file	12

I want to...	File	Section
Change menu	all six pages	13
Change bio text file	`bio_text.txt`	9.2

18. Cheat sheet: special characters in HTML

Type the code on the left; the browser shows the symbol on the right.

Type this	Shows	Use for
`&`	&	"Tue & Thu", "AI & Society"
`–`	–	date ranges: `2012 – 2015`
`—`	—	"Event — Title"
`“` `”`	“ ”	curly double quotes around talk titles
`‘` `’`	‘ ’	curly single quote / apostrophe (`year’s`)
` `	(space)	a non-breaking space
`·`	·	separator

Type this	Shows	Use for
`é` `ü` `ö` `ä`	é ü ö ä	names: `Müller`
`<` `>`	< >	when you really need these symbols as text

In web addresses (`href="…"`): write `&` as `&` and spaces as `%20`.

- End of guide.*