

Table 7 of AIS-007 (Revision 5)

BRIEF TECHNICAL SPECIFICATIONS FOR MOTOR VEHICLES	
Manufacturer's name and address	PAVITHRA, UDUPI
Importer's name and address (in case of CBU)	shourya, Bangalore
Vehicle data	
Basic model	HP543
Type / Description	3W
Category of the vehicle	L5N
Variant(s)	
Type / Description	
Category of variant(s)	
Engine	
Make	
Model	
Type	
Bore x stroke (mm)	
No. of cylinders	
Displacement	
Compression ratio	
Max. Engine output (kW @ rpm)	
Max. Torque (Nm @ rpm)	

Manufacturer :		Sheet No :	Test Agency :
		Document No:	
Name: asdfasdfs		Date :	Name:
Designation:			Designation:

Table 7 of AIS-007 (Revision 5)

Air cleaner type	
Type of Fuel	
Clutch	
Type	
Gear box	
Make model	
Type	
No. of gears	
Gear ratio 1st 2nd 3rd 4th 5th 6th Reverse	
Drive Axle (Front / Rear / All)	
Front axle ratio	
Rear axle ratio	
Steering	
Type / Description	aa1
Steering wheel diameter mm	34
Ratio	34
Frame	
Long member size (mm)	65

Manufacturer :		Sheet No :	Test Agency :
		Document No:	
Name: asdfasdfs		Date :	Name:
Designation:			Designation:

Table 7 of AIS-007 (Revision 5)

Number of cross members	NA
Suspension	
Type / Description	mno1
Spring	aaaaa
Anti-roll bar	ggg
Shock absorbers	mno1
Brake	
Service brake (Brief description)	abcd
Auto Slack Adjuster Fitted (Yes / No / Optional)	xxxr
ABS Fitted (Yes / No / Optional)	NA
Front (Disc / Drum)	654(friction)
Rear (Disc / Drum)	789(friction)
Total braking area (cm ²)	NA
Parking brake	ABCD
Secondary brake	zzzC
Wheels and tyres	
Wheel rim size	20
Tyre size designation including ply rating	90/90-12
Speed index	100Km/h
Load index / Load rating	54J
Tyre Type (Radial / Cross / Tube / Tubeless)	Tubeless
Laden Tyre pressure (front & rear) (kg/cm ²)	166kpa

Manufacturer :		Sheet No :	Test Agency :
 The picture can't be displayed.		Document No:	
Name: asdfasdfs		Date :	Name:
Designation:			Designation:

Table 7 of AIS-007 (Revision 5)

Electrical system	
System voltage (V)	70V
Battery rating (Ah)	30Ah*2
Wiper motor	Huliux Electric Auto Pvt
Wiping system (Brief description)	ABCDF
Fuel tank	
Material	
Capacity (l)	
Dimensions	
Wheel base (mm)	43
Overall width (mm)	76
Overall length (mm)	56
Overall height (mm)	23
Front track (mm)	43
Rear track (mm)	24
Ground clearance for vehicle category M1 in accordance with IS 9435,(mm)	
Min. ground clearance (mm) (other than M1)	67
Cargo box dimensions (mm)	56
Body overhang (mm)	
Front end	65
Rear end	45

Manufacturer :	Sheet No :	Test Agency :
 The picture can't be displayed.	Document No:	
Name: asdfasdfs Designation:	Date :	Name: Designation:

Table 7 of AIS-007 (Revision 5)

Frame overhang mm (in case of vehicles without complete body)					
Front end					45
Rear end					56
Load body platform area					98
Weights	Base	Var 1	Var 2	Var 3	Var 4
Maximum GVW kg (for rigid vehicles)					
Maximum GCW kg (for articulated / combination vehicles)					
Maximum FAW (kg)	aaa				
Maximum RAW (kg)	guyghg				
Kerb weight with 90% fuel (with spare wheel , tools, etc.) (kg)	68				
Maximum gradeability in 1st gear	67				
CO2 (g/km) (Applicable for category M1 with GVW<3.5 T)					
Declared : (rounded to 3 decimal places)					
Fuel consumption (l/100 km) for Petrol, LPG or Diesel and (kg/100km) for CNG and (kWh/100 km) for Electric Driven Vehicles(Applicable for category M1 with GVW<3.5 T) (rounded to 3 decimal places)*					
Fuel Equivalent Fuel Consumption (Actual Fuel)					
Petrol Equivalent Fuel Consumption (Petrol Equivalent)					
Vehicle Max Speed in unladen condition					25kmh
Vehicle Max Speed in laden condition					50Kmh
Seating					
Seating capacity					1

Manufacturer :		Sheet No :	Test Agency :
		Document No:	
Name: asdfasdfs		Date :	Name:
Designation:			Designation:

Table 7 of AIS-007 (Revision 5)

Sketch showing seating layout with vehicle dimensions (mm) (all category of vehicles)	NA

Manufacturer :		Sheet No :	Test Agency :
		Document No:	
Name: asdfasdfs Designation:		Date :	Name: Designation: