

HTTP method	Route	Description	Role required	Request body	Expected response
POST	/api/auth/register	Registers a new user by creating an account with the supplied name, email address, password, and selected role. The system must ensure that the email address is not already registered	None	{ "name": "John Doe", "email": "john@email.com", "password": "Password123", "role": "Participant" }	201 Created – User account is successfully created. 400 Bad Request – Required registration information is missing or invalid. 409 Conflict – An account with the supplied email address already exists.
POST	/api/auth/login	Authenticates a registered user by checking the supplied email address and password and returns authentication information that allows the user to access protected system functionality according to their role.	None	{ "email": "john@email.com", "password": "Password123" }	200 OK – Login is successful and an authentication token is returned. 400 Bad Request – Email or password has not been supplied. 401 Unauthorized – The supplied login credentials are incorrect.
GET	/api/users/me	Returns the profile information belonging to the currently authenticated user, allowing both Participants and Organisers to view their own account information.	Any	None	200 OK – Returns the authenticated user's profile information. 401 Unauthorized – The user is not authenticated.
PUT	/api/users/me	Updates the profile information belonging to the currently authenticated user using the new personal	Any	{ "name": "John Smith", "email": "johnsmith@email.c om" }	200 OK – Profile information is successfully updated.

		information supplied in the request. A user can only update their own profile.			400 Bad Request – Supplied profile information is invalid or incomplete. 401 Unauthorized – The user is not authenticated. 409 Conflict – The new email address is already being used by another account.
GET	/api/events	Returns a list of all events stored in the system so that authenticated Participants and Organisers can view the available events before deciding whether to enter or manage them.	Any	None	200 OK – Returns a list of available events. 401 Unauthorized – The user is not authenticated.
GET	/api/events/{eventID}	Returns the details of a specific event using the supplied event ID, including the event name, description, date, location, distance, and event type.	Any	None	200 OK – Returns the requested event details. 401 Unauthorized – The user is not authenticated. 404 Not Found – No event exists with the supplied event ID.
POST	/api/events	Creates a new event by storing the event name, description, event date, location, distance, and event type supplied by the authenticated Organiser.	Organiser	{ "eventName": "Pretoria City Run", "description": "10km road race", "eventDate": "2026-10-15", "location": "Pretoria", "distance": 10, "eventType": "Run" }	201 Created – The event is successfully created. 400 Bad Request – One or more event details are missing or invalid. 401 Unauthorized – The user is not authenticated. 403 Forbidden – The authenticated user is not an Organiser.

PUT	/api/events/{eventId}	Updates the details of an existing event using the supplied event ID and the new event information provided by the Organiser responsible for managing that event.	Organiser	{ "eventName": "Pretoria City 10km Run", "description": "Updated 10km road race", "eventDate": "2026-10-20", "location": "Pretoria", "distance": 10, "eventType": "Run" }	200 OK – The event is successfully updated. 400 Bad Request – One or more supplied event details are invalid. 401 Unauthorized – The user is not authenticated. 403 Forbidden – The user is not an Organiser or does not manage the event. 404 Not Found – The supplied event ID does not exist.
DELETE	/api/events/{eventId}	Deletes an existing event using the supplied event ID when the event is managed by the authenticated Organiser.	Organiser	None	204 No Content – The event is successfully deleted. 401 Unauthorized – The user is not authenticated. 403 Forbidden – The user is not an Organiser or does not manage the event. 404 Not Found – The supplied event ID does not exist.
GET	/api/events/{eventId}/categories	Returns all age or distance categories available for a specific event using the supplied event ID, allowing Participants to select a suitable category when enrolling and Organisers to review their categories.	Any	None	200 OK – Returns the categories belonging to the event. 401 Unauthorized – The user is not authenticated. 404 Not Found – The supplied event ID does not exist.
POST	/api/events/{eventId}/categories	Creates a new age or distance category for the	Organiser	{ "categoryName": "Senior", "minAge":	201 Created – The category is successfully created for the event.

		event identified by the supplied event ID, using the category information defined by the Organiser.		20, "maxAge": 39, "distance": 10 }	400 Bad Request – Category information is missing or invalid. 401 Unauthorized – The user is not authenticated. 403 Forbidden – The user is not an Organiser or does not manage the event. 404 Not Found – The supplied event ID does not exist. 409 Conflict – The same category already exists for the event.
PUT	/api/categories/{categoryId}	Updates an existing age or distance category using the supplied category ID and the new category information provided by the Organiser responsible for the event.	Organiser	{ "categoryName": "Senior", "minAge": 21, "maxAge": 39, "distance": 10 }	200 OK – The category is successfully updated. 400 Bad Request – Supplied category information is invalid. 401 Unauthorized – The user is not authenticated. 403 Forbidden – The user is not an Organiser or does not manage the related event. 404 Not Found – The supplied category ID does not exist.
DELETE	/api/categories/{categoryId}	Deletes an existing age or distance category using the supplied category ID when the category is managed by the Organiser responsible for the event.	Organiser	None	204 No Content – The category is successfully deleted. 401 Unauthorized – The user is not authenticated. 403 Forbidden – The user is not an Organiser or does not manage the related event.

					404 Not Found – The supplied category ID does not exist.
POST	/api/events/{eventId}/enrolments	Enrols the currently authenticated Participant into the event identified by the supplied event ID by recording the category selected by the Participant. The system must link the Participant, event, and selected category.	Participant	{ "categoryId": 3 }	201 Created – The Participant is successfully enrolled and the Participant, event, and category relationship is recorded. 400 Bad Request – The category information is missing or invalid. 401 Unauthorized – The user is not authenticated. 404 Not Found – The event or selected category does not exist. 409 Conflict – The Participant is already enrolled in the event.
GET	/api/events/{eventId}/enrolments	Returns all Participants enrolled in the event identified by the supplied event ID so that the Organiser responsible for that event can view the event's current enrolments.	Organiser	None	200 OK – Returns all enrolments for the event. 401 Unauthorized – The user is not authenticated. 403 Forbidden – The user is not an Organiser or does not manage the event. 404 Not Found – The supplied event ID does not exist.
GET	/api/users/me/enrolments	Returns all event enrolments belonging to the currently authenticated Participant, including the events they entered and the categories they selected.	Participant	None	200 OK – Returns the Participant's event enrolments. 401 Unauthorized – The user is not authenticated.

DELETE	/api/events/{eventId}/enrolments/me	Removes the currently authenticated Participant's enrolment from the event identified by the supplied event ID, allowing the Participant to withdraw their own entry.	Participant	None	204 No Content – The Participant's enrolment is successfully removed. 401 Unauthorized – The user is not authenticated. 404 Not Found – The Participant does not have an enrolment for the supplied event ID.
POST	/api/events/{eventId}/results	Records the finishing result of a Participant who completed the event identified by the supplied event ID, including the Participant's finishing position and finishing time.	Organiser	{ "participantId": 15, "finishingPosition": 1, "finishTime": "00:45:32" }	201 Created – The Participant's result is successfully recorded. 400 Bad Request – Result information is missing or invalid. 401 Unauthorized – The user is not authenticated. 403 Forbidden – The user is not an Organiser or does not manage the event. 404 Not Found – The event or Participant does not exist. 409 Conflict – A result has already been recorded for the Participant in this event.
PUT	/api/results/{resultId}	Updates an existing Participant's result using the supplied result ID, allowing the Organiser to correct the recorded finishing position or finishing time.	Organiser	{ "finishingPosition": 2, "finishTime": "00:46:10" }	200 OK – The result is successfully updated. 400 Bad Request – Supplied result information is invalid. 401 Unauthorized – The user is not authenticated.

					403 Forbidden – The user is not an Organiser or does not manage the related event. 404 Not Found – The supplied result ID does not exist.
GET	/api/events/{eventID}/results	Returns all recorded results for the event identified by the supplied event ID, including the Participants' finishing positions and finishing times, so that the Organiser can review the completed event results.	Organiser	None	200 OK – Returns all results recorded for the event. 401 Unauthorized – The user is not authenticated. 403 Forbidden – The user is not an Organiser or does not manage the event. 404 Not Found – The supplied event ID does not exist.
GET	/api/users/me/results	Returns all results belonging to the currently authenticated Participant, allowing them to view their own finishing positions and finishing times from completed events	Participant	None	200 OK – Returns the Participant's own results. 401 Unauthorized – The user is not authenticated.