


CLDV6212 PART 2

Dillon Rinkwest

Table of Contents

Section A.....	2
Function App	4
Table Service.....	5
Blob Storage	6
File Share Service.....	6
Queues.....	7
Links.....	7
Section B.....	8
Azure Event Hubs	8
Description	8
Mechanism	8
How does it add value to end users?.....	8
Azure Service Bus	9
Description	9
Mechanism	9
How does it add value to end users?.....	10
References	11
Disclosure of AI Usage in my Assessment.....	13

Section A



VCCT-CLDV6212-2025-G1/ST10 x Microsoft.Web-FunctionApp-Portal-21d3d68e-9e49 x New Tab x +

portal.azure.com/#view/HubsExtension/DeploymentDetailsBlade/~/overview/id/%2Fsubscriptions%2Fe31273bf-0dae-4395-a8b5-33f801de7c65%2Fresour...

Microsoft Azure Search resources, services, and docs (G+T) Copilot ST10439147@vccomtec... ADVTECH LTD (ADVTECH@GMAIL.BE)

Microsoft.Web-FunctionApp-Portal-21d3d68e-9e49 | Overview

Deployment

Search Delete Cancel Redeploy Download Refresh

Overview Inputs Outputs Template

*** Deployment is in progress

Deployment name : Microsoft.Web-FunctionApp-Portal-21d3d68e-9e49
Subscription : ADVTECH-Tertiary Varsity College
Resource group : AZ-JHB-RSG-VCCWCON-ST10439147-TER

Start time : 9/25/2025, 3:01:54 PM
Correlation ID : ca44c3cc-6dff-4043-a516-42f8dbd1975c

Deployment details

Resource	Type	Status	Operation details
azjhrsgvconst10494bc	Storage account	OK	Operation details
ASP-AZJHB-RSG-VCCWCON-ST10439147-TER-8308	Microsoft.Web/serverfarms	OK	Operation details
azjhrsgvconst10494bc	Storage account	OK	Operation details

Microsoft Defender for Cloud
Secure your apps and infrastructure
[Go to Microsoft Defender for Cloud >](#)

Free Microsoft tutorials
[Start learning today >](#)

Work with an expert
Azure experts are service provider partners who can help manage your assets on Azure and be your first line of support.
[Find an Azure expert >](#)

Add or remove shortcuts by pressing Ctrl+Shift+J

VCCT-CLDV6212-2025-G1/ST10 x Microsoft.Web-FunctionApp-Portal-21d3d68e-9e49 x New Tab x +

portal.azure.com/#view/HubsExtension/DeploymentDetailsBlade/~/overview/id/%2Fsubscriptions%2Fe31273bf-0dae-4395-a8b5-33f801de7c65%2Fresour...

Microsoft Azure Search resources, services, and docs (G+T) Copilot ST10439147@vccomtec... ADVTECH LTD (ADVTECH@GMAIL.BE)

Microsoft.Web-FunctionApp-Portal-21d3d68e-9e49 | Overview

Deployment

Search Delete Cancel Redeploy Download Refresh

Overview Inputs Outputs Template

✓ Your deployment is complete

Deployment name : Microsoft.Web-FunctionApp-Portal-21d3d68e-9e49
Subscription : ADVTECH-Tertiary Varsity College
Resource group : AZ-JHB-RSG-VCCWCON-ST10439147-TER

Start time : 9/25/2025, 3:02:02 PM
Correlation ID : ca44c3cc-6dff-4043-a516-42f8dbd1975c

Deployment details

Next steps

[Go to resource](#)

Cost management
Get notified to stay within your budget and prevent unexpected charges on your bill.
[Set up cost alerts >](#)

Microsoft Defender for Cloud
Secure your apps and infrastructure
[Go to Microsoft Defender for Cloud >](#)

Free Microsoft tutorials
[Start learning today >](#)

Work with an expert
Azure experts are service provider partners who can help manage your assets on Azure and be your first line of support.
[Find an Azure expert >](#)

Add or remove shortcuts by pressing Ctrl+Shift+J

Function App

Connected Services

Publish

st10439147 - Zip Deploy.pubxml

Azure Function App

Publish

+ New profile

More actions

Publish succeeded on 2025/10/04 at 16:30.

Navigate

Enable logging by adding Application Insights

Add Azure Application Insights

Settings

Configuration

Target Runtime

Show all settings

Release

win-x64

Hosting

Account

Subscription

Resource group

Resource name

ST10439147@vccconnect.edu.za (ADvTECH Ltd.)

e31273bf-0dae-4395-a8b5-33f801de7c65

AZ-JHB-RSG-VCWCCN-ST10439147-TER

st10439147

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

ST10439147 - Zip Deploy.pubxml

ADvTECH LTD (ADvTECH LTD)

Home

st10439147

Function App

Search

Browse Refresh Stop Restart Swap Get publish profile Reset publish profile Download app content Delete Send us your feedback

Enable Application Insights for monitoring and profiling for your app.

Essentials

Resource group (move)

Status

Location (move)

Subscription (move)

Subscription ID

Tags (add)

AZ-JHB-RSG-VCWCCN-ST10439147-TIS

Running

South Africa North

ADvTECH-Tertiary/Varsity College

e31273bf-0dae-4395-a8b5-33f801de7c65

Add tags

Default domain

Health Check

Operating System

App Service Plan

Runtime version

st10439147-gbda3cbbcd@southafricanorth-01.azurewebsites.net

Not Configured

Windows

ASP-AZ-JHB-RSG-VCWCCN-ST10439147-TER-8108 (81-1)

4.1043.200.25453

JSON View

Functions

Metrics

Properties

Notifications (1)

Set up local environment Refresh

Filter by name...

Name	Trigger	Status	Monitor
CreateCustomer	HTTP	Enabled	Invocations and more
CreateProduct	HTTP	Enabled	Invocations and more
DeleteCustomer	HTTP	Enabled	Invocations and more
DeleteFile	HTTP	Enabled	Invocations and more
DeleteProduct	HTTP	Enabled	Invocations and more
DownloadFile	HTTP	Enabled	Invocations and more
GetAllCustomers	HTTP	Enabled	Invocations and more

Add or remove favorites by pressing Ctrl+G (Alt+F1) F

Table Service

The screenshot shows the Microsoft Azure portal interface for a function named 'CreateCustomer'. The 'Code + Test' tab is active, displaying the function's metadata and code. The 'Test/Run' tab on the right shows the test results, including the HTTP response code (200 OK) and the response content (a JSON object representing a customer record).

Code + Test

```
1 [
2   {
3     "name": "CreateCustomer",
4     "scriptFile": "ST10439147_CLOUDV6212_POE.Functions.dll",
5     "entryPoint": "ST10439147_CLOUDV6212_POE.Functions.CustomerFunction.CreateCustomer",
6     "language": "dotnet-isolated",
7     "properties": {
8       "isCodeless": false
9     },
10    "bindings": [
11      {
12        "name": "req",
13        "direction": "in",
14        "type": "httpTrigger",
15        "authLevel": "function",
16        "methods": [
17          "post"
18        ]
19      }
20    ]
21  }
22 ]
```

Test/Run

Input: Output

HTTP response code: 200 OK

HTTP response content:

```
{
  "PartitionKey": "Customer",
  "RowKey": "CUST-002",
  "FirstName": "Alice",
  "LastName": "Jones",
  "Email": "alice.jones@example.com",
  "PhoneNumber": "0002827823456889",
  "Timestamp": null
}
```

Logs

```
2025-10-06T07:03:33 [Information] Welcome, you are now connected to log-streaming service. The default timeout is 2 hours. Change the timeout with the App Setting 'LogStreamTimeout'.
2025-10-06T07:04:06.428 [Information] Executing 'Functions.CreateCustomer' (Reason='This function was programmatically called via the host APIs.', Id=...)
2025-10-06T07:04:06.448 [Information] CustomerFunction constructor completed
2025-10-06T07:04:06.448 [Information] *** CreateCustomer function triggered ***
2025-10-06T07:04:06.448 [Information] TableService is null: False
2025-10-06T07:04:06.458 [Information] Request body received: {"PartitionKey": "Customer", "RowKey": "CUST-002", "FirstName": "Alice", "LastName": "Jones", "Email": "alice.jones@example.com", "PhoneNumber": "0002827823456889", "Timestamp": null}
2025-10-06T07:04:06.458 [Information] Attempting to insert customer with RowKey: CUST-002
2025-10-06T07:04:06.546 [Information] Customer created successfully: CUST-002
2025-10-06T07:04:06.547 [Information] Executed 'Functions.CreateCustomer' (Succeeded, Id=ca65739f-a930-4e41-bb1b-1b5fba424ac1, Duration=128ms)
```

The screenshot shows the Microsoft Azure portal interface for the 'Storage browser' view of the 'customers' table. The table contains 7 items, each with a PartitionKey, RowKey, Timestamp, Email, FirstName, LastName, and Phone number. The 'Advanced filter' toggle is turned on.

Storage browser

Search: st10439147

Overview, Activity log, Tags, Diagnose and solve problems, Access Control (IAM), Data migration, Events, Storage browser, Storage Mover, Partner solutions, Resource visualizer, Data storage, Containers, File shares, Queues, Tables, Security + networking, Front Door and CDN

Customers

Authentication method: Access key (Switch to Microsoft Entra user account)

Add filter

Showing all 7 items

PartitionKey	RowKey	Timestamp	Email	FirstName	LastName	Phone
Customer	1f1e9c2-90ba-4ddd-9b1...	2025-10-06T06:21:52.7165...	Liam@example.com	Liam	Swile	+27
Customer	53e9763e-0933-4a1d-a58b...	2025-10-06T06:21:59.9557...	ST10439147@vconnecte...	Dillon	Rinkwest	+27
Customer	54899edf-5270-468b-a25a...	2025-10-06T06:22:06.1027...	finnb@gmail.com	Fin	Balor	+27
Customer	CUST-001	2025-10-06T06:27:00.4175...	alice.johnson@example.co...	Alice	Johnson	+27
Customer	c25d9f3-1cd4-4fb7-805c...	2025-10-06T06:22:11.2541...	dillon@gmail.com	Dillon	Scott	+27
Customer	cec3ae05-55bc-46f6-baed...	2025-10-06T06:22:20.0843...	UziEss@gmail.com	Utzair	Essa	+2
Customer	eb213645-9dad-4f58-b7d...	2025-10-06T06:22:26.4733...	mic@yahoo.com	Michael	Jones	+27

Blob Storage

The screenshot displays the Microsoft Azure portal interface for a function named 'GetAllProducts'. The 'Code + Test' tab is active, showing the function's metadata and code. The code is a C# function that interacts with a database to retrieve product information. The 'Test/Run' tab on the right shows the function's output, which is a JSON array of product details. The logs at the bottom indicate that the function executed successfully, returning 3 products.

```
1 {
2   {
3     "name": "CreateCustomer",
4     "scriptFile": "ST10439147_CLDVG212_POE.Functions.dll",
5     "entryPoint": "ST10439147_CLDVG212_POE.Functions.CustomerFunction.CreateCustomer",
6     "language": "dotnet-isolated",
7     "properties": {
8       "isCodeless": false
9     },
10    "bindings": [
11      {
12        "name": "req",
13        "direction": "In",
14        "type": "httpTrigger",
15        "authLevel": "Function",
16        "methods": [
17          "post"
18        ]
19      }
20    ]
21  }
22 }
```

HTTP response code: 200 OK

HTTP response content:

```
[{"PartitionKey": "Product", "RowKey": "412cbee-0ce7-42fb-bc73-7870a5b00773", "Name": "Sweet u0026 Sour Doritos", "Description": "dfg bdsq sdgh sdg", "Price": "24.02", "StockQuantity": "247", "imageUrl": "https://st10439147.blob.core.windows.net/products/8ba9-0b0b5457d5d7-CLDVG212_POE.Part 1 Brief-1.pdf", "Timestamp": "2025-10-06T08:23:14.3839554+00:00", "ETag": "W/\"u0022dateimeu00272025-10-06T08:23:14.3839554Z\"u0027u0022"}, {"PartitionKey": "Product", "RowKey": "8587d338-3c51-4150-943b-45d643989e74", "Name": "Pasta Shells", "Description": "lgh dflg dflg dflg", "Price": "41.01", "StockQuantity": "200", "imageUrl": "https://st10439147.blob.core.windows.net/products/3131e80f-69df-42a0-8415-fc6d05db038f.jpeg", "Timestamp": "2025-10-05T18:06:56.3378407+00:00", "ETag": "W/\"u0022dateimeu00272025-10-05T18:06:56.3378407Z\"u0027u0022"}, {"PartitionKey": "Product", "RowKey": "907c1e28-021-44ad-9fba-b84f5528245", "Name": "Bag of Green Apples", "Description": "The green apples form Paarl", "Price": "35", "StockQuantity": "100", "imageUrl": "https://st10439147.blob.core.windows.net/products/6326db7-4d66-42d4-bcca-e7b14e5707.jpg", "Timestamp": "2025-10-05T21:37:17.359065+00:00", "ETag": "W/\"u0022dateimeu00272025-10-05T21:37:17.359065Z\"u0027u0022"}]
```

Connected!

2025-10-06T07:01:51 [Information] Welcome, you are now connected to log-streaming service. The default timeout is 2 hours. Change the timeout with the App Setting S...

2025-10-06T07:02:21.996 [Information] Executing 'Functions.GetAllProducts' (Reason: 'This function was programmatically called via the host APIs.', Id=8408a2-2e63-4206-b72d-59dc99764c7f, Duration=39ms)

2025-10-06T07:02:21.159 [Information] Retrieving all products

2025-10-06T07:02:21.338 [Information] Retrieved 3 products

2025-10-06T07:02:21.368 [Information] Executed 'Functions.GetAllProducts' (Succeeded, Id=8408a2-2e63-4206-b72d-59dc99764c7f, Duration=39ms)

File Share Service

The screenshot displays the Microsoft Azure portal interface for a function named 'GetFiles'. The 'Code + Test' tab is active, showing the function's metadata and code. The code is a C# function that interacts with a file share to retrieve file information. The 'Test/Run' tab on the right shows the function's output, which is a JSON array of file details. The logs at the bottom indicate that the function executed successfully, returning 4 files from the file share.

```
4 {
5   {
6     "scriptFile": "ST10439147_CLDVG212_POE.Functions.dll",
7     "entryPoint": "ST10439147_CLDVG212_POE.Functions.CustomerFunction.CreateCustomer",
8     "language": "dotnet-isolated",
9     "properties": {
10      "isCodeless": false
11    },
12    "bindings": [
13      {
14        "name": "req",
15        "direction": "In",
16        "type": "httpTrigger",
17        "authLevel": "Function",
18        "methods": [
19          "post"
20        ]
21      }
22    ]
23  }
24 }
```

HTTP response code: 200 OK

HTTP response content:

```
[{"PartitionKey": "Product", "RowKey": "412cbee-0ce7-42fb-bc73-7870a5b00773", "Name": "Sweet u0026 Sour Doritos", "Description": "dfg bdsq sdgh sdg", "Price": "24.02", "StockQuantity": "247", "imageUrl": "https://st10439147.blob.core.windows.net/products/8ba9-0b0b5457d5d7-CLDVG212_POE.Part 1 Brief-1.pdf", "Timestamp": "2025-10-06T08:23:14.3839554+00:00", "ETag": "W/\"u0022dateimeu00272025-10-06T08:23:14.3839554Z\"u0027u0022"}, {"PartitionKey": "Product", "RowKey": "8587d338-3c51-4150-943b-45d643989e74", "Name": "Pasta Shells", "Description": "lgh dflg dflg dflg", "Price": "41.01", "StockQuantity": "200", "imageUrl": "https://st10439147.blob.core.windows.net/products/3131e80f-69df-42a0-8415-fc6d05db038f.jpeg", "Timestamp": "2025-10-05T18:06:56.3378407+00:00", "ETag": "W/\"u0022dateimeu00272025-10-05T18:06:56.3378407Z\"u0027u0022"}, {"PartitionKey": "Product", "RowKey": "907c1e28-021-44ad-9fba-b84f5528245", "Name": "Bag of Green Apples", "Description": "The green apples form Paarl", "Price": "35", "StockQuantity": "100", "imageUrl": "https://st10439147.blob.core.windows.net/products/6326db7-4d66-42d4-bcca-e7b14e5707.jpg", "Timestamp": "2025-10-05T21:37:17.359065+00:00", "ETag": "W/\"u0022dateimeu00272025-10-05T21:37:17.359065Z\"u0027u0022"}]
```

Connected!

2025-10-06T07:05:37 [Information] Welcome, you are now connected to log-streaming service. The default timeout is 2 hours. Change the timeout with the App Setting S...

2025-10-06T07:05:38.688 [Information] Executing 'Functions.GetFiles' (Reason: 'This function was programmatically called via the host APIs.', Id=8408a2-2e63-4206-b72d-59dc99764c7f, Duration=38ms)

2025-10-06T07:05:39.201 [Information] Retrieving all files from Azure File Share

2025-10-06T07:05:39.410 [Information] Retrieved 4 files from file share

2025-10-06T07:05:39.430 [Information] Executing OKObjectResult, writing value of type 'System.Collections.Generic.List<[System.String, System.Private.PublicKeyToken]>' (Succeeded, Id=8408a2-2e63-4206-b72d-59dc99764c7f, Duration=38ms)

The screenshot displays the Microsoft Azure portal interface for the 'Storage browser' view. The left sidebar shows the navigation menu with 'Storage browser' selected. The main area shows the 'Storage account' details, including the 'File shares' section. The 'File shares' section lists the available file shares, including 'dummycontracts'. The 'Authentication method' is set to 'Access key (Switch to Microsoft Entra user account)'. The 'Showing all 4 items' section displays a table of file shares with columns for Name, Type, and Size.

Name	Type	Size
03e6f52-6a51-4803-a8e4-b0cb6f6613a0_CLDVG212POE.pdf	File	1.11 MiB
4a28779a-7082-4763-88a9-0b0b5457d5d7_CLDVG212 POE Part 1 Brief-1.pdf	File	55.09 KiB
f3f78e35-e1d1-4357-af19-0a07302eac27_PROG6212POE.pdf	File	504.83 KiB
f584314c-2baa-42f5-bfb2-85a342c54bab_INS16212_CE03_WBS.xlsx	File	13.73 KiB

Queues

The first screenshot shows the 'ProcessOrderQueue' function in the Azure portal. The 'Code + Test' tab is active, displaying the function's metadata and a log stream. The log stream shows the function being triggered by a message with the following body:

```
{
  "orderId": "test-order-123",
  "customerId": "customer-456",
  "productId": "product-789",
  "quantity": 3,
  "action": "NewOrder"
}
```

. The log stream also shows the function's execution, including the creation of a new order and the retrieval of the order.

The second screenshot shows the 'ProcessInventoryQueue' function in the Azure portal. The 'Code + Test' tab is active, displaying the function's metadata and a log stream. The log stream shows the function being triggered by a message with the following body:

```
{
  "orderId": "test-order-123",
  "productId": "product-789",
  "quantity": 3,
  "action": "Stock reduced for order"
}
```

. The log stream also shows the function's execution, including the reduction of stock and the completion of the inventory monitoring process.

Links

GitHub Link:

https://github.com/VCCT-CLDV6212-2025-G1/ST10439147_CLDV6212_POE/tree/P2

YouTube links:

<https://youtu.be/b-DDD3GIB1A>

Section B

Azure Event Hubs

Description

Azure Event Hubs is a fully managed, real-time data ingestion and event streaming platform provided by Microsoft Azure. The purpose of its design is to receive and process millions of events per second from multiple sources. The sources could be web applications, IoT devices, mobile apps, and backend systems. Event Hubs acts as the front door for event pipelines, enabling the large-scale collection of data for real-time analytics and processing (Microsoft, 2024).

Since ABC retail is an online retail business, Event Hubs can capture data such as the customer's clickstream, page views, product searches, and transaction logs. This data is then made available in near real-time for processing, analysis, and decision making, which supports the quick adaptation to the user's behaviour and makes the shopping experience more enjoyable.

Mechanism

Azure Event Hubs follows a publish-subscribe streaming model:

- **Event Producers or Publishers** send event data to an Event Hub using supported SDKs or protocols. The producers would be the web apps, API's or IoT devices (Microsoft, 2025).
- Events are ingested and stored in partitions. This allows for parallel consumption and scale. Each partition holds a sequence of events, preserving order within that specific partition (Microsoft, 2025).
- A **consumer group** is a logical collection of customers who access information from an event hub. It makes it possible for several apps to independently read the same streaming data in an event hub. It enables you to divide the workload across several consumers and parallelise message consumption while preserving the message order inside each partition (Microsoft, 2025).
- Event data is retained for a short window period, which is normally between 24 hours and 7 days. During this time, multiple consumers can process it. After processing it, the results can now be stored in databases, visualised in dashboards, or used to trigger business workflows (Microsoft, 2025).

Azure Event Hubs also supports capture, which automatically stores event data into Azure Blob Storage or Azure Data Lake for long-term storage or batch processing.

How does it add value to end users?

For ABC retail, Event Hubs enables the business to deliver a smarter and more responsive system for the customer experience.

- **Real-Time customisation:** By analysing the clickstream data when it arrives, the website can immediately recommend relevant products, display targeted promotions, or adjust pricing dynamically based on the user's behaviour (element61, 2025).

- **Improved responsiveness:** Event data can trigger automated workflows, such as restocking alerts or dynamic pricing updates (element61, 2025). This ensures the product availability and pricing are always up to date for customers.
- **Faster Insights and Decision making:** The real-time data ingestion allows ABC retail to detect trends, such as a hidden, sudden surge in interest for a product and respond to it quickly (element61, 2025). This will improve customer satisfaction and possibly increase sales.
- **Enhanced performance monitoring:** The application telemetry sent through Event Hubs is able to detect performance issues in real time (element61, 2025). This allows for quick fixes before a large number of customers are impacted.
- **Scalability during peak loads:** During high-traffic events like sales or holidays, Event Hubs can scale to handle massive data volumes automatically (element61, 2025). This ensures that the site remains responsive during these times and continues to deliver real-time insights.

Azure Service Bus

The Azure Event Bus is a general term used; however, in the context of Azure, it specifically refers to the Azure Service Bus.

Description

Message queues and publish-subscribe topics are features of the fully controlled enterprise message broker known as the Service Bus. Enterprise applications that need transactions, ordering, duplicate detection, and instantaneous consistency are the target market for this service. Cloud-native apps can now reliably manage state transitions for business processes thanks to Service Bus. Use Azure Service Bus when managing valuable messages that cannot be lost or replicated. Additionally, this service can link current on-premises systems to cloud solutions and enables extremely secure communication across hybrid cloud solutions (Microsoft, 2025).

In the context of ABC retail, the Service Bus can be used to manage mission-critical processes. The processes at hand could be order placement, payment processing, inventory updates, and notification dispatching. All these processes must be reliable and in the correct order.

Mechanism

- Producers send messages to a queue or topic in Service Bus. The producer in this instance would be the frontend of the web app (Microsoft, 2025).
- **Queues** are used for one-to-one messaging. This is when a single consumer processes each message (Microsoft, 2025).
- **Topics and subscriptions** are used for one-to-many messaging. This is when one message published on a topic can be received by multiple subscribers, with each of them performing different tasks (Microsoft, 2025).
- Service Bus guarantees an “at-least-once” delivery and supports ordered delivery using message sessions (Microsoft, 2025).
- Message sessions are workflows and multiple transfers that need stringent message ordering or deferral should be coordinated on a large scale (Microsoft, 2025).

- Advanced features that include dead letter queues, which are used for handling failed messages, scheduled messages, which are used for delayed processing, transactions, duplicate detection, and auto-forwarding (Deshmukh, 2025).
- Consumers can process messages asynchronously and acknowledge them once it is completed. If the consumer is unavailable, then messages will stay in the queue until the message is processed, ensuring reliability (Imperium Dynamics, 2025).

How does it add value to end users?

Using Azure Service Bus as the event bus improves the reliability and user experience of ABC Retail's online platform:

- **Reliable Order Processing:** Orders that are placed by customers are stored as messages in a queue and processed reliably even if downstream services are temporarily unavailable. This prevents lost orders and ensures that customers receive accurate confirmation (Imperium Dynamics, 2025).
- **Decoupled and Resilient Systems:** Each subsystem can evolve and scale independently without affecting others. Customers will be able to experience fewer outages and faster feature rollouts (Deshmukh, 2025).
- **Asynchronous Workflows:** Tasks like fraud checks, shipping label generation, or email confirmations can occur in the background without blocking the user interface. This will keep the site responsive and improve performance (Imperium Dynamics, 2025).
- **Guaranteed Message Ordering:** Using sessions, operations that must occur in sequence are guaranteed to happen in order. This avoids errors that could affect the customer's order status (Microsoft, 2025).
- **Error Handling and Recovery:** Dead-letter queues and retry mechanisms ensure that messages that fail processing are not lost. This leads to more predictable outcomes for customers and fewer order issues (Imperium Dynamics, 2025).
- **Real-Time Notifications:** With the use of topics, an "OrderPlaced" event can trigger the inventory updates, billing, and customer notification simultaneously. Customers will be able to receive immediate order confirmation emails and accurate delivery updates.

In conclusion, Azure Event Hubs can be used for Telemetry and behavioural data. This is suggested because they offer clickstream capture, search, and app interaction capabilities to provide real-time product recommendations. Service Bus can be used for the core business events, like using the Orderplaced topic with multiple subscriptions, such as the inventory service reduces stock, and using queues for tasks like payment processing and fraud detection. By combining both services, the architecture could be able to deliver a real-time, reliable, and scalable system that will enhance both the backend and the frontend operations.

References

Deshmukh, A. S., 2025. *What is an Azure Service Bus?*. [Online]
Available at: <https://www.scholarhat.com/tutorial/azure/service-bus-architecture-components-features#:~:text=Azure%20Service%20Bus%20provides%20three,messages%20are%20stored%20until%20consumed.>
[Accessed October 2025].

element61, 2025. *Microsoft Azure Event Hubs*. [Online]
Available at: <https://www.element61.be/en/competence/microsoft-azure-event-hubs#:~:text=Real%2Dtime%20reporting,Application%20logging>
[Accessed October 2025].

Imperium Dynamics, 2025. *Azure Service Bus*. [Online]
Available at: <https://imperiumdynamics.com/azure-service-bus-usecases-&-benefits#:~:text=Azure%20Service%20Bus%20elevates%20the,scalable%20and%20streamlined%20application%20frameworks.>
[Accessed October 2025].

Kurbegovic, E., 2024. *Understanding When to Use Azure Event Hub vs. Service Bus and Why*. [Online]
Available at: <https://medium.com/@emer.kurbegovic/understanding-when-to-use-azure-event-hub-vs-service-bus-and-why-534a20317ec3>
[Accessed October 2025].

Microsoft, 2024. *Azure Event Hubs: A real-time data streaming platform with native Apache Kafka support*. [Online]
Available at: <https://learn.microsoft.com/en-us/azure/event-hubs/event-hubs-about>
[Accessed October 2025].

Microsoft, 2025. *Asynchronous messaging options*. [Online]
Available at: <https://learn.microsoft.com/en-us/azure/architecture/guide/technology-choices/messaging>
[Accessed October 2025].

Microsoft, 2025. *Choose between Azure messaging services - Event Grid, Event Hubs, and Service Bus*. [Online]
Available at: <https://learn.microsoft.com/en-us/azure/service-bus-messaging/compare-messaging-services>
[Accessed October 2025].

Microsoft, 2025. *Event Hubs*. [Online]
Available at: <https://azure.microsoft.com/en-us/products/event-hubs>
[Accessed October 2025].

Microsoft, 2025. *Features and terminology in Azure Event Hubs*. [Online]
Available at: <https://learn.microsoft.com/en-us/azure/event-hubs/event-hubs-features>
[Accessed October 2025].

Microsoft, 2025. *What is Azure Service Bus?*. [Online]
Available at: <https://learn.microsoft.com/en-us/azure/service-bus-messaging/service-bus->

[messaging-overview](#)


[Accessed October 2025].

Disclosure of AI Usage in my Assessment

Coding Part

Used it to help me understand what to do with 2 projects in one solution.


22/09/2025: <https://chatgpt.com/c/68de7d64-8324-832c-b2d7-856b2f52f5fb>



Coding Part

Used it to help me understand how to make the blob storage anonymous.


30/09/2025: <https://chatgpt.com/c/68df94a6-e130-8324-bb01-4fff7a04321b>



Coding Part

Used it to help me understand and fix the publishing of my Azure Function App.

03/09/2025: <https://chatgpt.com/c/68de78b8-9c70-8329-b904-ce4dec32992d>



Coding Part

Used it to help me understand what the Azure Event Bus is because Azure didn't have it under products.

04/09/2025: <https://chatgpt.com/c/68e3aec3-d374-832d-b962-3043c2f0b02a>

