

Authentication & Accounts

Logging Implementation

Figure 1: Personal Login Activity logging in Logcat




Figure 2: Personal Registration Activity logging in Logcat

PersonalRegistrationActivity.kt




Figure 3: Campus Login Activity logging in Logcat

CampusLoginActivity.kt





Figure 4: Campus Registration Activity logging in Logcat

CampusRegistrationActivity.kt



RESTful API Integration

Figure 5: Campus Alerts Activity logging in Logcat & Campus Alerts retrieved from the SafeZone REST API

CampusAlertsActivity.kt




Figure 1: Successful connection between the hosted SafeZone REST API and Azure SQL Database.




Figure 2: Safety alert records stored in the hosted Azure SQL SafeZoneDB database




Figure 3: Hosted SafeZone REST API displayed and tested using Swagger UI.

safezone-api-2026-anehabmdeg X Swagger UI

https://safezone-api-2026-anehabmdegdfqcm.southafricanorth-01.azurewebsites.net/swagger/index.html

Select a definition SafeZoneAPI v1

SafeZoneAPI 1.0 OAS 3.0

<https://safezone-api-2026-anehabmdegdfqcm.southafricanorth-01.azurewebsites.net/swagger/v1/swagger.json>

SafetyAlerts

- GET /api/SafetyAlerts
- POST /api/SafetyAlerts
- GET /api/SafetyAlerts/{id}
- PUT /api/SafetyAlerts/{id}
- DELETE /api/SafetyAlerts/{id}
- GET /api/SafetyAlerts/campus/{campus}
- GET /api/SafetyAlerts/location/{location}

SafeZoneAPI

- PUT /api/SafetyAlerts/{id}
- DELETE /api/SafetyAlerts/{id}
- GET /api/SafetyAlerts/campus/{campus}
- GET /api/SafetyAlerts/location/{location}
- GET /api/SafetyAlerts/type/{alertType}
- GET /
- GET /db-test

Schemas

- SafetyAlert >

Passed tests

