

THABELO MAHADA ST10449303

NKATEKO MABASA ST10448553

THUBALAKHE MTHEMBU ST10447914

WEB DEVELOPMENT

WEDE6021

POE DOCUMENTATION

5.1 Users Table Structure

MoneyMate — iPhone 16 Pro X localhost / 127.0.0.1 / clothing X Login X Admin Dashboard X localhost/ClothingStore/load X +

localhost/phpmyadmin/index.php?route=/table/structure&db=clothingstore&table=users

Server: 127.0.0.1 » Database: clothingstore » Table: users

Browse Structure SQL Search Insert Export Import Privileges Operations Triggers

Table structure Relation view

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	user_id	int(11)			No	None		AUTO_INCREMENT	Change Drop More
2	name	varchar(100)	utf8mb4_general_ci		No	None			Change Drop More
3	email	varchar(100)	utf8mb4_general_ci		No	None			Change Drop More
4	username	varchar(50)	utf8mb4_general_ci		No	None			Change Drop More
5	password	varchar(255)	utf8mb4_general_ci		No	None			Change Drop More
6	status	enum('pending', 'verified')	utf8mb4_general_ci		Yes	pending			Change Drop More
7	role	enum('buyer', 'admin')	utf8mb4_general_ci		Yes	buyer			Change Drop More

Check all With selected: Browse Change Drop Primary Unique Index Spatial Fulltext

Print Propose table structure Move columns Normalize

Add 1 column(s) after role Go

Indexes

5.2 Sellers Table Structure

MoneyMate — iPhone 16 Pro X localhost / 127.0.0.1 / clothing X Login X Admin Dashboard X localhost/ClothingStore/load X +

localhost/phpmyadmin/index.php?route=/table/structure&db=clothingstore&table=sellers

Server: 127.0.0.1 » Database: clothingstore » Table: sellers

Browse Structure SQL Search Insert Export Import Privileges Operations Triggers

Table structure Relation view

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	seller_id	int(11)			No	None		AUTO_INCREMENT	Change Drop More
2	user_id	int(11)			Yes	NULL			Change Drop More
3	contact_number	varchar(20)	utf8mb4_general_ci		Yes	NULL			Change Drop More
4	address	text	utf8mb4_general_ci		Yes	NULL			Change Drop More
5	verification_status	enum('pending', 'approved')	utf8mb4_general_ci		Yes	pending			Change Drop More

Check all With selected: Browse Change Drop Primary Unique Index Spatial Fulltext

Print Propose table structure Move columns Normalize

Add 1 column(s) after verification_status Go

Indexes

5.3 Products Table Structure

MoneyMate — iPhone 16 Pro X localhost / 127.0.0.1 / clothing X Login X Admin Dashboard X localhost/ClothingStore/load X +

localhost/phpmyadmin/index.php?route=/table/structure&db=clothingstore&table=products

Server: 127.0.0.1 » Database: clothingstore » Table: products

Browse Structure SQL Search Insert Export Import Privileges Operations Triggers

Table structure Relation view

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	product_id	int(11)			No	None		AUTO_INCREMENT	Change Drop More
2	product_name	varchar(100)	utf8mb4_general_ci		No	None			Change Drop More
3	description	text	utf8mb4_general_ci		Yes	NULL			Change Drop More
4	category	varchar(50)	utf8mb4_general_ci		Yes	NULL			Change Drop More
5	size	varchar(10)	utf8mb4_general_ci		Yes	NULL			Change Drop More
6	brand	varchar(50)	utf8mb4_general_ci		Yes	NULL			Change Drop More
7	condition_item	varchar(50)	utf8mb4_general_ci		Yes	NULL			Change Drop More
8	price	decimal(10,2)			Yes	NULL			Change Drop More
9	seller_id	int(11)			Yes	NULL			Change Drop More
10	status	enum('available', 'sold')	utf8mb4_general_ci		Yes	available			Change Drop More

Check all With selected: Browse Change Drop Primary Unique Index Spatial Fulltext

5.4 Orders Table Structure

The screenshot shows the phpMyAdmin interface for the 'clothingstore' database. The 'Table structure' tab is selected for the 'orders' table. The table structure is as follows:

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	order_id	int(11)			No	None		AUTO_INCREMENT	Change Drop More
2	user_id	int(11)			Yes	NULL			Change Drop More
3	product_id	int(11)			Yes	NULL			Change Drop More
4	total_price	decimal(10,2)			Yes	NULL			Change Drop More
5	order_status	enum('pending','shipped','delivered')	utf8mb4_general_ci		Yes	pending			Change Drop More

Below the table structure, there are options to 'Check all', 'With selected', 'Browse', 'Change', 'Drop', 'Primary', 'Unique', 'Index', 'Spatial', and 'Fulltext'. There is also a 'Print' button and a 'Propose table structure' button. A 'Move columns' button is also present. A 'Normalize' button is also present. A 'Add' button is present with a dropdown menu showing '1 column(s) after order_status' and a 'Go' button. An 'Indexes' button is also present.

5.5 Delivery Table Structure

The screenshot shows the phpMyAdmin interface for the 'clothingstore' database. The 'Table structure' tab is selected for the 'delivery' table. The table structure is as follows:

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	delivery_id	int(11)			No	None		AUTO_INCREMENT	Change Drop More
2	order_id	int(11)			Yes	NULL			Change Drop More
3	address	text	utf8mb4_general_ci		Yes	NULL			Change Drop More
4	city	varchar(50)	utf8mb4_general_ci		Yes	NULL			Change Drop More
5	postal_code	varchar(10)	utf8mb4_general_ci		Yes	NULL			Change Drop More
6	contact_number	varchar(20)	utf8mb4_general_ci		Yes	NULL			Change Drop More

Below the table structure, there are options to 'Check all', 'With selected', 'Browse', 'Change', 'Drop', 'Primary', 'Unique', 'Index', 'Spatial', and 'Fulltext'. There is also a 'Print' button and a 'Propose table structure' button. A 'Move columns' button is also present. A 'Normalize' button is also present. A 'Add' button is present with a dropdown menu showing '1 column(s) after contact_number' and a 'Go' button. An 'Indexes' button is also present.



5.6 Messages Table Structure

The screenshot shows the phpMyAdmin interface for the 'clothingstore' database. The 'Table structure' tab is selected for the 'messages' table. The table structure is as follows:

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	message_id	int(11)			No	None		AUTO_INCREMENT	Change Drop More
2	sender_id	int(11)			Yes	NULL			Change Drop More
3	receiver_id	int(11)			Yes	NULL			Change Drop More
4	message_text	text	utf8mb4_general_ci		Yes	NULL			Change Drop More
5	timestamp	datetime			Yes	current_timestamp()			Change Drop More

Below the table structure, there are options to 'Check all', 'With selected', 'Browse', 'Change', 'Drop', 'Primary', 'Unique', 'Index', 'Spatial', and 'Fulltext'. There is also a 'Print' button and a 'Propose table structure' button. A 'Move columns' button is also present. A 'Normalize' button is also present. A 'Add' button is present with a dropdown menu showing '1 column(s) after timestamp' and a 'Go' button. An 'Indexes' button is also present.

Importing userData.txt file



Importing sellers.txt file

MoneyMate — iPhone

localhost / 127.0.0.1 / c

Register

Admin Dashboard

localhost/ClothingStore

jacket.jpg (224x224)

localhost/phpmyadmin/index.php?route=/table/import&db=clothingstore&table=sellers

phpMyAdmin

Recent Favorites

New

clothingstore

New

delivery

messages

orders

products

sellers

users

information_schema

mysql

performance_schema

phpmyadmin

pi_furniture_db

test

Server: 127.0.0.1 » Database: clothingstore » Table: sellers

BrowseStructureSQLSearchInsertExportImportPrivilegesOperations

Importing into the table "sellers"

File to import:

File may be compressed (gzip, bzip2) or uncompressed.
A compressed file's name must end in .[format].[compression]. Example: .sql.zip

Browse your computer: (Max: 40MiB)

Choose File sellers.txt

You may also drag and drop a file on any page.

Character set of the file:

utf-8

MoneyMate — iPhone

localhost / 127.0.0.1 / c

Register

Admin Dashboard

localhost/ClothingStore

jacket.jpg (224x224)

+

localhost/phpmyadmin/index.php?route=/sql&pos=0&db=clothingstore&table=sellers

phpMyAdmin

Recent Favorites

New

clothingstore

New

delivery

messages

orders

products

sellers

users

information_schema

mysql

performance_schema

phpmyadmin

pi_furniture_db

test

Server: 127.0.0.1 » Database: clothingstore » Table: sellers

BrowseStructureSQLSearchInsertExportImportPrivilegesOperationsTriggers

Showing rows 0 - 2 (3 total, Query took 0.0195 seconds.)

SELECT * FROM `sellers`

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all

Number of rows: 25

Filter rows: Search this table

Sort by key: None

Extra options

← T →

Edit

Copy

Delete

1

0712345678

Pretoria

approved

Edit

Copy

Delete

2

0723456789

Johannesburg

approved

Edit

Copy

Delete

3

0734567890

Durban

approved

↑

Check all

With selected:

Edit

Copy

Delete

Export

Show all

Number of rows: 25

Filter rows: Search this table

Sort by key: None

Importing products.txt file

MoneyMate — iPhone

localhost / 127.0.0.1 / c

Register

Admin Dashboard

localhost/ClothingStore

jacket.jpg (224x224)

localhost/phpmyadmin/index.php?route=/table/import&db=clothingstore&table=products

phpMyAdmin

Recent Favorites

New

clothingstore

New

delivery

messages

orders

products

sellers

users

information_schema

mysql

performance_schema

phpmyadmin

pl_furniture_db

test

Server: 127.0.0.1 » Database: clothingstore » Table: products

BrowseStructureSQLSearchInsertExportImportPrivilegesOperations

Importing into the table "products"

File to import:

File may be compressed (gzip, bzip2) or uncompressed.
A compressed file's name must end in .format.[compression]. Example: .sql.zip

Browse your computer: (Max: 40MiB)

Choose Fileproducts.txt

You may also drag and drop a file on any page.

Character set of the file:

utf-8

Partial import:

☒ Allow the interruption of an import in case the script detects it is close to the PHP timeout limit.
This might be a good way to import large files, however it can break transactions.

MoneyMate — iPhone

localhost / 127.0.0.1 / c

Register

Admin Dashboard

localhost/ClothingStore

jacket.jpg (224x224)

+

-

🔍

localhost/phpmyadmin/index.php?route=/sql&pos=0&db=clothingstore&table=products

phpMyAdmin

Recent Favorites

New

clothingstore

New

delivery

messages

orders

products

sellers

users

information_schema

mysql

performance_schema

phpmyadmin

pl_furniture_db

test

Server: 127.0.0.1 » Database: clothingstore » Table: products

BrowseStructureSQLSearchInsertExportImportPrivilegesOperationsTriggers

Showing rows 0 - 4 (5 total, Query took 0.0019 seconds.)

SELECT * FROM `products`

☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

☐ Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

product_id

product_name

description

category

size

brand

condition

item

price

seller_id

status

image

☐

Edit

Copy

Delete

1

Vintage Jacket

Stylish jacket

Jackets

M

Nike

Good

250.00

1 available

jacket.jpg

☐

Edit

Copy

Delete

2

Denim Jeans

Blue jeans

Bottoms

L

Levis

Good

180.00

1 available

jeans.jpg

☐

Edit

Copy

Delete

3

Hoodie

Warm hoodie

Tops

M

Adidas

New

300.00

2 available

hoodie.jpg

☐

Edit

Copy

Delete

4

Dress

Summer dress

Dresses

S

Zara

Good

150.00

2 available

dress.jpg

☐

Edit

Copy

Delete

5

Sneakers

Casual shoes

Shoes

8

Nike

Good

220.00

3 available

shoes.jpg

☐ Check all

With selected:

Edit

Copy

Delete

Export

☐ Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Importing orders.txt file

MoneyMate — iPhone

localhost / 127.0.0.1 / c

Register

Admin Dashboard

localhost/ClothingStor

jacket.jpg (2

localhost/phpmyadmin/index.php?route=/table/import&db=clothingstore&table=orders

phpMyAdmin

Recent Favorites

New

clothingstore

New

delivery

messages

orders

products

sellers

users

information_schema

mysql

performance_schema

phpmyadmin

pi_furniture_db

test

Server: 127.0.0.1 » Database: clothingstore » Table: orders

BrowseStructureSQLSearchInsertExportImportPrivilegesOperat

Importing into the table "orders"

File to import:

File may be compressed (gzip, bzip2) or uncompressed.
A compressed file's name must end in .[format].[compression]. Example: .sql.zip

Browse your computer: (Max: 40MiB)

Choose Fileorders.txt

You may also drag and drop a file on any page.

Character set of the file:

utf-8

Partial import:

Allow the interruption of an import in case the script detects it is close to the PHP timeout limit

MoneyMate — iPhone

localhost / 127.0.0.1 / c

Register

Admin Dashboard

localhost/ClothingStor

jacket.jpg (224x224)

localhost/phpmyadmin/index.php?route=/sql&pos=0&db=clothingstore&table=orders

phpMyAdmin

View site information

Recent Favorites

New

clothingstore

New

delivery

messages

orders

products

sellers

users

information_schema

mysql

performance_schema

phpmyadmin

pi_furniture_db

test

Server: 127.0.0.1 » Database: clothingstore » Table: orders

BrowseStructureSQLSearchInsertExportImportPrivilegesOperationsTrigge

Showing rows 0 - 4 (5 total. Query took 0.0238 seconds.)

SELECT * FROM `orders`

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

		order_id	user_id	product_id	total_price	order_status
☐	Edit Copy Delete	1	1	1	250.00	pending
☐	Edit Copy Delete	2	2	2	180.00	shipped
☐	Edit Copy Delete	3	3	3	300.00	delivered
☐	Edit Copy Delete	4	4	4	150.00	pending
☐	Edit Copy Delete	5	5	5	220.00	shipped

Importing messages.txt file

MoneyMate — iPhone x localhost / 127.0.0.1 / c x Register x Admin Dashboard x localhost/ClothingSto x jacket.jpg (224x224) x +

localhost/phpmyadmin/index.php?route=/sql&db=clothingstore&table=messages&pos=0

Server: 127.0.0.1 » Database: clothingstore » Table: messages

Browse Structure SQL Search Insert Export Import Privileges Operations Triggers

Showing rows 0 - 4 (5 total, Query took 0.0005 seconds.)

SELECT * FROM `messages`

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all Number of rows: 25 Filter rows: Search this table Sort by key: None

Extra options

	message_id	sender_id	receiver_id	message_text	timestamp
☐ Edit ☐ Copy ☐ Delete	1	1	2	Is this item still available?	2026-05-04 20:02:14
☐ Edit ☐ Copy ☐ Delete	2	2	1	Yes it is available	2026-05-04 20:02:14
☐ Edit ☐ Copy ☐ Delete	3	3	4	Can you lower the price?	2026-05-04 20:02:14
☐ Edit ☐ Copy ☐ Delete	4	4	3	Sure, I can give discount	2026-05-04 20:02:14
☐ Edit ☐ Copy ☐ Delete	5	5	2	When can you ship it?	2026-05-04 20:02:14

Check all With selected: Edit Copy Delete Export

Importing delivery.txt file

MoneyMate — iPhone x localhost / 127.0.0.1 / c x Register x Admin Dashboard x localhost/ClothingSto x jacket.jpg (224x224) x +

localhost/phpmyadmin/index.php?route=/sql&pos=0&db=clothingstore&table=delivery

Server: 127.0.0.1 » Database: clothingstore » Table: delivery

Browse Structure SQL Search Insert Export Import Privileges Operations Triggers

Showing rows 0 - 4 (5 total, Query took 0.0101 seconds.)

SELECT * FROM `delivery`


Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all Number of rows: 25 Filter rows: Search this table Sort by key: None

Extra options

	delivery_id	order_id	address	city	postal_code	contact_number
☐ Edit ☐ Copy ☐ Delete	1	1	123 Main St	Pretoria	0001	0712345678
☐ Edit ☐ Copy ☐ Delete	2	2	45 Park Ave	Johannesburg	2000	0723456789
☐ Edit ☐ Copy ☐ Delete	3	3	78 Hill Rd	Durban	4000	0734567890
☐ Edit ☐ Copy ☐ Delete	4	4	22 Beach Rd	Cape Town	8000	0745678901
☐ Edit ☐ Copy ☐ Delete	5	5	10 City Rd	Bloemfontein	9300	0756789012

Check all With selected: Edit Copy Delete Export



The loadClothingStore.php script is used to automatically recreate all tables required for the Pastimes web application. It first deletes any existing tables and then recreates them using SQL CREATE TABLE statements. This ensures that the database can be easily set up without manual configuration.

