

Results

HTTP Method	Route	Description	Role Required	Request Body	Expected Response
POST	/api/results	Captures a finish time and position for a participant's enrolment	Organizer	{"enrolmentId": "int", "finishTime": "HH:mm:ss", "position": "int"}	201 created returns new results. 400 Bad Request – invalid data. 403 Forbidden – Participant, or not this event's organizer. 404 Not Found – enrolment doesn't exist. 409 Conflict – result already captured for this enrolment
GET	/api/mine	Returns the logged-in participant's own results	Participant	None	200 OK – array of results. 401 Unauthorized – not logged in

Event enrolments

HTTP Method	Route	Description	Role required	Request Body	Expected Response
POST	/api/enrolments	Enrolls the logged-in participant into a chosen category	Participant	{"categoryId": "int"}	201 Created-returns new enrolment. 400 Bad Request-invalid category. 401

					Unauthorized-not logged in. 403 Forbidden-logged in as organizer. 409 conflict – already enrolled in this category
GET	/api/enrolments/mine	Returns all the logged-in participant's own enrolments	Participant	None	200 OK-array of enrolments . 401 Unauthorized- not logged in
GET	/api/events/{eventId}/enrolments	Returns all enrolments for a specific event	Organiser	None	200 OK-arraya of enrolments with participant details. 403 Forbidden-not this event's organiser, or participant. 404 Not Found-event does not exist

Categories

HTTP Method	Route	Description	Role Required	Request Body	Expected Response
-------------	-------	-------------	---------------	--------------	-------------------

GET	/api/events/{eventId}/categories	Lists all categories for a specific event	Any (logged in)	None	200 OK – array of categories. 404 Not Found – event doesn't exist
POST	/api/events/{eventId}/categories	Defines a new age or distance category for an event	Organizer	{“categoryName”: “string”, “categoryType”: “Age” “Distance”}	

Events

HTTP Method	Route	Description	Role Required	Request Body	Expected Response
GET	/api/events	Lista all events	Any (logged in)	None	200 OK – array of events. 401 Unauthorized – not logged in
GET	/api/events/{id}	Returns details of a single event	Any (logged in)	None	200 OK – event details. 404 Not Found – even doesn't exist
POST	/api/events	Creates a new event	Organizer	{“eventName”: “string”, “description”: “string”,	

				"eventDate": "date", "location": "string", "distance": "deciaml", "eventType": "Run" "Walk"	
PUT	/api/events/{id}	Updates an existing event (only by the organizer who created it)	Organizer	Same shape as POST	200 OK – returns updated event. 400 Bad request – invaild data. 403Forbidden – not this event's organiser, or participant. 404 Not Found – event doesn't exist
DELETE	/api/events/{id}	Deletes an event (only by the organizer who created it)	Organizer	None	200 OK – confirmation. 403 Forbidden – not this event's organiser, or Participant. 404 Not Found – event doesn't exist

User Profile

HTTP Method	Route	Description	Role Required	Request Body	Expected Response
-------------	-------	-------------	---------------	--------------	-------------------

GET	/api/users/profile	Returns the logged-in user's own profile details	Any (logged in)	None	200 OK – returns FullName, Email, Role, DateRegistered. 401 Unauthorized – not logged in
PUT	/api/users/profile	Updates the logged-in user's own profile details	Any (logged in)	{"FullName": "string", "email": "string"}	200 OK – returns updated profile. 400 Bad Request – invalid data. 401 Unauthorized – not logged in

Authentication

HTTP Method	Route	Description	Role Required	Request Body	Expected Response
POST	/api/auth/register	Creates a new user account with a chosen role (Organizer or Participant)	None(public)	{"FullName": "string", "email": "string", "password": "string", "role": "Organiser" "Participant"}	
POST	/api/auth/login	Authenticate a user and starts a server-side session storing their user ID and role	None(public)	{"email": "string", "password": "string"}	200 OK - session created, returns role and basic profile info. 401 Unauthorized - invalid email or password

POST	/api/auth/logout	Ends the current user's session	Any (logged in)	None	200 OK – session cleared. 401 Unauthorized – no active session
------	------------------	---------------------------------	-----------------	------	--