ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 25504

National Health and Nutrition Examination Survey (NHANES), 2005-2006

United States Department of Health and Human Services. Centers for Disease Control and Prevention. National Center for Health Statistics

Codebook -- Questionnaire: Osteoporosis

Terms of Use

Information about Copyrighted Content

ICPSR 25504

National Health and Nutrition Examination Survey (NHANES), 2005-2006

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

National Health and Nutrition Examination Survey (NHANES), 2005-2006

Questionnaire: Osteoporosis

SEQN	Respondent sequence number
Location:	1-5 (width: 5; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: Respondent sequence number. English Instructions:

OSQ010A	Broken or fractured a hip
Location:	6-8 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: Has a doctor ever told {you/SP} that {you/s/he} had broken or fractured {your/his/her} . . .hip? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	73	1.5 %
2	No	4902	98.5 %
9	Don't know	4	0.1 %

OSQ010B	Broken or fractured a wrist
Location:	9-11 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: Has a doctor ever told {you/SP} that {you/s/he} had broken or fractured {your/his/her} . . .wrist? English Instructions: DO NOT INCLUDE FOREARM OR HAND.

Value	Label	Unweighted Frequency	%
1	Yes	472	9.5 %
2	No	4502	90.4 %
9	Don't know	5	0.1 %

OSQ010C	Broken or fractured spine
Location:	12-14 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: Has a doctor ever told {you/SP} that {you/s/he} had broken or fractured {your/his/her} . . .spine? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	127	2.6 %
2	No	4844	97.3 %
9	Don't know	8	0.2 %

OSQ020A	# Times broken/fractured hip
Location:	15-17 (width: 3; decimal: 0)

Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: How many times {have you/has SP} broken or fractured {your/his/her} hip? English Instructions: ENTER NUMBER OF TIMES. SKIP TO OSQ010b.

Value	Label	Unweighted Frequency	%
1	-	70	1.4 %
2	-	2	0.0 %
3	-	1	0.0 %
. (M)	-	4906	98.5 %

OSQ020B   # Times broken/fractured wrist

Location:	18-21 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: How many times {have you/has SP} broken or fractured {your/his/her} wrist? English Instructions: ENTER NUMBER OF TIMES. SKIP TO OSQ010c.

Value	Label	Unweighted Frequency	%
1	-	390	7.8 %
2	-	61	1.2 %
3	-	10	0.2 %
4	-	3	0.1 %
5	-	3	0.1 %
6	-	2	0.0 %
7	-	2	0.0 %
9999	Don't know	1	0.0 %
. (M)	-	4507	90.5 %

OSQ020C   # Times broken/fractured spine

Location:	22-25 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: How many times {have you/has SP} broken or fractured {your/his/her} spine? English Instructions: ENTER NUMBER OF TIMES

Value	Label	Unweighted Frequency	%
1	-	106	2.1 %
2	-	13	0.3 %
3	-	2	0.0 %
4	-	1	0.0 %
5	-	1	0.0 %
6	-	1	0.0 %
10	-	1	0.0 %
9999	Don't know	2	0.0 %
. (M)	-	4852	97.4 %

OSD030AA	Age when fractured hip 1st time		

Location:	26-30 (width: 5; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} hip the 1st time? English Instructions: ENTER AGE IN YEARS. SKIP TO OSQ045.

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
7	-	1	0.0 %
8	-	2	0.0 %
10	-	1	0.0 %
12	-	2	0.0 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	1	0.0 %
17	-	2	0.0 %
18	-	2	0.0 %
19	-	2	0.0 %
20	-	2	0.0 %
22	-	1	0.0 %
23	-	1	0.0 %
25	-	1	0.0 %
28	-	1	0.0 %
30	-	1	0.0 %
31	-	1	0.0 %
34	-	2	0.0 %
40	-	1	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
48	-	1	0.0 %
50	-	1	0.0 %
52	-	1	0.0 %
53	-	1	0.0 %
58	-	2	0.0 %
59	-	1	0.0 %
60	-	2	0.0 %
64	-	1	0.0 %
65	-	1	0.0 %
66	-	1	0.0 %

Value	Label	Unweighted Frequency	%
67	-	1	0.0 %
70	-	3	0.1 %
71	-	1	0.0 %
72	-	1	0.0 %
73	-	1	0.0 %
74	-	2	0.0 %
77	-	1	0.0 %
79	-	2	0.0 %
80	-	2	0.0 %
81	-	1	0.0 %
82	-	1	0.0 %
83	-	2	0.0 %
85	85 or older	9	0.2 %
99999	Don't know	2	0.0 %
. (M)	-	4906	98.5 %

OSQ040AA		**Under/over 50 when fracd. hip 1st time**	

Location:	31-33 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: {Were you/Was SP} . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	Under 50 years old, or	35	0.7 %
2	50 years old or older?	38	0.8 %
. (M)	-	4906	98.5 %

OSD050AA		**Reason hip fracture occurred 1st time**	

Location:	34-36 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(50 Yrs. to 150 Yrs.) English Text: Did that fracture occur as a result of . . . English Instructions: CAPI INSTRUCTIONS: HELP SCREEN SHOULD READ: Additional examples for a "hard fall" include being forcibly knocked down by another person or bicycle. Additional examples for a "fall from standing height or less" include leg gave way, was dizzy, fell bending over, fell out of chair.

Value	Label	Unweighted Frequency	%
1	A fall f/standing ht or less, like to trip, slip, fall f/bed	26	0.5 %
2	A hard fall, like falling off a ladder or stool, down stairs	6	0.1 %
3	A car accident or other severe trauma	4	0.1 %
9	Don't know	2	0.0 %
. (M)	-	4941	99.2 %

OSD030AB		**Age when fractured hip 2nd time**	

Location:	37-39 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} hip the 2nd time? English Instructions: ENTER AGE IN YEARS. SKIP TO OSQ045.

Value	Label	Unweighted Frequency	%
70	-	1	0.0 %
74	-	1	0.0 %
85	85 or older	1	0.0 %
. (M)	-	4976	99.9 %

OSQ040AB	**Under/over 50 when fracd. hip 2nd time**

Location:	40-42 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: {Were you/Was SP} . . . English Instructions:

Value	Label	Unweighted Frequency	%
2	50 years old or older?	3	0.1 %
. (M)	-	4976	99.9 %

OSD050AB	**Reason hip fracture occurred 2nd time**

Location:	43-45 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(50 Yrs. to 150 Yrs.) English Text: Did that fracture occur as a result of . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	A fall f/standing ht or less, like to trip, slip, fall f/bed	3	0.1 %
. (M)	-	4976	99.9 %

OSD030AC	**Age when fractured hip 3rd time**

Location:	46-48 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} hip the 3rd time? English Instructions: ENTER AGE IN YEARS. SKIP TO OSQ045.

Value	Label	Unweighted Frequency	%
82	82	1	0.0 %
. (M)	-	4978	100.0 %

OSQ040AC	**Under/over 50 when fracd. hip 3rd time**

Location:	49-51 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: {Were you/Was SP} . . . English Instructions:

Value	Label	Unweighted Frequency	%
2	50 years old or older?	1	0.0 %
. (M)	-	4978	100.0 %

OSD050AC | **Reason hip fracture occurred 3rd time**

Location: 52-54 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(50 Yrs. to 150 Yrs.) English Text: Did that fracture occur . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	A fall f/standing ht or less, like to trip, slip, fall f/bed	1	0.0 %
. (M)	-	4978	100.0 %

OSD030BA | **Age when fractured wrist 1st time**

Location: 55-59 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} wrist the 1st time? English Instructions: ENTER AGE IN YEARS. SKIP TO OSQ045.

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
2	-	2	0.0 %
3	-	4	0.1 %
4	-	1	0.0 %
5	-	8	0.2 %
6	-	16	0.3 %
7	-	13	0.3 %
8	-	23	0.5 %
9	-	10	0.2 %
10	-	24	0.5 %
11	-	17	0.3 %
12	-	40	0.8 %
13	-	22	0.4 %
14	-	14	0.3 %
15	-	14	0.3 %
16	-	10	0.2 %
17	-	13	0.3 %
18	-	13	0.3 %
19	-	7	0.1 %
20	-	14	0.3 %
21	-	7	0.1 %
22	-	6	0.1 %

Value	Label	Unweighted Frequency	%
23	-	4	0.1 %
24	-	2	0.0 %
25	-	4	0.1 %
26	-	5	0.1 %
27	-	3	0.1 %
28	-	5	0.1 %
29	-	1	0.0 %
30	-	7	0.1 %
31	-	1	0.0 %
32	-	5	0.1 %
33	-	2	0.0 %
34	-	4	0.1 %
35	-	8	0.2 %
36	-	4	0.1 %
38	-	4	0.1 %
39	-	5	0.1 %
40	-	9	0.2 %
41	-	2	0.0 %
42	-	3	0.1 %
43	-	2	0.0 %
44	-	5	0.1 %
45	-	5	0.1 %
47	-	1	0.0 %
48	-	6	0.1 %
49	-	2	0.0 %
50	-	6	0.1 %
52	-	4	0.1 %
53	-	2	0.0 %
54	-	3	0.1 %
55	-	7	0.1 %
56	-	3	0.1 %
57	-	3	0.1 %
58	-	2	0.0 %
59	-	3	0.1 %
60	-	7	0.1 %
61	-	3	0.1 %
63	-	3	0.1 %
64	-	1	0.0 %
65	-	5	0.1 %
66	-	3	0.1 %

Value	Label	Unweighted Frequency	%
67	-	2	0.0 %
68	-	3	0.1 %
69	-	2	0.0 %
70	-	4	0.1 %
71	-	2	0.0 %
72	-	5	0.1 %
74	-	1	0.0 %
75	-	2	0.0 %
76	-	2	0.0 %
77	-	1	0.0 %
78	-	1	0.0 %
79	-	2	0.0 %
81	-	1	0.0 %
83	-	1	0.0 %
85	85 or older	4	0.1 %
99999	Don't know	5	0.1 %
. (M)	-	4508	90.5 %

| **OSQ040BA** | **Under/over 50 when fracd. wrist 1st time** |

Location:	60-62 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: {Were you/Was SP} . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	Under 50 years old, or	382	7.7 %
2	50 years old or older?	89	1.8 %
. (M)	-	4508	90.5 %

| **OSD050BA** | **Reason wrist fracture occurred 1st time** |

Location:	63-65 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(50 Yrs. to 150 Yrs.) English Text: Did that fracture occur as a result of. . . English Instructions:

Value	Label	Unweighted Frequency	%
1	A fall f/standing ht or less, like to trip, slip, fall f/bed	59	1.2 %
2	A hard fall, like falling off a ladder or stool, down stairs	19	0.4 %
3	A car accident or other severe trauma	11	0.2 %
. (M)	-	4890	98.2 %

| **OSD030BB** | **Age when fractured wrist 2nd time** |

| Location: | 66-68 (width: 3; decimal: 0) |

Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} wrist 2nd time? English Instructions: ENTER AGE IN YEARS. SKIP TO OSQ045.

Value	Label	Unweighted Frequency	%
4	-	1	0.0 %
5	-	1	0.0 %
6	-	1	0.0 %
7	-	2	0.0 %
8	-	2	0.0 %
9	-	1	0.0 %
10	-	4	0.1 %
11	-	4	0.1 %
12	-	5	0.1 %
13	-	5	0.1 %
14	-	3	0.1 %
15	-	1	0.0 %
16	-	6	0.1 %
17	-	2	0.0 %
18	-	2	0.0 %
19	-	2	0.0 %
21	-	1	0.0 %
22	-	1	0.0 %
23	-	3	0.1 %
24	-	1	0.0 %
25	-	3	0.1 %
27	-	1	0.0 %
30	-	4	0.1 %
33	-	1	0.0 %
35	-	1	0.0 %
37	-	1	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
41	-	1	0.0 %
43	-	1	0.0 %
48	-	1	0.0 %
50	-	1	0.0 %
51	-	1	0.0 %
53	-	1	0.0 %
55	-	2	0.0 %
57	-	1	0.0 %
59	-	1	0.0 %

Value	Label	Unweighted Frequency	%
60	-	1	0.0 %
61	-	1	0.0 %
64	-	1	0.0 %
66	-	1	0.0 %
69	-	2	0.0 %
70	-	2	0.0 %
73	-	1	0.0 %
79	-	1	0.0 %
. (M)	-	4898	98.4 %

OSQ040BB — Under/over 50 when fracd. wrist 2nd time

Location:	69-71 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: {Were you/Was SP} . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	Under 50 years old, or	64	1.3 %
2	50 years old or older?	17	0.3 %
. (M)	-	4898	98.4 %

OSD050BB — Reason wrist fracture occurred 2nd time

Location:	72-74 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(50 Yrs. to 150 Yrs.) English Text: Did that fracture occur as a result of . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	A fall f/standing ht or less, like to trip, slip, fall f/bed	12	0.2 %
2	A hard fall, like falling off a ladder or stool, down stairs	5	0.1 %
. (M)	-	4962	99.7 %

OSD030BC — Age when fractured wrist 3rd time

Location:	75-77 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} wrist the 3rd time? English Instructions: ENTER AGE IN YEARS. SKIP TO OSQ045.

Value	Label	Unweighted Frequency	%
6	-	1	0.0 %
7	-	2	0.0 %
9	-	1	0.0 %
12	-	1	0.0 %

Value	Label	Unweighted Frequency	%
13	-	2	0.0 %
15	-	1	0.0 %
16	-	2	0.0 %
19	-	2	0.0 %
27	-	2	0.0 %
33	-	1	0.0 %
35	-	1	0.0 %
39	-	1	0.0 %
42	-	1	0.0 %
47	-	1	0.0 %
65	-	1	0.0 %
. (M)	-	4959	99.6 %

OSQ040BC — Under/over 50 when fracd. wrist 3rd time

Location:	78-80 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: {Were you/Was SP} . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	Under 50 years old, or	19	0.4 %
2	50 years old or older?	1	0.0 %
. (M)	-	4959	99.6 %

OSD050BC — Reason wrist fracture occurred 3rd time

Location:	81-83 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(50 Yrs. to 150 Yrs.) English Text: Did that fracture occur as a result of . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	A fall f/standing ht or less, like to trip, slip, fall f/bed	1	0.0 %
. (M)	-	4978	100.0 %

OSD030BD — Age when fractured wrist 4th time

Location:	84-86 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} wrist the 4th time? English Instructions: ENTER AGE IN YEARS. SKIP TO OSQ045.

Value	Label	Unweighted Frequency	%
8	-	1	0.0 %
10	-	1	0.0 %

- Study 25504 -

Value	Label	Unweighted Frequency	%
12	-	1	0.0 %
13	-	1	0.0 %
14	-	2	0.0 %
15	-	1	0.0 %
32	-	1	0.0 %
45	-	1	0.0 %
52	-	1	0.0 %
. (M)	-	4969	99.8 %

OSQ040BD — Under/over 50 when fracd. wrist 4th time

Location:	87-89 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: {Were you/Was SP} . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	Under 50 years old, or	9	0.2 %
2	50 years old or older?	1	0.0 %
. (M)	-	4969	99.8 %

OSD050BD — Reason wrist fracture occurred 4th time

Location:	90-92 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(50 Yrs. to 150 Yrs.) English Text: Did that fracture occur as a result of . . . English Instructions:

Value	Label	Unweighted Frequency	%
3	A car accident or other severe trauma	1	0.0 %
. (M)	-	4978	100.0 %

OSD030BE — Age when fractured wrist 5th time

Location:	93-95 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} wrist the 5th time? English Instructions: ENTER AGE IN YEARS. SKIP TO OSQ045.

Value	Label	Unweighted Frequency	%
11	-	1	0.0 %
13	-	1	0.0 %
15	-	1	0.0 %
17	-	1	0.0 %
18	-	1	0.0 %
48	-	1	0.0 %

Value	Label	Unweighted Frequency	%
60	-	1	0.0 %
. (M)	-	4972	99.9 %

OSQ040BE		**Under/over 50 when fracd. wrist 5th time**	

Location: 96-98 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: {Were you/Was SP} . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	Under 50 years old, or	6	0.1 %
2	50 years old or older?	1	0.0 %
. (M)	-	4972	99.9 %

OSD050BE		**Reason wrist fracture occurred 5th time**	

Location: 99-101 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(50 Yrs. to 150 Yrs.) English Text: Did that fracture occur as a result of . . . English Instructions:

Value	Label	Unweighted Frequency	%
3	A car accident or other severe trauma	1	0.0 %
. (M)	-	4978	100.0 %

OSD030BF		**Age when fractured wrist 6th time**	

Location: 102-104 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} wrist the 6th time? English Instructions: ENTER AGE IN YEARS. SKIP TO OSQ045.

Value	Label	Unweighted Frequency	%
15	-	1	0.0 %
16	-	1	0.0 %
22	-	1	0.0 %
70	-	1	0.0 %
. (M)	-	4975	99.9 %

OSQ040BF		**Under/over 50 when fracd. wrist 6th time**	

Location: 105-107 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: {Were you/Was SP} . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	Under 50 years old, or	3	0.1 %
2	50 years old or older?	1	0.0 %
. (M)	-	4975	99.9 %

OSD050BF — Reason wrist fracture occurred 6th time

Location:	108-110 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(50 Yrs. to 150 Yrs.) English Text: Did that fracture occur as a result of . . . English Instructions:

Value	Label	Unweighted Frequency	%
3	A car accident or other severe trauma	1	0.0 %
. (M)	-	4978	100.0 %

OSD030BG — Age when fractured wrist 7th time

Location:	111-113 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} wrist the 7th time? English Instructions: ENTER AGE IN YEARS. SKIP TO OSQ045.

Value	Label	Unweighted Frequency	%
24	-	1	0.0 %
75	-	1	0.0 %
. (M)	-	4977	100.0 %

OSQ040BG — Under/over 50 when fracd. wrist 7th time

Location:	114-116 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: {Were you/Was SP} . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	Under 50 years old, or	1	0.0 %
2	50 years old or older?	1	0.0 %
. (M)	-	4977	100.0 %

OSD050BG — Reason wrist fracture occurred 7th time

Location:	117-119 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(50 Yrs. to 150 Yrs.) English Text: Did that fracture occur as a result of . . . English Instructions:

Value	Label	Unweighted Frequency	%
3	A car accident or other severe trauma	1	0.0 %

Value	Label	Unweighted Frequency	%
. (M)	-	4978	100.0 %

| OSD030CA | | Age when fractured spine 1st time | |

Location:	120-124 (width: 5; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} spine the 1st time? English Instructions: ENTER AGE IN YEARS. SKIP TO OSQ045.

Value	Label	Unweighted Frequency	%
5	-	1	0.0 %
9	-	1	0.0 %
11	-	1	0.0 %
12	-	1	0.0 %
13	-	2	0.0 %
14	-	1	0.0 %
15	-	3	0.1 %
16	-	3	0.1 %
17	-	2	0.0 %
18	-	3	0.1 %
19	-	6	0.1 %
20	-	4	0.1 %
21	-	5	0.1 %
22	-	2	0.0 %
23	-	6	0.1 %
24	-	2	0.0 %
25	-	3	0.1 %
26	-	1	0.0 %
27	-	2	0.0 %
28	-	3	0.1 %
29	-	2	0.0 %
30	-	4	0.1 %
31	-	2	0.0 %
32	-	3	0.1 %
33	-	2	0.0 %
34	-	4	0.1 %
35	-	2	0.0 %
38	-	2	0.0 %
39	-	1	0.0 %
40	-	6	0.1 %
41	-	1	0.0 %
42	-	1	0.0 %

Value	Label	Unweighted Frequency	%
45	-	8	0.2 %
46	-	1	0.0 %
48	-	1	0.0 %
50	-	2	0.0 %
52	-	1	0.0 %
54	-	1	0.0 %
55	-	2	0.0 %
60	-	1	0.0 %
61	-	1	0.0 %
62	-	2	0.0 %
64	-	1	0.0 %
65	-	1	0.0 %
68	-	1	0.0 %
70	-	3	0.1 %
72	-	2	0.0 %
73	-	2	0.0 %
75	-	1	0.0 %
77	-	1	0.0 %
79	-	1	0.0 %
85	85 or older	5	0.1 %
99999	Don't know	5	0.1 %
. (M)	-	4854	97.5 %

OSQ040CA	**Under/over 50 when fracd. spine 1st time**

Location:	125-127 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: {Were you/Was SP} . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	Under 50 years old, or	94	1.9 %
2	50 years old or older?	30	0.6 %
. (M)	-	4855	97.5 %

OSD050CA	**Reason spine fracture occurred 1st time**

Location:	128-130 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(50 Yrs. to 150 Yrs.) English Text: Did that fracture occur as a result of . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	A fall f/standing ht or less, like to trip, slip, fall f/bed	17	0.3 %

Value	Label	Unweighted Frequency	%
2	A hard fall, like falling off a ladder or stool, down stairs	6	0.1 %
3	A car accident or other severe trauma	6	0.1 %
9	Don't know	1	0.0 %
. (M)	-	4949	99.4 %

OSD030CB — Age when fractured spine 2nd time

Location: 131-135 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} spine the 2nd time? English Instructions: ENTER AGE IN YEARS. SKIP TO OSQ045.

Value	Label	Unweighted Frequency	%
22	-	1	0.0 %
29	-	1	0.0 %
30	-	1	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
37	-	2	0.0 %
42	-	3	0.1 %
44	-	1	0.0 %
48	-	1	0.0 %
60	-	1	0.0 %
61	-	1	0.0 %
64	-	1	0.0 %
70	-	1	0.0 %
72	-	1	0.0 %
78	-	1	0.0 %
99999	Don't know	1	0.0 %
. (M)	-	4960	99.6 %

OSQ040CB — Under/over 50 when fracd. spine 2nd time

Location: 136-138 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: {Were you/Was SP} . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	Under 50 years old, or	13	0.3 %
2	50 years old or older?	6	0.1 %
. (M)	-	4960	99.6 %

OSD050CB — Reason spine fracture occurred 2nd time

Location: 139-141 (width: 3; decimal: 0)

	Value	Label	Unweighted Frequency	%
	1	A fall f/standing ht or less, like to trip, slip, fall f/bed	3	0.1 %
	2	A hard fall, like falling off a ladder or stool, down stairs	3	0.1 %
	. (M)	-	4973	99.9 %

Variable Type:	numeric
Question:	Target: B(50 Yrs. to 150 Yrs.) English Text: Did that fracture occur as a result of . . . English Instructions:

OSD030CC — Age when fractured spine 3rd time

Location:	142-146 (width: 5; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} spine the 3rd time? English Instructions: ENTER AGE IN YEARS. SKIP TO OSQ045.

Value	Label	Unweighted Frequency	%
32	-	1	0.0 %
42	-	1	0.0 %
44	-	1	0.0 %
49	-	1	0.0 %
72	-	1	0.0 %
99999	Don't know	1	0.0 %
. (M)	-	4973	99.9 %

OSQ040CC — Under/over 50 when fracd. spine 3rd time

Location:	147-149 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: {Were you/Was SP} . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	Under 50 years old, or	5	0.1 %
2	50 years old or older?	1	0.0 %
. (M)	-	4973	99.9 %

OSD050CC — Reason spine fracture occurred 3rd time

Location:	150-152 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(50 Yrs. to 150 Yrs.) English Text: Did that fracture occur as a result of . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	A fall f/standing ht or less, like to trip, slip, fall f/bed	1	0.0 %
. (M)	-	4978	100.0 %

OSD030CD — Age when fractured spine 4th time

Location:	153-157 (width: 5; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} spine the 4th time? English Instructions: ENTER AGE IN YEARS. SKIP TO OSQ045.

Value	Label	Unweighted Frequency	%
43	-	1	0.0 %
55	-	1	0.0 %
72	-	1	0.0 %
99999	Don't know	1	0.0 %
. (M)	-	4975	99.9 %

OSQ040CD — Under/over 50 when fracd. spine 4th time

Location:	158-160 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: {Were you/Was SP} . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	Under 50 years old, or	2	0.0 %
2	50 years old or older?	2	0.0 %
. (M)	-	4975	99.9 %

OSD050CD — Reason spine fracture occurred 4th time

Location:	161-163 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(50 Yrs. to 150 Yrs.) English Text: Did that fracture occur as a result of . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	A fall f/standing ht or less, like to trip, slip, fall f/bed	1	0.0 %
9	Don't know	1	0.0 %
. (M)	-	4977	100.0 %

OSD030CE — Age when fractured spine 5th time

Location:	164-168 (width: 5; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} spine the 5th time? English Instructions: ENTER AGE IN YEARS. SKIP TO OSQ045.

Value	Label	Unweighted Frequency	%
44	44	1	0.0 %
99999	Don't know	2	0.0 %
. (M)	-	4976	99.9 %

OSQ040CE — Under/over 50 when fracd. spine 5th time

- Study 25504 -

Location: 169-171 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: {Were you/Was SP} . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	Under 50 years old, or	2	0.0 %
2	50 years old or older?	1	0.0 %
. (M)	-	4976	99.9 %

OSD050CE — Reason spine fracture occurred 5th time

Location: 172-174 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(50 Yrs. to 150 Yrs.) English Text: Did that fracture occur as a result of . . . English Instructions:

Value	Label	Unweighted Frequency	%
9	Don't know	1	0.0 %
. (M)	-	4978	100.0 %

OSD030CF — Age when fractured spine 6th time

Location: 175-179 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} spine the 6th time? English Instructions: ENTER AGE IN YEARS. SKIP TO OSQ045.

Value	Label	Unweighted Frequency	%
44	44	1	0.0 %
99999	Don't know	1	0.0 %
. (M)	-	4977	100.0 %

OSQ040CF — Under/over 50 when fracd. spine 6th time

Location: 180-182 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: {Were you/Was SP} . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	Under 50 years old, or	1	0.0 %
2	50 years old or older?	1	0.0 %
. (M)	-	4977	100.0 %

OSD050CF — Reason spine fracture occurred 6th time

Location: 183-185 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(50 Yrs. to 150 Yrs.) English Text: Did that fracture occur as a result of..... English Instructions:

Value	Label	Unweighted Frequency	%
9	Don't know	1	0.0 %
. (M)	-	4978	100.0 %

OSD030CG		**Age when fractured spine 7th time**	

Location: 186-188 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} spine the 7th time? English Instructions: ENTER AGE IN YEARS. SKIP TO OSQ045.

Value	Label	Unweighted Frequency	%
45	45	1	0.0 %
. (M)	-	4978	100.0 %

OSQ040CG		**Under/over 50 when fracd. spine 7th time**	

Location: 189-191 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: {Were you/Was SP} . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	Under 50 years old, or	1	0.0 %
. (M)	-	4978	100.0 %

OSD030CH		**Age when fractured spine 8th time**	

Location: 192-194 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} spine the 8th time? English Instructions: ENTER AGE IN YEARS. SKIP TO OSQ045.

Value	Label	Unweighted Frequency	%
46	46	1	0.0 %
. (M)	-	4978	100.0 %

OSQ040CH		**Under/over 50 when fracd. spine 8th time**	

Location: 195-197 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: {Were you/Was SP} . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	Under 50 years old, or	1	0.0 %
. (M)	-	4978	100.0 %

OSD030CI		**Age when fractured spine 9th time**	

Location: 198-200 (width: 3; decimal: 0)

| Variable Type: | numeric |

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} spine the 9th time? English Instructions: ENTER AGE IN YEARS. SKIP TO OSQ045.

Value	Label	Unweighted Frequency	%
47	47	1	0.0 %
. (M)	-	4978	100.0 %

OSQ040CI — Under/over 50 when fracd. spine 9th time

| Location: | 201-203 (width: 3; decimal: 0) |
| Variable Type: | numeric |

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: {Were you/Was SP} . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	Under 50 years old, or	1	0.0 %
. (M)	-	4978	100.0 %

OSD030CJ — Age when fractured spine 10th time

| Location: | 204-206 (width: 3; decimal: 0) |
| Variable Type: | numeric |

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: How old {were you/was SP} when {you/s/he} fractured {your/his/her} spine the 10th time? English Instructions: ENTER AGE IN YEARS. SKIP TO OSQ045.

Value	Label	Unweighted Frequency	%
48	48	1	0.0 %
. (M)	-	4978	100.0 %

OSQ040CJ — Under/over 50 when fracd spine 10th time

| Location: | 207-209 (width: 3; decimal: 0) |
| Variable Type: | numeric |

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: {Were you/Was SP} . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	Under 50 years old, or	1	0.0 %
. (M)	-	4978	100.0 %

OSQ080 — Doctor ever told any other fractures?

| Location: | 210-212 (width: 3; decimal: 0) |
| Variable Type: | numeric |

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: Has a doctor ever told {you/SP} that {you/s/he} had broken or fractured any other bone after {you were/s/he was} 20 years of age? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	1052	21.1 %
2	No	3918	78.7 %

Value	Label	Unweighted Frequency	%
9	Don't know	9	0.2 %

OSQ090A   **Fracture result of severe trauma?**

Location:	213-215 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: Was this fracture the result of severe trauma such as a car accident, being struck by a vehicle, a physical attack, or a hard fall such as falling off a ladder or down stairs? English Instructions: CAPI INSTRUCTION: HELP SCREEN SHOULD READ: Do not include a fall from standing height or less, for example, tripped, slipped, fell out of bed, leg gave way, was dizzy, fell bending over, or fell out of a chair. Additional examples for "a hard fall" include being knocked down by another person or bicycle.

Value	Label	Unweighted Frequency	%
1	Yes	728	14.6 %
2	No	321	6.4 %
9	Don't know	3	0.1 %
. (M)	-	3927	78.9 %

OSQ100A   **Where fracture occurred**

Location:	216-218 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: Please look at this card and tell me where the fracture occurred. English Instructions: HAND CARD OSQ 1

Value	Label	Unweighted Frequency	%
10	HEAD/FACE	5	0.1 %
11	UPPER ARM (HUMERUS)	2	0.0 %
12	LOWER ARM BETWEEN WRIST AND ELBOW (DO NOT INCLUDE WRIST)	5	0.1 %
13	ELBOW	10	0.2 %
14	HAND	13	0.3 %
15	FINGERS	68	1.4 %
16	SHOULDER	5	0.1 %
17	COLLAR BONE	2	0.0 %
18	RIBS (EITHER SIDE)	16	0.3 %
19	PELVIS (NOT HIP)	3	0.1 %
20	UPPER LEG (THIGH EXCLUDING HIP)	1	0.0 %
21	LOWER LEG (BETWEEN ANKLE AND KNEE)	14	0.3 %
22	KNEE (PATELLA)	10	0.2 %
23	ANKLE	66	1.3 %
24	HEEL	4	0.1 %
25	FOOT	34	0.7 %
26	TOES	59	1.2 %

Value	Label	Unweighted Frequency	%
27	OTHER (DO NOT SPECIFY)	4	0.1 %
. (M)	-	4658	93.6 %

OSD110A	**How old when fracture occurred?**

Location: 219-221 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: How old {were you/was SP} when {you/SP} fractured {your/his/her} (fracture site selected in OSQ100a) for the first time after age 20? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
20	-	15	0.3 %
21	-	20	0.4 %
22	-	11	0.2 %
23	-	11	0.2 %
24	-	10	0.2 %
25	-	19	0.4 %
26	-	11	0.2 %
27	-	4	0.1 %
28	-	7	0.1 %
29	-	8	0.2 %
30	-	16	0.3 %
31	-	4	0.1 %
32	-	8	0.2 %
33	-	5	0.1 %
34	-	8	0.2 %
35	-	21	0.4 %
36	-	2	0.0 %
37	-	3	0.1 %
38	-	8	0.2 %
39	-	1	0.0 %
40	-	16	0.3 %
41	-	5	0.1 %
42	-	5	0.1 %
44	-	4	0.1 %
45	-	8	0.2 %
46	-	2	0.0 %
47	-	1	0.0 %
48	-	5	0.1 %
50	-	11	0.2 %
51	-	5	0.1 %

Value	Label	Unweighted Frequency	%
52	-	3	0.1 %
53	-	3	0.1 %
54	-	1	0.0 %
55	-	4	0.1 %
56	-	4	0.1 %
57	-	1	0.0 %
58	-	4	0.1 %
59	-	1	0.0 %
60	-	8	0.2 %
61	-	4	0.1 %
62	-	2	0.0 %
63	-	2	0.0 %
65	-	5	0.1 %
66	-	2	0.0 %
67	-	2	0.0 %
68	-	1	0.0 %
70	-	4	0.1 %
72	-	2	0.0 %
73	-	2	0.0 %
74	-	1	0.0 %
75	-	1	0.0 %
76	-	1	0.0 %
78	-	1	0.0 %
81	-	1	0.0 %
84	-	1	0.0 %
85	85 or older	2	0.0 %
999	Don't know	4	0.1 %
. (M)	-	4658	93.6 %

OSQ120A — **Any other fractures?**

Location: 222-224 (width: 3; decimal: 0)
Variable Type: numeric
Question: Target: B(20 Yrs. to 150 Yrs.) English Text: Has a doctor ever told {you/SP} that {you/s/he} had broken or fractured any other bones after {you were/s/he was} 20 years of age? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	248	5.0 %
2	No	803	16.1 %
9	Don't know	1	0.0 %
. (M)	-	3927	78.9 %

OSQ090B	Fracture result of severe trauma?

Location: 225-227 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: Was this fracture the result of severe trauma such as a car accident, being struck by a vehicle, a physical attack, or a hard fall such as falling off a ladder or down stairs? English Instructions: CAPI INSTRUCTION: HELP SCREEN SHOULD READ: Do not include a fall from standing height or less, for example, tripped, slipped, fell out of bed, leg gave way, was dizzy, fell bending over, or fell out of a chair. Additional examples for "a hard fall" include being knocked down by another person or bicycle.

Value	Label	Unweighted Frequency	%
1	Yes	172	3.5 %
2	No	75	1.5 %
9	Don't know	1	0.0 %
. (M)	-	4731	95.0 %

OSQ100B	Where fracture occurred

Location: 228-230 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: Please look at this card and tell me where the fracture occurred. English Instructions: HAND CARD OSQ 1

Value	Label	Unweighted Frequency	%
12	LOWER ARM BETWEEN WRIST AND ELBOW (DO NOT INCLUDE WRIST)	1	0.0 %
13	ELBOW	2	0.0 %
14	HAND	5	0.1 %
15	FINGERS	20	0.4 %
16	SHOULDER	1	0.0 %
18	RIBS (EITHER SIDE)	4	0.1 %
19	PELVIS (NOT HIP)	2	0.0 %
21	LOWER LEG (BETWEEN ANKLE AND KNEE)	6	0.1 %
22	KNEE (PATELLA)	1	0.0 %
23	ANKLE	12	0.2 %
25	FOOT	6	0.1 %
26	TOES	13	0.3 %
27	OTHER (DO NOT SPECIFY)	2	0.0 %
. (M)	-	4904	98.5 %

OSD110B	How old when fracture occurred?

Location: 231-233 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: How old {were you/was SP} when {you/SP} fractured {your/his/her} (fracture site selected in OSQ100b) for the first time after age 20? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
20	-	4	0.1 %
21	-	3	0.1 %
22	-	2	0.0 %
23	-	2	0.0 %
24	-	2	0.0 %
26	-	3	0.1 %
27	-	2	0.0 %
28	-	3	0.1 %
30	-	3	0.1 %
31	-	2	0.0 %
32	-	2	0.0 %
34	-	2	0.0 %
35	-	6	0.1 %
37	-	2	0.0 %
38	-	5	0.1 %
40	-	2	0.0 %
41	-	1	0.0 %
42	-	2	0.0 %
45	-	7	0.1 %
46	-	1	0.0 %
48	-	1	0.0 %
50	-	3	0.1 %
53	-	1	0.0 %
54	-	1	0.0 %
56	-	1	0.0 %
58	-	2	0.0 %
60	-	2	0.0 %
61	-	1	0.0 %
62	-	1	0.0 %
67	-	1	0.0 %
71	-	2	0.0 %
81	-	1	0.0 %
85	85 or older	1	0.0 %
999	Don't know	1	0.0 %
. (M)	-	4904	98.5 %

OSQ120B	**Any other fractures?**

Location:	234-236 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: Has a doctor ever told {you/SP} that {you/s/he} had broken or fractured any other bones after {you were/s/he was} 20 years of age? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	80	1.6 %
2	No	168	3.4 %
. (M)	-	4731	95.0 %

OSQ090C — Fracture result of severe trauma?

Location:	237-239 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: Was this fracture the result of severe trauma such as a car accident, being struck by a vehicle, a physical attack, or a hard fall such as falling off a ladder or down stairs? English Instructions: CAPI INSTRUCTION: HELP SCREEN SHOULD READ: Do not include a fall from standing height or less, for example, tripped, slipped, fell out of bed, leg gave way, was dizzy, fell bending over, or fell out of a chair. Additional examples for "a hard fall" include being knocked down by another person or bicycle.

Value	Label	Unweighted Frequency	%
1	Yes	61	1.2 %
2	No	19	0.4 %
. (M)	-	4899	98.4 %

OSQ100C — Where fracture occurred

Location:	240-242 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: Please look at this card and tell me where the fracture occurred. English Instructions: HAND CARD OSQ 1

Value	Label	Unweighted Frequency	%
10	HEAD/FACE	1	0.0 %
14	HAND	1	0.0 %
15	FINGERS	4	0.1 %
16	SHOULDER	1	0.0 %
18	RIBS (EITHER SIDE)	1	0.0 %
22	KNEE (PATELLA)	3	0.1 %
23	ANKLE	3	0.1 %
25	FOOT	2	0.0 %
26	TOES	3	0.1 %
. (M)	-	4960	99.6 %

OSD110C — How old when fracture occurred?

Location:	243-245 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: How old {were you/was SP} when {you/SP} fractured {your/his/her} (fracture site selected in OSQ100c) for the first time after age 20? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
22	-	1	0.0 %
23	-	1	0.0 %
24	-	2	0.0 %
25	-	2	0.0 %
26	-	1	0.0 %
27	-	2	0.0 %
34	-	1	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
39	-	1	0.0 %
43	-	1	0.0 %
55	-	1	0.0 %
56	-	1	0.0 %
59	-	1	0.0 %
60	-	1	0.0 %
73	-	1	0.0 %
. (M)	-	4960	99.6 %

OSQ120C — Any other fractures?

Location:	246-248 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: Has a doctor ever told {you/SP} that {you/s/he} had broken or fractured any other bones after {you were/s/he was} 20 years of age? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	44	0.9 %
2	No	36	0.7 %
. (M)	-	4899	98.4 %

OSQ090D — Fracture result of severe trauma?

Location:	249-251 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: Was this fracture the result of severe trauma such as a car accident, being struck by a vehicle, a physical attack, or a hard fall such as falling off a ladder or down stairs? English Instructions: CAPI INSTRUCTION: HELP SCREEN SHOULD READ: Do not include a fall from standing height or less, for example, tripped, slipped, fell out of bed, leg gave way, was dizzy, fell bending over, or fell out of a chair. Additional examples for "a hard fall" include being knocked down by another person or bicycle.

Value	Label	Unweighted Frequency	%
1	Yes	39	0.8 %
2	No	5	0.1 %

Value	Label	Unweighted Frequency	%
. (M)	-	4935	99.1 %

OSQ100D — Where fracture occurred

Location: 252-254 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: Please look at this card and tell me where the fracture occurred. English Instructions: HAND CARD OSQ 1

Value	Label	Unweighted Frequency	%
18	RIBS (EITHER SIDE)	1	0.0 %
25	FOOT	2	0.0 %
26	TOES	1	0.0 %
27	OTHER (DO NOT SPECIFY)	1	0.0 %
. (M)	-	4974	99.9 %

OSD110D — How old when fracture occurred?

Location: 255-257 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: How old {were you/was SP} when {you/SP} fractured {your/his/her} (fracture site selected in OSQ100d) for the first time after age 20? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
23	-	1	0.0 %
27	-	1	0.0 %
29	-	1	0.0 %
41	-	1	0.0 %
81	-	1	0.0 %
. (M)	-	4974	99.9 %

OSQ120D — Any other fractures?

Location: 258-260 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: Has a doctor ever told {you/SP} that {you/s/he} had broken or fractured any other bones after {you were/s/he was} 20 years of age? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	24	0.5 %
2	No	20	0.4 %
. (M)	-	4935	99.1 %

OSQ090E — Fracture result of severe trauma?

Location: 261-263 (width: 3; decimal: 0)

Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: Was this fracture the result of severe trauma such as a car accident, being struck by a vehicle, a physical attack, or a hard fall such as falling off a ladder or down stairs? English Instructions: CAPI INSTRUCTION: HELP SCREEN SHOULD READ: Do not include a fall from standing height or less, for example, tripped, slipped, fell out of bed, leg gave way, was dizzy, fell bending over, or fell out of a chair. Additional examples for "a hard fall" include being knocked down by another person or bicycle.

Value	Label	Unweighted Frequency	%
1	Yes	22	0.4 %
2	No	2	0.0 %
. (M)	-	4955	99.5 %

OSQ100E — Where fracture occurred

Location:	264-266 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: Please look at this card and tell me where the fracture occurred. English Instructions: HAND CARD OSQ 1

Value	Label	Unweighted Frequency	%
25	FOOT	1	0.0 %
26	TOES	1	0.0 %
. (M)	-	4977	100.0 %

OSD110E — How old when fracture occurred?

Location:	267-269 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: How old {were you/was SP} when {you/SP} fractured {your/his/her} (fracture site selected in OSQ100e) for the first time after age 20? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
28	-	1	0.0 %
34	-	1	0.0 %
. (M)	-	4977	100.0 %

OSQ120E — Any other fractures?

Location:	270-272 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: Has a doctor ever told {you/SP} that {you/s/he} had broken or fractured any other bones after {you were/s/he was} 20 years of age? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	18	0.4 %
2	No	6	0.1 %
. (M)	-	4955	99.5 %

OSQ090F	Fracture result of severe trauma?

Location: 273-275 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: Was this fracture the result of severe trauma such as a car accident, being struck by a vehicle, a physical attack, or a hard fall such as falling off a ladder or down stairs? English Instructions: CAPI INSTRUCTION: HELP SCREEN SHOULD READ: Do not include a fall from standing height or less, for example, tripped, slipped, fell out of bed, leg gave way, was dizzy, fell bending over, or fell out of a chair. Additional examples for "a hard fall" include being knocked down by another person or bicycle.

Value	Label	Unweighted Frequency	%
1	Yes	17	0.3 %
2	No	1	0.0 %
. (M)	-	4961	99.6 %

OSQ100F	Where fracture occurred

Location: 276-278 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: Please look at this card and tell me where the fracture occurred. English Instructions: HAND CARD OSQ 1

Value	Label	Unweighted Frequency	%
25	FOOT	1	0.0 %
. (M)	-	4978	100.0 %

OSD110F	How old when fracture occurred?

Location: 279-281 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: How old {were you/was SP} when {you/SP} fractured {your/his/her} (fracture site selected in OSQ100f) for the first time after age 20? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
29	29	1	0.0 %
. (M)	-	4978	100.0 %

OSQ120F	Any other fractures?

Location: 282-284 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: Has a doctor ever told {you/SP} that {you/s/he} had broken or fractured any other bones after {you were/s/he was} 20 years of age? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	11	0.2 %
2	No	7	0.1 %

Value	Label	Unweighted Frequency	%
. (M)	-	4961	99.6 %

OSQ090G — Fracture result of severe trauma?

Location: 285-287 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: Was this fracture the result of severe trauma such as a car accident, being struck by a vehicle, a physical attack, or a hard fall such as falling off a ladder or down stairs? English Instructions: CAPI INSTRUCTION: HELP SCREEN SHOULD READ: Do not include a fall from standing height or less, for example, tripped, slipped, fell out of bed, leg gave way, was dizzy, fell bending over, or fell out of a chair. Additional examples for "a hard fall" include being knocked down by another person or bicycle.

Value	Label	Unweighted Frequency	%
1	Yes	9	0.2 %
2	No	2	0.0 %
. (M)	-	4968	99.8 %

OSQ100G — Where fracture occurred

Location: 288-290 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: Please look at this card and tell me where the fracture occurred. English Instructions: HAND CARD OSQ 1

Value	Label	Unweighted Frequency	%
21	LOWER LEG (BETWEEN ANKLE AND KNEE)	1	0.0 %
25	FOOT	1	0.0 %
. (M)	-	4977	100.0 %

OSD110G — How old when fracture occurred?

Location: 291-293 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: How old {were you/was SP} when {you/SP} fractured {your/his/her} (fracture site selected in OSQ100g) for the first time after age 20? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
22	-	1	0.0 %
30	-	1	0.0 %
. (M)	-	4977	100.0 %

OSQ120G — Any other fractures?

Location: 294-296 (width: 3; decimal: 0)

Variable Type: numeric

Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: Has a doctor ever told {you/SP} that {you/s/he} had broken or fractured any other bones after {you were/s/he was} 20 years of age? English Instructions:		

Value	Label	Unweighted Frequency	%
1	Yes	9	0.2 %
2	No	2	0.0 %
. (M)	-	4968	99.8 %

OSQ090H — Fracture result of severe trauma?

Location:	297-299 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: Was this fracture the result of severe trauma such as a car accident, being struck by a vehicle, a physical attack, or a hard fall such as falling off a ladder or down stairs? English Instructions: CAPI INSTRUCTION: HELP SCREEN SHOULD READ: Do not include a fall from standing height or less, for example, tripped, slipped, fell out of bed, leg gave way, was dizzy, fell bending over, or fell out of a chair. Additional examples for "a hard fall" include being knocked down by another person or bicycle.

Value	Label	Unweighted Frequency	%
1	Yes	8	0.2 %
2	No	1	0.0 %
. (M)	-	4970	99.8 %

OSQ100H — Where fracture occurred

Location:	300-302 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: Please look at this card and tell me where the fracture occurred. English Instructions: HAND CARD OSQ 1

Value	Label	Unweighted Frequency	%
25	FOOT	1	0.0 %
. (M)	-	4978	100.0 %

OSD110H — How old when fracture occurred?

Location:	303-305 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: How old {were you/was SP} when {you/SP} fractured {your/his/her} (fracture site selected in OSQ100h) for the first time after age 20? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
31	31	1	0.0 %
. (M)	-	4978	100.0 %

OSQ120H — Any other fractures?

Location:	306-308 (width: 3; decimal: 0)

Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: Has a doctor ever told {you/SP} that {you/s/he} had broken or fractured any other bones after {you were/s/he was} 20 years of age? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	9	0.2 %
. (M)	-	4970	99.8 %

OSQ090I — Fracture result of severe trauma?

Location:	309-311 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: Was this fracture the result of severe trauma such as a car accident, being struck by a vehicle, a physical attack, or a hard fall such as falling off a ladder or down stairs? English Instructions: CAPI INSTRUCTION: HELP SCREEN SHOULD READ: Do not include a fall from standing height or less, for example, tripped, slipped, fell out of bed, leg gave way, was dizzy, fell bending over, or fell out of a chair. Additional examples for "a hard fall" include being knocked down by another person or bicycle.

Value	Label	Unweighted Frequency	%
1	Yes	6	0.1 %
2	No	3	0.1 %
. (M)	-	4970	99.8 %

OSQ100I — Where fracture occurred

Location:	312-314 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: Please look at this card and tell me where the fracture occurred. English Instructions: HAND CARD OSQ 1

Value	Label	Unweighted Frequency	%
14	HAND	1	0.0 %
21	LOWER LEG (BETWEEN ANKLE AND KNEE)	1	0.0 %
25	FOOT	1	0.0 %
. (M)	-	4976	99.9 %

OSD110I — How old when fracture occurred?

Location:	315-317 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: How old {were you/was SP} when {you/SP} fractured {your/his/her} (fracture site selected in OSQ100i) for the first time after age 20? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
22	-	1	0.0 %
29	-	1	0.0 %
35	-	1	0.0 %

Value	Label	Unweighted Frequency	%
. (M)	-	4976	99.9 %

OSQ120I — Any other fractures?

Location:	318-320 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: Has a doctor ever told {you/SP} that {you/s/he} had broken or fractured any other bones after {you were/s/he was} 20 years of age? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	6	0.1 %
2	No	3	0.1 %
. (M)	-	4970	99.8 %

OSQ090J — Fracture result of severe trauma?

Location:	321-323 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: Was this fracture the result of severe trauma such as a car accident, being struck by a vehicle, a physical attack, or a hard fall such as falling off a ladder or down stairs? English Instructions: CAPI INSTRUCTION: HELP SCREEN SHOULD READ: Do not include a fall from standing height or less, for example, tripped, slipped, fell out of bed, leg gave way, was dizzy, fell bending over, or fell out of a chair. Additional examples for "a hard fall" include being knocked down by another person or bicycle.

Value	Label	Unweighted Frequency	%
1	Yes	4	0.1 %
2	No	2	0.0 %
. (M)	-	4973	99.9 %

OSQ100J — Where fracture occurred

Location:	324-326 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: Please look at this card and tell me where the fracture occurred. English Instructions: HAND CARD OSQ 1

Value	Label	Unweighted Frequency	%
21	LOWER LEG (BETWEEN ANKLE AND KNEE)	1	0.0 %
26	TOES	1	0.0 %
. (M)	-	4977	100.0 %

OSD110J — How old when fracture occurred?

Location:	327-329 (width: 3; decimal: 0)
Variable Type:	numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: How old {were you/was SP} when {you/SP} fractured {your/his/her} (fracture site selected in OSQ100j) for the first time after age 20? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
22	-	1	0.0 %
36	-	1	0.0 %
. (M)	-	4977	100.0 %

OSQ120J — Any other fractures?

Location: 330-332 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: Has a doctor ever told {you/SP} that {you/s/he} had broken or fractured any other bones after {you were/s/he was} 20 years of age? English Instructions:

Value	Label	Unweighted Frequency	%
2	No	6	0.1 %
. (M)	-	4973	99.9 %

OSQ060 — Ever told had osteoporosis/brittle bones

Location: 333-335 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: Has a doctor ever told {you/SP} that {you/s/he} had osteoporosis, sometimes called thin or brittle bones? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	254	5.1 %
2	No	4714	94.7 %
9	Don't know	11	0.2 %

OSQ070 — Ever treated for osteoporosis

Location: 336-338 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: {Were you/Was SP} ever treated for osteoporosis? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	182	3.7 %
2	No	70	1.4 %
9	Don't know	1	0.0 %
. (M)	-	4726	94.9 %

OSQ130 — Ever taken prednisone or cortisone daily

Location: 339-341 (width: 3; decimal: 0)

Variable Type: numeric

| | Question: | Target: B(20 Yrs. to 150 Yrs.) English Text: {Have you/has SP} ever taken any prednisone or cortisone pills nearly every day for a month or longer? [Prednisone and cortisone are types of steroids.] English Instructions: |

Value	Label	Unweighted Frequency	%
1	Yes	245	4.9 %
2	No	4690	94.2 %
9	Don't know	44	0.9 %

| **OSQ140Q** | **How long used prednisone or cortisone?** |

Location: 342-344 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: Please think about {your/SP's} use of prednisone or cortisone during {your/his/her} lifetime. For how long did {you/s/he} use prednisone or cortisone nearly every day? Do not count the months or years when {you were/s/he was} not taking the medicine. English Instructions:

Value	Label	Unweighted Frequency	%
1	-	76	1.5 %
2	-	44	0.9 %
3	-	32	0.6 %
4	-	8	0.2 %
5	-	11	0.2 %
6	-	30	0.6 %
7	-	3	0.1 %
8	-	4	0.1 %
9	-	3	0.1 %
10	-	8	0.2 %
11	-	2	0.0 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	2	0.0 %
16	-	1	0.0 %
18	-	2	0.0 %
20	-	3	0.1 %
22	-	1	0.0 %
25	-	1	0.0 %
28	-	1	0.0 %
30	-	2	0.0 %
54	-	1	0.0 %
999	Don't know	8	0.2 %
. (M)	-	4734	95.1 %

| **OSQ140U** | **How long used prednisone or cortisone?** |

Location:	345-347 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: How long used prednisone or cortisone: month, year? English Instructions: ENTER UNIT

Value	Label	Unweighted Frequency	%
1	Month	154	3.1 %
2	Year	83	1.7 %
. (M)	-	4742	95.2 %

OSQ150 — Parents ever told had osteoporosis?

Location:	348-350 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: Including living and deceased, were either of {your/SP's} biological parents ever told by a health professional that they had osteoporosis or brittle bones? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	422	8.5 %
2	No	4319	86.7 %
9	Don't know	238	4.8 %

OSQ160A — Mother was told had osteoporosis

Location:	351-353 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: Mother was told had osteoporosis? English Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
1	Mother	383	7.7 %
. (M)	-	4596	92.3 %

OSQ160B — Father was told had osteoporosis

Location:	354-356 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: Father was told had osteoporosis? English Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
2	Father	55	1.1 %
. (M)	-	4924	98.9 %

OSQ170 — Did mother ever fracture hip?

Location:	357-359 (width: 3; decimal: 0)
Variable Type:	numeric

Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: Did {your/SP's} biological mother ever fracture her hip? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	242	4.9 %
2	No	4568	91.7 %
9	Don't know	169	3.4 %

OSQ180 — How old when fractured hip?

Location:	360-362 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: About how old was she when she fractured her hip (the first time)? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
3	-	1	0.0 %
9	-	2	0.0 %
16	-	2	0.0 %
20	-	1	0.0 %
26	-	1	0.0 %
27	-	2	0.0 %
28	-	2	0.0 %
30	-	1	0.0 %
32	-	1	0.0 %
33	-	1	0.0 %
34	-	2	0.0 %
35	-	1	0.0 %
38	-	1	0.0 %
40	-	9	0.2 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	3	0.1 %
46	-	1	0.0 %
47	-	1	0.0 %
49	-	1	0.0 %
50	-	7	0.1 %
51	-	2	0.0 %
52	-	1	0.0 %
54	-	2	0.0 %
55	-	7	0.1 %
56	-	1	0.0 %
57	-	3	0.1 %
58	-	1	0.0 %

Value	Label	Unweighted Frequency	%
60	-	9	0.2 %
61	-	1	0.0 %
62	-	3	0.1 %
63	-	3	0.1 %
64	-	4	0.1 %
65	-	6	0.1 %
66	-	1	0.0 %
68	-	2	0.0 %
69	-	1	0.0 %
70	-	16	0.3 %
71	-	3	0.1 %
72	-	3	0.1 %
73	-	4	0.1 %
74	-	5	0.1 %
75	-	14	0.3 %
76	-	3	0.1 %
77	-	3	0.1 %
78	-	5	0.1 %
79	-	5	0.1 %
80	-	20	0.4 %
81	-	2	0.0 %
82	-	8	0.2 %
83	-	5	0.1 %
84	-	5	0.1 %
85	-	14	0.3 %
86	-	4	0.1 %
88	-	3	0.1 %
89	-	5	0.1 %
90	-	6	0.1 %
91	-	5	0.1 %
92	-	2	0.0 %
93	-	1	0.0 %
95	-	1	0.0 %
97	-	1	0.0 %
999	Don't know	10	0.2 %
. (M)	-	4737	95.1 %

OSQ190   **Over or under 50 years old?**

Location: 363-365 (width: 3; decimal: 0)

Variable Type: numeric

Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: Was she. . . English Instructions:		

Value	Label	Unweighted Frequency	%
1	Under 50 years or	4	0.1 %
2	50 years or older?	5	0.1 %
9	Don't know	1	0.0 %
. (M)	-	4969	99.8 %

OSQ200 — Did father ever fracture hip?

Location:	366-368 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: Did {your/SP's} biological father ever fracture his hip? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	106	2.1 %
2	No	4596	92.3 %
9	Don't know	277	5.6 %

OSQ210 — How old when fractured hip?

Location:	369-371 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(20 Yrs. to 150 Yrs.) English Text: About how old was he when he fractured his hip (the first time)? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
10	-	1	0.0 %
19	-	1	0.0 %
20	-	1	0.0 %
25	-	3	0.1 %
27	-	2	0.0 %
30	-	2	0.0 %
33	-	1	0.0 %
34	-	2	0.0 %
35	-	1	0.0 %
38	-	2	0.0 %
39	-	1	0.0 %
40	-	3	0.1 %
41	-	1	0.0 %
42	-	2	0.0 %
44	-	1	0.0 %
45	-	3	0.1 %
49	-	2	0.0 %

Value	Label	Unweighted Frequency	%
50	-	4	0.1 %
52	-	1	0.0 %
53	-	1	0.0 %
55	-	5	0.1 %
56	-	2	0.0 %
57	-	1	0.0 %
58	-	1	0.0 %
62	-	1	0.0 %
63	-	1	0.0 %
65	-	2	0.0 %
68	-	4	0.1 %
69	-	1	0.0 %
70	-	4	0.1 %
71	-	1	0.0 %
72	-	2	0.0 %
73	-	3	0.1 %
75	-	3	0.1 %
76	-	1	0.0 %
78	-	1	0.0 %
80	-	6	0.1 %
81	-	2	0.0 %
82	-	3	0.1 %
83	-	1	0.0 %
84	-	1	0.0 %
85	-	5	0.1 %
86	-	2	0.0 %
89	-	1	0.0 %
90	-	4	0.1 %
91	-	1	0.0 %
92	-	1	0.0 %
98	-	1	0.0 %
999	Don't know	10	0.2 %
. (M)	-	4873	97.9 %

OSQ220	**Over or under 50 years old?**

Location: 372-374 (width: 3; decimal: 0)
Variable Type: numeric
Question: Target: B(20 Yrs. to 150 Yrs.) English Text: Was he . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	Under 50 years old, or	4	0.1 %
2	50 years old or older?	5	0.1 %
9	Don't know	1	0.0 %
. (M)	-	4969	99.8 %

SDDSRVYR — Data Release Number

Location:	375-377 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Data Release Number. English Instructions:

Value	Label	Unweighted Frequency	%
4	NHANES 2005-2006 Public Release	4979	100.0 %

RIDSTATR — Interview/Examination Status

Location:	378-380 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Interview and Examination Status of the Sample Person. English Instructions:

Value	Label	Unweighted Frequency	%
1	Interviewed Only.	206	4.1 %
2	Both Interviewed and MEC examined	4773	95.9 %

RIDEXMON — Six month time period

Location:	381-383 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Six month time period when the examination was performed - two categories: November 1 through April 30, May 1 through October 31. English Instructions:

Value	Label	Unweighted Frequency	%
1	November 1 through April 30	2166	43.5 %
2	May 1 through October 31	2607	52.4 %
. (M)	-	206	4.1 %

RIAGENDR — Gender

Location:	384-386 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the sample person English Instructions:

Value	Label	Unweighted Frequency	%
1	Male	2387	47.9 %
2	Female	2592	52.1 %

RIDAGEYR — Age at Screening Adjudicated - Recode

Location:	387-389 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Best age in years of the sample person at time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

Value	Label	Unweighted Frequency	%
20	-	102	2.0 %
21	-	102	2.0 %
22	-	110	2.2 %
23	-	114	2.3 %
24	-	108	2.2 %
25	-	116	2.3 %
26	-	109	2.2 %
27	-	89	1.8 %
28	-	99	2.0 %
29	-	118	2.4 %
30	-	96	1.9 %
31	-	90	1.8 %
32	-	81	1.6 %
33	-	83	1.7 %
34	-	96	1.9 %
35	-	93	1.9 %
36	-	90	1.8 %
37	-	72	1.4 %
38	-	84	1.7 %
39	-	71	1.4 %
40	-	107	2.1 %
41	-	90	1.8 %
42	-	79	1.6 %
43	-	75	1.5 %
44	-	85	1.7 %
45	-	93	1.9 %
46	-	92	1.8 %
47	-	74	1.5 %
48	-	74	1.5 %
49	-	73	1.5 %
50	-	80	1.6 %
51	-	87	1.7 %
52	-	55	1.1 %
53	-	73	1.5 %
54	-	80	1.6 %

Value	Label	Unweighted Frequency	%
55	-	62	1.2 %
56	-	53	1.1 %
57	-	42	0.8 %
58	-	56	1.1 %
59	-	56	1.1 %
60	-	84	1.7 %
61	-	75	1.5 %
62	-	83	1.7 %
63	-	68	1.4 %
64	-	71	1.4 %
65	-	66	1.3 %
66	-	73	1.5 %
67	-	64	1.3 %
68	-	36	0.7 %
69	-	68	1.4 %
70	-	68	1.4 %
71	-	58	1.2 %
72	-	47	0.9 %
73	-	59	1.2 %
74	-	52	1.0 %
75	-	38	0.8 %
76	-	49	1.0 %
77	-	38	0.8 %
78	-	46	0.9 %
79	-	33	0.7 %
80	-	46	0.9 %
81	-	59	1.2 %
82	-	44	0.9 %
83	-	39	0.8 %
84	-	36	0.7 %
85	>= 85 years of age	170	3.4 %

RIDAGEMN	**Age in Months - Recode**
Location:	390-393 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of screening for individuals under 85 years of age. English Instructions:

RIDAGEEX	**Exam Age in Months - Recode**
Location:	394-397 (width: 4; decimal: 0)
Variable Type:	numeric

Question:	Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of examination for individuals under 85 years of age at screening. English Instructions:

RIDRETH1 — Race/Ethnicity - Recode

Location:	398-400 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Recode of reported race and ethnicity information. English Instructions:

Value	Label	Unweighted Frequency	%
1	Mexican American	1003	20.1 %
2	Other Hispanic	154	3.1 %
3	Non-Hispanic White	2495	50.1 %
4	Non-Hispanic Black	1123	22.6 %
5	Other Race - Including Multi-Racial	204	4.1 %

DMQMILIT — Veteran/Military Status

Location:	401-403 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(17 Yrs. to 150 Yrs.) English Text: Did {you/SP} ever serve in the Armed Forces of the United States? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	698	14.0 %
2	No	4276	85.9 %
7	Refused	5	0.1 %

DMDBORN — Country of Birth - Recode

Location:	404-406 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was SP} born? English Instructions:

Value	Label	Unweighted Frequency	%
1	Born in 50 US States or Washington, DC	3880	77.9 %
2	Born in Mexico	648	13.0 %
3	Born Elsewhere	446	9.0 %
7	Refused	5	0.1 %

DMDCITZN — Citizenship Status

Location:	407-409 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: {Are you/Is SP} a citizen of the United States? [Information about citizenship is being collected by the U.S. Public Health Service to perform health related research. Providing this information is voluntary and is collected under the authority of the Public

- Study 25504 -

Health Service Act. There will be no effect on pending immigration or citizenship petitions.] English
Instructions: HAND CARD DMQ2

Value	Label	Unweighted Frequency	%
1	Citizen by birth or naturalization	4249	85.3 %
2	Not a citizen of the US	723	14.5 %
7	Refused	7	0.1 %

DMDYRSUS — Length of time in US

Location: 410-412 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Length of time SP has been in the US. English Instructions:

Value	Label	Unweighted Frequency	%
1	Less than 1 year	20	0.4 %
2	1 yr., less than 5 yrs.	165	3.3 %
3	5 yrs., less than 10 yrs.	227	4.6 %
4	10 yrs., less than 15 yrs.	139	2.8 %
5	15 yrs., less than 20 yrs.	100	2.0 %
6	20 yrs., less than 30 yrs.	190	3.8 %
7	30 yrs., less than 40 yrs.	114	2.3 %
8	40 yrs., less than 50 yrs.	52	1.0 %
9	50 years or more	57	1.1 %
77	Refused	13	0.3 %
99	Don't know	17	0.3 %
. (M)	-	3885	78.0 %

DMDEDUC3 — Education Level - Children/Youth 6-19

Location: 413-415 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
. (M)	-	4979	100.0 %

DMDEDUC2 — Education Level - Adults 20+

Location: 416-418 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	628	12.6 %
2	9-11th Grade (Includes 12th grade with no diploma)	766	15.4 %
3	High School Grad/GED or Equivalent	1181	23.7 %
4	Some College or AA degree	1417	28.5 %
5	College Graduate or above	978	19.6 %
7	Refused	6	0.1 %
9	Don't Know	3	0.1 %

DMDSCHOL	**Now attending school?**

Location:	419-421 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(6 Yrs. to 19 Yrs.) English Text: {Are you/Is SP} now . . . English Instructions:

Value	Label	Unweighted Frequency	%
. (M)	-	4979	100.0 %

DMDMARTL	**Marital Status**

Location:	422-424 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(14 Yrs. to 150 Yrs.) English Text: Marital Status English Instructions:

Value	Label	Unweighted Frequency	%
1	Married	2687	54.0 %
2	Widowed	462	9.3 %
3	Divorced	471	9.5 %
4	Separated	154	3.1 %
5	Never married	790	15.9 %
6	Living with partner	408	8.2 %
77	Refused	7	0.1 %

DMDHHSIZ	**Total number of people in the Household**

Location:	425-427 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Household English Instructions:

Value	Label	Unweighted Frequency	%
1	-	750	15.1 %
2	-	1584	31.8 %
3	-	942	18.9 %
4	-	725	14.6 %
5	-	494	9.9 %

Value	Label	Unweighted Frequency	%
6	-	239	4.8 %
7	7 or more people in the Household	245	4.9 %

DMDFMSIZ — Total number of people in the Family

Location:	428-430 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Family English Instructions:

Value	Label	Unweighted Frequency	%
1	-	1080	21.7 %
2	-	1431	28.7 %
3	-	877	17.6 %
4	-	696	14.0 %
5	-	465	9.3 %
6	-	235	4.7 %
7	7 or more people in the Family	195	3.9 %

INDHHINC — Annual Household Income

Location:	431-433 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Total household income (reported as a range value in dollars) English Instructions:

Value	Label	Unweighted Frequency	%
1	$ 0 to $ 4,999	85	1.7 %
2	$ 5,000 to $ 9,999	211	4.2 %
3	$10,000 to $14,999	347	7.0 %
4	$15,000 to $19,999	352	7.1 %
5	$20,000 to $24,999	369	7.4 %
6	$25,000 to $34,999	640	12.9 %
7	$35,000 to $44,999	492	9.9 %
8	$45,000 to $54,999	482	9.7 %
9	$55,000 to $64,999	318	6.4 %
10	$65,000 to $74,999	275	5.5 %
11	$75,000 and Over	1105	22.2 %
12	Over $20,000	109	2.2 %
13	Under $20,000	24	0.5 %
77	Refused	35	0.7 %
99	Don't know	78	1.6 %
. (M)	-	57	1.1 %

INDFMINC — Annual Family Income

- Study 25504 -

Location:	434-436 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Total family income (reported as a range value in dollars) English Instructions:

Value	Label	Unweighted Frequency	%
1	$ 0 to $ 4,999	113	2.3 %
2	$ 5,000 to $ 9,999	239	4.8 %
3	$10,000 to $14,999	405	8.1 %
4	$15,000 to $19,999	384	7.7 %
5	$20,000 to $24,999	397	8.0 %
6	$25,000 to $34,999	653	13.1 %
7	$35,000 to $44,999	510	10.2 %
8	$45,000 to $54,999	469	9.4 %
9	$55,000 to $64,999	282	5.7 %
10	$65,000 to $74,999	256	5.1 %
11	$75,000 and Over	1018	20.4 %
12	Over $20,000	73	1.5 %
13	Under $20,000	26	0.5 %
77	Refused	37	0.7 %
99	Don't know	70	1.4 %
. (M)	-	47	0.9 %

INDFMPIR	**Family PIR**

Location:	437-441 (width: 5; decimal: 2)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Poverty income ratio (PIR) - a ratio of family income to poverty threshold English Instructions:

Value	Label
5	PIR value greater than or equal to 5.00

RIDEXPRG	**Pregnancy Status at Exam - Recode**

Location:	442-444 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status at the time of MEC exam. English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes, positive lab pregnancy test or self-reported pregnant	336	6.7 %
2	SP not pregnant at exam	1383	27.8 %
3	Cannot ascertain if SP is pregnant at exam	104	2.1 %
. (M)	-	3156	63.4 %

DMDHRGND	**HH Ref Person Gender**

Location:	445-447 (width: 3; decimal: 0)	
Variable Type:	numeric	
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the household reference person English Instructions:	

Value	Label	Unweighted Frequency	%
1	Male	2876	57.8 %
2	Female	2103	42.2 %

DMDHRAGE — HH Ref Person Age

Location:	448-450 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Age in years of the household reference person at the time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

Value	Label	Unweighted Frequency	%
18	-	12	0.2 %
19	-	18	0.4 %
20	-	51	1.0 %
21	-	61	1.2 %
22	-	58	1.2 %
23	-	63	1.3 %
24	-	97	1.9 %
25	-	98	2.0 %
26	-	100	2.0 %
27	-	88	1.8 %
28	-	89	1.8 %
29	-	99	2.0 %
30	-	77	1.5 %
31	-	102	2.0 %
32	-	87	1.7 %
33	-	86	1.7 %
34	-	90	1.8 %
35	-	97	1.9 %
36	-	85	1.7 %
37	-	69	1.4 %
38	-	90	1.8 %
39	-	81	1.6 %
40	-	122	2.5 %
41	-	101	2.0 %
42	-	93	1.9 %
43	-	99	2.0 %
44	-	93	1.9 %

Value	Label	Unweighted Frequency	%
45	-	100	2.0 %
46	-	93	1.9 %
47	-	105	2.1 %
48	-	72	1.4 %
49	-	76	1.5 %
50	-	90	1.8 %
51	-	122	2.5 %
52	-	67	1.3 %
53	-	93	1.9 %
54	-	82	1.6 %
55	-	56	1.1 %
56	-	61	1.2 %
57	-	52	1.0 %
58	-	52	1.0 %
59	-	61	1.2 %
60	-	88	1.8 %
61	-	66	1.3 %
62	-	108	2.2 %
63	-	71	1.4 %
64	-	78	1.6 %
65	-	79	1.6 %
66	-	79	1.6 %
67	-	68	1.4 %
68	-	32	0.6 %
69	-	71	1.4 %
70	-	73	1.5 %
71	-	59	1.2 %
72	-	41	0.8 %
73	-	62	1.2 %
74	-	51	1.0 %
75	-	34	0.7 %
76	-	67	1.3 %
77	-	29	0.6 %
78	-	44	0.9 %
79	-	33	0.7 %
80	-	40	0.8 %
81	-	50	1.0 %
82	-	46	0.9 %
83	-	38	0.8 %
84	-	28	0.6 %

Value	Label	Unweighted Frequency	%
85	>= 85 years of age	156	3.1 %

DMDHRBRN — HH Ref Person Country of Birth

Location: 451-453 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was NON-SP Head} born? English Instructions:

Value	Label	Unweighted Frequency	%
1	Born in 50 US States or Washington, DC	3796	76.2 %
2	Born in Mexico	603	12.1 %
3	Born Elsewhere	451	9.1 %
7	Refused	4	0.1 %
9	Don't know	1	0.0 %
. (M)	-	124	2.5 %

DMDHREDU — HH Ref Person Education Level

Location: 454-456 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON_SP HEAD has} received? English Instructions: HAND CARD DMQ1 Read HAND CARD CATEGORES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	600	12.1 %
2	9-11th Grade (Includes 12th grade with no diploma)	706	14.2 %
3	High School Grad/GED or equivalent	1173	23.6 %
4	Some College or AA degree	1383	27.8 %
5	College Graduate or above	971	19.5 %
7	Refused	6	0.1 %
9	Don't know	16	0.3 %
. (M)	-	124	2.5 %

DMDHRMAR — HH Ref Person Marital Status

Location: 457-459 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Marital Status of household reference person English Instructions:

Value	Label	Unweighted Frequency	%
1	Married	2807	56.4 %
2	Widowed	442	8.9 %

Value	Label	Unweighted Frequency	%
3	Divorced	496	10.0 %
4	Separated	176	3.5 %
5	Never married	621	12.5 %
6	Living with partner	354	7.1 %
77	Refused	8	0.2 %
. (M)	-	75	1.5 %

DMDHSEDU — HH Ref Person's Spouse Education Level

Location:	460-462 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON-SP SPOUSE has completed or the highest degree {you have/he/she has} received English Instructions:

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	351	7.0 %
2	9-11th Grade (Includes 12th grade with no diploma)	292	5.9 %
3	High School Grad/GED or equivalent	617	12.4 %
4	Some College or AA degree	711	14.3 %
5	College Graduate or above	601	12.1 %
9	Don't know	6	0.1 %
. (M)	-	2401	48.2 %

SIALANG — Language of SP Interview

Location:	463-465 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Language of the Sample Person Interview Instrument English Instructions:

Value	Label	Unweighted Frequency	%
1	English	4375	87.9 %
2	Spanish	602	12.1 %
. (M)	-	2	0.0 %

SIAPROXY — Proxy used in SP Interview?

Location:	466-468 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Was a Proxy respondent used in conducting the Sample Person (SP) interview? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	54	1.1 %

Value	Label	Unweighted Frequency	%
2	No	4923	98.9 %
. (M)	-	2	0.0 %

SIAINTRP — Interpreter used in SP Interview?

Location:	469-471 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Was an interpreter used to conduct the Sample Person (SP) interview? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	108	2.2 %
2	No	4869	97.8 %
. (M)	-	2	0.0 %

FIALANG — Language of Family Interview

Location:	472-474 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Language of the Family Interview Instrument English Instructions:

Value	Label	Unweighted Frequency	%
1	English	4552	91.4 %
2	Spanish	378	7.6 %
. (M)	-	49	1.0 %

FIAPROXY — Proxy used in Family Interview?

Location:	475-477 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Was a Proxy respondent used in conducting the Family Interview? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	11	0.2 %
2	No	4919	98.8 %
. (M)	-	49	1.0 %

FIAINTRP — Interpreter used in Family Interview?

Location:	478-480 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Was an interpreter used to conduct the Family interview? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	79	1.6 %
2	No	4851	97.4 %
. (M)	-	49	1.0 %

MIALANG		Language of MEC Interview	

Location: 481-483 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Language of the CAPI MEC Interview Instrument English Instructions:

Value	Label	Unweighted Frequency	%
1	English	3861	77.5 %
2	Spanish	505	10.1 %
. (M)	-	613	12.3 %

MIAPROXY		Proxy used in MEC Interview?	

Location: 484-486 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Was a Proxy respondent used in conducting the MEC CAPI Interview? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	34	0.7 %
2	No	4332	87.0 %
. (M)	-	613	12.3 %

MIAINTRP		Interpreter used in MEC Interview?	

Location: 487-489 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Was an interpreter used to conduct the MEC CAPI interview? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	16	0.3 %
2	No	4350	87.4 %
. (M)	-	613	12.3 %

AIALANG		Language of ACASI Interview	

Location: 490-492 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Language of the MEC ACASI Interview Instrument English Instructions:

Value	Label	Unweighted Frequency	%
1	English	3960	79.5 %
2	Spanish	534	10.7 %
. (M)	-	485	9.7 %

WTINT2YR	**Full Sample 2 Year Interview Weight**
Location:	493-506 (width: 14; decimal: 6)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. English Instructions:

WTMEC2YR	**Full Sample 2 Year MEC Exam Weight**
Location:	507-520 (width: 14; decimal: 6)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons. English Instructions:

SDMVPSU	**Masked Variance Pseudo-PSU**
Location:	521-523 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-PSU variable for variance estimation English Instructions:

Value	Unweighted Frequency	%
1	2428	48.8 %
2	2551	51.2 %

SDMVSTRA	**Masked Variance Pseudo-Stratum**
Location:	524-526 (width: 3; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-Stratum variable for variance estimation English Instructions:

Value	Unweighted Frequency	%
44	439	8.8 %
45	314	6.3 %
46	413	8.3 %
47	344	6.9 %
48	289	5.8 %
49	423	8.5 %
50	363	7.3 %
51	278	5.6 %
52	368	7.4 %
53	279	5.6 %
54	321	6.4 %

- Study 25504 -

Value	Unweighted Frequency	%
55	308	6.2 %
56	327	6.6 %
57	263	5.3 %
58	250	5.0 %