

ICPSR 25504

**National Health and Nutrition
Examination Survey (NHANES),
2005-2006**

*United States Department of Health and
Human Services. Centers for Disease
Control and Prevention. National Center
for Health Statistics*

Codebook -- Questionnaire: Drug Use

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25504.xml>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 25504

National Health and Nutrition Examination Survey (NHANES), 2005-2006

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

National Health and Nutrition Examination Survey (NHANES), 2005-2006

Questionnaire: Drug Use

| SEQN | Respondent sequence number |
|------|----------------------------|
|------|----------------------------|

Location: 1-5 (width: 5; decimal: 0)
Variable Type: numeric
Question: Target: B(20 Yrs. to 59 Yrs.) English Text: Respondent sequence number. English Instructions:

| DUAISC | Interview status code |
|--------|-----------------------|
|--------|-----------------------|

Location: 6-8 (width: 3; decimal: 0)
Variable Type: numeric
Question: Target: B(20 Yrs. to 59 Yrs.) English Text: Drug use questionnaire status code English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1 | Complete | 2937 | 89.4 % |
| 2 | Partial Exam | 2 | 0.1 % |
| 3 | Not Done | 346 | 10.5 % |

| DUQ200 | Ever used marijuana or hashish |
|--------|--------------------------------|
|--------|--------------------------------|

Location: 9-11 (width: 3; decimal: 0)
Variable Type: numeric
Question: Target: B(20 Yrs. to 59 Yrs.) English Text: The following questions ask about use of drugs not prescribed by a doctor. Please remember that your answers to these questions are strictly confidential. The first questions are about marijuana and hashish. Marijuana is also called pot or grass. Marijuana is usually smoked, either in cigarettes, called joints, or in a pipe. It is sometimes cooked in food. Hashish is a form of marijuana that is also called 'hash.' It is usually smoked in a pipe. Another form of hashish is hash oil. Have you ever, even once, used marijuana or hashish? English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1 | Yes | 1619 | 49.3 % |
| 2 | No | 1303 | 39.7 % |
| 7 | Refused | 5 | 0.2 % |
| 9 | Don't know | 5 | 0.2 % |
| . (M) | - | 353 | 10.7 % |

| DUQ210 | Age when first tried marijuana |
|--------|--------------------------------|
|--------|--------------------------------|

Location: 12-14 (width: 3; decimal: 0)
Variable Type: numeric
Question: Target: B(20 Yrs. to 59 Yrs.) English Text: How old were you the first time you used marijuana or hashish? English Instructions: HARD EDIT VALUES: 0-59 Error message: "Your response cannot exceed 59 years. Please press the "Back" button, press "Clear," and try again." ENTER AGE IN YEARS

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1 | - | 1 | 0.0 % |

- Study 25504 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 2 | - | 1 | 0.0 % |
| 7 | - | 2 | 0.1 % |
| 8 | - | 5 | 0.2 % |
| 9 | - | 3 | 0.1 % |
| 10 | - | 10 | 0.3 % |
| 11 | - | 12 | 0.4 % |
| 12 | - | 61 | 1.9 % |
| 13 | - | 99 | 3.0 % |
| 14 | - | 127 | 3.9 % |
| 15 | - | 193 | 5.9 % |
| 16 | - | 248 | 7.5 % |
| 17 | - | 188 | 5.7 % |
| 18 | - | 201 | 6.1 % |
| 19 | - | 117 | 3.6 % |
| 20 | - | 106 | 3.2 % |
| 21 | - | 65 | 2.0 % |
| 22 | - | 47 | 1.4 % |
| 23 | - | 26 | 0.8 % |
| 24 | - | 18 | 0.5 % |
| 25 | - | 27 | 0.8 % |
| 26 | - | 9 | 0.3 % |
| 27 | - | 6 | 0.2 % |
| 28 | - | 9 | 0.3 % |
| 29 | - | 5 | 0.2 % |
| 30 | - | 11 | 0.3 % |
| 31 | - | 1 | 0.0 % |
| 32 | - | 4 | 0.1 % |
| 33 | - | 3 | 0.1 % |
| 34 | - | 2 | 0.1 % |
| 35 | - | 5 | 0.2 % |
| 36 | - | 1 | 0.0 % |
| 37 | - | 1 | 0.0 % |
| 40 | - | 2 | 0.1 % |
| 42 | - | 1 | 0.0 % |
| 44 | - | 1 | 0.0 % |
| 45 | - | 1 | 0.0 % |
| . (M) | - | 1666 | 50.7 % |

DUQ220Q

Last time used marijuana or hashish

Location:

15-18 (width: 4; decimal: 0)

- Study 25504 -

Variable Type:

numeric

Question:

Target: B(20 Yrs. to 59 Yrs.) English Text: How long has it been since you last used marijuana or hashish? English Instructions: ENTER NUMBER OF DAYS, WEEKS, MONTHS, OR YEARS

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 0 | - | 13 | 0.4 % |
| 1 | - | 210 | 6.4 % |
| 2 | - | 176 | 5.4 % |
| 3 | - | 92 | 2.8 % |
| 4 | - | 86 | 2.6 % |
| 5 | - | 77 | 2.3 % |
| 6 | - | 75 | 2.3 % |
| 7 | - | 52 | 1.6 % |
| 8 | - | 56 | 1.7 % |
| 9 | - | 37 | 1.1 % |
| 10 | - | 77 | 2.3 % |
| 11 | - | 20 | 0.6 % |
| 12 | - | 27 | 0.8 % |
| 13 | - | 20 | 0.6 % |
| 14 | - | 14 | 0.4 % |
| 15 | - | 74 | 2.3 % |
| 16 | - | 15 | 0.5 % |
| 17 | - | 20 | 0.6 % |
| 18 | - | 17 | 0.5 % |
| 19 | - | 13 | 0.4 % |
| 20 | - | 98 | 3.0 % |
| 21 | - | 9 | 0.3 % |
| 22 | - | 22 | 0.7 % |
| 23 | - | 23 | 0.7 % |
| 24 | - | 12 | 0.4 % |
| 25 | - | 60 | 1.8 % |
| 26 | - | 13 | 0.4 % |
| 27 | - | 10 | 0.3 % |
| 28 | - | 15 | 0.5 % |
| 29 | - | 15 | 0.5 % |
| 30 | - | 52 | 1.6 % |
| 31 | - | 2 | 0.1 % |
| 32 | - | 16 | 0.5 % |
| 33 | - | 8 | 0.2 % |
| 34 | - | 8 | 0.2 % |
| 35 | - | 21 | 0.6 % |
| 36 | - | 1 | 0.0 % |

- Study 25504 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 37 | - | 3 | 0.1 % |
| 38 | - | 1 | 0.0 % |
| 39 | - | 1 | 0.0 % |
| 40 | - | 3 | 0.1 % |
| 60 | - | 1 | 0.0 % |
| 68 | - | 1 | 0.0 % |
| 120 | - | 1 | 0.0 % |
| 7777 | Refused | 21 | 0.6 % |
| 9999 | Don't know | 31 | 0.9 % |
| . (M) | - | 1666 | 50.7 % |

DUQ220U Last time used marijuana or hashish/unit

Location: 19-21 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 59 Yrs.) English Text: How long has it been since you last used marijuana or hashish? English Instructions: ENTER UNIT

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1 | Days | 249 | 7.6 % |
| 2 | Weeks | 69 | 2.1 % |
| 3 | Months | 190 | 5.8 % |
| 4 | Years | 1059 | 32.2 % |
| 7 | Refused | 21 | 0.6 % |
| 9 | Don't know | 31 | 0.9 % |
| . (M) | - | 1666 | 50.7 % |

DUQ230 # days used marijuana or hashish/month

Location: 22-24 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 59 Yrs.) English Text: During the past 30 days, on how many days did you use marijuana or hashish? English Instructions: HARD EDIT VALUES: 1-30. Error message: "Your response cannot exceed 30 days. Please press the "Back" button, press "Clear," and try again." ENTER A NUMBER

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1 | - | 73 | 2.2 % |
| 2 | - | 34 | 1.0 % |
| 3 | - | 24 | 0.7 % |
| 4 | - | 13 | 0.4 % |
| 5 | - | 24 | 0.7 % |
| 6 | - | 4 | 0.1 % |
| 7 | - | 5 | 0.2 % |

- Study 25504 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 8 | - | 5 | 0.2 % |
| 9 | - | 1 | 0.0 % |
| 10 | - | 22 | 0.7 % |
| 11 | - | 1 | 0.0 % |
| 12 | - | 3 | 0.1 % |
| 13 | - | 2 | 0.1 % |
| 14 | - | 2 | 0.1 % |
| 15 | - | 16 | 0.5 % |
| 19 | - | 1 | 0.0 % |
| 20 | - | 22 | 0.7 % |
| 21 | - | 1 | 0.0 % |
| 22 | - | 1 | 0.0 % |
| 24 | - | 2 | 0.1 % |
| 25 | - | 8 | 0.2 % |
| 26 | - | 2 | 0.1 % |
| 27 | - | 2 | 0.1 % |
| 28 | - | 4 | 0.1 % |
| 29 | - | 5 | 0.2 % |
| 30 | - | 48 | 1.5 % |
| 99 | Don't know | 3 | 0.1 % |
| . (M) | - | 2957 | 90.0 % |

DUQ240

Ever used cocaine/heroin/methamphetamine

Location: 25-27 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 59 Yrs.) English Text: Have you ever used cocaine, crack cocaine, heroin, or methamphetamine? English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1 | Yes | 603 | 18.4 % |
| 2 | No | 2314 | 70.4 % |
| 7 | Refused | 7 | 0.2 % |
| 9 | Don't know | 8 | 0.2 % |
| . (M) | - | 353 | 10.7 % |

DUQ250

Ever use any form of cocaine

Location: 28-30 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 59 Yrs.) English Text: The following questions are about cocaine, including all the different forms of cocaine such as powder, 'crack', 'free base', and coca paste. Have you ever, even once, used cocaine, in any form? English Instructions:

- Study 25504 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 1 | Yes | 580 | 17.7 % |
| 2 | No | 23 | 0.7 % |
| . (M) | - | 2682 | 81.6 % |

DUQ260

Age first used cocaine

Location: 31-33 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 59 Yrs.) English Text: How old were you the first time you used cocaine, in any form? English Instructions: HARD EDIT VALUES: 0-59 Error message: "Your response cannot exceed 59 years. Please press the "Back" button, press "Clear," and try again." HARD EDIT: DUQ.260 must be equal to or less than current age. Error message: "Your response is greater than your recorded age. Please press the "Back" button, press "Clear," and try again." ENTER AGE IN YEARS

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 2 | - | 2 | 0.1 % |
| 12 | - | 5 | 0.2 % |
| 13 | - | 3 | 0.1 % |
| 14 | - | 10 | 0.3 % |
| 15 | - | 17 | 0.5 % |
| 16 | - | 44 | 1.3 % |
| 17 | - | 38 | 1.2 % |
| 18 | - | 68 | 2.1 % |
| 19 | - | 45 | 1.4 % |
| 20 | - | 54 | 1.6 % |
| 21 | - | 55 | 1.7 % |
| 22 | - | 28 | 0.9 % |
| 23 | - | 27 | 0.8 % |
| 24 | - | 18 | 0.5 % |
| 25 | - | 49 | 1.5 % |
| 26 | - | 18 | 0.5 % |
| 27 | - | 15 | 0.5 % |
| 28 | - | 11 | 0.3 % |
| 29 | - | 9 | 0.3 % |
| 30 | - | 21 | 0.6 % |
| 31 | - | 1 | 0.0 % |
| 32 | - | 3 | 0.1 % |
| 33 | - | 1 | 0.0 % |
| 34 | - | 4 | 0.1 % |
| 35 | - | 10 | 0.3 % |
| 36 | - | 4 | 0.1 % |
| 37 | - | 3 | 0.1 % |
| 38 | - | 2 | 0.1 % |

- Study 25504 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 40 | - | 7 | 0.2 % |
| 41 | - | 1 | 0.0 % |
| 43 | - | 1 | 0.0 % |
| 45 | - | 2 | 0.1 % |
| 50 | - | 1 | 0.0 % |
| 59 | - | 1 | 0.0 % |
| 77 | Refused | 2 | 0.1 % |
| . (M) | - | 2705 | 82.3 % |

DUQ270Q

Last time you used cocaine, in any form

Location: 34-37 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 59 Yrs.) English Text: How long has it been since you last used cocaine, in any form? English Instructions: ENTER NUMBER OF DAYS, WEEKS, MONTHS, OR YEARS

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 0 | - | 1 | 0.0 % |
| 1 | - | 45 | 1.4 % |
| 2 | - | 52 | 1.6 % |
| 3 | - | 50 | 1.5 % |
| 4 | - | 14 | 0.4 % |
| 5 | - | 33 | 1.0 % |
| 6 | - | 26 | 0.8 % |
| 7 | - | 21 | 0.6 % |
| 8 | - | 22 | 0.7 % |
| 9 | - | 11 | 0.3 % |
| 10 | - | 38 | 1.2 % |
| 11 | - | 7 | 0.2 % |
| 12 | - | 10 | 0.3 % |
| 13 | - | 9 | 0.3 % |
| 14 | - | 9 | 0.3 % |
| 15 | - | 34 | 1.0 % |
| 16 | - | 11 | 0.3 % |
| 17 | - | 11 | 0.3 % |
| 18 | - | 9 | 0.3 % |
| 19 | - | 5 | 0.2 % |
| 20 | - | 42 | 1.3 % |
| 21 | - | 13 | 0.4 % |
| 22 | - | 5 | 0.2 % |
| 23 | - | 10 | 0.3 % |
| 24 | - | 6 | 0.2 % |

- Study 25504 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 25 | - | 18 | 0.5 % |
| 26 | - | 8 | 0.2 % |
| 27 | - | 5 | 0.2 % |
| 28 | - | 2 | 0.1 % |
| 29 | - | 3 | 0.1 % |
| 30 | - | 8 | 0.2 % |
| 31 | - | 3 | 0.1 % |
| 32 | - | 2 | 0.1 % |
| 33 | - | 1 | 0.0 % |
| 35 | - | 1 | 0.0 % |
| 40 | - | 2 | 0.1 % |
| 46 | - | 1 | 0.0 % |
| 600 | - | 1 | 0.0 % |
| 7777 | Refused | 15 | 0.5 % |
| 9999 | Don't know | 16 | 0.5 % |
| . (M) | - | 2705 | 82.3 % |

DUQ270U Last time you used cocaine/unit

Location: 38-40 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 59 Yrs.) English Text: How long has it been since you last used cocaine, in any form? English Instructions: ENTER UNIT

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 1 | Days | 36 | 1.1 % |
| 2 | Weeks | 15 | 0.5 % |
| 3 | Months | 59 | 1.8 % |
| 4 | Years | 439 | 13.4 % |
| 7 | Refused | 15 | 0.5 % |
| 9 | Don't know | 16 | 0.5 % |
| . (M) | - | 2705 | 82.3 % |

DUQ272 # of time you used cocaine

Location: 41-43 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 59 Yrs.) English Text: During your life, altogether how many times have you used cocaine, in any form? English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 1 | Once | 65 | 2.0 % |
| 2 | 2-5 times | 139 | 4.2 % |

- Study 25504 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-------------------|-----------------------------|----------|
| 3 | 6-19 times | 123 | 3.7 % |
| 4 | 20-49 times | 104 | 3.2 % |
| 5 | 50-99 times | 64 | 1.9 % |
| 6 | 100 times or more | 78 | 2.4 % |
| 77 | Refused | 4 | 0.1 % |
| 99 | Don't know | 3 | 0.1 % |
| . (M) | - | 2705 | 82.3 % |

DUQ280 # of days used cocaine/month

Location: 44-46 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 59 Yrs.) English Text: During the past 30 days, on how many days did you use cocaine, in any form? English Instructions: HARD EDIT VALUES: 1-30. Error message: "Your response cannot exceed 30 days. Please press the "Back" button, press "Clear," and try again." ENTER A NUMBER

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1 | - | 11 | 0.3 % |
| 2 | - | 13 | 0.4 % |
| 3 | - | 4 | 0.1 % |
| 4 | - | 3 | 0.1 % |
| 5 | - | 3 | 0.1 % |
| 6 | - | 3 | 0.1 % |
| 7 | - | 1 | 0.0 % |
| 8 | - | 1 | 0.0 % |
| 9 | - | 2 | 0.1 % |
| 10 | - | 2 | 0.1 % |
| 16 | - | 1 | 0.0 % |
| 20 | - | 1 | 0.0 % |
| 24 | - | 1 | 0.0 % |
| 30 | - | 2 | 0.1 % |
| 99 | Don't know | 1 | 0.0 % |
| . (M) | - | 3236 | 98.5 % |

DUQ290 Ever used heroin

Location: 47-49 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 59 Yrs.) English Text: The following questions are about heroin. Have you ever, even once, used heroin? English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1 | Yes | 79 | 2.4 % |

- Study 25504 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 2 | No | 521 | 15.9 % |
| 7 | Refused | 1 | 0.0 % |
| 9 | Don't know | 2 | 0.1 % |
| . (M) | - | 2682 | 81.6 % |

DUQ300

Age first used heroin

Location: 50-52 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 59 Yrs.) English Text: How old were you the first time you used heroin? English Instructions: HARD EDIT VALUES: 0-59 Error message: "Your response cannot exceed 59 years. Please press the "Back" button, press "Clear," and try again." HARD EDIT: DUQ.300 must be equal to or less than current age. Error message: "Your response is greater than your recorded age. Please press the "Back" button, press "Clear," and try again." ENTER AGE IN YEARS

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 12 | - | 2 | 0.1 % |
| 14 | - | 1 | 0.0 % |
| 15 | - | 1 | 0.0 % |
| 16 | - | 5 | 0.2 % |
| 17 | - | 5 | 0.2 % |
| 18 | - | 10 | 0.3 % |
| 19 | - | 8 | 0.2 % |
| 20 | - | 13 | 0.4 % |
| 21 | - | 7 | 0.2 % |
| 23 | - | 4 | 0.1 % |
| 25 | - | 3 | 0.1 % |
| 26 | - | 2 | 0.1 % |
| 28 | - | 2 | 0.1 % |
| 29 | - | 5 | 0.2 % |
| 30 | - | 4 | 0.1 % |
| 32 | - | 1 | 0.0 % |
| 34 | - | 1 | 0.0 % |
| 35 | - | 1 | 0.0 % |
| 38 | - | 1 | 0.0 % |
| 39 | - | 1 | 0.0 % |
| 40 | - | 2 | 0.1 % |
| . (M) | - | 3206 | 97.6 % |

DUQ310Q

Last time used heroin

Location: 53-55 (width: 3; decimal: 0)

Variable Type: numeric

- Study 25504 -

Question:

Target: B(20 Yrs. to 59 Yrs.) English Text: How long has it been since you last used heroin? English Instructions: ENTER NUMBER OF DAYS, WEEKS, MONTHS, OR YEARS

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 0 | - | 1 | 0.0 % |
| 1 | - | 4 | 0.1 % |
| 2 | - | 7 | 0.2 % |
| 3 | - | 7 | 0.2 % |
| 4 | - | 3 | 0.1 % |
| 5 | - | 6 | 0.2 % |
| 6 | - | 2 | 0.1 % |
| 7 | - | 2 | 0.1 % |
| 8 | - | 5 | 0.2 % |
| 9 | - | 3 | 0.1 % |
| 10 | - | 4 | 0.1 % |
| 11 | - | 1 | 0.0 % |
| 12 | - | 2 | 0.1 % |
| 13 | - | 1 | 0.0 % |
| 14 | - | 1 | 0.0 % |
| 15 | - | 4 | 0.1 % |
| 18 | - | 2 | 0.1 % |
| 20 | - | 5 | 0.2 % |
| 22 | - | 2 | 0.1 % |
| 25 | - | 2 | 0.1 % |
| 26 | - | 1 | 0.0 % |
| 30 | - | 7 | 0.2 % |
| 31 | - | 1 | 0.0 % |
| 32 | - | 3 | 0.1 % |
| 33 | - | 1 | 0.0 % |
| 34 | - | 1 | 0.0 % |
| 35 | - | 1 | 0.0 % |
| . (M) | - | 3206 | 97.6 % |

DUQ310U

Last time used heroin/unit

Location:

56-58 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(20 Yrs. to 59 Yrs.) English Text: How long has it been since you last used heroin? English Instructions: ENTER UNIT

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1 | Days | 7 | 0.2 % |
| 3 | Months | 8 | 0.2 % |
| 4 | Years | 64 | 1.9 % |

- Study 25504 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| . (M) | - | 3206 | 97.6 % |

DUQ320

of days used heroin/month

Location: 59-61 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 59 Yrs.) English Text: During the past 30 days, on how many days did you use heroin? English Instructions: HARD EDIT VALUES: 1-30. Error message: "Your response cannot exceed 30 days. Please press the "Back" button, press "Clear," and try again." ENTER A NUMBER

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1 | - | 2 | 0.1 % |
| 3 | - | 1 | 0.0 % |
| 6 | - | 1 | 0.0 % |
| 15 | - | 1 | 0.0 % |
| 20 | - | 1 | 0.0 % |
| 23 | - | 1 | 0.0 % |
| . (M) | - | 3278 | 99.8 % |

DUQ330

Ever used methamphetamine

Location: 62-64 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 59 Yrs.) English Text: The following questions are about methamphetamine, also known as crank, crystal, ice or speed. Have you ever, even once, used methamphetamine? English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1 | Yes | 227 | 6.9 % |
| 2 | No | 373 | 11.4 % |
| 7 | Refused | 2 | 0.1 % |
| 9 | Don't know | 1 | 0.0 % |
| . (M) | - | 2682 | 81.6 % |

DUQ340

Age first used methamphetamine

Location: 65-67 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 59 Yrs.) English Text: How old were you the first time you used methamphetamine? English Instructions: HARD EDIT VALUES: 0-59 Error message: "Your response cannot exceed 59 years. Please press the "Back" button, press "Clear," and try again." HARD EDIT: DUQ340 must be equal to or less than current age. Error message: "Your response is greater than your recorded age. Please press the "Back" button, press "Clear," and try again." ENTER AGE IN YEARS

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 12 | - | 3 | 0.1 % |

- Study 25504 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 13 | - | 3 | 0.1 % |
| 14 | - | 7 | 0.2 % |
| 15 | - | 12 | 0.4 % |
| 16 | - | 22 | 0.7 % |
| 17 | - | 19 | 0.6 % |
| 18 | - | 21 | 0.6 % |
| 19 | - | 14 | 0.4 % |
| 20 | - | 15 | 0.5 % |
| 21 | - | 16 | 0.5 % |
| 22 | - | 13 | 0.4 % |
| 23 | - | 7 | 0.2 % |
| 24 | - | 9 | 0.3 % |
| 25 | - | 20 | 0.6 % |
| 26 | - | 2 | 0.1 % |
| 27 | - | 2 | 0.1 % |
| 28 | - | 6 | 0.2 % |
| 29 | - | 3 | 0.1 % |
| 30 | - | 11 | 0.3 % |
| 31 | - | 2 | 0.1 % |
| 32 | - | 5 | 0.2 % |
| 33 | - | 1 | 0.0 % |
| 34 | - | 1 | 0.0 % |
| 35 | - | 4 | 0.1 % |
| 38 | - | 2 | 0.1 % |
| 40 | - | 4 | 0.1 % |
| 45 | - | 3 | 0.1 % |
| . (M) | - | 3058 | 93.1 % |

DUQ350Q

Last time used methamphetamine

Location: 68-71 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 59 Yrs.) English Text: How long has it been since you last used methamphetamine? English Instructions: ENTER NUMBER OF DAYS, WEEKS, MONTHS, OR YEARS

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 1 | - | 17 | 0.5 % |
| 2 | - | 17 | 0.5 % |
| 3 | - | 21 | 0.6 % |
| 4 | - | 13 | 0.4 % |
| 5 | - | 11 | 0.3 % |

- Study 25504 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 6 | - | 10 | 0.3 % |
| 7 | - | 7 | 0.2 % |
| 8 | - | 10 | 0.3 % |
| 9 | - | 2 | 0.1 % |
| 10 | - | 14 | 0.4 % |
| 11 | - | 4 | 0.1 % |
| 12 | - | 2 | 0.1 % |
| 13 | - | 4 | 0.1 % |
| 14 | - | 4 | 0.1 % |
| 15 | - | 14 | 0.4 % |
| 16 | - | 5 | 0.2 % |
| 17 | - | 5 | 0.2 % |
| 18 | - | 6 | 0.2 % |
| 19 | - | 1 | 0.0 % |
| 20 | - | 20 | 0.6 % |
| 21 | - | 4 | 0.1 % |
| 22 | - | 3 | 0.1 % |
| 23 | - | 3 | 0.1 % |
| 25 | - | 14 | 0.4 % |
| 26 | - | 1 | 0.0 % |
| 27 | - | 2 | 0.1 % |
| 29 | - | 1 | 0.0 % |
| 30 | - | 2 | 0.1 % |
| 32 | - | 1 | 0.0 % |
| 34 | - | 3 | 0.1 % |
| 35 | - | 2 | 0.1 % |
| 42 | - | 1 | 0.0 % |
| 46 | - | 1 | 0.0 % |
| 9999 | Don't know | 2 | 0.1 % |
| . (M) | - | 3058 | 93.1 % |

DUQ350U Last time used methamphetamine/unit

Location: 72-74 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 59 Yrs.) English Text: How long has it been since you last used methamphetamine? English Instructions: ENTER UNIT

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 1 | Days | 16 | 0.5 % |
| 2 | Weeks | 5 | 0.2 % |
| 3 | Months | 16 | 0.5 % |

- Study 25504 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 4 | Years | 188 | 5.7 % |
| 9 | Don't know | 2 | 0.1 % |
| . (M) | - | 3058 | 93.1 % |

DUQ352 # times used methamphetamine

Location: 75-77 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 59 Yrs.) English Text: During your life, altogether how many times have you used methamphetamine? English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-------------------|-----------------------------|----------|
| 1 | Once | 22 | 0.7 % |
| 2 | 2-5 times | 42 | 1.3 % |
| 3 | 6-19 times | 66 | 2.0 % |
| 4 | 20-49 times | 46 | 1.4 % |
| 5 | 50-99 times | 19 | 0.6 % |
| 6 | 100 times or more | 32 | 1.0 % |
| . (M) | - | 3058 | 93.1 % |

DUQ360 # days used methamphetamine/month

Location: 78-80 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 59 Yrs.) English Text: During the past 30 days, on how many days did you use methamphetamine? English Instructions: HARD EDIT VALUES: 1-30. Error message: "Your response cannot exceed 30 days. Please press the "Back" button, press "Clear," and try again." ENTER A NUMBER

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1 | - | 4 | 0.1 % |
| 2 | - | 3 | 0.1 % |
| 3 | - | 1 | 0.0 % |
| 4 | - | 2 | 0.1 % |
| 5 | - | 4 | 0.1 % |
| 9 | - | 1 | 0.0 % |
| 10 | - | 1 | 0.0 % |
| 30 | - | 2 | 0.1 % |
| 77 | Refused | 1 | 0.0 % |
| 99 | Don't know | 1 | 0.0 % |
| . (M) | - | 3265 | 99.4 % |

DUQ370 Ever use a needle to inject illegal drug

Location: 81-83 (width: 3; decimal: 0)

- Study 25504 -

Variable Type: numeric

Question: Target: B(20 Yrs. to 59 Yrs.) English Text: The following questions are about the different ways that certain drugs can be used. Have you ever, even once, used a needle to inject a drug not prescribed by a doctor? English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1 | Yes | 73 | 2.2 % |
| 2 | No | 2854 | 86.9 % |
| 7 | Refused | 3 | 0.1 % |
| 9 | Don't know | 1 | 0.0 % |
| . (M) | - | 354 | 10.8 % |

DUQ380A Drugs injected - Cocaine

Location: 84-86 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 59 Yrs.) English Text: Which of the following drugs have you injected using a needle? English Instructions: SHOW ALL FIVE ITEMS ON SINGLE ACASI SCREEN HARD EDIT: AT LEAST ONE ITEM IN DUQ380 MUST BE SELECTED. Error message: "Earlier you reported using a needle to inject drugs not prescribed by a doctor. Which of these drugs did you inject?"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1 | Cocaine | 46 | 1.4 % |
| . (M) | - | 3239 | 98.6 % |

DUQ380B Drugs injected - Heroin

Location: 87-89 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 59 Yrs.) English Text: Which of the following drugs have you injected using a needle? English Instructions: SHOW ALL FIVE ITEMS ON SINGLE ACASI SCREEN HARD EDIT: AT LEAST ONE ITEM IN DUQ380 MUST BE SELECTED. Error message: "Earlier you reported using a needle to inject drugs not prescribed by a doctor. Which of these drugs did you inject?"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 2 | Heroin | 42 | 1.3 % |
| . (M) | - | 3243 | 98.7 % |

DUQ380C Drugs injected - Methamphetamine

Location: 90-92 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 59 Yrs.) English Text: Which of the following drugs have you injected using a needle? English Instructions: SHOW ALL FIVE ITEMS ON SINGLE ACASI SCREEN HARD EDIT: AT LEAST ONE ITEM IN DUQ380 MUST BE SELECTED. Error message: "Earlier you reported using a needle to inject drugs not prescribed by a doctor. Which of these drugs did you inject?"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------|-----------------------------|----------|
| 3 | Methamphetamine | 25 | 0.8 % |

- Study 25504 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| . (M) | - | 3260 | 99.2 % |

DUQ380D

Drugs injected - Steroids

Location: 93-95 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 59 Yrs.) English Text: Which of the following drugs have you injected using a needle? English Instructions: SHOW ALL FIVE ITEMS ON SINGLE ACASI SCREEN HARD EDIT: AT LEAST ONE ITEM IN DUQ380 MUST BE SELECTED. Error message: "Earlier you reported using a needle to inject drugs not prescribed by a doctor. Which of these drugs did you inject?"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 4 | Steroids | 4 | 0.1 % |
| . (M) | - | 3281 | 99.9 % |

DUQ380E

Drugs injected - Any other drugs

Location: 96-98 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 59 Yrs.) English Text: Which of the following drugs have you injected using a needle? English Instructions: SHOW ALL FIVE ITEMS ON SINGLE ACASI SCREEN HARD EDIT: AT LEAST ONE ITEM IN DUQ380 MUST BE SELECTED. Error message: "Earlier you reported using a needle to inject drugs not prescribed by a doctor. Which of these drugs did you inject?"

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------|-----------------------------|----------|
| 5 | Any other drugs | 4 | 0.1 % |
| . (M) | - | 3281 | 99.9 % |

DUQ390

Age first injected drugs

Location: 99-101 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 59 Yrs.) English Text: How old were you when you first used a needle to inject any drug not prescribed by a doctor? English Instructions: HARD EDIT VALUES: 0-59 Error message: "Your response cannot exceed 59 years. Please press the "Back" button, press "Clear," and try again." HARD EDIT: DUQ390 must be equal to or less than current age. Error message: "Your response is greater than your recorded age. Please press the "Back" button, press "Clear," and try again." ENTER AGE IN YEARS

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 12 | - | 1 | 0.0 % |
| 13 | - | 1 | 0.0 % |
| 14 | - | 1 | 0.0 % |
| 15 | - | 1 | 0.0 % |
| 16 | - | 7 | 0.2 % |
| 17 | - | 4 | 0.1 % |
| 18 | - | 11 | 0.3 % |

- Study 25504 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 19 | - | 3 | 0.1 % |
| 20 | - | 4 | 0.1 % |
| 21 | - | 10 | 0.3 % |
| 22 | - | 4 | 0.1 % |
| 23 | - | 4 | 0.1 % |
| 25 | - | 7 | 0.2 % |
| 26 | - | 4 | 0.1 % |
| 28 | - | 2 | 0.1 % |
| 29 | - | 3 | 0.1 % |
| 30 | - | 2 | 0.1 % |
| 35 | - | 2 | 0.1 % |
| 40 | - | 1 | 0.0 % |
| 44 | - | 1 | 0.0 % |
| . (M) | - | 3212 | 97.8 % |

DUQ400Q

Last time injected drugs

Location: 102-105 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 59 Yrs.) English Text: How long ago has it been since you last used a needle to inject a drug not prescribed by a doctor? English Instructions: ENTER NUMBER OF DAYS, WEEKS, MONTHS, OR YEARS

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 0 | - | 1 | 0.0 % |
| 1 | - | 7 | 0.2 % |
| 2 | - | 7 | 0.2 % |
| 3 | - | 3 | 0.1 % |
| 4 | - | 2 | 0.1 % |
| 5 | - | 4 | 0.1 % |
| 6 | - | 1 | 0.0 % |
| 7 | - | 3 | 0.1 % |
| 8 | - | 2 | 0.1 % |
| 9 | - | 2 | 0.1 % |
| 10 | - | 1 | 0.0 % |
| 11 | - | 1 | 0.0 % |
| 12 | - | 1 | 0.0 % |
| 13 | - | 2 | 0.1 % |
| 15 | - | 2 | 0.1 % |
| 18 | - | 3 | 0.1 % |
| 20 | - | 9 | 0.3 % |
| 22 | - | 2 | 0.1 % |

- Study 25504 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 23 | - | 1 | 0.0 % |
| 25 | - | 5 | 0.2 % |
| 26 | - | 2 | 0.1 % |
| 30 | - | 3 | 0.1 % |
| 31 | - | 2 | 0.1 % |
| 34 | - | 2 | 0.1 % |
| 35 | - | 1 | 0.0 % |
| 9999 | Don't know | 4 | 0.1 % |
| . (M) | - | 3212 | 97.8 % |

DUQ400U

Last time injected drugs/unit

Location: 106-108 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 59 Yrs.) English Text: How long ago has it been since you last used a needle to inject a drug not prescribed by a doctor? English Instructions: ENTER UNIT

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 1 | Days | 8 | 0.2 % |
| 3 | Months | 3 | 0.1 % |
| 4 | Years | 58 | 1.8 % |
| 9 | Don't know | 4 | 0.1 % |
| . (M) | - | 3212 | 97.8 % |

DUQ410

times injected drugs/lifetime

Location: 109-111 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 59 Yrs.) English Text: During your life, altogether how many times have you injected drugs not prescribed by a doctor? English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-------------------|---------------------------------|----------|
| 1 | Once | 8 | 0.2 % |
| 2 | 2-5 times | 18 | 0.5 % |
| 3 | 6-19 times | 8 | 0.2 % |
| 4 | 20-49 times | 10 | 0.3 % |
| 5 | 50-99 times | 10 | 0.3 % |
| 6 | 100 times or more | 19 | 0.6 % |
| . (M) | - | 3212 | 97.8 % |

DUQ420

How often did you inject drugs

Location: 112-114 (width: 3; decimal: 0)

Variable Type: numeric

- Study 25504 -

Question:

Target: B(20 Yrs. to 59 Yrs.) English Text: Think about the period of your life when you injected drugs the most often. How often did you inject then? English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|---|-----------------------------|----------|
| 1 | More than once a day, | 21 | 0.6 % |
| 2 | About once a day, | 10 | 0.3 % |
| 3 | At least once a week but not every day, | 17 | 0.5 % |
| 4 | At least once a month but not every week, | 3 | 0.1 % |
| 5 | Less than once a month | 13 | 0.4 % |
| 7 | Refused | 1 | 0.0 % |
| . (M) | - | 3220 | 98.0 % |

DUQ430 **Ever been in rehabilitation program**

Location: 115-117 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 59 Yrs.) English Text: Have you ever been in a drug treatment or drug rehabilitation program? English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1 | Yes | 138 | 4.2 % |
| 2 | No | 1507 | 45.9 % |
| 7 | Refused | 3 | 0.1 % |
| 9 | Don't know | 2 | 0.1 % |
| . (M) | - | 1635 | 49.8 % |

SDDSRVYR **Data Release Number**

Location: 118-120 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Data Release Number. English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|---------------------------------|-----------------------------|----------|
| 4 | NHANES 2005-2006 Public Release | 3285 | 100.0 % |

RIDSTATR **Interview/Examination Status**

Location: 121-123 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview and Examination Status of the Sample Person. English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------------------------|-----------------------------|----------|
| 2 | Both Interviewed and MEC examined | 3285 | 100.0 % |

RIDEXMON **Six month time period**

Location: 124-126 (width: 3; decimal: 0)

Variable Type: numeric

- Study 25504 -

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Six month time period when the examination was performed
- two categories: November 1 through April 30, May 1 through October 31. English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------------------|---------------------------------|----------|
| 1 | November 1 through April 30 | 1513 | 46.1 % |
| 2 | May 1 through October 31 | 1772 | 53.9 % |

RIAGENDR

Gender

Location:

127-129 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the sample person English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 1 | Male | 1522 | 46.3 % |
| 2 | Female | 1763 | 53.7 % |

RIDAGEYR

Age at Screening Adjudicated - Recode

Location:

130-132 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Best age in years of the sample person at time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 20 | - | 95 | 2.9 % |
| 21 | - | 99 | 3.0 % |
| 22 | - | 105 | 3.2 % |
| 23 | - | 111 | 3.4 % |
| 24 | - | 104 | 3.2 % |
| 25 | - | 109 | 3.3 % |
| 26 | - | 103 | 3.1 % |
| 27 | - | 85 | 2.6 % |
| 28 | - | 97 | 3.0 % |
| 29 | - | 113 | 3.4 % |
| 30 | - | 93 | 2.8 % |
| 31 | - | 87 | 2.6 % |
| 32 | - | 78 | 2.4 % |
| 33 | - | 78 | 2.4 % |
| 34 | - | 93 | 2.8 % |
| 35 | - | 91 | 2.8 % |
| 36 | - | 86 | 2.6 % |
| 37 | - | 63 | 1.9 % |
| 38 | - | 81 | 2.5 % |
| 39 | - | 68 | 2.1 % |

- Study 25504 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 40 | - | 103 | 3.1 % |
| 41 | - | 85 | 2.6 % |
| 42 | - | 77 | 2.3 % |
| 43 | - | 71 | 2.2 % |
| 44 | - | 84 | 2.6 % |
| 45 | - | 92 | 2.8 % |
| 46 | - | 91 | 2.8 % |
| 47 | - | 71 | 2.2 % |
| 48 | - | 72 | 2.2 % |
| 49 | - | 69 | 2.1 % |
| 50 | - | 79 | 2.4 % |
| 51 | - | 85 | 2.6 % |
| 52 | - | 55 | 1.7 % |
| 53 | - | 73 | 2.2 % |
| 54 | - | 79 | 2.4 % |
| 55 | - | 60 | 1.8 % |
| 56 | - | 50 | 1.5 % |
| 57 | - | 41 | 1.2 % |
| 58 | - | 54 | 1.6 % |
| 59 | - | 55 | 1.7 % |

RIDAGEMN

Age in Months - Recode

Location: 133-136 (width: 4; decimal: 0)
Variable Type: numeric
Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of screening for individuals under 85 years of age. English Instructions:

RIDAGEEX

Exam Age in Months - Recode

Location: 137-140 (width: 4; decimal: 0)
Variable Type: numeric
Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of examination for individuals under 85 years of age at screening. English Instructions:

RIDRETH1

Race/Ethnicity - Recode

Location: 141-143 (width: 3; decimal: 0)
Variable Type: numeric
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Recode of reported race and ethnicity information. English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------------|---------------------------------|----------|
| 1 | Mexican American | 738 | 22.5 % |
| 2 | Other Hispanic | 128 | 3.9 % |
| 3 | Non-Hispanic White | 1484 | 45.2 % |

- Study 25504 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-------------------------------------|-----------------------------|----------|
| 4 | Non-Hispanic Black | 779 | 23.7 % |
| 5 | Other Race - Including Multi-Racial | 156 | 4.7 % |

DMQMILIT **Veteran/Military Status**

Location: 144-146 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(17 Yrs. to 150 Yrs.) English Text: Did {you/SP} ever serve in the Armed Forces of the United States? English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1 | Yes | 243 | 7.4 % |
| 2 | No | 3041 | 92.6 % |
| 7 | Refused | 1 | 0.0 % |

DMDNBORN **Country of Birth - Recode**

Location: 147-149 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was SP} born? English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--|-----------------------------|----------|
| 1 | Born in 50 US States or Washington, DC | 2456 | 74.8 % |
| 2 | Born in Mexico | 496 | 15.1 % |
| 3 | Born Elsewhere | 332 | 10.1 % |
| 7 | Refused | 1 | 0.0 % |

DMDCITZN **Citizenship Status**

Location: 150-152 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: {Are you/Is SP} a citizen of the United States? [Information about citizenship is being collected by the U.S. Public Health Service to perform health related research. Providing this information is voluntary and is collected under the authority of the Public Health Service Act. There will be no effect on pending immigration or citizenship petitions.] English Instructions: HAND CARD DMQ2

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|------------------------------------|-----------------------------|----------|
| 1 | Citizen by birth or naturalization | 2689 | 81.9 % |
| 2 | Not a citizen of the US | 593 | 18.1 % |
| 7 | Refused | 3 | 0.1 % |

DMDYRSUS **Length of time in US**

Location: 153-155 (width: 3; decimal: 0)

Variable Type: numeric

- Study 25504 -

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Length of time SP has been in the US. English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|----------------------------|-----------------------------|----------|
| 1 | Less than 1 year | 19 | 0.6 % |
| 2 | 1 yr., less than 5 yrs. | 143 | 4.4 % |
| 3 | 5 yrs., less than 10 yrs. | 194 | 5.9 % |
| 4 | 10 yrs., less than 15 yrs. | 125 | 3.8 % |
| 5 | 15 yrs., less than 20 yrs. | 84 | 2.6 % |
| 6 | 20 yrs., less than 30 yrs. | 150 | 4.6 % |
| 7 | 30 yrs., less than 40 yrs. | 69 | 2.1 % |
| 8 | 40 yrs., less than 50 yrs. | 19 | 0.6 % |
| 9 | 50 years or more | 5 | 0.2 % |
| 77 | Refused | 8 | 0.2 % |
| 99 | Don't know | 11 | 0.3 % |
| . (M) | - | 2458 | 74.8 % |

DMDEDUC3 Education Level - Children/Youth 6-19

Location: 156-158 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| . (M) | - | 3285 | 100.0 % |

DMDEDUC2 Education Level - Adults 20+

Location: 159-161 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--|-----------------------------|----------|
| 1 | Less Than 9th Grade | 299 | 9.1 % |
| 2 | 9-11th Grade (Includes 12th grade with no diploma) | 479 | 14.6 % |
| 3 | High School Grad/GED or Equivalent | 749 | 22.8 % |
| 4 | Some College or AA degree | 1057 | 32.2 % |
| 5 | College Graduate or above | 699 | 21.3 % |
| 7 | Refused | 1 | 0.0 % |
| 9 | Don't Know | 1 | 0.0 % |

DMDSCHOL Now attending school?

- Study 25504 -

Location: 162-164 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: {Are you/Is SP} now . . . English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| . (M) | - | 3285 | 100.0 % |

DMDMARTL Marital Status

Location: 165-167 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(14 Yrs. to 150 Yrs.) English Text: Marital Status English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|---------------------|-----------------------------|----------|
| 1 | Married | 1786 | 54.4 % |
| 2 | Widowed | 39 | 1.2 % |
| 3 | Divorced | 285 | 8.7 % |
| 4 | Separated | 108 | 3.3 % |
| 5 | Never married | 700 | 21.3 % |
| 6 | Living with partner | 364 | 11.1 % |
| 77 | Refused | 3 | 0.1 % |

DMDHHSIZ Total number of people in the Household

Location: 168-170 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Household English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------------------------|-----------------------------|----------|
| 1 | - | 322 | 9.8 % |
| 2 | - | 778 | 23.7 % |
| 3 | - | 729 | 22.2 % |
| 4 | - | 634 | 19.3 % |
| 5 | - | 419 | 12.8 % |
| 6 | - | 202 | 6.1 % |
| 7 | 7 or more people in the Household | 201 | 6.1 % |

DMDFMSIZ Total number of people in the Family

Location: 171-173 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Family English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1 | - | 591 | 18.0 % |
| 2 | - | 656 | 20.0 % |

- Study 25504 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------------------------|-----------------------------|----------|
| 3 | - | 678 | 20.6 % |
| 4 | - | 609 | 18.5 % |
| 5 | - | 399 | 12.1 % |
| 6 | - | 198 | 6.0 % |
| 7 | 7 or more people in the Family | 154 | 4.7 % |

INDHHINC

Annual Household Income

Location: 174-176 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total household income (reported as a range value in dollars) English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|----------------------|-----------------------------|----------|
| 1 | \$ 0 to \$ 4,999 | 70 | 2.1 % |
| 2 | \$ 5,000 to \$ 9,999 | 108 | 3.3 % |
| 3 | \$10,000 to \$14,999 | 182 | 5.5 % |
| 4 | \$15,000 to \$19,999 | 202 | 6.1 % |
| 5 | \$20,000 to \$24,999 | 210 | 6.4 % |
| 6 | \$25,000 to \$34,999 | 383 | 11.7 % |
| 7 | \$35,000 to \$44,999 | 319 | 9.7 % |
| 8 | \$45,000 to \$54,999 | 325 | 9.9 % |
| 9 | \$55,000 to \$64,999 | 238 | 7.2 % |
| 10 | \$65,000 to \$74,999 | 224 | 6.8 % |
| 11 | \$75,000 and Over | 859 | 26.1 % |
| 12 | Over \$20,000 | 60 | 1.8 % |
| 13 | Under \$20,000 | 10 | 0.3 % |
| 77 | Refused | 16 | 0.5 % |
| 99 | Don't know | 41 | 1.2 % |
| . (M) | - | 38 | 1.2 % |

INDFMINC

Annual Family Income

Location: 177-179 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total family income (reported as a range value in dollars) English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|----------------------|-----------------------------|----------|
| 1 | \$ 0 to \$ 4,999 | 93 | 2.8 % |
| 2 | \$ 5,000 to \$ 9,999 | 128 | 3.9 % |
| 3 | \$10,000 to \$14,999 | 225 | 6.8 % |
| 4 | \$15,000 to \$19,999 | 230 | 7.0 % |

- Study 25504 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|----------------------|-----------------------------|----------|
| 5 | \$20,000 to \$24,999 | 237 | 7.2 % |
| 6 | \$25,000 to \$34,999 | 391 | 11.9 % |
| 7 | \$35,000 to \$44,999 | 341 | 10.4 % |
| 8 | \$45,000 to \$54,999 | 316 | 9.6 % |
| 9 | \$55,000 to \$64,999 | 207 | 6.3 % |
| 10 | \$65,000 to \$74,999 | 203 | 6.2 % |
| 11 | \$75,000 and Over | 785 | 23.9 % |
| 12 | Over \$20,000 | 29 | 0.9 % |
| 13 | Under \$20,000 | 13 | 0.4 % |
| 77 | Refused | 18 | 0.5 % |
| 99 | Don't know | 35 | 1.1 % |
| . (M) | - | 34 | 1.0 % |

INDFMPIR

Family PIR

Location: 180-184 (width: 5; decimal: 2)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Poverty income ratio (PIR) - a ratio of family income to poverty threshold English Instructions:

| <i>Value</i> | <i>Label</i> |
|--------------|---|
| 5 | PIR value greater than or equal to 5.00 |

RIDEXPRG

Pregnancy Status at Exam - Recode

Location: 185-187 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status at the time of MEC exam. English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--|-----------------------------|----------|
| 1 | Yes, positive lab pregnancy test or self-reported pregnant | 325 | 9.9 % |
| 2 | SP not pregnant at exam | 1383 | 42.1 % |
| 3 | Cannot ascertain if SP is pregnant at exam | 55 | 1.7 % |
| . (M) | - | 1522 | 46.3 % |

DMDHRGND

HH Ref Person Gender

Location: 188-190 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the household reference person English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1 | Male | 1914 | 58.3 % |
| 2 | Female | 1371 | 41.7 % |

- Study 25504 -

DMDHRAGE

HH Ref Person Age

Location: 191-193 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Age in years of the household reference person at the time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|---------------------------------|----------|
| 18 | - | 11 | 0.3 % |
| 19 | - | 18 | 0.5 % |
| 20 | - | 49 | 1.5 % |
| 21 | - | 56 | 1.7 % |
| 22 | - | 54 | 1.6 % |
| 23 | - | 57 | 1.7 % |
| 24 | - | 90 | 2.7 % |
| 25 | - | 93 | 2.8 % |
| 26 | - | 95 | 2.9 % |
| 27 | - | 84 | 2.6 % |
| 28 | - | 86 | 2.6 % |
| 29 | - | 93 | 2.8 % |
| 30 | - | 69 | 2.1 % |
| 31 | - | 96 | 2.9 % |
| 32 | - | 85 | 2.6 % |
| 33 | - | 82 | 2.5 % |
| 34 | - | 84 | 2.6 % |
| 35 | - | 88 | 2.7 % |
| 36 | - | 77 | 2.3 % |
| 37 | - | 60 | 1.8 % |
| 38 | - | 86 | 2.6 % |
| 39 | - | 77 | 2.3 % |
| 40 | - | 110 | 3.3 % |
| 41 | - | 95 | 2.9 % |
| 42 | - | 88 | 2.7 % |
| 43 | - | 92 | 2.8 % |
| 44 | - | 89 | 2.7 % |
| 45 | - | 97 | 3.0 % |
| 46 | - | 84 | 2.6 % |
| 47 | - | 92 | 2.8 % |
| 48 | - | 69 | 2.1 % |
| 49 | - | 67 | 2.0 % |
| 50 | - | 87 | 2.6 % |
| 51 | - | 112 | 3.4 % |
| 52 | - | 59 | 1.8 % |

- Study 25504 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------------|---------------------------------|----------|
| 53 | - | 86 | 2.6 % |
| 54 | - | 72 | 2.2 % |
| 55 | - | 50 | 1.5 % |
| 56 | - | 53 | 1.6 % |
| 57 | - | 45 | 1.4 % |
| 58 | - | 45 | 1.4 % |
| 59 | - | 53 | 1.6 % |
| 60 | - | 22 | 0.7 % |
| 61 | - | 10 | 0.3 % |
| 62 | - | 23 | 0.7 % |
| 63 | - | 15 | 0.5 % |
| 64 | - | 8 | 0.2 % |
| 65 | - | 7 | 0.2 % |
| 66 | - | 10 | 0.3 % |
| 67 | - | 8 | 0.2 % |
| 68 | - | 1 | 0.0 % |
| 69 | - | 5 | 0.2 % |
| 70 | - | 3 | 0.1 % |
| 71 | - | 2 | 0.1 % |
| 72 | - | 4 | 0.1 % |
| 73 | - | 3 | 0.1 % |
| 74 | - | 5 | 0.2 % |
| 75 | - | 2 | 0.1 % |
| 76 | - | 6 | 0.2 % |
| 78 | - | 1 | 0.0 % |
| 79 | - | 1 | 0.0 % |
| 80 | - | 2 | 0.1 % |
| 81 | - | 2 | 0.1 % |
| 82 | - | 4 | 0.1 % |
| 83 | - | 2 | 0.1 % |
| 84 | - | 1 | 0.0 % |
| 85 | >= 85 years of age | 3 | 0.1 % |

DMDHRBRN

HH Ref Person Country of Birth

Location: 194-196 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was NON-SP Head} born?
English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--|---------------------------------|----------|
| 1 | Born in 50 US States or Washington, DC | 2380 | 72.5 % |

- Study 25504 -

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|----------------|---------------------------------|----------|
| 2 | Born in Mexico | 467 | 14.2 % |
| 3 | Born Elsewhere | 342 | 10.4 % |
| 7 | Refused | 1 | 0.0 % |
| 9 | Don't know | 1 | 0.0 % |
| . (M) | - | 94 | 2.9 % |

DMDHREDU HH Ref Person Education Level

Location: 197-199 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON_SP HEAD has} received? English Instructions: HAND CARD DMQ1 Read HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--|---------------------------------|----------|
| 1 | Less Than 9th Grade | 314 | 9.6 % |
| 2 | 9-11th Grade (Includes 12th grade with no diploma) | 436 | 13.3 % |
| 3 | High School Grad/GED or equivalent | 738 | 22.5 % |
| 4 | Some College or AA degree | 1022 | 31.1 % |
| 5 | College Graduate or above | 670 | 20.4 % |
| 7 | Refused | 1 | 0.0 % |
| 9 | Don't know | 10 | 0.3 % |
| . (M) | - | 94 | 2.9 % |

DMDHRMAR HH Ref Person Marital Status

Location: 200-202 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Marital Status of household reference person English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|---------------------|---------------------------------|----------|
| 1 | Married | 1883 | 57.3 % |
| 2 | Widowed | 72 | 2.2 % |
| 3 | Divorced | 310 | 9.4 % |
| 4 | Separated | 129 | 3.9 % |
| 5 | Never married | 512 | 15.6 % |
| 6 | Living with partner | 315 | 9.6 % |
| 77 | Refused | 2 | 0.1 % |
| . (M) | - | 62 | 1.9 % |

DMDHSEDU HH Ref Person's Spouse Education Level

Location: 203-205 (width: 3; decimal: 0)

Variable Type: numeric

- Study 25504 -

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON-SP SPOUSE has completed or the highest degree {you have/he/she has} received English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--|-----------------------------|----------|
| 1 | Less Than 9th Grade | 190 | 5.8 % |
| 2 | 9-11th Grade (Includes 12th grade with no diploma) | 199 | 6.1 % |
| 3 | High School Grad/GED or equivalent | 380 | 11.6 % |
| 4 | Some College or AA degree | 519 | 15.8 % |
| 5 | College Graduate or above | 437 | 13.3 % |
| 9 | Don't know | 2 | 0.1 % |
| . (M) | - | 1558 | 47.4 % |

SIALANG

Language of SP Interview

Location:

206-208 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Language of the Sample Person Interview Instrument English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1 | English | 2828 | 86.1 % |
| 2 | Spanish | 456 | 13.9 % |
| . (M) | - | 1 | 0.0 % |

SIAPROXY

Proxy used in SP Interview?

Location:

209-211 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Was a Proxy respondent used in conducting the Sample Person (SP) interview? English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1 | Yes | 10 | 0.3 % |
| 2 | No | 3274 | 99.7 % |
| . (M) | - | 1 | 0.0 % |

SIAINTRP

Interpreter used in SP Interview?

Location:

212-214 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Was an interpreter used to conduct the Sample Person (SP) interview? English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1 | Yes | 70 | 2.1 % |
| 2 | No | 3214 | 97.8 % |
| . (M) | - | 1 | 0.0 % |

- Study 25504 -

FIALANG Language of Family Interview

Location: 215-217 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Language of the Family Interview Instrument English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1 | English | 2954 | 89.9 % |
| 2 | Spanish | 295 | 9.0 % |
| . (M) | - | 36 | 1.1 % |

FIAPROXY Proxy used in Family Interview?

Location: 218-220 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Was a Proxy respondent used in conducting the Family Interview? English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1 | Yes | 3 | 0.1 % |
| 2 | No | 3246 | 98.8 % |
| . (M) | - | 36 | 1.1 % |

FIINTRP Interpreter used in Family Interview?

Location: 221-223 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Was an interpreter used to conduct the Family interview? English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1 | Yes | 57 | 1.7 % |
| 2 | No | 3192 | 97.2 % |
| . (M) | - | 36 | 1.1 % |

MIALANG Language of MEC Interview

Location: 224-226 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Language of the CAPI MEC Interview Instrument English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1 | English | 2616 | 79.6 % |
| 2 | Spanish | 385 | 11.7 % |
| . (M) | - | 284 | 8.6 % |

MIAPROXY Proxy used in MEC Interview?

- Study 25504 -

Location: 227-229 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Was a Proxy respondent used in conducting the MEC CAPI Interview? English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1 | Yes | 12 | 0.4 % |
| 2 | No | 2989 | 91.0 % |
| . (M) | - | 284 | 8.6 % |

MIAINTRP Interpreter used in MEC Interview?

Location: 230-232 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Was an interpreter used to conduct the MEC CAPI interview? English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1 | Yes | 11 | 0.3 % |
| 2 | No | 2990 | 91.0 % |
| . (M) | - | 284 | 8.6 % |

AIALANG Language of ACASI Interview

Location: 233-235 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Language of the MEC ACASI Interview Instrument English Instructions:

| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|--------------|-----------------------------|----------|
| 1 | English | 2670 | 81.3 % |
| 2 | Spanish | 419 | 12.8 % |
| . (M) | - | 196 | 6.0 % |

WTINT2YR Full Sample 2 Year Interview Weight

Location: 236-249 (width: 14; decimal: 6)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. English Instructions:

WTMEC2YR Full Sample 2 Year MEC Exam Weight

Location: 250-263 (width: 14; decimal: 6)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons. English Instructions:

SDMVPSU Masked Variance Pseudo-PSU

Location: 264-266 (width: 3; decimal: 0)
 Variable Type: numeric

- Study 25504 -

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-PSU variable for variance estimation English Instructions:

| <i>Value</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------------------|----------|
| 1 | 1692 | 51.5 % |
| 2 | 1593 | 48.5 % |

SDMVSTRA Masked Variance Pseudo-Stratum

Location: 267-269 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-Stratum variable for variance estimation English Instructions:

| <i>Value</i> | <i>Unweighted Frequency</i> | <i>%</i> |
|--------------|-----------------------------|----------|
| 44 | 265 | 8.1 % |
| 45 | 216 | 6.6 % |
| 46 | 267 | 8.1 % |
| 47 | 219 | 6.7 % |
| 48 | 195 | 5.9 % |
| 49 | 245 | 7.5 % |
| 50 | 228 | 6.9 % |
| 51 | 180 | 5.5 % |
| 52 | 267 | 8.1 % |
| 53 | 199 | 6.1 % |
| 54 | 236 | 7.2 % |
| 55 | 195 | 5.9 % |
| 56 | 236 | 7.2 % |
| 57 | 192 | 5.8 % |
| 58 | 145 | 4.4 % |