OCC Data Dictionary

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
BaseFund							
	ApplicationTypeID	INT	☐	ApplicationType			The unique system generated identification designator for each row in the ApplicationType table
	CenterID	INT	☑	Center			The unique system generated identification designator for each row in the Center table
PK	BaseFundID	INT	☑	Primanry Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the BaseFund table
	ActivityCode	VARCHAR(5)	☐				A 3-character code used to identify a specific category of extramural research activity, applied to various funding mechanisms. NIH uses three funding mechanisms for extramural research awards: grants, cooperative agreements and contracts. Within each funding mechanism, NIH uses 3-character activity codes (e.g., F32, K08, P01, R01, T32, etc.) to differentiate the wide variety of research-related programs NIH supports. A comprehensive list of activity codes may be found on the Types of Grant Programs Web page.
	BudgetEndDate	DATETIME	☐				The date on which the budget ended
	BudgetStartDate	DATETIME	☐				The date on which the budget started
	Comments	VARCHAR(8000)	☐				Optional free text field that allows user to enter notes or remarks on the current record
	ExternalOrgID	FLOAT	☐				A unique project identification number that derived from external organiation.
	FullProjNo	VARCHAR(50)	☐				The research project's number
	FY	INT	☑				The fiscal year for which the Data Tables are being submitted; it can be from October 1 of the prior year through September 30 othe year being funded. (e.g., 2014)
	GrantNumber	INT	☐				The P30 grant application identification number (e.g., 123456)
	Institution	VARCHAR(255)	☐				Institution's name
	isActive	BIT	☐		1		The boolean value that indicates whether the current record is active; use 1 for yes, and 0 for no
	LastUpdatedDate	DATETIME	☑		Today's date		The date on which the record was last updated
	LastUpdatedUserName	VARCHAR(25)	☑				The unique user name of the person who updated the record

OCC Data Dictionary

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
	PIFirstName	VARCHAR(25)	☐				Principal investigator's first name
	PILastName	VARCHAR(25)	☐				Principal investigator's first name
	PIMiddleName	VARCHAR(25)	☐				Principal investigator's middle name
	ProjTitle	VARCH(8000)	☐				Research project's descriptive title
	SerialNo	INT	☐				Unique number that identitify the trial project.
	TotalCost	FLOAT	☐				Base fund total cost

CCSGFund

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
	P30TypeID	INT	☐	P30Type			The unique ID that identifies the P30 Type
PK	CCSGFundID	INT	☑	Primanry Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the CCSGFund table
	CCSGTotalCost	INT	☐				CCSG total cost
	CenterID	INT	☐	Center			The unique ID that identifies the Cancer Center
	Comments	VARCHAR(8000)	☐				Optional free text field that allows user to enter notes or remarks on the current record
	FiscalYearFunding	INT	☐				The fiscal year to which the Cancer Center was funded
	FY	INT	☑				The fiscal year for which the Data Tables are being submitted; it can be from October 1 of the prior year through September 30 othe year being funded. (e.g., 2014)
	GrantNumber	INT	☐				The unique number that identifies the P30 grant to which the Cancer Center was assigned
	isActive	BIT	☐		1		The boolean value that indicates whether the current record is active; use 1 for yes, and 0 for no
	LastUpdatedDate	DATETIME	☑		Today's date		The date on which the record was last updated
	LastUpdatedUserName	VARCHAR(25)	☑				The unique user name of the person who updated the record

Center

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
	CenterTypeID	INT	☐	CenterType			The unique ID that identifies Center Type

OCC Data Dictionary

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
	StreetAddress	VARCHAR(255)	☐				Center's street address name
PK	CenterID	INT	☑	Primanry Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the Center table
	AnniversaryMonth	VARCHAR(3)	☐				An anniversary month on which the Cancer Center submitted P30 application
	City	VARCHAR(255)	☐				The name of city
	Comments	VARCHAR(8000)	☐				Optional free text field that allows user to enter notes or remarks on the current record
	DataSubmittalDate	DATETIME	☐				The date on which the Data Tables are submitted.
	FY	INT	☑				The fiscal year for which the Data Tables are being submitted; it can be from October 1 of the prior year through September 30 othe year being funded. (e.g., 2014)
	isActive	BIT	☐		1		The boolean value that indicates whether the current record is active; use 1 for yes, and 0 for no
	LastUpdatedDate	DATETIME	☑		Today's date		The date on which the record was last updated
	LastUpdatedUserName	VARCHAR(25)	☑				The unique user name of the person who updated the record
	PDPersonIID	INT	☐				The unique ID that identifies the Program Director
	StateCode	CHAR(2)	☐	StateCode			The unique two character code that identifies each of 50 states.
	StreetAddress2	VARCHAR(255)	☐				Center's second line of the the address' street name
	ZipCode	VARCHAR(25)	☐				Center's address zip code
	AnniversaryDate	DATETIME	☐				The center's anniversary date.
	CancerName	VARCHAR(255)	☑				The name of the NCI-designated cancer center.
	GrantNumber	INT	☐				The unique number that identifies the P30 grant to which the Cancer Center was assigned.
	InstitutionName	VARCHAR(255)	☑				The institution name of the NCI-designated cancer center.
	LastUpdatedDate	DATETIME	☑		Today's date		The date on which the record was last updated.
	LastUpdatedUserName	VARCHAR(25)	☑				The unique user name of the person who updated the record.
	MigrationSource	VARCHAR(255)	☐				Source of the data (i.e., from Nga Nguyen, other NCI DOC or external organization)

OCC Data Dictionary

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
	CenterDetail						
	CenterID	INT	☐	Center			The unique system generated identification designator for each row in the Center table
PK	CenterDetailID	INT	☑	Primary Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the CenterDetail table.
	CenterPOC						
PK	CenterPOCID	INT	☑	Primary Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the CenterPOC table
	AdminEmail	NVARCHAR(255)	☐				Administrator's email
	AdminFirstName	VARCHAR(25)	☐				Administrator's first name
	AdminMiddleName	VARCHAR(25)	☐				Administrator's middle name
	AdminPhone	NVARCHAR(255)	☐				Administrator's phone number
	AsstEmail	NVARCHAR(255)	☐				Administrator's assistant's email
	AsstFirstName	VARCHAR(25)	☐				Administrator's assistant's first name
	AsstLastName	VARCHAR(25)	☐				Administrator's assistant's last name
	CenterID	INT	☐				The unique system generated identification designator for each row in the Center table
	Comments	VARCHAR(8000)	☐				Optional free text field that allows user to enter notes or remarks on the current record.
	EffectiveDate	DATE	☐				The date on which the individual is in effect.
	FaxNumber	NVARCHAR(255)	☐				PI's fax number
	GrantNumber	INT	☐				The grant application identification number (e.g., 123456)
	InstitutionName	NVARCHAR(255)	☐				Institution name
	isActive	BIT	☐				The boolean value that indicates whether the current record is active; use 1 for yes, and 0 for no

OCC Data Dictionary

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
	LastUpdatedDate	DATETIME	☐				The date on which the record was last updated.
	LastUpdatedUserName	VARCHAR	☐				The unique user name of the person who updated the record.
	LeadAdminFirstName	VARCHAR(25)	☐				Lead administrator's first name
	LeadAdminLastName	VARCHAR(25)	☐				Lead administrator's last name
	Phone	NVARCHAR (255)	☐				principal investigator's phone number
	PIEmail	NVARCHAR(255)	☐				principal investigator's email address
	PIFirstName	VARCHAR(25)	☑				principal investigator's first name
	PILastName	VARCHAR(25)	☐				principal investigator's last name
	PIMiddleName	VARCHAR(25)	☐				principal investigator's middle name
	PITitle	NVARCHAR (255)	☐				principal investigator's official title

CenterType

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
PK	CenterTypeID	INT	☑	Primary Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the CenterType table.
	CenterType	NVARCHAR(25)	☐				The type of Cancer Center whether it is basic, clinical, or comprehensive.
	Comments	VARCHAR(8000)	☐				Optional free text field that allows user to enter notes or remarks on the current record.
	Description	NVARCHAR(255)	☐				A brief descritpion of the type of Cancer Center whether it is basic, clinical, or comprehensive.
	FY	INT	☑				The fiscal year for which the Data Tables are being submitted; it can be from October 1 of the prior year through September 30 othe year being funded. (e.g., 2014)
	isActive	BIT	☐		1		The boolean value that indicates whether the current record is active or valid; use 1 for yes, and 0 for no.
	LastUpdatedDate	DATETIME	☑		Today's date		The date on which the record was last updated.
	LastUpdatedUserName	VARCHAR(25)	☑				The unique user name of the person who updated the record.

OCC Data Dictionary

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
ClinicalResearchCat							
PK	ClinicalResearchCatID	INT	☑	Primary Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the ClinicalResearchCat table.
	Comments	VARCHAR(8000)	☐				Optional free text field that allows user to enter notes or remarks on the current record.
	FY	INT	☑				The fiscal year for which the Data Tables are being submitted; it can be from October 1 of the prior year through September 30 of the year being funded. (e.g., 2014)
	isActive	BIT	☐		1		The boolean value that indicates whether the current record is active or valid; use 1 for yes, and 0 for no.
	LastUpdatedDate	DATETIME	☑		Today's date		The date on which the record was last updated.
	ClinicalResearchCat	VARCHAR(15)	☑				A unique code represents the clinical research category. Valid codes are INT, OBS, or ANC/COR
	Description	VARCHAR(4000)	☐				A brief descritpion of the clinical research category.
Core							
	CenterID	INT	☐	Center			The unique system generated identification designator for each row in the Center table
	P30TypeID	INT	☐	P30Type			The unique system generated identification designator for each row in the P30Type table
	PDPersonID	INT	☐	Person			The unique system generated identification designator for each row in the Center table
	VendorID	INT	☐	Vendor			The unique system generated identification designator for each row in the Vendor table
PK	CoreID	INT	☑	Primary Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the Core table.
	BudgetEndDate	DATETIME	☐				The date on which the annual budget ends
	BudgetStartDate	DATETIME	☐				The date on which the annual budget begins
	CenterType	INT	☐				The type of Cancer Center whether it is basic, clinical, or comprehensive.

OCC Data Dictionary

Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
Comments	VARCHAR(8000)	☐				Optional free text field that allows user to enter notes or remarks on the current record.
FirstName	VARCHAR(25)	☐				The first name of the senior leader
FY	INT	☑				The fiscal year for which the Data Tables are being submitted; it can be from October 1 of the prior year through September 30 othe year being funded. (e.g., 2014)
GrantNumber	INT	☐				The unique number that identifies the P30 grant to which the Cancer Center was assigned.
GrantYear	NVARCHAR(255)	☐				The year on which the grant is awarded.
isActive	BIT	☐		1		The boolean value that indicates whether the current record is active; use 1 for yes, and 0 for no
LastName	VARCHAR(25)	☐				The last name of the senior leader
LastUpdatedDate	DATETIME	☑		Today's date		The date on which the record was last updated.
LastUpdatedUserName	VARCHAR(25)	☑				The unique user name of the person who updated the record.
MiddleName	VARCHAR(25)	☐				The middle name or initial of the senior leader
PD	NVARCHAR	☐				The assigned Program Director
PI	VARCHAR(255)	☐				Principal investigator
PriorityScore	INT	☐				After discussing an application, members of the review group privately vote a numerical impact/priority score from 1 to 9, where 1 is best. The normalized average of all reviewer impact/priority scores constitutes the final impact/priority score. Impact scores run from 10 to 90, where 10 is best. Generally speaking, impact/priority scores of 10 to 30 are most likely to be funded; scores between 31 and 45 might be funded; scores greater than 46 are rarely funded. Before 2009, NIH used a different score system, with final scores from 100 to 500, where 100 was best.
Suffix	VARCHAR	☐				Leader's suffix name (i.e., Sr. Jr. III)
YearLastSiteVisit	INT	☐				The year when the site was last visited

DT1ALeadership

Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
CenterID	INT	☐	Center			The unique system generated identification designator for each row in the Center table

OCC Data Dictionary

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
PK	DT1ALeadershipID	INT	✔	Primary Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the DT1ALeadership table.
	Comments	VARCHAR(8000)	☐				Optional free text field that allows user to enter notes or remarks on the current record.
	Degree1	VARCHAR(15)	☐				First academic degree acronym or abbreviation of the senior leader (e.g., PhD)
	Degree2	VARCHAR(15)	☐				Second academic degree acronym or abbreviation of the senior leader (leader, e.g., MD)
	Degree3	VARCHAR(15)	☐				Third acadeemic degree acronym or abbrieviation of the senior leader (leader, e.g., MS)
	FirstName	VARCHAR(25)	☐				Senior leader's first name
	FY	INT	✔				The fiscal year for which the Data Tables are being submitted; it can be from October 1 of the prior year through September 30 othe year being funded. (e.g., 2014)
	GrantNumber	INT	☐				The unique number that identifies the P30 grant to which the Cancer Center was assigned.
	isActive	BIT	☐		1		The boolean value that indicates whether the current record is active; use 1 for yes, and 0 for no
	isNew	CHAR(1)	☐				Indicate whether this is a new leader since the last application was submitted; use "Y" for yes and"N" for no.
	LastName	NVARCHAR(25)	☐				Senior leader's last name.
	LastUpdatedDate	DATETIME	✔		Today's date		The date on which the record was last updated.
	LastUpdatedUserName	VARCHAR(25)	✔				The unique user name of the person who updated the record.
	MiddleName	NVARCHAR(25)	☐				The middle name or initial of the person
	P30GrantNumber	VARCHAR(25)	☐				The unique number that identifies the full P30 grant to which the Cancer Center was assigned.
	ReportingDate	DATETIME	☐				The date which was defined by the Center on which the data are reported
	Suffix	NVARCHAR(25)	☐				Senior leader's suffix name (i.e., Sr. Jr, III)
	Title	NVARCHAR(255)	☐				Senior leader's title.

OCC Data Dictionary

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
DT1BProgram							
PK	DT1BProgramID	INT	☑	Primary Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the DT1BProgram table.
	CenterID	INT	☐				The unique system generated identification designator for each row in the Center table
	Comments	VARCHAR (8000)	☐				Optional free text field that allows user to enter notes or remarks on the current record.
	Degree1	VARCHAR(15)	☐				First academic degree acronym or abbreviation of the senior leader (e.g., PhD)
	Degree2	VARCHAR(15)	☐				Second academic degree acronym or abbreviation of the senior leader (leader, e.g., MD)
	Degree3	VARCHAR(15)	☐				Third acadeemic degree acronym or abbrieviation of the senior leader (leader, e.g., MS)
	FirstName	VARCHAR(25)	☐				Senior leader's first name
	FY	INT	☑				The fiscal year for which the Data Tables are being submitted; it can be from October 1 of the prior year through September 30 othe year being funded. (e.g., 2014)
	GrantNumber	VARCHAR(25)	☐				The unique number that identifies the P30 grant to which the Cancer Center was assigned.
	isActive	BIT	☐		1		The boolean value that indicates whether the current record is active; use 1 for yes, and 0 for no
	isDevProg	CHAR(1)	☐				Indicate whether if the research program listed is supported by development funds; use 'Y' for yes and'N' for no
	isMultiLeader	CHAR(1)	☐				Indicate whether if this is a multiple leader program; use 'Y" for yes and 'N" for no
	isNew	CHAR(1)	☐				Indicate whether this is a new leader since the last application was submitted; use "Y" for yes and"N" for no.
	isNewProg	CHAR(1)	☐				Indicate whether this is a new resarch program since the last application was submitted; use'Y' for yes and 'N' for no. Note that Resarch Programs are peer-reviewed components of the CCSG. Therefore, they cannot be added or deleted during a noncompeting (Type 5) year without prior approval from the NCI's Office of Cancer Centers (OCC). If your Center is considering a change in Programs during a non-competing year, please contact your Program Officer.

OCC Data Dictionary

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
	LastName	VARCHAR(25)	☐				Senior leader's last name
	LastUpdatedDate	DATETIME	☑		Today's date		The date on which the record was last updated.
	LastUpdatedUserName	VARCHAR(25)	☑				The unique user name of the person who updated the record.
	MertLevel	NVARCHAR(255)	☐				The level of merit awarded to the component at review.
	MiddleName	VARCHAR(25)	☐				The middle name or initial of the primary research program leader.
	NoOfMembers	INT	☐				The number of the programmatically aligned members (Individuals)
	P30GrantNumber	VARCHAR(25)	☐				P30 grant nubmer
	ProgCode	VARCHAR(15)	☐				The alphanumeric code that identifies the clinical research program. This code is also defined in Data Tables 2 and 4 (e.g., 01, 02, XT, or BC.
	ProgName	NVARCHAR(255)	☐				The name of the research program
	ReportingDate	DATETIME	☐				Center-defined reporting date

DT1CMembership

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
	CenterID	INT	☐	Center			The unique ID that identifies the Cancer Center.
PK	DT1CMembershipID	INT	☑	Primary Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the DT1CMembership table.
	AlignedNumber	INT	☐				The number of the programmatically aligned members (Individuals)
	Comments	VARCHAR (8000)	☐				Optional free text field that allows user to enter notes or remarks on the current record.
	FY	INT	☑				The fiscal year for which the Data Tables are being submitted; it can be from October 1 of the prior year through September 30 othe year being funded. (e.g., 2014)
	GrantNumber	INT	☐				The grant application indentification number (e.g., 123456)
	isActive	BIT	☐		1		The boolean value that indicates whether the current record is active; use 1 for yes, and 0 for no.
	LastUpdatedDate	DATETIME	☑		Today's date		The date on which the record was last updated.

OCC Data Dictionary

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
	LastUpdatedUserName	VARCHAR(25)	☑				The unique user name of the person who updated the record.
	NonAlignedNumber	INT	☐				The number of non-programmatically aligned members (Individuals)
	P30GrantNumber	VARCHAR(25)	☐				The P30 grant application identification number (e.g., 123456)

DT1DSR

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
PK	DT1DSRID	INT	☑	Primary Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the DT1DSR table.
	CenterID	INT	☐				The unique system generated identification designator for each row in the Center table
	Comments	VARCHAR (8000)	☐				Optional free text field that allows user to enter notes or remarks on the current record.
	Degree1	VARCHAR(15)	☐				First academic degree acronym or abbreviation of the primary director (e.g., PhD)
	Degree2	VARCHAR(15)	☐				Second academic degree acronym or abbreviation of the primary director (e.g., MD)
	Degree3	VARCHAR(15)	☐				Third academic degree acronym or abbreviation of the primary director (e.g., MS)
	DirectCost	FLOAT	☐				A direct cost
	DirName	NVARCHAR(255)	☐				Director's full name.
	FirstName	VARCHAR(25)	☐				The first name of the Princiipal Investigator from your Center who is responsible for this Clinical Research Study
	FY	INT	☑				The fiscal year for which the Data Tables are being submitted; it can be from October 1 of the prior year through September 30 othe year being funded. (e.g., 2014)
	GrantNumber	INT	☐				The grant application identification number (e.g., 123456)
	isActive	BIT	☐		1		The boolean value that indicates whether the current record is active; use 1 for yes, and 0 for no.
	isDevSR	CHAR(1)	☐				Indicate whether the shared resource listed is supported by developmental funds; use 'Y' for yes and 'N' for no
	isEstablishedPR	BIT	☐				Indicate whether the shared resource is established by peer reviewed.

OCC Data Dictionary

Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
isMultiDirector	CHAR(1)	☐				Indicate whether it is a multi-PI grant; use "Y" for yes and "N" for no. According to NIH's definition (http://grants.nih.gov/grants/multi_pi/faq.htm#a1_) multiple Pis have equal authority for the grant or contract and a re jointly responsible for the scientific and technical direction of the project.
isNew	CHAR(1)	☐				Indicate whether this is a new leader since the last application was submitted; use 'Y' for yes and 'N' for no
isNewDR	CHAR(1)	☐				Indicate whether this is a new Shared Resource since the last application was submitted; use 'Y' for yes and 'N' for no. Note: Shares Resources are peered-reviewed components of the CCSG. Therefore, they cannot be added or deleted during a non-competing (Type 5) year without prior approval from the NCI's Office of Cancer Centers (OCC). If your Center is considering a change in Shared Resources during a non-competing y ear, please contact your Program Officer.
LastName	VARCHAR(25)	☐				The last name of the Prncipal Investigator from your Center who is responsbile for this Clinical Research Study
LastUpdatedDate	DATETIME	☑		Today's date		The date on which the record was last updated.
LastUpdatedUserName	VARCHAR(25)	☑				The unique user name of the person who updated the record.
MiddleName	VARCHAR(25)	☐				The middle name or initial of the Principal Investigator from your Center who is responsible for this Clinical Research Study do not inclue a period(.)
P30GrantNumber	VARCHAR	☐				The full P30 grant application identification number (e.g., 5-P30CA 123456-38)
ReportingStartDate	DATETIME	☐				The date on which the center-defined 12-month reporting period started
SRName	NVARCHAR(255)	☐				The name of the shared resource
SubCat1	NVARCHAR(255)	☐				The first numeric shared resource sub category (e.g., 1.37)
SubCat2	NVARCHAR(255)	☐				The second numeric shared resource sub category (e.g., 4.08)
SubCat3	NVARCHAR(255)	☐				The third numeric shared resource sub category (e.g., 3.06)

OCC Data Dictionary

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
DT2A							
PK	DT2AID	INT	☑	Primary Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the DT2A table.
	AnnualProgDC	FLOAT	☐				Annual Direct Costs that support research carried out in the Center's Research Programs (e.g., 1560000) Do not include a comma (,) or a dollar sign ($) in the figure.
	AnnualProgTC	FLOAT	☐				Annual Total Costs that support reseach carried out in the Center's Research Programs (e.g., 1560000) Do not include a comma (,) or a dollar sign ($) in the figure.
	AnnualProjDC	FLOAT	☐				Annual Costs that can be identified specifically with a particular sponsored project, other institutional activity, or that can be directly a signed to such activities relatively easily with a higher degree of accuracy (e.g., 1560000) Do not include a comma(,) or a dollar sign ($) in the figure.
	AnnualProjTC	FLOAT	☐				The total allowable annual costs (both direct costs and facilities and administrative costs) incurred by the grantee to carry out a grant-supported project or activity (e.g., 1560000) Do not include a comma (,) or a dollar sign ($) in the figure.
	CenterID	INT	☐				The unique system generated identification designator for each row in the Center table
	Comments	VARCHAR (8000)	☐				Optional free text field that allows user to enter notes or remarks on the current record.
	FY	INT	☐				The fiscal year for which the Data Tables are being submitted; it can be from October 1 of the prior year through September 30 othe year being funded. (e.g., 2014)
	GrantNumber	INT	☐				The P30 grant application identification number (e.g., 123456)
	isActive	BIT	☐		1		The boolean value that indicates whether the current record is active; use 1 for yes, and 0 for no
	isMultiInvst	CHAR(1)	☐				Indicate whether it is a multi-investigator grant; use 'Y" for yes and "N" for no. For the purpose of Data Table 2A (DT2A), multiple investigators refer to the investigators of the subprojects for grants such as SPORE, P50, P01 and so on. These investigators may not be recognized in the NIH grants system as Pis; however we're still identifying them in DT2A. Note for multi-investigator grants, please create an individual row of record for each investigator.

OCC Data Dictionary

Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
isMultiPI	CHAR(1)	☐				Indicate whether it is a multi-PI grant; use "Y" for yes and "N" for no. According to NIH's definition (http://grants.nih.gov/grants/multi_pi/faq.htm#a_1) multiple Pis have equal authority for the grant or contract and are jointly responsible for the scientific and technical direction of the project. Note for multi-PI grants, create an individual row of record for each PI.
isPeerRev	CHAR(1)	☐				Indicate whether the Projects that are awarded by the NCI, NIH, or NCI-approved peer-review organizations; use "Y" for yes and "N" for no.
isSubContract	CHAR(1)	☐				Indicate whether the project is a subcontract; use "Y" for yes and "N" for no. Note that # is used in the CCSG Data Guide
LastUpdatedDate	DATETIME	☑		Today's date		The date on which the record was last updated.
LastUpdatedUserName	VARCHAR(25)	☑				The unique user name of the person who updated the record.
P30GrantNumber	VARCHAR(25)	☐				The full P30 grant application identification number (e.g., 5-P30-CA123456-38)
PI	NVARCHAR(255)	☐				Principal investigator's full name
PIFirstName	VARCHAR(25)	☐				The first name of the principal investigator
PIFirstName2	VARCHAR(25)	☐				The first name of the secondary principal investigator
PILastName	VARCHAR(25)	☐				The last name of the principal investigator
PIMiddleName	VARCHAR(25)	☐				The middle name or initial of principal investigator
PIMiddleName2	VARCHAR(25)	☐				The middle name or initial of the secondary principal investigator
ProgCode	VARCHAR(100)	☐				An alphanumeric code that identifies Research Program affiliated with the clinical research study as defined by the Center in Data Tabel IB (e.g., 42, XY) Identify all training grants, including F, K and T series NIH grants, with the program code "T".
ProgPercent	INT	☐				The proportion of research attributable to identified Research Program (e.g., 20, 100). Do not incude the percent sign (%) in the figure.
ProjEndDate	DATETIME	☐				Official date a grant awards ends; same as the last day of the final budget period. (e.g., 5/30/2015)
ProjNumber	NVARCHAR(255)	☐				Commonly referred to as the application number or grant number. This unique identification number for the grant is composed of the type code, activity code, Institute code, serial number, support year, and/or suffix code (e.g., 1R01CA059736-01)

OCC Data Dictionary

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
	ProjStartDate	DATETIME	☐				Officially date a grant award begins; same as the first day of the first budget period (e.g., 6/1/2010)
	SpecificFundingAgency	VARCHAR(500)	☐				The specific name of the financial sponsor for the project (e.g., NCI, ACS)

DT2B

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
PK	DT2BID	INT	☑	Primary Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the DT2B table.
	ACSPRDC	INT	☐				ACS's peer-reivewed direct cost
	ACSPRTC	INT	☐				ACS's peer-reivewed total cost
	ACSPTotalNo	INT	☐				ACS's total number of projects
	CenterID	INT	☐				The unique system generated identification designator for each row in the Center table
	Comments	VARCHAR (8000)	☐				Optional free text field that allows user to enter notes or remarks on the current record.
	FY	INT	☑				The fiscal year for which the Data Tables are being submitted; it can be from October 1 of the prior year through September 30 othe year being funded. (e.g., 2014)
	GrantNumber	INT	☐				The grant application identification number (e.g., 123456)
	IndNonPRDC	INT	☐				The direct cost amount of the industry non peer-reviewed projects
	IndNonPRTC	INT	☐				The total cost amount of the industry non peer-reviewed projects
	IndNonPRTotalNo	INT	☐				The total number of the other non-peer-review projects
	isActive	BIT	☐		1		The boolean value that indicates whether the current record is active; use 1 for yes, and 0 for no
	LastUpdatedDate	DATETIME	☑		Today's date		The date on which the record was last updated.
	LastUpdatedUserName	VARCHAR(25)	☑				The unique user name of the person who updated the record.
	NCIDC	FLOAT	☐				The direct cost amount of the NCI projects
	NCITC	FLOAT	☐				The total cost amount of the NCI projects
	NCITotalNo	INT	☐				The total number of NCI projects

OCC Data Dictionary

Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
NSFPRDC	INT	☐				NSF's peer-reviewed direct cost
NSFPRTC	INT	☐				NSF's peer-reviewed total cost
NSFPRTotalNo	INT	☐				NSF's total nubmer of projects
OthNIHDC	FLOAT	☐				The direct cost amount of the NIH projects
OthNIHTC	FLOAT	☐				The total cost amount of the NIH projects
OthNIHTotalNo	INT	☐				The total number of NIH projects
OthNonPRDC	INT	☐				The direct cost amount of the other peer-reviewed projects
OthNonPRTC	INT	☐				The total cost amount of the other non-peer reviewed projects
OthPRDC	INT	☐				The direct cost amount of the other peer-reviewed projects
OthPRTC	INT	☐				The total cost amount of the other peer-reviewed projects
OthPRTotalNo	INT	☐				Total number of the other peer-reviewed projects
P30GrantNumber	VARCHAR(25)	☐				The full P30 grant application identification number (e.g., 5-P30-CA123456-38)
ReportingStartDate	DATETIME	☐				The date on which the center-defined 12-month reporting period started

DT3

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
PK	DT3ID	INT	☑	Primary Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the DT3 table.
	CenterID	INT	☐				The unique system generated identification designator for each row in the Center table
	Comments	VARCHAR (8000)	☐				Optional free text field that allows user to enter notes or remarks on the current record.
	FY	INT	☑				The fiscal year for which the Data Tables are being submitted; it can be from October 1 of the prior year through September 30 othe year being funded. (e.g., 2014)
	GrantNumber	INT	☐				The P30 grant appli cation identification number (e.g., 123456)
	isActive	BIT	☐		1		The boolean value that indicates whether the current record is active; use 1 for yes, and 0 for no

OCC Data Dictionary

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
	LastUpdatedDate	DATETIME	✔		Today's date		The date on which the record was last updated.
	LastUpdatedUserName	VARCHAR(25)	✔				The unique user name of the person who updated the record.
	orgSite	VARCHAR(255)	☐				Original primary site that the Center submitted
	PrimarySite	NVARCHAR(255)	☐				Reportable Cancers. Malignancies with an International Classification of Diseases for Oncology (ICD) behavior code of 2 or 3 should be reported, in accordance with the established requirements of registry standard setting organizations. Please refer to the ICD Codes on the OCC website: http://cancercenters.cancer.gov/grants_funding/index.htm1.
	RegisteredPatient	FLOAT	☐				Newly registered patients are those patients seen face-to-face and recorded in the Cancer Center's Cancer Registry for the first time for that diagnosis during reporting period. The include inpatients and outpatients who: 1) are new diagnosed and/or receiving first course of treatment at the Cancer Center, i.e., equivalent to American Collge of Surgeons (ACoS) - defined analytic case codes 00-22. [http://www.facs.org/cancer/coc/fords/FORDS_for_2011_01012011.pdf (pages 91 and 92)]
	ReportingEndDate	DATETIME	☐				The date on which the center-defined 12-month reporting period ended.
	ReportingSource	VARCHAR(255)	☐				Name of Reporting Source. For consortium centers or those with affiliated institutions, indicate the specific name of the reporting institution.
	ReportingStartDate	DATETIME	☐				The date on which the center-defined 12-month reporting period started

DT4

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
	ClinicalResearchCatID	INT	☐	ClinicalResearchCat			The unique system generated identification designator for each row in the ClinicalResearchCat table
	PrimaryPurposeID	INT	☐	PrimaryPurpose			The unique system generated identification designator for each row in the PrimaryPurpose table
PK	DT4ID	INT	✔	Primary Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the DT4 table.
	Aff12Mos	INT	☐				The number of patients that were accrued to this trial or study during the identified 12-month reporting period at the Center's affliate.

OCC Data Dictionary

Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
AffToDate	INT	☐				The number of patients accrued to this trial to date at the Center's affliate. This is a cumulative figure, not an annual total.
Category	VARCHAR(25)	☐				Clinical research cateogry, valid entries are N, I, E D.
Center12Mos	INT	☐				The number of patients that were accrued to this trial or study during the identified 12-month reporting period at the Center.
CenterID	INT	☐				The unique system generated identification designator for each row in the Center table
CenterToDate	INT	☐				The number of patients accrued to this trial to date at the Center. This is a cumulative figure, not an annual total.
ClinicalResearchCat	VARCHAR(25)	☐				The Clinical Research Category in which the clinical research or protocol is listed; valid entry: INT, OBS or ANC.COR Note, this column is ipreviously known as Section
CloseDate	DATETIME	☐				The date the clinical research study closed to accrual. If the study is still open, leave this field blank
Comments	VARCHAR (8000)	☐				Optional free text field that allows user to enter notes or remarks on the current record.
EntireStudy	INT	☐				The total targeted accrual for the entire study. For both single-site and multi-site trials initiated at your Center, indicate the total number of participants needed for the entire study. For multi-site trials that your Center participates in but did not initiate, leave this column empty. Do not submit a targeted range, such "10-100." Refer to Examples 1-3 in the CCSG Data Guide.
FundingSource	VARCHAR(255)	☐				The specific name of the financial sponsor for the clinical research study. For institutionally sponsored trials or studies, list the name of the applicable funding agencies, (e.g., NCI, NYU) Note, this column is previously known as Sponsor 1, 2, 3, or 4.
FY	INT	☑				The fiscal year for which the Data Tables are being submitted; it can be from October 1 of the prior year through September 30 othe year being funded. (e.g., 2014)
GrantNumber	INT	☐				The P30 grant application identification number (e.g., 123456)
isActive	BIT	☐		1		The boolean value that indicates whether the current record is active; use 1 for yes, and 0 for no.
isMultiInst	CHAR(1)	☐				Indicates whether the study is a multiple institutions; use "Y" for yes and "N"for no.
isMultiInsAuthor	CHAR(1)	☐				Indicates whether the study involves multple investigator; use "Y" for yes and "N"for no.

OCC Data Dictionary

Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
LastUpdatedDate	DATETIME	☑		Today's date		The date on which the record was last updated.
LastUpdatedUserName	VARCHAR(25)	☑				The unique user name of the person who updated the record.
OpenDate	DATETIME	☐				The official start date (activation) of a trial determined as follows 1) the date of activation noted in an official clinical trial activation announcement of 2) date of first patient accrual if the trial in question did not have a formal activation announcement.
OtherP12Mos	INT	☐				Provide the number of participants accrued to this clinical research study during the identified 12-month reporting period at all hospitals, treatment facilities, and/or research facilities that are not a formal part of the Cancer Center (e.g., nearby community hospitals or other Centers that are participating in multi-site trials led by your Cancer Center).
OtherToDate	INT	☐				Provide the number of participants accrued in the clinical research study to date at all hospitals, treatment facilities, and/or research facilities that are not a formal part of the Cancer Center (e.g., nearby community hospitals or other Centers that are participating in multi-site trials led by the Cancer Center) This number is cumulative figure, not an annual total.
P30GrantNumber	VARCHAR(25)	☐				The full P30 grant application identification number (e.g., 5-P30-CA 123456-38)
Phase	VARCHAR(100)	☐				For Interventional studies acceptable phases include: pilot, feasibililty, 0, I, II, III, IV, or combinations (e.g., "Pilot/Feasibility", "I/II")/ For epidemiologic, cancer control/behavioral, observational, ancillary, correlative or other biological studies, indicate "N/A" Note do not include blank spaces
PIFirstName	VARCHAR(25)	☐				The first name or initial of the Principal Investigator from your Center who is responsible for this Clinical Research Study Do not include a period (.)
PIFirstName2	VARCHAR(25)	☐				The first name of the secondary research program leader
PIFirstName3	VARCHAR(25)	☐				The first name of the third research program leader
PILastName	VARCHAR(25)	☐				The last name of the PI from your Center who is responsible for this project
PILastName2	VARCHAR(25)	☐				The last name of the secondary research program leader
PILastName3	VARCHAR(25)	☐				The last name of the third research program leader
PIMiddleName	VARCHAR(25)	☐				The middle name or initial of the PI from your Center who is responsible for this project

OCC Data Dictionary

Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
PIMiddleName2	VARCHAR(25)	☐				The middle name or initial of the secondary research program leader
PIMiddleName3	VARCHAR(25)	☐				The middle name of third research program leader
PrimaryPurpose	VARCHAR(5)	☐				The type or primary purpose of clinical trial Valid entry: Tre, Pre, Sup, Scr, Dia, Hsr, Bas, or Oth Note, this column is previously known as Study Type
PrimarySite	VARCHAR	☐				The primary anatomic cancer site(s) (i.e., breast, ovary) the clinical research study focuses on. If the clinical research study is broadly applicable to a number of potential anatomic sites, enter the term "multiple" in this column.
ProgCode	VARCHAR(100)	☐				An alphanumeric code that identfies Resarch Program affiliated with clinical research study as defined by the Center in Data Table 1B (e.g., 42, XY) Identify all training grants, including the F, K and T series NIH grants with the program code "T".
ProtocolID	VARCHAR(255)	☐				The unique identifier for this study. For both national and externally reviewed trials, list the common protocol number that the trial is known under nationally, if one exists. For other types of trials, use an internal protocol identification or IRB number.
ReportingEndDate	DATETIME	☐				The date on which the center-defined 12-month reporting period ended
ReportingStartDate	DATETIME	☐				The date on which the center-defined 12-month reporting period started
Section	VARCHAR(25)	☐				Sction 1-4 defines the clincial research category: 1. An agent or device; 2. Other type of intervention; 3. Epi/Out/Obs, and 4. Anc/Cor.
StudySourceCode	CHAR(1)	☐				The category of the trial sponsor or Study Source Valid entry: N, E, I, or D N- National Cooperative group, E- Externally Peer-Reviewed, I- Institutional, D- Industry Note, this column is previously known as Sponsor "Category"
StudyType	VARCHAR(100)	☐				The type of trial or clinical research study; this field has been renamed to PrimaryPurpose.
Target	VARCHAR(100)	☐				Indicate the total number of patients or participants needed for the entire study (i.e. the targeted accrual) as stated in the protocol or study.
Title	VARCHAR(8000)	☐				A concise title for the trial or study
Tot12mos	INT	☐				Total number of patient accruals in the last twelve months
TotToDate	INT	☐				Total number of patient acrruals up to date

OCC Data Dictionary

Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
YourCenterTotal	INT	☐				The total number of Cancer Center Members (Individuals)

Dttracking

Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
CenterID	INT	☐	Center			The unique system generated identification designator for each row in the Center table
CenterComments	VARCHAR(max)	☐				Remarks made from the Center
DTtrackingID	INT	☑	Primary Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the Dttracking table.
eDataDueDate	DATETIME	☐				The date, which is 60 days prior to the anniversary date, on which the eData are due for submission
EmailedDate	DATETIME	☐				The date on which the notification email is sent to the administrator as a reminder to send in the late electronic data tables.
FY	INT	☐				The annual period for chich the Data Tables aare bieng submitted; it can be from October1 of the prior year through September 30 of the year being described (e.g., 2014)
GrantNumber	INT	☐				The grant application identification number (e.g., 123456)
is2WeeksOverDue	CHAR(1)	☐				Indicate whether the eData are two weeks over due for submission; enter "Y" for yes; and "N" for No.
is30DaysOverDue	CHAR(1)	☐				Indicate whether the eData are 30 days over due for submission; enter "Y" for yes; and "N" for No.
isActive	BIT	☐				The boolean value that indicates whether the current record is active; use 1 for yes, and 0 for no
isSubmitted	CHAR(1)	☐				Indicates whether the eData have been submitted; enter "Y" for yes; and "N" for No.
LastUpdatedDate	DATETIME	☐				The date on which the record was last updated.
LastUpdatedUserName	NVARCHAR(25)	☐				The unique user name of the person who updated the record.
OCCcomments	VARCHAR(max)	☐				Remarks made from the OCC

Finance

Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
CenterID	INT	☐	Center			The unique system generated identification designator for each row in the Center table

OCC Data Dictionary

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
	P30TypeID	INT	☐	P30Type			The unique system generated identification designator for each row in the P30Type table
PK	FinanceID	INT	☑	Primary Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the Finance table.
	Admin	INT	☐				The total direct cost for the Center administration
	Comments	VARCHAR (8000)	☐				Optional free text field that allows user to enter notes or remarks on the current record.
	DataSharing	INT	☐				The total direct costs for the Data Sharing
	DevFund	INT	☐				The toal direct cost for the Center Developmental Funds
	FullP30GrantNumber	VARCHAR(25)	☐				The full P30 grant application identification number (e.g., 5-P30-CA 123456-38)
	FY	INT	☑				The fiscal year for which the Data Tables are being submitted; it can be from October 1 of the prior year through September 30 othe year being funded. (e.g., 2014)
	GrantNumber	INT	☐				The P30 grant application identification number (e.g., 123456)
	isActive	BIT	☐		1		The boolean value that indicates whether the current record is active; use 1 for yes, and 0 for no
	LastUpdatedDate	DATETIME	☑		Today's date		The date on which the record was last updated.
	LastUpdatedUserName	VARCHAR(25)	☑				The unique user name of the person who updated the record.
	MajorProgDir	INT	☐				
	MeritLevel	VARCHAR(5)	☐				The level of merit awarded to the component at review.
	PlanEval	INT	☐				The total direct cost for the Planning and Evaluation
	PriorityScore	INT	☐				The overall merit score of a CCSG application
	PRMS	INT	☐				The total direct cost for the Protocol Review and Monitoring
	ProtocolSpecific	INT	☐				The total direct costs for the Protocol Specific Research Support.
	RemainingYears	INT	☐				The number of awarded years remaining from the current funding cycle.
	SharedResource	INT	☐				The total direct cost of the Shared Resources
	SrLeader	INT	☐				The total direct cost fo the Senior Leaders

OCC Data Dictionary

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
	StaffInvst	INT	☐				The total direct cost for the staff investigators
	Suffix	VARCHAR(15)	☐				Leader's suffix name (i.e., Sr. Jr. III)
	SupportYear	INT	☐				The number of years that the Center has been financially supported by the NCI (i.e., 49)
	YearFirstAward	INT	☐				The first year, within the current funding cycle, that the Center was awarded.
	YearOfAward	INT	☐				The total number of years that the Center is being awarded (i.e., 5)

ICD9Code

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
PK	ICD9CodeID	INT	☑	Primary Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the ICD9Code table.
	Comments	VARCHAR (8000)	☐				Optional free text field that allows user to enter notes or remarks on the current record.
	FY	INT	☑				The fiscal year for which the Data Tables are being submitted; it can be from October 1 of the prior year through September 30 othe year being funded. (e.g., 2014)
	isActive	BIT	☐		1		The boolean value that indicates whether the current record is active; use 1 for yes, and 0 for no
	LastUpdatedDate	DATETIME	☑		Today's date		The date on which the record was last updated.
	LastUpdatedUserName	VARCHAR(25)	☑				The unique user name of the person who updated the record.

ICDCode

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
PK	ICDCodeID	INT	☑	Primary Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the ICDCode table.
	Comments	VARCHAR (8000)	☐				Optional free text field that allows user to enter notes or remarks on the current record.
	FY	INT	☑				The fiscal year for which the Data Tables are being submitted; it can be from October 1 of the prior year through September 30 othe year being funded. (e.g., 2014)

OCC Data Dictionary

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
	isActive	BIT	☐		1		The boolean value that indicates whether the current record is active; use 1 for yes, and 0 for no
	LastUpdatedDate	DATETIME	☑		Today's date		The date on which the record was last updated.
	LastUpdatedUserName	VARCHAR(25)	☑				The unique user name of the person who updated the record.

MeritAward

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
	MeritSRID	INT	☐	MeritSR			The unique system generated identification designator for each row in the MeritSR table
PK	MeritAwardID	INT	☑	Primary Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the MeritAward table.
	AwardedName	NVARCHAR(255)	☐				Research program's or shared resource's name to which the fund is awarded.
	AwardedYear	INT	☐				Year to which the fund is awarded
	Comments	VARCHAR(8000)	☐				Optional free text field that allows user to enter notes or remarks on the current record
	GrantNumber	INT	☐				The grant application identification number (e.g., 123456)
	isActive	BIT	☐				The boolean value that indicates whether the current record is active; use 1 for yes, and 0 for no
	LastUpdatedDate	DATETIME	☐				The date on which the record was last updated.
	LastUpdatedUserName	VARCHAR(25)	☐				The unique user name of the person who updated the record.

MeritFianance

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
	Comments	VARCHAR(8000)	☐				Optional free text field that allows user to enter notes or remarks on the current record.
	FullP30GrantNumber	NVARCHAE(25)	☐				The full P30 grant application identification number (e.g., 5-P30-CA 123456-38)
	GrantNumber	INT	☐				The grant application identification number (e.g., 123456)
	isActive	BIT	☐				The boolean value that indicates whether the current record is active; use 1 for yes, and 0 for no
	LastUpdatedDate	DATETIME	☐				The date on which the record was last updated.

OCC Data Dictionary

Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
LastUpdatedUserName	NVARCHAR(25)	☐				The unique user name of the person who updated the record.
MeritFinaceID	INT	☑	Primary Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the MeritFinance table.
RemainingYears	INT	☐				The number of awarded years remaining from the current funding cycle.
Suffix	VARCHAR(15)	☐				Leader's suffix name (i.e., Sr. Jr. , III)
SumStatementID	INT	☐	SumStatement			The unique system generated identification designator for each row in the SumStatement table
SupportYear	INT	☐				The number of years that the Center has been financially supported by the NCI (i.e., 49)
TotalAdminDC	BIGINT	☐				The total direct cost of the Center Administrators
TotalDataSharingDC	BIGINT	☐				The total direct cost of the data sharing
TotalDevFundDC	BIGINT	☐				The total direct cost of the developmental funds
TotalDSMDC	BIGINT	☐				The total direct cost of the data safety monitoring
TotalMajorProgDirDC	BIGINT	☐				The total direct cost awarded to the Major Program Directors.
TotalPlanEvalDC	BIGINT	☐				The total direct cost of planning and evaluation
TotalPRMSDC	BIGINT	☐				The total direct cost of the PRMS program
TotalProtocolSpecificDC	BIGINT	☐				The total direct cost of protocol specifics
TotalSharedResourcesDC	BIGINT	☐				The total direct cost of shared resources
TotalSrLeaderDC	BIGINT	☐				The total direct cost of senior leaders
TotalStaffInvstDC	BIGINT	☐				The total direct cost of investigative staff
YearFirstAward	INT	☐				The cost of the first funded year
YearsOfAward	INT	☐				Number of years that the fund was awarded

OCC Data Dictionary

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description

MeritLevel

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
PK	MeritLevelID	INT	☑	Primary Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the MeritLevel7 table.
	Comments	VARCHAR(8000)	☐				Optional free text field that allows user to enter notes or remarks on the current record.
	Description	VARCHAR(500)	☑				A description of the Merit Level.
	FY	INT	☑				The fiscal year for which the Data Tables are being submitted; it can be from October 1 of the prior year through September 30 othe year being funded. (e.g., 2014)
	Impact	VARCHAR(500)	☐				The impact of the Merit Level, it is either High, Moderate, or Low.
	isActive	BIT	☐		1		The boolean value that indicates whether the current record is active; use 1 for yes, and 0 for no.
	LastUpdatedDate	DATETIME	☑		Today's date		The date on which the record was last updated.
	LastUpdatedUserName	VARCHAR(25)	☑				The unique user name of the person who updated the record.
	MeritLevel	VARCHAR(5)	☐				A Merit Level descriptor
	Score	INT	☐				A numerid Merit Level score (1-9)

MeritProg

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
PK	MeritProgID	INT	☑	Primary Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the MeritProg table.
	AwardedYear	INT	☐				Year in which the fund was awarded
	Comments	VARCHAR(8000)	☐				Optional free text field that allows user to enter notes or remarks on the current record.
	GrantNumber	INT	☐				The grant application identification number (e.g., 123456)
	isActive	BIT	☐				The boolean value that indicates whether the current record is active; use 1 for yes, and 0 for no
	LastUpdatedUserName	VARCHAR(25)	☐				The unique user name of the person who updated the record.

OCC Data Dictionary

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
	LasUpdatedDate	DATETIME	☐				The date on which the record was last updated.
	MeritLevel	VARCHAR(5)	☐				The level of merit awarded to the component at review.
	ProgName	NVARCHAR(255)	☐				The name of the research program
	SumStatementID	INT	☐	SumStatement			The unique system generated identification designator for each row in the SumStatement table

MeritSR

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
	SumStatementID	INT	☐	SumStatement			The unique system generated identification designator for each row in the SumStatement table
PK	MeritSRID	INT	☑	Primary Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the MeritSR table.
	Comments	VARCHAR(8000)	☐				Optional free text field that allows user to enter notes or remarks on the current record.
	GrantNumber	INT	☐				The grant application identification number (e.g., 123456)
	isActive	BIT	☐				The boolean value that indicates whether the current record is active; use 1 for yes, and 0 for no
	LastUpdatedDate	DATETIME	☐				The date on which the record was last updated.
	LastUpdatedUserName	VARCHAR(25)	☐				The unique user name of the person who updated the record.
	MeritLevel	VARCHAR(5)	☐				The level of merit awarded to the component at reivew.
	MeritSRName	NVARCHAR(255)	☐				A brief descript of the shared resource name

MultiLeader

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
PK	MultiLeaderID	INT	☑	Primary Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the MultiLeader table.
	CenterID	INT	☐				The unique system generated identification designator for each row in the Center table
	Comments	VARCHAR (8000)	☐				Optional free text field that allows user to enter notes or remarks on the current record.

OCC Data Dictionary

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
	Degree1	NVARCHAR(255)	☐				First academic degree acronym or abbreviation of the director (e.g., PhD)
	Degree2	NVARCHAR(255)	☐				Second academic degree acronym or abbreviation of the director (e.g., MD)
	Degree3	NVARCHAR(255)	☐				Third academic degree acronym or abbreviation of the director (e.g., MS)
	DT1BProgramID	INT	☐				The identification of Research Program
	DT1DSRID	INT	☐				The identification of shared resource of the program
	DT2AID	INT	☐				The identification of all active cancer-relevant research, training and contracts awarded by external sources.
	DT4ID	INT	☐				The identification of clinical research studies.
	FirstName	VARCHAR	☐				The first name of the senior leader
	GrantNumber	INT	☐				The grant application identification number (e.g., 123456)
	isActive	BIT	☐		1		The boolean value that indicates whether the current record is active; use 1 for yes, and 0 for no
	isNew	CHAR(1)	☐				Indicate whether this is a new leader since the last application was submitted; use 'Y' for yes and 'N' for no
	LastName	VARCHAR(25)	☐				The last name of the senior leader
	LastUpdatedDate	DATETIME	☑		Today's date		The date on which the record was last updated.
	LastUpdatedUserName	VARCHAR(25)	☑				The unique user name of the person who updated the record.
	MiddleName	VARCHAR(25)	☐				The middle name or initial of the senior leader

OCCStaffPOC

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
	RelatedPersonID	INT	☐	Person			The unique system generated identification designator for each row in the Person table
PK	OCCStaffPOCID	INT	☑	Primary Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the OCCStaffPOC table.
	CellPhone	VARCHAR(15)	☐				OCC Staff and their relative's cell phone number
	City	VARCHAR(50)	☐				OCC Staff and their relative's city of residence

OCC Data Dictionary

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
	Comments	VARCHAR(8000)	☐				Optional free text field that allows user to enter notes or remarks on the current record.
	FirstName	VARCHAR(25)	☐				Individiual's first name. That individual can be OCC staff and/or relative
	HomePhone	VARCHAR(15)	☐				OCC Staff and their relative's home phone number
	isActive	BIT	☐				The boolean value that indicates whether the current record is active; use 1 for yes, and 0 for no
	LastName	VARCHAR(25)	☐				OCC Staff and their relative's last name
	LastUpdatedDate	DATETIME	☐				The date on which the record was last updated.
	LastUpdatedUserName	VARCHAR(25)	☐				The unique user name of the person who updated the record.
	MiddleInitial	VARCHAR(2)	☐				OCC Staff and their relative's middle name
	MigrationSource	VARCHAR(255)	☐				Source of the data
	PersonalEmail	VARCHAR(100)	☐				OCC Staff and their relative's personal email address
	Relationship	VARCHAR(50)	☐				Relations to person such as, wife, husband, partner, daughter, son
	StateCode	VARCHAR(2)	☐				State abbreviated code two letters, e.g., MD (Maryland)
	StreetAdress	VARCHAR(255)	☐				Name of street and house number of residence
	Suffix	VARCHAR(15)	☐				OCC Staff and their relative's suffix name
	Title	VARCHAR(50)	☐				Title of position at OCC, e.g., Program Director, Program Analyst
	WorkEmail	VARCHAR(100)	☐				OCC Staff and their relative's work email address, e.g., @nih.gov
	WorkPhone	VARCHAR(15)	☐				10 digit director work phone number, e.g., 240-276-5600
	ZipCode	VARCHAR(15)	☐				Regional code for state or county

P30Partner

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
	P30TypeID	INT	☐	P30Type			The unique system generated identification designator for each row in the P30Type table
PK	P30PartnerID	INT	☑	Primary Key			The unique system generated identification designator for each row in the P30Partner table.

OCC Data Dictionary

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
PK	P30PartnerID	INT	✔	Primary Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the P30Partner table.
	CenterID	INT	☐				The unique system generated identification designator for each row in the Center table
	Comments	VARCHAR (8000)	☐				Optional free text field that allows user to enter notes or remarks on the current record.
	Description	NVARCHAR(255)	☐				Description of the P30 partner
	FY	INT	✔				The fiscal year for which the Data Tables are being submitted; it can be from October 1 of the prior year through September 30 othe year being funded. (e.g., 2014)
	GrantNumber	FLOAT	☐				The grant application identification number (e.g., 123456)
	isActive	BIT	☐		1		The boolean value that indicates whether the current record is active; use 1 for yes, and 0 for no
	LastUpdatedDate	DATETIME	✔		Today's date		The date on which the record was last updated.
	LastUpdatedUserName	VARCHAR(25)	✔				The unique user name of the person who updated the record.
	P30Partner	NVARCHAR(255)	☐				Offiical P30 partner's name
	P30Type	INT	☐				Defines the codes associated to the types of P30 grant. Use code: 1 for New Competing or Amended; 2 for Competing Renewal or Amended; 3 for Administrative Extension with Funds; 5 for Non-competing Continuation.

P30Type

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
PK	P30TypeID	INT	✔	Primary Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the P30Type table.
	Comments	VARCHAR(8000)	☐				Optional free text field that allows user to enter notes or remarks on the current record.
	FY	INT	☐				The fiscal year for which the Data Tables are being submitted; it can be from October 1 of the prior year through September 30 othe year being funded. (e.g., 2014)
	isActive	BIT	☐		1		The boolean value that indicates whether the current record is active; use 1 for yes, and 0 for no.

OCC Data Dictionary

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
	LastUpdatedDate	DATETIME	✔		Today's date		The date on which the record was last updated.
	LastUpdatedUserName	VARCHAR(25)	✔				The unique user name of the person who updated the record.

PeerReviewOrg

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
	Description	NVARCHAR(255)	☐				A description of the Merit Level
	IsIndustryNonPeerReviewed	BIT	☐				A review by industry non peer-reviewers
	IsOtherNonPeer Reviewed	BIT	☐				A review by other non-peer reviewers
	PeerReviewOrgID	INT	✔	Primary Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the PeerReviewOrg table.
	SponsorCode	NVARCHAR(15)	☐				The sponsor's code
	SponsorName	NVARCHAR(255)	☐				The name of sponsor

Person

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
PK	PersonID	INT	✔	Primary Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the Person table.
	AltEmail	NVARCHAR(100)	☐				Alternate email, e.g., Verizon, gmail
	CellNumber	NVARHAR(15)	☐				Ten digit mobile phone number
	CenterID	INT	☐				The unique system generated identification designator for each row in the Center table
	City	NVARCHAR(50)	☐				Name of town or city of residence
	Comments	VARCHAR (8000)	☐				Optional free text field that allows user to enter notes or remarks on the current record.
	Comments	VARCHAR(8000)	☐				Optional free text field that allows user to enter notes or remarks on the current record.
	Degree1	VARCHAR(255)	☐				First academic degree acronym or abbreviation of the Director (e.g., PhD)

OCC Data Dictionary

Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
Degree2	VARCHAR(255)	☐				Second academic degree acronym or abbreviation of the Director (e.g., MD)
Degree3	VARCHAR(255)	☐				Third academic degree acronym or abbreviation of the Director (e.g., MS)
EffectiveDate	DATETIME	☐				The date on which the person in effect
Email	NVARCHAR(100)	☐				The email address of Director
FaxNumber	NVARCHAR(15)	☐				Ten digit fax telephone number
FirstName	NVARCHAR	☐				First name of senior leader
FY	INT	☑				The fiscal year for which the Data Tables are being submitted; it can be from October 1 of the prior year through September 30 othe year being funded. (e.g., 2014)
FY	INT	☐				The annual period for which the Data Tables are being submitted; it can be from October 1 of the prior year through September 30 of the year being descriibed. (e.g., 2014)
Initials	VARCHAR(5)	☐				The fiscal year for which the Data Tables are being submitted; it can be from October 1 of the prior year through September 30 othe year being funded. (e.g., 2014)
isActive	BIT	☐		1		The boolean value that indicates whether the current record is active; use 1 for yes, and 0 for no.
isActive	BIT	☐		1		The boolean value that indicates whether the current record is active; use 1 for yes, and 0 for no.
LastUpdatedDate	DATETIME	☑		Today's date		The date on which the record was last updated.
LastUpdatedDate	DATETIME	☑		Today's date		The date on which the record was last updated.
LastUpdatedUserName	VARCHAR(25)	☑				The unique user name of the person who updated the record.
LastUpdatedUserName	VARCHAR(25)	☑				The unique user name of the person who updated the record.
MiddleName	VARCHAR(25)	☐				The middle name or initial of the senior leader
MigrationSource	NVARCHAR(255)	☐				Source of the data
PhoneNumber	NVARCHAR(15)	☐				Ten digit telephone number
RoomNumber	VARCHAR(25)	☐				Location of office space within building
StateCode	NVARCHAR(2)	☐				Two letter abbreivation for state
StreetAddress	NVARCHAR(255)	☐				Number and street name of address

OCC Data Dictionary

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
	Suffix	NVARCHAR(15)	☐				OCC Staff and their relative's suffix name
	Title	NVARCHAR(50)	☐				Title of position of person
	ZipCode	NVARCHAR(15)	☐				Regional code for state or county

Phase

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
PK	PhaseID	INT	☑	Primary Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the Phase table.
	Comments	VARCHAR(8000)	☐				Optional free text field that allows user to enter notes or remarks on the current record.
	Description	NVARCHAR(1)	☐				Brief description of the phase
	FY	INT	☑				The fiscal year for which the Data Tables are being submitted; it can be from October 1 of the prior year through September 30 othe year being funded. (e.g., 2014)
	isActive	BIT	☐		1		The boolean value that indicates whether the current record is active; use 1 for yes, and 0 for no.
	LastUpdatedDate	DATETIME	☑		Today's date		The date on which the record was last updated.
	LastUpdatedUserName	VARCHAR(25)	☑				The unique user name of the person who updated the record.
	Phase	NVARCHAR(15)	☐				For Interventional studies acceptable phases include: pilot, feasibility, 0, I, II, III, IV, or combinations (e.g., "Pilot/Feasibility," "I/II")/ For epidemiologic, cancer control/behavioral, observational, ancillary, correlative or other biological studies, indicate "N/A"

PrimaryPurpose

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
PK	PrimaryPurposeID	INT	☑	Primary Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the PrimaryPurpose table.
	Comments	VARCHAR(8000)	☐				Optional free text field that allows user to enter notes or remarks on the current record.
	Description	VARCHAR(-1)	☐				A description of the Primary Purpose.

OCC Data Dictionary

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
	FY	INT	☑				The fiscal year for which the Data Tables are being submitted; it can be from October 1 of the prior year through September 30 othe year being funded. (e.g., 2014)
	isActive	BIT	☐		1		The boolean value that indicates whether the current record is active or valid; use 1 for yes, and 0 for no.
	LastUpdatedDate	DATETIME	☑		Today's date		The date on which the record was last updated.
	LastUpdatedUserName	VARCHAR(25)	☑				The unique user name of the person who updated the record.
	PrimaryPurpose	VARCHAR(100)	☐				The type or primary purpose of clinical trial. Valid entry: Tre, Pre, Sup, Scr, Dia, Hsr, Bas, or Oth
	PrimaryPurposeCode	VARCHAR(3)	☐				Primary Purpose code such as Valid entry: Tre, Pre, Sup, Scr, Dia, Hsr, Bas, or Oth

PrimarySite

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
PK	PrimarySiteID	INT	☑	Primary Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the PrimarySite table.
	Comments	VARCHAR(-1)	☐				Optional free text field that allows user to enter notes or remarks on the current record.
	isActive	BIT	☐				The boolean value that indicates whether the current record is active or valid; use 1 for yes, and 0 for no
	LastUpdatedDate	DATETIME	☐				The date on which the record was last updated.
	LastUpdatedUserName	VARCHAR(25)	☐				The unique user name of the person who updated the record.
	PrimarySite	NVARCHAR(255)	☐				The primary anatomic cancer site(s) (i.e., breast, ovary) the clinical research study focuses on. If the clinical research study is broadly applicable to a number of potential anatomic sites, enter the term "multiple" in this column.

PriorityScore

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
PK	PriorityScoreID	INT	☑	Primary Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the PriorityScore table.

OCC Data Dictionary

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
	Comments	VARCHAR (8000)	☐				Optional free text field that allows user to enter notes or remarks on the current record.
	Description	VARCHAR(500)	☐				A description of the Merit Level.
	FY	INT	☑				The fiscal year for which the Data Tables are being submitted; it can be from October 1 of the prior year through September 30 othe year being funded. (e.g., 2014)
	isActive	BIT	☐		1		The boolean value that indicates whether the current record is active; use 1 for yes, and 0 for no
	LastUpdatedDate	DATETIME	☑		Today's date		The date on which the record was last updated.
	LastUpdatedUserName	VARCHAR(25)	☑				The unique user name of the person who updated the record.
	NewPriorityScore	INT	☐				The current new assign priority score
	OldPriorityScore	INT	☐				The assign priorty score from last review cysle

QnA

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
PK	QnAID	INT	☑	Primary Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the QnA table.
	Comments	VARCHAR(8000)	☐				Optional free text field that allows user to enter notes or remarks on the current record.
	FY	INT	☐				The fiscal year for which the Data Tables are being submitted; it can be from October 1 of the prior year through September 30 othe year being funded. (e.g., 2014)
	isActive	BIT	☐		1		The boolean value that indicates whether the current record is active; use 1 for yes, and 0 for no.
	LastUpdatedDate	DATETIME	☑		Today's date		The date on which the record was last updated.
	LastUpdatedUserName	VARCHAR(25)	☑				The unique user name of the person who updated the record.
	Description	VARCHAR(255)	☐				A brief description of the site name.
	LastUpdatedDate	DATETIME	☑				The date on which the record was last updated.
	LastUpdatedUserName	VARCHAR(25)	☑				The user name of the person who updated the record.
	Site	VARCHAR(50)	☑				The anatomic site name on which the protocol is focused.

OCC Data Dictionary

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
SRCat							
PK	SRCatID	INT	☑	Primary Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the SRCat table.
	Comments	VARCHAR(8000)	☐				Optional free text field that allows user to enter notes or remarks on the current record.
	LastUpdatedDate	DATETIME	☐				The date on which the record was last updated.
	ParentID	INT	☐				The identification of the parent institution
	SRCat	NVARCHAR(255)	☐				Defines shared resource categories.
	SubSRCat	NVARCHAR(255)	☐				The subject shared resource category
	SubSRCatID	INT	☐				The identification of subject shared resource category
	SubSRCode	NVARCHAR(10)	☐				The code for the subject shared resource category
StaffAssignment							
PK	StaffAssignmentID	INT	☑	Primary Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the StaffAssignment table.
	CenterID	INT	☐				The unique system generated identification designator for each row in the Center table
	CenterTypeID	INT	☐				The identification code associated to the types of center. Use: 1 - Clinical 2 - Basic Lab, and 3 - Comprehensive
	Comments	VARCHAR (8000)	☐				Optional free text field that allows user to enter notes or remarks on the current record.
	CycleMonth	VARCHAR(25)	☐				Indicate month of cycle, i.e., January/February; May/June, September/October
	DataSource	VARCHAR(1000)	☐				
	EffectiveDate	DATETIME	☐				The actual date of activity
	FiscalYearFunding	INT	☐				The fiscal year of funding, i.e., FY 14

OCC Data Dictionary

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
	FY	INT	☑				The fiscal year for which the Data Tables are being submitted; it can be from October 1 of the prior year through September 30 othe year being funded. (e.g., 2014)
	isActive	BIT	☐		1		The boolean value that indicates whether the current record is active or valid; use 1 for yes, and 0 for no
	LastUpdatedDate	DATETIME	☑		Today's date		The date on which the record was last updated.
	LastUpdatedUserName	VARCHAR(25)	☑				The unique user name of the person who updated the record.
	P30TypeID	INT	☐				The identification code used for the type of P30, (i.e., 1 New Competing or Amended; 2 Competing Renewal or Amended; 3 Administrative Extension with funds; 5 Non Competing Continuation)
	PDPersonID	INT	☐				The program director personal identification
	PILastName	VARCHAR(25)	☐				The principal investigator's last name.
	ReceiptYear	INT	☐				The year received (i.e., 2013)

StateCode

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
	Comments	VARCHAR (8000)	☑				Optional free text field that allows user to enter notes or remarks on the current record.
	FY	INT	☑				The fiscal year for which the Data Tables are being submitted; it can be from October 1 of the prior year through September 30 othe year being funded. (e.g., 2014)
	isActive	BIT	☐		1		The boolean value that indicates whether the current record is active; use 1 for yes, and 0 for no.
	LastUpdatedDate	DATETIME	☑		Today's date		The date on which the record was last updated.
	LastUpdatedUserName	VARCHAR(25)	☑				The unique user name of the person who updated the record.

StudySource

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
PK	CCSGFundID	INT	☑	Primary Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the CCSGFund table.

OCC Data Dictionary

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
PK	StudySourceID	INT	☑	Primary Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the StudySource table.
	Comments	VARCHAR(8000)	☐				Optional free text field that allows user to enter notes or remarks on the current record.
	FY	INT	☑				The fiscal year for which the Data Tables are being submitted; it can be from October 1 of the prior year through September 30 othe year being funded. (e.g., 2014)
	isActive	BIT	☐		1		The boolean value that indicates whether the current record is active; use 1 for yes, and 0 for no.
	LastUpdatedDate	DATETIME	☐		Today's date		The date on which the record was last updated.
	LastUpdatedDate	DATETIME	☐				The date on which the record was last updated.
	LastUpdatedID	INT	☐				The unique ID of the person who updated the record.
	LastUpdatedUserName	VARCHAR(25)	☐				The unique user name of the person who updated the record.
	LastUpdatedUserName	VARCHAR(25)	☐				The unique user name of the person who updated the record.
	StateCode	CHAR(2)	☐				State code
	StateName	NVARCHAR(255)	☐				State name
	StudySource	VARCHAR(255)	☐				The category of the trial sponsor or Study Source Valid entry: N, E, I, or D N - National Cooperative group E - Externally Peer-Reviewed I – Institutional D – Industry Note, this column is previously known as Sponsor "Category"
	Description	VARCHAR(MAX)	☐				A descritpion of the Study Source.
	StudySourceCode	CHAR(1)	☑				A unique code represents the Study Source. Valid values include (N)ational, (E)xternally Peer-Reviewed, (I)nstitutional, or In(D)ustry.

SumStatement

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
PK	SumStatementID	INT	☑	Primary Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the SumStatement table.

OCC Data Dictionary

Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
AnimalSubjectDesc	NVARCHAR(255)	☐				The description of the animal subject
AwardedFY1	INT	☐				Indicate the first year of five funding cycle (i.e., 2014)
AwardedFY2	INT	☐				Indicate the second year of the five funding cycle (i.e., 2015)
AwardedFY3	INT	☐				Indicate the thrid year of the five funding cycle (i.e., 2016)
AwardedFY4	INT	☐				Indicate the fourth year of the five funding cycle (i.e., 2017)
AwardedFY5	INT	☐				Indicate the fifth year of the five funding cycle (i.e., 2018)
CenterID	INT	☐				The unique system generated identification designator for each row in the Center table
Comments	VARCHAR(8000)	☐				Optional free text field that allows user to enter notes or remarks on the current record.
EC6CancerFocusMeritLevel	NVARCHAR(5)	☐				The merit level ("EX" to "P") of the Cancer Focus, one of the Six Essential Characteristics.
EC6CenterDirMeritLevel	NVARCHAR(5)	☐				The merit level ("EX" to "P") Center Director of the Cancer Focus, one of the Six Essential Characteristics.
EC6InstCommitMeritLevel	NVARCHAR(5)	☐				The merit level ("EX" to "P") Institute Commitment of the Cancer Focus, one of the Six Essential Characteristics.
EC6OrgCapMeritLevel	NVARCHAR(5)	☐				The merit level ("EX" to "P") Org Cap of the Cancer Focus, one of the Six Essential Characteristics.
EC6PhySpaceMeritLevel	NVARCHAR(5)	☐				The merit level ("EX" to "P") Physical Space of the Cancer Focus, one of the Six Essential Characteristics.
EC6TranCollabMeritLevel	NVARCHAR(5)	☐				The merit level ("EX" to "P") Translational Collaboration of the Cancer Focus, one of the Six Essential Characteristics.
FY1	INT	☐				The first fiscal year
FY2	INT	☐				The second fiscal year
FY3	INT	☐				The third fiscal year
FY4	INT	☐				The fourth fiscal year
FY5	INT	☐				The fifth fiscal year
GrantNumber	INT	☐				The grant application identification number (e.g., 123456)
ImpactScore	INT	☐				The overall score given
isActive	BIT	☐				The boolean value that indicates whether the current record is active; use 1 for yes, and 0 for no

OCC Data Dictionary

Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
isAnimalSubject	NVARCHAR(1)	☐				Indicates whether animals is involved; " Y" for yes and " N" for no.
isHumanSubject	CHAR(1)	☐				Indicates whether human subjects is involved; Y" for yes and " N" for no.
LastUpdatedDate	DATETIME	☐				The date on which the record was last updated.
LastUpdateUserName	VARCHAR	☐				The unique user name of the person who updated the record.
OrgAdminAdminMeritLevel	NVARCHAR(5)	☐				Merit level for Org Administration
OrgAdminDevFundMeritLevel	NVARCHAR(5)	☐				Merit level for the developmental fund
OrgAdminPlanEvalMeritLevel	NVARCHAR(5)	☐				Merit level for Org Administrative Planning Evaluation
OrgAdminSrLeaderMeritLevel	NVARCHAR(5)	☐				Merit lever for Org Administrative Senior Leader
PIFirstName	NVARCHAR(25)	☐				The first name of principal investigator
PILastName	NVARCHAR(25)	☐				The last name of principal investigator
PIMiddleName	NVARCHAR(25)	☐				The middle name of principal investigator
PriorityScore	INT	☐				The overall merit score given to the summary statement
ReleasedDate	DATETIME	☐				The date summary statement was released
ReqDC1	FLOAT	☐				Center's requested direct cost for first funding year
ReqDC2	FLOAT	☐				Center's requested direct cost for second funding year 2
ReqDC3	FLOAT	☐				Center's requested direct cost for third funding year 3
ReqDC4	FLOAT	☐				Center's requested direct cost for fourth funding year 4
ReqDC5	FLOAT	☐				Center's requested direct cost for fifth or last funding year
RequestedDate	DATETIME	☐				The date on which the fund was requested
SugDC1	FLOAT	☐				Suggested direct cost for the first funding year
SugDC2	FLOAT	☐				Suggested direct cost for the second funding year
SugDC3	FLOAT	☐				Suggested direct cost for the third funding year
SugDC4	FLOAT	☐				Suggested direct cost for the fourth funding year
SugDC5	FLOAT	☐				Suggested direct cost for the fifth funding year
TC1	FLOAT	☐				Total cost for the first year of the funding cycle
TC2	FLOAT	☐				Total cost for the second year of the funding cycle

OCC Data Dictionary

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
	TC3	FLOAT	☐				Total cost for the third year of the funding cycle
	TC4	FLOAT	☐				Total cost for the fourth year of the funding cycle
	TC5	FLOAT	☐				Total cost for the fifth or last year of the funding cycle

Vendor

	Column Name	Type	Req'd	Foreign Key Table	Default Value	Valid Values	Description
PK	VendorID	INT	☑	Primary Key		Sequential Numeric Value (e.g., 1, 2, 3, etc)	The unique system generated identification designator for each row in the Vendor table.
	Comments	VARCHAR (8000)	☐				Optional free text field that allows user to enter notes or remarks on the current record.
	Description	VARCHAR(500)	☐				Vendor's description
	FY	INT	☑				The fiscal year for which the Data Tables are being submitted; it can be from October 1 of the prior year through September 30 othe year being funded. (e.g., 2014)
	isActive	BIT	☐		1		The boolean value that indicates whether the current record is active; use 1 for yes, and 0 for no.
	LastUpdatedDate	DATETIME	☑		Today's date		The date on which the record was last updated.
	LastUpdatedUserName	VARCHAR(25)	☑				The unique user name of the person who updated the record.
	VendorName	VARCHAR(255)	☐				Vendor's name