`stepnetwork.changePage()`

On a single-page app we cannot reliably tell when one page ends and the next begins. So we don't guess — you tell us, and that call is what we count as a pageview.

> The function is already on your page. There is nothing to install.

1. What counts as a pageview

Call it **once per client-side route change**, **after** the new view is in the DOM.

Do **not** call it:

- on the initial page load — that is already handled
- for in-page state that is not a new page: tab switches, filters, sorting, modals — unless your product counts those as pageviews

Timing matters: we look for the new page's ad placements when you call. Call before the view has rendered and we find none.

2. How to invoke it

```
window.stepnetwork?.changePage();
```

Use `?.` so the call is a no-op, not an error, if our script has not loaded.

The three forms

Call	Use for
`window.stepnetwork?.changePage()`	A normal route change. Replaces the page's ads. **Use this unless you have a reason not to.**
`window.stepnetwork?.changePage({})`	Infinite scroll. Keeps the ads already on screen and adds the new ones.
`window.stepnetwork?.changePage({ refresh: true })`	Keeps the ads already on screen but re-runs them. Rarely needed.

Framework examples

Next.js — app router

```
'use client';
import { useEffect } from 'react';
import { usePathname } from 'next/navigation';

export function ChangePage() {
  const pathname = usePathname();
  useEffect(() => { window.stepnetwork?.changePage(); }, [pathname]);
  return null;
}
```

Next.js — pages router

```
router.events.on('routeChangeComplete', () => {
  window.stepnetwork?.changePage();
});
```

Vue Router / Nuxt

```
import { nextTick } from 'vue';

router.afterEach(() => {
  nextTick(() => window.stepnetwork?.changePage());
});
```

SvelteKit

```
import { afterNavigate } from '$app/navigation';
import { tick } from 'svelte';

afterNavigate(async () => {
  await tick();
  window.stepnetwork?.changePage();
});
```

Hash router / plain JS

```
window.addEventListener('hashchange', function () {
  requestAnimationFrame(function () {
    if (window.stepnetwork) window.stepnetwork.changePage();
  });
});
```

One thing to avoid

Do not pass the function straight to a router hook.

```
router.afterEach(window.stepnetwork.changePage);          // wrong
router.afterEach(() => window.stepnetwork?.changePage()); // correct
```

The first form passes the router's route object as `options`, and fails silently.

Questions: STEP Network AdTech.