

Next run monitor

Experimental. We are just trying this. Private note. TN10 only. Not sent. This PDF does not give the storm GO, does not lock the plan, and does not start a sender.

Source: STP-KAS/tn10-locus *plan/NEXT-RUN-MONITOR.md*. If this PDF and that page disagree, the page wins. If the page and *NEXT-STORM-PLAN.md* disagree, the plan wins.

Friday 9 Oct 2026, 21:30 UTC, for 8 hours, ending Saturday 05:30 UTC. If that day is not ready, Monday 13 Oct 2026, 21:30 UTC. Hours after 00:25 UTC stay unnamed. His counter is 21:25 through 05:35 UTC and does not move T0.

A required line with no reading is **not measured** and fails the pass. Do not invent the other side. Do not ping Kaspa Pulse. No key, seed, address, or txid in git.

What 8 Oct left unread

The next run reads each line. A repeat of the blank fails the pass.

Line	8 Oct
Bot block, every 10 minutes	Not printed. Every bot cell is not measured.
Rows 18:00 and 18:10 UTC	Not read.
Usage, both sides	Not measured.
n0 synced, lag, mempool, CPU	Not read.
Box disk and box NTP	Not read.
Desk NTP at 18:00 and at 20:00	Not both read. The 50 ms flag was not scored.
Per minute: tx sent, node, five ids	Evening locus rounds logged no per-transaction ids. The 18:30 sample was skipped.
Indexer every 30 seconds, plus one visibility poll	One sample on the 10-minute row. No freeze by the written rule.
n0 mempool every second, fee every 10 seconds	Spot reads about every 10 minutes.
Confirmation time, 1x against 1.5x	Not measured.
Order under load	Ordered stream off. Not measured.
Saturation on n0	Not measured. n0 was not read.
Mining share	Not measured.
Miners-off control at the 2x load	Left for this next run.
Combined accepted tx/s	Bot side missing. Locus accept is not the combined rate.

Before T0

Stop unless the storm GO and steps-utc.json are in hand, and the clock is at or after the first time in that file.

Check	Owner	Pass
n0 synced, lag seconds, mempool, box disk	Bot	Send only if synced and lag is at or under 300 seconds, and the disk gate passes. Otherwise sender count 0 and the row says waiting.
Locus synced, UTXO index, mempool, fee, free RAM, desk disk	Build	Loopback Borsh only. Free RAM under 1 GB, or a dead process, stops Build. Do not move the senders to n0.
NTP, five samples, both machines	Each side	Repeat at the end. A desk move over 50 ms flags Build's confirmation times.
Older fleet halt file	Build	First line still halt.
Normal fee quote, own node	Each side	If the quote is already above 200, that side does not start.

Every 10 minutes, both sides

The desk writes the sheet. The box prints its block. Copy the block. A missing block stays not measured.

Field	Bot, n0	Build, locus
Session	up, down, or waiting	up or down
Sender count	lane runners, or 0 while waiting	Build senders
Disk	box GB	desk GB

Field	Bot, n0	Build, locus
Clock	NTP offset	w32tm, 5 samples at start and end
Usage	product counter, or not measured	product counter, or not measured
Node	synced, lag, mempool, CPU	synced, UTXO index, mempool, fee, free RAM
Rates	submitted tx/s and accepted tx/s	submitted tx/s and accepted tx/s
Combined	both sums, one line	same two sums
Pools	n0 mempool	locus, plus six public names
Indexer	latest 30-second sample	same check if the box row is missing
Miners	box count, on or off, still on n0	desk count, on or off, no switch

While n0 is waiting, the combined accepted rate for that minute is Build's rate alone, and the row says so.

Every second and every minute

- **Each UTC second, per sender.** Sender id, target, submitted, accepted, endpoint n0 or locus, that node's mempool, submit latency. Accept time is when that side's own node reports the transaction.
- **Per-transaction log stays on.** On a sample, and on every reject: submit time and accept time, UTC, milliseconds, Z.
- **Each UTC minute, per sender.** Minute, sender id, node n0 or locus, tx_sent, five tx ids spread across the minute. Not the first five. Not the word public.
- **One combined minute line.** Both submitted sums and both accepted sums. Ids stay local. Git gets the count. His accepted count is his.

His five questions

#	Question	What the next run logs
1	Accepted against submitted, and where it flattens	Per second, both sides, by fee tier. Saturation: from 60 seconds after the step start, accepted under 95% of submit for 60 consecutive seconds. Report yes or no, and the onset. The chain rule uses n0.
2	Confirmation time, median and worst, 1x against 1.5x	Sequence, submit time, accept time, fee tier. About 450 probes per tier per step. Report n, p50, p95, p99, worst, and the share over 30 seconds and over 60 seconds.
3	Indexer freeze, at what rate, and for how long	api-tn10 health every 30 seconds. Freeze: 3 bad samples, lag above 120 seconds and rising, or visibility delay above 300 seconds. One id polled each minute. The id stays local.
4	Mempool depth over time	n0 mempool every second. Fee every 10 seconds. Locus mempool on the second line. Six public names on the 10-minute row.
5	Whether order holds under load	Ordered stream, 2 per second at 1x and at 1.5x. Reorder, out-of-order, stalls, and fee overtakes, as counts and percentages, with n and a 95% interval.

The other 95% rule stays separate. The Build gate is mean submit at least 95% of that side's target, with no zero second on a sender that was armed. Sender-limited means submit stayed under 95% of target. Do not call that a network ceiling.

Also on this run, already in the plan

- B0 is 10 minutes. Lane senders off. Box probes and the ordered stream stay on. Build sends nothing in B0.
- Steps stay 2x, 5x, 10x, 20x, 30x, then max. Nothing changes inside a step. Never eight box runners.
- Miners-off control at the 2x load, matched to miners on. The control is imperfect. Say that next to the pair. Our share on that step should read about 0%.
- When accepted flattens, log n0 CPU, mempool-cap hits, and reject reasons. Label box-bound, network-bound, or unclear. n0's cap does not apply to locus.
- Mining share per node, per step: blocks total, blocks ours, percent. Do not switch either miner set.
- At T0, cite the plan SHA. A deviation gets a time and a reason. Raw files stay the plan's section 8 list.

Pass

The run does not claim the combined goal unless Task 10 of MONITOR.md is complete and every 8 Oct blank above has a reading, or a written not measured with the UTC it was due. Kaspa Pulse counts the chain from outside the setup. Comparison comes to us first. This PDF was not sent.