



SBL
STRETCH lighting

STRETCH


Features

- High reliability with high quality ALU PCB
- High light efficiency 110lm/Watt
- Quick connectors SA2-01 plug or Wago
- Low constant voltage 24V DC system
- Pre-drilled holes and 3M mounting tape
- Batwing lens 160°-170°viewing angle ensure homogeneously light distribution.
- 3years warranty
- CE/RoHS certificates, IP60 protection class testing


Technical specifications

Part nmbr.	SBL-93-10-24V	SBL-43-5-24V
Bar length	930mm	430mm
LED Type	SMD 3030	SMD 3030
Input Voltage	24V DC	24V DC
Power	8,4Watt	5,04Watt
Available CCT	2700k / 3000k / 4000k / 5000k / 6000k / 7000k / 9000k /	
Light Output	950lm	550lm
IP Rating	IP 60	
CRI	90	


Colors available



Technical drawing




Technical drawing



Installation scheme for reference


Part No.	Bottom	Surface material	Depth (cm)	Illumination intensity (LUX)	Installation density (pcs/m ²)	Distande (cm)
SBL-93-10-12V	White board	White acrylic or aluminium sheet	5	4940-5680lux	10	9
			6	4260-4820lux	8	11
			7	3360-4080lux	7	13
			8	3020-3550lux	6	15
			9	3020-3550lux	6	16
			10	3020-3550lux	6	17
			11	3020-3550lux	6	17
			12	3020-3550lux	6	17
			13	2516-3018lux	5	18
			14	2516-3018lux	5	19
			15	2516-3018lux	5	20

Luminous Intensity Distribution Diagram



AVERAGE BEAM ANGLE (50%):163.5°

Packaging



1. Carton size: outside carton with five layers of carboard. Specification as below:

Part No.	Product size (mm)	CTN Size (mm)	QTC (pcs)	Net Weight (kg)	Gross weight (kg)
SBL-93-10-24V	930x16mm	1000x185x185mm	80	9,5 (1+/-10%)	11,80 (1+/-10%)
SBL-43-5-24V	430x16mm	550x400x340mm	160	10,5 (1+/-10%)	11,80 (1+/-10%)

2. This product packed by transparent PE bag, one piece in one bag

3. Above mentioned quantity and weight are based on above packing method only, quantity and weight differs when applying other packing, please refer to actual situation.

STRETCH

STRETCH BVBA
Gentseweg 309 A3 - 9120 Beveren - Belgium
Tel: +32485483035 - Mail: info@stretchgroup.be

www.stretchgroup.net