Agilit

API de integração com o serviço de ordens de manutenção Agil-It. https://documenter.getpostman.com/view/3270600/Szt5eAQN?version=latest (https://documenter.getpostman.com/view/3270600/Szt5eAQN?version=latest)

Autenticação

A autenticação da API é do tipo basic auth, no qual precisa de um username e password.

Utilizar as seguintes variáveis:

```
{{endpoint}}:solicitar a TI da Duas Rodas
{{username}}:solicitar a TI da Duas Rodas
{{password}}:solicitar a TI da Duas Rodas
```

Paginação

As APIs que retornam lista de dados podem ser paginadas se receberem os headers take e skip.

- **skip:** Quantidade de registros que a API deve pular. [Valor padrão: 0]
- **take:** Quantidade de resgistros que a API deve trazer, após pular a quantidade especificada em skip. [Valor padrão: 10]

Parâmetros

Todos os endpoints suportam os parâmetros disponíveis no objeto principal do recurso utilziado. Ele não funciona de forma 'nested'

users

Endpoints para interação com usuários do sistema

GET getList

http://{{endpoint}}/api/v1/users

```
AUTHORIZATION

Basic Auth

Documentation Settings

Username
{{username}}

Password
{{password}}

HEADERS

Content-Type
application/json
```

```
Example Request
                                                                                                no-data ▼
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var requestOptions = {
 method: 'GET',
 headers: myHeaders,
  redirect: 'follow'
};
                                               View More
fetch("http://{{endpoint}}/api/v1/users". requestOptions)
Example Response
                                                                                                   200 OK
 Body
        Headers (13)
  "success": true,
```

GET getNotifications

http://{{endpoint}}/api/v1/users/{{id}}/notifications

AUTHORIZATION

"data": []

Basic Auth

Username

```
{{username}}
                                                                                 Documentation Settings
Password
{{password}}
HEADERS
Content-Type
application/json
Example Request
                                                                                            getNotifications
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var requestOptions = {
  method: 'GET',
  headers: myHeaders,
  redirect: 'follow'
};
                                               View More
fetch("httn://{{endnoint}}/ani/v1/users/{{id}}/notifications". requestOntions)
GET get
```

http://{{endpoint}}/api/v1/users/{{id}}

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

```
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var requestOptions = {
  method: 'GET',
 headers: myHeaders,
  redirect: 'follow'
};
                                               View More
fetch("httn://{{endnoint}}/ani/v1/users/{{id}}}". requestOntions)
Example Response
                                                                                                   200 OK
 Body
        Headers (13)
  "success": true,
  "data": {
    "id": 1,
    "integrationID": "",
    "createdAt": null,
    "createdBy": 0,
    "updatedAt": "2020-05-30T00:08:21.000Z",
                                               View More
    "updatedBy": 2,
    "deleted": false.
```

POST create

http://{{endpoint}}/api/v1/users

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

```
Example Request
                                                                                                 create ▼
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var raw = JSON.stringify({"name":"Lucas","email":"lucas@estudante.sc.senai.br","password":"lucas123","role'
var requestOptions = {
  method: 'POST',
  headers: myHeaders,
                                               View More
  body: raw,
  redirect: 'follow'
Example Response
                                                                                                   200 OK
 Body
        Headers (13)
  "success": true,
  "data": {
    "id": 1,
    "integrationID": "",
    "createdAt": null,
    "createdBy": 0,
    "updatedAt": "2020-05-30T00:01:07.000Z",
                                               View More
    "updatedBy": 1,
    "deleted": false.
```

PUT update

http://{{endpoint}}/api/v1/users/{{id}}

```
____
Basic Auth
```

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

BODY raw

```
"name": "Márcio",
   "email": "marcio@senai.com.br",
   "password": "NovaSenha#123",
   "role": "Administrator",
   "integrationId": "marcio1234"
}
```

Example Request update

Example Response 200 OK

Body Headers (13)

```
Documentation Settings
```

```
"success": true,
"data": {
    "id": 3,
    "integrationID": "",
    "createdAt": "2020-05-30T00:12:08.099Z",
    "createdBy": 2,
    "updatedAt": "2020-05-30T00:14:40.000Z",
    "updatedBy": 2,
    "deleted": false.
View More
```

PATCH updateAttributes

http://{{endpoint}}/api/v1/users/{{id}}

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

BODY raw

```
{
    "name": "Márcio Henrique Meier"
}
```

Example Request updateAttributes

DEL delete

```
http://{{endpoint}}/api/v1/users/{{id}}
```

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

Example Request delete

```
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");

var requestOptions = {
    method: 'DELETE',
    headers: myHeaders,
    redirect: 'follow'
};

View More
```

fetch("httn://{{endnoint}}/ani/v1/users/{{id}}". requestOntions)

Example Response 200 OK

```
Body Headers (13)

{
    "success": true,
    "data": {
        "id": 3,
        "integrationID": "",
        "createdAt": "2020-05-30T00:12:08.099Z",
        "createdBy": 2,
        "updatedBy": 2,
        "updatedBy": 2,
        "deleted": true.

        View More
```

POST login

http://{{endpoint}}/api/v1/login

HEADERS

Content-Type

application/json

BODY raw

```
"username": "julio",
   "password": "julio123"
}
```

Example Request login



default-observations

Endpoints para atualização de observações padrões ao negar uma operação

GET getList

http://{{endpoint}}/api/v1/default-observations

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

Example Request getList

```
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var requestOptions = {
  method: 'GET',
  headers: myHeaders,
  redirect: 'follow'
};
```

View More

fetch("httn://{{endnoint}}/ani/v1/default-observations". requestOntions)

Example Response 200 OK

Body Headers (13)

```
# "success": true,

"data": [

{
     "id": 1,
     "integrationID": "",
     "createdAt": "2020-05-30T00:16:35.276Z",
     "updatedAt": "2020-05-30T00:16:35.276Z", View More

"undatedBv": 2.
```

GET get

```
http://{{endpoint}}/api/v1/default-observations/{{id}}
```

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

Example Request get

```
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");

var requestOptions = {
  method: 'GET',
  headers: myHeaders,
  redirect: 'follow'
};
```

View More

 $fetch ("httn://{\{endnoint\}\}/ani/v1/default-observations/{\{id\}\}}". request Ontions)$

Example Response 200 OK

```
Body Headers (13)

{

"success": true,

"data": {

"id": 1,

"integrationID": "",

"createdAt": "2020-05-30T00:16:35.276Z",

"createdBy": 2,

"updatedBy": 2,

"updatedBy": 2,

"deleted": false.

View More
```

POST create

http://{{endpoint}}/api/v1/default-observations

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

BODY raw

```
{
    "description": "Observações Padrão"
}
```

Example Request create

```
yar myHeaders = new Headers();
                                                                                 Documentation Settings
myHeaders.append("Content-Type", "application/json");
var raw = JSON.stringify({"description":"Observações Padrão"});
var requestOptions = {
  method: 'POST',
  headers: myHeaders,
                                               View More
  body: raw,
  redirect: 'follow'
Example Response
                                                                                                    200 OK
        Headers (13)
 Body
  "success": true,
  "data": {
    "id": 1,
    "integrationID": "",
    "createdAt": "2020-05-30T00:16:35.276Z",
    "createdBy": 2,
    "updatedAt": "2020-05-30T00:16:35.276Z",
                                               View More
    "updatedBy": 2,
    "deleted": false.
```

PUT update

http://{{endpoint}}/api/v1/default-observations/{{id}}

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

BODY raw

```
description": "Observações Padrão Alterada"
```

```
Example Request
                                                                                                   update
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var raw = JSON.stringify({"description":"Observações Padrão Alterada"});
var requestOptions = {
  method: 'PUT',
  headers: myHeaders,
                                               View More
  body: raw,
  redirect: 'follow'
                                                                                                   200 OK
Example Response
 Body
        Headers (13)
  "success": true,
  "data": {
    "id": 1,
    "integrationID": "",
    "createdAt": "2020-05-30T00:16:35.276Z",
    "createdBy": 2,
    "updatedAt": "2020-05-30T00:17:21.000Z",
                                               View More
    "updatedBy": 2,
    "deleted": false.
```

PATCH updateAttributes

```
http://{{endpoint}}/api/v1/default-observations/{{id}}
```

```
AUTHORIZATION
```

Basic Auth

Username

{{username}}

Password

{{password}}

Documentation Settings

```
Content-Type
```

application/json

BODY raw

```
{
    "description": "Observações Padrão"
}
```

Example Request updateAttributes

DEL delete

http://{{endpoint}}/api/v1/default-observations/{{id}}

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

Example Request delete

```
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var requestOptions = {
  method: 'DELETE',
 headers: myHeaders,
  redirect: 'follow'
};
                                               View More
fetch("httn://{{endnoint}}/ani/v1/default-observations/{{id}}". requestOntions)
                                                                                                   200 OK
Example Response
 Body
        Headers (13)
  "success": true,
  "data": {
    "id": 1,
    "integrationID": "",
    "createdAt": "2020-05-30T00:16:35.276Z",
    "createdBy": 2,
    "updatedAt": "2020-05-30T00:17:33.000Z",
                                               View More
    "updatedBy": 2,
    "deleted": true.
```

default-operations

Endpoints para atualização de operações padrões em manutenção de equipamentos

GET getList

http://{{endpoint}}/api/v1/default-operations

AUTHORIZATION

Basic Auth

Username

{{username}}

={{password}}

Documentation Settings

HEADERS

Content-Type

application/json

```
Example Request
                                                                                                    getList
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var requestOptions = {
  method: 'GET',
 headers: myHeaders,
  redirect: 'follow'
};
                                               View More
fetch("httn://{{endnoint}}/ani/v1/default-operations". requestOntions)
                                                                                                    200 OK
Example Response
 Body
        Headers (13)
  "success": true,
  "data": [
    {
      "id": 1,
      "integrationID": "",
      "createdAt": "2020-05-30T00:18:01.076Z",
      "createdBy": 2,
      "updatedAt": "2020-05-30T00:18:01.076Z", View More
      "undatedBv": 2.
```

GET get

http://{{endpoint}}/api/v1/default-operations/{{id}}

AUTHORIZATION

Basic Auth

Username

```
{{username}}
                                                                                  Documentation Settings
Password
{{password}}
HEADERS
Content-Type
application/json
Example Request
                                                                                                        get
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var requestOptions = {
 method: 'GET',
 headers: myHeaders,
  redirect: 'follow'
};
                                               View More
fetch("httn://{{endnoint}}/ani/v1/default-operations/{{id}}". requestOptions)
Example Response
                                                                                                    200 OK
 Body
        Headers (13)
  "success": true,
  "data": {
    "id": 1,
    "integrationID": "",
    "createdAt": "2020-05-30T00:18:01.076Z",
    "createdBy": 2,
    "updatedAt": "2020-05-30T00:18:01.076Z",
```

View More

POST create

"updatedBy": 2,
"deleted": false.

http://{{endpoint}}/api/v1/default-operations

AUTHORIZATION

Basic Auth

```
Username
```

=={{username}}

Documentation Settings

```
Password
```

{{password}}

HEADERS

Content-Type

application/json

BODY raw

```
{
    "description": "Operações Padrão"
}
```

Example Request create

Example Response 200 OK



```
http://{{endpoint}}/api/v1/default-operations/{{id}}
```

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

BODY raw

```
{
    "description": "Operações Padrão Alterada"
}
```

Example Request update

Example Response 200 OK

Body Headers (13)

```
Documentation Settings
```

```
\stackrel{\underline{\pounds}}{=} "success": true,
   "data": {
     "id": 1,
     "integrationID": "",
     "createdAt": "2020-05-30T00:18:01.076Z",
     "createdBy": 2,
     "updatedAt": "2020-05-30T00:18:29.000Z",
                                                       View More
     "updatedBy": 2,
     "deleted": false.
```

PATCH updateAttributes

http://{{endpoint}}/api/v1/default-operations/{{id}}

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

BODY raw

```
{
    "description": "Operações Padrão"
}
```

Example Request updateAttributes

DEL delete

```
http://{{endpoint}}/api/v1/default-operations/{{id}}
```

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

Example Request delete

```
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");

var requestOptions = {
  method: 'DELETE',
  headers: myHeaders,
  redirect: 'follow'
};

View More
```

 $fetch("httn://{\{endnoint\}\}/ani/v1/default-one rations/{\{id\}\}}". requestOntions)$

Example Response 200 OK

```
Body Headers (13)

{
    "success": true,
    "data": {
        "id": 1,
        "integrationID": "",
        "createdAt": "2020-05-30T00:18:01.076Z",
        "createdBy": 2,
        "updatedBy": 2,
        "updatedBy": 2,
        "deleted": true.

        View More
        "deleted": true.
```

machine-types

Endpoints para atualização de tipos de máquina

GET getList

http://{{endpoint}}/api/v1/machine-types

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

Example Request getList

```
yar myHeaders = new Headers();
                                                                                 Documentation Settings
myHeaders.append("Content-Type", "application/json");
var requestOptions = {
  method: 'GET',
  headers: myHeaders,
  redirect: 'follow'
};
                                               View More
fetch("httn://{{endnoint}}/ani/v1/machine-tvnes". requestOntions)
Example Response
                                                                                                    200 OK
 Body
        Headers (13)
  "success": true,
  "data": [
    {
      "id": 1,
      "integrationID": "",
      "createdAt": "2020-05-30T00:20:45.103Z",
      "createdBy": 2,
      "updatedAt": "2020-05-30T00:20:45.103Z", View More
      "undatedBv": 2.
GET get
  http://{{endpoint}}/api/v1/machine-types/{{id}}
```

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

```
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var requestOptions = {
  method: 'GET',
 headers: myHeaders,
  redirect: 'follow'
};
                                               View More
fetch("httn://{{endnoint}}/ani/v1/machine-tynes/{{id}}". requestOntions)
Example Response
                                                                                                   200 OK
 Body
        Headers (13)
  "success": true,
  "data": {
    "id": 1,
    "integrationID": "",
    "createdAt": "2020-05-30T00:20:45.103Z",
    "createdBy": 2,
    "updatedAt": "2020-05-30T00:20:45.103Z",
                                               View More
    "updatedBy": 2,
    "deleted": false.
```

POST create

http://{{endpoint}}/api/v1/machine-types

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

```
{
    "description": "Tipo de Máquina"
}
```

```
Example Request
                                                                                                    create
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var raw = JSON.stringify({"description":"Tipo de Máquina"});
var requestOptions = {
  method: 'POST',
  headers: myHeaders,
                                               View More
  body: raw,
  redirect: 'follow'
Example Response
                                                                                                   200 OK
 Body
        Headers (13)
  "success": true,
  "data": {
    "id": 1,
    "integrationID": "",
    "createdAt": "2020-05-30T00:20:45.103Z",
    "createdBy": 2,
    "updatedAt": "2020-05-30T00:20:45.103Z",
                                               View More
    "updatedBy": 2,
    "deleted": false.
```

PUT update

```
http://{{endpoint}}/api/v1/machine-types/{{id}}
```

AUTHORIZATION

Basic Auth

Username

{{username}}

```
Password
```

Documentation Settings

HEADERS

Content-Type

application/json

BODY raw

```
{
   "description": "Tipo de Máquina Alterada"
}
```

```
Example Request
                                                                                                   update
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var raw = JSON.stringify({"description":"Tipo de Máquina Alterada"});
var requestOptions = {
 method: 'PUT',
 headers: myHeaders,
                                               View More
 body: raw,
 redirect: 'follow'
                                                                                                   200 OK
Example Response
 Body
       Headers (13)
  "success": true,
  "data": {
   "id": 1,
   "integrationID": "",
    "createdAt": "2020-05-30T00:20:45.103Z",
    "createdBy": 2,
    "updatedAt": "2020-05-30T00:21:10.000Z",
                                               View More
    "updatedBy": 2,
```

PATCH updateAttributes

"deleted": false.

http://{{endpoint}}/api/v1/machine-types/{{id}}

= AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

BODY raw

```
{
    "description": "Tipo de Máquina"
}
```

Example Request updateAttributes

DEL delete

http://{{endpoint}}/api/v1/machine-types/{{id}}

AUTHORIZATION

Basic Auth

Username

```
{{username}}
                                                                                  Documentation Settings
Password
{{password}}
HEADERS
Content-Type
application/json
Example Request
                                                                                                     delete
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var requestOptions = {
  method: 'DELETE',
  headers: myHeaders,
  redirect: 'follow'
};
                                               View More
fetch("httn://{{endnoint}}/ani/v1/machine-tvnes/{{id}}}". requestOntions)
Example Response
                                                                                                    200 OK
 Body
        Headers (13)
  "success": true,
  "data": {
    "id": 1,
    "integrationID": "",
    "createdAt": "2020-05-30T00:20:45.103Z",
    "createdBy": 2,
    "updatedAt": "2020-05-30T00:21:18.000Z",
                                               View More
    "updatedBy": 2,
```

defect-origins

"deleted": true.

Endpoints para atualização de origens de defeitos

Documentation Settings



GET getList

http://{{endpoint}}/api/v1/defect-origins

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

Example Request getList

Example Response 200 OK

Documentation Settings



GET get

```
http://{{endpoint}}/api/v1/defect-origins/{{id}}
```

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

Example Request get

```
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");

var requestOptions = {
  method: 'GET',
  headers: myHeaders,
  redirect: 'follow'
};

View More
```

view wore

fetch("httn://{{endnoint}}/ani/v1/defect-origins/{{id}}". requestOntions)

Example Response 200 OK

Body Headers (13)

_

```
Documentation Settings
```

```
"success": true,
"data": {
    "id": 2,
    "integrationID": "",
    "createdAt": "2020-05-30T00:21:45.855Z",
    "createdBy": 2,
    "updatedAt": "2020-05-30T00:21:45.855Z",
    "updatedBy": 2,
    "updatedBy": 2,
    "deleted": false.

View More
"deleted": false.
```

POST create

http://{{endpoint}}/api/v1/defect-origins

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

BODY raw

```
"description": "Origem do Defeito",
    "machineType": 1
}
```

Example Request create

```
yar myHeaders = new Headers();
                                                                                 Documentation Settings
myHeaders.append("Content-Type", "application/json");
var raw = JSON.stringify({"description":"Origem do Defeito","machineType":1});
var requestOptions = {
  method: 'POST',
  headers: myHeaders,
                                               View More
  body: raw,
  redirect: 'follow'
Example Response
                                                                                                   200 OK
 Body Headers (13)
  "success": true,
  "data": {
    "id": 2,
    "integrationID": "",
    "createdAt": "2020-05-30T00:21:45.855Z",
    "createdBy": 2,
    "updatedAt": "2020-05-30T00:21:45.855Z",
                                               View More
    "updatedBy": 2,
    "deleted": false.
```

PUT update

```
http://{{endpoint}}/api/v1/defect-origins/{{id}}
```

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

BODY raw

```
Documentation Settings
```

```
"description": "Origem do Defeito"
}
```

Example Request update

PATCH updateAttributes

http://{{endpoint}}/api/v1/defect-origins/{{id}}

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

BODY raw

```
{
   "description": "Origem do Defeito"
}
```

 \equiv

Example Request updateAttributes

DEL delete

http://{{endpoint}}/api/v1/defect-origins/{{id}}

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

Example Request delete

```
yar myHeaders = new Headers();
                                                                                 Documentation Settings
myHeaders.append("Content-Type", "application/json");
var requestOptions = {
  method: 'DELETE',
  headers: myHeaders,
  redirect: 'follow'
};
                                               View More
fetch("httn://{{endnoint}}/ani/v1/defect-origins/{{id}}". requestOntions)
Example Response
                                                                                                    200 OK
        Headers (13)
 Body
  "success": true,
  "data": {
    "id": 2,
    "integrationID": "",
    "createdAt": "2020-05-30T00:21:45.855Z",
    "createdBy": 2,
    "updatedAt": "2020-05-30T00:22:33.000Z",
                                               View More
    "updatedBy": 2,
    "deleted": true.
```

sectors

Endpoints para atualização de setores

GET getList

```
http://{{endpoint}}/api/v1/sectors
```

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

```
Example Request
                                                                                                 getList ▼
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var requestOptions = {
 method: 'GET',
 headers: myHeaders,
  redirect: 'follow'
};
                                               View More
fetch("httn://{{endnoint}}/ani/v1/sectors". requestOntions)
                                                                                                   200 OK
Example Response
 Body
        Headers (13)
  "success": true,
  "data": [
      "id": 1,
      "integrationID": "my-it-sector-id",
      "createdAt": "2020-05-29T22:52:23.575Z",
      "createdBy": 1,
      "updatedAt": "2020-05-29T22:52:23.575Z", View More
      "undatedBv": 1.
```

GET get

```
http://{{endpoint}}/api/v1/sectors/{{id}}
```

```
AUTHORIZATION
```

Basic Auth

Username

{{username}}

Password

{{password}}

Content-Type

application/json

```
Example Request
                                                                                                    get ▼
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var requestOptions = {
  method: 'GET',
 headers: myHeaders,
  redirect: 'follow'
};
                                               View More
fetch("http://{{endnoint}}/ani/v1/sectors/{{id}}". requestOntions)
Example Response
                                                                                                   200 OK
 Body
        Headers (13)
  "success": true,
  "data": {
    "id": 1,
    "integrationID": "my-it-sector-id",
    "createdAt": "2020-05-29T22:52:23.575Z",
    "createdBy": 1,
    "updatedAt": "2020-05-29T22:52:23.575Z",
                                               View More
    "updatedBy": 1,
    "deleted": false.
```

POST create

http://{{endpoint}}/api/v1/sectors

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

Documentation Settings

HEADERS

Content-Type

application/json

BODY raw

```
"description": "IT Sector",
   "integrationID": "my-it-sector-id"
}
```

```
Example Request
                                                                                                 create ▼
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var raw = JSON.stringify({"description":"IT Sector","integrationID":"my-it-sector-id"});
var requestOptions = {
  method: 'POST',
 headers: myHeaders,
                                               View More
  body: raw,
  redirect: 'follow'
Example Response
                                                                                                   200 OK
 Body
        Headers (13)
  "success": true,
  "data": {
    "id": 1,
    "integrationID": "my-it-sector-id",
    "createdAt": "2020-05-29T22:52:23.575Z",
    "createdBy": 1,
    "updatedAt": "2020-05-29T22:52:23.575Z",
                                               View More
    "updatedBy": 1,
    "deleted": false.
```

PUT update

```
http://{{endpoint}}/api/v1/sectors/{{id}}
```

Documentation Settings

```
AUTHORIZATION
Basic Auth
Username
{{username}}
Password
{{password}}
HEADERS
Content-Type
```

application/json

BODY raw

}

```
{
    "description": "New Sector Description"
}
```

```
Example Request
                                                                                              not-found ▼
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var raw = JSON.stringify({"description":"New Sector Description"});
var requestOptions = {
  method: 'PUT',
 headers: myHeaders,
                                               View More
  body: raw,
  redirect: 'follow'
Example Response
                                                                                           400 Bad Request
 Body
        Headers (13)
  "success": false,
  "error": "Registro 99 não encontrado"
```



PATCH updateAttributes

```
http://{{endpoint}}/api/v1/sectors/{{id}}
```

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

BODY raw

```
{
    "description": "Setor"
}
```

Example Request updateAttributes

DEL delete

http://{{endpoint}}/api/v1/sectors/{{id}}

```
AUTHORIZATION

Basic Auth

Username
{{username}}

Password
{{password}}

HEADERS
```

Content-Type

application/json

```
Example Request
                                                                                                     delete
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var requestOptions = {
  method: 'DELETE',
  headers: myHeaders,
  redirect: 'follow'
};
                                               View More
fetch("http://{{endpoint}}/api/v1/sectors/{{id}}}". requestOptions)
Example Response
                                                                                                    200 OK
 Body
        Headers (13)
  "success": true,
  "data": {
    "id": 1,
    "integrationID": "my-it-sector-id",
    "createdAt": "2020-05-29T22:52:23.575Z",
    "createdBy": 1,
    "updatedAt": "2020-05-29T23:47:46.000Z",
                                               View More
    "updatedBy": 1,
```

installation-areas

"deleted": true.



GET getList

http://{{endpoint}}/api/v1/installation-areas

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

Example Request getList

```
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");

var requestOptions = {
  method: 'GET',
  headers: myHeaders,
  redirect: 'follow'
};

View More
```

fetch("httn://{{endnoint}}/ani/v1/installation-areas". requestOntions)

Example Response 200 OK

Body Headers (13)

```
\stackrel{\underline{\leftarrow}}{=} "success": true,
                                                                                                Documentation Settings
       "integrationID": "",
        "createdAt": "2020-05-30T00:32:02.819Z",
        "createdBy": 2,
        "updatedAt": "2020-05-30T00:32:02.819Z", View More
        "undatedBv": 2.
```

GET get

"data": [

"id": 1,

```
http://{{endpoint}}/api/v1/installation-areas/{{id}}
```

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

Example Request get

```
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var requestOptions = {
  method: 'GET',
  headers: myHeaders,
  redirect: 'follow'
};
```

View More

fetch("httn://{{endnoint}}/ani/v1/installation-areas/{{id}}". requestOntions)

Example Response 200 OK

```
Body Headers (13)

{
    "success": true,
    "data": {
        "id": 1,
        "integrationID": "",
        "createdAt": "2020-05-30T00:32:02.819Z",
        "updatedAt": "2020-05-30T00:32:02.819Z",
        "updatedBy": 2,
        "updatedBy": 2,
        "deleted": false.

View More
```

POST create

http://{{endpoint}}/api/v1/installation-areas

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

BODY raw

```
"description": "Installation Area",
    "sector": 1
}
```

Example Request create

```
yar myHeaders = new Headers();
                                                                                Documentation Settings
myHeaders.append("Content-Type", "application/json");
var raw = JSON.stringify({"description":"Installation Area","sector":1});
var requestOptions = {
  method: 'POST',
  headers: myHeaders,
                                               View More
  body: raw,
  redirect: 'follow'
Example Response
                                                                                                   200 OK
        Headers (13)
 Body
  "success": true,
  "data": {
    "id": 1,
    "integrationID": "",
    "createdAt": "2020-05-30T00:32:02.819Z",
    "createdBy": 2,
    "updatedAt": "2020-05-30T00:32:02.819Z",
                                               View More
    "updatedBy": 2,
    "deleted": false.
PUT update
```

http://{{endpoint}}/api/v1/installation-areas/{{id}}

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

BODY raw

```
description": "Área de Instalação"
```

```
Example Request
                                                                                                   update
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var raw = JSON.stringify({"description":"Área de Instalação"});
var requestOptions = {
 method: 'PUT',
 headers: myHeaders,
                                               View More
 body: raw,
 redirect: 'follow'
                                                                                                   200 OK
Example Response
 Body
        Headers (13)
  "success": true,
  "data": {
   "id": 1,
   "integrationID": "",
    "createdAt": "2020-05-30T00:32:02.819Z",
    "createdBy": 2,
    "updatedAt": "2020-05-30T00:32:40.000Z",
                                               View More
    "updatedBy": 2,
    "deleted": false.
```

PATCH updateAttributes

```
http://{{endpoint}}/api/v1/installation-areas/{{id}}
```

```
AUTHORIZATION
```

Basic Auth

Username

{{username}}

Password

{{password}}

Documentation Settings

Content-Type

application/json

BODY raw

```
{
    "description": "Installation Area"
}
```

Example Request updateAttributes

DEL delete

http://{{endpoint}}/api/v1/installation-areas/{{id}}

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

delete **Example Request** var myHeaders = new Headers(); myHeaders.append("Content-Type", "application/json"); var requestOptions = { method: 'DELETE', headers: myHeaders, redirect: 'follow' **}**; **View More** fetch("httn://{{endnoint}}/ani/v1/installation-areas/{{id}}". requestOntions) 200 OK **Example Response** Headers (13) Body "success": true, "data": { "id": 1, "integrationID": "", "createdAt": "2020-05-30T00:32:02.819Z", "createdBy": 2, "updatedAt": "2020-05-30T00:32:45.000Z", View More "updatedBy": 2,

work-centers

"deleted": true.

Endpoints para atualização de centros de trabalho

GET getList

http://{{endpoint}}/api/v1/work-centers

AUTHORIZATION

Basic Auth

Username

{{username}}

——{password}} Documentation Settings

HEADERS

Content-Type

application/json

```
Example Request
                                                                                                    getList
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var requestOptions = {
 method: 'GET',
 headers: myHeaders,
  redirect: 'follow'
};
                                               View More
fetch("http://{{endnoint}}/ani/v1/work-centers". requestOntions)
                                                                                                    200 OK
Example Response
 Body
        Headers (13)
  "success": true,
  "data": [
    {
      "id": 1,
      "integrationID": "",
      "createdAt": "2020-05-30T00:23:04.951Z",
      "createdBy": 2,
      "updatedAt": "2020-05-30T00:23:04.951Z", View More
      "undatedBv": 2.
```

GET get

http://{{endpoint}}/api/v1/work-centers/{{id}}

AUTHORIZATION

Basic Auth

Username

```
{{username}}
                                                                                  Documentation Settings
Password
{{password}}
HEADERS
Content-Type
application/json
Example Request
                                                                                                        get
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var requestOptions = {
 method: 'GET',
 headers: myHeaders,
  redirect: 'follow'
};
                                               View More
fetch("httn://{{endnoint}}/ani/v1/work-centers/{{id}}". requestOntions)
Example Response
                                                                                                    200 OK
 Body
        Headers (13)
  "success": true,
  "data": {
    "id": 1,
    "integrationID": "",
    "createdAt": "2020-05-30T00:23:04.951Z",
    "createdBy": 2,
```

View More

POST create

"updatedBy": 2,
"deleted": false.

http://{{endpoint}}/api/v1/work-centers

"updatedAt": "2020-05-30T00:23:04.951Z",

AUTHORIZATION

Basic Auth

```
Username
```

```
__
={{username}}
```

Documentation Settings

```
Password
```

{{password}}

HEADERS

Content-Type

application/json

BODY raw

```
{
    "description": "Elétrico"
}
```

Example Request create

Example Response 200 OK

```
Body Headers (13)

{
    "success": true,
    "data": {
        "id": 1,
        "integrationID": "",
        "createdAt": "2020-05-30T00:23:04.951Z",
        "createdBy": 2,
        "updatedAt": "2020-05-30T00:23:04.951Z",
        "updatedBy": 2,
        "deleted": false.

        View More
```

\equiv PUT update

```
http://{{endpoint}}/api/v1/work-centers/7
```

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

BODY raw

```
{
    "description": "Mecânico"
}
```

Example Request update

```
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var raw = JSON.stringify({"description":"Mecânico"});
var requestOptions = {
 method: 'PUT',
 headers: myHeaders,
                                               View More
 body: raw,
  redirect: 'follow'
```

200 OK Example Response

Body Headers (13)

```
Documentation Settings
```

```
"success": true,

"data": {
    "id": 1,
    "integrationID": "",
    "createdAt": "2020-05-30T00:23:04.951Z",
    "createdBy": 2,
    "updatedAt": "2020-05-30T00:23:39.000Z",
    "updatedBy": 2,
    "deleted": false.

    "deleted": false.
```

PATCH updateAttributes

http://{{endpoint}}/api/v1/work-centers/{{id}}

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

BODY raw

```
{
    "description": "Elétrico"
}
```

Example Request updateAttributes

DEL delete

```
http://{{endpoint}}/api/v1/work-centers/{{id}}
```

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

Example Request delete

```
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");

var requestOptions = {
  method: 'DELETE',
  headers: myHeaders,
  redirect: 'follow'
};

View More
```

 $fetch("httn://{\{endnoint\}\}/ani/v1/work-centers/{\{id\}\}}". requestOntions)$

Example Response 200 OK

```
Body Headers (13)

{
    "success": true,
    "data": {
        "id": 1,
        "integrationID": "",
        "createdAt": "2020-05-30T00:23:04.951Z",
        "createdBy": 2,
        "updatedBy": 2,
        "updatedBy": 2,
        "deleted": true.

Documentation Settings

▼

View More
```

equipments

Endpoints para atualização de equipamentos

GET getList

http://{{endpoint}}/api/v1/equipments

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

Example Request getList

```
yar myHeaders = new Headers();
                                                                                Documentation Settings
myHeaders.append("Content-Type", "application/json");
var requestOptions = {
  method: 'GET',
 headers: myHeaders,
  redirect: 'follow'
};
                                               View More
fetch("httn://{{endnoint}}/ani/v1/equinments". requestOntions)
Example Response
                                                                                                   200 OK
 Body
        Headers (13)
  "success": true,
  "data": [
    {
      "id": 1,
      "integrationID": "",
      "createdAt": "2020-05-30T00:25:02.638Z",
      "createdBy": 2,
      "updatedAt": "2020-05-30T00:25:02.638Z", View More
      "undatedBv": 2.
GET get
```

http://{{endpoint}}/api/v1/equipments/{{id}}

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

```
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var requestOptions = {
  method: 'GET',
 headers: myHeaders,
  redirect: 'follow'
};
                                               View More
fetch("httn://{{endnoint}}/ani/v1/equinments/{{id}}". requestOntions)
Example Response
                                                                                                   200 OK
 Body
        Headers (13)
  "success": true,
  "data": {
    "id": 1,
    "integrationID": "",
    "createdAt": "2020-05-30T00:25:02.638Z",
    "createdBy": 2,
    "updatedAt": "2020-05-30T00:25:02.638Z",
                                               View More
    "updatedBy": 2,
    "deleted": false.
```

POST create

http://{{endpoint}}/api/v1/equipments

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

```
"description": "Equipamento",
    "machineType": 1
}
```

```
Example Request
                                                                                                    create
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var raw = JSON.stringify({"description":"Equipamento","machineType":1});
var requestOptions = {
  method: 'POST',
  headers: myHeaders,
                                               View More
  body: raw,
  redirect: 'follow'
Example Response
                                                                                                   200 OK
 Body Headers (13)
  "success": true,
  "data": {
    "id": 1,
    "integrationID": "",
    "createdAt": "2020-05-30T00:25:02.638Z",
    "createdBy": 2,
    "updatedAt": "2020-05-30T00:25:02.638Z",
                                               View More
    "updatedBy": 2,
    "deleted": false.
```

PUT update

```
http://{{endpoint}}/api/v1/equipments/{{id}}
```

AUTHORIZATION

Basic Auth

Username

{{username}}

```
Password
```

={{password}}

Documentation Settings

HEADERS

Content-Type

application/json

var myHeaders = new Headers();

BODY raw

```
{
    "description": "Equipamento"
}
```

```
Example Request update
```

Example Response 200 OK

```
Body Headers (13)

{
    "success": true,
    "data": {
        "id": 1,
        "integrationID": "",
        "createdAt": "2020-05-30T00:25:02.638Z",
        "createdBy": 2,
        "updatedAt": "2020-05-30T00:25:02.638Z",
        "updatedBy": 2,
        "deleted": false.
View More
```

PATCH updateAttributes

```
http://{{endpoint}}/api/v1/equipments/{{id}}
```

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

BODY raw

```
{
    "description": "Equipamento"
}
```

Example Request updateAttributes

DEL delete

http://{{endpoint}}/api/v1/equipments/{{id}}

AUTHORIZATION

Basic Auth

Username

```
{{username}}
                                                                                  Documentation Settings
Password
{{password}}
HEADERS
Content-Type
application/json
Example Request
                                                                                                     delete
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var requestOptions = {
  method: 'DELETE',
  headers: myHeaders,
  redirect: 'follow'
};
                                               View More
fetch("http://{{endpoint}}/api/v1/equipments/{{id}}". requestOptions)
Example Response
                                                                                                    200 OK
 Body
        Headers (13)
  "success": true,
  "data": {
    "id": 1,
    "integrationID": "",
    "createdAt": "2020-05-30T00:25:02.638Z",
    "createdBy": 2,
    "updatedAt": "2020-05-30T00:25:26.000Z",
                                               View More
    "updatedBy": 2,
    "deleted": true.
```

superior-equipments

Endpoints para atualização de equipamentos

Documentation Settings



GET getList

http://{{endpoint}}/api/v1/superior-equipments

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

Example Request getList

```
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");

var requestOptions = {
  method: 'GET',
  headers: myHeaders,
  redirect: 'follow'
};

View More
```

fetch("httn://{{endnoint}}/ani/v1/sunerior-equipments". requestOntions)

Example Response 200 OK

Documentation Settings



GET get

```
http://{{endpoint}}/api/v1/superior-equipments/{{id}}
```

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

Example Request get

```
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");

var requestOptions = {
  method: 'GET',
  headers: myHeaders,
  redirect: 'follow'
};
View More
```

fetch("httn://{{endnoint}}/ani/v1/superior-equipments/{{id}}}". requestOntions)

Example Response 200 OK

Body Headers (13)

•

```
Documentation Settings
```

```
"success": true,
"data": {
    "id": 1,
    "integrationID": "",
    "createdAt": "2020-05-30T00:45:45.139Z",
    "createdBy": 2,
    "updatedBy": 2,
    "updatedBy": 2,
    "deleted": false.
View More
```

POST create

http://{{endpoint}}/api/v1/superior-equipments

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

BODY raw

```
{
    "description": "Equipamento Superior"
}
```

Example Request create

```
yar myHeaders = new Headers();
                                                                                 Documentation Settings
myHeaders.append("Content-Type", "application/json");
var raw = JSON.stringify({"description":"Equipamento Superior","installationArea":1});
var requestOptions = {
  method: 'POST',
  headers: myHeaders,
                                               View More
  body: raw,
  redirect: 'follow'
Example Response
                                                                                                   200 OK
 Body Headers (13)
  "success": true,
  "data": {
    "id": 1,
    "integrationID": "",
    "createdAt": "2020-05-30T00:45:45.139Z",
    "createdBy": 2,
    "updatedAt": "2020-05-30T00:45:45.139Z",
                                               View More
    "updatedBy": 2,
    "deleted": false.
```

PUT update

http://{{endpoint}}/api/v1/superior-equipments/{{id}}

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

BODY raw

```
description": "Equipamento Superior Alterado"
```

```
Example Request
                                                                                                   update
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var raw = JSON.stringify({"description":"Equipamento Superior Alterado"});
var requestOptions = {
 method: 'PUT',
 headers: myHeaders,
                                               View More
 body: raw,
 redirect: 'follow'
                                                                                                   200 OK
Example Response
 Body
        Headers (13)
  "success": true,
  "data": {
   "id": 1,
   "integrationID": "",
    "createdAt": "2020-05-30T00:45:45.139Z",
    "createdBy": 2,
    "updatedAt": "2020-05-30T00:46:47.000Z",
                                               View More
    "updatedBy": 2,
    "deleted": false.
```

PATCH updateAttributes

```
http://{{endpoint}}/api/v1/equipments/{{id}}
```

```
AUTHORIZATION
```

Basic Auth

Username

{{username}}

Password

{{password}}

Documentation Settings

Content-Type

application/json

BODY raw

```
{
    "description": "Equipamento"
}
```

Example Request updateAttributes

DEL delete

http://{{endpoint}}/api/v1/superior-equipments/{{id}}

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

Example Request delete

```
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var requestOptions = {
 method: 'DELETE',
 headers: myHeaders,
  redirect: 'follow'
};
                                               View More
fetch("httn://{{endnoint}}/ani/v1/superior-equipments/{{id}}". requestOptions)
                                                                                                   200 OK
Example Response
        Headers (13)
 Body
  "success": true,
  "data": {
    "id": 1,
    "integrationID": "",
    "createdAt": "2020-05-30T00:45:45.139Z",
    "createdBy": 2,
    "updatedAt": "2020-05-30T00:46:57.000Z",
                                               View More
    "updatedBy": 2,
    "deleted": true.
```

measurement-units

Endpoints para atualização de unidades de medida

GET getList

http://{{endpoint}}/api/v1/measurement-units

AUTHORIZATION

Basic Auth

Username

{{username}}

={{password}}

Documentation Settings

HEADERS

Content-Type

application/json

```
Example Request
                                                                                                    getList
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var requestOptions = {
  method: 'GET',
 headers: myHeaders,
  redirect: 'follow'
};
                                               View More
fetch("httn://{{endnoint}}/ani/v1/measurement-units". requestOntions)
                                                                                                    200 OK
Example Response
 Body
        Headers (13)
  "success": true,
  "data": [
    {
      "id": 1,
      "integrationID": "",
      "createdAt": "2020-05-30T00:25:43.582Z",
      "createdBy": 2,
      "updatedAt": "2020-05-30T00:25:54.000Z", View More
      "undatedBv": 2.
```

GET get

http://{{endpoint}}/api/v1/measurement-units/{{id}}

AUTHORIZATION

Basic Auth

Username

```
{{username}}
                                                                                  Documentation Settings
Password
{{password}}
HEADERS
Content-Type
application/json
Example Request
                                                                                                        get
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var requestOptions = {
 method: 'GET',
 headers: myHeaders,
  redirect: 'follow'
};
                                               View More
fetch("httn://{{endnoint}}/ani/v1/measurement-units/{{id}}}". requestOntions)
Example Response
                                                                                                    200 OK
 Body
        Headers (13)
  "success": true,
  "data": {
    "id": 1,
    "integrationID": "",
    "createdAt": "2020-05-30T00:25:43.582Z",
    "createdBy": 2,
```

View More

POST create

"updatedBy": 2,
"deleted": false.

http://{{endpoint}}/api/v1/measurement-units

"updatedAt": "2020-05-30T00:25:54.000Z",

AUTHORIZATION

Basic Auth

```
Username
```

_____ ={{username}}

Documentation Settings

```
Password
```

{{password}}

HEADERS

Content-Type

application/json

Example Response

BODY raw

```
{
    "description": "Unidade de Medida"
}
```


Example Request create

200 OK

```
Body Headers(13)

{
    "success": true,
    "data": {
        "id": 1,
        "integrationID": "",
        "createdAt": "2020-05-30T00:25:43.582Z",
        "createdBy": 2,
        "updatedAt": "2020-05-30T00:25:43.582Z",
        "updatedBy": 2,
        "deleted": false.

        View More
```



```
http://{{endpoint}}/api/v1/measurement-units/{{id}}
```

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

BODY raw

```
{
    "description": "Unidade de Medida Alterada"
}
```

Example Request update

Example Response 200 OK

Body Headers (13)

```
Documentation Settings
```

```
"success": true,
  "data": {
    "id": 1,
    "integrationID": "",
    "createdAt": "2020-05-30T00:25:43.582Z",
    "createdBy": 2,
    "updatedAt": "2020-05-30T00:25:54.000Z",
    "updatedBy": 2,
    "deleted": false.
View More
```

PATCH updateAttributes

http://{{endpoint}}/api/v1/measurement-units/{{id}}

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

BODY raw

```
{
    "description": "Unidade de Medida"
}
```

Example Request updateAttributes

DEL delete

```
http://{{endpoint}}/api/v1/measurement-units/{{id}}
```

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

Example Request delete

Example Response 200 OK

```
Body Headers (13)

{
    "success": true,
    "data": {
        "id": 1,
        "integrationID": "",
        "createdAt": "2020-05-30T00:25:43.582Z",
        "createdBy": 2,
        "updatedAt": "2020-05-30T00:26:09.000Z",
        "updatedBy": 2,
        "deleted": true.

View More
```

items

Endpoints para atualização de itens utilizados durante a manutenção dos equipamentos

GET getList

http://{{endpoint}}/api/v1/items

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

Example Request getList

```
yar myHeaders = new Headers();
                                                                                 Documentation Settings
myHeaders.append("Content-Type", "application/json");
var requestOptions = {
  method: 'GET',
  headers: myHeaders,
  redirect: 'follow'
};
                                               View More
fetch("httn://{{endnoint}}/ani/v1/items". requestOntions)
Example Response
                                                                                                    200 OK
 Body
        Headers (13)
  "success": true,
  "data": [
    {
      "id": 1,
      "integrationID": "",
      "createdAt": "2020-05-30T00:28:54.881Z",
      "createdBy": 2,
      "updatedAt": "2020-05-30T00:28:54.881Z", View More
      "undatedBv": 2.
GET get
  http://{{endpoint}}/api/v1/items/{{id}}
```

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

```
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var requestOptions = {
  method: 'GET',
 headers: myHeaders,
  redirect: 'follow'
};
                                               View More
fetch("httn://{{endnoint}}/ani/v1/items/{{id}}}". requestOntions)
Example Response
                                                                                                   200 OK
 Body
        Headers (13)
  "success": true,
  "data": {
    "id": 1,
    "integrationID": "",
    "createdAt": "2020-05-30T00:28:54.881Z",
    "createdBy": 2,
    "updatedAt": "2020-05-30T00:28:54.881Z",
                                               View More
    "updatedBy": 2,
    "deleted": false.
```

POST create

http://{{endpoint}}/api/v1/items

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

```
"description": "Item",
   "measurementUnit": 1
}
```

```
Example Request
                                                                                                    create
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var raw = JSON.stringify({"description":"Item","measurementUnit":1});
var requestOptions = {
  method: 'POST',
  headers: myHeaders,
                                               View More
  body: raw,
  redirect: 'follow'
Example Response
                                                                                                   200 OK
 Body
        Headers (13)
  "success": true,
  "data": {
    "id": 1,
    "integrationID": "",
    "createdAt": "2020-05-30T00:28:54.881Z",
    "createdBy": 2,
    "updatedAt": "2020-05-30T00:28:54.881Z",
                                               View More
    "updatedBy": 2,
    "deleted": false.
```

PUT update

```
http://{{endpoint}}/api/v1/items/{{id}}
```

AUTHORIZATION

Basic Auth

Username

{{username}}

```
Password
```

={{password}}

Documentation Settings

HEADERS

Content-Type

application/json

BODY raw

```
{
    "description": "Item Alterado"
}
```

```
Example Request
                                                                                                   update
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var raw = JSON.stringify({"description":"Item Alterado"});
var requestOptions = {
  method: 'PUT',
  headers: myHeaders,
                                               View More
  body: raw,
  redirect: 'follow'
                                                                                                   200 OK
Example Response
 Body Headers (13)
  "success": true,
  "data": {
    "id": 1,
    "integrationID": "",
    "createdAt": "2020-05-30T00:28:54.881Z",
    "createdBy": 2,
    "updatedAt": "2020-05-30T00:29:17.000Z",
                                               View More
    "updatedBy": 2,
    "deleted": false.
```

PATCH updateAttributes

http://{{endpoint}}/api/v1/items/{{id}}

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

BODY raw

```
{
   "description": "Item"
}
```

Example Request updateAttributes

DEL delete

http://{{endpoint}}/api/v1/items/{{id}}

AUTHORIZATION

Basic Auth

Username

```
{{username}}
                                                                                  Documentation Settings
Password
{{password}}
HEADERS
Content-Type
application/json
Example Request
                                                                                                     delete
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var requestOptions = {
  method: 'DELETE',
  headers: myHeaders,
  redirect: 'follow'
};
                                               View More
fetch("http://{{endnoint}}/ani/v1/items/{{id}}". requestOntions)
Example Response
                                                                                                    200 OK
 Body
        Headers (13)
  "success": true,
  "data": {
    "id": 1,
    "integrationID": "",
    "createdAt": "2020-05-30T00:28:54.881Z",
    "createdBy": 2,
    "updatedAt": "2020-05-30T00:29:27.000Z",
                                               View More
    "updatedBy": 2,
    "deleted": true.
```

defect-symptoms

Endpoints para atualização de sintomas de defeito

Documentation Settings



GET getList

http://{{endpoint}}/api/v1/defect-symptoms

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

Example Request getList

```
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");

var requestOptions = {
  method: 'GET',
  headers: myHeaders,
  redirect: 'follow'
};

View More
```

fetch("httn://{{endnoint}}/ani/v1/defect-symntoms". requestOntions)

Example Response 200 OK

Documentation Settings



GET get

```
http://{{endpoint}}/api/v1/defect-symptoms/{{id}}
```

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

Example Request get

```
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");

var requestOptions = {
  method: 'GET',
  headers: myHeaders,
  redirect: 'follow'
};

View More
```

fetch("httn://{{endnoint}}/ani/v1/defect-symntoms/{{id}}". requestOntions)

Example Response 200 OK

Body Headers (13)

•

```
Documentation Settings
```

```
"success": true,
  "data": {
     "id": 2,
     "integrationID": "",
     "createdAt": "2020-05-30T00:31:03.349Z",
     "createdBy": 2,
     "updatedAt": "2020-05-30T00:31:03.349Z",
     "updatedBy": 2,
     "deleted": false.
View More
```

POST create

http://{{endpoint}}/api/v1/defect-symptoms

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

BODY raw

```
"description": "Simtoma do Defeito",
    "machineType": 1
}
```

Example Request create

```
yar myHeaders = new Headers();
                                                                                 Documentation Settings
myHeaders.append("Content-Type", "application/json");
var raw = JSON.stringify({"description":"Simtoma do Defeito","machineType":1});
var requestOptions = {
  method: 'POST',
  headers: myHeaders,
                                               View More
  body: raw,
  redirect: 'follow'
Example Response
                                                                                                   200 OK
 Body Headers (13)
  "success": true,
  "data": {
    "id": 2,
    "integrationID": "",
    "createdAt": "2020-05-30T00:31:03.349Z",
    "createdBy": 2,
    "updatedAt": "2020-05-30T00:31:03.349Z",
                                               View More
    "updatedBy": 2,
    "deleted": false.
```

PUT update

http://{{endpoint}}/api/v1/defect-symptoms/{{id}}

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

BODY raw

```
"description": "Sintoma do Defeito Alterado"
```

```
Example Request
                                                                                                   update
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var raw = JSON.stringify({"description":"Sintoma do Defeito Alterado"});
var requestOptions = {
  method: 'PUT',
  headers: myHeaders,
                                               View More
  body: raw,
  redirect: 'follow'
                                                                                                   200 OK
Example Response
 Body
        Headers (13)
  "success": true,
  "data": {
    "id": 2,
    "integrationID": "",
    "createdAt": "2020-05-30T00:31:03.349Z",
    "createdBy": 2,
    "updatedAt": "2020-05-30T00:31:37.000Z",
                                               View More
    "updatedBy": 2,
    "deleted": false.
```

PATCH updateAttributes

```
http://{{endpoint}}/api/v1/defect-symptoms/{{id}}
```

```
AUTHORIZATION
```

Basic Auth

Username

{{username}}

Password

{{password}}

Documentation Settings

Content-Type

application/json

BODY raw

```
{
    "description": "Sintoma do Defeito"
}
```

Example Request updateAttributes

DEL delete

http://{{endpoint}}/api/v1/defect-symptoms/{{id}}

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

Example Request delete var myHeaders = new Headers(); myHeaders.append("Content-Type", "application/json"); var requestOptions = { method: 'DELETE', headers: myHeaders, redirect: 'follow' **}**; **View More** fetch("httn://{{endnoint}}/ani/v1/defect-symntoms/{{id}}". requestOntions) 200 OK **Example Response** Body Headers (13) "success": true, "data": { "id": 2, "integrationID": "", "createdAt": "2020-05-30T00:31:03.349Z", "createdBy": 2, "updatedAt": "2020-05-30T00:31:46.000Z", View More "updatedBy": 2,

safety-params

"deleted": true.

Endpoints para atualização de áreas de instalação

GET getList

http://{{endpoint}}/api/v1/safety-params

AUTHORIZATION

Basic Auth

Username

{{username}}

={{password}}

Documentation Settings

HEADERS

Content-Type

application/json

```
Example Request
                                                                                                    getList
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var requestOptions = {
 method: 'GET',
 headers: myHeaders,
  redirect: 'follow'
};
                                               View More
fetch("httn://{{endnoint}}/ani/v1/safetv-narams". requestOntions)
                                                                                                    200 OK
Example Response
 Body
        Headers (13)
  "success": true,
  "data": [
    {
      "id": 1,
      "integrationID": "",
      "createdAt": "2020-05-30T00:35:22.328Z",
      "createdBy": 2,
      "updatedAt": "2020-05-30T00:35:22.328Z", View More
      "undatedBv": 2.
```

GET get

http://{{endpoint}}/api/v1/safety-params/{{id}}

AUTHORIZATION

Basic Auth

Username

```
{{username}}
                                                                                 Documentation Settings
Password
{{password}}
HEADERS
Content-Type
application/json
Example Request
                                                                                                        get
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var requestOptions = {
 method: 'GET',
 headers: myHeaders,
  redirect: 'follow'
};
                                               View More
fetch("httn://{{endnoint}}/ani/v1/safetv-narams/{{id}}". requestOntions)
Example Response
                                                                                                    200 OK
 Body
        Headers (13)
  "success": true,
  "data": {
    "id": 1,
    "integrationID": "",
    "createdAt": "2020-05-30T00:35:22.328Z",
    "createdBy": 2,
    "updatedAt": "2020-05-30T00:35:22.328Z",
                                               View More
    "updatedBy": 2,
```

POST create

"deleted": false.

http://{{endpoint}}/api/v1/safety-params

AUTHORIZATION

Basic Auth

```
Username
```

```
__
__{{username}}
```

Documentation Settings

Password

{{password}}

HEADERS

Content-Type

application/json

BODY raw

```
"description": "EPI para o centro de trabalho 1",
   "entityClass": "work-center",
   "entityId": 1
}
```

```
Example Request
                                                                                             use-always ▼
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var raw = JSON.stringify({"description":"EPI","useAlways":true});
var requestOptions = {
  method: 'POST',
  headers: myHeaders,
                                               View More
  body: raw,
  redirect: 'follow'
Example Response
                                                                                                   200 OK
        Headers (13)
 Body
{
  "success": true,
  "data": {
    "id": 1,
    "integrationID": "",
    "createdAt": "2020-05-30T00:35:22.328Z",
    "createdBy": 2,
```

View More

"updatedAt": "2020-05-30T00:35:22.328Z",

"updatedBy": 2,
"deleted": false.



http://{{endpoint}}/api/v1/safety-params/{{id}}

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

BODY raw

```
{
    "description": "Luvas de Proteção"
}
```

Example Request update

Example Response 200 OK

Body Headers (13)

•

```
Documentation Settings
```

```
"success": true,
"data": {
    "id": 1,
    "integrationID": "",
    "createdAt": "2020-05-30T00:35:22.328Z",
    "createdBy": 2,
    "updatedAt": "2020-05-30T00:36:44.000Z",
    "updatedBy": 2,
    "deleted": false.
View More
```

PATCH updateAttributes

http://{{endpoint}}/api/v1/installation-areas/{{id}}

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

BODY raw

```
{
    "description": "Installation Area"
}
```

Example Request updateAttributes

DEL delete

```
http://{{endpoint}}/api/v1/safety-params/{{id}}
```

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

Example Request delete

```
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");

var requestOptions = {
  method: 'DELETE',
  headers: myHeaders,
  redirect: 'follow'
};
```

View More

 $fetch("httn://{\{endnoint\}\}/ani/v1/safetv-narams/{\{id\}\}}". requestOntions)$

Example Response 200 OK

```
Documentation Settings ▼
```

```
Body Headers (13)

{
    "success": true,
    "data": {
        "id": 1,
        "integrationID": "",
        "createdAt": "2020-05-30T00:35:22.328Z",
        "createdBy": 2,
        "updatedAt": "2020-05-30T00:36:59.000Z",
        "updatedBy": 2,
        "deleted": true.

View More
```

maintenance-order

Endpoints para atualização de ordens de manutenção

GET list

http://{{endpoint}}/api/v1/maintenance-orders

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

Example Request between operator

```
yar myHeaders = new Headers();
                                                                                 Documentation Settings
myHeaders.append("Content-Type", "application/json");
var requestOptions = {
  method: 'GET',
  headers: myHeaders,
  redirect: 'follow'
};
                                               View More
fetch("http://{{endnoint}}/ani/v1/maintenance-orders?onenedDate=between(2020-06-28T00:00:00:00:00:00-06-29T23:
Example Response
                                                                                                    200 OK
        Headers (13)
 Body
  "success": true,
  "data": [
    {
      "id": 49,
      "orderNumber": "AGL-000049",
      "description": "Verificar a integridade do componente",
      "orderLayout": {
                                               View More
        "id": 3,
        "integrationID": "".
POST create
  http://{{endpoint}}/api/v1/maintenance-orders
AUTHORIZATION
Basic Auth
```

Username {{username}}

Password
{{password}}

HEADERS

Content-Type application/json

BODY raw

PUT update

http://{{endpoint}}/api/v1/maintenance-orders/{{id}}

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

BODY raw

```
Documentation Settings
```

```
"orderStatus": "assumed"
"orderStatus": "assumed"
```

Example Request update

GET id

http://{{endpoint}}/api/v1/maintenance-orders/{{id}}

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

Example Request id

```
war myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");

var requestOptions = {
    method: 'GET',
    headers: myHeaders,
    redirect: 'follow'
};

    View More

fetch("httn://{{endnoint}}/ani/v1/maintenance-orders/{{id}}". requestOntions)
```

DEL delete

```
http://{{endpoint}}/api/v1/maintenance-orders/{{id}}
```

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

Example Request delete

```
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");

var requestOptions = {
  method: 'DELETE',
  headers: myHeaders,
  redirect: 'follow'
};
```

View More

fetch("httn://{{endnoint}}/ani/v1/maintenance-orders/{{id}}". requestOntions)



GET getMainteners

http://{{endpoint}}/api/v1/maintenance-orders/{{id}}/mainteners

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

Example Request getMainteners

```
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var requestOptions = {
  method: 'GET',
  headers: myHeaders,
  redirect: 'follow'
};
```

View More

fetch("http://{{endnoint}}/ani/v1/maintenance-orders/{{id}}/mainteners". requestOntions)

GET getSafetyParams

http://{{endpoint}}/api/v1/maintenance-orders/{{id}}/safety-params

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

={{password}}

Documentation Settings

HEADERS

Content-Type

application/json

Example Request getSafetyParams

```
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");

var requestOptions = {
  method: 'GET',
  headers: myHeaders,
  redirect: 'follow'
};
```

View More

 $fetch ("http://{{endnoint}}/ani/v1/maintenance-orders/{{id}}/safetv-params". requestOntions)$

PUT updateStatus

http://{{endpoint}}/api/v1/maintenance-orders/17/status

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

BODY raw

```
"orderStatus": "assumed",
    "userId": 1
}
```

Example Request updateStatus

```
var raw = "{
\n \"orderStatus\": \"assumed\",
\n \"userId\": 1
\n}";

var requestOptions = {
  method: 'PUT',
  body: raw,
  redirect: 'follow'
}:
```

View More

order-equipments

Endpoints para atualização de equipamentos da ordem de manutenção

GET list

http://{{endpoint}}/api/v1/order-equipments

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

skip

1

take

4

 \equiv

Example Request list

```
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
myHeaders.append("skip", "1");
myHeaders.append("take", "4");

var requestOptions = {
  method: 'GET',
  headers: myHeaders,
  redirect: 'follow'

View More
}
```

GET id

http://{{endpoint}}/api/v1/order-equipments/{{id}}

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

Example Request id

DEL delete

```
http://{{endpoint}}/api/v1/order-equipments/{{id}}
```

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

Example Request delete

```
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");

var requestOptions = {
    method: 'DELETE',
    headers: myHeaders,
    redirect: 'follow'
};
```

View More

fetch("httn://{{endnoint}}/ani/v1/order-equipments/{{id}}". requestOntions)

POST create

http://{{endpoint}}/api/v1/order-equipments

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

BODY raw

```
"maintenanceOrder": {
     "id": 1
},
"equipment": {
     "id": 3
},
"superiorEquipment": {
     "id": 3
     View More
},
```

Example Request create

Documentation Settings



PUT update

```
http://{{endpoint}}/api/v1/order-equipments/{{id}}
```

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

BODY raw

```
{
    "equipment": {
        "id": 1
    }
}
```

Example Request update

GET list

```
http://{{endpoint}}/api/v1/order-operations
```

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

skip

1

take

4

Example Request list

```
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
myHeaders.append("skip", "1");
myHeaders.append("take", "4");

var requestOptions = {
  method: 'GET',
  headers: myHeaders,
  redirect: 'follow'
}:
View More
}:
```

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

Example Request id

```
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var requestOptions = {
  method: 'GET',
  headers: myHeaders,
  redirect: 'follow'
};
```

View More

fetch("httn://{{endnoint}}/ani/v1/order-onerations/{{id}}". requestOntions)

DEL delete

http://{{endpoint}}/api/v1/order-operations/{{id}}

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

Content-Type

application/json

Example Request delete

```
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var requestOptions = {
  method: 'DELETE',
 headers: myHeaders,
  redirect: 'follow'
};
```

View More

fetch("httn://{{endnoint}}/ani/v1/order-onerations/{{id}}". requestOntions)

POST create

http://{{endpoint}}/api/v1/order-operations

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

```
"description": "Apertar os parafusos doido",

"orderEquipment": {
    "id": 2
},

"operationNumber": 1,

"planningTime": 66,

"executeTime": 0,

"executed": false,
    "defaultObservation": {
View More
```

PUT update

http://{{endpoint}}/api/v1/order-operations/{{id}}

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

```
{
    "executeTime": 30
}
Documentation Settings
```

order-components

Endpoints para atualização de componentes de operações do equipamento da ordem de manutenção

GET list

http://{{endpoint}}/api/v1/order-components

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

skip



Example Request list

```
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
myHeaders.append("skip", "1");
myHeaders.append("take", "4");

var requestOptions = {
  method: 'GET',
  headers: myHeaders,
  redirect: 'follow'
}:
View More
```

GET id

http://{{endpoint}}/api/v1/order-components/{{id}}

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

Example Request id

```
war myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");

var requestOptions = {
    method: 'GET',
    headers: myHeaders,
    redirect: 'follow'
};

    View More

fetch("httn://{{endnoint}}/ani/v1/order-components/{{id}}". requestOntions)
```

DEL delete

```
http://{{endpoint}}/api/v1/order-components/{{id}}
```

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json


Example Request delete

```
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");

var requestOptions = {
  method: 'DELETE',
  headers: myHeaders,
  redirect: 'follow'
};
```

View More

fetch("httn://{{endnoint}}/ani/v1/order-commonents/{{id}}". requestOntions)



http://{{endpoint}}/api/v1/order-components

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

BODY raw

```
"item": {
    "id": 1
},
    "orderOperation": {
        "id": 1
},
    "quantity": 3,
    "canBeDeleted": true
}
```

Example Request create

Documentation Settings



PUT update

```
http://{{endpoint}}/api/v1/order-components/{{id}}
```

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

BODY raw

```
{
    "quantity": 8
}
```

Example Request update

order-mainteners



GET list

```
http://{{endpoint}}/api/v1/order-mainteners
```

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

skip

1

take

4

Example Request

```
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
myHeaders.append("skip", "1");
myHeaders.append("take", "4");

var requestOptions = {
  method: 'GET',
  headers: myHeaders,
  redirect: 'follow'
}:
View More
```

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

Example Request id

```
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var requestOptions = {
  method: 'GET',
  headers: myHeaders,
  redirect: 'follow'
};
```

View More

fetch("httn://{{endnoint}}/ani/v1/order-mainteners/{{id}}". requestOntions)

DEL delete

http://{{endpoint}}/api/v1/order-mainteners/{{id}}

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

Content-Type

application/json

Example Request delete

```
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");

var requestOptions = {
  method: 'DELETE',
  headers: myHeaders,
  redirect: 'follow'
};
```

View More

fetch("httn://{{endnoint}}/ani/v1/order-mainteners/{{id}}". requestOntions)

POST create

http://{{endpoint}}/api/v1/order-mainteners

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

```
"user": {
    "id": 3
},
    "maintenanceOrder": {
        "id": 1
},
    "isMain": true,
    "isActive": true
}
```

PUT update

http://{{endpoint}}/api/v1/order-mainteners/{{id}}

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

```
Documentation Settings
```

```
"isMain": false
```

Example Request update

order-signatures

Endpoints para atualização de assinaturas da ordem de manutenção

GET id

http://{{endpoint}}/api/v1/order-signatures/{{id}}

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

```
\equiv
```

```
Example Request

var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");

var requestOptions = {
  method: 'GET',
  headers: myHeaders,
  redirect: 'follow'
};

View More

fetch("httn://{{endnoint}}/ani/v1/order-signatures/{{id}}". requestOptions)
```

DEL delete

http://{{endpoint}}/api/v1/order-signatures/{{id}}

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

Example Request delete

```
Documentation Settings ▼
```

```
war myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");

var requestOptions = {
  method: 'DELETE',
  headers: myHeaders,
  redirect: 'follow'
};
```

View More

fetch("httn://{{endnoint}}/ani/v1/order-signatures/{{id}}". requestOntions)

POST create

http://{{endpoint}}/api/v1/order-signatures

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

```
"user": {
    "id": 3
},
"maintenanceOrder": {
    "id": 1
},
"signatureRole": "maintainer",
"signatureStatus": "new"
}
```

PUT update

http://{{endpoint}}/api/v1/order-signatures/c20f6a25-d456-4854-ad4e-12acbed07263

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

BODY raw

```
{
    "signatureStatus": "signed"
}
```

Example Request update

worked-times

Endpoints para atualização de itens utilizados durante a manutenção dos equipamentos

GET getList

http://{{endpoint}}/api/v1/worked-times

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

Example Request getList

```
yar myHeaders = new Headers();
                                                                                Documentation Settings
myHeaders.append("Content-Type", "application/json");
var requestOptions = {
  method: 'GET',
 headers: myHeaders,
  redirect: 'follow'
};
                                               View More
fetch("httn://{{endnoint}}/ani/v1/items". requestOntions)
Example Response
                                                                                                   200 OK
 Body
        Headers (13)
  "success": true,
  "data": [
    {
      "id": 1,
      "integrationID": "",
      "createdAt": "2020-05-30T00:28:54.881Z",
      "createdBy": 2,
      "updatedAt": "2020-05-30T00:28:54.881Z", View More
      "undatedBv": 2.
GET get
```

http://{{endpoint}}/api/v1/worked-times/{{id}}

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

 $\{\{password\}\}$

HEADERS

Content-Type

application/json

```
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var requestOptions = {
  method: 'GET',
 headers: myHeaders,
  redirect: 'follow'
};
                                               View More
fetch("httn://{{endnoint}}/ani/v1/items/{{id}}}". requestOntions)
Example Response
                                                                                                   200 OK
 Body
        Headers (13)
  "success": true,
  "data": {
    "id": 1,
    "integrationID": "",
    "createdAt": "2020-05-30T00:28:54.881Z",
    "createdBy": 2,
    "updatedAt": "2020-05-30T00:28:54.881Z",
                                               View More
    "updatedBy": 2,
    "deleted": false.
```

POST create

http://{{endpoint}}/api/v1/worked-times

AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

```
"description": "Item",
   "measurementUnit": 1
}
```

```
Example Request
                                                                                                    create
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var raw = JSON.stringify({"description":"Item","measurementUnit":1});
var requestOptions = {
  method: 'POST',
  headers: myHeaders,
                                               View More
  body: raw,
  redirect: 'follow'
Example Response
                                                                                                   200 OK
 Body
        Headers (13)
  "success": true,
  "data": {
    "id": 1,
    "integrationID": "",
    "createdAt": "2020-05-30T00:28:54.881Z",
    "createdBy": 2,
    "updatedAt": "2020-05-30T00:28:54.881Z",
                                               View More
    "updatedBy": 2,
    "deleted": false.
```

PUT update

```
http://{{endpoint}}/api/v1/worked-times/{{id}}
```

AUTHORIZATION

Basic Auth

Username

{{username}}

```
Password
```

={{password}}

Documentation Settings

HEADERS

Content-Type

application/json

BODY raw

```
{
    "description": "Item Alterado"
}
```

```
Example Request
                                                                                                   update
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var raw = JSON.stringify({"description":"Item Alterado"});
var requestOptions = {
  method: 'PUT',
  headers: myHeaders,
                                               View More
  body: raw,
  redirect: 'follow'
                                                                                                   200 OK
Example Response
 Body Headers (13)
  "success": true,
  "data": {
    "id": 1,
    "integrationID": "",
    "createdAt": "2020-05-30T00:28:54.881Z",
    "createdBy": 2,
    "updatedAt": "2020-05-30T00:29:17.000Z",
```

View More

PATCH updateAttributes

"updatedBy": 2,
"deleted": false.

http://{{endpoint}}/api/v1/worked-times/{{id}}

= AUTHORIZATION

Basic Auth

Username

{{username}}

Password

{{password}}

HEADERS

Content-Type

application/json

BODY raw

```
{
   "description": "Item"
}
```

Example Request updateAttributes

DEL delete

http://{{endpoint}}/api/v1/worked-times/{{id}}

AUTHORIZATION

Basic Auth

Username

```
{{username}}
                                                                                  Documentation Settings
Password
{{password}}
HEADERS
Content-Type
application/json
Example Request
                                                                                                     delete
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
var requestOptions = {
 method: 'DELETE',
  headers: myHeaders,
  redirect: 'follow'
};
                                               View More
fetch("httn://{{endnoint}}/ani/v1/items/{{id}}}". requestOntions)
Example Response
                                                                                                    200 OK
 Body
        Headers (13)
  "success": true,
  "data": {
    "id": 1,
    "integrationID": "",
    "createdAt": "2020-05-30T00:28:54.881Z",
    "createdBy": 2,
    "updatedAt": "2020-05-30T00:29:27.000Z",
                                               View More
    "updatedBy": 2,
    "deleted": true.
```

Mainteners

OBTER ORDENS PELO ID DE USUÁRIO

Recebe o id de usuário e busca as ordens referente a ele. Aceita filtros por parâmetros desde que seja um dos campos buscados

AUTHORIZATION
Basic Auth
Username
{{username}}

Password
{{password}}

HEADERS

Content-Type
application/json
skip
1
take
4
PARAMS

orderStatus

in(assumed,started)

Example Request list orders ▼

```
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
myHeaders.append("skip", "1");
myHeaders.append("take", "4");

var requestOptions = {
  method: 'GET',
  headers: myHeaders,
  redirect: 'follow'
}:
View More
```