OGC® DOCUMENT:

External identifier of this OGC® document:



OGC POINTS OF INTEREST

STANDARD

APPROVED

Submission Date: XXX Approval Date: XXX Publication Date:

Notice: This document is an OGC Member approved international standard. This document is available on a royalty free, non-discriminatory basis. Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.



License Agreement

Permission is hereby granted by the Open Geospatial Consortium, ("Licensor"), free of charge and subject to the terms set forth below, to any person obtaining a copy of this Intellectual Property and any associated documentation, to deal in the Intellectual Property without restriction (except as set forth below), including without limitation the rights to implement, use, copy, modify, merge, publish, distribute, and/or sublicense copies of the Intellectual Property, and to permit persons to whom the Intellectual Property is furnished to do so, provided that all copyright notices on the intellectual property are retained intact and that each person to whom the Intellectual Property is furnished agrees to the terms of this Agreement.

If you modify the Intellectual Property, all copies of the modified Intellectual Property must include, in addition to the above copyright notice, a notice that the Intellectual Property includes modifications that have not been approved or adopted by LICENSOR.

THIS LICENSE IS A COPYRIGHT LICENSE ONLY, AND DOES NOT CONVEY ANY RIGHTS UNDER ANY PATENTS THAT MAY BE IN FORCE ANYWHERE IN THE WORLD. THE INTELLECTUAL PROPERTY IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE DO NOT WARRANT THAT THE FUNCTIONS CONTAINED IN THE INTELLECTUAL PROPERTY WILL MEET YOUR REQUIREMENTS OR THAT THE OPERATION OF THE INTELLECTUAL PROPERTY WILL BE UNINTERRUPTED OR ERROR FREE. ANY USE OF THE INTELLECTUAL PROPERTY SHALL BE MADE ENTIRELY AT THE USER'S OWN RISK. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR ANY CONTRIBUTOR OF INTELLECTUAL PROPERTY RIGHTS TO THE INTELLECTUAL PROPERTY BE LIABLE FOR ANY CLAIM, OR ANY DIRECT, SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM ANY ALLEGED INFRINGEMENT OR ANY LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR UNDER ANY OTHER LEGAL THEORY, ARISING OUT OF OR IN CONNECTION WITH THE IMPLEMENTATION, USE, COMMERCIALIZATION OR PERFORMANCE OF THIS INTELLECTUAL PROPERTY.

This license is effective until terminated. You may terminate it at any time by destroying the Intellectual Property together with all copies in any form. The license will also terminate if you fail to comply with any term or condition of this Agreement. Except as provided in the following sentence, no such termination of this license shall require the termination of any third party end-user sublicense to the Intellectual Property which is in force as of the date of notice of such termination. In addition, should the Intellectual Property, or the operation of the Intellectual Property, infringe, or in LICENSOR's sole opinion be likely to infringe, any patent, copyright, trademark or other right of a third party, you agree that LICENSOR, in its sole discretion, may terminate this license without any compensation or liability to you, your licensees or any other party. You agree upon termination of any kind to destroy or cause to be destroyed the Intellectual Property together with all copies in any form, whether held by you or by any third party.

Except as contained in this notice, the name of LICENSOR or of any other holder of a copyright in all or part of the Intellectual Property shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Intellectual Property without prior written authorization of LICENSOR or such copyright holder. LICENSOR is and shall at all times be the sole entity that may authorize you or any third party to use certification marks, trademarks or other special designations to indicate compliance with any LICENSOR standards or specifications. This Agreement is governed by the laws of the Commonwealth of Massachusetts. The application to this Agreement of the United Nations Convention on Contracts for the International Sale of Goods is hereby expressly excluded. In the event any provision of this Agreement shall be deemed unenforceable, void or invalid, such provision shall be modified so as to make it valid and enforceable, and as so modified the entire Agreement shall remain in full force and effect. No decision, action or inaction by LICENSOR shall be construed to be a waiver of any rights or remedies available to it.

None of the Intellectual Property or underlying information or technology may be downloaded or otherwise exported or reexported in violation of U.S. export laws and regulations. In addition, you are responsible for complying with any local laws in your jurisdiction which may impact your right to import, export or use the Intellectual Property, and you represent that you have complied with any regulations or registration procedures required by applicable law to make this license enforceable.

Suggested additions, changes and comments on this document are welcome and encouraged. Such suggestions may be submitted using the online change request form on OGC web site: http://portal.opengeospatial.org/public_ogc/change_request.php

Copyright notice

Copyright © 2022 Open Geospatial Consortium To obtain additional rights of use, visit http://www.ogc.org/legal/

Note

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. The Open Geospatial Consortium shall not be held responsible for identifying any or all such patent rights.

Recipients of this document are requested to submit, with their comments, notification of any relevant patent claims or other intellectual property rights of which they may be aware that might be infringed by any implementation of the standard set forth in this document, and to provide supporting documentation.

CONTENTS

I.	PREFACE	V		
II.	SECURITY CONSIDERATIONS			
2.	2.1. Conceptual Models			
1.	SCOPE	2		
3.	NORMATIVE REFERENCES	6		
4.	TERMS AND DEFINITIONS	8		
5.	5. POI			
6.	MEDIA TYPES FOR ANY DATA ENCODING(S)	22		
AN	NEX A (INFORMATIVE) CONFORMANCE CLASS ABSTRACT TEST SUITE (NORMATIVE)	24 24		
AN	NEX B (INFORMATIVE) TITLE	26		
AN	NEX C (INFORMATIVE) REVISION HISTORY	28		
	BIBLIOGRAPHY	30		
	F TABLES	vii		

LIST

	Table 2	vii
	Table 3	vii
	Table 4	vii
	Table 5	viii
	Table 6	xiv
	Table 7	17
	Table 8	18
	Table 9	18
	Table 10	19
	Table 11	20
	Table C.1	28
	Figure 1	2
	Figure 2	3
	Figure 3 — Feature Model	13
	Figure 4 — POI UML Model	14
	Figure 5 — Geometry Model	16
LIST	OF RECOMMENDATIONS	

PREFACE

Table 1

Open Geospatial Consortium

Submission Date: <yyyy-mm-dd>

Approval Date: <yyyy-mm-dd>

Publication Date: <2022-07-24>

External identifier of this OGC® document: http://www.opengis.net/doc/IS/poi/1.0

Internal reference number of this OGC® document: 21-049

Version: 0.1

Category: OGC® Implementation Standard

Editor: Matthew Brian John Purss

Table 2

OGC Points of Interest

Table 3

Copyright notice

Copyright © 2021 Open Geospatial Consortium

To obtain additional rights of use, visit http://www.ogc.org/legal/

Table 4

Warning

This document is not an OGC Standard. This document is distributed for review and comment. This document is subject to change without notice and may not be referred to as an OGC Standard.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Table 5

Document type: OGC® Standard

Document subtype:

Document stage: Draft

Document language: English

License Agreement

Permission is hereby granted by the Open Geospatial Consortium, ("Licensor"), free of charge and subject to the terms set forth below, to any person obtaining a copy of this Intellectual Property and any associated documentation, to deal in the Intellectual Property without restriction (except as set forth below), including without limitation the rights to implement, use, copy, modify, merge, publish, distribute, and/or sublicense copies of the Intellectual Property, and to permit persons to whom the Intellectual Property is furnished to do so, provided that all copyright notices on the intellectual property are retained intact and that each person to whom the Intellectual Property is furnished agrees to the terms of this Agreement.

If you modify the Intellectual Property, all copies of the modified Intellectual Property must include, in addition to the above copyright notice, a notice that the Intellectual Property includes modifications that have not been approved or adopted by LICENSOR.

THIS LICENSE IS A COPYRIGHT LICENSE ONLY, AND DOES NOT CONVEY ANY RIGHTS UNDER ANY PATENTS THAT MAY BE IN FORCE ANYWHERE IN THE WORLD.

THE INTELLECTUAL PROPERTY IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE DO NOT WARRANT THAT THE FUNCTIONS CONTAINED IN THE INTELLECTUAL PROPERTY WILL MEET YOUR REQUIREMENTS OR THAT THE OPERATION OF THE INTELLECTUAL PROPERTY WILL BE UNINTERRUPTED OR ERROR FREE. ANY USE OF THE INTELLECTUAL PROPERTY SHALL BE MADE ENTIRELY AT THE USER'S OWN RISK. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR ANY CONTRIBUTOR OF INTELLECTUAL PROPERTY RIGHTS TO THE INTELLECTUAL PROPERTY BE LIABLE FOR ANY CLAIM, OR ANY DIRECT, SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM ANY ALLEGED INFRINGEMENT OR ANY LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR UNDER ANY OTHER LEGAL THEORY, ARISING OUT OF OR IN CONNECTION WITH THE IMPLEMENTATION, USE, COMMERCIALIZATION OR PERFORMANCE OF THIS INTELLECTUAL PROPERTY.

This license is effective until terminated. You may terminate it at any time by destroying the Intellectual Property together with all copies in any form. The license will also terminate if you fail to comply with any term or condition of this Agreement. Except as provided in the following sentence, no such termination of this license shall require the termination of any third party enduser sublicense to the Intellectual Property which is in force as of the date of notice of such termination. In addition, should the Intellectual Property, or the operation of the Intellectual Property, infringe, or in LICENSOR's sole opinion be likely to infringe, any patent, copyright, trademark or other right of a third party, you agree that LICENSOR, in its sole discretion, may terminate this license without any compensation or liability to you, your licensees or any other party. You agree upon termination of any kind to destroy or cause to be destroyed the Intellectual Property together with all copies in any form, whether held by you or by any third party.

Except as contained in this notice, the name of LICENSOR or of any other holder of a copyright in all or part of the Intellectual Property shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Intellectual Property without prior written authorization

of LICENSOR or such copyright holder. LICENSOR is and shall at all times be the sole entity that may authorize you or any third party to use certification marks, trademarks or other special designations to indicate compliance with any LICENSOR standards or specifications. This Agreement is governed by the laws of the Commonwealth of Massachusetts. The application to this Agreement of the United Nations Convention on Contracts for the International Sale of Goods is hereby expressly excluded. In the event any provision of this Agreement shall be deemed unenforceable, void or invalid, such provision shall be modified so as to make it valid and enforceable, and as so modified the entire Agreement shall remain in full force and effect. No decision, action or inaction by LICENSOR shall be construed to be a waiver of any rights or remedies available to it.

i. Abstract

<Insert Abstract Text here>

ii. Keywords

The following are keywords to be used by search engines and document catalogues.

ogcdoc, OGC document, poi, gazetteer, pointsofinterest, placesofinterest

iii. Preface

NOTE: Insert Preface Text here. Give OGC specific commentary: describe the technical content, reason for document, history of the document and precursors, and plans for future work.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. The Open Geospatial Consortium shall not be held responsible for identifying any or all such patent rights.

Recipients of this document are requested to submit, with their comments, notification of any relevant patent claims or other intellectual property rights of which they may be aware that might be infringed by any implementation of the standard set forth in this document, and to provide supporting documentation.

iv. Security Considerations

No security considerations have been made for this Standard.

v. Submitting organizations

The following organizations submitted this Document to the Open Geospatial Consortium (OGC):

Organization name(s)

vi. Submitters

All questions regarding this submission should be directed to the editor or the submitters:

Table 6

Name Affiliation



SECURITY CONSIDERATIONS

No security considerations have been made for this document.

2

CONFORMANCE

2

CONFORMANCE

NOTE: this text was lifted from CityGML. It needs to be modified to address POI

This standard defines a Conceptual Model which is independent of any encoding or formatting techniques. The Standardization Targets for this standard are:

- 1. Conceptual Models (extended versions of this conceptual model)
- 2. Implementation Specifications (encodings of this conceptual model)

2.1. Conceptual Models

A Conceptual Model standardization target is a version of the POI Conceptual Model (CM) tailored for a specific user community. This tailoring can include:

- 1. Omission of one or more of the optional UML packages
- 2. Reduction of the multiplicity for an attribute or association
- 3. Restriction on the valid values for an attribute
- 4. Additional concepts documented through ADEs.

Of these options, actions #1, #2, and #3 can be performed when creating an implementation specification. Only action #4 requires an extension of the POI conceptual model. These extensions are accomplished using the ADE mechanism described in Section 10 Application Domain Extensions (ADE).

Extensions of the CityGML Conceptual Model conform with the ADE Conformance Class.

2.2. Implementation Specifications

Implementation Specifications define how a Conceptual Model should be implemented using a specific technology. Conformant Implementation Specifications provide evidence that they are an accurate representation of the Conceptual Model. This evidence should include implementations of the abstract tests specified in Annex A (normative) of this document.

Since this standard is agnostic to the implementing technologies, the specific techniques to be used for conformance testing cannot be specified. Implementation Specifications need to

provide evidence of conformance which is appropriate for the implementing technologies. This evidence should be provided as an annex to the Implementation Specification document.

2.3. Conformance Classes

This standard identifies seventeen (17) conformance classes. One conformance class is defined for each package in the UML model. Each conformance class is defined by one requirements class. The tests in Annex A are organized by Requirements Class. So an implementation of the Core conformance class must pass all tests specified in Annex A for the Core requirements class.

Of these seventeen conformance classes, only the Core conformance class is mandatory. All other conformance classes are optional. In the case where a conformance class has a dependency on another conformance class, that conformance class should also be implemented.

The CityGML Conceptual Model is defined by the CityGML UML model. This standard is a representation of that UML model in document form. In the case of a discrepancy between the UML model and this document, the UML model takes precedence.

SCOPE

1 SCOPE

This document describes a data model and XML¹ syntax for representing information about points of interest (POI).

In the most broad terms, a "point of interest" is a location about which information of general interest is available. A POI can be as simple as a set of coordinates and an identifier, or more complex such as a three dimensional model of a building with names in various languages, information about open and closed hours, and a civic address. POI data has many uses including navigation systems, mapping, geocaching, location-based social networking games, and augmented reality browsers.

POI data has traditionally been exchanged in proprietary formats by various transport mechanisms. This specification defines a flexible, lightweight, extensible POI data model. This will enable content publishers to effectively describe and efficiently serve and exchange POI data.

To achieve these goals, this document describes a generic data model that may be instantiated in a variety of serializations, including **XML**¹, JSON and RDF².

Here is an example of a simple POI serialized in XML¹:

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<poi id="http://www.rajsingh.org/pois/45343489">
<label term="primary">
<value>Boston</value>
</label>
<description term="source" href="http://en.wikipedia.org/wiki/Boston">
<value>Boston is the capital of and largest city in Massachusetts, and is one
of the oldest
  cities in the United States. The largest city in New England, Boston is
regarded as the
  unofficial "Capital of New England" for its economic and cultural impact on
  New England region. The city proper had a population of 617,594 according to
the 2010
  U.S. Census.
</value>
<author id="http://en.wikipedia.org" term="publisher" type="text/plain">
  <value>Wikipedia</value>
</author>
</description>
<category term="city" scheme="http://www.usgs.gov/placetypes">
<value>seat of a first-order administrative division</value>
<link term="canonical" href="http://www.rajsingh.org/pois/45343489.xml"</pre>
 type="text/xml" scheme="http://www.iana.org/assignments/link-relations/link-
relations.xml"/>
<link term="related" href="http://en.wikipedia.org/wiki/Boston"</pre>
```

¹Are we going to bother with an XML Schema or move straight to JSON?

²Are we going to specify an RDF encoding?

```
type="text/html" scheme="http://www.iana.org/assignments/link-relations/link-
relations.xml"/>
<link term="related" href="http://www.geonames.org/maps/google_42.358_-71.06.
html"
    type="text/html" scheme="http://www.iana.org/assignments/link-relations/link-
relations.xml"/>
<location>
<point term="centroid">
    <point srsName="http://www.opengis.net/def/crs/EPSG/0/4326">
<posList>42.358 -71.06</posList>
    </point>
</point>
</poi>
```

Figure 1

Here is an example of a simple POI serialized in JSON³:

```
"poi_id": {
  "value": "45343489",
  "href": "http://www.rajsingh.org/pois/45343489"
 "label": {
     "type": "primary",
  "value": "Boston"
},
 "description": {
     "type": "source",
  "value": "Boston is the capital of and largest city in Massachusetts, and
is one of the oldest cities in the United States. The largest city in New
England, Boston is regarded as the unofficial "Capital of New England" for its
economic and cultural impact on the entire New England region. The city proper
had a population of 617,594 according to the 2010 U.S. Census.",
  "href": "http://en.wikipedia.org/wiki/Boston",
  "author": "Wikipedia"
 category": {
  "type": "city",
"value": "seat of a first-order administrative division",
  "href": "http://www.usgs.gov/placetypes"
},
"links": [
   "href": "http://www.rajsingh.org/pois/45343489.json",
"rel": "canonical",
   "type": "application/json",
"title": "Canonical POI Reference",
   "hreflang": "en"
   "href": "http://en.wikipedia.org/wiki/Boston",
   "rel": "related",
   "type": "text/html",
   "title": "Wikipedia Reference",
   "hreflang": "en"
```

³What are we missing in this JSON schema representation?

```
"href": "http://www.geonames.org/maps/google_42.358_-71.06.html",
    "rel": "related",
    "type": "text/html",
    "title": "Map of Boston",
    "hreflang": "en"
}

["location": {
    "geometry": {
        "type": "Point",
        "coordinates": [42.358, -71.06]
    },
}
```

Figure 2

3

NORMATIVE REFERENCES



NORMATIVE REFERENCES

There are no normative references in this document.

The following normative documents contain provisions that, through reference in this text, constitute provisions of this document. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. For undated references, the latest edition of the normative document referred to applies.

4

TERMS AND DEFINITIONS



TERMS AND DEFINITIONS

No terms and definitions are listed in this document.

This document uses the terms defined in <u>OGC Policy Directive 49</u>, which is based on the ISO/IEC Directives, Part 2, Rules for the structure and drafting of International Standards. In particular, the word "shall" (not "must") is the verb form used to indicate a requirement to be strictly followed to conform to this Standard and OGC documents do not use the equivalent phrases in the ISO/IEC Directives, Part 2.

This document also uses terms defined in the OGC Standard for Modular specifications (OGC 08-131r3), also known as the 'ModSpec'. The definitions of terms such as standard, specification, requirement, and conformance test are provided in the ModSpec.

For the purposes of this document, the following additional terms and definitions apply.

location particular place or position

NOTE 1: A *location* identifies a geographic *place*.

NOTE 2: *Locations* are physically fixed points, typically on the surface of the Earth, although *locations* can be relative to other, non-earth centric coordinate reference systems.

NOTE 3: *Locations* can be a single point, a centroid, a minimum bounding rectangle, or a set of vectors.

NOTE 4: A *location* should be persistent over time and does not change.

NOTE 5: Multiple *POIs* may share the same *location*.

NOTE 6: When a *POI* physically moves it is understood to have acquired a new *location*.

[**SOURCE**: ISO19112, Clause 3.1.3]

point 0-dimensional geometric primitive, representing a position

[**SOURCE**: ISO19107]

point of interest

location where one can find a place, product or service

NOTE 7: A POI is typically identified by *name* rather than by an *address*.

NOTE 8: A *POI* is characterized by *type*, which may be used as a *reference point* or a target in a *location* based service request.

NOTE 9: A *POI* does not exclude the labeling, identification, and tracking of persons and other physical objects that have no permanent location.

Example: destination of a route; such as, Boston

position data type that describes a point or geometry potentially occupied by

an object or person

[**SOURCE**: ISO19133]

application schema A set of conceptual schema for data required by one

or more applications. An application schema contains selected parts of the base schemas presented in the

ORM Information Viewpoint.

Designers of application schemas may extend or restrict the types defined in the base schemas to define appropriate types for an application domain. Application schemas are information models for a specific information community.

codelist A value domain including a code for each permissible

value.

conceptual model model that defines concepts of a universe of discourse

[SOURCE:]

conceptual schema 1. formal description of a conceptual model [ISO 19101-1:2014, 4.1.6]

2. base schema. Formal description of the model of any geospatial information.
Application schemas are built from conceptual schemas.

OGC Definitions Register at http://www.opengis.net/def/glossary/term/ConceptualSchema

Implementation Specification Specified on the OGC Document Types Register at http://www.opengis.net/def/doc-type/is

Platform (Model Driven Architecture) the set of resources on which a system is

realized.

[SOURCE:]

Platform Independent Model:

a model that is independent of a specific platform

[SOURCE:]

Platform Specific Model:

a model of a system that is defined in terms of a specific platform

[SOURCE:]

 $Unresolved\ directive\ in\ 21\text{-}049. adoc-include:: 21\text{-}049/sections/clause_5_conventions. adoc[]$

POI

5 POI

5.1. Class Model

A Point of Interest (POI) is a Feature. Therefore, it is important to understand what a POI inherits from the OGC Feature model.

The OGC Feature Model is defined in ISO 19109:2015 Geographic Information — Rules for application schema. A UML model showing applicable portions of the General Feature Model is provided in Figure 1.




Figure 3 — Feature Model

The most relevant classes defined by this model are described below:

FeatureType: This class describes how a feature class shall be constructed in an Application Schema. In accordance with the conformance clause of the standard, instances of this class are instanciated as feature classes in an Application Schema

AnyFeature: The class AnyFeature is an instance of the «metaclass» FeatureType (ISO 19109). It represents the set of all classes which are feature types.

In an implementation this abstract class shall be substituted by a concrete class representing a feature type from an application schema associated with a domain of discourse (ISO 19109, ISO 19101).

AttributeType: characteristic of a feature

In this Standard we extend the General Feature Model to support the concept of a Point of Interest.




Figure 4 — POI UML Model

AbstractFeature: The root Feature class for this standard. This class has been borrowed from the CityGML 3.0 Conceptual Model.

AbstractFeatureWithLifespan: Adds temporality to AbstractFeature. This class was copied from the CityGML 3.0 Conceptual Model.

AbstractPOI: The abstract model for a Point of Interest. All POI instances will contain these attributes.

POIProperty: The abstract model for a Property of a Feature of Interest which is to be represented in a POI.

POI: A POI instance.

FeatureOfInterest: This is an OGC Feature which has been defined independently from the POI. Conceptually, the purpose of the POI is to provide a user friendly synopsys of this Feature.

5.2. Geometry

The OGC Geometry model is defined in ISO 19107:2003 — Geographic Information — Spatial schema. While there is a new version of this standard, it has not been widely implemented. So the 2003 version has been used in this Standard.




Figure 5 — Geometry Model

GM_Object: Root class for all OGC geometries.

GM_Point: The geometric primitive for Points

GM_LineString: The geometric primitive for line strings.

GM_Polygon: The geometric primitive for areas.

5.3. POI Data Dictionary

The POI UML model is the normative definition of the POI Conceptual Model. The Data Dictionary tables in this section were software generated from the UML model. As such, this section provides a normative representation of the POI Conceptual Model.

Table 7

AbstractFeature

Definition:	AbstractFeature is the abstract superclass of all feature types within the Pol Model.
Subclass of:	<-section,>>
Stereotype:	«FeatureType»

ROLE NAME	TARGET CLASS AND MULTIPLICITY	DEFINITION
ATTRIBUTE	VALUE TYPE AND MULTIPLICITY	DEFINITION
description «property»	CharacterString [01]	Provides further information on the feature.
featureID «property»	ID	Specifies the unique identifier of the feature that is valid in the instance document within which it occurs.
identifer «property»	ScopedName [01]	Specifies the unique identifier of the feature that is valid globally.
name «property»	GenericName [0*]	Specifies the name of the feature.

Note: Unless otherwise specified, all attributes and role names have the stereotype «Property».

Table 8

AbstractFeatureWithLifespan

Definition:

AbstractFeatureWithLifespan is the base class for all Pol features. This class allows the optional specification of the real-world and database times for the existence of each feature.

Subclass of: <--section,>>

Stereotype: «FeatureType»

ROLE NAME	MULTIPLICITY	DEFINITION
ATTRIBUTE	VALUE TYPE AND MULTIPLICITY	DEFINITION
creationDate «property»	DateTime [01]	Indicates the date at which a POI feature was added to the containing model.
terminationDate «property»	DateTime [01]	Indicates the date at which a POI feature was removed from the containing model.
validFrom «property»	DateTime [01]	Indicates the date at which a POI feature started to exist in the real world.
validTo «property»	DateTime [01]	Indicates the date at which a POI feature ended to exist in the real world.

Note: Unless otherwise specified, all attributes and role names have the stereotype «Property».

Table 9

AbstractPOI

A POI is defined as having the following conceptual properties: · a globally unique ID · labels · descriptions · location · tags/keywords/categories · links to related information · time · authors · rights · metadata While a POI may be near meaningless without a label and location, from a computational perspective there are use cases in which any of these properties should be optional. Therefore, the only mandatory characteristic of a POI is that it have a globally unique identification property in the format of a URI.

Subclass of: <--section,>>

Stereotype: «FeatureType»

ROLE NAME	TARGET CLASS AND MULTIPLICITY	DEFINITION
hasProperty	POIProperty []	
hasFeature OfInterest	FeatureOfInterest []	

ATTRIBUTE	VALUE TYPE AND MULTIPLICITY	DEFINITION
contactInfo «property»	CI_Responsibility [1*]	
hasFeature OfInterest «property»	URI	
hasMetadata «property»	URI [0*]	
hasProperty «property»	POIProperty [0*]	
keywords «property»	MD_Keywords [0*]	
rights «property»	MD_Constraints [02]	
symbology «property»	URI [01]	

Note: Unless otherwise specified, all attributes and role names have the stereotype «Property».

Table 10

FeatureOfInterest

ROLE NAME	TARGET CLASS AND MULTIPLICITY	DEFINITION
describedBy	FeatureModel []	
ATTRIBUTE	VALUE TYPE AND MULTIPLICITY	DEFINITION

Note: Unless otherwise specified, all attributes and role names have the stereotype «Property».

Table 11

POIProperty

Definition:

Subclass of: <←section,>>

Stereotype: «DataType»

ROLE NAME	TARGET CLASS AND MULTIPLICITY	DEFINITION
ATTRIBUTE	VALUE TYPE AND MULTIPLICITY	DEFINITION
value «property»	Any [01]	

Note: Unless otherwise specified, all attributes and role names have the stereotype «Property».

6

MEDIA TYPES FOR ANY DATA ENCODING(S)



MEDIA TYPES FOR ANY DATA ENCODING(S)

A section describing the MIME-types to be used is mandatory for any standard involving data encodings. If no suitable MIME type exists in http://www.iana.org/assignments/media-types/ index.html then this section may be used to define a new MIME type for registration with IANA.



ANNEX A (INFORMATIVE) CONFORMANCE CLASS ABSTRACT TEST SUITE (NORMATIVE)



ANNEX A (INFORMATIVE) CONFORMANCE CLASS ABSTRACT TEST SUITE (NORMATIVE)

NOTE: Ensure that there is a conformance class for each requirements class and a test for each requirement (identified by requirement name and number)

A.1. Conformance Class A

A.1.1. Requirement 1

REQUIREMENT A.1		
/req/req-class-a/req-name-1		
Test purpose	Verify that	
Test method	Inspect	

A.1.2. Requirement 2

В

ANNEX B (INFORMATIVE) TITLE

В

ANNEX B (INFORMATIVE) TITLE

NOTE: Place other Annex material in sequential annexes beginning with "B" and leave final two annexes for the Revision History and Bibliography



ANNEX C (INFORMATIVE) REVISION HISTORY



ANNEX C (INFORMATIVE) REVISION HISTORY

Table C.1

DATE	RELEASE	EDITOR	PRIMARY CLAUSES MODIFIED	DESCRIPTION
2021-06- 17	0.0.1	Matthew Purss	all	initial version
2021-07- 08	0.0.1	Matthew Purss	Clause 1	initial scope text inserted from original POI draft standard
2021-07- 09	0.0.1	Matthew Purss	Clause 4	initial terms inserted from original POI draft standard (and reformatted to meet formal definition requirements)



BIBLIOGRAPHY

- 1. A. Phillips; M. Davis. Tags for Identifying Languages September 2009. IETF Best Current Practice.
- 2. M. Duerst, M. Suignard. Internationalized Resource Identifiers (IRI). January 2005. Internet RFC 3987.
- 3. Information technology Database languages SQL multimedia and application packages Part 3: Spatial. International Organization for Standardization. ISO13249-3:2011. 2011.
- 4. Geographic information Spatial schema. International Organization for Standardization. 2003. ISO 19107:2003.
- 5. Geographic information Spatial referencing by coordinates. International Organization for Standardization. 2007. ISO 19115:2007.
- 6. Geographic information. Spatial referencing by geographic identifiers. International Organization for Standardization. 2003. ISO 19112:2003.
- 7. Geographic information Metadata. International Organization for Standardization. 2003. ISO 19115:2003.
- 8. Geographic information Location-based services Tracking and navigation. International Organization for Standardization. 2005. ISO 19133:2005.
- 9. Representation of dates and times. International Organization for Standardization. 2004. ISO 8601:2004.
- 10. US National Imagery and Mapping Agency, "Department of Defense (DoD) World Geodetic System 1984 (WGS 84), Third Edition", NIMA TR8350.2, January 2000.
- 11. N. Freed; N. Borenstein. Multipurpose Internet Mail Extensions (MIME) Part Two: Media Types. November 1996. Internet RFC 2046.
- 12. S. Bradner. Key words for use in RFCs to Indicate Requirement Levels. March 1997. Internet RFC 2119.
- 13. T. Berners-Lee; R. Fielding; L. Masinter. Uniform Resource Identifier (URI): Generic Syntax. January 2005. Internet RFC 3986.
- 14. M. Nottingham, R. Sayre. The Atom Syndication Format.. IETF RFC 4087 December 2005.
- 15. B. Desruisseaux. Internet Calendaring and Scheduling Core Object Specification (iCalendar). September 2009. Internet RFC 5545.
- 16. S. Perreault. vCard Format Specification. IETF RFC 6350 August 2011.

- 17. H. Alvestrand. Tags for the Identification of Languages. IETF RFC 3066 January 2001.
- 18. Eve Maler; et al. Extensible Markup Language (XML) 1.1 (Second Edition). 16 August 2006. W3C Recommendation.
- 19. Jonathan Marsh, Richard Tobin. XML Base (Second Edition). 28 January 2009. W3C Recommendation.
- 20. Henry S. Thompson; et al. W3C XML Schema Definition Language (XSD) 1.1 Part 2: Datatypes. 30 January 2009. W3C Working Draft. (Work in progress.)