Open Geospatial Consortium

Submission Date: <yyyy-mm-dd>

Approval Date: <yyyy-mm-dd>

Publication Date: 2022-03-16

External identifier of this OGC® document: http://www.opengis.net/doc/{doc-type}/{standard}/ {m.n}

Internal reference number of this OGC® document: YY-nnnrx

Version: n.n

Category: OGC® Best Practice

Editor: <Name(s) of Editor or Editors>

OGC POI Use Cases

Copyright notice

Copyright © <year> Open Geospatial Consortium

To obtain additional rights of use, visit http://www.opengeospatial.org/legal/

Warning

This document defines an OGC Best Practice on a particular technology or approach related to an OGC standard. This document is not an OGC Standard and may not be referred to as an OGC Standard. It is subject to change without notice. However, this document is an official position of the OGC membership on this particular technology topic.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Document type: OGC® Best Practice

Document subtype:

Document stage: Draft

tage. Diait

Document language: English

License Agreement

Permission is hereby granted by the Open Geospatial Consortium, ("Licensor"), free of charge and subject to the terms set forth below, to any person obtaining a copy of this Intellectual Property and any associated documentation, to deal in the Intellectual Property without restriction (except as set forth below), including without limitation the rights to implement, use, copy, modify, merge, publish, distribute, and/or sublicense copies of the Intellectual Property, and to permit persons to whom the Intellectual Property is furnished to do so, provided that all copyright notices on the intellectual property are retained intact and that each person to whom the Intellectual Property is furnished agrees to the terms of this Agreement.

If you modify the Intellectual Property, all copies of the modified Intellectual Property must include, in addition to the above copyright notice, a notice that the Intellectual Property includes modifications that have not been approved or adopted by LICENSOR.

THIS LICENSE IS A COPYRIGHT LICENSE ONLY, AND DOES NOT CONVEY ANY RIGHTS UNDER ANY PATENTS THAT MAY BE IN FORCE ANYWHERE IN THE WORLD.

THE INTELLECTUAL PROPERTY IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE DO NOT WARRANT THAT THE FUNCTIONS CONTAINED IN THE INTELLECTUAL PROPERTY WILL MEET YOUR REQUIREMENTS OR THAT THE OPERATION OF THE INTELLECTUAL PROPERTY WILL BE UNINTERRUPTED OR ERROR FREE. ANY USE OF THE INTELLECTUAL PROPERTY SHALL BE MADE ENTIRELY AT THE USER'S OWN RISK. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR ANY CONTRIBUTOR OF INTELLECTUAL PROPERTY RIGHTS TO THE INTELLECTUAL PROPERTY BE LIABLE FOR ANY CLAIM, OR ANY DIRECT, SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM ANY ALLEGED INFRINGEMENT OR ANY LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR UNDER ANY OTHER LEGAL THEORY, ARISING OUT OF OR IN CONNECTION WITH THE IMPLEMENTATION, USE, COMMERCIALIZATION OR PERFORMANCE OF THIS INTELLECTUAL PROPERTY.

This license is effective until terminated. You may terminate it at any time by destroying the Intellectual Property together with all copies in any form. The license will also terminate if you fail to comply with any term or condition of this Agreement. Except as provided in the following sentence, no such termination of this license shall require the termination of any third party end-user sublicense to the Intellectual Property which is in force as of the date of notice of such termination. In addition, should the Intellectual Property, or the operation of the Intellectual Property, infringe, or in LICENSOR's sole opinion be likely to infringe, any patent, copyright, trademark or other right of a third party, you agree that LICENSOR, in its sole discretion, may terminate this license without any compensation or liability to you, your licensees or any other party. You agree upon termination of any kind to destroy or cause to be destroyed the Intellectual Property together with all copies in any form, whether held by you or by any third party.

Except as contained in this notice, the name of LICENSOR or of any other holder of a copyright in all or part of the Intellectual Property shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Intellectual Property without prior written authorization of LICENSOR or such copyright holder. LICENSOR is and shall at all times be the sole entity that may authorize you or any third party to use certification marks, trademarks or other special designations to indicate compliance with any LICENSOR standards or specifications. This Agreement is governed by the laws of the Commonwealth of Massachusetts. The application to this Agreement of the United Nations Convention on Contracts for the International Sale of Goods is hereby expressly excluded. In the event any provision of this Agreement shall be deemed unenforceable, void or invalid, such provision shall be modified so as to make it valid and enforceable, and as so modified the entire Agreement shall remain in full force and effect. No decision, action or inaction by LICENSOR shall be construed to be a waiver of any rights or remedies available to it.

Table of Contents

1. Scope	6
2. Conformance	7
3. References	8
4. Terms and Definitions	10
4.1. location	10
4.2. place	10
4.3. position	10
4.4. spatial reference	10
4.5. stakeholder	11
4.6. user	11
5. Conventions	12
5.1. Identifiers	12
6. POI Use Cases.	13
6.1. Choose Restaurant	13
6.2. Construction Site.	14
6.3. Covid Testing Center Use Case	15
6.4. Electrical Vehicle Charging Stations	
6.5. Military Use Case	17
6.6. Package Drop-off and Pick Up Services	18
6.7. POI Publication	19
6.8. Situational Awareness	20
6.9. Smart Tourism	21
7. POI Detailed Use Cases	23
7.1. Choose Restaurant Use Case	23
7.1.1. Restaurant Attribute Details	24
7.2. Construction Site Use Case	25
7.3. Covid Testing Center Use Case	25
7.4. Electrical Vehicle Charging Stations	25
7.5. Military Use Case	26
7.5.1. Scenario	26
7.5.2. What is a POI?	26
7.6. Package Drop off and Pick Up Services Use Case	28
7.7. POI Publication Use Case	29
7.8. Situational Awareness	29
7.9. Smart Tourism Use Case	30
8. Stakeholders	31
9. Devices	33
10. Data Categories	34

11. Requirements	35
Annex A: Conformance Class Abstract Test Suite (Normative)	36
A.1. Conformance Class A.	36
A.1.1. Requirement 1	36
A.1.2. Requirement 2	36
Annex B: Title ({Normative/Informative})	37
Annex C: Revision History	38
Annex D: Bibliography	39

i. Abstract

<Insert Abstract Text here>

ii. Keywords

The following are keywords to be used by search engines and document catalogues.

ogcdoc, OGC document, <tags separated by commas>

iii. Preface

NOTE

Insert Preface Text here. Give OGC specific commentary: describe the technical content, reason for document, history of the document and precursors, and plans for future work. > Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. The Open Geospatial Consortium shall not be held responsible for identifying any or all such patent rights.

Recipients of this document are requested to submit, with their comments, notification of any relevant patent claims or other intellectual property rights of which they may be aware that might be infringed by any implementation of the standard set forth in this document, and to provide supporting documentation.

iv. Submitting organizations

The following organizations submitted this Document to the Open Geospatial Consortium (OGC):

Organization name(s)

v. Submitters

All questions regarding this submission should be directed to the editor or the submitters:

Name Affiliation

Chapter 1. Scope

NOTE

Insert Scope text here. Give the subject of the document and the aspects of that scope covered by the document.

Chapter 2. Conformance

This Best Practice defines XXXX.

Requirements for N target types are considered: * AAAA * BBBB

Conformance with this Best Practice shall be checked using all the relevant tests specified in Annex A (normative) of this document.

In order to conform to this OGC® Best Practice, a software implementation shall choose to implement: * Any one of the conformance levels specified in Annex A (normative). * Any one of the Distributed Computing Platform profiles specified in Annexes TBD through TBD (normative).

All requirements-classes and conformance-classes described in this document are owned by the document(s) identified.

Chapter 3. References

The following normative documents contain provisions that, through reference in this text, constitute provisions of this document. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. For undated references, the latest edition of the normative document referred to applies.

Insert References here. If there are no references, state "There are no normative references".

References are to follow the Springer LNCS style, with the exception that optional information may be appended to references: DOIs are added after the date and web resource references may include an access date at the end of the reference in parentheses. See examples from Springer and OGC below.

Smith, T.F., Waterman, M.S.: Identification of Common Molecular Subsequences. J. Mol. Biol. 147, 195–197 (1981)

May, P., Ehrlich, H.C., Steinke, T.: ZIB Structure Prediction Pipeline: Composing a Complex Biological Workflow through Web Services. In: Nagel, W.E., Walter, W.V., Lehner, W. (eds.) Euro-Par 2006. LNCS, vol. 4128, pp. 1148–1158. Springer, Heidelberg (2006)

Foster, I., Kesselman, C.: The Grid: Blueprint for a New Computing Infrastructure. Morgan Kaufmann, San Francisco (1999)

Czajkowski, K., Fitzgerald, S., Foster, I., Kesselman, C.: Grid Information Services for Distributed Resource Sharing. In: 10th IEEE International Symposium on High Performance Distributed Computing, pp. 181–184. IEEE Press, New York (2001)

NOTE

Foster, I., Kesselman, C., Nick, J., Tuecke, S.: The Physiology of the Grid: an Open Grid Services Architecture for Distributed Systems Integration. Technical report, Global Grid Forum (2002)

National Center for Biotechnology Information, http://www.ncbi.nlm.nih.gov

ISO / TC 211: ISO 19115-1:2014 Geographic information — Metadata — Part 1: Fundamentals (2014)

ISO / TC 211: ISO 19157:2013 Geographic information — Data quality (2013)

ISO / TC 211: ISO 19139:2007 Geographic information — Metadata — XML schema implementation (2007)

ISO / TC 211: ISO 19115-3: Geographic information — Metadata — Part 3: XML schemas (2016)

OGC: OGC 15-097 OGC Geospatial User Feedback Standard. Conceptual Model (2016)

OGC: OGC 12-019, OGC City Geography Markup Language (CityGML) Encoding Standard (2012)

OGC: OGC 14-005r3, OGC IndoorGML (2014)

Chapter 4. Terms and Definitions

This document uses the terms defined in OGC Policy Directive 49, which is based on the ISO/IEC Directives, Part 2, Rules for the structure and drafting of International Standards. In particular, the word "shall" (not "must") is the verb form used to indicate a requirement to be strictly followed to conform to this standard and OGC documents do not use the equivalent phrases in the ISO/IEC Directives, Part 2.

This document also uses terms defined in the OGC Standard for Modular specifications (OGC 08-131r3), also known as the 'ModSpec'. The definitions of terms such as standard, specification, requirement, and conformance test are provided in the ModSpec.

For the purposes of this document, the following additional terms and definitions apply.

This document uses the terms defined in OGC Policy Directive 49, which is based on the ISO/IEC Directives, Part 2, Rules for the structure and drafting of International Standards. In particular, the word "shall" (not "must") is the verb form used to indicate a requirement to be strictly followed to conform to this standard and OGC documents do not use the equivalent phrases in the ISO/IEC Directives, Part 2.

This document also uses terms defined in the OGC Standard for Modular specifications (OGC 08-131r3), also known as the 'ModSpec'. The definitions of terms such as standard, specification, requirement, and conformance test are provided in the ModSpec.

The Glossary includes terms from other standards and specifications that, while not normative, are critical to accurately understand this specification.

For the purposes of this document, the following additional terms and definitions apply.

4.1. location

identifiable geographic place (Source: ISO19112:2019)

4.2. place

identifiable part of any space (Source: ISO19155:2012)

4.3. position

data type that describes a point or geometry potentially occupied by an object or person (Source: ISO19133:2005)

4.4. spatial reference

system for identifying position in the real world (Source: ISO19155:2012)

4.5. stakeholder

individual or organization having a right, share, claim, or interest in a system or in its possession of characteristics that meet their needs and expectations (Source: ISO1588:2015)

4.6. user

individual or organization that uses the system or software to perform a specific function (Source: ISO25000:2014)

Chapter 5. Conventions

This sections provides details and examples for any conventions used in the document. Examples of conventions are symbols, abbreviations, use of XML schema, or special notes regarding how to read the document.

5.1. Identifiers

The normative provisions in this document are denoted by the URI

http://www.opengis.net/spec/{standard}/{m.n}

All requirements and conformance tests that appear in this document are denoted by partial URIs which are relative to this base.

Chapter 6. POI Use Cases

6.1. Choose Restaurant

Contributed By: Howard Trickey

Motivation: People using a map service that contains POIs may want to find a restaurant to eat in. This is good example of the general use case of finding and choosing POIs with particular services.

Summary

In order to choose a restaurant to eat in or get delivery from, users need to find restaurants near them and information about those restaurants to help decide which, if any, they want to use.

Click to view full use case description

Related Use Cases

Roles:

- Restaurant owner or operator
- User (person choosing a restaurant)
- Government entities responsible for regulating restaurants, search services, phones, automobiles

TODO: link stakeholders to the Stakeholders Section of this document.

Devices:

Users may want to choose a restaurant using a computer, a mobile phone, or an in-auto navigation system.

Data:

The data will be attributes of restaurants such as: location, name, type of cuisine, business hours, price level, etc.

Dependencies:

TODO: Add any dependencies from the Bibliography and Terms and Definitions sections of this document.

Requirements:

TODO: Add requirements from the Requirements section of this document.

Variants:

Many "Choose X" use cases will be similar, differing mainly in the specialized attributes needed to make a choice for POIs in category X. For example:

- · Choose Lodging
- Choose Clothes Store
- Choose Electronics Store

• • •

Security Considerations:

A user should not be able to discover what any other particular user did while choosing a restaurant.

Privacy Considerations:

An restaurant listed must be a publicly visitable place. There may be other privacy laws, in certain countries, that require that a POI listing be deleted upon request by the POI owner.

Comments:

6.2. Construction Site

Contributed By: Timo Ruohomäki, based on innovation projects from the city of Helsinki.

Motivation: The last mile has often been found to be the most challenging factor in the logistics chain and the most demanding in terms of achieving the desired service level. This is an issue especially on developing areas, e.g. construction sites.

Summary
Click to view full use case description
Related Use Cases
Roles:
Devices:
Data:
Dependencies:
Requirements:
Variants:

Security Considerations:

<Describe possible use case variants, if applicable>

<Describe any issues related to security; if there are none, say "none" and justify>

Privacy Considerations:

<Describe any issues related to privacy; if there are none, say "none" and justify>

Comments:

6.3. Covid Testing Center Use Case

Contributed By: <Put your name here>

Motivation: < Provide a description of the problem that is solved by the use case and a reason why this use case is important for the users>

Summary

<Provide a summary of the use case. The full use case description should be available through the following link>

Click to view full use case description

Related Use Cases

<Identify any use cases which are related to this one and describe the nature of that relation. Include a hyperlink to each use case.>

Roles:

<List all stakeholders that are involved in the use case. Stakeholders are described in the Stakeholders Section of this document. Each listed stakeholder should be hyperlinked to its description.>

Devices:

<List the target devices, e.g. as a sensor, solar panel, air conditioner>

Data:

<List the type of expected data, e.g. weather and climate data, medical conditions, machine sensors, vehicle data>

Dependencies:

<Identify any dependencies of this use case. Dependencies are described in the Bibliography and Terms and Definitions sections of this document. Each listed dependency should be hyperlinked to its description.>

Requirements:

<Identify the requirements derived from this use case. Requirements are described in the Requirements section of this document. Each listed requirement should be hyperlinked to its description.>

Variants:

<Describe possible use case variants, if applicable>

Security Considerations:

<Describe any issues related to security; if there are none, say "none" and justify>

Privacy Considerations:

<Describe any issues related to privacy; if there are none, say "none" and justify>

Comments:

6.4. Electrical Vehicle Charging Stations

Contributed By: Timo Ruohomäki, Forum Virium Helsinki Oy

Motivation: People driving EV would appreciate up to date information of the nearest available charging station.

Summary

There are several operators providing the charging stations, some of them open and some requiring membership. The charging stations also can provide back useful information, e.g. the occupancy status and estimated time of being available. The use case aims to tackle the charging station as a service from several different stakeholders point of view.

Click to view full use case description

Related Use Cases

<Identify any use cases which are related to this one and describe the nature of that relation. Include a hyperlink to each use case.>

Roles:

<List all stakeholders that are involved in the use case. Stakeholders are described in the Stakeholders Section of this document. Each listed stakeholder should be hyperlinked to its description.>

Devices:

Vehicle, Charging Station

Data:

Operational data of the charging process

Dependencies:

<Identify any dependencies of this use case. Dependencies are described in the Bibliography and Terms and Definitions sections of this document. Each listed dependency should be hyperlinked to its description.>

Requirements:

<Identify the requirements derived from this use case. Requirements are described in the Requirements section of this document. Each listed requirement should be hyperlinked to its description.>

Variants:

<Describe possible use case variants, if applicable>

Security Considerations:

<Describe any issues related to security; if there are none, say "none" and justify>

Privacy Considerations:

Data originated from the vehicle may contain personal data.

Comments:

6.5. Military Use Case

Contributed By: Joetta Kreck (AGC) – Joetta.l.kreck@usace.army.mil

Motivation:

Use POIs to simplify data collection and use.

Summary

POIs are a simplification of a Feature dataset. The selection and population of a POI is mission-specific. There is no standard attribution for a POI Feature. Rather, the POI Feature Type serves as a scafolding which is attributed based on the data available and the needs of the user.

Click to view full use case description

Related Use Cases

TBD

Roles:

<List all stakeholders that are involved in the use case. Stakeholders are described in the Stakeholders Section of this document. Each listed stakeholder should be hyperlinked to its description.>

ı	OT	71	0	AC	
.,	-1	∕ ■	۱.	es	_

NA

Data:

A Feature dataset which is the source or target of the POI.
Dependencies:
NA
Requirements:
TBD
Variants:
None
Security Considerations:
TBD
Privacy Considerations:
TBD
Comments:
6.6. Package Drop-off and Pick Up Services
Contributed By: Christine Perey, based on commercial package delivery and return services (e.g., Amazon)
Motivation: For commercial or residential customers, package delivery and pick up logistics requires considerable attention to details (e.g., pick up location, time), and tracing (tracking) for efficient space use, billing and insurance purposes. Customers may end up waiting for either a delivery or a pick up that is late, or miss the connection if the delivery is early, and fuel consumption associated with individual addresses may be greater than services using a pooled location (individually-secured containers within a larger container). Some service providers have developed systems to manage a multi-customer delivery and return location.
Summary
Click to view full use case description
Related Use Cases This use case is somewhat related to the last mile logistics use case.
Roles:
Devices:
Data:
Dependencies:
Requirements:

Variants:

Security Considerations:

There must be unique and secure access codes assigned for the customer dropping off a package and the operator or customer picking up from the same secure cubicle.

Privacy Considerations:

Once the customer agrees to terms and conditions of use, the contents of the cubicle must not be disclosed to other customers or delivery personnel.

Comments:

6.7. POI Publication

Contributed By: Koen De Baets, Digitaal Vlaanderen (Government of Flanders)

Motivation: A diverse group of (governmental) agencies have data that might be of interest to a broad audience (e.g., citizens, visitors, researchers, other agencies). The publisher wants to make this data publicly available in a uniform and user friendly way.

Summary Multiple data sets from different sources, each having its own data model, are mapped and/or geocoded to a single POI data model. The data model should have a set of generic attributes to minimize loosing any richness of the source data. All POI's from different sources are combined and available to end users as single service.

In addition, services that search data would be able to present to the user a single result after retrieving data from multiple original data sources.

Click to view full use case description

Related Use Cases

<Identify any use cases which are related to this one and describe the nature of that relation. Include a hyperlink to each use case.>

Roles: POI Publisher <List all stakeholders that are involved in the use case. Stakeholders are described in the Stakeholders Section of this document. Each listed stakeholder should be hyperlinked to its description.>

Devices: Personal Computers, Mobile

Data: Geo-referenced data

Dependencies:

<Identify any dependencies of this use case. Dependencies are described in the Bibliography and Terms and Definitions sections of this document. Each listed dependency should be hyperlinked to its description.>

Requirements: Data Source (Provenance) Location Publication Date Version Label Description (including HTML Tags)

<Identify the requirements derived from this use case. Requirements are described in the Requirements section of this document. Each listed requirement should be hyperlinked to its description.>

Variants:

<Describe possible use case variants, if applicable>

Security Considerations: None, the sources are public and licensed under open data agreement/policy

Privacy Considerations: None, the sources are public and licensed under open data agreement/policy

Comments:

6.8. Situational Awareness

Contributed By: TBD

Motivation: < Provide a description of the problem that is solved by the use case and a reason why this use case is important for the users>

Summary

<Provide a summary of the use case. The full use case description should be available through the following link>

Click to view full use case description

Related Use Cases

<Identify any use cases which are related to this one and describe the nature of that relation. Include a hyperlink to each use case.>

Roles:

<List all stakeholders that are involved in the use case. Stakeholders are described in the Stakeholders Section of this document. Each listed stakeholder should be hyperlinked to its description.>

Devices:

<List the target devices, e.g. as a sensor, solar panel, air conditioner>

Data:

<List the type of expected data, e.g. weather and climate data, medical conditions, machine sensors, vehicle data>

Dependencies:

<Identify any dependencies of this use case. Dependencies are described in the Bibliography and Terms and Definitions sections of this document. Each listed dependency should be hyperlinked to its description.>

Requirements:

<Identify the requirements derived from this use case. Requirements are described in the Requirements section of this document. Each listed requirement should be hyperlinked to its description.>

Variants:

<Describe possible use case variants, if applicable>

Security Considerations:

<Describe any issues related to security; if there are none, say "none" and justify>

Privacy Considerations:

<Describe any issues related to privacy; if there are none, say "none" and justify>

Comments:

6.9. Smart Tourism

Contributed By: Timo Ruohomäki, Forum Virium Helsinki Oy

Motivation: <Provide a description of the problem that is solved by the use case and a reason why this use case is important for the users>

Summary

<Provide a summary of the use case. The full use case description should be available through the following link>

Click to view full use case description

Related Use Cases

<Identify any use cases which are related to this one and describe the nature of that relation. Include a hyperlink to each use case.>

Roles:

<List all stakeholders that are involved in the use case. Stakeholders are described in the Stakeholders Section of this document. Each listed stakeholder should be hyperlinked to its description.>

Devices:

<List the target devices, e.g. as a sensor, solar panel, air conditioner>

Data:

<List the type of expected data, e.g. weather and climate data, medical conditions, machine sensors, vehicle data>

Dependencies:

<Identify any dependencies of this use case. Dependencies are described in the Bibliography and Terms and Definitions sections of this document. Each listed dependency should be hyperlinked to its description.>

Requirements:

<Identify the requirements derived from this use case. Requirements are described in the Requirements section of this document. Each listed requirement should be hyperlinked to its description.>

Variants:

<Describe possible use case variants, if applicable>

Security Considerations:

<Describe any issues related to security; if there are none, say "none" and justify>

Privacy Considerations:

<Describe any issues related to privacy; if there are none, say "none" and justify>

Comments:

Chapter 7. POI Detailed Use Cases

7.1. Choose Restaurant Use Case

A user of a map system (on a computer, a phone, in a car, etc.) may want to find a restaurant to eat in or get delivery from. They will have some set of requirements that the restaurant should satisfy for it to be a good choice for them. The user requirements may include some or all of the following:

- Near a particular location in the world (maybe the user's current location, maybe somewhere they are intending to travel to).
- Serves cuisines that the user can eat and likes.
- Is open during the hours the user intends to visit, and/or serve the type of meal (breakfast, lunch, dinner, etc.) the user wants.
- Has service style the user prefers (take-out vs dine-in).
- Has a price level the user prefers.
- Has a bar and/or serves alcohol.
- · Has delivery.
- Has order-ahead with pickup.
- Requires reservations or reservations recommended.
- Will have a busyness level that the user prefers at the time of intended vist.
- · Has good reviews.
- Accepts particular payment methods.
- Has an ambience the user prefers (family-friendly, upscale, romantic, etc.).
- Has an all-you-can eat buffet.
- Shows sports on TV.
- Has a happy hour.
- Is Handicap-accessible.
- Has available free parking.
- Has Covid-related requiements (vaccination and/or masks).

Given these requirements, the user will want to browse restaurants in a particular locality or in a particular time-from or distance-from a particular (latitude, longitude), and examine whether or not those restaurants have the required attributes.

As a final part of this use case, the user may want to execute the transaction by doing one of:

- Get navigation directions from their current location to the chosen restaurant.
- Place an order for delivery from the chosen restaurant.
- Place an order for pickup from the chosen restaurant and get navigation directions to it.

• Save the restaurant in a list of "favorites".

7.1.1. Restaurant Attribute Details

Food Served

There are a number of dimensions along which one can describe the food served by a restaurant. Here is an example taxonomy:

- Regional
 - African
 - Cape Verdean, East African, Eritrean, Ethiopian, North African, Seychelles, South African, West African, ...
 - Asian
 - Central Asian
 - Kazakhstani, Turkmen, Uzbeki
 - East Asian
 - Chinese, Japanese, Korean, Mongolian, Taiwanese, ...
 - South Asian
 - Indian, Nepalese, Pakistani, Sri Lankan, ...
 - South-East Asian
 - Burmese, Cambodian, Filipino, Indonesian, Laotian, Malaysian, Singaporean, Thai, Vietnamese, Tibetan, ...
 - European
 - Austrian, Belgian, British, Dutch, French, German, Greek, Irish, Italian, Maltese, Portguese, Danish, Finnish, Icelandic, Norwegian, Swedish, Spanish, Swiss, Turkish, ...
 - East European
 - Armenian, Bulgarian, Croation, Czech, Georgian, Hungarian, Lithuanian, Polish, Romanian, Russian, Serbian, Ukranian, ...
 - Middle Eastern
 - Egyptian, Georgian, Israeli, Lebanese, Persian, Syrian, Turkish, Yemenite, ...
 - North American
 - Californian, Native American, New American, New England, Puerto Rican, Southern US, Southwestern US, Traditional American, Canadian, Cuban, Dominican, Haitian, Jamaican, Costa Rican, Guatemalen, Honduran, Nicaraguan, Salvadoran, Mexican, ...
 - Oceanian
 - Australian, New Zealand, Polynesian, ...
- · Cooking style

- Barbecue, Carvery, Grill, Hot Pot, Wok, Down-home Cooking, Fusion, ...
- Dietary
 - Gluten-free, Halal, Health Food, Jewish, Kosher, Macrobiotic, Non-vegetarian, Organic, Raw Food, Vegan, Vegetarian, ...
- Dining style
 - Box lunch, Beer Garden, Buffet, Carvery, Family-friendly, Fast food, Fine dining, Gastropub,
 Small Plates, Stand bar, Street food, Tavern, Pub, Cafe, ...
- · Meal type
 - Breakfast, Brunch, Lunch, Dinner, Late-night Meal
- · Dishes Served
 - Fried Chicken, Pizza, Salad, Sandwich, Seafood, Soup, Steak, Noodles, Sushi, Dim Sum, Curry,
 Fish and Chips, Pancakes, Hamburger, Hot dog, Cheesesteak, Chicken Wings, Coffee, Alcohol,

7.2. Construction Site Use Case

The last mile has often found to be the most challenging factor in the logistics chain and the most demanding regarding to the service level. This is especially the case in developing areas, e.g. construction sites. The delivery drivers need to consider the nearest parking spot to the recipient, avoid road constructions or use temporary routes and, in large buildings, find the most suitable access point. On construction sites, the suitable loading areas change often and, as a safety measure, the delivery routes need to be planned in advance. The traffic flows and entrance and exit points are included in the detailed site logistics plan.

The logistics plan heavily relies on geospatial referencing. The entrance and exit points, routes within the site and loading areas are all geospatial features. This information may change with short notice, but up-to-date information about the site logistics need to be maintained by the site logistics planner and shared with the logistics operators, drivers and first responders.

In addition to maintaining the location information, logistics planning involves additional attributes that are maintained as part of the process. The entrance and exit points may have opening hours, routes sometimes have weight and height limits and contact information for the loading deck manager and final recipients need to be easily accessible. It is unlikely that a comprehensive list of all the attributes can be created since cases many have unique needs.

7.3. Covid Testing Center Use Case

<insert narrative text>

7.4. Electrical Vehicle Charging Stations

<insert narrative text>

7.5. Military Use Case

7.5.1. Scenario

One Army unit is deploying to assist with setting up Covid testing and emergency hospitals while another unit is deploying to a war-torn area where infrastructure has been destroyed and potential hazardous materials may have been released. Each unit has a need for Points of Interest (POI), however these POI will be different depending on the mission and the operational setting. A vast feature data set is available with a complex/robust data schema however these end users are seeking situational awareness for their operation and a geospatial engineer team is responsible for leveraging the feature dataset to generate sets of POI to support each mission. These users only require a limited set of features that are easily represented by intuitive symbols and a select set of attributes that support the mission and can be easily displayed on a mobile device. The end user loads the prepared dataset or connects to a service to cache the POI. The end user reviews POI data over imagery and over a map background to familiarize themselves with on the area. In a sparse area the user will turn on a full set of POI while in dense urban areas the user selects from a list of POI to display.

In both scenarios the users also have a need to collect POI via a simple select the symbol from a list and drop it on the map with a second step of select the symbol from the map and add detail via a drop-down menu with a list of list attributes. The collected and revised POI will be uploaded and validated by the geospatial engineer team and persistent information will be added to the master feature dataset.

7.5.2. What is a POI?

A POI provides a simplified, mission-specific, view of Feature data.

POI for Situational Awareness

A POI is a simplified view of a mission-specific subset of a Feature dataset

For this military situation awareness use case, POIs are a simplified set of point features that the user community needs visually represented with options to search, filter, and view labels and attributes. POIs are derived from a more complex geospatial data model and simplified to better enable systems with limited geospatial capabilities. While traditional feature data carries attributes that are often null or contain a "no information" value, POIs should only carry the most relevant and well populated information. In addition to traditional attributes the POI will contains 3 precalculate fields that can simplify search, filter, categorize and symbolize the POIs.

POI for Data Collection

A POI is a collection of mission-specific Feature Types to be used by field operators to collect data.

POIs, when combined with an identified symbol set, play a key role in enabling end user data collection. An end user with a known symbol set loaded on a device and a capability to select the icon and place it on the map can perform data collection in the field. The end user may also select the collected symbol and fill form fields with additional details. The collected data may be encrypted and stored on the device, shared across the network, or pushed to the server when

connectivity is available.




Figure 1. POIs for Collection and Use

The left image in Figure 1 shows POIs dropped on a Feature data set capturing new or enhanced data. The right image shows those POIs dropped on an image for use by operations personnel.

The attributes of these POIs are shown in Figure 2.

Pre-calculate Fields		
LBL_VAL	A value that could be used for labeling such as a name or feature function.	String
SO_ID	Symbol name	String
SIMPLE_DESC	Simplified Description for categorization	String
Existing NAS Attrib	utes	
Descriptive Attribut	tes	
FFN, FFN2, FFN3	Feature Function	Enumeration
ZI005_FNA	Geo Name Info : Full Name	String
ZI037_REL	Religious Information : Religious Designation	Enumeration
ZI037_RFA	Religious Information : Religious Site Type	Enumeration
TTC, TTC2, TTC3	Tower Type	Enumeration
COS	Facility Operational Status	Enumeration
PCF	Physical Condition	Enumeration
HGT	Height Above Surface Level	Real
MFY	Medical Facility Type	Enumeration
MEL	Medical Service	Enumeration
ZI006_MEM	Note : Memorandum	String
FURL	External References	StructuredText
FUFI	Feature Unique Identifier	StructuredText
Metadata		
ZI001_SDV	Source : Source Date and Time	StructuredText
ZI001_SRT	Source : Source Type	Enumeration
ZI004_RCG	Physical Object Metadata : Process Step Information : Resource Content Originator	Enumeration
ZSAX_RS0	Restriction : Security < resource classification >	CodeList
ZSAX_RX0	Restriction : Security <resource controls="" dissemination=""></resource>	StructuredText
ZSAX_RX3	Restriction : Security < resource non-intelligence community markings>	StructuredText
ZSAX_RX4	Restriction : Security <resource owner-producer=""></resource>	StructuredText
ZI002_UFI	Restriction Information : Unique Entity Identifier	StructuredText
GDBV	Geodatabase Schema Version	Enumeration

Figure 2. Military POI Contents

7.6. Package Drop off and Pick Up Services Use Case

For commercial or residential customers, package delivery and pick up logistics requires considerable attention to detail (e.g., pick up location, restrictions, time), and tracing (tracking) for efficient space use, billing and insurance purposes. Customers may end up waiting for either a delivery or a pick up that is late, or miss the connection if the delivery is early, and fuel consumption associated with individual addresses may be greater than services using a pooled location (individually-secured containers). Space in delivery vehicles can also be calculated and optimized when the package details are associated with the point of interest. Some service providers use systems to manage a "multi-customer" delivery and return location.

The customer needs to be assigned or choose a specific section (locked cubicle) that meets the package needs. Each cubicle is a point of interest within a larger "multi-customer" container, within

a secured or outdoor business facility. This means that static metadata such as the street address, open hours of the facility, the latest time for drop off, cubicle's dimensions must be associated with each unit.

In addition to maintaining the static metadata for a cubicle or group of cubicles, there is dynamic data such as the weight of a package (if the cubicle is equipped with weight sensing), a unique access code for a cubicle (to be assigned each time there is a new drop off or pick up scheduled), and time of cubicle access (occupancy status). The dynamic information for each unit (PoI) can be integrated with a real-time route planning system, to release a cubicle for a future customer's use and customer back end (e.g., for billing).

7.7. POI Publication Use Case

A diverse group of (governmental) agencies publishes open data which is licensed for public benefit. The original data provider (source) provides data on their own. They can publish it on their web site or they can provide an API so that the government agency can retrieve the data from their server (from the source). Data sets compiled in this manner might be of interest to a broad audience (e.g., citizens, visitors, researchers, other agencies). The public agency wants to make this geo-located data publicly available in a uniform and user friendly way.

Multiple data sets from different sources, each having its own data model, are mapped and/or geocoded to a single POI data model. The POI data model should have a set of generic attributes to minimize loosing any richness of the source data. All POI's from different sources are combined and available to end users as single service.

In addition, services that search data need to present to the user a single result after retrieving data from multiple original data sources.

7.8. Situational Awareness

So I work for the Army Geospatial Center and we've been. Looking.at

So I haven't attended this group before. So I'm a little bit new to this, this group. But one of the cases that we're really looking at is kind of a concept of simplified situational awareness.

We have very complex data models and and sometimes those are a challenge to get down to user levels. And some of the use cases that they really need this for is concepts of positional validation. So that's not to say, like, specifically, I am here, But rather, I think I'm here. What's around me? Um, and, and also, looking at it from the other side of being data collection. So what are the things a community needs to need to collect, and those, in turn, become POIs? Ok, that's that's a really great question.

So one of the things that happens with that is you end up with a lot of POIs. But I think going back to the earlier question.

How are you how you interact with these things or how you end up with what things are ...? They could be most anything.

It's going to be dependent on it on a user community. But I think there's also a level, and I know

level of detail is a loaded concept, but in terms of, if you're looking at something from kind of the macro level, you might be looking at an entire power grid.

7.9. Smart Tourism Use Case

<insert narrative text>

Chapter 8. Stakeholders

The following tables define a list of stakeholder roles based on the onion model (Alexander 2005).

Role	Normal Operator			
Scope	Our System			
Description	Role that involves giving routine commands and monitoring outputs from the product			
Role	Operational Support			
Scope	Our System			
Description	Role that involves advising normal operators of a product about how to operate it			
Role	Maintenance Operator			
Scope	Our System			
Description	Role that involves maintaining the product			
Role	Interfacing System			
Scope	Containing System			
Description	Role responsible for neighboring systems that have interfaces to and from the product			
Role	Sponsor or Champion			
Scope	Containing System			
Description	Role responsible for initiating development of the product			
Role	Functional Beneficiary			
Scope	Containing System			
Description	Role that benefits from the results or outputs created by the product			
Role	Purchaser			
Scope	Containing System			
Description	Role responsible for having the product developed			
Role	Developer			
Scope	Wider Environment			
Description	Any of the many roles involved directly in product development			

Role	Consultant
Scope	Wider Environment
Description	Any of the many roles involved in supporting some aspect of product development, characteristically from outside the development organization
Role	Supplier
Scope	Wider Environment
Description	A role involved in the manufacture and provision of components for the product
Role	Dolitical Donoficiony
	Political Beneficiary
Scope	Wider Environment
Description	Any role in public office or private business that can benefit in terms of power, influence, and prestige through the success of the product
D 1	
Role	Regulator
Scope	Wider Environment
Description	Any role responsible for regulating the quality, safety, cost or other aspects of the product
Role	Financial Beneficiary
Scope	Wider Environment
Description	Any role that can benefit financially from the success of a product
D 1	
Role	Negative Stakeholder
Scope	Wider Environment
Description	Role that could be harmed by the product physically, financially, or in any other way that might be found justifiable by the authorities

(SOURCE: Alexander, I. F. (2005). A Taxonomy of Stakeholders: Human Roles in System Development. **International Journal of Technology and Human Interaction (IJTHI)**, 1(1), 23-59. http://doi.org/10.4018/jthi.2005010102)

Chapter 9. Devices

The following tables define a list of devices referenced in the POI Use Cases.

Device	Web Browser
Scope	tbr
Description	A generic web browser.

Chapter 10. Data Categories

The following tables define a list of categories of data, or data types, referenced in the POI Use Cases.

Category	Any
Scope	tbr
Description	Any data type may be used.

Chapter 11. Requirements

One purpose of a Use Case is to derive operational requirements for the planned solution. These are not requirements in the software development sense of the term. Rather, they are a further refinement of the Use Cases. They capture a set of functional capabilties which, if supported, would be sufficient to enable performance of the tasks described in the Use Cases.

Annex A: Conformance Class Abstract Test Suite (Normative)

NOTE

Ensure that there is a conformance class for each requirements class and a test for each requirement (identified by requirement name and number)

A.1. Conformance Class A

A.1.1. Requirement 1

Test id:	/conf/conf-class-a/req-name-1
Requirement:	/req/req-class-a/req-name-1
Test purpose:	Verify that
Test method:	Inspect

A.1.2. Requirement 2

Annex B: Title ({Normative/Informative})

NOTE

Place other Annex material in sequential annexes beginning with "B" and leave final two annexes for the Revision History and Bibliography

Annex C: Revision History

Date	Release	Editor	Primary clauses modified	Description
2016-04-28	0.1	G. Editor	all	initial version

Annex D: Bibliography

Example Bibliography (Delete this note).

The TC has approved Springer LNCS as the official document citation type.

Springer LNCS is widely used in technical and computer science journals and other publications

NOTE

- For citations in the text please use square brackets and consecutive numbers: [1], [2], [3]
- Actual References:

[n] Journal: Author Surname, A.: Title. Publication Title. Volume number, Issue number, Pages Used (Year Published)

[n] Web: Author Surname, A.: Title, http://Website-Url

[1] OGC: OGC Testbed 12 Annex B: Architecture. (2015).