

MATH 2111: Tutorial 5 Linear Transformations and Matrix Operations

T1A&T1B QUAN Xueyang
T1C&T2A SHEN Yinan
T2B&T2C ZHANG Fa

Department of Mathematics, HKUST

- Linear Transformation Definition
- Matrix of a linear transformation, Standard Matrix
- Onto Map & One-to-one Map
- Matrix Operation: sums, scalar multiples, matrix multiples, matrix transpose

Example 1

Linear Transformation

Given transformation $T(x_1, x_2, x_3) = (x_2 + 1, x_3 + 1)$.

- (1) What is $T(1, 2, 1)$?
- (2) Is $T(\cdot)$ a linear transformation?

Example 2

Standard Matrix

- (1) Find the standard matrix of the following linear transformation

$$T(x_1, x_2, x_3, x_4) = (5x_1 - x_2, 5x_2 - x_3, 5x_3 - x_4, 5x_4 - x_1).$$

- (2) Find the linear transformation of the following standard matrix

$$A = \begin{pmatrix} 5 & 1 & 1 \\ 1 & 5 & 1 \\ 1 & 1 & 5 \end{pmatrix}$$

Example 3

Onto Map & One-to-One Map

Given linear transformation

$T(x_1, x_2, x_3) = (x_1 + x_2, x_2 + x_3, x_1 + x_3)$, determine whether

- (1) T is a one-to-one map,
- (2) T maps \mathbb{R}^3 onto \mathbb{R}^3 .

Example 4

Onto Map & One-to-One Map

Suppose α is an angle. Given linear transformation

$$T(x_1, x_2) = (\cos \alpha \cdot x_1 + \sin \alpha \cdot x_2, -\sin \alpha \cdot x_1 + \cos \alpha \cdot x_2).$$

Determine whether

- (1) T is a one-to-one map,
- (2) T maps \mathbb{R}^2 onto \mathbb{R}^2 .

Example 5

Matrix Operations

Given $A = \begin{pmatrix} 0 & 1 & 0 \\ 0 & 0 & 1 \\ 1 & 0 & 0 \end{pmatrix}$ and $B = \begin{pmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9 \end{pmatrix}$.

- (1) Compute AB .
- (2) Compute A^2, A^3 .
- (3) Compute $A^T B$.